




जिल्ला दर(रेट) निर्धारण समिति

भक्तपुर



ज्याला, ढुवानी तथा निर्माण सामग्रीहरुको दर(रेट)

आ.ब. २०७९/०८०

स्वीकृत मिति २०७९/०३/३२



तपसिल

निर्णय न. १ :-

आ.व. ०७९/८० का लागि मिति २०७९/०४/०१ देखि भक्तपुर जिल्लाभर लागु हुने गरी संलग्न सुची अनुसारका विभिन्न निर्माण सामग्री मेसिन तथा उपकरणको भाडा र श्रमिकहरूको ज्याला दररेट स्वीकृत गर्ने निर्णय गरियो ।

निर्णय न. २ :-

श्रमिकहरूको उपलब्धताको आधारमा श्रमिकको उमेर १६ वर्ष र काम गर्ने अवधि ८ घण्टालाई आधार मानी आ.व. ०७९/८० को श्रमिकहरूको ज्याला दर निर्धारण गर्ने निर्णय गरियो ।

निर्णय न. ३ :-

यसमा उल्लेख भएका निर्माणसंग सम्बन्धित अन्य आवश्यक सामग्रीहरूको हकमा सम्बन्धित विभागीय नर्स र नर्स उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको उत्पादक वा आधिकारिक बिक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वयन गराउन सक्ने निर्णय गरियो ।

निर्णय न. ४ :-

पुरातात्विक महत्त्वका विभिन्न निर्माण कार्यहरूमा विशेष प्रकारका दक्षता र सिप भएका श्रमिकहरूको प्रयोग हुने भएकोले ती श्रमिकहरूको दैनिक ज्याला दररेट पुरातत्व विभागबाट स्वीकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो ।

निर्णय न. ५ :-

मेसिन औजार तथा उपकरणको भाडादर सम्बन्धी मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर एस्काभेटर रोलर ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।

निर्णय न. ६ :-

Bitumen लगायत यसमा उल्लेखित अन्य निर्माण सामग्रीहरूको हकमा यसमा उल्लेख भएको मुल्य घटेर १०% भन्दा कम बजार मुल्य हुन गएमा लागत अनुमान तयार गर्ने निकायले घटेको मुल्यमा लागत अनुमान तयार गरी लागु गर्ने निर्णय गरियो ।

BD

KX

AB

सहायकी प्रमुख
प्रमुख जिल्ला अधिकारी



निर्णय नं. १ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरूको ज्याला दर निर्धारण गर्ने सावन्धमा विभिन्न मरोचरवाला पत्रकारसंघको समिति, नेपाल राष्ट्र बैङ्कबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, श्रमिकहरूको उपलब्धता र समग्रमापत्तिको आधारमा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि : ८ घण्टा; लाई आधार गानी चालु अथवा ०७/०८/०९ का लागि भक्तपुर जिल्लाभर लागू हुनेगरी देहाय शर्तानुसार श्रमिकहरूको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

क्र.नं.	श्रमिकहरूको विवरण	एकल	०७/०८	०८/०९	०९/१०	श्रेणी
			८९०	८९०	८९०	
१	अदक्ष श्रमिक (ज्यापी)	जवान	८९०	८९०	८९०	
२	दक्ष (इकमी, सिकमी, नकमी, चित्रकार, तन्त्रकर्मी, प्लम्बर, दुइटा र काठ दुइटा काट्ने साधारण पुर्तिकार, चित्रकार, आर्टिस्ट आदि)	"	१२००	१२००	१२००	
३	अर्धदक्ष (इकमी, सिकमी, नकमी) चित्रकार, प्लम्बर, हुनेशुटोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदी:	"	१०००	१०००	१०००	
४	इन्जिनियर सुपरभाइजर	"	१३९०	१३९०	१३९०	
५	सब इन्जिनियर, (डाफ्ट मेन, अमित, इलेक्ट्रीसियन, सर्भिसर आदी)	"	११७०	११७०	११७०	
६	सिनियर टाईपिस्ट/कम्प्युटर अपरेटर, अवाल आदी	"	११३५	११३५	११३५	
७	ल्यान्ड ट्रेनिंगसियन, जुनियर टाईपिस्ट/कम्प्युटर अपरेटर, सिनियर सुपरभाइजर, डल सफर गर्ने कामदार आदी	"	१०३०	१०३०	१०३०	
८	असिस्टेन्ट सब इन्जिनियर, डाफ्टमेन, अमित आदि	"	९६५	९६५	९६५	
९	हेपी इन्स्पेक्टर डोजर, एक्सक्याभेटर, टोलर, ग्रेडर अपरेटर आदि	"	१२९५	१२९५	१२९५	
१०	पेफानिक्स, हेभी मेकिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेसिन अपरेटर ल्याब असिस्टेन्ट आदि	"	९३०	९३०	९३०	
११	भरिथो (४० के जी, तेल सम्प)	"	८९०	८९०	८९०	
१२	साइक्लो स्टाइन ट्रेनिंग, एपॉनिया फ्रिन्टिड फोरपेन, सामाजिक परिचालक, खदेल :खानी सम्बन्धी काम गर्ने कामदार आदि	"	८६५	८६५	८६५	
१३	निर्माण कार्यको ज्याम बर्कर, सुपरभाइजर, ब्ल्यास्टर, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक््युरिटी गार्ड, नाइट वाचमेन, रोड लेन्च बर्कर, हेल्पर मेकानिक्स, लाइट मेकिकल ड्राइभर, आफिस असिस्टेन्ट, सर्भे इन्पेर, वेन्डर सहायक, रनर, गणक चेन म्यान, ट्रेप म्यान, स्टाफ म्यान, ड्रिम हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युगत्स एस ई ई उत्तीर्ण वा सो सरह) आदी	"	८९०	८९०	८९०	
१४	माली, सहायक परिचालक, स्वीपर, मेइन्टेनर, धोबी, धन हेरालु, चौकिदार आदी	"	७४०	७४०	७४०	
१५	काठ ढंगा झिंगटि लगायत परम्परागत कार्य गर्ने कौलिगढ मिस्त्री	"	१८००	१८००	१८००	
१६	जोखिन जन्य क्षेत्रमा कार्य गर्नु पर्ने लेबर	"	१५००	१५००	१५००	
	सडकको कामको लागि					

नोट :-

सिनियर- : S.E.E. वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविष्टता प्रमाणपत्र जुनियर :- S.E.E. वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा अनुभव प्राप्त ।

पछि निर्णय नं १ मा उल्लेख दिएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने सप्रे, सरथो, कम्पनी, व्यक्ति आदीको आफ्नो आफन्तदारीबाट ज्यालादर तय गर्ने सकिनेछ ।

10/11

10/11

10/11

10/11

10/11

10/11

10/11

10/11



निर्णय नं. २ ढुवानी सम्बन्धी : यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ~~सुक्कीको~~ विभिन्न थोत साधनलाई आधार मानी चालु आ.व.०७९।०८० का लागि निम्न अनुसारको दर निर्धारण गर्ने निर्णय गरियो ।

सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	भक्तपुर ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७९।७८	०७८।७९	०७९।८०	
१.०	सजिलो सामान (जस्तै: सिमन्ट, बालुवा, रोडा, दाउरा, रासायनिक पद, खाद्यान्न, आदि।					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३३.६०	३३.६०	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४६.८३	४६.८३	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३७.४९	३७.४९	३७.४९	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	५०.७२	५०.७२	५०.७२	
१.५	ट्रकबाट/मिनी ट्रकबाट पीच बाटोमा ढुवानी गर्ने । (२० कि.मी भन्दा बढी)	टन/कि.मी.	१८.२७	१८.२७	१८.२७	
१.६	भरिया वाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	३.०५	३.०५	३.०५	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधी, काठ, कृमिजन्य, फलफूलको विरुवा, आदि।					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४७.९३	४७.९३	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.३	ट्याक्टर / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.४	ट्याक्टर / मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	६०.०६	६०.०६	६०.०६	
२.५	ट्रकबाट / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने । (२० कि.मी. भन्दा बढी)	टन/कि.मी.	२७.४६	२७.४६	२७.४६	
२.६	भरिया वाट (पैदल) सामान ढुवानी	के.जी./कि. -मी.	४.०४	४.०४	४.०४	

१०

BB

[Handwritten signature]

३३

३३

[Handwritten signature]

[Handwritten signature]

सुदामा पोखरेली, तामा
समूह जिल्ला अधिकाारी



सि. नं.	दुवानी सम्बन्धि विवरण	एकाई	दुवानी दर (रु)			कैफियत
			आ. व.	०७९१/८०	०७९१/८०	
३	अति असजिलो सामान जस्तै: जी. आई. पाइप, काँडेदार, फलाभे छड, इलेक्ट्रोमेकानिकल सामान, ३.८ मिटर सम्म लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि. एम. सी. पोल, आदि।					
३.१	टुकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६७.२५	६७.२५	६७.२५	
३.२	टुकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८१.०१	८१.०१	८१.०१	
३.३	ट्याक्टर/मिनी टुकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	७४.३९	७४.३९	७४.३९	
३.४	ट्याक्टर/मिनी टुकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८८.२०	८८.२०	८८.२०	
३.५	टुकबाट/मिनी टुकबाट पिच बाटोमा दुवानी गर्ने । २० कि.मी. भन्दा बढी।	टन/कि.मी.	३६.५९	३६.५९	३६.५९	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति क्वी.	१०.६१	१०.६१	१०.६१	
४.२	असजिलो सामान	प्रति क्वी.	१३.२३	१३.२३	१३.२३	
४.३	अति-असजिलो सामान	प्रति क्वी.	१५.९१	१५.९१	१५.९१	
५	अनलोड (उतार्ने)	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	१०.६१	१०.६१	१०.६१	
५.२	असजिलो सामान	प्रति क्वी.	१३.२३	१३.२३	१३.२३	
५.३	अति-असजिलो सामान	प्रति क्वी.	१५.९१	१५.९१	१५.९१	
६	ह्युम पाईपको दुवानी भाडादर सम्बन्धि (पाइप पूल्यको आधारमा।					
६.१	पहिलो दश कि.मी. सम्म	पाईपको मुल्यको प्रतिभात	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखि पाथि २०(बीस) कि.मी सम्म	पाईपको मुल्यको प्रतिभात	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी देखि पाथि	पाईपको मुल्यको प्रतिभात	१८.००	१८.००	१८.००	

नोट: माथि निर्भर न. २ मा उल्लेख नभएको दुवानी दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको
आपसी समझदारीबाट दुवानी दर तय गर्न सकिनेछ।

(Handwritten signatures and stamps)
 १. *(Signature)*
 २. *(Signature)*
 ३. *(Signature)*
 ४. *(Signature)*
 ५. *(Signature)*
 ६. *(Signature)*
 ७. *(Signature)*
 ८. *(Signature)*
 ९. *(Signature)*
 १०. *(Signature)*
 ११. *(Signature)*
 १२. *(Signature)*
 १३. *(Signature)*
 १४. *(Signature)*
 १५. *(Signature)*
 १६. *(Signature)*
 १७. *(Signature)*
 १८. *(Signature)*
 १९. *(Signature)*
 २०. *(Signature)*
 २१. *(Signature)*
 २२. *(Signature)*
 २३. *(Signature)*
 २४. *(Signature)*
 २५. *(Signature)*
 २६. *(Signature)*
 २७. *(Signature)*
 २८. *(Signature)*
 २९. *(Signature)*
 ३०. *(Signature)*
 ३१. *(Signature)*
 ३२. *(Signature)*
 ३३. *(Signature)*
 ३४. *(Signature)*
 ३५. *(Signature)*
 ३६. *(Signature)*
 ३७. *(Signature)*
 ३८. *(Signature)*
 ३९. *(Signature)*
 ४०. *(Signature)*
 ४१. *(Signature)*
 ४२. *(Signature)*
 ४३. *(Signature)*
 ४४. *(Signature)*
 ४५. *(Signature)*
 ४६. *(Signature)*
 ४७. *(Signature)*
 ४८. *(Signature)*
 ४९. *(Signature)*
 ५०. *(Signature)*
 ५१. *(Signature)*
 ५२. *(Signature)*
 ५३. *(Signature)*
 ५४. *(Signature)*
 ५५. *(Signature)*
 ५६. *(Signature)*
 ५७. *(Signature)*
 ५८. *(Signature)*
 ५९. *(Signature)*
 ६०. *(Signature)*
 ६१. *(Signature)*
 ६२. *(Signature)*
 ६३. *(Signature)*
 ६४. *(Signature)*
 ६५. *(Signature)*
 ६६. *(Signature)*
 ६७. *(Signature)*
 ६८. *(Signature)*
 ६९. *(Signature)*
 ७०. *(Signature)*
 ७१. *(Signature)*
 ७२. *(Signature)*
 ७३. *(Signature)*
 ७४. *(Signature)*
 ७५. *(Signature)*
 ७६. *(Signature)*
 ७७. *(Signature)*
 ७८. *(Signature)*
 ७९. *(Signature)*
 ८०. *(Signature)*
 ८१. *(Signature)*
 ८२. *(Signature)*
 ८३. *(Signature)*
 ८४. *(Signature)*
 ८५. *(Signature)*
 ८६. *(Signature)*
 ८७. *(Signature)*
 ८८. *(Signature)*
 ८९. *(Signature)*
 ९०. *(Signature)*
 ९१. *(Signature)*
 ९२. *(Signature)*
 ९३. *(Signature)*
 ९४. *(Signature)*
 ९५. *(Signature)*
 ९६. *(Signature)*
 ९७. *(Signature)*
 ९८. *(Signature)*
 ९९. *(Signature)*
 १००. *(Signature)*

सुदूरपश्चिम प्रदेश
 प्रमुख जिल्ला अधिकारी



निर्णय नं. ३ : मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि:

भक्तपुर

(क) मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्सामेटर, रोलर, ग्रेडर आदि यान्त्रिक उपकरणको भाडा दर (रेट) सडक विभाग, हेभी ईक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर कायम गर्ने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

MA

Handwritten signature

BA

Handwritten signature

Handwritten signature

सहाय्यी सचिव
सडक विभाग, काठमाडौं

BA

Handwritten mark



निर्णय नं. ४ : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआवजा निर्धारण सम्बन्धमा:

घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआवजा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल चर्गीजमा दर (रेट) कायम गर्ने निर्णय गरियो ।

सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७७/०७८ को दर रु.	आ.व. २०७८/०७९ को दर रु.	आ.व. २०७९/०८० को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको इँटाभा माटोको जोडाई भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	१४३४।७९	१४३४।७९	१५०९।००	
२	भवनको निर्माण भित्र, बाहिर पाको इँटाभा माटोको जोडाई भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	१८४४।७३	१८४४।७३	१९३३।००	
३	भवनको निर्माण भित्र, बाहिर पाको इँटाभा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	२०५९।७६	२०५९।७६	२१५४।००	
४	भवनको निर्माण भित्र, बाहिर पाको इँटाभा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी. / आर.वि.सि. ।	व.फि.	२१५८।८८	२१५८।८८	२२६६।००	
५	भवनको निर्माण भित्र, बाहिर पाको इँटाभा बज्रको जोडाई भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	२९०५।३२	२९०५।३२	२९९०।००	
६	भवनको निर्माण भित्र, बाहिर पाको इँटाभा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	२२९०।७२	२२९०।७२	२४०५।००	
७	भवनको निर्माण भित्र, बाहिर पाको इँटाभा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी. / आर.वि.सि. ।	व.फि.	२३८४।४५	२३८४।४५	२५०३।००	
८	भवनको निर्माण भित्र, बाहिर पाको इँटाभा सिमेण्ट जोडाई भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	२३०८।२३	२३०८।२३	२४२३।००	
९	भवनको निर्माण भित्र, बाहिर पाको इँटाभा सिमेण्ट जोडाई भई छाना आर.वि.सी. / आर.वि.सि. ।	व.फि.	२३९०।६३	२३९०।६३	२५१०।००	
१०	आर.वि.सि. फ्रेम स्ट्रक्चर भवन ।	व.फि.	२५२४।५३	२५२४।५३	२६५०।००	
११	काँठैकाँठको भवन भई छाना जस्ता, फिँगटी, टायल, एसबेसटस् सिट ।	व.फि.	२२०९।३५	२२०९।३५	२३१९।००	

नोट: भवनको बनावट र फिनिशिंग तथा सामान/उपकरण जडान चारे बर्गीकरण

क। भवनको भित्र Wall Putty गरी इमलसन पोन्ट्रिङ गरेको ।

ख। भवनको बाहिर Weather Coat painting भएको ।


१०/०

Handwritten signatures and initials.

Handwritten signature.

Handwritten signature.

Handwritten signature.



सि.नं.	घरको घनाघट विवरण	एकगइ	आ.व.	आ.व.	कैफियत
		२०७७/०७९ को दर रु.	२०७८/०७९ को दर रु.	२०७९/०८० को दर रु.	

- ग। Lift जडान भएको ।
 घ। विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।
 ङ। प्लासेज, भर्साइमा मार्बल/पार्केटिङ्ग भएको ।
 च। शीशालगमा टायल, फिस्सर र सि.पि. फिटिङ्ग उच्चस्तरीय प्रयोग भएको ।
 छ। बग्गी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।
 ज। बेसमेण्टमा (Basement) पार्किङ्ग सुविधा भएको ।
 ङ। Raft foundation भएको ।

उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित पध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

- अ। 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।
 आ। 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% धप गरिने छ ।
 इ। 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% धप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायो र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हांगा फाटेका सडकको दायो र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

मुख्य सडकहरू :

- १) मनोहरा गुप्त (जडीबुटी)- ठिमी-सूर्यविनायक जगाती सम्म (अग्निको लोकमार्ग)
- २) सल्लाघारी-सूर्यविनायकसम्म (काठमाण्डौ-नगरकोट) सडक ।
- ३) सल्लाघारी-भक्तपुर अस्पताल-दरवार स्ववायर सडक ।
- ४) भक्तपुर क्याम्पस-भार्वाचो-तौमढी-सुकुलढोका-दवाबय-च्यामासिंह सडक ।
- ५) जगाती-कमलविनायक सडक ।
- ६) दीक्षिण बाराही मन्दिर-शंखधर चौक-पुरानोवाटो बाहाखा बजार-बोडे चार दोवाटो
- ७) जडिबुटी - बाहाखा बजार- सल्लाघारी सडक ।
- ८) दरवार स्ववायर-तौमढी-सुयं विनायक बस स्तप-सुयं विनायक गणेश धान सडक
- ९) सल्लाघारी-ज्यासी-कमलविनायक सडक ।

दस्तावेज: आ.व. २०७८/०७९ लाई गत आ.व.को दररेट लिइने र नेपाल सरकार शहरी विकास मन्त्रालय भवन डिभिजन कार्यालयबाट रेट निर्धारण भएको खण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

शहरी विकास
प्रमुख जिल्ला अधिकारी



निर्णय नं. ५: बायो-इन्जिनियरिङ्ग एवं सो संग सम्बन्धित सेवा मालाको नयाँ सम्बन्ध दर तथसित अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०	
१	हेज न इन्च पोली	गोटा	६६.००	६६.००	६६.००	
२	कार्पेट दुबो	व.फि	४०.००	४०.००	४०.००	
३	कार्पेट दुबोको लागि टाम्ने फायर ज्वाला	व.फि	२६.००	२६.००	२६.००	
४	निगासो (जया नहिस्त)	गोटा	१४.००	१४.००	१४.००	
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	७.००	७.००	७.००	
६	गोटे मल तयारी	के.जी	५.००	५.००	५.००	
७	डाले घाँसको विरुवा	गोटा	१४.००	१४.००	१४.००	
८	गोलाटो विरुवा	गोटा	२.००	२.००	२.००	
	जुटको डोरी	के.जी	३३०.००	३३०.००	३३०.००	
९	नारियल डोरी	के.जी	१४८.००	१४८.००	१४८.००	
१०	नाइलन डोरी	के.जी	३३०.००	३३०.००	३३०.००	
११	नौड राल्ना नेपाली	गोटा	९२.००	९२.००	९२.००	
१२	नौड राल्ना अर्पोरियन	गोटा	१४८.००	१४८.००	१४८.००	
१३	ठूलो साइजको बाँसको विरुवा विडवाट उत्पादित	गोटा	२६४.००	२६४.००	२६४.००	
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु					
१	पेलिथीन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी	४२०.००	४२०.००	४२०.००	
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१६८.००	१६८.००	१६८.००	
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा	१८६.००	१८६.००	१८६.००	
४	अम्का विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा	२८८.००	२८८.००	२८८.००	
५	गोलिया काठ लोड	क्यू.फि	३६	३६	३६	
६	गोलिया काठ अमलीन	क्यू.फि	२४१-	२४१-	२४१-	
७	दाउरा सकलन, दुवानी चट्टा निर्माण (२० फि.* ५ फि. न ५ फि.)	चट्टा				
८	दाउरा लोड	चट्टा	४८००१-	४८००१-	४८००१-	
९	दाउरा अन्तलोड	चट्टा	२४००१-	२४००१-	२४००१-	
१०	सकलन कटान, मुद्राशन	चट्टा	५४१-	५४१-	५४१-	
१२	अन्तलोडिङ	चट्टा	१६८१-	१६८१-	१६८१-	
१३	चट्टा निर्माण	चट्टा	२४००१-	२४००१-	२४००१-	
१४	ठूटा उखेली घाटगद्दी स्वल १०० गी. अम्मा नैजाने कर्म	गोटा	३४१-	३४१-	३४१-	
१५	वन गुपारी	प्रति विरुवा	३६१-	३६१-	३६१-	
	शहरी वृक्षारोपणकार्य					
१	४ फिट सम्मको विरुवा	प्रति विरुवा	१०५६१-	१०५६१-	१०५६१-	
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१५००१-	१५००१-	१५००१-	
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१८४८१-	१८४८१-	१८४८१-	
४	८ फिट सम्मको विरुवा	प्रति विरुवा	२२४४१-	२२४४१-	२२४४१-	
	४ फिट सम्मको विरुवाको मुल्य					
१	कपूर, बैस	प्रति विरुवा	९२४.००	९२४.००	९२४.००	
२	रुद्राल	प्रति विरुवा	११४०.००	११४०.००	११४०.००	
३	कल्की वोटल बरा	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
४	ज्याकाभण्डा गोल्डपोहोर	प्रति विरुवा	७९२.००	७९२.००	७९२.००	
५	असार	प्रति विरुवा	७९२.००	७९२.००	७९२.००	

सहायक
सचिव



निर्णय नं. ६ :-

आ.व. २०७९/८० को लागि थरनिको लोकमार्गको दाया बाया ३ कि.मी. सम्मको लागि निर्माण सामग्रीहरूको दर (रेट) निम्नानुसार कायम गर्ने निर्णय गरियो।

सिभिल कार्यहरू (Civil works)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
1	विभिन्न किसिमको ईटा				
	chinese premium	हजार	२४०००.००	२४०००.००	२४०००.००
	क) पेशिनबाट उत्पादित ईटा (छानेको)	हजार	२१०००.००	२१०००.००	२१०००.००
	ख) मेथिनबाट उत्पादित ईटा (१-नं.)	"	१७५००.००	१७५००.००	१७५००.००
	ग) मेथिनबाट उत्पादित ईटा (२-नं.)	"	१५०००.००	१५०००.००	१५०००.००
	घ) मेथिनबाट उत्पादित ईटा (कालो)	"	१२०००.००	१२०००.००	१२०००.००
	BBT Brick	"	१६५००.००	१६५००.००	१६५००.००
	ग) चिम्नी भट्टाको ईटा	"	१३५००.००	१३५००.००	१३५००.००
	घ) तराई को १ नं.ईटा	"			१७१९०.००
	(ङ) सिमेन्ट को ईटा				
	BK108N	"			१४४५०.००
	BK118As	"			१६२७४.००
	च) टुक्रा ईटा	घ. मि.			२६२५.००
	छ) Concrete block				
	size (40*15*20) cm	गोटा	४२.००	४२.००	४२.००
	size (40*10*20) cm	गोटा	३६.७५	३६.७५	३६.७५
	Cellular light weight concrete(GLC) block				
	Size 24"*8"*4"	गोटा	१६२.००	१६२.००	१७४.००
	Size 24"*8"*6"	"	२३६.००	२३६.००	२२२.००
2	क्ले टायलहरू				
2.1	छानामा छाउने				
	क) मेथिनबाट उत्पादित टायल	गोटा	२१.००	२१.००	२१.००
	ख) चिम्नी भट्टाको टायल	"	१६.९०	१६.९०	१६.९०
	ग) मेथिनबाट उत्पादित धुरी	"	३६.७५	३६.७५	३६.७५
	घ) चिम्नी भट्टाको धुरी	"	२९.४०	२९.४०	२९.४०
2.2	भुईँमा/ कौसीमा छाप्ने टायल:				
	क) पेशिनबाट उत्पादित क्ले टायल	गोटा	१२.६०	१२.६०	१२.६०
	ख) चिम्नी भट्टाको क्ले टायल	"	१२.६०	१२.६०	१२.६०
3	ढुंगाको काम (Stone work)				
3.1	Rubble Stone				
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७९.२१	७९.२१	७९.२१
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७९.२१	७९.२१	७९.२१



सि.नं.	निर्माण सामग्रीहरूको विवरण	यु.अ.क. (VAT) बाहेक (रु.)		
		२०७७/७८	२०७८/७९	२०७९/८०
	(घ) काँसा खाला (चेहेर) को एकतास गालो ढुङ्गा (River round Pavol)	११३.३०	११३.३०	११३.३०
3.2	छापने ढुङ्गा (Flag stone)			
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	८५.००	८५.००	८५.००
	ख) १ १/२" सम्म बाक्लो " "	१००.००	१००.००	१००.००
	ग) २" सम्म बाक्लो ढुङ्गा " "	११७.००	११७.००	११७.००
	घ) २ १/२" सम्म बाक्लो ढुङ्गा " "	१२७.००	१२७.००	१२७.००
	ङ) २ १/२" - ३" सम्म बाक्लो ढुङ्गा " "	१५५.००	१५५.००	१५५.००
	च) २ १/२" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	३२०.००	३२०.००	३२०.००
4	विभिन्न प्रकारको बालुवा			
	(क) बालुवा (Washing plant)	९०.६४	९०.६४	९०.६४
	(ख) खानीको बालुवा (Quarry sand)	८५.४९	८५.४९	८८.००
	(ग) खोला/नदीको बालुवा (River sand)	८८.४८	८८.४८	८८.४८
	(घ) भवनको भुँडो कोठामा पुनः सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	६९.०९	६९.०९	६९.०९
5	कसरबाट उत्पादित रोडा			
	(क) ६-१० मी. मी. साइजका	९७.५२	९७.५२	९७.५२
	(ख) १०-२० मी. मी. साइजका	१०४.९४	१०४.९४	१०४.९४
	(ग) २०-४० मी. मी. साइजको	१०९.७६	१०९.७६	१०९.७६
	(घ) ६ मि.मि. down	८९.०४	८९.०४	८९.०४
6	फुटानेको ढुङ्गाको गिट्टी			
	क) सबै साइजको गिट्टी	९५.४०	९५.४०	९५.४०
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री			
	क) महादेव वेसीको खोलाको ग्रामेल	७२.०८	७२.०८	७२.०८
	ख) मेलर्ची खोलाको ग्रामेल	६६.७८	६६.७८	६६.७८
	ग) टिकाभैरव को ग्रामेल	६७.८४	६७.८४	६७.८४
	घ) भकुन्डेवेसी, रोशी खोलाको ग्रामेल	७५.२६	७५.२६	७५.२६
	(ङ) खोला/खानीको स्थानीय ग्रामेल	५७.२४	५७.२४	५७.२४
	(च) Granular sub base material (Crusher run material size 63mm down) ग्रामेल	७५.२६	७५.२६	७५.२६
	(छ) Base-course को लागि मिक्स सोलिङ्ग (WBM) गर्ने कार्य ।	८७.९८	८७.९८	८७.९८
	(ज) ढुङ्गाको धुलो (Stone dust)	४३.४६	४३.४६	४३.४६
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles			

रामा



सि.नं.	निर्माण सामग्रीहरूको विवरण	पु.अ.क. (VAT) बाहेक (रु.)	पु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	ख) २०- ४० मी.मी	"	१०५.००	१०५.००	१०५.००
	ग) १०- २० मी.मी	"	१०५.००	१०५.००	१०५.००
	घ) ५- १० मी.मी	"	१०५.००	१०५.००	१०५.००
9	फिल्टर सामग्री				
	४०% गिट्टी ६०% वालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.			
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरू				
	८०/१०० ग्रेडको विटुमीन	के.जी	७१.८०	७८.८०	११५.००
	VG-10	के.जी	७१.८०	७८.८०	११५.००
	VG-30	के.जी	७४.५०	८१.५०	११६.००
	CRMB-DIGO 55 Bitumen	"	८२.४०	८१.००	८९.००
	Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	६४.६०	७०.६०	८४.००
	छिटो जम्ने (RS 65%)	"	६९.६०	७५.६०	८९.००
	छिटो जम्ने (RS 70%)	"	७२.६०	७९.६०	९४.००
	मध्यम जम्ने (MS 60%)	"	६६.४०	७२.४०	८५.००
	मध्यम जम्ने (MS 65%)	"	६८.००	७४.००	८९.००
	ढीलो जम्ने (SS60%)	"	६६.००	७२.००	८६.००
	Slurry Seal with 60% bitumen	"	६२.७५	६८.७५	९३.००
	Hi - seal Redymix	"	९७.००	९०.००	११२.००
	Polymer Bitumen	"	११०.००	१०९.००	१२५.००
	iv) सडक कालोपत्रे गर्दा विटुमीन नउत्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	३२०.००	३२०.००	३७०.००
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागि राखिने Rubber Asphalt Modifier	"			
	vi) कालोपत्रे सडक Pol hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३०.००	३०.००	३५.००
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१७२.००	१७३.००	१८६.००
	b) Most Grade	"	१९०.००	१९०.००	२०६.००
	c) Glass beads	"	१५५.००	१५५.००	१६९.००
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू				
11.1	नेपालवाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	व्याग	७५०.००	७५०.००	७००.००

१५/११/७९



सि.नं.	निर्माण सामग्रीहरूको विवरण	पू.अ.क. (VAT) बाहेक (रु.)	मूल्य (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
11.3	सिमेन्ट (५० केजी) OPC	"	७३०.००	७३०.००	७००.००
11.4	सेतो सिमेन्ट (40kg/bag)	"	१२८३.००	१२८३.००	१२३०.००
11.20	लोड अनलोड चार्ज	"	१३.००	१३.००	१३.००
12	Ready made Premix Concrete (Supplying laying all complete work)				
12.1					
	M 10	घ. मि	१२५००.००	१२५००.००	१२३५०.००
	M 15	घ. मि	१२०००.००	१२०००.००	११७००.००
	M 20		१४०००.००	१४०००.००	१३८२५.००
	M 25	"	१४०००.००	१४०००.००	१३९७५.००
	M 30	"	१७०००.००	१७०००.००	१६७१५.००
	M 35	"	१८३००.००	१८३००.००	१८०००.००
	M 40	"	१८९००.००	१८९००.००	१८६५०.००
	M 45	"			२१४५०.००
13	फलामको डण्डीहरू :				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	क. जी	७७.६०	७८.७०	९९.००
	b) 10-20 mm dia	"	७४.६०	७६.००	९८.००
	c) 25-28 mm dia	"	७६.६०	७८.७५	९९.००
	(d) 32 mm dia	"	७७.६०	७८.७५	९९.००
	(ख) विभिन्न साइजको TOR Steel				
	a) 8 mm dia	"	७५.६०	७५.६०	९४.००
	b) 10-20 mm dia	"	७३.६०	७३.६०	९१.००
	c) 25-28 mm dia	"	७५.६०	७५.६०	९१.००
	(d) 32 mm dia	"	७६.६०	७६.६०	९४.००
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	७३.६०	७७.६०	९९.००
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	९१.००	९१.००	१०८.००
14	विभिन्न किसिमका काठहरू				
14.1	काठ				
	(क) ३' दाख् ८' सम्मको सालकाठ	घ. फि	६०३४.७५	६०३४.७५	६०९०.००
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६३१२.५०	६३१२.५०	६५६२.००
	(ग) १२ फिट देखि माथिको साल काठ	"	६६६६.००	६६६६.००	६९३०.००
	(घ) साज काठ	"	३३८३.५०	३३८३.५०	३५१८.८४
	(ङ) जामुन काठ	"	२१७१.५०	२१७१.५०	२२२८.३६
	(च) सल्लाको काठ	"	१५६५.५०	१५६५.५०	१६२८.१२
	(छ) सिसौ काठ	"	३४३५.००	३४३५.००	३६७६.४०
	(ज) जगली सिसौ काठ ,,	"	४३२२.७०	४३२२.७०	४४७५.६१
	झ: उत्तीस को काठ	"	६३१.२५	६३१.२५	६४६.५०
	(ञ) स्थानीय कुकुराड (फर्मा) प्रयोजनको लागि Mixed wood	घ. फि			

राणा अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	 भक्तपुर जिल्ला प्रशासन कार्यालय भक्तपुर	प.अ.क. (VAT) बाहेक (रु.)		
			२०७८/७९	२०७९/८०	२०७९/८०
14.2	कुदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ तथा बादली आदिमा कुदिएको स्थानीय सीसो काठको हुक्का (2'-6"x3"x3")	गोटा	१०९०.८०	१०९०.८०	१०९०.८०
	ii) भन्याङ्को रेलिङ तथा बादली आदिमा कुदिएको जंगली स्पेशल सीसो काठको हुक्का (2'-6"x3"x3")	"	१२७२.६०	१२७२.६०	१२७२.६०
	iii) भन्याङ्को रेलिङ तथा बादली आदिमा कुदिएको सीसो काठको हेण्ड रेल (3"x4")	व.फि.	६८६.८०	६८६.८०	७१४.२७
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुदिएको सीसो काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२७२.४०	२२७२.४०	२२६३.४०
	v) देवी देवताको मूर्ति कुदिएको ४' देखि ५' लामो ३"x८" साल काठमा टुंडाल बनाउने काम	"	१२६३४.००	१२६३४.००	१२६३४.००
	vi) देवी देवताको मूर्ति कुदिएको ३' देखि ७' लामो ३"x८" साल काठमा टुंडाल बनाउने काम	"	२२७२४.००	२२७२४.००	२२७२४.००
	vii) विभिन्न बुद्ध तथा देवी देवताको मूर्ति कुदिएको साल काठको भूयल ढोका बनाउने काम (खापाको पाटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३१८१.४०	३१८१.४०	३१८१.४०
	viii) घांडाको आकृति गरि कुदिएको ४"x५" साइजको ३' देखि ४' लामो साल काठको तयारी टुंडाल बनाउने काम।	गोटा	७३५२.८०	७३५२.८०	७३५२.८०
	ix) सामान्य प्रकारको कुदिएको सालको काठको आँधी भूयल तयारी	व.फि.	१३६३.४०	१३६३.४०	१३६३.४०
	x) पध्यप प्रकारको कुदिएको सालको काठको आँधी भूयल तयारी	"	१६३६.२०	१६३६.२०	१६३६.२०
	xi) विशेष प्रकारको कुदिएको सालको काठको आँधी भूयल तयारी लक सहीत	"	२२७२.४०	२२७२.४०	२२७२.४०
	विशेष प्रकारको कुदिएको सालको काठको आँधी भूयल तयारी लक नभएको	"	१९९९.८०	१९९९.८०	१९९९.८०
	xii) ३"x५" साइजको सालको काठको कुदिएको पली तयारी गर्ने काम	व.फि.	३६३.६०	३६३.६०	३६३.६०
	xiii) कुदिएको विभिन्न बुद्ध राखी बनाएको साल काठको ४"x५"को कानेस विंग आदि तयारी गर्ने कार्य	"	१६३६.२०	१६३६.२०	१६३६.२०
	xiv) ४"x५"को साल काठको नाग बुद्ध कुद तयारी गरी जडान गर्ने कार्य	"	१७२७.१०	१७२७.१०	१७२७.१०
15	Wooden Parquet Flooring				
	i) Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
	ii) Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	४६०.००	४६०.००	४९९.००
16	विभिन्न मोटाईको प्लाइउडहरू				
16.1	Commercial				
	1क) ३ पी.पी	व.फि.	३६.००	३६.००	३६.००
	३५ पी.पी	"	३६.००	३६.००	३६.००

सामा
धिकारा



मु.अ.क. (VAT) बाहेक (रु.)

सि.नं.	निर्माण सामग्रीहरूको विवरण	मोटाई एकीकृत मन्त्रालय निम्त्या प्रशास भक्तपुर	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७८/७९	२०७९/८०	२०७९/८०
	(ग) ६ मी.मी	"	५३.००	५३.००	५३.००
	(घ) ८ मी.मी	"	५७.००	५७.००	५७.००
	(ङ) १२ मी.मी	"	८०.००	८०.००	८०.००
	(चा) १९ मी.मी B/B	"	१०७.००	१०७.००	१०७.००
	(छ) १८ मी.मी PLY	"	११०.००	११०.००	११०.००
16.2	P/F. Water Proof				
	क) ४ मी.मी	व.फि	५२.००	५२.००	५२.००
	ख) ६ मी.मी	व.फि	६७.००	६७.००	६७.००
	ग) ८ मी.मी	"	६३.००	६३.००	६३.००
	घ) ९ मी.मी	"	८९.००	८९.००	८९.००
	(डा) १२ मी.मी	"	९९.००	९९.००	९९.००
	चा) १९ मी.मी PLY	"	११३.००	११३.००	११३.००
	छ) १९ मी.मी B/B	"	१३९.००	१३९.००	१३९.००
16.3	Natural Teak Plywood				
	One side lamination				
	(क) ३ मी.मी	व.फि	५०.४०	५०.४०	५१.००
	(ख) ४ मी.मी (Group Match of in 5 pcs)	"	७२.४५	७२.४५	७४.००
	४ मी.मी (Regular)	"	६३.००	६३.००	६४.००
	४ मी.मी (Crown)	"	४५.१५	४५.१५	४६.००
	४ मी.मी (Beri)	"	४९.४५	४९.४५	५३.००
	४ मी.मी (Whitest line)	"	४०.९५	४०.९५	४३.००
	४ मी.मी (Beach)	"	४८.६०	४८.६०	४९.००
	४ मी.मी (Recon J 8 No.)	"	३८.८५	३८.८५	३९.००
	(ग) ६ मी.मी	"			
16.4	DECORATIVE (THICKER)				
	6 OST	व.फि	१२६.००	१२६.००	१३५.००
	6 BST	"	१६०.००	१६०.००	१७२.००
	9 OST	"	१४०.००	१४०.००	१५०.००
	9 BST	"	१७२.००	१७२.००	१८६.००
	12 OST	"	१५३.००	१५३.००	१६४.००
	12 BST	"	१८७.००	१८७.००	२०१.००
	19 B/B OST	"	१६५.००	१६५.००	१७७.००
	19 B/B BST	"	२००.००	२००.००	२१५.००
	18 OST	"	१८७.००	१८७.००	२०१.००
	18 BST	व.फि	२२१.००	२२१.००	२३८.००
17	Ready made Door				
17.1	38 mm th. Readymade solid core door shutter				
	Plain	व.फि	२३३.००	२३३.००	२४४.००
	One side teak	"	२६२.००	२६२.००	२७४.००
	Both side teak	"	३९४.००	३९४.००	४०८.००

गोपनीय

सि.नं.	निर्माण सामग्रीहरूको विवरण	 एकीकृत विकास नगर प्रशासन भक्तपुर	पु.अ.क. (VAT) बाहेक (र.)		
			२०७८/७९	२०७९/८०	
17.2	30 to 32 mm th. Readymade solid core door shutter				
	Plain	व.फि	१९०.००	१९०.००	१९९.००
	One side teak	"	२१३.००	२१३.००	२२३.००
	Both side teak	"	२३९.००	२३९.००	२५०.००
	One side teak waterProof	"	२३३.००	२३३.००	२४४.००
	Both side teak waterProof	"	२५८.००	२५८.००	२७०.००
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१८३.००	१८३.००	१९०.००
	Readymade door shutter Recon, Special (1 side teak)	"	२४८.००	२४८.००	२५७.००
	Readymade door shutter Recon, ordinary (1 side teak)	"	२०९.००	२०९.००	२१७.००
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.००	२८१.००	२९२.००
17.4	Wooden Listy				
	1/2" wide	र.फि.	१४.००	१४.००	१५.००
	3/4" wide	"	१८.००	१८.००	१९.००
	1.5" wide	"	२९.००	२९.००	३१.००
	Decorative	"	४०.००	४०.००	४०.००
17.5	Infill Material Thai Gypsum, Shera or equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४२१.००	४२१.००	४३१.००
	Frame U - Studs(0.55mm*0.75mm*3m)	"	४२१.००	४२१.००	४३१.००
	Board 9 mm	"	२५२४.००	२५२४.००	२५२४.००
	Roofing Board 6mm (1.5mX.6m)	"	६९५.००	६९५.००	६९५.००
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००
	PU sasuage rod	"	२०३९.००	२०३९.००	२०३९.००
18	Prelaminated Particle Board				
18.1	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी. मी	व.फि	३८.००	३८.००	३८.००
	(ख) १२ मी. मी.	"	४३.००	४३.००	४३.००
	(ग) १८ मी. मी.	"	५५.००	५५.००	५५.००
	(घ) २५ मी. मी	"	७४.००	७४.००	७४.००
18.2	One side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी. मी	व.फि	७७.००	७७.००	७७.००
	(ख) १२ मी. मी.	"	८६.००	८६.००	८६.००
	(ग) १८ मी. मी	"	१०९.००	१०९.००	१०९.००

 शाही
 विकास



सुदूरपश्चिम प्रदेश
भक्तपुर जिल्ला
संख्या: २०७७/७८
भक्तपुर

पु.अ.क. (VAT) बालेक (रु.)

सि.नं.	निर्माण सामग्रीहरूको विवरण		२०७८/७९		२०७९/८०
18.3	Both side lamination Melamined faced (Exteriors Grade)				
	(क) ९ मी.मी	व.फि	८६.००	८६.००	८६.००
	(ख) १२ मी. मी.	"	९९.००	९९.००	९९.००
	(ग) १८ मी.मी.	"	११४.००	११४.००	११४.००
	(घ) २५ मी.मी	"	१४५.००	१४५.००	१४५.००
18.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी.मी	व.फि	२८.००	२८.००	२८.००
	(ख) १२ मी. मी.	"	३२.००	३२.००	३२.००
	(ग) १८ मी.मी.	"	४८.००	४८.००	४८.००
	(घ) २५ मी.मी	"	६९.००	६९.००	६९.००
18.5	One side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी.मी	व.फि	४२.००	४२.००	४२.००
	(ख) ६ मी.मी	"	५९.००	५९.००	५९.००
	(ग) ९ मी.मी	"	६८.००	६८.००	६८.००
	(घ) १२ मी. मी.	"	७७.००	७७.००	७७.००
	(ङ) १८ मी.मी.	"	८९.००	८९.००	८९.००
	(च) २५ मी.मी	"	११९.००	११९.००	११९.००
18.6	Both side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी.मी	व.फि	४८.००	४८.००	४८.००
	(ख) ६ मी.मी	"	६४.००	६४.००	६४.००
	(ग) ९ मी.मी	"	७७.००	७७.००	७७.००
18.7	One side lamination Melamined faced (Interiors Grade)MDF				
	(क) ३ मी.मी	व.फि	४८.००	४८.००	४८.००
	(ख) ४ मी.मी	"	५५.००	५५.००	५५.००
	(ग) ६ मी.मी	"	६८.००	६८.००	६८.००
	(घ) ९ मी.मी	"	८८.००	८८.००	८८.००
	(ङ) १२ मी.मी	"	९९.००	९९.००	९९.००
	(च) १८ मी.मी	"	१२७.००	१२७.००	१२७.००
	(छ) २५ मी.मी	"	१७६.००	१७६.००	१७६.००
18.8	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent				
	(क) ३ मी.मी	व.फि	५५.००	५५.००	५५.००
	(ख) ४ मी.मी	"	६२.००	६२.००	६२.००
	(ग) ६ मी.मी	"	७६.००	७६.००	७६.००

समाप्त

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	पु.अ.क. (VAT) बहिष्कृत।		
			२०७७/७८	२०७८/७९	२०७९/८०
	।ड। १२ मी .मी	"	१०५.००	१०५.००	१०५.००
	।च। १८ मी .मी	"	१२३.००	१२३.००	१२३.००
	।छ। २५ मी .मी	"	१८०.००	१८०.००	१८०.००
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent				
	।क। ६ मी .मी (१२२० X २४४०)	व.फि	१७५.००	१७५.००	१७५.००
	।ख। १२ मी .मी	"	२८०.००	२८०.००	२८०.००
	।ग। १८ मी .मी	"	४२३.००	४२३.००	४२३.००
19	Other HardBoard/ Sunmica & Formica)				
19.1	।क। सनमाईका (4' X 8')	पाता	५००.००	५००.००	५००.००
	।ख। फोरमाईका	व.फि	८०.००	८०.००	८०.००
	।ग। हार्डबोर्ड (Hard board) 12 mm thick	"	४८.००	४८.००	४८.००
19.2	Alstone Hybrid Board				
	।क। ३ मी .मी size (1220*2440) mm	व.फि	१७०.००	१७०.००	१७०.००
	।ख। १२ मी .मी size (1221*2440) mm	"	३१५.००	३१५.००	३१५.००
	।ग। १८ मी .मी size (1222*2440) mm	"	४३५.००	४३५.००	४३५.००
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate				
	i) Iron Square Pipe	के.जी	८०.२१	८०.२१	८०.२१
	ii) विभिन्न साइजको MS Angle	"	८६.१६	८६.१६	९२.००
	iii) विभिन्न साइजको Channel	"	८७.१५	८७.१५	९४.००
	iv) विभिन्न साइजको I-Beam	"	८९.१३	८९.१३	९६.००
	v) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८६.१६	८६.१६	८८.००
21	G.I. Wire				
	i) 8 gauge				
	a) light class	के.जी	९३.००	९३.००	१०२.००
	b) medium class	"	१०१.००	१०१.००	१११.००
	c) heavy duty	"	१०२.००	१०२.००	११२.००
	d) Comercial wire	"	९३.००	९३.००	१०२.००
	ii) 10 gauge				
	a) light class	के.जी	९३.००	९३.००	१०२.००
	b) medium class	"	९६.००	९६.००	१०५.००
	c) heavy duty	"	१०२.००	१०२.००	११२.००
	d) Comercial wire	"	९३.००	९३.००	१०२.००
	iii) 12 gauge				



Handwritten signature or stamp in the bottom right corner.



सि.नं.	निर्माण सामग्रीहरूको विवरण	म. अ. क. (VAT) बाहेक (र.)	म. अ. क. (VAT) बाहेक (र.)		
			२०७३/७८	२०७८/७९	२०७९/८०
	c) heavy duty	"	१०४.००	१०४.००	११४.००
	d) Comercial wire	"	९४.००	९४.००	१०३.००
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को रेडियत बाक्स तयारी				
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	m2			
	१.५x१x०.५/०	गोटा	१६३९.००	१६३९.००	१६३९.००
	२x१x०.५/०	"	२२३५.००	२२३५.००	२२३५.००
	३x१x०.५/०	"	३२७८.००	३२७८.००	३२७८.००
	४x१x०.५/०	"	४३२१.००	४३२१.००	४३२१.००
	१.५x१x१/०	"	२३८४.००	२३८४.००	२३८४.००
	२x१x१/१	"	३२७८.००	३२७८.००	३२७८.००
	३x१x१/२	"	४३२१.००	४३२१.००	४३२१.००
	४x१x१/३	"	६२५८.००	६२५८.००	६२५८.००
	ख) MBG/10x12/2.7/3.4/2.2/ZN	m2			
	१.५x१x०.५०	गोटा	१३८१.००	१३८१.००	१३८१.००
	२x१x०.५०	"	१८८३.००	१८८३.००	१८८३.००
	३x१x०.५०	"	२७६१.००	२७६१.००	२७६१.००
	४x१x०.५०	"	३६४०.००	३६४०.००	३६४०.००
	१.५x१x१	"	२००८.००	२००८.००	२००८.००
	२x१x१	"	२७६१.००	२७६१.००	२७६१.००
	३x१x१	"	४०१६.००	४०१६.००	४०१६.००
	४x१x१	"	५२७१.००	५२७१.००	५२७१.००
	ग) MJG/10x12/3.0/3.9/2.4/ZN				
	३x२x०.५०	गोटा	५६६२.००	५६६२.००	५६६२.००
	४x२x०.५०	"	७४४०.००	७४४०.००	७४४०.००
	५x२x०.५०	"	९२३८.००	९२३८.००	९२३८.००
	६x२x०.५०	"	११०२६.००	११०२६.००	११०२६.००
	३x२x१	"	७७४८.००	७७४८.००	७७४८.००
	४x२x१	"	१०१३२.००	१०१३२.००	१०१३२.००
	५x२x१	"	१२५१६.००	१२५१६.००	१२५१६.००
	६x२x१	"	१४९००.००	१४९००.००	१४९००.००
	घ) MJG/10x12/2.7/3.4/2.2/ZN				
	३x२x०.५०	गोटा	४७६९.००	४७६९.००	४७६९.००
	४x२x०.५०	"	६२७५.००	६२७५.००	६२७५.००
	५x२x०.५०	"	७७८१.००	७७८१.००	७७८१.००
	६x२x०.५०	"	९२८७.००	९२८७.००	९२८७.००


गोटा



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
		२०७७/७८	२०७८/७९	२०७९/८०	
	५×२×१	१०५४२.००	१०५४२.००	१०५४२.००	
	६×२×१	१२५५०.००	१२५५०.००	१२५५०.००	
	ड) MRM/6x8/2.2/2.7/2.2/ZN	m2			
	३×२×०.१७	गोटा	४०१२.००	४०१२.००	४०१२.००
	४×२×०.१७	"	५१९८.००	५१९८.००	५१९८.००
	५×२×०.१७	"	६३६२.००	६३६२.००	६३६२.००
	६×२×०.१७	"	७५२८.००	७५२८.००	७५२८.००
	३×२×०.२३	"	४३६६.००	४३६६.००	४३६६.००
	४×२×०.२३	"	५६५५.००	५६५५.००	५६५५.००
	५×२×०.२३	"	६९८६.००	६९८६.००	६९८६.००
	६×२×०.२३	"	८२९२.००	८२९२.००	८२९२.००
	३×२×०.३०	"	४७४१.००	४७४१.००	४७४१.००
	४×२×०.३०	"	६११२.००	६११२.००	६११२.००
	५×२×०.३०	"	७५४६.००	७५४६.००	७५४६.००
	६×२×०.३०	"	८९४०.००	८९४०.००	८९४०.००
	Note:				
	BG= Box Gabion				
	JG= Jumbo Gabion				
	RM= Reno Mattress				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia. mm/Lacing wire dia. mm/Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
23	Barbed Wire (काँडितार)				
	12 guage commercial, Medium duty	के.जी	९७.३५	९७.३५	१०७.००
	U-hook for barbed wire fencing	गोटा	०.७५	०.७५	०.८२
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग पी.	६९७.००	६९७.००	८१९.००
	1.5"x1.5" 12 guage	"	६५२.००	६५२.००	७५९.००
	2"x2" 10 guage	"	५१०.००	५१०.००	६०२.००
	3"x3" 10 guage	"	४२३.००	४२३.००	४९२.००
	4"x4" 10 guage	"	३३७.००	३३७.००	३९९.००
24	सादा तथा रीगन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	(3.2 mm (30 gauge light))	गाभ्रन	४९०.००	४९०.००	५७९.००



सि.नं.	निर्माण सामग्रीहरूको विवरण	मि.मि.	मु.अ.क. (VAT) नातिक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	0.24 mm (30 guage Heavy)	"	४४२२.००	४४२२.००	४४९२.००
	0.26 mm (28 guage light)	"	४८४१.००	४८४१.००	४८९०.००
	0.28 mm (28 guage Medium)	"	६१५९.००	६१५९.००	६२७७.००
	0.31 mm (28 guage Heavy)	"	६७७९.००	६७७९.००	६८६०.००
	0.35 mm (26 guage light)	"	७५२२.००	७५२२.००	७६०३.००
	0.38 mm (26 guage Medium)	"	७८८५.००	७८८५.००	७९७९.००
	0.41 mm (26 guage Heavy)	"	८७०८.००	८७०८.००	८७९३.००
	0.45 mm (24 guage light)	"	९४६०.००	९४६०.००	९५६५.००
	0.50 mm (24 guage Medium)	"	१०४२९.००	१०४२९.००	१०४२९.००
	0.52 mm (24 guage Heavy)	"	१०८४१.००	१०८४१.००	१०८४१.००
	0.75 mm	"	१४४१३.००	१४४१३.००	१४४१३.००
	(ख) रंगिन जस्तापाता				
	0.2 mm (30 guage light)	वण्डल	४७९६.००	४७९६.००	६०८४.००
	0.22 mm (30 guage Medium)	"	६१९५.००	६१९५.००	६४०४.००
	0.24 mm (30 guage Heavy)	"	६४८४.००	६४८४.००	६९१३.००
	0.26 mm (28 guage light)	"	६९७३.००	६९७३.००	७२२१.००
	0.28 mm (28 guage Medium)	"	७६३२.००	७६३२.००	७७०२.००
	0.31 mm (28 guage Heavy)	"	७९५६.००	७९५६.००	८३४६.००
	0.35 mm (26 guage light)	"	८८२३.००	८८२३.००	९२६४.००
	0.38 mm (26 guage Medium)	"	९२६३.००	९२६३.००	९७२८.००
	0.41 mm (26 guage Heavy)	"	१०१३३.००	१०१३३.००	१०६४१.००
	0.45 mm (24 guage light)	"	१०९१२.००	१०९१२.००	११४२७.००
	0.50 mm (24 guage Medium)	"	११९२०.००	११९२०.००	१२४२१.००
	0.52 mm (24 guage Heavy)	"	१२३४४.००	१२३४४.००	१२८४३.००
	0.55 mm (24 guage Medium)	"	१२९४७.००	१२९४७.००	१३८२२.००
	0.75 mm	"	१७३८९.००	१७३८९.००	१८०२६.००
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)				
	0.2 mm (30 guage light)	वण्डल	४६९०.००	४६९०.००	४७८१.००
	0.22 mm (30 guage Medium)	"	४०८८.००	४०८८.००	४१८१.००
	0.24 mm (30 guage Heavy)	"	४४८७.००	४४८७.००	४५३६.००
	0.26 mm (28 guage light)	"	४७९६.००	४७९६.००	४८२९.००
	0.28 mm (28 guage Medium)	"	६११४.००	६११४.००	६२०९.००
	0.31 mm (28 guage Heavy)	"	६७२६.००	६७२६.००	६७९२.००
	0.35 mm (26 guage light)	"	७४७८.००	७४७८.००	७५४५.००
	0.38 mm (26 guage Medium)	"	७८४१.००	७८४१.००	७९२१.००
	0.41 mm (26 guage Heavy)	"	८६४४.००	८६४४.००	८६७५.००
	0.45 mm (24 guage light)	"	९४१६.००	९४१६.००	९४१७.००



सि.नं.	निर्माण सामग्रीहरूको विवरण	थप.प.र	मु.अ.क. (VAT) बहिर्क (र.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	0.52 mm (24 guage Heavy)	"	१०७८८.००	१०७८८.००	१०७३९.००
	0.75 mm	"	१२४१३.००	१२४१३.००	१२४०२.००
	घ) जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	वण्डल	१६०२.००	१६०२.००	१६३२.००
	0.22 mm	"	१७३५.००	१७३५.००	१७३५.००
	0.24 mm	"	१८६७.००	१८६७.००	१८६२.००
	0.26 mm	"	१९७३.००	१९७३.००	१९८४.००
	0.28 mm	"	२०८०.००	२०८०.००	२१२२.००
	0.31 mm	"	२२८३.००	२२८३.००	२३०४.००
	0.35 mm	"	२४३९.००	२४३९.००	२४४६.००
	0.38 mm	"	२६२५.००	२६२५.००	२६८१.००
	0.41 mm	"	२९२०.००	२९२०.००	२९३३.००
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm	पिस	३२७४.००	३२७४.००	३३१०.००
	0.90 mm	"	२७०८.००	२७०८.००	२७३९.००
	0.80 mm	"	२४४२.००	२४४२.००	२४७६.००
	0.75 mm	"	२२९२.००	२२९२.००	२३२७.००
	0.70 mm	"	२१४२.००	२१४२.००	२१६७.००
	0.62 mm	"	१९१२.००	१९१२.००	१९३९.००
	0.55 mm	"	१७१७.००	१७१७.००	१७४५.००
	0.50 mm	"	१५६६.००	१५६६.००	१५८६.००
	0.48 mm	"	१४९६.००	१४९६.००	१५२८.००
	0.45 mm	"	१४१६.००	१४१६.००	१४४८.००
	0.40 mm	"	१२७४.००	१२७४.००	१२९९.००
	0.37 mm	"	११८६.००	११८६.००	१२०९.००
	0.35 mm	"	११३३.००	११३३.००	११५२.००
	0.30 mm	"	९८२.००	९८२.००	१०१४.००
	0.28 mm	"	९२०.००	९२०.००	९५७.००
	च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm	पिस	२९७३.००	२९७३.००	३०१२.००
	0.80 mm	"	२६९९.००	२६९९.००	२७२७.००
	0.75 mm	"	२५२९.००	२५२९.००	२५०९.००
	0.70 mm	"	२४२४.००	२४२४.००	२४७६.००
	0.62 mm	"	२१७७.००	२१७७.००	२२२५.००

सि.नं.	निर्माण सामग्रीहरूको विवरण		मु.अ.क. (VAT) बाहिरक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	0.50 mm	"	१७८८.००	१७८८.००	१८४७.००
	0.48 mm	"	१७७८.००	१७७८.००	१७५७.००
	0.45 mm	"	१६९९.००	१६९९.००	१७००.००
	0.40 mm	"	१४८७.००	१४८७.००	१५४१.००
	0.37 mm	"	१३८९.००	१३८९.००	१४३७.००
	0.35 mm	"	१३२७.००	१३२७.००	१३७९.००
	0.30 mm	"	११६८.००	११६८.००	१२२०.००
	0.28 mm	"	११०६.००	११०६.००	११६१.००
	GI EXPANDED METAL MESH				
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	१४९.००	१४९.००	१५९.००
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	२१६.००	२१६.००	२२६.००
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	१३३.००	१३३.००	१३३.००
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	१७७.००	१७७.००	१७७.००
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	१२४.००	१२४.००	१२४.००
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	१५९.००	१५९.००	१६६.००
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)				
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१५०६.००	१५०६.००	१५८९.००
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	१२००.००	१२००.००	१२६०.००
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	२०२९.००
25.4	Ridge cover Tile Profile 0.78 R.m.	"	१९२५.००	१९२५.००	२०२९.००
25.5	UPVC Clip	गोटा	२६.००	२६.००	२७.००
25.6	self tapping screw 3"	"	३०.००	३०.००	३२.००
25.7	self tapping screw 2.5"	"	२०.००	२०.००	२१.००
25.8	self tapping screw 2"	"	११.००	११.००	११.००
25.9	self tapping screw 1.5"	"	८.४०	८.४०	९.००
26	एल्मुनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	२९.००	२९.००	३०.००
	(ख) ३० गेज	"	२७.००	२७.००	२८.००
27	विभिन्न प्रकारको जालीहरू (Netring)				
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११९.००	११९.००	१२०.००
	(ख) बालुवा चाल्ने जाली	"	१२४.००	१२४.००	१३३.००
	(ग) कुखुरे जाली (Chicken wire mesh)	"	७६.००	७६.००	८३.००
	(घ) ब्रास क्रसिङ्ग जाली	"	१९५.००	१९५.००	२१४.००
	(ङ) स्टील जाली (crossing)	"	१५७.००	१५७.००	१७२.००

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	(च) मसिनो खालको steel Mosquito proof जाली	"	२७७.००	२७७.००	२९७.००
28	फलामबाट निर्मित सामानहरू				
a	M.S. Grill बनाई जडान गर्ने काम	के.जी.	१२०.००	१२०.००	१४३.००
b	कोल्याप्सीवल गेट बनाई जडान गर्ने	व.फि.	४००.००	४००.००	४२०.००
c	१६-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.फि.	२४०.००	२४०.००	२८४.००
d	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर प्याल भएको	"	२८०.००	२८०.००	३०८.००
e	फलामे रोलिङ सटर ड्रपडी प्रयोग गरी बनाइयो गरी जडान गर्ने समेत	"	४००.००	४००.००	४४०.००
f	१६ गेज पाताबाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (४० X ४० X ४ mm) को फ्रेम समेत।	"	६२०.००	६२०.००	७१४.००
g	३"-४" व्यासको Iron Black Pipeमा एडल र पट्टि गरी बुडाकला सहितको घुम्ने भनाङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्दाको नापी गर्दा floor to floor height लिने।	र.फि.	२०४०.००	२०४०.००	२२२४.००
h	फलामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	४२.००	४२.००	४९.००
i	All type of general MS structural works	व.फि.	१७०.००	१७०.००	१८७.००
j	Truss & roofing works Plain sheet 26 gauge	"	२००.००	२००.००	२२०.००
k	Truss & roofing works colour sheet 26 gauge	"	१६२.००	१६२.००	१८१.००
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१६४.००
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	१९४०.००	१९४०.००	२०३७.००
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rehet,screw erection fitting and assembly charges) all complete work Panchakanya or equivalent	व.फि.	७३०.००	७३०.००	८४३.००
29	Glass सीसा				
29.1	Plain सादा (सेतो)				
	(क) ३ मी.मी.	व.फि.	४०.४७	४०.४७	४२.००
	(ख) ३५ मी.मी.	व.फि.	४७.६८	४७.६८	४९.००
	(ग) ४ मी.मी.	व.फि.	६६.९४	६६.९४	६९.००
	(घ) ५ मी.मी.	व.फि.	७७.२४	७७.२४	७९.००
	(ङ) ६ मी.मी.	व.फि.	१०३.००	१०३.००	१०६.००
	(च) ८ मी.मी.	व.फि.	१२४.४०	१२४.४०	१२९.००
29.2	Printed Glass (रङ्गको किलो)				

राज्य
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	मिति	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	।ख। ४ मी.मी " "	व.फि.	५८.२५	५८.२५	६०.००
29.3	Poly Fibre Glass				
	।क। ६ मी.मी.	"	१४९.१४	१४९.१४	१६४.००
29.4	Black Color Glass				
	।क। ३ मी.मी.	व.फि.	९८.८८	९८.८८	१०२.००
	।ख। ४ मी.मी.	"	१०६.०९	१०६.०९	१०९.००
	।ग। ५ मी.मी.	"	१२३.६०	१२३.६०	१२७.००
	।घ। ६ मी.मी.	"	१८५.४०	१८५.४०	१७९.००
	।ङ। ८ मी.मी.	"	२४७.५०	२४७.५०	२६१.००
	।च। १० मी.मी.	"	३६०.४०	३६०.४०	३७३.००
	।छ। १२ मी.मी.	"	४९२.००	४९२.००	४२६.००
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	।क। ५ मि.मि वाक्लो	व.फि.	११९.४८	११९.४८	१२३.००
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	।क। ४ मी.मी. वाक्लो	व.मि.	६३८६.००	६३८६.००	६६१०.००
29.7	विभिन्न रंगको Reflector Glass (शिशा)				
	५ मी.मी पोटी	व.फि.	१८९.५३	१८९.५३	१९६.००
	Note: ८ फिट * ८ फिट भन्दा बढी साइजको शिशा अण्डा ५० % भन्दा कम लाग्ने छ ।				
30	Corrugated/Plain Fiber Glass Sheet				
	।क। ०.८ मी. मी. मोटा प्लेन	व.फि.	१२५.९६	१२५.९६	१२५.९६
	०.८ मी. मी. मोटा कोरोगेटेड	व.फि.	१४९.३५	१४९.३५	१४९.३५
	।ख। १.२ मी.मी. मोटा प्लेन	"	१४९.३५	१४९.३५	१४९.३५
	१.२ मी.मी. मोटा कोरोगेटेड	"	१६७.८९	१६७.८९	१६७.८९
	।ग। २ मी.मी. मोटा प्लेन	"	२३८.९६	२३८.९६	२३८.९६
	२ मी.मी. मोटा कोरोगेटेड	"	२७८.१०	२७८.१०	२७८.१०
	।घ। ३ मी. मी. मोटा प्लेन	"	३१६.२१	३१६.२१	३१६.२१
	३ मी. मी. मोटा कोरोगेटेड	"	४०६.८५	४०६.८५	४०६.८५
	।ङ। Fiber Glass छानाका लागि Aluminium strip (25 mm x 1.5 mm)	Rm	७४.१६	७४.१६	७४.१६
	।च। Fiber Glass छानाका लागि Ribet nut	no.	८.२४	८.२४	८.२४
31	भ्याल ढोकामा लाग्ने Fixture हर				
	Iron बाट बनेका				
	Hinge (कब्जा)				
	।क। ३" साइज	गोटा	१६.५०	१६.५०	१६.५०



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)			
		२०७७/७८	२०७८/७९	२०७९/८०	
	।घा ६" साइज	"	६९.६०	६९.६०	६९.६०
	Locking Set (L-drop)				
	300 mm	गोटा	२८६.००	२८६.००	२८६.००
	225 mm	"	२४९.७०	२४९.७०	२४९.७०
	150 mm	"	२१४.४०	२१४.४०	२१४.४०
	Aluminium बाट बनेका				
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२२.००	२२.००	२२.००
	(ख) ४" लामो	"	४४.००	४४.००	४४.००
	(ग) ६" लामो	"	७६.००	७६.००	७६.००
	(घ) ८" लामो	"	८८.००	८८.००	८८.००
	(ङ) १०" लामो	"	१०२.४०	१०२.४०	१०२.४०
	(च) १२" लामो	"	११७.७०	११७.७०	११७.७०
	Handle (हतकल)				
	Ordinary	गोटा	३५.२०	३५.२०	३५.२०
	Special	"	४९.७०	४९.७०	४९.७०
	Brass बाट बनेका				
	Hinge (कम्जा)				
	2" x 1/2"	गोटा	६९.३०	६९.३०	६९.३०
	2 1/2 x 3/4"	"	७८.१०	७८.१०	७८.१०
	3" x 3/4"	"	९४.७०	९४.७०	९४.७०
	2" x 3/4"	"	७८.१०	७८.१०	७८.१०
	2 1/2" x 3/4"	"	८६.९०	८६.९०	८६.९०
	3" x 3/4"	"	९४.७०	९४.७०	९४.७०
	3" x 1"	"	२०७.९०	२०७.९०	२०७.९०
	4" x 1"	"	३१२.४०	३१२.४०	३१२.४०
	5" x 1"	"	४१६.९०	४१६.९०	४१६.९०
	6" x 1"	"	५०३.८०	५०३.८०	५०३.८०
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१५६.२०	१५६.२०	१५६.२०
	(ख) ४" लामो	"	२०७.९०	२०७.९०	२०७.९०
	(ग) ६" लामो	"	३१२.४०	३१२.४०	३१२.४०
	(घ) ८" लामो	"	४१६.९०	४१६.९०	४१६.९०
	(ङ) १०" लामो	"	५२०.३०	५२०.३०	५२०.३०
	(च) १२" लामो	"	६२४.८०	६२४.८०	६२४.८०
	Handle (हतकल)				
	6" Brass handle	गोटा	१६४.००	१६४.००	१६४.००

सि.नं. १०२/७९
वा.अ.क. १०२/७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०७७/७८	२०७८/७९	२०७९/८०
	Locking Set (L-drop)			
	(क) ८" लामो	गोटा	१०४१.७०	१०४१.७०
	(ख) १०" लामो	"	१०७८.२०	१०७८.२०
	(ग) १२" लामो	"	११०८.४०	११०८.४०
	Special Fittings			
	एल ड्रप :-			
	८" लामो	गोटा	११६८.२०	११६८.२०
	१०" लामो	"	१२१८.९०	१२१८.९०
	१२" लामो	"	१२७३.९०	१२७३.९०
	ह्याण्डल :-			
	८" लामो	"	१२७३.९०	१२७३.९०
	टावर बोल्ट :-			
	६" लामो	"	२४७.४०	२४७.४०
	८" लामो	"	३३०.००	३३०.००
	१०" लामो	"	४१२.४०	४१२.४०
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)			
	एल ड्रप :-			
	८" लामो	गोटा	९८१.२०	९८१.२०
	१०" लामो	"	१२४३.००	१२४३.००
	१२" लामो	"	१२७३.९०	१२७३.९०
	ह्याण्डल :-			
	६" लामो	"	२७४.००	२७४.००
	८" लामो	"	४१२.४०	४१२.४०
	Mortice Lock			
	Ordinary	गोटा	६८७.४०	६८७.४०
	Chinese	"	४४७.६०	४४७.६०
	Indian Godrej Company	"	२८१२.७०	२८१२.७०
	Brass	"	१२४३.००	१२४३.००
	Door Spring (Door Closer)			
	Ordinary	गोटा	१९४.८०	१९४.८०
	hydraulic	"	२०६१.४०	२०६१.४०
	Other Door/Windows fixtures			
	Window J-hook	गोटा	१९.८०	१९.८०
	Gate Hook			
	4" Gate hook	गोटा	३४.१०	३४.१०
	5" Gate hook	"	३८.४०	३८.४०
	6" Gate hook	"	४६.२०	४६.२०




रामो
मधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	Door stopper				
	Butterfly	"	१६२.८०	१६२.८०	१६२.८०
	Bell catch 2" size	"	२१५.६०	२१५.६०	२१५.६०
	C.P. handle	"	४६७.५०	४६७.५०	४६७.५०
	Power coated handle	"	४४६.६०	४४६.६०	४४६.६०
	Brass coated handle	"	९६१.४०	९६१.४०	९६१.४०
	Door stopper, single brass stopper	सेट	११०.००	११०.००	११०.००
	Door stopper double brass stopper	"	१९५.८०	१९५.८०	१९५.८०
32	बिबिध सामग्रीहरू				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१३७.५०	१३७.५०	१५५.००
	Nails (different sizes)	के.जी.	१२३.२०	१२३.२०	१२९.००
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७९३.१०	७९३.१०	७९३.१०
	कवाडी फलामे सामानहरू(बन्चरो, घन, छिना आदि फलामे सामान)	के.जी.	२८.६०	२८.६०	२८.६०
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन, डीलीड विट)	के.जी.	२३.१०	२३.१०	२३.१०
	Nut and Bolts	गोटा	३१.९०	३१.९०	३३.७२
	Nut and Bolts (different sizes)	के.जी.	१८१.५०	१८१.५०	१९२.००
	Sandpaper (छासी)	गोटा	६.६०	६.६०	६.६०
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	१५०.७०	१५०.७०	१५०.७०
	२" साइज स्क्रिप्ट नेल्स	गोटा	७.७०	७.७०	७.७०
	३" साइज स्क्रिप्ट नेल्स	"	११.००	११.००	११.००
	Screw Brass				
	20mm	गोटा	३.२०	३.२०	३.२०
	25mm	"	३.३०	३.३०	३.३०
	35mm	"	४.४०	४.४०	४.४०
	50mm	"	१३.२०	१३.२०	१३.२०
	75mm	"	१६.५०	१६.५०	१६.५०
	Screw Steel				
	20mm	"	१.१०	१.१०	१.१०
	25mm	"	२.२०	२.२०	२.२०
	35mm	"	२.२०	२.२०	२.२०
	50mm	"	७.७०	७.७०	७.७०
	75mm	"	८.८०	८.८०	८.८०
	विटुमीन वासर	गोटा	३.३०	३.३०	३.३०
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	१०२.३०	१०२.३०	१०२.३०
	५०० गेज प्लाष्टिक सिट	घ.पी.	३४.१०	३४.१०	३४.१०

सि.नं.	निर्माण सामग्रीहरूको विवरण	मिति	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	Plasticfelt : २०मी. × १मी.)	"	२५४९.८०	२५४९.८०	२५४९.८०
	१८-२० फिट लामो घास	गोटा	२२४.४०	२२४.४०	२२४.४०
	मैन पालिश	के.जि.	२२६.६०	२२६.६०	२२६.६०
	अक्रजालिक एसिड	"	१२९.८०	१२९.८०	१२९.८०
	जुट वा पोलिथिनको खाली बोरा	गोटा	१९.८०	१९.८०	१९.८०
	माटो (दुबानि बाहेक)	घ.मि.	२९४.८०	२९४.८०	२९४.८०
	सवगेडमा राख्ने माटो। In Capping layer Granular soil।	घ.मि.	४१०.४०	४१०.४०	४१०.४०
	मुस	के.जि.	४.४०	४.४०	४.४०
	गोबर	"	४.४०	४.४०	४.४०
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	१०९.३०	१०९.३०	१०९.३०
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१०७.८०	१०७.८०	१०७.८०
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.९०	९.९०	९.९०
	Water (पानी)				
	३ कि.मी. सभम को दुरीमा	लिट्र	०.२९	०.२९	०.२९
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	०.३४	०.३४	०.३४
33	स्टेनलेस स्टील पाइप (257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१९४.००	१९४.००	२२५.००
	१" व्यास भएको १६ गेज मोटाई	"	२४३.००	२४३.००	२८२.००
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३०९.००	३०९.००	३६०.००
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३७६.००	३७६.००	४२८.००
	२" व्यास भएको १६ गेज मोटाई	"	४०८.००	४०८.००	४९१.००
	स्टील रेलीड, steel Raling को बार लगाउने कार्य। २ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe ।	र.फी.	११६८.००	११६८.००	११६८.००
34	मार्बल चिप्स				
	।क। सेतो रंगको मार्बल चिप्स । २५ के.जि. प्रति बोरा।	बोरा	१७०.००	१७०.००	१७८.००
	।ख। रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१७०.००	१७०.००	१७८.००
	।ग। क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१८१.००	१८१.००	१९०.००
	।घ। मार्बल पाउडर : २५ के.जि. प्रति बोरा।	"	१५३.००	१५३.००	१६०.००
35	मार्बल (Marble)				
35.1	राजस्थानी मार्बल				
	१३ मी.पी वाक्लो, राजस्थानी	व.फि.	१६०.००	१६०.००	१८६.००
	१६ मी.पी वाक्लो राजस्थानी	"	१७५.००	१७५.००	१९२.००
35.2	ग्रेनाइट				
	१२ मी.पी वाक्लो ग्रेनाइट	"	२५०.००	२५०.००	२७५.००

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.व.क. (VAT) बाहेक (रु.)	मु.व.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	१९ मी.मी धाकलो ग्रेनाइट	व.फि.	३७६.००	३७६.००	४१३.००
35.3	Kota Stone				
	1" thick	व.फि.	१४२.००	१४२.००	१५६.००
	3/4" thick	व.फि.	१३०.००	१३०.००	१४३.००
35.4	Sand stone (for rubbing Marble)	गोटा	७२.००	७२.००	७९.००
36	Porcelain Glazed/Terrazo Mosaic Tiles				
36.1	Porcelain Glazed Tiles				
	Porcelain Glazed Tiles	"	८५.००	८५.००	९०.००
	Ordinary floor and wall Tile	"	५४.००	५४.००	५७.००
	Border Tile (२ " x ८ ")	र.फि.	४३.००	४३.००	४५.००
	Ceramic Wall Tile (31*45cm)	"	१८०.००	१८०.००	१९१.००
	Ceramic Border Tile (31*45cm)	"	१८०.००	१८०.००	१९१.००
	Ceramic Floor Tile (31*45cm)	"	१५०.००	१५०.००	१५५.००
	Flooring tile GVT				
	24"X24" GVT	व.फु.	१६४.००	१६२.००	१६५.००
	24"X24" GRES Vitrified (Digital floor)	"	१४४.००	१४४.००	१४३.००
	12"X12" GRES homogeous Vitrified parking tile	"	१०६.००	१०६.००	१०९.००
	24"X24" Vitrified	"	१११.००	१११.००	११८.००
	Flooring file				
	16"X16 "	व.फु.	९८.००	९८.००	१०४.००
	12"X12"	"	८८.००	८८.००	९३.००
	12"X12" (White/Ivery)	"	७७.००	७७.००	८२.००
	12"X24" (Wall)	"	१३४.००	१३४.००	१११.००
36.2	12"X18" (Wall)	"	१०३.००	१०३.००	१३६.००
	LG Floors Tiles				
	Fittings for Tiles	"	१४.००	१४.००	१५.९०
	Fittings for Tiles on stairs	"	१७.००	१७.००	१८.०२
36.3	Dendrite for tiles	लि.	४००.००	४००.००	४२४.००
	FLOORING COATING				
	FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	३६१.००	३६१.००	३८२.६६
	HEAT FLOORING (INCLUDED ALL FINISH)	"	३६१.००	३६१.००	३८२.६६
	FLOORING(INCLUDED ALL FINISH)	"	३८३.००	३८३.००	४०५.९८
	ACOUSTIC FLOORING	"	४२७.००	४२७.००	४४२.६२
	SCRATCH FABRIC FALSE CEILING	"	२३२.००	२३२.००	२४४.९२
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६२.००	६२.००	६५.७२
37	flooring 2mm thick all fitting work	"	४०३.००	४०३.००	४२७.१८



भक्तपुर जिल्ला कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	प.अ.क. (VAT) बढेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.				
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२५२.२८
	b) Up to 5" wide	र.मि	२८५.००	२८५.००	३०२.१०
	c) Up to 8" wide	र.मि	३९३.००	३९३.००	४१६.५८
37.1	d) Above 8" wide	र.मि	१२१.००	१२१.००	१३०.६६
	रंगरोगनका सामानहरू				
	(क) कृषि चुनवाट उत्पादित सेतो चुन	के.जि.	३५.००	३५.००	३७.१०
	(ख) विभिन्न प्रकारको रंगिन चुन	"	४०.००	४०.००	४२.४०
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	४०.००	४०.००	४२.४०
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००
	(च) सिमेन्ट प्राइमर सेतो	लिट्र	२७०.००	२७०.००	२८८.००
	छ) उड प्राइमर (Wood Primer)	लिट्र	३७६.००	३७६.००	३८९.००
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	४४४.००	४४४.००	४४२.००
	(ज) कोरुगेटेड रुफ Painl	"	४००.००	४००.००	४९२.००
	(झ) तयारी अल्मुनियम पेन्ट	"	४४६.००	४४६.००	४६५.००
	(ञ) तयारी वार्नेस	"	४४०.००	४४०.००	४५५.००
	(ट) तयारी बार्नेर सेन्थेटिक	"	३७५.००	३७५.००	३९१.००
	(ठ) भारतीय थिनर	"	१५०.००	१५०.००	२३८.००
	ड) उड एण्ड ग्लास पुटिन	के.जी	१२१.००	१२१.००	१३६.००
	ढ) पेटल पुटिन	"	१२५.००	१२५.००	१३०.००
	ण) चुना पेन्ट गर्न राख्ने गण	"	२६७.००	२६७.००	२९०.००
	त) नेपाली थिनर	लिट्र	१५०.००	१५०.००	२२४.००
	द) तारपिन तेल	"	१५०.००	१५०.००	२२१.००
	ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२७५.००	२७५.००	२७०.००
	(न) उड प्रिजरमेन्टिव पेन्ट	"	३००.००	३००.००	२३६.००
	(प) Black Japan Paint	"	२८६.००	२८६.००	४९६.००
	(फ) राम तिलक	के.जि.	६०.००	६०.००	५७.००
	(ब) गेरु रंग	के.जि.	१३७.००	१३७.००	१४१.००
	(भ) चप्रा पालिस	के.जि.	११००.००	११००.००	१३६४.००
	(म) तयारी बासेवल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	१७५.००	१७५.००	२३१.००
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	४७०.००	४७०.००	५४४.००
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६७०.००	६७०.००	६९६.००
	(र) Road Marking Paint	"	५७९.००	५७९.००	५९९.००



सि.नं.	निर्माण सामग्रीहरूको विवरण	यु.अ.क. (VAT) बाहेक (र.)	मु.अ.क. (VAT) बाहेक (र.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	(ब) स्थानीय स्पीट	लि.	११८.००	११८.००	१२१.००
	(स) पॉक्सिकल/फेविकल	के.जि.	२००.००	२००.००	२०१.००
	(पा) Tata Red Oxide Paint	"	२७५.००	२७५.००	२७८.५०
	(ह) गह्रा चुन (इण्डीयन)	"	३५.००	३५.००	३६.५०
	(झ) Wall putty equaivalent	के.जि.	४०.००	४०.००	४०.००
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००
	wood keeper (chapara type)	लि.	६००.००	६००.००	६६०.००
	Redoxide zink cromate primer For Bridge	लि.	४६३.००	४६३.००	४७९.००
	Silk Breathless easy	लि.	१२१६.००	१२१६.००	१२१९.००
	Road divider (polythene)	गोटा	१६२२.००	१६२२.००	१७००.००
	Dust bin (polythene) 165 ltr	गोटा	३०८३.००	३०८३.००	३१८९.००
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	१३०६.००	१३०६.००	१३८४.२६
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	ब.मी.	२०८२.००	२०८२.००	२२०६.९२
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३६८८.००	३६८८.००	३९०९.२८
37.2	Epoxy Paint for Operation theater	"	११२०९.००	११२०९.००	१२१९९.५४
A	Decorative Painting Material				
1	Specialized paints				
2	Anti bacterial Hospital Paint	लिट्र	१०९९.००	१०९९.००	१०९९.००
B	Anti carbonisation paint	"	७६२.००	७६२.००	७६२.००
1	Texture paints				
2	Mediterrano	के.जि	१७६.००	१७६.००	१७६.००
3	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००
4	Velveto	"	४३०५.००	४३०५.००	४३०५.००
5	Travertino	"	४१२.००	४१२.००	४१२.००
6	Grone plaster	"	१२१.००	१२१.००	१२१.००
7	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००
8	Pearl skin texture	"	१४९.००	१४९.००	१४९.००
9	JS 52 Spray white	"	१९९.००	१९९.००	१९९.००
10	Rustic	"	१४९.००	१४९.००	१४९.००
11	Rockart	लिट्र	१४९.००	१४९.००	१४९.००
12	Manhattan	के.जि	२३८.००	२३८.००	२३८.००
13	Sabbia	"	२३८.००	२३८.००	२३८.००
14	Sandy Stone	"	१७४.००	१७४.००	१७४.००
15	Insulplast	"	२३७.००	२३७.००	२३७.००
16	Poly Under White	"	२६४.००	२६४.००	२६४.००
17	Antica (Top coat)	"	१२६७.००	१२६७.००	१२६७.००
18	T.C 100 (Top coat)	"	७२८.००	७२८.००	७२८.००
19	Dekorica White	"	२६२१.००	२६२१.००	२६२१.००
20	Poly Plaster	"	१०७.००	१०७.००	१०७.००
21	Granite tone	"	१६५.००	१६५.००	१६५.००

भक्तपुर जिल्ला प्रशासन कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	यु.थ.का. (VAT) बाहेक (रु.)	यु.थ.का. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
24	Marmorino Base	के.जि	४१२.००	४१२.००	४१२.००
25	Acro line	लिट्र	१८१.००	१८१.००	१८१.००
26	Marmocastro base	के.जि	१३९.००	१३९.००	१३९.००
27	Selva Granite	"	२१५.००	२१५.००	२१५.००
C	Romart	"	२३९.००	२३९.००	२३९.००
1	Weathercoat paints				
2	Guard	लिट्र	५०३.००	५०३.००	५०३.००
3	Guard -3x	"	५८८.००	५८८.००	५८८.००
4	Shield	"	३२२.००	३२२.००	३२२.००
5	Acrotex matt	"	५१०.००	५१०.००	५१०.००
D	Ext wall Primer	"	२३८.००	२३८.००	२३८.००
1	Emulsion Paints				
2	silk Emulsion paints	"	५२२.००	५२२.००	५२२.००
3	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२८०.००
4	pearl Emulsion paints	"	७७२.००	७७२.००	७७२.००
E	int. wall Primer	"	१७२.००	१७२.००	१७२.००
F	Acrylic Washable Distemper	"	१४२.००	१४२.००	१४२.००
G	Acro gold Enamel	"	५१२.००	५१२.००	५१२.००
H	Universal primer (wood primer)	"	२१३.००	२१३.००	२१३.००
I	Red oxide metal primer	"	२७६.००	२७६.००	२७६.००
	Construction Chemical / waterproof coating system				
	crack sill	"	३८७.००	३८७.००	३८७.००
J	crack fill A+B	"	१७०.००	१७०.००	१७०.००
	Silicon Bases water repellent impregnation				
	Acropreg	"	४६६.००	४६६.००	४६६.००
	Acropreg W	"	६१९.००	६१९.००	६१९.००
37.3	Wall putty	के.जि	३९.००	३९.००	३९.००
1	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1.1	Acro Spanezia maestro finishes texture				
1.2	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००
1.3	Travertino texture	"	१९५.००	१९५.००	१९५.००
1.4	Velvetino texture	"	१६७.००	१६७.००	१६७.००
1.5	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००
1.6	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००
1.7	Pearl skin texture	"	१२०.००	१२०.००	१२०.००
2	Marmorino texture	"	१५६.००	१५६.००	१५६.००
2.1	Acro texture				
2.2	Acro texture (Acro texture down texture)	ब.फि	१७०.००	१७०.००	१७०.००

भक्तपुर जिल्ला पञ्चायत



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
2.3	Featherglow/Royal touch/Superfine/Ceratex texture	व.मी	७४.००	७४.००	७४.००
2.4	Rustic texture	"	९९.००	९९.००	९९.००
2.5	Rockart texture	"	९३.००	९३.००	९३.००
2.6	Graffiato texture	"	१०२.००	१०३.००	१०३.००
2.7	Marmocastro texture	"	९०.००	९०.००	९०.००
2.8	Marmoplast texture	"	९०.००	९०.००	९०.००
2.9	Sabbia texture	"	११२.००	११२.००	११२.००
2.10	Manhattan texture	"	११२.००	११२.००	११२.००
2.11	Sandy stone texture	"	१४४.००	१४४.००	१४४.००
2.12	Selva Granite texture	"	११६.००	११६.००	११६.००
2.13	Elligance stone texture	"	१०७.००	१०७.००	१०७.००
2.14	Granite tone texture	"	९८.००	९८.००	९८.००
2.15	Romaart texture	"	१२४.००	१२४.००	१२४.००
3	Insulplast texture	"	१३४.००	१३४.००	१३४.००
4	Acro Bio-guard (Hospital Paint)	"	४४.००	४४.००	४४.००
1	Acro Elastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००
	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	3. ACROSHIELD	"	१७.००	१७.००	१७.००
	INTERIOR SURFACE EMULSION PAINTS				
	1. EMULSION PAINTS	"	१६.००	१६.००	१६.००
	2. WASHABLE DISTEMPER	"	११.००	११.००	११.००
	3. ENAMEL PAINTS	"	१८.००	१८.००	१८.००
1	Expansion joint				
2	Horizontal Area fixing clips affixed aluminium joint covers	RM	१४४०.००	१४४०.००	१४४०.००
3	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers	RM	१२८७५.००	१२८७५.००	१२८७५.००
4	Extruded Aluminium Joint Covers	RM	१४९३५.००	१४९३५.००	१४९३५.००
5	Folded Joint Covers	RM	१८०२५.००	१८०२५.००	१८०२५.००
6	Vertical Joints Standard and Seismic interior use	RM	२४७५०.००	२४७५०.००	२४७५०.००
7	Vertical Joints Exterior use	RM	१३३९०.००	१३३९०.००	१३३९०.००
8	Vertical Joints	RM	२८८४०.००	२८८४०.००	२८८४०.००
9	Suspended Ceiling Joints	RM	१२३९०.००	१२३९०.००	१२३९०.००
10	Floor Joint	RM	२१११४.००	२१११४.००	२१११४.००
11	CAR Park Joint	RM	१६४८०.००	१६४८०.००	१६४८०.००
12	CAR Park Joint, standard loads (40 to70mm)	RM	३१९३०.००	३१९३०.००	३१९३०.००
13	BED Affixed Control Joints	RM	९२७०.००	९२७०.००	९२७०.००
14	Adhesive Affixed Control Joints	RM	१४४५.००	१४४५.००	१४४५.००
38	Stair Nosing	RM	९७५.००	९७५.००	९७५.००

3

रु.

सि.नं.	निर्माण सामग्रीहरूको विवरण	वि.नं.	पु.अ.क. (VAT) बाहेक रु.		
			२०७३/७८	२०७८/७९	२०७९/८०
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००
	Fittings for wall paper	व.फि	७.००	७.००	७.००
39	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००
	Eradication of peepal & other plants				
	a) Stem up to 1" thickness	गोटा			
	b) Stem up to 1"-2" thickness	"			
	c) Stem up to 2"-3" thickness	"			
40	d) Stem up to 3"-4" thickness	"			
40.1	Gypsum board				
	Supplying and fixing of Thai gypsum board application work				
	i) फल्स सिलिङ्ग गर्ने	व.फि			
	ii) Water resistant false ceiling	"			
	iii) Wall partition	"	११९.००	११९.००	११९.००
	iv) Wall paneling	"	७९.००	७९.००	७९.००
	v) Metalized polited laminated Board (MPL) board	"	७६.००	७६.००	७६.००
41	12.5mm thick Gypsum Board False ceiling including all necessary material	"	७०.००	७०.००	७०.००
	Solid Infill wall				
41.4	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३७९३.००	३७९३.००	३७९३.००
	Solid infill wall				
41.5	Solid infill wall 3"	व.मी.	१७७०.००	१७७०.००	१७७०.००
	Solid infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+2 kg /cu mtr				
42	Solid infill wall 50mm	व.मी.	३२८८.००	३२८८.००	३२८८.००
	Interlocking Cement Concrete Block(Not less than M20 RCC Block)				
	(a) Curb stone M15		१०००.००	१०००.००	१०००.००
	b) Curb stone (M 20)	र.मि.	१२००.००	१२००.००	१२००.००
	25 mm thick C.C. Tile (Grey color)				
	Burfi , Round , Boby Checker	Sqft	४४.१०	४४.१०	४४.१०
	25 mm thick C.C. Tile (Red color)				
	Burfi , Round , Boby Checker	Sqft	४६.२०	४६.२०	४६.२०
	50 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , J-Interlock	Sqft	४३.४४	४३.४४	४३.४४
	50 mm thick CC Block (Red color)				

गोसा



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०७७/७८	२०७८/७९	२०७९/८०
	60 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४४.६४	४४.६४
	60 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४७.७४	४७.७४
	70 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	६४.०४	६४.०४
	60 mm thick CC Block (Ocm or equivalent)			
	Brick type (23*11*6cm)non colour	Nos	१०.४०	१०.४०
	Hexagon (22*22 cm) non colour	"	२४.१४	२४.१४
	Hexagon (22*22 cm) colour	"	२६.२४	२६.२४
	Squire paver (30*30*4.5cm)non colour	"	३३.६०	३३.६०
	Squire paver (30*30*4.5cm)colour	"	३५.७०	३५.७०
	inter block(24*13*6cm)	"	१४.७०	१४.७०
	Isave paver (20*16*6cm)	"	१६.८०	१६.८०
	supply of concrete Block different items			
	Hollow Block (16"*8"*6")	Nos	८१.९०	८१.९०
	Hollow Block (16"*8"*4")	"	७२.४४	७२.४४
	Corner Hollow Block (16"*8"*6")	"	९३.४४	९३.४४
	Lintel Block (16"*8"*6")	"	९३.४४	९३.४४
	Pavers Block (fish or other shape) 60mm thick	"	२१.००	२१.००
	concrete Brick (9"*4"*2.5")	"	१३.६४	१३.६४
८	CONCRETE PAVING BLOCKS (M35 Grade)			
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी.		२२९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.		२९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.		३६३९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		१७२८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२२२२.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२७०९.००

सि.नं.

सि.नं.	निर्माण सामग्रीहरूको विवरण	 २०७७/७८ २०७८/७९ २०७९/८०	पु.अ.क (VAT) बाहेक (रु.)	
			२०७८/७९	२०७९/८०
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२४३९.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२९४८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	व.पी.		१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	व.पी.		१९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.पी.		१९३९.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.		१३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी.		१७६८.००
८	CONCRETE PAVING BLOCKS			
	Behaton Interlock Pavers (Grey Color) with Compressive Strength M35 or Above, 80MM Thickness Dimension: 200mmx165mmx80mm	व.पी.		२०८०.००
	Behaton Interlock Pavers (Single Color) with Compressive Strength M35 or Above, 80MM Thickness Dimension: 200mmx165mmx80mm	व.पी.		२३२५.००
	Behaton Interlock Pavers (Multi Color) with Compressive Strength M35 or Above, 80MM Thickness Dimension: 200mmx165mmx80mm	व.पी.		२४२८.००
	Behaton Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 50mm, Dimension:200*165*50	व.मी.		१६४६.४४
	Behaton Interlock Pavers Single Color with compressive strength M35 or above, Thickness: 50mm, Dimension:200*165*50	व.मी.		१९८७.७४
	Behaton Interlock Pavers Blended Color with compressive strength M35 or above, Thickness: 50mm, Dimension:200*165*50	व.मी.		२०९८.१७
	Behaton Interlock Pavers Grey Color with compressive strength M40 or above, Thickness: 80mm, Dimension:200*165*80	व.पी.		२०८०.००
	Behaton Interlock Pavers Single Color with compressive strength M40 or above, Thickness: 80mm, Dimension:200*165*80	व.मी.		२३२५.००
	Behaton Interlock Pavers Blended Color with compressive strength M40 or above, Thickness: 80mm, Dimension:200*165*80	व.मी.		२४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above, Thickness: 50mm, Dimension: 226*200*50	व.मी.		१३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above, Thickness: 50mm, Dimension: 226*200*50	व.पी.		१६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above, Thickness: 50mm, Dimension: 226*200*50	व.मी.		१६९२.७६
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above, 80MM	व.पी.		१८४८.००

समाप्त

सि.नं.	निर्माण सामग्रीहरूको विवरण	मि.मि.	मु.व.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above, 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.			२०१४.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above, 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.			२०९७.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 60mm, Dimension: 226*200*60	व.मी.			१३२४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above, Thickness: 60mm, Dimension: 226*200*60	व.मी.			१४९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above, Thickness: 60mm, Dimension: 226*200*60	व.मी.			१५७२.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above, Thickness: 70mm, Dimension: 226*200*70	व.मी.			१९३०.३४
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above, Thickness: 70mm, Dimension: 226*200*70	व.मी.			२१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above, Thickness: 70mm, Dimension: 226*200*70	व.मी.			२२९०.३९
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above, 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.			१०७६.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above, 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.			१२९६.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above, 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.			१३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 226*200*80	व.मी.			१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 226*200*80	व.मी.			२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 226*200*80	व.मी.			२०९७.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 225*112.5*80	व.मी.			२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 225*112.5*80	व.मी.			२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above, Thickness: 80mm, Dimension: 225*112.5*80	व.मी.			२४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above, Thickness: 100mm, Dimension: 225*112.5*100	व.मी.			३७६६.००



गाउँपालिका अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.प्र.के. (VAT) बाहेक (रु.)		
		२०७८/७९	२०७९/८०	
		२०७८/७९	२०७९/८०	
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above, Thickness: 100mm, Dimension:225*112.5*100	व.मी.		४३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above, Thickness: 120mm, Dimension:225*112.5*120	व.मी.		४६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above, Thickness: 120mm, Dimension:225*112.5*120	व.मी.		६०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above, Thickness: 120mm, Dimension:225*112.5*120	व.मी.		६४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 60mm, Dimension:200*100*60	व.मी.		१७८४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above, Thickness: 60mm, Dimension:200*100*60	व.मी.		२२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above, Thickness: 60mm, Dimension:200*100*60	व.मी.		२८१४.००
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above, Thickness: 100mm, Dimension:200*100*100	व.मी.		३९९९.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above, Thickness: 100mm, Dimension:200*100*100	व.मी.		४२९७.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above, Thickness: 100mm, Dimension:200*100*100	व.मी.		४६९८.००
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.		९६९८.००
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.		९७८२.००
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.		९८३७.००
	Romba 3D interlock Pavers: Grey Color with compressive strength M35 or above, Thickness: 60mm, Dimension:200*173 *60	व.मी.		९६९८.००
	Romba 3D interlock Pavers: Single Color with compressive strength M35 or above, Thickness: 60mm, Dimension:200*173 *60	व.मी.		९७८२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above, Thickness: 60mm, Dimension:200*173 *60	व.मी.		९८३७.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 60mm, Dimension:240*120*60	व.मी.		९४८०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above, Thickness: 60mm, Dimension:240*120*60	व.मी.		९७०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above, Thickness: 60mm,	व.मी.		९८०२.००



अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०७७/७८	२०७८/७९	२०७९/८०
		व.मी.		१७७४.६८
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm. Dimension:200*200*50	व.मी.		२२४९.४९
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.		२७९९.४९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.		१७४९.००
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		२०६०.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		२३३२.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		१७१०.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.		२०२९.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.		२३३३.००
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.		१९१०.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		१७८३.००
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		१८२८.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		१५७९.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		१७४१.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		१८३४.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.		
	CONCRETE PAVING TILES			
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१३९१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१४०७.००



राजेश्वरी शर्मा
सहायक अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)		
		२०७७/७८	२०७८/७९	२०७९/८०
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above, (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above, (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above, (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२९३८.२६
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above, (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		३२८२.०७
	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS			
	Bricks Grey Color with compressive strength M10 or above, (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२०.००
	Bricks Single Color with compressive strength M10 or above, (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२२.००
	Hollocon Grey Color with compressive strength M7 or above, (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा		१५२.००
	Hollocon Single Color with compressive strength M7 or above, (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा		१८०.००
	Hollocon Grey Color with compressive strength M7 or above, (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा		१०९.००
	Hollocon Single Color with compressive strength M7 or above, (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा		१२५.००
	Hollocon Grey Color with compressive strength M7 or above, (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा		९२.००
	Hollocon Single Color with compressive strength M7 or above, (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा		१०४.००

वी.रामा
अधिकारी




सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०७७/७८	२०७८/७९	२०७९/८०
	Bricks Grey Color with compressive strength M10 or above, (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		१८.००
	Bricks Single Color with compressive strength M10 or above, (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		१९.००
	CONCRETE PAVING BLOCKS			
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above, (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper	ब.पी.		१५४५.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above, (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.पी.		१७३८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above, (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.पी.		१८२९.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above, (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.पी.		१३३३.००
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above, (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.पी.		१५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above, (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.पी.		१६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above, (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper	ब.पी.		२०४४.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above, (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper	ब.पी.		२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above, (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	ब.पी.		२४४९.००
	Nostalgic Pavers Grey Color with compressive strength			

श्री रानी अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension:1140x960x60mm/ Pallet	व.मी.			२७६९.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.			२८५८.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption	व.मी.			९७४९.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm. Dimension:400x600x80mm	व.मी.			९७४९.००
	CONCRETE PAVING TILES				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			९४८९.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			९२९८.००
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			९८०३.००
	CONCRETE KERB-STONES				
	Half Battered Kerb Stone with Compressive Strength M15, 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.			३४०.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm. Dimension:300*200*350 (LxBxH)	र.फि.			३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.			४०९.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.			२७८.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.			२९७.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.			३३०.००
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.			३४०.००



सि.नं.	निर्माण सामग्रीहरूको विवरण	प.व.क. (VAT) बाहेक।र.:		
		२०७७/७८	२०७८/७९	२०७९/८०
	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३६३.००
	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.		४०९.००
	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४४९.००
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४६४.००
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.		४९३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४९७.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४४७.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.		४७३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300), Tolerance/others:±1.5 mm	र.फि.		३९९.००
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm	र.फि.		४९९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm	र.फि.		४६८.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.पी.		१७७५.००
	EPS-C(Expanded polystyreneconcrete) Block			
१	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा		१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा		३१९.००
३	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा		३९२.००
43	छानामा टाइलको बूझा काट्ने र पानी पट्टी कार्य (१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि छट राखि १"बाक्लो प्लाष्टरमा रूफिड टाइलको बूझा काट्ने सामान सहित (तयारी)	व.मि.		
44	१"×३" साइजको २५.४ भागको मिश्रणको मसला तयार गरि छट राखि वषाणको पानी पट्टी बनाउने काम (तयारी)	र.पी.		
	Heritage Wall Surface Texture (Interior and Exterior) including the			



सि.सं. १०७७/७८



सि.नं.	निर्माण सामग्रीहरूको विवरण	वि.फि	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००
	ii) Heritage flakes	..	१२४.००	१२४.००	१२४.००
	iii) Heritage granite finish	..	१०८.००	१०८.००	१०८.००
45	iv) Heritage Top coat (plastic lamination)	..	२९.००	२९.००	२९.००
	UPVC Profile Door and Window/ Wall partition				
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm;sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like; rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
	UPVC को भ्यान्, ढोका तथा wall partition का निर्माण सामग्रीहरू				
1	i) Single glazing				
2	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७२१५.००	७२१५.००
3	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	..	६६६४.००	६६६४.००	६६६४.००
4	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	७४९३.००	७४९३.००	७४९३.००
5	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	७४९३.००	७४९३.००	७४९३.००
6	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	८२१४.००	८२१४.००	८२१४.००
7	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	..	८३२८.००	८३२८.००	८३२८.००
8	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	८८८४.००	८८८४.००	८८८४.००
9	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	..	८८८४.००	८८८४.००	८८८४.००
10	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	..	८६०६.००	८६०६.००	८६०६.००
11	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	..	९९९१.००	९९९१.००	९९९१.००
11	UPVC 88x60mm Sliding white colour window with 5mm glass panele	Sqm	८६२६.००	८६२६.००	८६२६.००
12	UPVC 60x64mm white colour casement window with 5mm glass panele	..	९७९६.००	९७९६.००	९७९६.००
12	UPVC 110x64mm x9mmthick board and 5mm thick glass pannel white colour	..	१०३५३.००	१०३५३.००	१०३५३.००
13	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	..	१०७१७.००	१०७१७.००	१०७१७.००
	UPVC60x60mm white colour swing door with 5mm glass pannel	..	६७२७.००	६७२७.००	६७२७.००
1	ii) Double glazing				
	UPVC Sliding window with net (frame 50*80 mm, sash				

भक्तपुर जिल्ला

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०७७/७८	२०७८/७९	२०७९/८०
3	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	८९३५.००	८९३५.००	८९३५.००
4	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	९७१८.००	९७१८.००	९७१८.००
5	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	९७१८.००	९७१८.००	९७१८.००
6	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	१०४३९.००	१०४३९.००	१०४३९.००
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	१०४४७.००	१०४४७.००	१०४४७.००
8	UPVC Sliding Door with net (frame 52*88 mm, sash 68*42 mm, white colour with 5mm double glass)	१११०३.००	१११०३.००	१११०३.००
9	UPVC Sliding Door without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	१०८२५.००	१०८२५.००	१०८२५.००
46	Supply & fixing of 80*50 mm white colour casement window	९९११.००	९९११.००	९९११.००
46.1	Prefab Panel for wall Partition solid wall panel			
	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete			
	a)40 mm thick			
	b)50 mm thick	२३९.००	२३९.००	२३९.००
46.2	c) 75 mm thick	Sq .m. ३०२.००	३०२.००	३०२.००
	False ceiling/ partition/ external cladding			
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft ९३.००	९३.००	९३.००
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with cement board	Sqft २७९.००	२७९.००	२७९.००
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with cement board	Sqft २४४.००	२४४.००	२४४.००
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with cement board	Sqft ३११.००	३११.००	३११.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	Sqft २७४.००	२७४.००	२७४.००
	Supplying, making, fixing of 50mm thick full height of partirion with wall panels	Sqft २१७.००	२१७.००	२१७.००
46.3	Supplying, making, fixing of 75mm thick full height of partirion with wall panels	Sqft २८८.००	२८८.००	२८८.००

राम
भक्तपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	 मन्त्रालय भक्तपुर	पु.अ.क. (VAT) बाहेक (रु.)		
			२०७८/७९	२०७९/८०	
	Cement board				
	6 mm thick	Sqft	३४.००	३४.००	३४.००
	8 mm thick	Sqft	४२.००	४२.००	४२.००
	10 mm thick	Sqft	५३.००	५३.००	५३.००
46.5	12 mm thick	Sqft	६४.००	६४.००	६४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३९३.००	३९३.००	३९३.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२४.००	४२४.००	४२४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२४.००	४२४.००	४२४.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	९९२.००	९९२.००	९९२.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	२६३.००	२६३.००	२६३.००
	75 mm thick	Sqft	३४७.००	३४७.००	३४७.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२८२.००	२८२.००	२८२.००
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS - 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८६.००	२८६.००	२८६.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२४०.००	२४०.००	२४०.००

भक्तपुर
मन्त्रालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक रु.			
		२०७७/७८	२०७८/७९	२०७९/८०	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१९.००	३१९.००	३१९.००
47	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) conforming to IS 14862 : 2000	Sqft	३५९.००	३५९.००	३५९.००
47.1	Aluminium & Steel Door & Window				
	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५२९.३९	५२९.३९	५२९.३९
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	५६८.६४	५६८.६४	५६८.६४
	Aluminum sliding windows without	"	५५५.८५	५५५.८५	५५५.८५
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५९५.९६	५९५.९६	५९५.९६
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	६८४.२८	६८४.२८	६८४.२८
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	५२९.३९	५२९.३९	५२९.३९
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	४७४.२२	४७४.२२	४७४.२२
	Casement door of aluminum section in				

श्री रामर्ष अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.अ.क. (VAT) बाहेक (र.)	मू.अ.क. (VAT) बाहेक (र.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	व.फि	६४८.२९	६४८.२९	६४८.२९
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	३०८.७४	३०८.७४	३०८.७४
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	४०२.८७	४०२.८७	४०२.८७
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	४०२.८७	४०२.८७	४०२.८७
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	४०२.८७	४०२.८७	४०२.८७
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	४७६.३४	४७६.३४	४७६.३४
	दुई/तीन पैनल भएको स्लाईडिङ फ्याल 1.2x१.०x१.२० मी.मी.। शिशा ५ मी.मी सपेत सादा	"	४२९.९६	४२९.९६	४२९.९६
	दुई/तीन पैनल भएको स्लाईडिङ फ्याल 1.2x१.०x१.२० मी.मी.। शिशा ५ मी.पी. जाली खापा सपेत भएको।	"	४७४.०९	४७४.०९	४७४.०९
	दुई/तीन पैनल भएको स्लाईडिङ फ्याल फिक्स भेन्टिलेसन भएको 1.2x१.०x१.२० मी.मी.। शिशा ५ मी.मी सहित (सादा)	"	४७४.०९	४७४.०९	४७४.०९
	दुई/तीन पैनल भएको स्लाईडिङ फ्याल फिक्स भेन्टिलेसन भएको 1.2x१.०x१.२० मी.पी.। शिशा ५ मी.पी. जाली खापा सहित भएको।	"	४२९.९६	४२९.९६	४२९.९६
	102 series windows				
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	४१६.७२	४१६.७२	४१६.७२
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६३९.२४	६३९.२४	६३९.२४
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४६४.६७	४६४.६७	४६४.६७

शान्ति विकास

सि.नं.	निर्माण सामग्रीहरूको विवरण	 भक्तपुर जिल्ला निर्माण सामग्री मन्त्रालय काठमाडौं	पञ्चक (VAT) बाहेक।		
			२०७८/७९	२०७९/८०	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	क कि	१४८.४३	१४८.४३	१४८.४३
	90 series windows				
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४१९.८४	४१९.८४	४१९.८४
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४४८.४९	४४८.४९	४४८.४९
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४३६.०३	४३६.०३	४३६.०३
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted with SS flymesh (2'*4'6")	"	१४८.४३	१४८.४३	१४८.४३
	78 series windows				
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	४४६.९९	४४६.९९	४४६.९९
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४८६.९४	४८६.९४	४८६.९४
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	४०८.४४	४०८.४४	४०८.४४
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	१३४.७३	१३४.७३	१३४.७३
	Casement window and doors				
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	४३४.६९	४३४.६९	४३४.६९

 ४३४.६९
 ४३४.६९

सि.नं.	निर्माण सामग्रीहरूको विवरण	 मु.अ.क. (VAT) बाहेक (रु.)			
			२०७७/७८	२०७८/७९	२०७९/८०
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	ब.फि	४८०.३९	४८०.३९	४८०.३९
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	७२८.३९	७२८.३९	७२८.३९
	Partation work				
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३४९.०४	३४९.०४	३४९.०४
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	३७१.३९	३७१.३९	३७१.३९
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३९९.९६	३९९.९६	३९९.९६
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	४९०.४६	४९०.४६	४९०.४६
	Structure glazing				
	glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	४४६.९७	४४६.९७	४४६.९७
	glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६४६.०९	६४६.०९	६४६.०९
48	glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	७८४.०७	७८४.०७	७८४.०७
48.1	Aluminium composite panel				
	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing				
	3 mm , .20 mm black core	ब.फि	३७१.३२	३७१.३२	३७१.३२
	3 mm , .25 mm black core	"	३८०.८६	३८०.८६	३८०.८६
	3 mm , .30 mm black core	"	३९४.६४	३९४.६४	३९४.६४
	4 mm , .25 mm black core	"	४०४.२०	४०४.२०	४०४.२०
	4 mm , .30 mm black core	"	३९४.६४	३९४.६४	३९४.६४
	4 mm , .50 mm black core	"	४९७.९९	४९७.९९	४९७.९९

समाप्त

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (रु.)		
		२०७८/७९	२०७९/८०	२०७९/८०
48.2	4 mm , .50 mm vergin core	४२७.२४	४२७.२४	४२७.२४
	Steel Door & Windows			
49	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm)and both side 0.5 mm thick steel and honey comb paper in between steel in shutter including peep hole 3pcs 130mm size hinges heavy duty lock (in five place and all other necessary accesories all complete.	व.फि		
1	Water proofing (chemicals & Treatment)works			
1.1	CONCRETE ADMIXTURES (Chemical)			
1.2	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	१४७.२०	१४७.२०
1.3	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Naphthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	२६२.२०	२६२.२०
1.4	Ullra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	४७९.२०	४७९.२०
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G). IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	२१२.००	२१२.००
1.6	Integral Crystalline Waterproofing Powder - Admixture Std. Conformance ; ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०२०.००	१०२०.००
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०२०.००	१०२०.००
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	१३१२.२०	१३१२.२०



सि.नं.	निर्माण सामग्रीहरूको विवरण	 प.अ.क. (VAT) बाहेक र.।	२०७७/७८ २०७८/७९ २०७९/८०		
			२०७८/७९	२०७९/८०	२०७९/८०
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१८९.००	१८९.००	१९९.००
1.10	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	२६२.५०	२६२.५०	२६६.००
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	३६७.५०	३६७.५०	३७३.००
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	३६७.५०	३६७.५०	३७३.००
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२६२.५०	२६२.५०	२६६.००
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४७२.५०	४७२.५०	४७९.००
2	Resin .Mulli /polycarboxylate ether chloride free less alkali super plasticizer and micro silica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	६९६.९५	६९६.९५	७१५.००
2.1	CONCRETE ADMIXTURES (Mineral)				
2.2	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३४६.५०	३४६.५०	३४९.००
3	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	८९.२५	८९.२५	९०.००
3.1	JOINT SEALANTS & SYSTEMS				
3.2	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	१८००.००	१८००.००	१९९९.००
3.3	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	१८००.००	१८००.००	१९९९.००
3.4	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	३०००.००	३०००.००	३१९८.००
3.5	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	२०००.००	२०००.००	२१३२.००
3.6	Low Viscosity Primer For Polyurethane Sealant	Kg.	३०००.००	३०००.००	३१९८.००
3.7	High Performance Hybrid Silyl Sealant (290 ml per sel)	sel	१२००.००	१२००.००	१२७९.००
3.8	Butyl Tape for various Applications	RM	१२५.००	१२५.००	१३३.००
3.9	Waterproofing Joint Tape [120 mm]	RM	५५०.००	५५०.००	५८६.००
3.10	Waterproofing Joint Tape [200 mm]	RM	७५०.००	७५०.००	७९९.००
3.11	NBR based Waterproofing Joint Tape [200 mm]	RM	४०००.००	४०००.००	४२९५.००
3.12	Joint Tape Epoxy Adhesive	Kg.	३०००.००	३०००.००	३१९८.००
3.13	Glass Fiber Joint Tape	RM.	२७५.००	२७५.००	२९३.००
3.14	Waterproofing / Expansion Joint Tape [100 mm]	RM.	१५००.००	१५००.००	१५९९.००

१५९९
१५९९



सि.नं.	निर्माण सामग्रीहरूको विवरण	पु.अ.क (VAT) बाहेक (र.)			
		२०७७/७८	२०७८/७९	२०७९/८०	
3.16	Construction Joint Tape [100 mm]	RM.	८००.००	८००.००	८५२.००
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	२४५०.००	२४५०.००	२६१२.००
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	४८५०.००	४८५०.००	५१७१.००
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	८००.००	८००.००	८५२.००
4	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	१५००.००	१५००.००	१५९९.००
4.1	INDUSTRIAL FLOORING SOLUTIONS				
4.2	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	१२०.००	१२०.००	१२७.००
4.3	Liquid Concrete Hardener & Dust Proofer	Kg.	४५०.००	४५०.००	४७९.००
4.4	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	२५००.००	२५००.००	२६६४.००
4.5	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	३०००.००	३०००.००	३१९८.००
4.6	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	२०००.००	२०००.००	२१३२.००
4.7	Self Levelling Flooring System [Epoxy]	Kg.	११७८.००	११७८.००	१२४६.००
4.8	Self Levelling Flooring System [Polyurethane]	Kg.	१७६७.००	१७६७.००	१८२२.००
5	Self Levelling Cementitious Flooring System	Kg.	३५२.००	३५२.००	३६९.००
5.1	ENGINEERING GROUTS				
5.2	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	११०.००	११०.००	११७.००
5.3	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	१२५.००	१२५.००	१३२.००
5.4	Hard wearing cementitious tile grout	Kg.	१६०.००	१६०.००	१६७.००
5.5	Hard wearing epoxy based tile grout	Kg.	१०००.००	१०००.००	१०६६.००
5.6	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	५००.००	५००.००	५३२.००
5.7	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	२५००.००	२५००.००	२६६४.००
5.8	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400,MI. Cartridge]	MI	४५००.००	४५००.००	४७९७.००
5.9	Low Viscosity Injection Epoxy Grout	Kg.	७५००.००	७५००.००	७९९६.००
5.10	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	१२५००.००	१२५००.००	१३३२७.००
5.11	Low Viscosity Acrylate Gel Injection Grout	Kg.	८५००.००	८५००.००	९०६२.००
6	Low Viscosity Soil Stabilization Injection Grout	Kg.	१४०००.००	१४०००.००	१४९२६.००
6.1	BONDING ADHESIVES (Polymer & Epoxy Resin)				
6.2	Acrylic Bonding Agent For Concrete & Mortar	Kg.	७५०.००	७५०.००	७९०.००
6.3	Versalile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	९५०.००	९५०.००	९९०.००

सुदूरपश्चिम प्रदेश

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.थ.क. (VAT) बहिर्क.र.:		
			२०७७/७८	२०७८/७९	२०७९/८०
6.4	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	१२००.००	१२००.००	१२००.००
7	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	१८००.००	१८००.००	१८००.००
7.1	FIBERS (Steel & Polypropylene)				
7.2	FIBERMESH MF [Monofilament PP Fibers]	Kg.	१२००.००	१२००.००	१२००.००
7.3	FIBERMESH FB [Collated PP Fibers]	Kg.	१५००.००	१५००.००	१५००.००
7.4	FIBERMESH MACRO [Structural PP Fibers]	Kg.	२०००.००	२०००.००	२०००.००
7.5	Loose steel Fibers	Kg.	२५०.००	२५०.००	२५०.००
7.6	Glued Steel Fibers	Kg.	३५०.००	३५०.००	३५०.००
8	Crimped Steel Fibers	Kg.	२५०.००	२५०.००	२५०.००
8.1	SURFACE TREATMENT				
8.2	Protective, Decorative Anti Carbonation Coating	Kg.	१२००.००	१२००.००	१२००.००
8.3	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१३५०.००	१३५०.००	१३५०.००
8.4	Concrete Penetrating Corrosion Inhibitor	Kg.	४५००.००	४५००.००	४५००.००
8.5	Protective Acrylic Sealer	Kg.	१५००.००	१५००.००	१५००.००
8.6	Protective Polyurethane Sealer	Kg.	१८००.००	१८००.००	१८००.००
8.7	Water Based Fire Retardant Coating	Kg.	१५००.००	१५००.००	१५००.००
8.8	High Performance Water Repellent Paint	Ltr.	१००९८.००	१००९८.००	१००९८.००
8.9	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००
8.10	Ready to use Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००
8.11	Concrete Curing Aid	Kg.	४५०.००	४५०.००	४५०.००
	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७१४.००	७१४.००	७१४.००
9	CONCRETE REPAIRS				
9.1	Rust Remover & Passivator	Ltr.	१०००.००	१०००.००	१०००.००
9.2	Corrosion Inhibitor	Kg.	१२००.००	१२००.००	१२००.००
9.3	Micro Concrete [M55] for Permanant Repairs	Kg.	१४०.००	१४०.००	१४०.००
9.4	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	१७५.००	१७५.००	१७५.००
9.5	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	२५०.००	२५०.००	२५०.००
9.6	Cementitious, Waterproof Crack Repair Mortar	Kg.	२००.००	२००.००	२००.००
9.7	Acrylic Based Crack Filling Putty	Kg.	१२००.००	१२००.००	१२००.००
	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wl of Cement	Kg	७१४.००	७१४.००	७१४.००
10	PREPACKED MORTARS				
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	८५.००	८५.००	८५.००
10.2	Marble & Granite etc. Adhesive	Kg.	३५०.००	३५०.००	३५०.००
10.3	Coarse and water resistant Readymix plastering Mortar	Kg.	८५.००	८५.००	८५.००



राम
पिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.व.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
10.5	High Performanance Polymer Based Insulating Wall Putty (Skim Coat)	Kg.	९०.००	९०.००	९०.००
11	WATERPROOFING SYSTEMS				
	INTEGRAL				
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	२७५.००	२७५.००	२७५.००
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	३२९.००	३२९.००	३२९.००
	LIQUID APPLIED				
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	७००.००	७००.००	७००.००
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	५००.००	५००.००	५००.००
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m ²	Kg.	७५०.००	७५०.००	७५०.००
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	८५०.००	८५०.००	८५०.००
11.5	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	७५०.००	७५०.००	७५०.००
11.6	Crystalline Based Waterproofing Systems	Kg.	३५०.००	३५०.००	३५०.००
11.7	Fast Setting Plugging Compound for stopping running water	Kg.	४००.००	४००.००	४००.००
11.8	Polyurethane based Waterproofing Coating System	Kg.	१५५०.००	१५५०.००	१५५०.००
11.9	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१२५०.००	१२५०.००	१२५०.००
11.10	Epoxy Resin based Waterproofing Coating System	Kg.	१६८३.००	१६८३.००	१६८३.००
	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	६००.००	६००.००	६००.००
	PREFORMED				
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	१८००.००	१८००.००	१८००.००
11.13	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	२०००.००	२०००.००	२०००.००
11.14	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	१०५०.००	१०५०.००	१०५०.००
11.15	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	१५००.००	१५००.००	१५००.००
11.16	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	१५००.००	१५००.००	१५००.००
11.17	1.2 mm High Polymer PVC Membranes	Sq. M.	२०००.००	२०००.००	२०००.००
11.18	PVC Adhesive	Kg.	२५००.००	२५००.००	२५००.००
11.19	1.2 mm EPDM Membranes	Sq. M.	२५००.००	२५००.००	२५००.००
11.2	EPDM Adhesive	Kg.	२५००.००	२५००.००	२५००.००

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
11.23	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	८००.००	८००.००	८००.००
11.24	100% Synthetic Rubber Roof Coating	Kg.	४५००.००	४५००.००	४५००.००
12	SPECIALTY				
12.1	Antistripping Agent for Bitumen	Kg.	५५०.००	५५०.००	५५०.००
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	१२०००.००	१२०००.००	१२०००.००
12.3	Expanding Concrete Joint WATERSTOP	RM.	२५००.००	२५००.००	२५००.००
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	७५००.००	७५००.००	७५००.००
12.5	Swellable WATERSTOP	RM.	२५००.००	२५००.००	२५००.००
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	२५००.००	२५००.००	२५००.००
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	२५००.००	२५००.००	२५००.००
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११०.००	११०.००	११०.००
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	१८००.००	१८००.००	१८००.००
13	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	३०००.००	३०००.००	३०००.००
13.1	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING				
13.2	Carbon Laminale [50 mm Wide 1.4 mm Thick]	R. M.	८५००.००	८५००.००	८५००.००
13.3	Carbon Laminale [75 mm Wide 1.4 mm Thick]	R. M.	१००००.००	१००००.००	१००००.००
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheel 200 GSM	Sq. M.	८०००.००	८०००.००	८०००.००
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००
13.6	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	१६०००.००	१६०००.००	१६०००.००
13.7	FRP [Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००
13.8	EPOXY PRIMER	Kg.	३५००.००	३५००.००	३५००.००
13.9	SATURANT	Kg.	३५००.००	३५००.००	३५००.००
13.11	LAMINATE ADHESIVE	Kg.	२५००.००	२५००.००	२५००.००
13.12	EPOXY TOPCOAT	Kg.	३५००.००	३५००.००	३५००.००
13.13	POLYURETHANE TOPCOAT	Kg.	४५००.००	४५००.००	४५००.००
13.14	Fiber anchor system 5to 10 mm	R. M.	२५००.००	२५००.००	२५००.००
13.15	Carbon Laminale [50 mm Wide 2 mm Thick]	R. M.	१००००.००	१००००.००	१००००.००
14	Carbon Laminale [75 mm Wide 2 mm Thick]	R. M.	१२०००.००	१२०००.००	१२०००.००
14.1	Soil Stabiliser / Admixture				
15	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	६८३.००	६८३.००	६८३.००
15.10	Concrete curing compound				
15.20	Concrete Curing Aid	Kg.	४५३.००	४५३.००	४५३.००
50	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७२१.००	७२१.००	७२१.००
	परम्परागत निर्माण सामग्रीहरू :-				

प्राप्त

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक (र.)	मु.अ.क. (VAT) बाहेक (र.)		
			२०७८/७९	२०७९/८०	२०७९/८०
					२९.००
	२। दचि अषा सानो ८३/८"X२-१/८"X४-१/४"	२९१००	२९१००		२९.००
	३। दचिअषा ठूलोको कुँ	३८१००	३८१००		३८.००
	४। दचिअषा सानोको कुँ अषा	४०१००	४०१००		४०.००
					२२.००
	५। माँ अषा ठूलो ८-७/८"X२-१/४"X५-३/४"	२२१००	२२१००		२२.००
	६। माँ अषा ठूलो 241x60x158 mm	२५१००	२५१००		२५.००
	७। मा अषा सानो ८-३/८"X२"X५"	२२१००	२२१००		२२.००
	८। धुरी चाङ्ग ठूलो ९-३/८"X१-१/२"X३/४"	८४१००	८४१००		८४.००
	९। धुरी 230x295x25 mm				
	१०। धुरी चाँडू सानो	२५१००	२५१००		२५.००
	११। फिगटी नयाँ ८-३/४"X४"	गोटा	१२१००	१२१००	१२.००
	१२। फिगटी पुरानो	गोटा	८१००	८१००	८.००
	१३। ढुकु	गोटा	८४१००	८४१००	८४.००
	१४। Snake body brick traditional	गोटा	२८१००	२८१००	२८.००
	१५। Snake neck brick ..	गोटा	७११००	७११००	७१.००
	१६। Snake head brick ..	गोटा	१३३१००	१३३१००	१३३.००
	कासाना	११९१००	११९१००		११९.००
	खाटुलो	२३८१००	२३८१००		२३८.००
	१७। पेट्टीकोलागि ढुङ्गा				
	क) १८"X१०"X४"	१५१३१८४	१५१३१८४		१५१३.६४
	१८। नागोल ईटा	गोटा	३११००	३११००	३१.००
	१९। ९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	२३९१००	२३९१००	२३९.००
	२०। फल्लोह अषा ठूलो 375x225x100mm	गोटा	१७९१००	१७९१००	१७९.००
	२१। फल्लोह अषा सानो 254x229x102mm	१४९१००	१४९१००		१४९.००
					१५.००
	२२। तीनकुनै तेलिया ईटा १९"X९"X२-१/४"	१५१००	१५१००		१५.००
					२२.५०
	२३। तीनकुनै तेलिया ईटा १६"X६"X२-१/४"	२२१५०	२२१५०		२२.५०
	२४। चारकुनै तेलिया ईटा १८"X८"	३५१५०	३५१५०		३५.५०
	२५। तेलिया ईटा १६"X६"	२४१५०	२४१५०		२४.५०
	२६। वुड्देदारी कर्निश इटा (बाथीमोहर)	२८१००	२८१००		२८.००
	२७। वुड्देदारी कर्निश इटा कुना	४४१००	४४१००		४४.००
	२८। वुड्देदारी कर्निश इटा ठूलो 222x273x76mm	१७९१००	१७९१००		१७९.००
	२९। भ्याल माथिको कर्निश इटा वुड्देदारी	३६१००	३६१००		३६.००
					६०.००
	३०। काठको कर्निश माथिको इटा ११"X६"X२.५"	६०१००	६०१००		६०.००
	३१। कर्नर स्टोन : १०"X१०"X१.५"	१९००१००	१९००१००		१९००.००

सि.नं.	निर्माण सामग्रीहरूको विवरण	मू.क. (VAT) बाहेक (र.)	मू.क. (VAT) बाहेक (र.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	३३) नागोल ढुङ्गा १८"×१०"×५	"	८३३।००	८३३।००	८३३.००
	३४) भौ प्वा	गोटा	२३८।००	२३८।००	२३८.००
	३५) तामा पाता,। नेपाली।	केजी	११५।००	११५।००	११५.००
	तामा पाता (Indian)	केजी	१३५।००	१३५।००	१३५.००
	३६) पित्तल पाता	केजी	११०।००	११०।००	११०.००
	३७) पारो	ग्राम	१७०।००	१७०।००	१७०.००
	३८) सुर्किं इटा कुटि भुला बनाएको ।	टन	१४३८।००	१४३८।००	१४३८.००
	३९) Wind bell हवा घण्टी ४"	गोटा	४७६।००	४७६।००	४७६.००
	४०) नकंलो वीचको	१ गोटा	१७८५।००	१७८५।००	१७८५.००
	४१) पेटीढुङ्गा ४"	१ मि.	३२८।००	३२८।००	३२८.००
	४२) पेटीढुङ्गा ५"	१ मि.	२४९३।००	२४९३।००	२४९३.००
	४५) श्री गणेश	गोटा	११९।००	११९।००	११९.००
	४६) कुमार	गोटा	११९।००	११९।००	११९.००
	४७) ढुङ्गे धारा	गोटा	११९।००	११९।००	११९.००
	४८) ल्हाकै सेट	गोटा	२३७९।००	२३७९।००	२३७९.००
	४९) नागवेली बुटा	गोटा	२६।००	२६।००	२६.००
	५०) नागवेली बुटा कुमा	गोटा	३९।००	३९।००	३९.००
	५१) त्वा बुटा	गोटा	२६।००	२६।००	२६.००
	५२) चीर बुटा	गोटा	२६।००	२६।००	२६.००
	५३) कार्नेसफयो	गोटा	२३।००	२३।००	२३.००
	५४) कार्नेस गजुर पली	गोटा	३६।००	३६।००	३६.००
	५५) टुलो कलश	गोटा	१७९।००	१७९।००	१७९.००
	५६) मरीनो सुर्किं	केजि	१४।००	१४।००	१४.००
	५७) खस्रो सुर्किं	केजि	८।००	८।००	८.००
59	५८) गिट्टा चुन	के.जि.	२६।००	२६।००	२६.००
60	पा अषा (साइज 200x50x130)	गोटा	१६।००	१६।००	१६.००
61	टच अषा (साइज 200x55x100)	"	१९।००	१९।००	१९.००
62	त्वा अषा (साइज 110x55x180)	"	३१।००	३१।००	३१.००
63	गोल अषा (साइज 120x55x80)	"	१९।००	१९।००	१९.००
64	गणेश अषा (साइज 200x250x35)	"	३५।००	३५।००	३५.००
65	कुमार अषा (साइज 200x250x35)	"	३५।००	३५।००	३५.००
66	तापा अषा (साइज 200x250x55)	"	३५।००	३५।००	३५.००
67	पञ्च घुट्टा अषा (साइज 170x230x55)	"	३५।००	३५।००	३५.००
68	कलस अषा (साइज 100x140x40)	"	६।००	६।००	६.००
69	नागोल अषा (साइज 140x52x120)	"	२१।००	२१।००	२१.००
70	कसिमो अषा (साइज 230x55x100)	"	३०।००	३०।००	३०.००
71	सकली अषा (साइज 140x55x115)	"	२६।००	२६।००	२६.००
72	पानवट्टा अषा (साइज 140x55x115)	"	२६।००	२६।००	२६.००

सि.नं.	निर्माण सामग्रीहरूको विवरण	मिति	मु.अ.क. (VAT) बाहेक (र.)		
			२०७७/७८	२०७८/७९	२०७९/८०
74	दुलो फ बुट्टा अपा (साइज 230x55x110)	गोश	३०१००	३०१००	३०००
75	नया फ बुट्टा अपा (साइज 230x55x110)	"	३०१००	३०१००	३०००
76	साना ग बुट्टा अपा (साइज 140x50x110)	"	२६१००	२६१००	२६००
77	दुलो ग बुट्टा अपा (साइज 230x55x90)	"	३०१००	३०१००	३०००
78	पुग्गा बुट्टा अपा (साइज 180x55x70)	"	३०१००	३०१००	३०००
79	लिनकूने स्टाँ अपा (साइज 200x550x30)	"	३०१००	३०१००	३०००
80	लिनकूने पलि अपा (साइज 200x550x90)	"	३०१००	३०१००	३०००
81	साना स्टाँ अपा (साइज 140x50x110)	"	२६१००	२६१००	२६००
82	दुलो स्टाँ अपा (साइज 230x55x90)	"	३०१००	३०१००	३०००
83	नाग टाउको दायावागो (साइज 100x150x50)	"	१४९१००	१४९१००	१४९००
84	नाग घटी दायावागो (साइज 140x60x70)	"	७८१००	७८१००	७८००
85	नाग जीउ (साइज 140x60x70)	"	२६१००	२६१००	२६००
86	नाग कन्या/पुरुष (साइज 180x380x55)	"	४९४१००	४९४१००	४९४००
87	खाल नागोल (साइज 130x55x120)	"	२९१००	२९१००	२९००
88	खाल फयो (साइज 130x55x135)	"	२९१००	२९१००	२९००
89	नहरा बुट्टा (साइज 125x45x140)	"	२६१००	२६१००	२६००
90	नाग बेली (साइज 140x55x120)	"	२६१००	२६१००	२६००
91	पिखाफुसी (साइज 140x55x120)	"	३४१००	३४१००	३४००
92	पलियो दाया/बाया (साइज 130x55x120)	"	२४१००	२४१००	२४००
93	नया पलिफो (साइज 185x52x80)	"	२९१००	२९१००	२९००
94	सिधा पलिफो (साइज 190x55x90)	"	२९१००	२९१००	२९००
95	२" सिह (साइज 95x50x10)	"	३४१००	३४१००	३४००
96	२" गरुड (साइज 95x50x100)	"	३४१००	३४१००	३४००
97	धलिख्वा (साइज 95x50x100)	"	३४१००	३४१००	३४००
98	धीयन्त्र (साइज 70x70x80)	"	४४१००	४४१००	४४००
99	त्वा फयो (साइज 140x55x120)	"	२०१००	२०१००	२०००
100	तारा बुट्टा पुरानो (साइज 180x55x80)	"	२४१००	२४१००	२४००
101	तारा बुट्टा नया (साइज 230x70x90)	"	२९१००	२९१००	२९००
102	स्वाफो ताय (साइज 220x55x90)	"	२९१००	२९१००	२९००
103	सिक्री बुट्टा (साइज 220x55x80)	"	२९१००	२९१००	२९००
104	न्याय बुट्टा सानो (साइज 140x65x130)	"	२९१००	२९१००	२९००
105	न्याय बुट्टा दुलो (साइज 140x100x130)	"	२९१००	२९१००	२९००
106	नागल नागोल (साइज 2000x55x90)	"	२०१००	२०१००	२०००
107	ठी बुट्टा (साइज 210x55x75)	"	२९१००	२९१००	२९००
51	सानो/दुलो	"	२९१००	२९१००	२९००
Security System					
Steel Security Gate supply					
	Metal detector	गोश	१६९९४.००	१६९९४.००	१६९९४.००



सुकाई
अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बहिर्क (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८६८३.००	८६८३.००	८६८३.००
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	९९३०.००	९९३०.००	९९३०.००
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	१०४१९.००	१०४१९.००	१०४१९.००
	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रबन्ध)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अफिस तथा व्यापारिक सुरक्षा प्रबन्ध)	गोटा	-	-	-
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vii) GPS (Global Positioning System) Device with software	गोटा	२५७४९.००	२५७४९.००	२५७४९.००
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रूपमा on/off हुने प्रणाली)				
	Up to 1/2 H.P.	गोटा	४३२६.००	४३२६.००	४३२६.००
	1.0 H.P.	गोटा	४९४८.००	४९४८.००	४९४८.००
52	5 H.P.	गोटा	९७३४.००	९७३४.००	९७३४.००
	Bridge Materials				
	Elastomeric Bearing Pad				
	Free Type	NOS	२२१००.००	२२१००.००	२४०२१.२८
	Fix end Dowel Type	..	४९०३२.००	४९०३२.००	५०९९३.२८
	Expansion Joint Works				
	Single strip seal	Rm	९६४०.००	९६४०.००	१०१३२.००
	Slab seal(320*60)	..	२००००.००	२००००.००	२००००.००
	Tendon sheath	..	३७०.००	३७०.००	३८८.००
	Tendon wire	lon	१४००००.००	१४००००.००	१४७५००.००
	Anchorage block with cap	nos	१००००.००	१००००.००	१०४००.००
	High tensile friction grip nut bolts	kg	३७०.००	३७०.००	३८८.००
	Bolts, nuts & washers(hold up friction grip)	kg	३९०.००	३९०.००	४०९.००
	W- beam metal/crash barrier, 3 mm thick corrugated sheet, ISMB series channel	Rm	६०००.००	६०००.००	६३००.००
	Thimbles				

राज्य
धिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक।रु।	मु.अ.क. (VAT) बाहेक।रु।		
			२०७७/७८	२०७८/७९	२०७९/८०
	vi) Φ 32 mm thimble	Pc	६१८.००	६१८.००	६८७.००
	vii) Φ 36 mm thimble	Pc	१२३६.००	१२३६.००	१३७३.००
	viii) Φ 40 mm thimble	Pc	१५४५.००	१५४५.००	१७१९.००
	ix) Φ 13 mm Bulldog grip	Pc	७२.००	७२.००	७७.६९
	x) Φ 26 mm Bulldog grip	Pc	३६९.००	३६९.००	३८९.५२
	xi) Φ 32 mm Bulldog grip	Pc	५४९.००	५४९.००	५८३.७४
	xii) Φ 36 mm Bulldog grip	Pc	६७०.००	६७०.००	७१२.९३
	xiii) Φ 40 mm Bulldog grip	Pc	६७०.००	६७०.००	७१२.९३
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m ²	४१२.००	४१२.००	४४७.००
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	६६९५.००	६६९५.००	७१२३.००
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२५८.००	२५८.००	२७८.३८
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३६१.००	३६१.००	३८९.५२
	High tensile friction grip nut bolts	kg	३३५.००	३३५.००	३६१.४७
	Galvanization				
	Zinc Above 98.5% purity	kg	३०९.००	३०९.००	३२३.४९
	Premix of Zinc amonium chloride	kg	५९५.००	५९५.००	६४२.०९
53	Hydraucloric acid	Lit	४९.००	४९.००	५४.९५
	Concrete Post (Size 4"*4")				
	Length 7'	गोटा	६८२.७४	६८२.७४	७४९.९८
	Length 5'	"	४४९.३७	४४९.३७	४७०.५९
54	Length 3'	"	२२९.९९	२२९.९९	२४५.८३
55	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	३०००.००	३०००.००	३१९८.६०
	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२३४.३२	२३४.३२	२४९.८३
	" Ventilation	"	२३४.३२	२३४.३२	२४९.८३
56	" Arc frame semi circular	"	४६८.६४	४६८.६४	४९९.६६
	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board				

वित्त
विभाग

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) बाहेक।र।	मु.अ.क. (VAT) बाहेक।र।		
			२०७७/७८	२०७८/७९	२०७९/८०
	a) 50 mm thick	Sq.fl	१८०.००	१८०.००	१८०.००
	b) 60 mm thick	Sq.fl	२४२.००	२४२.००	२४२.००
	c) 75 mm thick	Sq.fl	३००.००	३००.००	३००.००
	d) 90 mm thick	Sq.fl	३४२.००	३४२.००	३४२.००
57	e) 120 mm thick	Sq.fl	४१२.००	४१२.००	४१२.००
	EPS (Expanded Polystyrene) and cement based light weight Solid Panel without face board (Size 1800*610mm)				
	b) 60 mm thick	Sq.fl	१६०.००	१६०.००	१६०.००
	c) 75 mm thick	Sq.fl	२१२.००	२१२.००	२१२.००
58	d) 90 mm thick	Sq.fl	२४०.००	२४०.००	२४०.००
	EPS (Expanded Polystyrene) and cement based light weight Hollow Panel (Size: 1800*610mm)				
	d) 90 mm thick	Sq.fl	१९०.००	१९०.००	१९०.००
59	Agriculture				
	Power tiller 12HP	Pcs			१६००००.००
	Agriculture minitiller 7.5 HP Petrol	Pcs			४२०००.००
	Agriculture minitiller 7 HP Diesel	Pcs			६००००.००
	Agriculture minitiller 9 HP Petrol	Pcs			६२०००.००
	Agriculture minitiller 9HP Diesel	Pcs			८२०००.००
	Minitiller Rotatory cultivator 7.5HP	Pcs			११००००.००
	Minitiller Rotatory cultivator 9HP	Pcs			१३२०००.००
	Potato digger (Attachment)	Pcs			४१००.००
	Adjustable ditcher (Attachment)	Pcs			४२००.००
	Battery sprayer 2 In 1	Pcs			४१००.००
	Powersprayer (53 C.C)	Pcs			३००००.००
	Manual Sprayer	Pcs			२२००.००
	Submersible pump 1HP(Rocket)	Pcs			६२०००.००
	Submersible pump 1HP(well Type)	Pcs			९०००.००
	Weighting machine - Up to 100 kg	Pcs			१२०००.००
	Weighting machine - Up to 200 kg	Pcs			१२०००.००
	Weighting machine - Up to 300 kg	Pcs			१८०००.००
	Sprinkler (2 head)	Pcs			१२०.००
	Cow mat (6ft*4ft)	Pcs			८०००.००
	UV palstic (100 micron)	Sq/m			१२०.००
	UV palstic (200 micron)	Sq/m			१९०.००
	Silpaulin plastic (90 gsm)	Sq/l			९.००
	Plastic crate (A -Grade)	Pcs			७००.००

वित्त
विभाग

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	पु.अ.क. (VAT) बाहेक (रु.)		
			२०७७/७८	२०७८/७९	२०७९/८०
	seeding planter (Biruwa ropne)	Pcs			४५००.००
	Water pump 7 HP(Gasoline) - 2 inch	Pcs			१८०००.००
	Water pump 7 HP(Gasoline) - 3 inch	Pcs			२००००.००
	Chaff cutter (3 HP motor)	Pcs			३५०००.००
	Pallet machine (3 HP motor)	Pcs			४५०००.००
	Deep freight (190L)	Pcs			३९०००.००
	Garden pipe	Kg			३५०.००
	Hazari (10L)	Pcs			४००.००
	Multifunctional chaff cutter (3 HP motor)	Pcs			६००००.००
	Milk chilling vat (500L)	Pcs			२३२०००.००
	Milk can- Plastic (20L)	Pcs			३८००.००
	Milk can- Plastic (40L)	Pcs			४५००.००
	Milk can- Alminum (20L)	Pcs			२५००.००
	Milk can- Alminum (40L)	Pcs			९५००.००
	UMMB Block Machine	Pcs			३५०००.००
	Milk Pasteurizer (500L)	Pcs			१८००००.००
	Milk Analyser (240V)	Pcs			११००००.००
	Milking machine (14L)	Pcs			४००००.००
	panner vat machine (250/Hr)	Pcs			१९००००.००
	Potato slicer machine (Manual)	Pcs			८००००.००
	Plastic for packing	Kg			८००.००
	Plastic for packing- 100m Roll (25 micron)	Roll			५३००.००
	Plastic for packing- 100m Roll (30 micron)	Roll			६८००.००
	Plastic for packing- 100m Roll (40 micron)	Roll			९५००.००

BD

Rat

Kf

B.

~~७७७७७७~~

~~७७७७७७~~

~~७७७७७७~~

सुदामा राणा
प्रमुख जिला अधिकारी

SANITARY WORK						
क्र.सं.	विभाग सामग्रीहरूको विवरण	एकक	म.अ.क. (VAT) बाहेक रक.)			कीफायत
			मा.न.	रकम/०८९	रकम/०८०	
1	Porcelain Clay Sanitaryware	सेट				
	White glazed porcelain pan	सेट				
	i) 530mm size white glazed without siphon	सेट	2600	2600	2600	
	ii) 500 mm size white glazed without siphon	"	2823		2823	
	iii) 580 mm size Pan	"	3472	2600	2600	
	iii) 580 mm size white glazed pan	"	1080	950	950	
	iv) Siphon 'p' or 's' type	"	608	400	400	
	v) Asian Pan 51x40 Rectangular	"	2600	2450	2450	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3666	3666	3666	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	687	687	687	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3809	3809	3809	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1635	1635	1635	
	ii) White glazed porcelain clay EWC regular commode with 's' p trap	"	1880	1880	1880	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	"	18663	18663	18663	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	"	29741	20000	20000	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	"	21001	21001	21001	
	vi)(c) White glazed porcelain clay Ewe wall mounted commode without cistern all complete set.	"	5410	5410	5410	
	vii) White glazed porcelain clay Ewe floor mounted commode without cistern all complete set.	"	8916	8916	8916	
	viii) 600 to 900 mm Grab bar	"	6244	6244	6244	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3803	3803	3803	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	4209	4209	4209	
	ii) Porcelain clay small Urinal (46.5x35.5x26.5) cm size	"	1936	1936	1936	
	iv) White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set.	"	1668	1668	1668	
	vi) Wall mounted Urinal with sensor complete set.	"				
	Porcelain Clay Urinal Squatting Plate					

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with text in Nepali and a signature.

सि.न.	निर्माण सामग्रीहरूको विवरण	एकक	म.प्र.क. (VAT) बाहेक (र.)			दरिफराय
			आ.व.			
			२०७९/०८०	२०८०/०८१	२०८१/०८२	
	i) white glaze squating plate Small Size (45x35)cm	१२३६	1248	1248		
	ii) Porcelain clay white glaze squating plate large size	१४९८	1498	1498		
	iii) Porcelain clay super color squating plate large size.	२९१६	2916	2916		
	iv) Urinal Spreader	९४२	942	942		
	Wash basin					
	j) Porcelain clay white glaze wash basin (500x400) cm size regular.	११२८	1128	1128		
	iii) Porcelain clay white glaze wash basin (50x40) cm	१५२५	1525	1525		
	iv) Do but wash basin (45x32)cm	१०९७	1097	1097		
	vi) white glazed porcelain clay Corner basin 40x40 complete set	१२३७	1237	1237		
	vii) white glazed porcelain clay U-counter basin complete.	८५९८	8598	8598		
	ix) white glazed porcelain clay 0-counter wash basin. complete.	१४१८९	14189	14189		
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	१००७९	10079	10079		
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	६४१९	6419	6419		
	d) White glaze porcelain clay Basin for disable with grab bar all complete	२११६५	21165	21165		
	Pedestal:					
	i) Porcelain clay white glaze pedestal	१४१९	1419	1419		
	ii) White glazed Porcelain clay half pedestal complete set.	१७२०	1720	1720		
	iii) First color glazed Porcelain clay half pedestal complete set.	२०३२	2032	2032		
	iv) Two piece pedestal with Basin" complete set.	१३७१२	13712	13712		
	Urinal Partition					
	White glaze porcelain clay (68x30)cm division plate	१७९३	1793	1793		
	Lab sink					
	i) Porcelain clay white glaze large size	२२८९	2289	2289		
	ii) Porcelain clay white glaze small size	१७०३	1703	1703		
	iii) Porcelain clay janitor sink 58x71x43.5 size	२८३८०	28380	28380		
	Kitchen sink					
	i) Porcelain clay large	३८७६	3876	3876		
	ii) Porcelain clay small	३५११	3511	3511		
	iii) drain board white 53x45	१३४३	1343	1343		
	iv) Soap dish	६८१	681	681		
	v) White glaze foot rest	४३२	432	432		
	vi) White glaze Toilet paper holder	११९२	1192	1192		
2	PVC Cister'n Set					

80 H 213 BM 2009/10 2010/11 2011/12 2012/13 2013/14 2014/15 2015/16 2016/17 2017/18 2018/19 2019/20 2020/21 2021/22 2022/23 2023/24 2024/25 2025/26 2026/27 2027/28 2028/29 2029/30 2030/31 2031/32 2032/33 2033/34 2034/35 2035/36 2036/37 2037/38 2038/39 2039/40 2040/41 2041/42 2042/43 2043/44 2044/45 2045/46 2046/47 2047/48 2048/49 2049/50 2050/51 2051/52 2052/53 2053/54 2054/55 2055/56 2056/57 2057/58 2058/59 2059/60 2060/61 2061/62 2062/63 2063/64 2064/65 2065/66 2066/67 2067/68 2068/69 2069/70 2070/71 2071/72 2072/73 2073/74 2074/75 2075/76 2076/77 2077/78 2078/79 2079/80 2080/81 2081/82 2082/83 2083/84 2084/85 2085/86 2086/87 2087/88 2088/89 2089/90 2090/91 2091/92 2092/93 2093/94 2094/95 2095/96 2096/97 2097/98 2098/99 2099/100

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.ग. (VAT) बाहेक (रु.)			वैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	i) single flush	सेट/प	2032	2032	2032	
	ii) Deluxe single flush	सेट/प	2270	2270	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	सेट/प	3055	3055	3055	
	iv) concealed cistern with plate complete set.	सेट/प	17368	17368	17368	
	v) 32 mm pvc bottle trap set.	पिस	490	490	490	
	vi) 1.5x45 cm pvc pipe connector set.	सेट/प	147	147	147	
	vii) Bakelite toilet seat cover set.	सेट/प	284	284	284	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45x45x30 size	सेट/प	18731	18731	18731	
	Stainless steel Orissa pan LP 210 size	सेट/प	8741	8741	8741	
	Stainless steel wash basin model 251 12" round size with pedestal	सेट/प	13660	13660	13660	
	Stainless steel wash basin 500 mm model 277 with complete set	सेट/प	10584	10584	10584	
	Stainless steel commode S trap with self closing complete set	सेट/प	18081	18081	18081	
	Wall mixer (single lever) bath faucet with hand shower	सेट/प	15073	15073	15073	
	Bath tub (single lever) with hand shower	सेट/प	18985	18985	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower	सेट/प	26537	26537	26537	
	Wall mixer (single control) bath faucet with hand shower (conceal system)	सेट/प	16431	16431	16431	
	Wall mixer (single control) shower faucet (conceal system)	सेट/प	4307	4307	4307	
	conceal mixer faucet	सेट/प	6649	6649	6649	
	Stainless steel Angle valve	सेट/प	852	852	852	
	Stainless steel two way Angle valve	सेट/प	1192	1192	1192	
	Stainless steel bowl 19"x16" diamond board 37" long	सेट/प	2753	2753	2753	
	Stainless steel bowl with diamond board 37" long	सेट/प	3770	3770	3770	
	Stainless steel bowl with ordinary board 37" long	सेट/प	2383	2383	2383	
	Stainless steel double bowl with double drain board 36" x 18" size	सेट/प	14335	14335	14335	



 रत्नादेवी रानी

 प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.नं.	VAT (वट) (र.)			कैफियत
			आ.र.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	Stainless steel double bowl with single drain board ordinary		5960	5960		
	Stainless steel p trap bottle trap for basin		2394	2394		
	Stainless steel Kitchen sink mixture		8660	8660		
	Stainless steel Kitchen sink faucet		5732	5732		
	Stainless steel Kitchen sink mixture		8660	8660		
	Stainless steel 1500mm flexible hose pipe(connection pipe)		1506	1506		
	Stainless steel Hose ringer 1200 mm		1312	1312		
	Stainless steel commode spray with hose pipe		1852	1852		
	Stainless steel basin mixer(single control)		7151	7151		
	Stainless steel single faucet for basin		4558	4558		
	Stainless steel Sink 700*450*200		24973	24973		
	Stainless steel Sink table top 1200*600*300		34509	34509		
	Steel Split clamp with washer all complete					
	75 mm dia	पिस	341	341		
	110 mm dia	"	454	454		
	160 mm dia	"	794	794		
	Stainless steel telephonic shower	गोटा	1277	1277		
	Stainless steel shower with sliding bar	"	3065	3065		
	Stainless steel shower with sliding bar	"	10079	10079		
	Stainless steel bottle trap	"	666	666		
	Stainless steel towel bar 450 mm	"	1277	1277		
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12488	12488		
	Capacity 1000 ltr	"	18230	18230		
	Capacity 1500 ltr	"	28028	28028		
	Capacity 2000 ltr	"	33725	33725		
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	"	4442	4442		
	ii) super lab sink small size	"	3503	3503		
	Super kitchen sink					
	i) super kitchen sink large size	"	7689	7689		
	ii) super kitchen sink small size	"	6959	6959		
4	Modern Sanitaryware					
	iv) Hand Dyer	"	7379	7379		
	v) Flush valve	"	5903	5903		
	vi) Auto sensor for basin -	"	36325	36325		
	vii) liquid soap container stainless steel	"	6244	6244		
	viii) Looking Mirror 450x600mm (18"x 24")	"	1503	1503		
	C.P. Grab Bar for disable					
	a) 30cm long bend type	"	5521	5521		
	b) 45 cm long bend type	"	5781	5781		
	c) 60 cm long bend type	"	7404	7404		
5	C.P. Accessories					
	1) Toilet paper holder	"	525	475		
	2) Soap dish	"	525	350		
	3) Towel rod 1/2"x 18" size	"	525	475		

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right side.

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. (VAT) वारिक (रु.)			कैफियत
		श.र.			
		२०७३/०७८	२०७८/०७९	२०७९/०८०	
4)	Towel rod ¾" x24" size	584	525	525	
5)	Glass shelf	700	650	650	
6)	C.P. bottle trap	1283	1283	1283	
7)	32 mm x 600mm long C.P flush pipe	525	525	525	
8)	15 mm flush cock push type	1167	1167	1167	
9)	15 mm dia. C.P. shower arm	1005	1005	1005	
10)	15 mm dia. C.P. spreader	968	968	968	
11)	15 mm dia. C.P. wall mixture	5598	4500	4500	
i)	3" dia. Shower rose, revolving type	933	933	933	
ii)	4" dia. Shower rose, revolving type	1051	1051	1051	
iii)	Shower rose ordinary	584	584	584	
iv)	Shower rod 12" long	291	291	291	
	C.P. 15 mm dia. Angle Valve	1281	1281	1281	
	C.P. 15 mm dia Concealed Stop Cock	1861	1861	1861	
	C.P. 15mm Bib Cock	1402	1050	1050	
	C.P. 15 mm dia swan neck Pillar Cock	1371	1200	1200	
	C.P. 15 mm dia Stop Cock	1371	1100	1100	
	C.P. 15 mm dia Sink Cock	1348	1348	1348	
	C.P. 15 mm dia Sink Mixture	4606	4200	4200	
	C.P. 32 mm dia Flush Valve	5566	5566	5566	
	C.P. 32 mm dia Waste Coupling for basin	437	437	437	
	C.P. 32 mm dia Waste Coupling for Urinal	710	710	710	
	C.P. Basin Mixture	4779	4779	4779	
	15 mm dia Bath Tub Spout with Wall Hinge	1783	1783	1783	
	C.P. Exclusive Shower Arm with Hinge	2074	2074	2074	
	15 mm bath tub spout with bottom attachment of telephonic shower	4294	4294	4294	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	7054	7054	7054	
	C.P. flexible pipe	186	186	186	
	C.P. Grating				
	i) 4" dia.	52	52	52	
	iii) 5" dia.	64	64	64	
	i) C.P. Toilet Paper Holder	957	957	957	
	ii) C.P. Soap Dish (Polyurethane)	1073	1073	1073	
	iii) C.P. Towel Rod 18"	1625	1625	1625	
	iv) C.P. Towel Rod 24"	1713	1713	1713	
	v) C.P. Glass Shelf 22"	2328	2328	2328	
	vi) C.P. Coat Hook Double	836	836	836	
	ix) C.P. Angle Cock				
	15mm C.P. Angle Cock	955	955	955	
	15 mm C.P. Angle Cock Long Thread	1016	1016	1016	
	x) C.P. Conceal Stop Cock				
	i) 15 mm Reduced body	1170	1170	1170	
	ii) 15 mm Extra Heavy Body	1432	1432	1432	
	xi) C.P. Bib Cock				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	2690	2690	2690	
	ii) 15mm C.P. Bib Cock	981	981	981	
	iii) 15mm C.P. Bib Cock with nozzle	1086	1086	1086	
	xii) C.P. Pillar Cock				

80

W. 102 113 200/1 2/6

S

S. 11/11/80

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.स. (VAT) माहिक (रु.)			वैधियत
		श.न.			
		२०७३/०७४	२०७४/०७५	२०७५/०७६	
i)	15 mm C.P. Pillar Cock With Aerator	1301	1301	1301	
ii)	15mm Auto Closing Pillar Cock With Aerator	2603	2603	2603	
i)	15mm C.P. Sink Cock	1648	1648	1648	
ii)	C.P. Sink Mixer	4085	4085	4085	
iii)	15 mm C.P. Sink Mixer With Revolving Spout	3560	3560	3560	
xv)	C.P. Bottle Trap 32mm	1908	1908	1908	
	32 mm C.P. Conceal Flush Valve Dual Flow	3990	3990	3990	
xvii)	C.P. Waste Coupling				
	32 mm C.P. Waste Coupling H/T	459	459	459	
	32 mm C.P. Waste Coupling F/T	459	459	459	
xviii)	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	2775	2775	2775	
ix)	15 mm C.P. Wall Mixer				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	4597	4597	4597	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	4597	4597	4597	
xx)	C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	3817	3817	3817	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	4008	4008	4008	
xxi)	15mm Bath Tub Spout with wall Flange				
	15mm Bath Tub Spout with wall Flange	1301	1301	1301	
	15mm Bath Tub Spout with button attachment	2082	2082	2082	
xxii)	C.P. Casted Shower Arm with Flange				
	15 mm Casted Shower Arm Light	693	693	693	
	15 mm Casted Shower Arm Heavy	1127	1127	1127	
xxiii)	15 mm Telephonic Hand Shower				
	With 1.50 m. PVC Tube	1845	1845	1845	
	With 1.5 Flexible Tube	2862	2862	2862	
xxiv)	Auto closing urinal flush valve				
	15mm presmatic auto closing urinal flush valve	3321	3321	3321	
xxiv)	Other accessories				
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	4979	4979	4979	
	15 mm Braided Hose for E.W.C.	307	307	307	
	15 mm Health Faucet (Commode Spray)	1180	1180	1180	
	15 mm pillar cock with 200 mm extended lever handle	1560	1560	1560	
	15 mm Bib cock with 200 mm extended lever handle	1646	1646	1646	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	6135	6135	6135	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	5949	5949	5949	
	Sensor mixer for wash basin (Battery operated)	21095	21095	21095	
	Wall mounted Sensor mixer for operation theater (Battery operated)	21095	21095	21095	

BA W. T. B. 16

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बहिष्क (र.)	आ.प.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८०	
	Sensor conceal type flushing valve for Western commode (battery operated)	१६७०८	१६७०८	१६७०८		
	Sensor valve for Urinal	१०९७१	१०९७१	१०९७१		
	Basin cock Sensor	१४८५१	१४८५१	१४८५१		
	१५mm U shaped sink cock	१७६३	१७६३	१७६३		
	Sink Mixture with U shape swinging spout	३६६५	३६६५	३६६५		
	१५mm metallic Health Faucet (Commode Spray)	२२३६	२२३६	२२३६		
7	Electric & Solar Geyser					
	i) १० lit. cap. electric water heater	११५७८	११५७८	११५७८		
	ii) २५ lit cap. " " "	१७८५१	१७८५१	१७८५१		
	iii) ३५ lit cap " " "	२२१९२	२२१९२	२२१९२		
	iv) ५० lit cap " " "	२६५३५	२६५३५	२६५३५		
	iv) Gas water heater with cylinder	८४४६	८४४६	८४४६		
8	C.I. Manhole Cover including frame,					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) १०" × १०" (४ Kg.)	६८९	६८९	६८९		
	ii) १२" × १२" (५ Kg.)	८६१	८६१	८६१		
	iii) १४" × १४" (७ Kg.)	१२०६	१२०६	१२०६		
	v) १६" × १६" (१० Kg.)	१७२३	१७२३	१७२३		
	vi) १८" × १८" (१४ Kg.)	२५८४	२५८४	२५८४		
	viii) २०" × २०" (१६ Kg.)	२७५७	२७५७	२७५७		

BA WA

Bal

2/3

~~वडावा~~

१०८

१०८

Bhupal

रुद्रदेवी राना
प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बहिष्क. (र.)	ब.क.			कीफियत
			ब.क.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	(ix) 22" x 22" (20 Kg.)		3446	3446	3446	
	x) 24" x 24" (24 Kg.)		4423	4423	4423	
	xi) 27" x 27" (31 Kg.)		5342	5342	5342	
	Heavy Duty					
	iii) 14" x 14" (14 Kg.)		2412	2412	2412	
	(x) 22" x 22" (22 Kg.)		3791	3791	3791	
	xi) 27" x 27" (45 Kg.)		7754	7754	7754	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9365	9365	9365	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12487	12487	12487	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15609	15609	15609	
	iv) 22" dia. Medium class. (125 Kg.)	"	19979	19979	19979	
	v) 22" dia. Heavy class. (208Kg.)	"	29843	29843	29843	
	vi) 24" dia. Medium class. (40 Kg.)	"	6393	6393	6393	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7992	7992	7992	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11488	11488	11488	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13985	13985	13985	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1775	1775	1775	
	20" (12 Kg.)	"	2603	2603	2603	
	22" (14 Kg.)	"	2957	2957	2957	
	24" (16 Kg.)	"	3549	3549	3549	
	28" (24 Kg.)	"	5324	5324	5324	
	Square					
	18" x 18" (13 Kg.)	सेट	2957	2957	2957	
	24" x 24" (50 Kg.)	"	10649	10649	10649	

BD

M.

See

2/13

[Handwritten signature]

for

[Handwritten signature]

[Handwritten signature]

रत्नदेवी राणा
प्रमुख जिल्ला अधिकारी

क्र.नं.	विवरण	म.व.क. (VAT) वाहेक (र.)			कीमत
		क्र.नं.	२०७८/०७९	२०७९/०८०	
	Rectangular				
	18" x 24" (27 Kg.)	नेट	5916	5916	
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	नेट	106	85	85
	5"	"	142	140	140
	6"	"	188	188	188
	10"	"	650	650	650
	Square Jali Strip Medium Duty				
	4" x 4"	नेट	94	94	94
	5" x 5"	"	118	118	118
	6" x 6"	"	142	142	142
	9" x 9"	"	413	413	413
	10" x 10"	"	533	533	533
	12" x 12"	"	768	768	768
	C.I. Gully Gratings				
	i) 15" x 18" Medium (18 Kg.)	नेट	3905	3905	3905
	ii) 15" x 18" Heavy (25 Kg.)	नेट	5324	5324	5324
	Grit Cover				
	कलामे एडको क्रेममा कलामे पतिको जाली बनाई फोबिनेममा कार्य गरी, एक कोट Red oxide paint लगाई गडहन गर्ने काम (विथिल सादनमा)	के.जी.	171	171	171
	Aluminum Grating 4" dia.	गोटा	44	44	44
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	गोटा	8567	8567	8567
	ii) 200 gls	"	13458	13458	13458
	iii) 300 gls	"	16927	16927	16927
	iv) 400 gls	"	20322	20322	20322
	v) 500 gls	"	23727	23727	23727
	G.I. Water Tank (16 BWG Sheet)				
	i) 100 gls	गोटा	9036	9036	9036
	ii) 200 gls	"	13665	13665	13665
	iii) 300 gls	"	18143	18143	18143
	iv) 400 gls	"	21739	21739	21739
	v) 500 gls	"	25335	25335	25335
10	Roof Top PVC Water Tank				
	i) 200 lit - 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit - 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	Water Pumps/Hand Pumps				
	Indian Mark-III, Deep Well Hand Pump 6 No. hand pump	गोटा	1629	1629	1629
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	नेट	11212	11200	11200
	ii) ½ H.P. Water Pump mono block type	"	6446	6446	6446
	iii) 1.0 H.P. water pump Multistage	"	14686	14686	14686
	iv) 1.0 H.P. water pump (mono block type)	"	9749	9749	9749
	v) 2.0 H.P. water pump	"	23265	23265	23265
	vi) 2.0 H.P. 3 phase water pump	"	24562	24562	24562
	vii) 5.0 HP 3 phase water pump	"	29516	29516	29516
	Jet Water Pump				
	i) 1.10 H.P.	नेट	22279	22279	22279

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म.भ.व. (VAT) बहिष्क. (र.)			कैफियत
			मा.व.			
			२०७३/०७४	२०७४/०७५	२०७५/०७६	
	ii) Double Stage jet 1.10 H.P.	सेट	26735	26735	26735	
	ii) 1.5 H.P.	सेट	30077	30077	30077	
	Super Sunction					
	i) 1/2 H.P.	सेट	9190	9190	9190	
	ii) 0.75 H.P.	..	8578	8578	8578	
	iii) 1.0 H.P.	..	14704	14704	14704	
	Water Pump					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18748	18748	18748	
	ii) 2 H.P. single pump set "	"	30110	30110	30110	
	Fire pump					
	Submersible Pump					
	i) 1.0 H.P.	..	26872	26872	26872	
	ii) 2.0 H.P.	..	49849	49849	49849	
	Electric Water Pump					
	i) 1/2 H.P.	..	1754	1754	1754	
	ii) 3/4 H.P.	..	2286	2286	2286	
	iii) 1.0 H.P.	..	3368	3368	3368	
	Submersible Pump					
	i) 1/2 H.P open well type	..	17155	17155	17155	
	ii) 1.1 H.P open well type	..	25120	25120	25120	
	iii) 1.5 H.P open well type	..	30633	30633	30633	
	Vertical Submersible Pump					
	i) 1.1 H.P	..	28072	28072	28072	
	iii) 1.5 H.P	..	33920	33920	33920	
12	Fire fighting equipment and accessories					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट				
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	..				
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	..				
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection. 0.75 kw single phase	..				
13	Fire extinguisher ABC stored Pressure					
	आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)					
	i) 1 kg size ABC stored pressure type Fire extinguisher	सेट				
	ii) 2 kg size ABC	सेट				
	iii) 3.0kg size ABC				
	iii) 5.0kg size ABC				
	iv) ABC stored pressure type 1.0kg cap of fire extinguisher refill	सेट				

Handwritten signatures and stamps at the bottom of the page.

क्र.सं.	निर्माण सामग्रीहरूको विवरण	मूल्य (VAT) बाहेक (रु.)			कैफियत
		आ.सं.			
		२०७२/०७९	२०७९/०८०	२०८०/०८१	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill				
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill				
	vii) 4.5 kg size ABC stored pressure type fire extinguisher				
	viii) 2.5 kg size ABC " " " "				
	ix) Co ₂ Type fire extinguisher 6.80 lit .				
	x) Foam type fire extinguisher 9 lit capacity	गोरा			
14	Insulation for hot water pipe				
	15mm Insulation 6 mm wall thickness	रु.ग			
	20mm Insulation 6 mm wall thickness	"			
	25mm Insulation 6 mm wall thickness	"			
	32mm Insulation 6 mm wall thickness	"			
15	ACRYLIC GLASS SHELF				
	i) Acrylic glass shelf best quality	सेट			
	ii) Acrylic glass shelf ordinary	"			
	iii) Shower curtain	"			
16	Water Purification System				
	Euro Guard Water purification system (one litre per minute)	युनिट			
	Euro-guard water purification system (high flow 3 lit/min)	"			
	water purifier (1.0 lit/min)	"			
	power water purifier	"			
	RO feed pump	सेट			
	Fire Sprinkler	"			
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"			
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" O)	"			
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"			
	Filter Media for existing filtration system				
	Pebbles	के.जी.			
	Coarse silex	"			
	Gravel	"			
	Golden sand	"			
	Ambracite	"			
	MNo ₂	"			
	Activated Carbon	"			
	Motor starter switch	"			
	Pressure sensor switch for water tank	"			
17	विभिन्न साइजको Bath tub .fiber				
	a) Bath tub - 3'6" Medium	सेट			
	Bath tub - 3'6" Heavy	"			
	b) Bath tub - 4'0" Medium	"	6906	6906	6906
	Bath tub - 4'0" Heavy	"	8021	8021	8021
	c) Bath Tub - 4'6" Medium	"	8354	8354	8354

Handwritten signatures and initials at the bottom of the page, including "LD", "LX", "AM", "JB", "KS", "AS", and "AS".

सि.नं.	विभागा समग्रीहरूको विवरण		ए.ज.क. (VAT) सहित (रु.)			वैक्यपत
			अ.क.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	Bath tub - 4'6" Heavy		8381	8381	8381	
	d) Bath tub - 5'0" Medium		9134	9134	9134	
	Bath tub - 5'0" Heavy		30236	30236	30236	
	e) Bath Tub - 5'6" Medium		8196	8196	8196	
	Bath tub - 5'6" Heavy		9654	9654	9654	
	f) Bath Tub - 6'0" Medium		13261	13261	13261	
	Bath tub - 6'0" Heavy		37928	37928	37928	
18	Shower Tray 3'0" x 3'0"	गोदा	515	515	515	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random copolymer pipe)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	रु.मि	49	49	49	
	25mm " 2.3 mm thick 0.164kg/m	"	75	75	75	
	32mm 2.9 mm thick 0.26kg/m	"	119	119	119	
	40mm 3.7 mm thick 0.412kg/m	"	189	189	189	
	50mm 4.6 mm thick 0.638kg/m	"	293	293	293	
	63 mm 8.6 mm thick 0.638kg/m	"	463	463	463	
	75 mm	"	646	646	646	
	90 mm	"	931	931	931	
	110 mm	"	1380	1380	1380	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	67	67	67	
	25mm 3.50 mm thick 0.26kg/m	"	103	103	103	
	32mm 3.7 mm thick 0.230kg/m	"	164	164	164	
	40mm 5.50 mm thick 0.575kg/m	"	263	263	263	
	50mm 6.90 mm thick 0.896kg/m	"	411	411	411	
	63 mm 4.6 mm thick 0.638kg/m	"	646	646	646	
	75 mm	"	921	921	921	
	90 mm	"	1315	1315	1315	
	110 mm	"	1971	1971	1971	

BO H.A.

B.S.

S.B.
सुभाष

L.S.

S.S.

S.S.
सुभाषदेवी राणा
प्रमुख जिल्ला अधिकारी

क्र. नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) वार्षिक (र.)			रीफर
		भा.व.			
		२०७८/०७९	२०७९/०८०	२०८०/०८१	
3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	78	78	78	
	25mm 4.20 mm thick 0.266kg/m	122	122	122	
	32mm 5.40 mm thick 0.434kg/m	199	199	199	
	40mm 6.70 mm thick 0.671kg/m	307	307	307	
	50mm 8.30 mm thick 1.04kg/m	477	477	477	
	63mm 8.6mm thick 1.04kg/m	757	757	757	
	75 mm	1073	1073	1073	
	90 mm	1540	1540	1540	
	110 mm	2296	2296	2296	
PP-R Pipe Accessories :					
Elbow (90 °)					
	20mm	10	10	10	
	25mm	20	20	20	
	32mm	34	34	34	
	40mm	71	71	71	
	50mm	118	118	118	
	63 mm	209	209	209	
	75 mm	392	392	392	
	90 mm	662	662	662	
	110 mm	1232	1232	1232	
Equal Tee					
	20mm	14	14	14	
	25mm	25	25	25	
	32mm	42	42	42	
	40mm	81	81	81	
	50mm	138	138	138	
	63mm	251	251	251	
	75 mm	436	436	436	
	90 mm	798	798	798	
	110 mm	1385	1385	1385	
Coupler					
	20mm	8	8	8	
	25mm	10	10	10	
	32mm	20	20	20	
	40mm	38	38	38	
	50mm	64	64	64	
	63 mm	112	112	112	
	75 mm	218	218	218	
	90 mm	322	322	322	
	110 mm	588	588	588	
45 Degree Elbow					
	20 mm	14	14	14	
	25 mm	22	22	22	
	32 mm	35	35	35	
	40 mm	64	64	64	
	50 mm	108	108	108	
	63 mm	178	178	178	
	75 mm	348	348	348	
	90 mm	588	588	588	
	110 mm	1027	1027	1027	
Union (Plastic)					
	20mm	52	52	52	
	25mm	88	88	88	
	32mm	143	143	143	
	40mm	217	217	217	
	50mm	340	340	340	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the left and a rectangular stamp on the right.

क्र.सं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) माहिरक (रु.)			कीफियत
		आ.न.			
		२०७७/०७८	२०७८/०७९	२०७९/०८०	
	63mm	406	406	406	
	Reducing Coupler				
	25mm*20mm	15	15	15	
	32mm*20mm	18	18	18	
	32mm*25mm	20	20	20	
	40mm*20mm	30	30	30	
	40mm*25mm	31	31	31	
	40mm*32mm	42	42	42	
	50mm*20mm	56	56	56	
	50mm*25mm	54	54	54	
	50mm*32mm	61	61	61	
	50mm*40mm	65	65	65	
	63mm*32mm	88	88	88	
	63mm*40mm	109	109	109	
	63mm*50mm	109	109	109	
	75mm*40mm	218	218	218	
	75mm*50mm	222	222	222	
	75mm*63mm	224	224	224	
	90mm*50mm	414	414	414	
	90mm*63mm	444	444	444	
	90mm*75mm	522	522	522	
	110mm*75mm	732	732	732	
	110mm*90mm	814	814	814	
	Reducing Tee				
	25*20*25 mm	26	26	26	
	32*20*32 mm	39	39	39	
	32*25*32 mm	42	42	42	
	40*20*40 mm	56	56	56	
	40*25*40 mm	63	63	63	
	40*32*40 mm	67	67	67	
	50*20*50 mm	85	85	85	
	50*25*50 mm	93	93	93	
	50*32*50 mm	126	126	126	
	50*40*50 mm	130	130	130	
	63*32*63 mm	196	196	196	
	63*40*63 mm	198	198	198	
	63*50*63 mm	207	207	207	
	75*50*75 mm	448	448	448	
	75*63*75 mm	469	469	469	
	90*63*90 mm	827	827	827	
	90*75*90 mm	914	914	914	
	110*75*110 mm	1480	1480	1480	
	110*90*110 mm	1524	1524	1524	
	Reducing Elbow				
	25mm*20mm	20	20	20	
	32mm*20mm	36	36	36	
	32mm*25mm	44	44	44	
	High Footed Pipe Clip				
	20mm	11	11	11	
	25mm	13	13	13	
	32mm	20	20	20	
	40mm	22	22	22	
	50mm	25	25	25	
	63 mm	33	33	33	
	Low Footed Pipe Clip				
	20mm	5	5	5	
	25mm	6	6	6	
	32mm	13	13	13	
	40mm	17	17	17	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	म.अ.नं. (VAT) वाहेक (रु.)			कैफियत
		क्र.सं.	२०७९/०८०	२०७८/०७९	
	50mm	27	27	27	
	63 mm	35	35	35	
	"Y" type Pipe Clip				
	30mm	17	17	17	
	25mm	20	20	20	
	32mm	25	25	25	
	40 mm	49	49	49	
	End Plug (short)				
	20mm	5	5	5	
	25mm	9	9	9	
	32mm	12	12	12	
	End Plug with Ring				
	20mm	20	20	20	
	End Plug (long)				
	20mm	8	8	8	
	End Cap				
	20mm	11	11	11	
	25mm	17	17	17	
	32mm	26	26	26	
	40mm	39	39	39	
	50mm	69	69	69	
	63 mm	133	133	133	
	75 mm	213	213	213	
	Cross Tee				
	20mm	23	23	23	
	25mm	35	35	35	
	32mm	59	59	59	
	Short Passover				
	20mm	67	67	67	
	25mm	96	96	96	
	32mm	149	149	149	
	Long Bypass				
	20mm	77	77	77	
	25mm	126	126	126	
	32mm	185	185	185	
	Male Tee				
	20mmx1/2"	126	126	126	
	25mmx1/2"	133	133	133	
	25mmx3/4"	159	159	159	
	32mmx1/2"	192	192	192	
	32mmx3/4"	200	200	200	
	32mmx1"	347	347	347	
	Female Tee				
	20mmx1/2"	102	102	102	
	25mmx1/2"	133	133	133	
	25mmx3/4"	155	155	155	
	32mmx1/2"	152	152	152	
	32mmx3/4"	179	179	179	
	32mmx1"	300	300	300	
	Male elbow				
	20mmx1/2"	121	121	121	
	25mmx1/2"	133	133	133	
	25mmx3/4"	163	163	163	
	32mmx1/2"	194	194	194	
	32mmx3/4"	218	218	218	
	32mmx1"	361	361	361	
	Female elbow				

80 100 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270 280 290 300 310 320 330 340 350 360 370 380 390 400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560 570 580 590 600 610 620 630 640 650 660 670 680 690 700 710 720 730 740 750 760 770 780 790 800 810 820 830 840 850 860 870 880 890 900 910 920 930 940 950 960 970 980 990 1000

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	म.अ.क. (VAT) बाहेक (रु.)			वैक्यत
			मा.न.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	20mmx1/2"		99	99	99	
	25mmx1/2"		131	131	131	
	25mmx3/4"		133	133	133	
	32mmx1/2"		178	178	178	
	32mmx3/4"		209	209	209	
	32mmx1"		293	293	293	
	Male Coupling					
	20mmx1/2"		118	118	118	
	20mmx3/4"		124	124	124	
	25mmx1/2"		143	143	143	
	25mmx3/4"		165	165	165	
	32mmx1/2"		149	149	149	
	32mmx3/4"		159	159	159	
	32mmx1"		319	319	319	
	40mmx1-1/4"		539	539	539	
	50mmx1-1/2"		812	812	812	
	63mmx2"		1072	1072	1072	
	75mmx2-1/2"		2664	2664	2664	
	Female Coupling					
	20mmx1/2"		96	96	96	
	20mmx3/4"		113	113	113	
	25mmx1/2"		126	126	126	
	25mmx3/4"		128	128	128	
	32mmx1/2"		108	108	108	
	32mmx3/4"		116	116	116	
	32mmx1"		273	273	273	
	40mmx1-1/4"		473	473	473	
	50mmx1-1/2"		613	613	613	
	63mmx2"		821	821	821	
	75mmx2-1/2"		1877	1877	1877	
	Male Union					
	20mmx1/2"		266	266	266	
	25mmx3/4"		382	382	382	
	32mmx1"		561	561	561	
	40mmx1 ¹³³		1010	1010	1010	
	50mmx1/2"		1350	1350	1350	
	63mmx2"		3483	3483	3483	
	Female Union					
	20mmx1/2"		256	256	256	
	25mmx3/4"		332	332	332	
	32mmx1"		537	537	537	
	40mmx1 ¹³⁴		740	740	740	
	50mmx1/2"		1265	1265	1265	
	63mmx2"		2307	2307	2307	
	Stop Valve					
	a) 20 mm		306	306	306	
	b) 25 mm		404	404	404	
	c) 32 mm		488	488	488	

80 14 2/3 16 00


सि.नं.	निराण सामग्रीहरूको विवरण	एकक	म.प्र.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७९/०८०	२०७८/०७९	२०७७/०७८	
	d) 40mm		522	522	522	
	e) 50 mm		870	870	870	
	f) 63 mm		1308	1308	1308	
	Male base elbow					
	20mm x 1/2"		138	138	138	
	25mm x 3/4"		170	170	170	
	Female base elbow					
	20mm x 1/2"		135	135	135	
	25mm x 1/2"		166	166	166	
	25mm x 3/4"		163	163	163	
	Metal Ball valve (double)					
	20mmx1/2"		566	566	566	
	25mmx3/4"		829	829	829	
	32mmx1"		1024	1024	1024	
	40mmx1-1/4"		2915	2915	2915	
	50mmx1-1/2"		4005	4005	4005	
	Metal Ball valve (Single)					
	20mmx1/2"		522	522	522	
	25mmx3/4"		836	836	836	
	32mmx1"		1154	1154	1154	
	Conceal Valve (Lux)					
	20mm		977	977	977	
	Conceal Valve (Nor)					
	20mm		822	822	822	
	Ball Valve (Plastic)					
	20mm		83	83	83	
	25mm		113	113	113	
	32mm		196	196	196	
	40mm		417	417	417	
	50mm		605	605	605	
	63 mm		1024	1024	1024	
	Ball Valve (Brass)					
	20mm		300	300	300	
	25mm		370	370	370	
	32mm		503	503	503	
	40mm		811	831	831	
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm²)					
	1/2" dia	Rm	118	118	118	
	3/4" dia	"	165	165	165	
	1" dia	"	216	216	216	
	1-1/4" dia	"	269	269	269	
	1-1/2" dia	"	376	376	376	
	2" dia	"	575	575	575	
	CPVC Pipe SDR 11 (26.1 Kg/cm²)					
	1/2" dia	"	137	137	137	
	3/4" dia	"	183	183	183	

Handwritten signatures and initials at the bottom of the page, including 'AB', 'Part', and other illegible marks.

श्र. नं.	निर्माण सामग्रीहरूको विवरण	मु. अ. नं. (VAT) बहिष्क (रु.)			वैफियत
		क्र. नं.			
		२०७८/७९	२०७९/८०	२०७९/८०	
	1" dia	256	256	256	
	1-1/4" dia	309	309	309	
	1-1/2" dia	430	430	430	
	2" dia	698	698	698	
	CPVC Ball Valve (CTS Sockets)				
	1/2"	376	376	376	
	3/4"	501	501	501	
	1"	605	605	605	
	1-1/4"	1412	1412	1412	
	1-1/2"	1692	1692	1692	
	2"	2181	2181	2181	
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	142	142	142	
	1" X 1/2"	186	186	186	
	CPVC Tee				
	1/2"	37	37	37	
	3/4"	79	79	79	
	1"	121	121	121	
	1-1/4"	227	227	227	
	1-1/2"	330	330	330	
	2"	707	707	707	
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	73	73	73	
	3/4" x 3/4" x 1/2"	110	110	110	
	3/4" x 1/2" x 3/4"	138	138	138	
	3/4" x 1/2" x 1/2"	158	158	158	
	1" x 1" x 3/4"	166	165	166	
	1-1/2" x 1-1/2" x 1"	258	258	258	
	2" x 2" x 1"	449	449	449	
	1-1/4" x 1-1/4" x 1/2"	146	146	146	
	1-1/4" x 1-1/4" x 1"	158	158	158	
	2" x 2" x 1/2"	441	441	441	
	1" x 1" x 1/2"	103	103	103	
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	124	124	124	
	3/4" x 3/4" x 1/2"	129	129	129	
	1" x 1" x 1/2"	143	143	143	
	1-1/4" x 1-1/4" x 1-1/4"	516	516	516	
	1-1/4" x 1-1/4" x 1/2"	280	280	280	
	CPVC Elbow 90°				
	1/2"	26	26	26	
	3/4"	54	54	54	
	1"	98	98	98	
	1-1/4"	185	185	185	
	1-1/2"	275	275	275	
	2"	590	590	590	
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	54	54	54	
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	86	86	86	
	3/4" x 1/2"	100	100	100	

Handwritten signatures and marks at the bottom of the page.

सि.नं.	निर्माण सामग्रीहरूको विवरण		मु.श.क्र. (VAT)वाहेक (रु.)			कैफियत
			२०७३/०७८	२०७६/०७९	२०७९/०८०	
	3/4" x 3/4"		114	114	114	
	1" X 1/2"		221	221	221	
	1" X 1/2"			614	614	
	1-1/4" x 1-1/4"		797	797	797	
	CPVC Elbow 45°	गोटा				
	1/2"	"	31	31	31	
	3/4"	"	56	56	56	
	1"	"	80	80	80	
	1-1/4"	"	140	140	140	
	1-1/2"	"	203	203	203	
	2"	"	430	440	440	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	"	23	23	23	
	3/4"	"	40	40	40	
	1"	"	61	61	61	
	1-1/4"	"	109	109	109	
	1-1/2"	"	153	153	153	
	2"	"	299	299	299	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				




 रामेश्वरी राणा
 प्रमुख जिला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	VAT (वाट) बढेक (र.)			कैफियत
			मान.			
			२०७३/०७९	२०७८/०७९	२०७९/०८०	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	681	681	681	
	3/4"	"	829	829	829	
	1"	"	949	949	949	
	1-1/4"	"	1935	1935	1935	
	1-1/2"	"	2462	2462	2462	
	2"	"	3167	3167	3167	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	205	205	205	
	118ML	"	339	339	339	
	237ML	"	549	549	549	
	473ML	"	863	863	863	
	946ML	"	1515	1515	1515	
	Plastic Strap					
	1/2"	"	5	5	5	
	3/4"	"	6	6	6	
	1"	"	8	8	8	
	1-1/4"	"	12	12	12	
	1-1/2"	"	15	15	15	
	2"	"	19	19	19	
	Metal Strap					
	1/2"	"	13	13	13	
	3/4"	"	17	17	17	
	1"	"	21	21	21	
	1-1/4"	"	23	23	23	
	1-1/2"	"	28	28	28	
	2"	"	30	30	30	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	6	6	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	"	6	6	6	
	1/2" X 3/4"	"	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	"	236	236	236	
	3/4"	"	256	256	256	
	End plug threaded 1/2"	"	12	12	12	
21	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-106 Gr.'B'/SA-53/API 5L Gr.'B'/MS:1239-					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	466	466	466	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	558	558	558	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	700	700	700	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	864	864	864	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	989	989	989	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1270	1270	1270	
	73mm OD 2.5" SCH.40, 5.16 mm thickness	"	1952	1952	1952	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2555	2555	2555	

श्री शर्मा
सिक्दारी

क्र.सं.	निर्माण सामग्रीहरूको विवरण	मा.सं.	प.श.क. (VAT) बहिष्कृत (र.)			कीफायत
			मा.सं.			
			२०७९/०८०	२०७९/०८१	२०७९/०८०	
	101.6mm OD 4" SCH.40, 5.74 mm thickness		3301	3301	3301	
	114.3mm OD 5" SCH.40, 6.02 mm thickness		3637	3637	3637	
	141.3mm OD 6" SCH.40, 6.557 mm thickness		4925	4925	4925	
	168.3mm OD 4" SCH.40, 7.11 mm thickness		6393	6393	6393	
23	ASTICAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mlr	465	465	465	
	Single Socket (R/R)	"	863	863	863	
	Single Socket (R/R)	"	930	930	930	
	Single Socket Self Fit	"	1199	1199	1199	
	Single Socket Self Fit	"	1466	1466	1466	
	Single Socket Self Fit	"	2015	2015	2015	
	Single Socket Self Fit	"	2371	2371	2371	
	Single Socket Self Fit	"	3167	3167	3167	
	Single Socket Self Fit	"	3774	3774	3774	
	Long Radius Bend - 45 Degree	Pc	1227	1227	1227	
	Long Radius Bend - 45 Degree	"	2240	2240	2240	
	Long Radius Bend - 45 Degree	"	4044	4044	4044	
	Long Radius Bend - 45 Degree	"	7841	7841	7841	
	Long Radius Bend - 60 Degree	"	1351	1351	1351	
	Long Radius Bend - 60 Degree	"	2477	2477	2477	
	Long Radius Bend - 60 Degree	"	4543	4543	4543	
	Long Radius Bend - 60 Degree	"	8603	8603	8603	
	Long Radius Bend - 90 Degree	"	663	663	663	
	Long Radius Bend - 90 Degree	"	1601	1601	1601	
	Long Radius Bend - 90 Degree	"	2953	2953	2953	
	Long Radius Bend - 90 Degree	"	5522	5522	5522	
	Long Radius Bend - 90 Degree	"	10174	10174	10174	
	Fab. Coupler	"	191	191	191	
	Fab. Coupler	"	457	457	457	
	Fab. Coupler	"	985	985	985	
	Fab. Coupler	"	1926	1926	1926	
	Fab. Coupler	"	3543	3543	3543	
	End Cap	"	408	408	408	
	End Cap	"	671	671	671	
	End Cap	"	1071	1071	1071	
	End Cap	"	1564	1564	1564	
	Equal Tee	"	11673	11673	11673	
	Equal Tee	"	6718	6718	6718	
	Equal Tee	"	3729	3729	3729	
	Gully Trap with grating	"	1090	1090	1090	
	Rodding Point	"	646	646	646	
	Adjustable Bend 7 Degree to 37.5 Degree	"	689	689	689	
	Adjustable Bend 7 Degree to 87.5 Degree	"	945	945	945	
	Inspection Chamber Body	"	3399	3399	3399	
	Inspection Chamber Riser	"	1688	1688	1688	
	Inspection Chamber Lid with Cover	"	3205	3205	3205	
	Inspection Chamber Body	"	9385	9385	9385	
	Inspection Chamber Riser	"	2984	2984	2984	
	Inspection Chamber Lid with Cover	"	4980	4980	4980	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	मूल्य (VAT) बहिर्क (र.)			कैशियस
			भा.व.			
			२०७९/०८०	२०७९/०७९	२०७९/०८०	
24	Concealled Cisterns 9cm		7654	7654	7654	
	Concealled Cisterns Kombo fix Retu		9376	9376	9376	
	Dual Flush Actuator Plate Shiny Chrome		3755	3755	3755	
	Concealled Cisterns 12cm		9415	9415	9415	
	Dual Flush Actuator Plate Shiny Chrome		3755	3755	3755	
	Traps for Wash Basins		1035	1035	1035	
	Sensor for Urinal 9V DC		26537	26537	26537	
	Sensor for Urinal 230V AC		26537	26537	26537	
	control box for urinal sensor		7290	7290	7290	
	Sensur Faucet Cold / Mixed water 6V DC		33124	33124	33124	
	Sensor Faucet Cold / Mixed water 230V AC		33124	33124	33124	
22	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 3466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 3467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	118	118	118	
	3/4" dia. (30.75 Kg/cm2)	"	151	151	151	
	1" dia. (31.64 Kg/cm2)	"	233	233	233	
	1-1/4" dia. (26.01 Kg/cm2)	"	287	287	287	
	1-1/2" dia. (20.20 Kg/cm2)	"	352	352	352	
	2" dia. (19.69 Kg/cm2)	"	500	500	500	
	2-1/2" dia. (21.09 Kg/cm2)	"	698	698	698	
	3" dia. (18.28 Kg/cm2)	"	882	882	882	
	4" dia. (15.47 Kg/cm2)	"	1294	1294	1294	
	6" dia. (12.66 Kg/cm2)	"	2695	2695	2695	
	PVC Tee - Soc	पीस				
	1/2"	"	32	32	32	
	3/4"	"	45	45	45	
	1"	"	71	71	71	
	1-1/4"	"	112	112	112	
	1-1/2"	"	147	147	147	
	2"	"	227	227	227	
	2-1/2"	"	652	652	652	
	3"	"	856	856	856	
	4"	"	1548	1548	1548	
	6"	"	8586	8586	8586	
	PVC Reducer Tee - Soc	पीस				
	3/4 x 1/2	"	65	65	65	
	1 x 1/2	"	100	100	100	
	1 x 3/4	"	100	100	100	
	1-1/2 X 1/2	"	339	339	339	
	1-1/2 X 3/4	"	339	339	339	
	1-1/2 X 1	"	339	339	339	
	1-1/2 X 1-1/4	"	339	339	339	
	2 X 1/2	"	418	418	418	
	2 X 3/4	"	418	418	418	
	2 X 1	"	418	418	418	
	2 X 1-1/4	"	418	418	418	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and various handwritten notes.

सि.नं.	निर्माण सामग्रीहरूको विवरण	मा.नं.	म.प्र.ग. (VAT) बाहेक (रु.)			कैफियत
			आ.नं.			
			२०७६/०७८	२०७८/०७९	२०७९/०८०	
	2 X 1-1/2	418	418	418		
	2-1/2 X 1/2	1074	1074	1074		
	2-1/2 X 3/4	1074	1074	1074		
	2-1/2 X 1	1074	1074	1074		
	2-1/2 X 1-1/4	1074	1074	1074		
	2-1/2 X 1-1/2	1074	1074	1074		
	2-1/2 X 2	1074	1074	1074		
	3 X 1/2	1568	1568	1568		
	3 X 3/4	1568	1568	1568		
	3 X 1	1568	1568	1568		
	3 X 1-1/4	1568	1568	1568		
	3 X 1-1/2	1568	1568	1568		
	3 X 2	1568	1568	1568		
	3 X 2-1/2	1568	1568	1568		
	6 X 1-1/4	8248	8248	8248		
	6 X 1-1/2	8248	8248	8248		
	6 X 2	8248	8248	8248		
	6 X 2-1/2	8248	8248	8248		
	6 X 3	8248	8248	8248		
	6 X 4	8248	8248	8248		
	PVC Brass Tee - Soc x Fipt SCH 80	मोट्टा				
	1/2"	166	166	166		
	3/4"	300	300	300		
	3/4" X 1/2"	244	244	244		
	1" X 1/2"	433	433	433		
	PVC 90° Elbow - Soc	मोट्टा				
	1/2"	27	27	27		
	3/4"	31	31	31		
	1"	55	55	55		
	1-1/4"	95	95	95		
	1-1/2"	113	113	113		
	2"	172	172	172		
	2-1/2"	511	511	511		
	3"	612	612	612		
	4"	1252	1252	1252		
	6"	5275	5275	5275		
	PVC Brass 90° Elbow Soc x Fipt SCH 80	मोट्टा				
	1/2"	178	178	178		
	3/4"	249	249	249		
	3/4" X 1/2"	258	258	258		
	PVC 45° Elbow - Soc	मोट्टा				
	1/2"	57	57	57		
	3/4"	88	88	88		
	1"	105	105	105		
	1-1/4"	147	147	147		
	1-1/2"	185	185	185		
	2"	241	241	241		
	2-1/2"	689	689	689		
	3"	1071	1071	1071		
	4"	1922	1922	1922		
	6"	5289	5289	5289		

Handwritten signatures and marks at the bottom of the page, including a large 'B' and other illegible scribbles.

सि.न.	निर्माण सामग्रीहरूको विवरण	प.व.क (VAT) बहिष्कृत।			कैफियत
		स.व.	२०७९/०८०	२०८०/०८१	
	PVC Coupling - Soc	सोटा			
	1/2"	18	18	18	
	3/4"	27	27	27	
	1"	43	43	43	
	1-1/4"	57	57	57	
	1-1/2"	78	78	78	
	2"	121	121	121	
	2-1/2"	254	254	254	
	3"	398	398	398	
	4"	622	622	622	
	5"	2493	2493	2493	
	PVC Reducer Coupling - Soc	सोटा			
	3/4 X 1/2	44	44	44	
	1 X 3/4	75	75	75	
	1-1/2 X 1-1/4	134	134	134	
	2 X 1-1/2	214	214	214	
	4 X 2	1434	1434	1434	
	4 X 3	1434	1434	1434	
	6 X 4	2982	2982	2982	
	PVC Reducer Bushing - (Flush Style)	सोटा			
	3/4 X 1/2	36	36	36	
	1 X 1/2	51	51	51	
	1 X 3/4	51	51	51	
	1-1/4 X 1/2	88	88	88	
	1-1/4 X 3/4	88	88	88	
	1-1/4 X 1	88	88	88	
	1-1/2 X 1/2	93	93	93	
	1-1/2 X 3/4	93	93	93	
	1-1/2 X 1	93	93	93	
	1-1/2 X 1-1/4	93	93	93	
	2 X 1/2	170	170	170	
	2 X 3/4	170	170	170	
	2 X 1	170	170	170	
	2 X 1-1/4	170	170	170	
	2 X 1-1/2	170	170	170	
	2-1/2 X 1-1/4	239	239	239	
	2-1/2 X 1-1/2	239	239	239	
	2-1/2 X 2	239	239	239	
	3 X 1-1/2	354	354	354	
	3 X 2	354	354	354	
	3 X 2-1/2	354	354	354	
	4 X 2	696	696	696	
	4 X 3	696	696	696	
	6 X 2	2339	2339	2339	
	6 X 3	2339	2339	2339	
	6 X 4	2339	2339	2339	
	PVC Cap - Soc	सोटा			
	1/2"	25	25	25	
	3/4"	31	31	31	
	1"	44	44	44	

BD

H.K.

B.S.

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाइ	ग.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.ब.	२०७८/०७९	२०७९/०८०	
	1-1/4"		62	62		
	1-1/2"		68	68		
	2"		82	82		
	2-1/2"		261	261		
	3"		286	286		
	4"		652	652		
	6"		2573	2573		
	PVC Union - Soc. With EPDM O-Ring Seal	गोटा				
	1/2"		261	261		
	3/4"		299	299		
	1"		307	307		
	1-1/4"		989	989		
	1-1/2"		1031	1031		
	2"		1391	1391		
	2-1/2"		1946	1946		
	3"		3108	3108		
	4"		4303	4303		
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"		47	47		
	3/4"		56	56		
	1"		73	73		
	1-1/4"		90	90		
	1-1/2"		124	124		
	2"		160	160		
	2-1/2"		562	562		
	3"		667	667		
	4"		1056	1056		
	6"		2430	2430		
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"		270	270		
	3/4"		361	361		
	1"		542	542		
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"		61	61		
	3/4"		63	63		
	1"		66	66		
	1-1/4"		171	171		
	1-1/2"		252	252		
	2"		245	245		
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"		226	226		
	3/4"		321	321		
	1"		411	411		
	PVC Ball Valve - Soc	गोटा				
	1/2"		908	908		
	3/4"		1079	1079		
	1"		1510	1510		
	1-1/4"		2044	2044		
	1-1/2"		3118	3118		
	2"		3943	3943		
	2-1/2"		6513	6513		

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right side.

क्र.नं.	निर्माण सामग्रीहरूको विवरण	भ.क. (VAT) बाणक (र.)			रेफिक्ट	
		एकाइ	आ.व.			
			२०७७/०७८	२०७८/०७९		२०७९/०८०
		३"	१०३१८	१०३१८	१०३१८	
		४"	१७०५२	१७०५२	१७०५२	
		६"	३७०४०	३७०४०	३७०४०	
	PVC Adhesive Solution (Med, Bonded 705)	गोटा				
	११८ML	"	३१५	३१५	३१५	
	२३७ML	"	४५२	४५२	४५२	
	४७३ML	"	८१९	८१९	८१९	
	९४६ML	"	१३४७	१३४७	१३४७	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	११८ML	"	५०७	५०७	५०७	
	२३७ML	"	६६८	६६८	६६८	
	४७३ML	"	११७२	११७२	११७२	
	९४६ML	"	२०२८	२०२८	२०२८	
23	Rainwater Collection System					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	१६४	१६४	१६४	
	JOINT BRACKET To connect two lengths of roof water	Pc.	२६४	२६४	२६४	
	RUNNING OUTLET To provide an outlet for water anywhere along	Pc.	३६२	३६२	३६२	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	४४५	४४५	४४५	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	४४५	४४५	४४५	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	९८	९८	९८	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	३१४	३१४	३१४	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	७९	७९	७९	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	५२	५२	५२	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	३२	३२	३२	
	RAFTER BRACKET'S (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	८०	८०	८०	
	RUBBER GASKET To provide leak proof joints.	Pc.	३१	३१	३१	
	75 mm dia.					

सि.न.	विपणन सामग्रीहरूको विवरण	एकाइ	मूल्य (रु.)			वैकल्पिक
			वा.क. (VAT)	वा.क. (रु.)	वा.क. (रु.)	
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	65	65	65	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	39	39	39	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	130	130	130	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	311	311	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	369	369	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	533	533	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	610	610	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	610	610	610	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	145	145	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	437	437	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	111	111	111	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	94	94	94	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	53	53	53	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

रतनदेवी शर्मा
प्रमुख जिल्ला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अं.क. (VAT) बाहेक (रु.)			मैफियत
			मा.व.	मा.व.	मा.व.	
			२०७९/०८०	२०७९/०८१	२०७९/०८०	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	113	113	113	
	RUBBER GASKET To provide leak proof joints.	Pc.	42	42	42	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	70	70	70	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	45	45	45	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	250	250	250	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	603	603	603	
	JOINT BRACKET To connect two lengths of roof water	Pc.	632	632	632	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	994	994	994	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1429	1429	1429	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1429	1429	1429	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	311	311	311	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	826	826	826	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	309	309	309	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	169	169	169	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	125	125	125	

80
 १०/१०/२०७९
 १०/१०/२०७९
 १०/१०/२०७९
 १०/१०/२०७९
 १०/१०/२०७९
 १०/१०/२०७९

३०/१०/२०७९
 सुप्रदीप राई
 जिला अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बहिर्क (रु.)	आ.ब.			कीफगत
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	 माला सर वर मुन्जा प.स.स.स. भक्तपुर	327	327	327	
	RUBBER GASKET To provide leak proof joints.	Pc.	171	171	171	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	84	84	84	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	197	197	197	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	451	451	451	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	254	254	254	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	451	451	451	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	270	270	270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	484	484	484	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	461	461	461	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	693	693	693	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	487	487	487	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	717	717	717	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	988	988	988	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1232	1232	1232	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1052	1052	1052	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1391	1391	1391	
	FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	144	144	144	
	DWV Bend 87.5 Degree	"	183	183	183	
	DWV Bend 87.5 Degree with Door	"	84	84	84	
	DWV Socket Plug	"	195	195	195	
	DWV Cleansing Pipe	"	117	117	117	
	DWV Coupler	"	208	208	208	
	DWV Single Tee	"	228	228	228	
	DWV Single Tee with Door	"	360	360	360	
	DWV Cross Tee	"	506	506	506	
	DWV Cross Tee with Door	"	372	372	372	
	DWV Double 'Y'	"	496	496	496	
	DWV Double 'Y' with Door	"	232	232	232	



क्र.सं.	विवरण	एकक	मूल्य (रु.)			वै.सं.
			मूल्य			
			२०७९/०८०	२०७९/०८१	२०७९/०८०	
	DWV Single 'Y'	"	297	297	297	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	237	237	237	
	DWV Bend 45 Degree 110mm size	"	291	291	291	
	DWV Bend 87.5 Degree	"	332	332	332	
	DWV Bend 87.5 Degree with Door	"	106	106	106	
	DWV Socket Plug	"	381	381	381	
	DWV Cleansing Pipe	"	212	212	212	
	DWV Coupler	"	705	705	705	
	DWV Double 'Y'	"	832	832	832	
	DWV Double 'Y' with Door	"	583	583	583	
	DWV Cross Tee	"	661	661	661	
	DWV Cross Tee with Door	"	381	381	381	
	DWV Single Tee	"	450	450	450	
	DWV Single Tee with Door	"	467	467	467	
	DWV Single 'Y'	"	489	489	489	
	DWV Single 'Y' with Door	"	48	48	48	
	DWV Vent Cowel	"	166	166	166	
	DWV Reducer 110*75 mm	"	37	37	37	
	DWV Pipe Clip 110mm size	"	449	449	449	
	DWV W.C. Connectore (Straight lype)	"	359	359	359	
	DWV W.C. Connectore (Bend lype)	"	179	179	179	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	555	555	555	
	DWV P-Trap with Leap Ring 10*110 mm	"	796	796	796	
	DWV P-Trap with Leap Ring 25*110 mm	"	239	239	239	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	484	484	484	
	DWV Reducer 60*110 mm	"	463	463	463	
	DWV Coupler 160mm size	"	1109	1109	1109	
	DWV Single Tee	"	1192	1192	1192	
	DWV Single Tee with Door	"	2076	2076	2076	
	DWV Single 'Y'	"	2181	2181	2181	
	DWV Single 'Y' with Door	"	764	764	764	
	DWV Bend 87.5 Degree	"	1018	1018	1018	
	DWV Bend 87.5 Degree with Door	"	890	890	890	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	602	602	602	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	624	624	624	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	649	649	649	
	FOAMCORE Single Socket Self Fil (3mtrs length) SN-8	"	611	611	611	
	FOAMCORE Double Socket Self Fil (3mtrs length) SN-8	"	622	622	622	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1110	1110	1110	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1153	1153	1153	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1198	1198	1198	
	FOAMCORE Single Socket Self Fil (3mtrs length) SN-4	"	1129	1129	1129	

Handwritten signatures and marks at the bottom of the page.



क्र.सं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) पाकेक (रु.)			वैफियत
		आ.न.			
		२०७९/०७८	२०७९/०७९	२०७९/०८०	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	1149	1149	1149	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	1739	1739	1739	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	1769	1769	1769	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	1799	1799	1799	
	FOAMCORE Plain Both End (3mtrs length) SN-4	2885	2885	2885	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	2935	2935	2935	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	2986	2986	2986	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	3820	3820	3820	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	3886	3886	3886	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	3953	3953	3953	
	FOAMCORE Plain Both End (3mtrs length) SN-4	4720	4720	4720	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	4803	4803	4803	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	4885	4885	4885	
	FOAMCORE Plain Both End (6mtrs length) SN-8	601	601	601	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	616	616	616	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	631	631	631	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	612	612	612	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	623	623	623	
	FOAMCORE Plain Both End (6mtrs length) SN-4	1109	1109	1109	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	1142	1142	1142	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	1174	1174	1174	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	1130	1130	1130	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	1149	1149	1149	
	FOAMCORE Plain Both End (6mtrs length) SN-4	1739	1739	1739	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	1769	1769	1769	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	1800	1800	1800	
	FOAMCORE Plain Both End (6mtrs length) SN-4	2885	2885	2885	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	2935	2935	2935	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	2985	2985	2985	
	FOAMCORE Plain Both End (6mtrs length) SN-2	3820	3820	3820	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	3886	3886	3886	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	3953	3953	3953	
	FOAMCORE Plain Both End (6mtrs length) SN-4	4720	4720	4720	

Handwritten signatures and initials at the bottom of the page, including 'BD', '10', and various scribbles.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकई	मूल्य (VAT) बाहेक (र.)			वैक्यत
			मा.व.	२०७९/०७९	२०७९/०८०	
	FOAMCORE Single Socket Self Fit (6mlrs length) SN-4	"	4803	4803	4803	
	FOAMCORE Double Socket Self Fit (6mlrs length) SN-4	"	4885	4885	4885	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	303	303	303	
	DWV Coupler SN-4 160 mm	"	729	729	729	
	DWV Coupler SN-4 200 mm	"	1491	1491	1491	
	DWV Coupler SN-4 250 mm	"	2778	2778	2778	
	DWV Coupler SN-2 315mm	"	4468	4468	4468	
	DWV Coupler SN-4 315 mm	"	4878	4878	4878	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1031	1031	1031	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2870	2870	2870	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5361	5361	5361	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	12018	12018	12018	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	28536	28536	28536	
24	Multilayer Composite Pipe					
	Cold Water Pipe (White)					
	12-16 mm 1/4"	Rm	104	104	104	
	14-18 mm 1/2"	"	114	114	114	
	16-20 mm 3/4"	"	122	122	122	
	20-25 mm 1"	"	186	186	186	
	26-32 mm 1 1/4"	"	290	290	290	
	32-40 mm 1 1/2"	"	459	459	459	
	41-50 mm 1 3/4"	"	673	673	673	
	Hot Water Pipe (Orange)					
	12-16 mm 1/4"	Rm	114	114	114	
	14-18 mm 1/2"	"	126	126	126	
	16-20 mm 3/4"	"	145	145	145	
	20-25 mm 1"	"	214	214	214	
	26-32 mm 1 1/4"	"	311	311	311	
	32-40 mm 1 1/2"	"	479	479	479	
	Gas Lines Pipe (Yellow)					
	12-16 mm 1/4"	Rm	90	90	90	
	14-18 mm 1/2"	"	90	90	90	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	1/2" o (16mm o)	रोटा	157	157	157	
	3/4" o (18mm o)	"	145	145	145	
	1" o (20mm o)	"	159	159	159	
	1 1/4" o (25 mm o)	"	232	232	232	
	1" o (32 mm o)	"	362	362	362	
	1 1/4" o (40 mm o)	"	1335	1335	1335	
	1 1/2" o (50 mm o)	"	2016	2016	2016	
	b. Unequal Straight Union					
	25 - 16 mm o	"	260	260	260	
	25 - 18 mm o	"	269	269	269	
	25 - 20 mm o	"	283	283	283	
	32 - 16 mm o	"	348	348	348	
	32 - 18 mm o	"	366	366	366	

Handwritten signatures and initials at the bottom of the page.

क्र.सं.	निर्माण सामग्रीहरूको विवरण		म.अ.क. (VAT) वास्तविक (रु.)			कीफायत
			अ.व.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	32 - 20 mm ϕ		394	394	394	
	32 - 25 mm ϕ		422	422	422	
	40 - 32 mm ϕ		1154	1154	1154	
	50 - 20 mm ϕ		1683	1683	1683	
	50 - 32 mm ϕ		2016	2016	2016	
	50 - 40 mm ϕ		1900	1900	1900	
c. Male Union						
	16mm x 1/2"M	सोटा	97	97	97	
	18mm x 1/2"M	"	113	113	113	
	20mm x 1/2"M	"	130	130	130	
	25mm x 1/2"M	"	158	158	158	
	25mm x 3/4"M	"	199	199	199	
	25mm x 1"M	"	255	255	255	
	32mm x 3/4"M	"	292	292	292	
	32mm x 1"M	"	320	320	320	
	32mm x 1 1/2"M	"	324	324	324	
	40mm x 1"M	"	1024	1024	1024	
	40mm x 1 1/2"M	"	1060	1060	1060	
	50mm x 1"M	"	1610	1610	1610	
	50mm x 1 1/4"M	"	1638	1638	1638	
	50mm x 1 1/2"M	"	2225	2225	2225	
	50mm x 2"M	"	1671	1671	1671	
d. Female Straight Union						
	16mm x 1/2"F	सोटा	107	107	107	
	18mm x 1/2"F	"	116	116	116	
	20mm x 1/2"F	"	126	126	126	
	25mm x 1/2"F	"	167	167	167	
	25mm x 3/4"F	"	199	199	199	
	25mm x 1"F	"	204	204	204	
	32mm x 1/2"F	"	209	209	209	
	32mm x 3/4"F	"	213	213	213	
	32mm x 1"F	"	301	301	301	
	40mm x 1 1/2"F	"	1203	1203	1203	
	50mm x 1 1/4"F	"	1622	1622	1622	
	50mm x 1 1/2"F	"	2225	2225	2225	
	50mm x 2"F	"	1687	1687	1687	
e. Equal Elbow						
	1/2" ϕ (16mm ϕ)	सोटा	130	130	130	
	1/2" ϕ (18mm ϕ)	"	158	158	158	
	1/2" ϕ (20mm ϕ)	"	213	213	213	
	3/4" ϕ (25 mm ϕ)	"	324	324	324	
	1" ϕ (32 mm ϕ)	"	524	524	524	
	1 1/4" ϕ (40 mm ϕ)	"	1706	1706	1706	
	1 1/2" ϕ (50 mm ϕ)	"	2642	2642	2642	
f. Unequal Elbow						
	40 - 32 mm ϕ	"	1891	1891	1891	
	50 - 20 mm ϕ	"	2178	2178	2178	
	50 - 40 mm ϕ	"	3220	3220	3220	
g. Female Elbow						
	16mm x 1/2"F	सोटा	171	171	171	
	18mm x 1/2"F	"	190	190	190	
	20mm x 1/2"F	"	209	209	209	
	25mm x 1/2"F	"	232	232	232	
	25mm x 3/4"F	"	287	287	287	
	25mm x 1"F	"	315	315	315	
	32mm x 3/4"F	"	339	339	339	
	32mm x 1"F	"	422	422	422	

Handwritten signatures and notes at the bottom of the page.


क्र.सं.	विवरण	एकक	मूल्य (रु.)			वै.सं.
			वै.सं.			
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	50mm x 1 1/2" F	"	2178	2178		
h. Male Elbow						
	25mm x 3/4" M	"	232	232		
	25mm x 1" M	"	301	301		
	32mm x 3/4" M	"	228	228		
	32mm x 1" M	"	385	385		
	40mm x 1" M	"	1251	1251		
	50mm x 1" M	"	1784	1784		
i. Equal Tee						
	1/2" o (16mm o)	"	232	232		
	1/2" o (18mm o)	"	260	260		
	1/2" o (20mm o)	"	324	324		
	3/4" o (25 mm o)	"	468	468		
	1" o (32 mm o)	"	732	732		
	1 1/4" o (40 mm o)	"	2737	2737		
	1 1/2" o (50 mm o)	"	4000	4000		
j. Unequal Tee						
	20 mm x 16 mm x 20 mm	"	209	209		
	20 mm x 18 mm x 20 mm	"	282	282		
	25 mm x 16 mm x 25 mm	"	348	348		
	25 mm x 18 mm x 25 mm	"	394	394		
	25 mm x 20 mm x 25 mm	"	408	408		
	32 mm x 16 mm x 32 mm	"	672	672		
	32 mm x 18 mm x 32 mm	"	695	695		
	32 mm x 20 mm x 32 mm	"	723	723		
	32 mm x 25 mm x 32 mm	"	742	742		
	40 mm x 32 mm x 32 mm	"	2025	2025		
	40 mm x 32 mm x 40 mm	"	2346	2346		
	50 mm x 20 mm x 50 mm	"	3198	3198		
	50 mm x 32 mm x 32 mm	"	2108	2108		
	50 mm x 32 mm x 50 mm	"	3231	3231		
	50 mm x 40 mm x 40 mm	"	3242	3242		
	50 mm x 40 mm x 50 mm	"	3702	3702		
k. Female Tee						
	16mm x 1/2" F x 16mm	"	232	232		
	18mm x 1/2" F x 18mm	"	241	241		
	20mm x 1/2" F x 20mm	"	260	260		
	25mm x 1/2" F x 25mm	"	244	244		
	25mm x 3/4" F x 25mm	"	269	269		
	25mm x 1" F x 25mm	"	349	349		
	32mm x 1/2" F x 32mm	"	375	375		
	32mm x 3/4" F x 32mm	"	385	385		
	32mm x 1" F x 32mm	"	522	522		
	40mm x 3/4" F x 32mm	"	1541	1541		
	50mm x 3/4" F x 40mm	"	2286	2286		
l. Equal Ball Valve Union						
	1/2" o (16mm o)	"	270	270		
	1/2" o (18mm o)	"	299	299		
	1/2" o (20mm o)	"	394	394		
	3/4" o (25 mm o)	"	654	654		
	1" o (32 mm o)	"	908	908		
	1 1/4" o (40 mm o)	"	2968	2968		
	1 1/2" o (50 mm o)	"	4284	4284		
m. Female Ball Valve Union						
	16mm x 1/2" F	"	251	251		
	18mm x 1/2" F	"	288	288		
	20mm x 1/2" F	"	323	323		

सि.नं.	निर्माण सामग्रीहरूको विवरण	मूल्य (VAT) बहिष्क (रु.)			कैफियत
		आ.नं.			
		२०७९/०७८	२०७८/०७९	२०७९/०८०	
	20mm x 3/4"F	361	362	362	
	25mm x 1/2"F	672	672	672	
	25mm x 1"F	686	686	686	
	32mm x 1"F	723	723	723	
	n. Plug				
	1/4" o (40 mm o)	"	1483	1483	
	1/2" o (50 mm o)	"	2039	2039	
	p. Wall Plated Female Elbow				
	16mm x 1/2"F	गोटा	195	195	
	18mm x 1/2"F	"	213	213	
	20mm x 1/2"F	"	232	232	
	q. Nipple				
	N 1/2F*1/2F	गोटा	50	50	
	N 1/2M* 1/2M	"	50	50	
	N 3/4F*1/2F	"	70	70	
	N 1F*1/2F	"	80	80	
	N 1F*3/4F	"	90	90	
	N 3/4M*1/2M	"	70	70	
	N 1M*1/2M	"	80	80	
	N 1M*3/4M	"	90	90	
	N 1/2F*1/2M	"	60	60	
	N 1/2F*3/4M	"	70	70	
	N 1/2F*1M	"	110	110	
	N 1/2M*3/4F	"	70	70	
	N 1/2M*1F	"	115	115	
	N 3/4F*3/4M	"	90	90	
	N 3/4F*1M	"	99	99	
	N 3/4M*1F	"	131	131	
25	Supplying laying & jointing of (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually				
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	501	501	
	a.2) Failure chagre per well	संख्या	1391	1391	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	714	714	
	b.2) Failure chagre per well	संख्या	3708	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1363	1363	
	c.2) Failure chagre per well	संख्या	4820	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1928	1928	
	d.2) Failure chagre per well	संख्या	5562	5562	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1622	1622	
26	R.C.C. Hume Pipe & Hume Pipe Collar				
	PIPES				
	a) NP-2				
	150 mm dia.	र.मि	596	596	
	200 mm dia.	"	785	785	
	250 mm dia.	"	983	983	
	300 mm dia.	"	1330	1330	
	350 mm dia.	"	1470	1470	

Handwritten signatures and marks at the bottom of the page.

सि.न.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			मा.च.			
			२०७८/७९	२०७९/८०	२०८०/८१	
	375 mm dia.	"	1610	1610	1610	
	400 mm dia.	"	1852	1852	1852	
	450 mm dia.	"	1960	1960	1960	
	500 mm dia.	"	2200	2200	2200	
	600 mm dia.	"	3077	3077	3077	
	700 mm dia.	"	3785	3785	3785	
	750 mm dia.	"	4092	4092	4092	
	800 mm dia.	"	4567	4567	4567	
	900 mm dia.	"	6172	6172	6172	
	1000 mm dia.	"	7185	7185	7185	
	1200 mm dia.	"	8776	8776	8776	
	1500 mm dia.	"	18450	18450	18450	
	b) NP-3					
	150 mm dia.	र.मि	1291	1291	1310	
	200 mm dia.	"	1720	1720	1745	
	250 mm dia.	"	2149	2149	2185	
	300 mm dia.	"	3088	3088	3140	
	350 mm dia.	"	3464	3464	3520	
	375 mm dia.	"	3702	3702	3760	
	400 mm dia.	"	3948	3948	4010	
	450 mm dia.	"	4432	4432	4500	
	500 mm dia.	"	4940	4940	5020	
	600 mm dia.	"	6104	6104	6200	
	700 mm dia.	"	7372	7372	7485	
	750 mm dia.	"	8467	8467	8600	
	800 mm dia.	"	9240	9240	9385	
	900 mm dia.	"	11985	11985	12172	
	1000 mm dia.	"	13312	13312	13525	
	1200 mm dia.	"	15847	15847	16100	
	1500 mm dia.	"	24894	24894	25300	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	165	165	165	
	200 mm dia.	"	195	195	195	
	250 mm dia.	"	245	245	245	
	300 mm dia.	"	332	332	332	
	350 mm dia.	"	365	365	365	
	375 mm dia.	"	365	365	365	
	400 mm dia.	"	463	463	463	
	450 mm dia.	"	490	490	490	
	500 mm dia.	"	550	550	550	
	600 mm dia.	"	769	769	769	
	700 mm dia.	"	946	946	946	
	750 mm dia.	"	1023	1023	1023	
	800 mm dia.	"	1141	1141	1141	
	900 mm dia.	"	1543	1543	1543	
	1000 mm dia.	"	1799	1799	1799	
	1200 mm dia.	"	2196	2196	2196	
	1500 mm dia.	"	4615	4615	4615	
	b) NP-3					
	150 mm dia.	"	323	323	327	
	200 mm dia.	"	429	429	436	
	250 mm dia.	"	537	537	544	
	300 mm dia.	"	771	771	783	
	350 mm dia.	"	865	865	879	

सि.न.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT) माहिक (रु.)			वैफियत
			आ.न.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	375 mm dia.	...	924	924	940	
	400 mm dia.	...	986	986	1000	
	450 mm dia.	...	1107	1107	1125	
	500 mm dia.	...	1234	1234	1255	
	600 mm dia.	...	1526	1526	1550	
	700 mm dia.	...	1843	1843	1871	
	750 mm dia.	...	2116	2116	2150	
	800 mm dia.	...	2309	2309	2344	
	900 mm dia.	...	2996	2996	3042	
	1000 mm dia.	...	3327	3327	3382	
	1200 mm dia.	...	3961	3961	4024	
	1500 mm dia.	...	6223	6223	6334	




 Multiple handwritten signatures and stamps are present below the table. On the right side, there is a stamp that reads:

 रमादेवी राई

 प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	म.अ.क. (VAT) बाहेक (रु.)			वैफियत
			भा.व.	२०७८/०७९	२०७९/०८०	
	R.C.C. Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	र.मि	766	766	766	
	200 mm dia.	"	976	976	976	
	250 mm dia.	"	1221	1221	1221	
	300 mm dia.	"	1656	1656	1656	
	350 mm dia.	"	2007	2007	2007	
	400 mm dia.	"	2301	2300	2300	
	450 mm dia.	"	2438	2438	2438	
	500 mm dia.	"	2736	2736	2736	
	600 mm dia.	"	3608	3608	3608	
	700 mm dia.	"	4709	4709	4709	
	750 mm dia.	"	5090	5090	5090	
	800 mm dia.	"	5684	5684	5684	
	900 mm dia.	"	7339	7339	7339	
	1000 mm dia.	"	8481	8481	8481	
	1200 mm dia.	"	10274	10274	10274	
	b) NP-3					
	150 mm dia.	र.मि	1603	1603	1603	
	200 mm dia.	"	2139	2139	2139	
	250 mm dia.	"	2671	2674	2674	
	300 mm dia.	"	3842	3842	3842	
	350 mm dia.	"	4313	4313	4313	
	400 mm dia.	"	4912	4913	4913	
	450 mm dia.	"	5513	5513	5513	
	500 mm dia.	"	6141	6141	6141	
	600 mm dia.	"	7592	7592	7592	
	700 mm dia.	"	9169	9169	9169	
	800 mm dia.	"	11493	11493	11493	
	900 mm dia.	"	14907	14907	14907	
	1000 mm dia.	"	16564	16564	16564	
	1200 mm dia.	"	19506	19506	19506	
	1500 mm dia.	"	30835	30835	30835	
	1600 mm dia.	"	35566	35566	35566	
	1800 mm dia.	"	47339	47339	47339	
27	High Density Polythene Pipe NS-40					
	Pipes of different sizes, series & pressure	Kg	281	281	287	
28	UPVC (Pipe NS 206/046					
28.1	A) pipe 2.5 kg/cm² pressure					
	a) 90 mm	र.मी	141	141	141	



 Multiple handwritten signatures and stamps are present at the bottom of the page. On the right side, there is a circular stamp with the text "सुदूरपश्चिम प्रदेश" (Sudurpashchim Pradesh) and "प्रमुख जिल्ला अधिकारी" (Chief District Officer).

सि.न.	निर्माण सामग्रीहरूको विवरण	प्रकार	म.अ.क. (VAT) बाहेक (रु.)			कीममत
			आ.व.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	b) 110 mm	"	211	211	211	
	c) 125 mm	"	268	268	268	
	d) 140 mm	"	331	331	331	
	e) 160 mm	"	432	432	432	
	f) 180 mm	"	553	553	553	
	g) 200 mm	"	676	676	676	
28.2	B) UPVC Pipe 4 kg / cm²					
	a) 63mm	र.पी	112	112	112	
	b) 75 mm	"	155	155	155	
	c) 90 mm	"	221	221	221	
	d) 110 mm	"	304	304	304	
	e) 125 mm	"	418	418	418	
	f) 140 mm	"	531	531	531	
	g) 160 mm	"	687	687	687	
	h) 180 mm	"	883	883	883	
	i) 200 mm	"	1072	1072	1072	
28.3	C) UPVC Pipe 6 Kg/ cm² pressure					
	a) 40 mm	र.पी	66	66	66	
	b) 50 mm	"	100	100	100	
	c) 63 mm	"	160	160	160	
	d) 75 mm	"	223	223	223	
	e) 90 mm	"	322	322	322	
	f) 110 mm	"	466	466	466	
	g) 125 mm	"	620	620	620	
	h) 140 mm	"	772	772	772	
	i) 160 mm	"	989	989	989	
	j) 180 mm	र.पी	1262	1262	1262	
	k) 200 mm	"	1545	1545	1545	
28.4	C) UPVC Pipe 10 Kg/ cm² pressure					
	a) 20 mm	र.पी	26	26	26	
	b) 25 mm	"	40	40	40	
	c) 32mm	"	66	66	66	
	a) 40 mm	"	99	99	99	
	b) 50 mm	"	156	156	156	
	c) 63 mm	"	248	248	248	
	d) 75 mm	"	335	335	335	
	e) 90 mm	"	504	504	504	
	f) 110 mm	"	747	747	747	
	g) 125 mm	"	957	957	957	
	h) 140 mm	"	1208	1208	1208	
	i) 160 mm	"	1554	1554	1554	
	j) 180 mm	"	1981	1981	1981	

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)
 सहायक प्रमुख जिला अधिकारी

(Handwritten notes)
 80
 Bel
 13
 14

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बहिष्कृत (र.)			कैफियत
			आ.व.			
			२०७३/०७४	२०७४/०७५	२०७५/०७६	
	k) 200 mm	"	2449	2449	2449	
28.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	32	32	32	
	75 mm	"	77	77	77	
	110 mm	"	131	131	131	
	Bend 87.5 degree					
	50 mm	गोटा	47	47	47	
	75 mm	"	112	112	112	
	110 mm	"	206	206	206	
	Bend 45 degree					
	50 mm	गोटा	46	46	46	
	75 mm	"	91	91	91	
	110 mm	"	163	163	163	
	Single Tee					
	50 mm	गोटा	70	70	70	
	75 mm	"	151	151	151	
	110 mm	"	287	287	287	
	Pipe clip					
	50 mm	गोटा	15	15	15	
	75 mm	"	29	29	29	
	110 mm	"	38	38	38	
	Bend 87.5 degree with door					
	75 mm	गोटा	143	143	143	
	110 mm	"	249	249	249	
	Single Tee with door					
	75 mm	गोटा	204	204	204	
	110 mm	"	380	380	380	
	Double Tee					
	75 mm	गोटा	332	332	332	
	110 mm	"	525	525	525	
	Double Tee with door					
	75 mm	गोटा	440	440	440	
	110 mm	"	682	682	682	
	Vent cowl					
	75 mm	गोटा	54	54	54	
	110 mm	"	90	90	90	
	Socket plug					
	75 mm	गोटा	68	68	68	
	110 mm	"	111	111	111	
	Single "Y"					
	75 mm	गोटा	173	173	173	
	110 mm	"	374	374	374	
	Single "Y" with door					
	75 mm	गोटा	237	237	237	
	110 mm	"	451	451	451	
	Double "Y"					
	75 mm	गोटा	261	261	261	
	110 mm	"	514	514	514	
	Double "Y" with door					
	75 mm	गोटा	334	334	334	

Handwritten signatures and initials at the bottom of the page, including 'BA', 'AB', 'MF', 'S', and 'D'.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ज.क. (VAT) वारिक (र.)			पैफायत
			क्र.न.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	110 mm	"	539	539	539	
	Cleanning pipe					
	75 mm	"	152	152	152	
	110 mm	"	293	293	293	
	Reducer					
	110x 75 mm	"	135	135	135	
	75X50 mm	"	71	71	71	
	P -Trap					
	125mmx110mm	"	555	555	555	
	110mmx110mm	"	521	521	521	
	75mmx75mm	"	199	199	199	
	Multi-Floor -Trap					
	110mmx75mm	"	288	288	288	
	Nahani-Trap					
	110mmx75mm	"	263	263	263	
	W.C. Connector (bent type)					
	Square tile with jali	"	86	86	86	
	Round jali	"	40	40	40	
	End cap 50mm	"	26	26	26	
29.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.पी	152	152	170	
	ii. ¾" (20 mm)	"	208	208	232	
	iii. 1" (25 mm)	"	288	288	322	
	iv. 1 ¼" (32 mm)	"	369	369	411	
	v. 1 ½ " (40 mm)	"	455	455	508	
	vi. 2" (50 mm)	"	575	575	641	
	vii. 2 ½ " (65 mm)	"	793	793	885	
	viii. 3" (80 mm)	"	930	930	1038	
	ix. 4" (100 mm)	"	1330	1330	1485	
	x. 5" (125 mm)	"	2129	2129	2377	
	xi. 6" (150 mm)	"	2529	2529	2823	
	xii. 8" (200 mm)	"	3629	3629	4051	
	b) Medium class					
	i. ½ " (15 mm)	र.पी	176	176	181	
	ii. ¾" (20 mm)	"	227	227	225	
	iii. 1" (25 mm)	"	338	338	344	
	iv. 1 ¼" (32 mm)	"	439	439	447	
	v. 1 ½ " (40 mm)	र.मि	505	505	514	
	vi. 2" (50 mm)	"	690	690	706	
	vii. 2 ½ " (65 mm)	"	831	831	901	
	viii. 3" (80 mm)	"	1092	1092	1122	
	ix. 4" (100 mm)	"	1620	1620	1639	
	x. 5" (125 mm)	"	2245	2245	2196	
	xi. 6" (150 mm)	"	2712	2712	2656	
	xii. 8" (200 mm)	"	4123	4123	4596	
	c) Heavy duty					
	i. ½ " (15 mm)	र.मि	209	209	212	
	ii. ¾" (20 mm)	"	264	264	265	
	iii. 1" (25 mm)	"	395	395	396	
	iv. 1 ¼" (32 mm)	"	505	505	468	

80 1.6 13 18 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाइ	VAT (वाट) (रु.)			कीफायत
			मा.व.			
			२०७६/०७७	२०७७/०७९	२०७९/०८०	
v.	1 1/2" (40 mm)	"	582	582	593	
vi.	2" (50 mm)	"	848	848	872	
vii.	2 1/2" (65 mm)	"	1063	1063	992	
viii.	3" (80 mm)	"	1251	1251	1285	
ix.	4" (100 mm)	"	1940	1940	2208	
x.	5" (125 mm)	"	2513	2513	2503	
xi.	6" (150 mm)	"	2850	2850	2833	
xii.	8" (200 mm)	"	4371	4371	5083	
30.0	G.I. Pipe fittings ISI or NS Standard					
	a) G.M. Gate valve					
i.	1/2"	मोटा	991	991	751	
ii.	3/4"	"	1224	1234	1050	
iii.	1"	"	1988	1988	1600	
iv.	1 1/4"	"	2836	2836	2350	
v.	1 1/2"	"	3571	3571	3133	
vi.	2"	"	5685	5685	4883	
vii.	2 1/2"	"	11753	11753	8772	
viii.	3"	"	14614	14614	12050	
ix.	4"	"	23935	23935	20590	
	b) G.M Check valve					
i.	1/2"	मोटा	920	920	893	
ii.	3/4"	"	1236	1236	1200	
iii.	1"	"	1828	1828	1775	
iv.	1 1/4"	"	2702	2702	2623	
v.	1 1/2"	"	3126	3126	3035	
vi.	2"	"	5184	5184	5033	
vii.	2 1/2"	"	10532	10532	10225	
viii.	3"	"	14067	14067	13657	
ix.	4"	"	19880	19880	19301	
	c) G.I. Elbow					
i.	1/2"	मोटा	54	54	42	
ii.	3/4"	"	97	97	66	
iii.	1"	"	149	149	105	
iv.	1 1/4"	"	227	227	162	
v.	1 1/2"	"	317	317	223	
vi.	2"	"	478	478	344	
vii.	2 1/2"	"	829	829	653	
viii.	3"	"	1291	1291	880	
ix.	4"	"	2224	2224	1570	
x.	5"	"	5502	5502	2104	
xi.	6"	"	6623	6623	2524	
	d) G.I. Tee					
i.	1/2"	मोटा	82	82	66	
ii.	3/4"	"	131	131	104	
iii.	1"	"	191	191	142	
iv.	1 1/4"	"	305	305	219	
v.	1 1/2"	"	422	422	282	
vi.	2"	"	691	691	492	

Handwritten signatures and marks at the bottom of the page, including the name 'श्री शर्मा' and other illegible text.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मू.अ.क. (VAT) बाहेक (रु.)			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८०	
vii.	2 1/2 "		1086	1086	828	
viii.	3"		1467	1467	1187	
ix.	4"		2665	2665	1953	
x.	5"		7375	7375	2465	
xi.	6"		8547	8547	2960	
e) G.I Union						
i.	1/2 "	गोट	174	174	113	
ii.	3/4"	"	245	245	153	
iii.	1"	"	359	359	210	
iv.	1 1/4"	"	494	494	329	
v.	1 1/2 "	"	612	612	401	
vi.	2"	"	911	911	611	
vii.	2 1/2 "	"	1862	1862	1138	
viii.	3"	"	2509	2509	1586	
ix.	4"	"	3306	3306	2205	
x.	5"	"	7375	7375	2770	
xi.	6"	"	8923	8923	3324	
f) G.I. Socket						
i.	1/2 "	गोट	48	48	38	
ii.	3/4"	"	75	75	57	
iii.	1"	"	103	103	75	
iv.	1 1/4"	"	159	159	115	
v.	1 1/2 "	"	214	214	144	
vi.	2"	"	315	315	241	
vii.	2 1/2 "	"	571	571	571	
viii.	3"	"	842	842	586	
ix.	4"	"	1457	1457	951	
x.	5"	"	3640	3640	1140	
xi.	6"	"	4895	4895	1368	
g) C.I. Plug						
i.	1/2 "	गोट	31	31	30	
ii.	3/4"	"	41	41	40	
iii.	1"	"	50	50	49	
iv.	1 1/4"	"	101	101	98	
v.	1 1/2 "	"	128	128	124	
vi.	2"	"	153	153	149	
vii.	2 1/2 "	"	220	220	214	
viii.	3"	"	450	450	437	
ix.	4"	"	863	863	838	
h) Hex Nipple						
i.	1/2 "	गोट	58	58	56	
ii.	3/4"	"	89	89	86	
iii.	1"	"	143	143	139	
iv.	1 1/4"	"	224	224	217	
v.	1 1/2 "	"	283	283	275	
vi.	2"	"	421	421	409	
vii.	2 1/2 "	"	773	773	750	
viii.	3"	"	997	997	968	
ix.	4"	"	1529	1529	1484	
i) Reducing Tee						

88 Dal B LX 10 25 2000 2000
 दिदी रामा
 अधिकारी

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	प.व.क. (VAT) वारिक (र.)			वैक्यत
			मूल्य			
			२०७७/०७७८	२०७८/०७७९	२०७९/०८००	
i.	¾"	मोटा	143	143	120	
ii.	1"	"	210	210	148	
iii.	1 ¼"	"	335	335	162	
iv.	1 ½"	"	465	465	225	
v.	2"	"	759	759	517	
vi.	2 ½"	"	1195	1195	918	
vii.	3"	"	1615	1615	1450	
viii.	4"	"	2952	2952	2750	
x.	5"	"	8121	8121	3300	
xi.	6"	"	9400	9400	3960	
i) Reducing Elbow						
i.	¾"	मोटा	106	106	103	
ii.	1"	"	165	165	160	
iii.	1 ¼"	"	251	251	244	
iv.	1 ½"	"	352	352	342	
v.	2"	"	526	526	511	
vi.	2 ½"	"	909	909	883	
vii.	3"	"	1402	1402	1361	
viii.	4"	"	2482	2482	2410	
x.	5"	"	6054	6054	5878	
xi.	6"	"	7285	7285	7073	
j) Reducing socket						
i.	¾"	मोटा	82	82	80	
ii.	1"	"	111	111	100	
iii.	1 ¼"	"	173	173	150	
iv.	1 ½"	"	233	233	210	
v.	2"	"	347	347	320	
vi.	2 ½"	"	620	620	450	
vii.	3"	"	886	886	720	
viii.	4"	"	1599	1599	1140	
x.	5"	"	4569	4569	1368	
xi.	6"	"	5372	5372	1482	
K) Short bend						
i.	½"	मोटा	143	143	130	
ii.	¾"	"	220	220	150	
iii.	1"	"	338	338	190	
iv.	1 ¼"	"	649	649	290	
v.	1 ½"	"	981	981	400	
vi.	2"	"	1435	1435	590	
vii.	2 ½"	"	3683	3683	1500	
viii.	3"	"	5710	5710	1800	
ix.	4"	"	8091	8091	2500	
l) Cross Tee						
i.	½"	मोटा	135	135	131	
ii.	¾"	"	192	192	186	
iii.	1"	"	302	302	293	
iv.	1 ¼"	"	524	524	509	
v.	1 ½"	"	629	629	611	
vi.	2"	"	1020	1020	980	
vii.	2 ½"	"	1720	1720	1670	
viii.	3"	"	2493	2493	2420	

80 sub TB

12

45

12

12

12

12

12

12

क्र.नं.	निर्माण सामग्रीहरूको विवरण	म.अ.क. (VAT) बाहेक (रु.)			कीफगत	
		काठमाडौं	बा.ब.			
			२०७९/०८०	२०७९/०७९		२०७९/०८०
ix.	4"		3366	3366	3268	
M) Tanki nipple						
i.	½ "	गोटा	159	159	154	
ii.	¾ "	"	220	220	214	
iii.	1"	"	329	329	319	
iv.	1 ¼ "	"	494	494	480	
v.	1 ½ "	"	629	629	611	
vi.	2"	"	1020	1020	990	
vii.	2 ½ "	"	1963	1963	1906	
viii.	3"	"	2614	2614	2538	
ix.	4"	"	3468	3468	3367	
G.L Nipple Medium Class ISI or NS						
2" Long						
i.	½ "	गोटा	26	26	22	
ii.	¾ "	"	38	38	34	
iii.	1"	"	52	52	44	
iv.	1 ¼ "	"	70	70	57	
v.	1 ½ "	"	85	85	71	
vi.	2"	"	131	131	131	
3" Long						
i.	½ "	गोटा	38	38	34	
ii.	¾ "	"	58	58	47	
iii.	1"	"	78	78	66	
iv.	1 ¼ "	"	105	105	85	
v.	1 ½ "	"	130	130	106	
vi.	2"	"	194	194	154	
vii.	2 ½ "	"	267	267	186	
viii.	3"	"	389	389	220	
4" Long						
i.	½ "	गोटा	52	52	45	
ii.	¾ "	"	76	76	63	
iii.	1"	"	104	104	88	
iv.	1 ¼ "	"	140	140	113	
v.	1 ½ "	"	171	171	142	
vi.	2"	"	261	261	179	
vii.	2 ½ "	"	357	357	248	
viii.	3"	"	520	520	204	
ix.	4"	"	668	668	422	
6" Long						
i.	½ "	गोटा	78	78	68	
ii.	¾ "	"	116	116	94	
iii.	1"	"	156	156	122	
iv.	1 ¼ "	"	211	211	132	
v.	1 ½ "	"	261	261	170	
vi.	2"	"	390	390	269	
vii.	2 ½ "	"	534	534	373	
viii.	3"	"	764	764	439	
ix.	4"	"	945	945	633	
9" Long						
i.	½ "	गोटा	116	116	68	
ii.	¾ "	"	172	172	94	

Handwritten signatures and notes at the bottom of the page, including the name 'B' and other illegible marks.

श.न.	निर्माण सामग्रीहरूको विवरण	एकक	म.स.क. (VAT) बाहेक (रु.)			कीफियत
			मा.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
iii.	1"	"	208	208	122	
iv.	1 1/4"	"	316	316	132	
v.	1 1/2"	"	425	425	170	
vi.	2"	"	586	586	269	
vii.	2 1/2"	"	791	791	373	
viii.	3"	"	1170	1170	439	
ix.	4"	"	5017	5017	633	
12" Long						
i.	1/2"	मोटा	156	156	136	
ii.	3/4"	"	228	228	189	
iii.	1"	"	259	259	265	
iv.	1 1/4"	"	422	422	340	
v.	1 1/2"	"	520	520	425	
vi.	2"	"	780	780	537	
vii.	2 1/2"	"	1053	1053	746	
viii.	3"	"	1559	1559	877	
ix.	4"	"	1862	1862	1266	
18" Long						
i.	1/2"	मोटा	234	234	227	
ii.	3/4"	"	288	288	280	
iii.	1"	"	389	389	378	
iv.	1 1/4"	"	632	632	614	
v.	1 1/2"	"	778	778	755	
vi.	2"	"	1170	1170	1136	
vii.	2 1/2"	"	1582	1582	1536	
viii.	3"	"	2316	2316	2249	
ix.	4"	"	2825	2825	2743	
G.I./G.I. Flange						
i.	1 1/4"	मोटा	993	993	964	
ii.	1 1/2"	"	1222	1222	1186	
iii.	2"	"	1497	1497	1453	
iv.	2 1/2"	"	1750	1750	1699	
v.	3"	"	1949	1949	1892	
vi.	4"	"	2418	2418	2348	
vii.	5"	"	3459	3459	3358	
viii.	6"	"	3593	3593	3488	
ix.	8"	"	7156	7156	6948	
G.I./HDP Flange						
i.	1 1/4"	मोटा	1069	1069	1038	
ii.	1 1/2"	"	1362	1362	1322	
iii.	2"	"	1609	1609	1562	
iv.	2 1/2"	"	1879	1879	1824	
v.	3"	"	2009	2009	1950	
vi.	4"	"	2478	2478	2406	
vii.	5"	"	3459	3459	3358	
viii.	6"	"	3610	3610	3505	
ix.	8"	"	7856	7856	7627	
HDP/HDP Flange set with adaptor						
i.	1 1/4"	मोटा	1069	1069	1038	
ii.	1 1/2"	"	1362	1362	1322	
iii.	2"	"	1609	1609	1562	

80 104-113 14 16 28 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	वै.म. (VAT) बहेक (र.)			कीफायत
			भा.व.			
			२०७०/०७८	२०७१/०७९	२०७९/०८०	
iv.	2 1/2"	"	1879	1879	1824	
v.	3"	"	2009	2009	1950	
vi.	4"	"	2478	2478	2406	
vii.	5"	"	3928	3928	3814	
viii.	6"	"	3610	3610	3505	
ix.	8"	"	7856	7856	7627	
Brass tap 1/2"						
i.	1/2" (Wt. 400 gm)	गोटा	933	933	750	
ii.	1/2" ordinary	गोटा	211	211	205	
Globe Valve (GM)						
i.	1/2"	गोटा	952	952	924	
ii.	3/4"	"	1550	1550	1505	
iii.	1"	"	1915	1915	1859	
iv.	1 1/4"	"	3042	3042	2953	
v.	1 1/2"	"	3827	3827	3716	
vi.	2"	"	4779	4779	4640	
vii.	2 1/2"	"	9387	9387	9114	
viii.	3"	"	15512	15512	15060	
ix.	4"	"	25081	25081	24350	
Float Valve						
i.	1/2"	गोटा	1168	1168	1134	
ii.	3/4"	"	1321	1321	1283	
iii.	1"	"	1603	1603	1556	
iv.	1 1/4"	"	2771	2771	2690	
v.	1 1/2"	"	4163	4163	4042	
vi.	2"	"	5542	5542	5381	
C.I. Air valve (Heavy)						
i.	1/2"	गोटा	3869	3869	2560	
ii.	3/4"	"	5337	5337	5182	
iii.	1"	"	5918	5918	5746	
Brass Union with Adapter						
i.	1/2"	गोटा	252	252	150	
ii.	3/4"	"	388	388	270	
iii.	1"	"	587	587	345	
iv.	1 1/4"	"	764	764	530	
v.	1 1/2"	"	1362	1362	675	
vi.	2"	"	2020	2020	940	
Saddle Ferrule						
i.	1 1/2"	गोटा	365	365	185	
ii.	2"	"	482	482	242	
iii.	2 1/2"	"	1345	1345	272	
iv.	3"	"	1779	1779	301	
v.	4"	"	2536	2536	480	

80

Bh

Bh

Bh

Bh

Bh

Bh

Bh

रुद्रदेवी राणा
प्रमुख जिल्ला अधिकारी

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मूल्य (VAT) बाहेक (रु.)			कैफियत
			क्र.सं.	मूल्य	मूल्य	
	Flow Regulating Valve (G.M.)					
i.	1/2"	मोटा	1362	1362	1322	
	C-I Sluice Valve					
i.	1 1/2"	मोटा	7051	7051	6846	
ii.	2"	"	9106	9106	7000	
iii.	2 1/2"	"	11748	11748	8450	
iv.	3"	"	14102	14102	10500	
v.	4"	"	18798	18798	14000	
v.	5"	"	28569	28569	17500	
v.	6"	"	34287	34287	21000	
v.	8"	"	48001	48001	30000	
	Brass Ferrule Cock					
i.	1/2"	मोटा	1550	1550	609	
ii.	3/4"	"	2020	2020	1372	
iii.	1"	"	2965	2965	2015	
	Ball valve					
a)	15mm	मोटा	529	529	514	
b)	20 mm	"	670	670	650	
c)	25 mm	"	898	898	872	
d)	32 mm	"	1083	1083	1051	
e)	40 mm	"	2096	2096	2035	
f)	50 mm	"	3441	3441	3241	
31.0	Supplying of Rec ring for construction of well					
31.1	Ring					
i)	28" dia. R.C.C. ring 20 cm ht .5 cm thick	मोटा	615	615	615	
ii)	36" dia. R.C.C. ring 20 cm ht .5 cm thick	"	762	762	762	
iii)	42" dia. R.C.C. ring 20 cm ht .5 cm thick	"	886	886	886	
iv)	48" dia. R.C.C. ring 20 cm ht .5 cm thick	"	1173	1173	1173	
31.2	Supplying & fixing of metal frame and Rec cover					
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	मोटा	1858	1858	1858	
i)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	2460	2460	2460	
i)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	2699	2699	2699	
i)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	3224	3224	3224	
32.3	इन्चर खनको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खाने, आवश्यक फील्डर सामग्री राख्ने तथा जडान सपेटको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा दफन) गर्ने					
i)	28" dia. R.C.C. Ring	र.सी	4253	4253	4253	
ii)	36" dia. R.C.C. Ring	"	5397	5397	5397	
iii)	42" dia. R.C.C. Ring	"	6282	6282	6282	
iv)	48" dia. R.C.C. Ring	"	7750	7750	7750	
32.2	२५ फीट देखि माथीको गहीराइ भएमा					
	इन्चर खनको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो					
i)	28" dia. R.C.C. Ring	र.सी	5707	5707	5707	
ii)	36" dia. R.C.C. Ring	"	9650	9650	9650	
iii)	42" dia. R.C.C. Ring	"	11681	11681	11681	

सि.न.	निर्माण सामग्रीहरूको विवरण	एकाइ	मूल्य (VAT) बाहेक (र.)			कैफियत
			श.स.	२०७८/०७९	२०७९/०८०	
	iv) 48" dia, R.C.C. Ring		14033	14033	14033	
33.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	255	255	255	
	12"	Pc	482	482	482	
	15"	Pc	1388	1388	1388	
	18"	Pc	1643	1643	1643	
b	Blow Torch					
	1/2 pint	Pc	1433	1433	1433	
	1 pint	Pc	1767	1767	1767	
c	Building Trowel	Pc	79	79	79	
d	Chain Pipe wrench					
	50mm	Pc	1643	1643	1643	
	75mm	Pc	1954	1954	1954	
	100mm	Pc	2294	2294	2294	
	150mm	Pc	3229	3229	3229	
	200mm	Pc	5495	5495	5495	
e	Chain Pulley in Ton					
	3 ton	Pc	17562	17562	17562	
	5 ton	Pc	29005	29005	29005	
f	Stone Chisel 1"x12"	Pc	368	368	368	
g	Die teeth oil with cane (250 ml size)	Pc	283	283	283	
h	Smooth steel file half round					
	8"	Pc	538	538	538	
	10"	Pc	1031	1031	1031	
i	Flat file 10"	Pc	538	538	538	
10.0	Hacksaw Blade					
	Single	Pc	5	5	5	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	193	193	193	
k	Handle die set					
	25 mm	Pc	3201	3201	3201	
	50 mm	Pc	3626	3626	3626	
	60 mm	Pc	9631	9631	9631	
l	Heating Plate					
	80 mm	Pc	963	963	963	
	100 mm	Pc	1105	1105	1105	
	125 mm	Pc	1416	1416	1416	
	150 mm	Pc	1688	1688	1688	
	200 mm	Pc	2731	2731	2731	
	250 mm	Pc	3308	3308	3308	
	300 mm	Pc	3864	3864	3864	
m	Iron Brush 12"	Pc	74	74	74	
n	Iron Pan (medium)	Pc	261	261	261	
o	Pick Axe 1.7 Kg.	Pc	431	431	431	
p	Pipe Cutter					
	15-50 mm	Pc	2039	2039	2039	
	65-80 mm	Pc	3172	3172	3172	
	100 mm	Pc	5099	5099	5099	
	125 mm	Pc	5665	5665	5665	
	150 mm	Pc	10084	10084	10084	
q	Pipe Jack Machine (Heavy)	Pc	32291	32291	32291	
r	Pipe Vice					
	2"	Pc	2493	2493	2493	
	3"	Pc	3626	3626	3626	
	4"	Pc	5467	5467	5467	

क्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क्र. (VAT) भाहेक (र.)			वैक्यत
			भा.न.			
			२०७९/०८०	२०७९/०८०	२०७९/०८०	
	5"	Pc	10140	10140	10140	
	Pipe Wrench					
	10"	Pc	317	317	317	
	12"	Pc	589	589	589	
	14"	Pc	702	702	702	
	18"	Pc	1116	1116	1116	
	24"	Pc	1541	1541	1541	
	36"	Pc	5438	5438	5438	
	48"	Pc	9631	9631	9631	
	Plumb Bob Line	Pc	91	91	91	
	Ratchet Die Set					
	1/2"-3"	Pc	4305	4305	4305	
	1 1/4"-2"	Pc	8044	8044	8044	
	2 1/2"-3"	Pc	17562	17562	17562	
	Round File 10"	Pc	368	368	368	
	Screw Driver 12"	Pc	204	204	204	
	Shovel 1.5 Kg	Pc	368	368	368	
	Slide wrench					
	10"	Pc	363	363	363	
	12"	Pc	487	487	487	
	15"	Pc	1422	1422	1422	
	Spade	Pc	442	442	442	
	Spare Die Teeth					
	15 mm	Pc	589	589	589	
	20 mm	Pc	589	589	589	
	25 mm	Pc	589	589	589	
	32 mm	Pc	935	935	935	
	40 mm	Pc	1598	1598	1598	
	50 mm	Pc	1615	1615	1615	
	65 mm	Pc	1869	1869	1869	
	80 mm	Pc	2096	2096	2096	
	Telflon Cover					
	5'x5'	Pc	312	312	312	
	7'x7'	Pc	425	425	425	
	Telflon Cloth	m	3427	3427	3427	
	Telflon Tape 10 mm roll	roll	17	17	17	
	Thermochrome Crayon					
	Indian	Pc	765	765	765	
	Germany	Pc	1530	1530	1530	
	Tool Box (14"x8"x22")	Pc	2102	2102	2102	
34	Anaerobic treatment for waste water as per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316 Clause 18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination, Cracks etc..)					

BO
 [Signatures]
 [Stamp: रामदेवी ताम्रा प्रमुख जिल्ला अधिकारी]

Electrical Works

क्र.सं.	विवरण	एकक	गु.व.क. -VAT (माहक (र.))			वै.मि.रा.
			मा.र.	मा.र.	मा.र.	
1	SWITCH SOCKET					
1	One Gang one way switch	सेट	60	60	60	
2	One Gang two way switch	सेट	71	71	71	
3	One way bell switch	सेट	74	74	74	
4	Two gang one way switch	"	99	99	99	
5	Two gang one way switch with one bell push	"	108	108	108	
6	Two gang Full two way switch	"	110	110	110	
7	Three Gang one way switch	"	131	131	131	
8	Four gang one way switch	"	166	166	166	
9	Six gang one way switch (3x5)	"	261	261	261	
10	Eight gang one way switch	"	313	313	313	
11	Dimmer single 300 watt	"	318	318	318	
12	Dimmer single 750 watt	"	473	473	473	
13	5 Step humming free dimmer	"	419	419	419	
14	16Amp 3 Pin Plug Top	"	125	125	125	
15	1 switch with dimmer	"	379	379	379	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	156	156	156	
17	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	174	174	174	
18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	382	382	382	
19	32A D.P. switch with fuse & indicator Surface Mounting	"	212	212	212	
20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	629	629	629	
21	Blanking plate single	"	41	41	41	
22	Telephone socket single	"	122	122	122	
23	Telephone socket Double	"	174	174	174	
24	Angle / bollom holder	"	36	36	36	
25	Ceiling Rose	"	36	36	36	
26	Buzzer	"	100	100	100	
27	Musical bell	"	229	229	229	
28	T.V. antenna single Socket	"	84	84	84	
29	6A 2/3 Pin unshuttered multi switch socket	"	132	132	132	
30	RJ 45 Computer Socket for modern	"	241	241	241	
31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	36	36	36	
32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	65	65	65	
33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	101	101	101	
34	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3"					
1	10A 1gang 1way Switch	Set	85	85	85	
2	10A 2gang 1way Switch	Set	168	168	168	
3	10A 3gang 1way Switch	"	222	222	222	
4	10A 4gang 1way Switch	"	361	361	361	
5	10A 5gang 1way Switch	"	382	382	382	
6	10A 6gang 1way Switch	"	636	636	636	
7	10A 1gang 2way Switch	"	148	148	148	
8	10A 2gang 2way Switch	"	286	286	286	
9	10A 3gang 2way Switch	"	419	419	419	
10	10A 4gang 2way Switch	"	631	631	631	
11	T V Socket outlet	"	308	308	308	
12	Telephone Socket	"	276	276	276	
13	13A Universal socket outlet	"	478	478	478	
14	13A Socket	"	281	281	281	
15	15A switched Socket outlet	"	456	456	456	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकताई	मु.व.क. -VAT)वाहेक (रु.)			कैफियत
			मा.न २०७८/०७९	मा.न २०७९/०८०	मा.न २०७९/०८०	
17	RJ 45 8way Computer Socket	"	849	849	849	
18	TV and Telephone Socket	"	610	610	610	
19	7+2 PIN SOCKET OUTLET	"	955	955	955	
20	3+2 PIN SOCKET OUTLET	"	594	594	594	
21	X5 2+2 - 2 PIN SOCKET OUTLET	"	806	806	806	
22	SCHUKO SOCKET WITH ONE SWITCH	"	520	520	520	
23	Bell Press	"	244	244	244	
24	Blank Plate	"	96	96	96	
25	400W Light Dimmer W/ Switch	"	933	933	933	
26	400W Fan Controller / Multi Step Dimmer	"	945	945	945	
27	5 Step Fan Controller	"	923	923	923	
28	2 Pin Socket W/ Switch	"	467	467	467	
29	13A Twin Socket	"	700	700	700	
1,2	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack					
1	One Gang one way switch	सेट	103	103	103	
2	One Gang two way switch	सेट	115	115	115	
3	One way bell switch	सेट	115	115	115	
4	Two gang one way switch	"	137	137	137	
5	Two gang one way switch with one bell push	"	150	150	150	
6	Two gang Full two way switch	"	163	163	163	
7	Three Gang one way switch	"	172	172	172	
8	Four gang one way switch	"	208	208	208	
9	Six gang one way switch	"	316	316	316	
10	Eight gang one way switch	"	385	385	385	
11	Dimmer single 300 watt	"	501	501	501	
15	1 switch with dimmer	"	514	514	514	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	268	268	268	
17	6/13 Amp , Power sockets with switch , indicator	"	271	271	271	
18	20 A D.P. switch with fuse & indicator Surface Mounting	"	365	365	365	
19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	403	403	403	
20	6 Gang (85 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	488	488	488	
21	Blanking plate single	"	64	64	64	
22	Telephone socket single	"	157	157	157	
23	Telephone socket Double	"	256	256	256	
24	T.V. antenna single Socket	"	146	146	146	
25	RJ 45 Computer Socket for modem	"	212	212	212	
26	GAT-6 Computer Socket for modem	"	331	331	331	
2	Modular Type Switch Socket set					
1	1P - 6A/10A 1 way switch	No.	143	143	143	
2	1P - 16A/20A 1 way switch	"	230	230	230	
3	1P - 25A 1-way switch	"	336	336	336	
4	1P - 6A/10A 2 way switch	"	172	172	172	
5	1P - 16A/20A 2 way switch	"	261	261	261	
6	1P - 6A push button	"	190	190	190	
7	1 gang blanking module	"	44	44	44	
8	2 gang blanking module	"	89	89	89	
9	FAN REGULATOR / DIMMER					
10	Step type fan regulator	No.	657	657	657	
11	60 - 500 W dimmer	"	821	821	821	
12	1000 W dimmer	"	1570	1570	1570	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
13	6A - multi socket 5 pin	No.	247	247	247	

सि.नं	विवरण	एकाई	मु.व.क. -VAT)राहक (रु.)			कैफियत
			आ.व २०७८/०७९	श.व २०७९/०८०		
17	RJ 45 8way Computer Socket	"	849	849	849	
18	TV and Telephone Socket	"	610	610	610	
19	7+2 PIN SOCKET OUTLET	"	955	955	955	
20	3+2 PIN SOCKET OUTLET	"	594	594	594	
21	X5 2+2 - 2 PIN SOCKET OUTLET	"	806	806	806	
22	SCHUKO SOCKET WITH ONE SWITCH	"	520	520	520	
23	Bell Press	"	244	244	244	
24	Blank Plate	"	96	96	96	
25	400W Light Dimmer W/ Switch	"	933	933	933	
26	400W Fan Controller / Multi Step Dimmer	"	945	945	945	
27	5 Step Fan Controller	"	923	923	923	
28	2 Pin Socket W/ Switch	"	467	467	467	
29	13A Twin Socket	"	700	700	700	
1.2	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack					
1	One Gang one way switch	सेट	103	103	103	
2	One Gang two way switch	सेट	115	115	115	
3	One way bell switch	सेट	115	115	115	
4	Two gang one way switch	"	137	137	137	
5	Two gang one way switch with one bell push	"	150	150	150	
6	Two gang Full two way switch	"	163	163	163	
7	Three Gang one way switch	"	172	172	172	
8	Four gang one way switch	"	208	208	208	
9	Six gang one way switch	"	316	316	316	
10	Eight gang one way switch	"	385	385	385	
11	Dimmer single 300 watt	"	501	501	501	
15	1 switch with dimmer	"	514	514	514	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	268	268	268	
17	6/13 Amp , Power sockets with switch , indicator	"	271	271	271	
18	20 A D.P. switch with fuse & indicator Surface Mounting	"	365	365	365	
19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	403	403	403	
20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	488	488	488	
21	Blanking plate single	"	64	64	64	
22	Telephone socket single	"	157	157	157	
23	Telephone socket Double	"	256	256	256	
24	T.V. antenna single Socket	"	146	146	146	
25	RJ 45 Computer Socket for modem	"	212	212	212	
26	CAT-6 Computer Socket for modem	"	331	331	331	
2	Modular Type Switch Socket set					
1	1P - 6A/10A 1 way switch	No.	143	143	143	
2	1P - 16A/20A 1 way switch	"	230	230	230	
3	1P - 25A 1 way switch	"	336	336	336	
4	1P - 6A/10A 2 way switch	"	172	172	172	
5	1P - 16A/20A 2 way switch	"	261	261	261	
6	1P - 6A push button	"	190	190	190	
7	1 gang blanking module	"	44	44	44	
8	2 gang blanking module	"	89	89	89	
9	FAN REGULATOR / DIMMER					
10	Step type fan regulator	No.	657	657	657	
11	60 - 500 W dimmer	"	821	821	821	
12	1000 W dimmer	"	1570	1570	1570	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
13	6A multi socket 5 pin	No.	247	247	247	

सि.नं
विवरण

क्र.सं.	सब क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकक	VAT) बालेक (र.)			वैशेष्य
				बालेक २०७७/०७८	बालेक २०७८/०७९	बालेक २०७९/०८०	
3	4	4 gang " " =(78x140x50)mm	"	70	70	70	
	5	5 gang " " =(78x205x50)mm	"	138	138	138	
	6	6 gang " " =(78x205x50)mm	"	140	140	140	
	7	8 module metal box (4+4) =(78x230x60)mm	"	186	186	186	
	8	8 module metal box (Horizontal) =(135x120x60)mm	"	186	186	186	
	9	12 module metal box =(135x120x60)mm	"	238	238	238	
	10	TV socket metal box	"	54	54	54	
	11	Telephone socket metal box	"	54	54	54	
			METAL Junction BOX				
	1	4"x4"	मेटा	103	103	103	
	2	4"x6"	"	155	155	155	
3	6"x8"	"	244	244	244		
4	8"x10"	"	359	359	359		
5	8"x12"	"	359	359	359		
4		PVC Junction Box					
	1	4"x4"	मेटा	35	35	35	
	2	4"x6"	"	32	32	32	
	3	6"x8"	"	47	47	47	
	4	8"x10"	"	69	69	69	
	5	8" x12"	"	133	133	133	
		Junction box cover	"	148	148	148	
5		PVC Listy Double Lock { 6'length =1 no.(मेटा)}					
	1	1/2" breadth	मेटा	32	32	32	
	2	3/4"	"	47	47	47	
	3	1"	"	69	69	69	
	4	1 1/2"	"	133	133	133	
	5	2"	"	148	148	148	
6		PVC Conduit Pipe					
	1	1) 1/2" diameter	र.मी	32	32	32	
	2	2) 3/4"	"	47	47	47	
	3	3) 1"	"	69	69	69	
7		Listy Pipe Accessories					
	1	1/2"-2" size Saddle	र.मी	8	8	8	
	2	Grips (Denmark)	मेटा	6	6	6	
	3	Steel screws	मेटा	2	2	2	
4	PVC Tape	मेटा	15	15	15		
8		Distribution board (DB)					
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated sheet steel					
	1	4 way SPN DB Double Cover	मेटा	1114	1114	1114	
	2	6 way SPN DB " "	"	1169	1169	1169	
	3	8 way SPN DB " "	"	1458	1458	1458	
	4	12 way SPN DB " "	"	1729	1729	1729	
	5	16 way SPN DB " "	"	1849	1849	1849	
	6	3-4 way TPN DB Double Cover	"	2748	2748	2748	
	7	6 way TPN " " "	"	3088	3088	3088	
	8	8 way TPN " " " Vertical	"	5973	5973	5973	
	9	12 way TPN " " " Vertical	"	7959	7959	7959	
10	50 Pair Telephone D.B.with crown tag	"	5609	5609	5609		
9		PVC Box for MCB					
	1	1-pole PVC box GPS	मेटा	83	83	83	
	2	2-pole PVC " " "	"	83	83	83	
	3	3 and 4-pole PVC " " "	"	134	134	134	
10	10.1	Miniature Circuits Breaker (MCB) ,					
	1	6-32 amp MCB SP (single pole)	मेटा	212	212	212	
	2	6-32 amp MCB DB (Double pole)	"	1061	1061	1061	

सि.नं	विवरण	मु.न.क. -VAT (वाटिक (रु.)			कीमत
		ना.न २०७७/०७८	वा.व २०७८/०७९	वा.व २०७९/०८०	
		1761	1761	1761	
3	6-32 amp MCB TP (Triple pole)	2546	2546	2546	
4	32 amp MCB TPN	1697	1697	1697	
5	40-63 amp MCB DP	2716	2716	2716	
6	40-63 amp MCB TP	3252	3252	3252	
7	40-63 amp MCB TPN				
10.2 Miniature Circuits Breaker (MCB)					
		266	266	266	
1	0.5-5 amp MCB SP (single pole)	170	170	170	
2	6-32 amp MCB SP (single pole)	637	637	637	
3	6-32 amp MCB DP (Double pole)	1273	1273	1273	
4	6-32 amp MCB TP (Triple pole)	1539	1539	1539	
5	32 amp MCB TPN	1008	1008	1008	
6	40-63 amp MCB DP	1433	1433	1433	
7	40-63 amp MCB TP	1910	1910	1910	
8	40-63 amp MCB TPN				
Residual Current Circuit Breaker (RCCB)					
		2834	2834	2834	
1	25A to 40A ,(30mA,100,300mA) DP RCCB	3376	3376	3376	
2	63A 30mA DP RCCB	3104	3104	3104	
3	63A 100mA DP RCCB	3156	3156	3156	
4	63A 300mA DP RCCB	3478	3478	3478	
5	25A to 40A ,(30mA,100,300mA) FP RCCB	3817	3817	3817	
6	63A 30mA Four Pole RCCB	3817	3817	3817	
7	63A 100mA Four Pole RCCB	3817	3817	3817	
8	63A 300mA Four Pole RCCB				
Moulded Case Circuit Breaker					
	16AMP- 63AMP TP MCCB 16KA	5835	5835	5835	
	80AMP TP MCCB 16KA	6578	6578	6578	
	100AMP TP MCCB 16KA	8487	8487	8487	
	125AMP TP MCCB 16KA	10079	10079	10079	
	160AMP TP MCCB 16KA	6578	6578	6578	
	16AMP- 63AMP TP MCCB 25KA	7256	7256	7256	
	80AMP TP MCCB 25KA	7256	7256	7256	
	100AMP TP MCCB 25KA	11670	11670	11670	
	125AMP TP MCCB 25KA	13792	13792	13792	
	160AMP TP MCCB 25KA	21748	21748	21748	
	200AMP TP MCCB 25KA(Adjustable)	23870	23870	23870	
	200AMP TP MCCB 36KA(Adjustable)	28114	28114	28114	
	250AMP TP MCCB 36KA(Adjustable)	36601	36601	36601	
	400AMP TP MCCB 50KA(Adjustable)	49862	49862	49862	
	630AMP TP MCCB 50KA(Adjustable)	65882	65882	65882	
	800AMP TP MCCB 50KA(Adjustable)				
12 Manual Changeover Panel Type					
		11967	11967	11967	
	63 Amp FP	13240	13240	13240	
	80 Amp FP	18756	18756	18756	
	100 Amp FP	19775	19775	19775	
	125 Amp FP	25970	25970	25970	
	160 Amp FP	26819	26819	26819	
	200 Amp FP	28517	28517	28517	
	250 Amp FP	36071	36071	36071	
	315 Amp FP				
13 Dome light					
i	6" Milky type decorative dome light	185	185	185	
ii	6 " Brass base decorative dome light	758	758	758	
iii	8" Milky type decorative dome light	234	234	234	
iv	8 " Brass base decorative dome light	902	902	902	
		1140	1140	1140	

सुदो राम
अध्यक्ष

क्र.सं.	विवरण	एकक	ग.ज.क. -VAT) बराबर (रु.)			वै.क्या.
			आ.नं.	आ.नं.	आ.नं.	
			584	584	584	
vi	6) 8" Silver cast Black Base base Decorative Dome Light		584	584	584	
vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)		1249	1249	1249	
viii	Wall bracket/spout light/mirror light bulk head ordinary	"	239	239	239	
ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	372	372	372	
x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	849	849	849	
xi	1 x 11/13 wall CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete	"	997	997	997	
xii	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	"	1559	1559	1559	
xiii	Dining lamp.	"	1751	1751	1751	
xiv	Chandlers 6-8 lamp Medium	"	15543	15543	15543	
xv	Chandlers 3-5 lamp Medium	"	11087	11087	11087	
xvi	Mirror Light Euro Light Wipro WRF2111	"	478	478	478	
xvii	Picture light Euro Light P002	"	690	690	690	
xviii	Wall spot Light E27 60W Euro or eqv.	"	372	372	372	
xix	Exit Light safety sign(8.24)	सेट	849	849	849	
	Post top Lanterns					
xx	Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2652	2652	2652	
xxi	Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3183	3183	3183	
xxii	Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3580	3580	3580	
xxiii	8" Globe type Post top Lamp complete set	"	1458	1458	1458	
14. xxiv	10" Globe type Post top Lamp complete set	"	2785	2785	2785	
	Roadway light luminaires					
xxv	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2716	2716	2716	
xxvi	2 x 36 W FTL street light fixture with acrylic diffuser complete set	"	3984	3984	3984	
xxvii	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1591	1591	1591	
xxviii	1000 watt halogen weather proof flood light with glass cover Complete set	"	3183	3183	3183	
xxix	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9548	9548	9548	
xxx	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11723	11723	11723	
xxvii	Single Piece deep drawn aluminum POT optics road light luminaires with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5411	5411	5411	
xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2339	2339	2339	
xxix	1X125W HPSV street light fixture with acrylic diffuser	"	5273	5273	5273	
xxx	2X60/100W GLS aviation light fixture all complete set	"	5857	5857	5857	
	CEILING FANS & EXHAUST Fans,					
a	36" size ceiling Fan	सेट	2228	2228	2228	
b	42" size " "	"	2334	2334	2334	

श्री राम अहिकारी

सि.नं	विवरण	मु.व.क. -VAT (वाहेक (र.))			नै.पि.गत	
		मा.अ	मा.ब	मा.व		
15	c	48" size " "	2388	2388	2388	
	d	56" size " "	2652	2652	2652	
	e	6" Exhaust Fan	1539	1539	1539	
	f	9" Exhaust Fan	1857	1857	1857	
	g	16" size wall fan	2918	2918	2918	
	h	12" size exhaust fan	2652	2652	2652	
	BELL INDICATOR					
	a	4 way bell indicator with plate	1293	1293	1293	
16	b	6 way " " " "	2110	2110	2110	
	c	8 way " " " "	2937	2937	2937	
	d	12 way " " " "	4527	4527	4527	
	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)					
17	a	Copper plate	945	945	945	
	b	Copper Strip (25 x 3)mm (Approx 60"= 1kg)	1114	1114	1114	
	c	Copper Strip (20mm breadth x 3mm thick)	1114	1114	1114	
	d	Copper Strip (12 x 3)mm	1114	1114	1114	
	e	Lightning rod copper conductor Air termination set	2812	2812	2812	
	f	8 SWG bare copper wire	148	148	148	
	g	29 mm Diameter GI Pipe of 1m length	260	260	260	
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	637	637	637	
	i	5/16 nuts & bolt with spring washer cadmium maker	15	15	15	
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	202	202	202	
	k	Funnel with wire mesh	372	372	372	
	l	Charcoal	318	318	318	
	m	Salt	12	12	12	
18	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12419	12419	12419	
b	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2260mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	13367	13367	13367	
c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12859	12859	12859	
d	7 mtr.length Wooden Pole	No	5146	5146	5146	
e	9 mtr.length Wooden Pole	No	7002	7002	7002	
20	Modular ceiling Luminaries					
	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block .					
a	1x20 watt FTL (Patti fittings)	सेट	478	478	478	
b	1x40 watt FTL Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	798	798	798	
c	1x20 watt FTL	"	902	902	902	

अधिकारी

सि.नं	नम प्रि.न	निर्माण सामग्रीहरूको विवरण	मु.अ.क. -VAT)वाटिक (रु.)			कीफियत
			आ.व २०७८/०७९	आ.व २०७८/०७९	आ.व २०७९/०८०	
	d	1x40 watt FTL with attractive & functional decorative ballens	1051	1051	1051	
	e	1x40 watt FTL box fittings	1194	1194	1194	
	f	2x40 watt FTL box fittings	1804	1804	1804	
	g	1x40 watt FTL Industrial channel	1835	1835	1835	
	h	2x40 watt FTL Industrial channel	2356	2356	2356	
	i	1x40 watt FTL, opalite with opal Arcylic dissuser	1910	1910	1910	
	j	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	3183	3183	3183	
	k	4x20 watt FTL, oplite WCF 93418	5572	5572	5572	
	l	4x20 watt FTL mirror optic , surface/recessed mounting	5572	5572	5572	
	m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	3661	3661	3661	
	n	2x40 watt FTL mirror optic , surface/recessed mounting with electronic choke	4456	4456	4456	
	o	4 x 14 watt FTL T5 with electronic ballast direct / indirect, surface / recessed with parailte P5 luvor Complete set	9664	9664	9664	
	p	3x14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	8492	8492	8492	
19		Compact Fluorescent Lamp (CFL) based Luminaries set all complete .				
	q	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	2758	2758	2758	
	r	1 x11 W CFL mirror Optic surface/recessed mounting complete set	1888	1888	1888	
	s	2 x11 W CFL mirror Optic Surface mounting complete set	2334	2334	2334	
	t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect, surface / recessed with luvor Complete set	6249	6249	6249	
	u	3x36 W CFL -4 pin low glare fixture with P 5 luvres & electronic ballast complete set	7029	7029	7029	
	v	Recess mounting Direct Indirect LED luminaire	11139	11139	11139	
	w	Recess mounting Direct Indirect LED luminaire	14482	14482	14482	
	x	Recess Surface mounted LED luminate	13739	13739	13739	
	y	Hight efficiency circular LED Down Ligher	3342	3342	3342	
	z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	15038	15038	15038	
	a	IP20 and IP 65 non intragal flexible LED Strip Light	1114	1114	1114	
	b	Circular LED wall/Dome Light suitable for true ceiling	3342	3342	3342	
	c	Square LED Wall/Dome light suitable for true ceiling	3342	3342	3342	
	d	Recess mounted indirect and direct luminaires	6313	6313	6313	
	e	2x36 Watt CFL Surface Mirror Optic	6313	6313	6313	
20	20.1	Down Light Fiam Make				
	1.1	FDL004 SMD7W-CW	1337	1337	1337	
	1.2	FDL004 SMD9W-WWH (145*90)	1337	1337	1337	
	1.3	FDL004 SMD9W-CW	1913	1913	1913	
	1.4	FDL004 SMD15W-WWH (175*90)	1913	1913	1913	
	1.5	FDL004 SMD15W-CW	2913	2913	2913	
	1.6	FDL004 SMD30W-WWH (200MM)	2913	2913	2913	
	1.7	FDL004 SMD30W-CW	5244	5244	5244	
	1.8	FDLO12 COB5W-WWH (90MM)	5244	5244	5244	
	1.9	FDLO12 COB5W-CW	1340	1340	1340	
	2	FDLO12 COB10W-WWH (120MM)	1340	1340	1340	
	2.1	FDLO12 COB10W-CW	2038	2038	2038	
	2.2	FDLO12 COB15W-WWH (140MM)	2038	2038	2038	

सि.नं. २०.१
१.१
१.२
१.३
१.४
१.५
१.६
१.७
१.८
१.९
२
२.१
२.२

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	मु.म.फ. -VAT (वाट) (रु.)			कैफियत
			आ.व २०७८/०७९	आ.व २०७९/०८०	आ.व २०८०/०८१	
2.3	FDLO12	COB15W-CW	5244	5244	5244	
2.4	FDLO12	COB25W-WWH (175MM)	5244	5244	5244	
2.5	FDLO12	COB25W-CW	6991	6991	6991	
2.6	FDLO12	COB30W-WWH (200MM)	6991	6991	6991	
2.7	FDLO12	COB30W-CW	8737	8737	8737	
2.8	FDLO07	SMD12W-WWH (130*110)	8737	8737	8737	
2.9	FDLO07	SMD12W-CW	4310	4310	4310	
3	FDLO07	SMD18W-WWH (165*145)	4310	4310	4310	
3.1	FDLO07	SMD18W-CW	6291	6291	6291	
3.2	FDLO07	SMD24W-WWH (195*175)	6291	6291	6291	
3.3	FDLO07	SMD24W-CW	7864	7864	7864	
3.4	FDLO01	HP5W FBK-WWH (95*110)	7864	7864	7864	
3.5	FDLO01	HP5W FBK-CW	3262	3262	3262	
3.6	FDLO01	HP5W FWH-WWH (80*120)	3262	3262	3262	
3.7	FDLO01	HP5W FWH-CW	3262	3262	3262	
3.8	FDLO05	SMD7W-WWH (123MM)	3262	3262	3262	
3.9	FDLO05	SMD7W-CW	1340	1340	1340	
4	FDLO05	SMD12W-WWH (165MM)	1340	1340	1340	
4.1	FDLO05	SMD12W-CW	1747	1747	1747	
4.2	FDLO05	SMD20W-WWH (200MM)	1747	1747	1747	
4.3	FDLO05	SMD20W-CW Taiwan chip	3204	3204	3204	
4.4	FM3161	HP 18W-WWH	3204	3204	3204	
4.5	FM3161	HP 18W-CW	6991	6991	6991	
4.6	HD-5010-13	-WWH (86*75)	6991	6991	6991	
4.7	HD-5010-13	-CW	2157	2157	2157	
4.8	HD-5010-14	-WWH (115*105)	2157	2157	2157	
4.9	HD-5010-14	-CW	3262	3262	3262	
5	HD-5010-14	-WWH (140*125)	3262	3262	3262	
5.1	HD-5010-14	-CW	4078	4078	4078	
5.2	HD-5010-18	-WWH (215*200)	4078	4078	4078	
5.3	HD-5010-18	-CW	8096	8096	8096	
5.4	LET1	100 ROUND BLACK OPAL GX53 LED LAMP 3W	8096	8096	8096	
5.5	LET1	100 SQUARE BLACK OPAL GX53 LED LAMP 3W	2525	2525	2525	
5.6		WHITE OPAL	2525	2525	2525	
5.7		BLACK OPAL	1857	1857	1857	
5.8		WHITE OPAL	1857	1857	1857	
5.9		BLACK OPAL	1857	1857	1857	
6		WHITE OPAL	1857	1857	1857	
6.1		BLACK OPAL	2228	2228	2228	
6.2		WHITE OPAL	2228	2228	2228	
6.3		BLACK OPAL	2228	2228	2228	
6.4		WHITE OPAL	2228	2228	2228	
6.5		BLACK OPAL	2228	2228	2228	
6.6		BULKHEAD WHITE OPAL	2228	2228	2228	
6.7		BULKHEAD BLACK OPAL	1857	1857	1857	
6.8		VE BULKHEAD WHITE OPAL	1857	1857	1857	
6.9		VE BULKHEAD BLACK OPAL	2600	2600	2600	
7		HL BULKHEAD WHITE OPAL	1857	1857	1857	
7.1		HL BULKHEAD BLACK OPAL	1857	1857	1857	
7.2		WHITE OPAL	1857	1857	1857	
7.3		BLACK OPAL	2228	2228	2228	
7.4		VE WHITE OPAL	2228	2228	2228	
7.5		VE BLACK OPAL	2228	2228	2228	
7.6		HL WHITE OPAL	2228	2228	2228	
7.7		HL BLACK OPAL	2228	2228	2228	
7.8		BLACK OPAL	2228	2228	2228	
7.9		MINI11 BLACK OPAL	7426	7426	7426	
8		1L WHITE OPAL	6684	6684	6684	

रानी रानी
ना अधिकार


क्र.नं	विवरण	मु.प्र.क. -VAT)वाहेक (रु.)			कैफियत
		मा.प २०७८/०७९	मा.प २०७९/०८०	मा.प २०८०/०८१	
8.2	BLACK OPAL E27	2971	2971	2971	
8.3	WHITE OPAL E27	2971	2971	2971	
8.4	BLACK OPAL E27	2971	2971	2971	
8.5	WHITE OPAL E27	2971	2971	2971	
8.6	BLACK OPAL E27	2971	2971	2971	
8.7	WHITE OPAL E27	2971	2971	2971	
8.8	BLACK OPAL E27	3342	3342	3342	
8.9	WHITE OPAL E27	3342	3342	3342	
9	BLACK OPAL E27	3342	3342	3342	
9.1	BLACK WITH OPAL DIFFUSER	3342	3342	3342	
9.2	BLACK W/OPAL DIFFUSER	3713	3713	3713	
9.3	LANTERN BLACK W/OPAL DIFFUSER	3713	3713	3713	
9.4	BLACK OPAL GX53 LED LAMP 3W	3342	3342	3342	
9.5	System Sensor Product	7426	7426	7426	
1	Photo Electric Smoke Detector	1931	1931	1931	
2	Rate of Rise Heat Detector	1931	1931	1931	
3	Fixed temperature Detector	2356	2356	2356	
4	Base	382	382	382	
5	Conv. MCP, Red, with LED, 470 Ohm,	1527	1527	1527	
6	Wall mount Horn+Strobe	4244	4244	4244	
7	Ceiling mount Horn+Strobe	4244	4244	4244	
	Exit Light				
1	MODEL SLM 18	12731	12731	12731	
2	MODEL ELS 28	12731	12731	12731	
3	MODEL ETL 210H-4LA	12731	12731	12731	
21	LUMINARIES Accessories				
a	500 watt halogen rod	239	239	239	
b	1000 watt halogen rod	286	286	286	
c	70Watt SON Lamp (Sodium Vapour)	859	859	859	
d	150 watt sodium vapour bulb	1337	1337	1337	
e	250 watt sodium vapour bulb	1751	1751	1751	
f	20-40 watt FTL rod	82	82	82	
g	20-40 watt FTL Copper chowk.	266	266	266	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	424	424	424	
i	Acrylic cover for 4*20 FTL	1019	1019	1019	
j	FTL starter	20	20	20	
k	8 W to 11W, C.F.L Direct fit	239	239	239	
l	13 to 22W, C.F.L Direct fit	308	308	308	
m	15-100 watt bulb. (IS1)	27	27	27	
n	PL-S 9W/86 (CFL)	170	170	170	
o	PL-S 11W/86 (CFL)	180	180	180	
p	PL-L 36W/86 (CFL)	430	430	430	
q	125W HPL-N (Mercury Vapour)	382	382	382	
r	250W HPL-N	902	902	902	
	Solar LED bulb				
s	12V/2W LED bulb	372	372	372	
t	12V/3W LED bulb	424	424	424	
u	12V/4W LED bulb	478	478	478	
22	22.1 COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked				
1	1/18 size p.v.c. insulated copper wire/ cable	976	976	976	
2	3/22 " " "	1167	1167	1167	
3	3/20 " " "	1857	1857	1857	
4	7/22 " " "	2600	2600	2600	
5	7/20 " " "	4244	4244	4244	
6	7/18 " " "	6684	6684	6684	
7	7/16 " " "	13792	13792	13792	
8	19/18 " " "	18566	18566	18566	

देवी रानी
अधिकारी

सि.नं	विवरण	गु.व.क. -VAT)वाहेक (रु.)	गु.व.क. -VAT)वाहेक (रु.)			वै.मि.व.व.
			मा.व २०७३/०७८	मा.म २०७८/०७९	मा.द २०७९/०८०	
10	2x20 " " "	1411	1411	1411		
11	2x22 " " "	955	955	955		
22.2	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
1	1.0 mm PVC insulated Copper wire	1051	1061	1061		
2	1.5 mm PVC insulated Copper wire	1697	1697	1697		
3	2.5 mm PVC insulated Copper wire	2494	2494	2494		
4	4.0 mm PVC insulated Copper wire	4031	4031	4031		
5	6.0 mm PVC insulated Copper wire	6365	6365	6365		
6	10.0mm PVC insulated Copper wire	10609	10609	10609		
23	Concentric cable NS marked Eqv.					
1	4mm size concentric cable	24	24	24		
2	6mm size " "	27	27	27		
3	10mm size concentric cable	40	40	40		
4	16mm size " "	69	69	69		
5	25mm size " "	92	92	92		
6	RG6 Coaxial cable	24	24	24		
7	RG59 Coaxial cable	27	27	27		
8	UTP cat -5 networking cable	27	27	27		
24	Telephone Drop wire/pair cable NS marked Eqv.					
1	² / ₂₀ Telephone drop wire	1019	1019	1019		
2	² / ₂₂ " " "	690	690	690		
3	2- pair cable wire (2x2x0.45) mm Heavy	14	14	14		
4	3- pair cable wire (3x2x0.45) mm Heavy	21	21	21		
5	5- pair cable wire (5x2x0.45) mm Heavy	33	33	33		
6	10- pair cable wire (10x2x0.45) mm Heavy	54	54	54		
7	15- pair cable wire (15x2x0.45) mm Heavy	94	94	94		
8	20- pair cable wire (20x2x0.45) mm Heavy	123	123	123		
9	1mm drop wire	10	10	10		
10	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand	7877	7877	7877		
11	2-6 Line EPABX " "	18963	18963	18963		
12	3-8 Line EPABX " "	21154	21154	21154		
13	4-12 Line EPABX " "	37928	37928	37928		
14	6-16 Line EPABX " "	51056	51056	51056		
15	8-24 Line EPABX " "	87524	87524	87524		
16	8-48 Line EPABX " "	93651	93651	93651		
17	8-72 Line EPABX " "	100207	100207	100207		
	Other Accessories					
1	6" size Dome light glass	67	67	67		
2	8" size " " "	70	78	78		
3	wall bracket glass	67	67	67		
4	Fan regulator	279	279	279		
25	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .)					
a	60/75/100 AMP, 9"x36"x48" size	22056	22056	22056		
b	60/75/100 AMP "12x36"x48" size	26258	26258	26258		
c	60/75/100 AMP 9"x48"x60" size	36761	36761	36761		
d	60/75/100 AMP 12"x49"x60" size	43763	43763	43763		
e	150/200 AMP 9"x36"x52" size	24507	24507	24507		
f	150/200 AMP 12"x38"x52" size	24507	24507	24507		

सि.नं. २५
अधिकारी

सि.नं		निर्माण सामग्रीहरूको विवरण	म.व.क. -VAT (बहेक (र.))			कैफियत
मन	सि.नं		एकाइ	श.व	मा.व	
			२०७९/०७८	२०७८/०७९	२०७९/०८०	
	h	150/200 AMP 12"x42"x56" size	२९०२४	२९०२४	२९०२४	
	i	250/300AMP 12"x48"x60"size	३५५४०	३५५४०	३५५४०	
	j	250/300AMP 12"x52"x62" size	३९७८५	३९७८५	३९७८५	
	k	400 AMP 12"x52"x66" size	४२३५२	४२३५२	४२३५२	
26		Panel Board measurement instrument				
	a	0-500 volt meter	१०५४	१०५४	१०५४	
	b	60/100 Amp meter	१००८	१००८	१००८	
	c	Panel Indicator	२४४	२४४	२४४	
	d	2 Amp glass fuse with holder 12 mm size	१३८	१३८	१३८	
	e	AMP meter selector switch	६६०	६६८	६६८	
	f	volt meter selector switch	७३२	७३२	७३२	
	g	60/100 Amp C.T. coil per set 3 Pcs	१४७५	१४७५	१४७५	
	h	150-200AMP C.T coil. 3 PC / Set	१८३५	१८३५	१८३५	
	i	250-300 AMP " " "	२४९४	२४९४	२४९४	
	j	400/500/600AMP " " "	३६६१	३६६१	३६६१	
	k	Kilo watt hour energy meter single phase	२३३९	२३३९	२३३९	
	l	Kilo watt hour energy meter 3 phase direct	१०५३५	१०५३५	१०५३५	
27		Trailing Protected Industrial Plug IP44				

RA M B BM 1-505



 सहायक जिला अभियन्ता
 भक्तपुर जिला

क्र.सं.	विवरण	मु.अ.क. -VAT)माहिक (रु.)			कीफियत
		आ.व २०७८/०७९	आ.व २०७९/०८०	आ.व २०७९/०८०	
28	a	16A 3P+E 400V Industrial plug	557	557	
	b	32 A 3p +N+E " Plug	827	827	
	c	32 A 3P+N+E water light Plug IP67	1591	1591	
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	21218	21218	21218
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	14322	14322	14322
29	CABLE SHOE				
	a	16 sq.mm cable shoe	66	66	66
	b	25 sq.mm " "	85	85	85
	c	35 sq.mm " "	66	66	66
	d	50 sq.mm " "	77	77	77
	e	70 sq.mm " "	95	95	95
	f	95 sq.mm " "	147	147	147
	g	150 sq.mm " "	221	221	221
	h	195 sq.mm " "	314	314	314
	i	250 sq.mm " "	500	500	500
30	Copper Conductor Armoured Power Cables NS marked or eqv.				
	a) 2 Core				
	1 1.5 mm2	106	106	106	
	2 2.5 mm2	143	143	143	
	3 4.0 mm2	197	197	197	
	4 6.0 mm2	254	254	254	
	5 10.0 mm2	382	382	382	
	6 16.0 mm2	509	509	509	
	7 25.0 mm2	743	743	743	
	8 35.0 mm2	987	987	987	
	9 50.0 mm2	1379	1379	1379	
	b) 3 Core				
	1 1.5 mm2	133	133	133	
	2 2.5 mm2	185	185	185	
	3 4.0 mm2	266	266	266	
	4 6.0 mm2	340	340	340	
	5 10.0 mm2	509	509	509	
	6 16.0 mm2	711	711	711	
	7 25.0 mm2	1083	1083	1083	
	8 35.0 mm2	1433	1433	1433	
	9 50.0 mm2 Copper Conductor Armoured	1963	1963	1963	
	10 70.0 mm2	2758	2758	2758	
	11 95.0 mm2	3713	3713	3713	
	12 120.0 mm2	4668	4668	4668	
	13 150.0 mm2	5729	5729	5729	
	c) 3.5 Core				
	1 25.0 mm2	1295	1295	1295	
	2 35.0 mm2	1645	1645	1645	
	3 50.0 mm2	2312	2312	2312	
	4 70.0 mm2	3183	3183	3183	
	5 95.0 mm2	4244	4244	4244	
	6 120.0 mm2	5570	5570	5570	
	7 150.0 mm2	6578	6578	6578	
	8 185.0 mm2	8169	8169	8169	
	9 240.0 mm2	10715	10715	10715	
	10 300.0 mm2	13580	13580	13580	

सि.सं. १०७९

सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.र. -VAT)वाटिक (रु.)			कैफियत
		एकरी	आ.व २०७८/०७९	आ.व २०७९/०८०	
11	400.0 mm ² d) 4 Core		17823	17823	
1	1.5 mm ²	र.मी	160	160	
2	2.5 mm ²	"	228	228	
3	4.0 mm ²	"	329	329	
4	6.0 mm ²	"	424	424	
5	10.0 mm ²	"	637	637	
6	16.0 mm ²	"	928	928	
7	25.0 mm ²	"	1379	1379	
8	35.0 mm ²	"	1857	1857	
9	50.0 mm ²	"	2652	2652	
10	70.0 mm ²	"	3607	3607	
11	95.0 mm ² Copper Conductor Armoured	"	4880	4880	
12	120.0 mm ²	"	6153	6153	
13	150.0 mm ²	"	7638	7638	
14	185.0 mm ²	"	9336	9336	
15	240.0 mm ²	"	12731	12731	
16	300.0 mm ²	"	15277	15277	
17	400.0 mm ²	"	20688	20688	
31	Copper Conductor Unarmoured Power Cables NS marked or Eqv.				
	a) 1-core				
1	10 sq. mm.	र.मी	44	44	
2	16 sq. mm.	"	67	67	
3	25 sq. mm.	"	78	78	
4	35 sq. mm.	"	94	94	
5	50 sq. mm.	"	125	125	
6	70 sq. mm.	"	163	163	
7	95 sq. mm.	"	220	220	
8	120 sq. mm.	"	268	268	
9	150 sq. mm.	"	317	317	
	b) 2- core				
1	1.5 sq. mm Copper Conductor Unarmoured	र.मी	74	74	
2	2.5 sq. mm	"	106	106	
3	4 sq. mm	"	148	148	
4	6 sq. mm	"	202	202	
5	10 sq. mm	"	318	318	
6	16 sq. mm	"	440	440	
7	25 sq. mm	"	679	679	
8	35 sq. mm	"	923	923	
9	50 sq. mm	"	1273	1273	
10	70 sq. mm	"	1273	1273	
11	95 sq. mm	"	2388	2388	
12	120 sq. mm	"	3130	3130	
13	150 sq. mm	"	3925	3925	
	c) 3-core				
1	1.5 sq. mm. 3- core copper conductor	र.मी	96	96	
2	2.5 sq. mm	"	138	138	
3	4 sq. mm	"	202	202	
4	6 sq. mm	"	286	286	
5	10 sq. mm	"	451	451	
6	16 sq. mm	"	658	658	
7	25 sq. mm	"	1008	1008	
8	35 sq. mm	"	1358	1358	
9	50 sq. mm	"	1910	1910	
10	70 sq. mm	"	2652	2652	
11	95 sq. mm	"	3607	3607	



क्र.सं.	विवरण	मु.अ.क. -VAT)नाहेक (रु.)			वैफियत
		आ.व २०७७/०७८	आ.व २०७८/०७९	आ.व २०७९/०८०	
13	150 sq.mm	5623	5623	5623	
	d) 3.5 core				
1	25 sq.mm	1241	1241	1241	
2	35 sq.mm Copper Conductor Unarmoured	1591	1591	1591	
3	50 sq.mm	2228	2228	2228	
4	70 sq.mm	3103	3103	3103	
5	95 sq.mm	4191	4191	4191	
6	120 sq.mm	5517	5517	5517	
7	150 sq.mm	6525	6525	6525	
	e) 4-core Copper Conductor Unarmoured				
1	1.5 sq.mm	116	116	116	
2	2.5 sq.mm	175	175	175	
3	4 sq.mm	260	260	260	
4	6 sq.mm	361	361	361	
5	10 sq.mm	573	573	573	
6	16 sq.mm	870	870	870	
7	25 sq.mm	1358	1358	1358	
8	35 sq.mm	1825	1825	1825	
9	50 sq.mm	2546	2546	2546	
10	70 sq.mm	3555	3555	3555	
11	95 sq.mm	4828	4828	4828	
12	120 sq.mm	6101	6101	6101	
13	150 sq.mm	7586	7586	7586	
14	185 sq.mm	9336	9336	9336	
15	240 Sq. mm	12625	12625	12625	
16	300 Sq. mm	15277	15277	15277	
17	400 Sq. mm	20688	20688	20688	
32	Aluminum conductor Armoured (Power) cable NS marked or eqv.				
	a) 2-core				
1	1.5 sq.mm	96	96	96	
2	2.5 sq.mm	122	122	122	
3	4 sq.mm	138	138	138	
4	6 sq.mm	165	165	165	
5	10 sq.mm	185	185	185	
6	16 sq.mm	222	222	222	
7	25 sq.mm	254	254	254	
8	35 sq.mm	329	329	329	
9	50 sq.mm	409	409	409	
10	70 sq.mm	520	520	520	
11	95 sq.mm				
	b) 3-core				
1	2.5 sq.mm. Aluminum conductor Armoured	111	111	111	
2	4 sq.mm	138	138	138	
3	6 sq.mm	153	153	153	
4	10 sq.mm	185	185	185	
5	16 sq.mm	212	212	212	
6	25 sq.mm Aluminum conductor Armoured	286	286	286	
7	35 sq.mm	345	345	345	
8	50 sq.mm	440	440	440	
9	70 sq.mm	557	557	557	
10	95 sq.mm	599	599	599	
11	120 sq.mm	859	859	859	
12	150 sq.mm	1034	1034	1034	
13	185 sq.mm	1273	1273	1273	
14	240 sq.mm	1559	1559	1559	

Handwritten signature or mark at the bottom right corner.

क्र.सं.	विवरण	मु.अ.क. -VAT)वालेक।र.)			कीफियत
		आ.र २०७७/०७८	आ.न २०७८/०७९	आ.व २०७९/०८०	
16	400 sq.mm	2388	2388	2388	
	c) 3.5 core				
1	25 sq.mm	329	329	329	
2	35 sq.mm	382	382	382	
3	50 sq.mm	504	504	504	
4	70 sq.mm	647	647	647	
5	95 sq.mm	827	827	827	
6	120 sq.mm Aluminum conductor Armoured	1008	1008	1008	
7	150 sq.mm	1209	1209	1209	
8	185 sq.mm	1464	1464	1464	
9	240 sq.mm	1825	1825	1825	
10	300 sq.mm	2281	2281	2281	
11	400 sq.mm	2864	2864	2864	
	d) 4-core				
1	2.5 sq.mm	128	128	128	
2	4 sq.mm	160	160	160	
3	6 sq.mm	185	185	185	
4	10 sq.mm	202	202	202	
5	16 sq.mm	260	260	260	
6	25 sq.mm	350	350	350	
7	35 sq.mm	414	414	414	
8	50 sq.mm	564	564	564	
9	70 sq.mm	721	721	721	
10	95 sq.mm	928	928	928	
11	120 sq.mm	1114	1114	1114	
12	150 sq.mm	1411	1411	1411	
13	185 sq.mm	1676	1676	1676	
14	240sq.mm	2100	2100	2100	
15	300 sq.mm Aluminum conductor Armoured	2600	2600	2600	
16	400sq.mm	3289	3289	3289	
33	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
	a) 1-core				
1	16 sq.mm	54	54	54	
2	25 sq.mm	74	74	74	
3	35 sq.mm	91	91	91	
4	50 sq.mm	116	116	116	
5	70 sq.mm	148	148	148	
6	95 sq.mm	202	202	202	
7	120 sq.mm	244	244	244	
8	150 sq.mm	403	403	403	
9	185 sq.mm	372	372	372	
10	240 sq.mm	456	456	456	
11	300 sq.mm	552	552	552	
	b) 2-core Aluminium conductor unarmoured				
1	2.5 sq.mm	54	54	54	
2	4 sq.mm	64	64	64	
3	6 sq.mm	79	79	79	
4	10 sq.mm	101	101	101	
5	16 sq.mm	106	106	106	
6	25 sq.mm	148	148	148	
7	35 sq.mm	191	191	191	
8	50 sq.mm	244	244	244	
9	70 sq.mm	308	308	308	
10	95 sq.mm 2 core	414	414	414	
	c) 3-core				
1	2.5 sq.mm	64	64	64	

सि.नं	सय मि.व	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. -VAT)वाटिक (रु.)			कैफियत
				आ.र २०७७/०७८	आ.व २०७८/०७९	आ.व २०७९/०८०	
3		6 sq.mm		91	91	91	
4		10 sq.mm		128	128	128	

BD

MA

MB

Bel

कृष्ण देव

श्री = 128

Sam
समान्ती रानी
प्रमुख जिल्ला अधिकारी

सि.नं	विवरण	एकक	मु.अ.क. -VAT (वाहेक (रु.)			नो.भंगत
			शा.न २०७७/०७८	आ.न २०७८/०७९	आ.न २०७९/०८०	
5	16 sq.mm		148	148	148	
6	25 sq.mm		212	212	212	
7	35 sq.mm		266	266	266	
8	50 sq.mm		350	350	350	
9	70 sq.mm		467	467	467	
10	95 sq.mm		615	615	615	
11	120 sq.mm		764	764	764	
12	150 sq.mm		913	913	913	
13	185 sq.mm		1145	1145	1145	
14	240 sq.mm		1421	1421	1421	
15	300 sq.mm Aluminium conductor unarmoured		1804	1804	1804	
	d) 3.5-core					
1	25 sq.mm	र.मी	266	266	266	
2	35 sq.mm	"	318	318	318	
3	50 sq.mm	"	424	424	424	
4	70 sq.mm	"	584	584	584	
5	95 sq.mm	"	764	764	764	
6	120 sq.mm	"	955	955	955	
7	150 sq.mm	"	1145	1145	1145	
8	185 sq.mm	"	1433	1433	1433	
9	240 sq.mm	"	1804	1804	1804	
10	300 sq.mm	"	2228	2228	2228	
	e) 4-core core aluminium unarmoured					
1	2.5 sq.mm	र.मी	74	74	74	
2	4 sq.mm	"	84	84	84	
3	6 sq.mm	"	101	101	101	
4	10 sq.mm	"	138	138	138	
5	16 sq.mm	र.मी	202	202	202	
6	25 sq.mm	"	297	297	297	
7	35 sq.mm	"	361	361	361	
8	50 sq.mm	"	499	499	499	
9	70 sq.mm 4	"	658	658	658	
10	95 sq.mm	"	870	870	870	
11	120 sq.mm	"	1061	1061	1061	
12	150 sq.mm	"	1327	1327	1327	
13	185 sq.mm	"	1645	1645	1645	
14	240 sq.mm	"	2069	2069	2069	
15	300 sq.mm	"	2546	2546	2546	
34	Security Gate System					
	Metal Detector					
a	Air Conditioning system	रोटा	17505	17505	17505	
i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट				
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट				
	Air Conditioning system	सेट				
i	0.75 TR capacity Wall Mounted split type Air Conditioning system					
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट				
iii	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट				
iv	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट				
	Air Conditioning system	सेट				
v	0.75 TR capacity Wall Mounted split type Air					
vi	1.0 TR capacity Wall Mounted split type Air	सेट				
vii	1.5 TR capacity Wall Mounted split type Air	सेट				
viii	2.0 TR capacity Wall Mounted split type Air	सेट				

राम
शिकारी

सि.नं	विभाग लागानीहरूको विवरण	मा.न	मु.म.क. -VAT)वाहेक (रु.)			रेफिटर
			मा.व	मा.व	मा.व	
सि.नं		२०७७/०७८	२०७८/०७९	२०७९/०८०		
36	General Lightig					
i	1 x 40 W FTL Patti fitting	सेट	260	260	260	
ii	1 x 20 W FTL Patti fitting	सेट	239	239	239	
iii	1 x 40 W FTL Box Fitting	सेट	440	440	440	
iv	1 x 20 W FTL Box fitting	सेट	430	430	430	
v	Ø11W Mini mirror light with electronic Blast	सेट	366	366	366	
	suitable for PL lamp	सेट				
	PVC Conduit					
	RK Range					
1	16 mm medium rigid conduit DX 25 316	Mtr.	91	91	91	
2	20 mm medium rigid conduit DX 25 320	"	128	128	128	
3	25 mm medium rigid conduit DX 25 325	"	180	180	180	
4	32 mm medium rigid conduit DX 25 332	"	260	260	260	
5	40 mm medium rigid conduit DX 25 340	"	355	355	355	
6	50 mm medium rigid conduit DX 25 350	"	546	546	546	
7	63 mm medium rigid conduit DX 25 363	"	1029	1029	1029	
8	16 mm heavy rigid conduit DX 25 716	"	170	170	170	
9	20 mm heavy rigid conduit DX 25 720	"	222	222	222	
10	25 mm heavy rigid conduit DX 25 725	"	297	297	297	
11	32 mm heavy rigid conduit DX 25 732	"	446	446	446	
12	40 mm heavy rigid conduit DX 25 740	"	605	605	605	
13	50 mm heavy rigid conduit DX 25 750	"	817	817	817	
14	63 mm heavy rigid conduit DX 25 763	"	1533	1533	1533	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	202	202	202	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	254	254	254	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	387	387	387	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	642	642	642	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	769	769	769	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	992	992	992	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1236	1236	1236	
22	16 mm shockproof polymer saddle collar clip GW 50 605	"	32	32	32	
23	20 mm shockproof polymer saddle collar clip GW 50 606	"	37	37	37	
24	25 mm shockproof polymer saddle collar clip GW 50 607	"	42	42	42	
25	32 mm shockproof polymer saddle collar clip GW 50 608	"	64	64	64	
26	40 mm shockproof polymer saddle collar clip GW 50 630	"	101	101	101	
27	50 mm shockproof polymer saddle collar clip GW 50 631	"	122	122	122	
28	16 mm conduit coupler DX 40 016	"	37	37	37	
29	20 mm conduit coupler DX 40 020	"	47	47	47	
30	25 mm conduit coupler DX 40 025	"	59	59	59	
31	32 mm conduit coupler DX 40 032	"	106	106	106	
32	40 mm conduit coupler DX 40 040	"	143	143	143	
33	50 mm conduit coupler DX 40 050	"	249	249	249	
34	63 mm conduit coupler DX 40 063	"	472	472	472	
35	16 mm light bend DX 40 116	"	59	59	59	
36	20 mm light bend DX 40 120	"	84	84	84	
37	25 mm light bend DX 40 125	"	133	133	133	
38	32 mm light bend DX 40 132	"	244	244	244	
39	40 mm light bend DX 40 140	"	345	345	345	
40	50 mm light bend DX 40 150	"	621	621	621	
41	63 mm light bend DX 40 163	"	2430	2430	2430	

सि.नं	संघ सि.नं	निर्माण सामग्रीहरूको विवरण	शु.म.फ. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७७/०७८	आ.व २०७८/०७९	आ.व २०७९/०८०	
43		7 way junction box DX 45 007	827	827	827	
44		10 way junction box DX 45 010	1051	1051	1051	
45		Closing cap for junction box DX 47 000	122	122	122	
46		16 mm inspectionable T bend DX 40216	122	122	122	
47		20 mm inspectionable T bend DX 40220	153	153	153	
48		25 mm inspectionable T bend DX 40225	202	202	202	
49		32 mm inspectionable T bend DX 40232	244	244	244	
50		16 mm inspectionable bend DX 40 316	101	101	101	
51		20 mm inspectionable bend DX 40 320	122	122	122	
52		25 mm inspectionable bend DX 40 325	160	160	160	
53		32 mm inspectionable bend DX 40 332	191	191	191	
38		Cable Tray with Cover and Accessories				
1		65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Fl. 844	844	844	
2		95X35 mm2 hot deep galvanised steel cable tray MV 40 101	1002	1002	1002	
3		125X35 mm2 hot deep galvanised steel cable tray MV 40 102	1209	1209	1209	
4		155X35 mm2 hot deep galvanised steel cable tray MV 40 103	1358	1358	1358	
5		185X35 mm2 hot deep galvanised steel cable tray MV 40 104	1586	1586	1586	
6		215X35 mm2 hot deep galvanised steel cable tray MV 40 105	1761	1761	1761	
7		245X35 mm2 hot deep galvanised steel cable tray MV 40 106	2201	2201	2201	
8		305X35 mm2 hot deep galvanised steel cable tray MV 40 108	2588	2588	2588	
9		365X35 mm2 hot deep galvanised steel cable tray MV 40 110	3183	3183	3183	
10		395X35 mm2 hot deep galvanised steel cable tray MV 40 111	3379	3379	3379	
11		65X50 mm2 hot deep galvanised steel cable tray MV 40 120	1014	1014	1014	
12		95X50 mm2 hot deep galvanised steel cable tray MV 40 121	1214	1214	1214	
13		125X50 mm2 hot deep galvanised steel cable tray MV 40 122	1337	1337	1337	
14		155X50 mm2 hot deep galvanised steel cable tray MV 40 123	1512	1512	1512	
15		185X50 mm2 hot deep galvanised steel cable tray MV 40 124	1713	1713	1713	
16		215X50 mm2 hot deep galvanised steel cable tray MV 40 125	1915	1915	1915	
17		245X50 mm2 hot deep galvanised steel cable tray MV 40 126	2344	2344	2344	
18		305X50 mm2 hot deep galvanised steel cable tray MV 40 128	2737	2737	2737	
19		365X50 mm2 hot deep galvanised steel cable tray MV 40 130	3560	3560	3560	
20		395X50 mm2 hot deep galvanised steel cable tray MV 40 131	3861	3861	3861	
21		515X50 mm2 hot deep galvanised steel cable tray MV 40 135	4722	4722	4722	
22		95X65 mm2 hot deep galvanised steel cable tray MV 40 141	1352	1352	1352	
23		215X65 mm2 hot deep galvanised steel cable tray MV 40 145	2186	2186	2186	
24		305X65 mm2 hot deep galvanised steel cable tray MV 40 148	2864	2864	2864	
25		395X65 mm2 hot deep galvanised steel cable tray MV 40 151	3968	3968	3968	
26		515X65 mm2 hot deep galvanised steel cable tray MV 40 155	4981	4981	4981	
27		605X65 mm2 hot deep galvanised steel cable tray MV 40 157	5612	5612	5612	
28		125X80 mm2 hot deep galvanised steel cable tray MV 40 162	1539	1539	1539	

शु.म.फ. वाहेक
रु.मा

सि.नं	क्रम सि.नं	निर्माण सामग्रीहरूको विवरण	मु.य.क. -VAT (रु.)			कीफियत
			मा.न २०७७/०७८	वा.व २०७८/०७९	अ.व २०७९/०८०	
	29	215X80 mm ² hot deep galvanised steel cable tray MV 40 165	2339	2339	2339	
	30	305X80 mm ² hot deep galvanised steel cable tray MV 40 168	2971	2971	2971	
	31	385X80 mm ² hot deep galvanised steel cable tray MV 40 171	4276	4276	4276	
	32	515X80 mm ² hot deep galvanised steel cable tray MV 40 175	5166	5166	5166	
		Intrusion Detection System Make Honeywell or equivalent				
		Main Controller				
39	i	CONTROL FIRE/BURG Smoke & Heat Detector	सेट	40017	40017	40017
	ii	Wireless Smoke and Heat Detector	सेट	10861	10861	10861
		Door Contact				
	iii	Wireless Door Contact with transmitter	सेट	2758	2758	2758
		Motion Detector				
	iv	Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4303	4303	4303
		Panic Switch				
	v	Wireless Panic Transmitter	सेट	5069	5069	5069
		Key				
	vi	Wireless Key to Arm and Disarm the System	सेट	4923	4923	4923
		Window Contact				
	vii	Wired door Contact with transmitter slim	सेट	2896	2896	2896
		Earth Quake Detector				
			Quake Alarm	सेट	3709	3709
		Automatic Motor Operator for water motor				
	i	Up to 1/2 HP single phase motor	सेट	4244	4244	4244
	ii	Up to 1 HP single phase motor	सेट	5835	5835	5835
	iii	Up to 5 HP three phase motor	सेट	9548	9548	9548
		CCTV System				
40	a	Out door high speed Dome Integrated CAMERA Multi Protocol, 480 TVL, 128 preset points, automatic surveillance, 360 degrees horizontal rotation, AC 240V power supply, integrated heating system, highest angle speed 360 degree/ sec, weather resistance, water resistance, robust type.				
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom				
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58350	58350	58350
	b	Indoor high speed Dome Integrated CAMERA	सेट	60683	60683	60683
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom				
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56016	56016	56016
	c	Box camera with adaptor, IR view distance 25mm Mirror shutter; with mirror image switchable, white balance; auto, Horizontal resolution: 480 TV line, system signal: NTSC/PAL, Blacklight compression ON/OFF (Switchable), AGC: ON/OFF	सेट	58350	58350	58350
	d	7" Spherical Shilded with bracket included chip excluded Camera	सेट	15914	15914	15914
	e	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB 2.0 Interface, Hard Disc > 200G, Multi-Record, Motion Detector Function, Remote Control		8615	8615	8615
		ii) 16 Channel Alarm input, 16 Channel Record 8 channel Alarm output, Internate Explore, MPG-4 Record	सेट	35010	35010	35010
	f	17" LCD Monitor	सेट	52515	52515	52515

२०७९
२०८०

क्र.सं.	विवरण	एकक	मु.अ.क. -VAT)भाहेक (रु.)			कीफियत
			आ.व २०७३/०७८	आ.व २०७८/०७९	आ.व २०७९/०८०	
i	Earthing Materials (ISI) or other International Standard)					
a	6 mm thick 600mmx 600 mm G.I. Plate	कि.ग्रा.				
c	Fimneling Mechanism with cover (mild steel)	No./Set	2914	2914	2914	
d	3.2 mm thick 600mmx 600 mm Copper Plate	Set	637	637	637	
e	Copper wire (10 SWG)	No.	9603	9603	9603	
ii	Service wire (Al)	Mtr.	160	160	160	
a	2.5 mm ²	Mtr.	19	19	19	
b	4.0 mm ²	"	23	23	23	
c	6.0 mm ²	"	29	29	29	
iii	Lightening Arrestor for 3 Phase					
a	0.5 KV	Set	1273	1273	1273	
b	11 KV	Set	4456	4456	4456	
c	Cross Arms V Channel.	No	3183	3183	3183	
iv	Stay set with accessories.					
a	GI wire	No	1217	1217	1217	
b	GI Plate	"	1221	1221	1221	
c	Gay Insulator,	"	58	58	58	
d	Elbow	"	106	106	106	
e	Rod, Nut	No	458	458	458	
f	Grip	"	50	50	50	
v	Overhead Insulators (0.4KV)					
a	Sackle Insulator					
b	D-Iron	No	32	32	32	
c	Nut Bolt (3" with 8 mm Ø)	"	96	96	96	
d	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	15	15	15	
vi	Overhead Insulators with fixing accessories (11KV)	"	24	24	24	
a	Pin Insulator					
b	Disc Insulator	No	191	191	191	
c	Cross Arms V Channel.	"	1019	1019	1019	
vii	Squirrel ACSR conductor 20mm ²	"	2801	2801	2801	
viii	weasel ACSR conductor 30 mm ²	Rm.	18	18	18	
ix	Rabbit ACSR conductor 50 mm ²	"	26	26	26	
x	Dog ACSR conductor 100 mm ²	"	42	42	42	
xi	Supply of aluminium ABC cable	"	84	84	84	
	25mm square 4 core ABC cable					
	50 mm square 4 core ABC cable	Rm.	160	160	160	
	95 mm square 4 core ABC cable	"	266	266	266	
xii	Alternator 3 Phase Brush less with compounded Excitation (KEL)	"	520	520	520	
42 C	AMF with ATS palel					
i	5KVA AMF with ATS palel	set	23340	23340	23340	
ii	7.5KVA AMF with ATS palel	"	29705	29705	29705	
iii	10KVA AMF with ATS palel	"	37132	37132	37132	
iv	15KVA AMF with ATS palel	"	47741	47741	47741	
v	20KVA AMF with ATS palel	"	68959	68959	68959	
vi	25KVA AMF with ATS palel	"	79568	79568	79568	
vii	30KVA AMF with ATS palel	"	95481	95481	95481	
53	MCB/ISOLATOR					
	B CURVE MCB SP 6A-32A					
	B CURVE MCB SP 40A	pole	246	246	246	
	B CURVE MCB SP 50A-63A	pole	289	289	289	
	C CURVE MCB SP 0.5-4A	pole	289	289	289	
	C CURVE MCB SP 6-32A	pole	289	289	289	
	C CURVE MCB SP 40A	pole	246	246	246	
	C CURVE MCB SP 50-63A	pole	459	459	459	
	C CURVE MCB SPN 0.5-4A	pole	459	459	459	
	C CURVE MCB SPN 6-32A	pole	493	493	493	

श.नं	सं.पिन	निर्माण सामग्रीहरूको विवरण	एकाइ	मू.व.फ. -VAT)वाहेक (र.)			वैकल्प
				मा.व २०७८/०७९	मा.व २०७९/०८०	मा.व २०७९/०८०	
		C CURVE MCB SPN 50-63A	pole	578	578	578	
		C CURVE MCB DP 0.5-4A	pole	578	578	578	
		C CURVE MCB DP 6-32A	pole	636	636	636	
		C CURVE MCB DP 40A	pole	581	581	581	
		C CURVE MCB DP 50-63A	pole	636	636	636	
		C CURVE MCB TP 0.5-1A	pole	636	636	636	
		C CURVE MCB TP 6-32A	pole	953	953	953	
		C CURVE MCB TP 40A	pole	872	872	872	
		C CURVE MCB TP 50-63A	pole	953	953	953	
		C CURVE MCB TPN 0.5-1A	pole	953	953	953	
		C CURVE MCB TPN 6-32A	pole	1242	1242	1242	
		C CURVE MCB TPN 40A	pole	1136	1136	1136	
		C CURVE MCB TPN 50-63A	pole	1242	1242	1242	
		C CURVE MCB FP 0.5-4A	pole	1242	1242	1242	
		C CURVE MCB FP 6-32A	pole	1329	1329	1329	
		C CURVE MCB FP 40A	pole	1215	1215	1215	
		C CURVE MCB FP 50-63A	pole	1329	1329	1329	
		ISOLATOR DP 40A	pole	1329	1329	1329	
		ISOLATOR DP 63A	pole	568	568	568	
		ISOLATOR DP 80-100A	pole	568	568	568	
		ISOLATOR DP 125A	pole	593	593	593	
		ISOLATOR FP 40A	pole	629	629	629	
		ISOLATOR FP 63A	pole	929	929	929	
		ISOLATOR FP 80-100A	pole	929	929	929	
		ISOLATOR FP 125A	pole	1028	1028	1028	
		RCCB DP 25A 30mA	pole	1028	1028	1028	
		RCCB DP 40A 30mA	pole	3653	3653	3653	
		RCCB DP 63A 30mA	pole	3653	3653	3653	
		RCCB DP 25A 100mA	pole	3653	3653	3653	
		RCCB DP 40A 100mA	pole	3445	3445	3445	
		RCCB DP 63A 100mA	pole	3445	3445	3445	
		RCCB DP 25A 300mA	pole	3445	3445	3445	
		RCCB DP 40A 300mA	pole	3445	3445	3445	
		RCCB DP 63A 300mA	pole	3445	3445	3445	
		RCCB FP 25A 30mA	pole	3445	3445	3445	
		RCCB FP 40A 30mA	pole	4280	4280	4280	
		RCCB FP 63A 30mA	pole	4280	4280	4280	
		RCCB FP 25A 100mA	pole	4280	4280	4280	
		RCCB FP 40A 100mA	pole	4124	4124	4124	
		RCCB FP 63A 100mA	pole	4124	4124	4124	
		RCCB FP 25A 300mA	pole	4124	4124	4124	
		RCCB FP 40A 300mA	pole	4124	4124	4124	
		RCCB FP 63A 300mA	pole	4124	4124	4124	

80 MX 3B, Bet, 1st

[Handwritten Signature]

[Handwritten Signature]

[Handwritten Signature]

रमेश्वरी शर्मा
प्रमुख जिल्ला अधिकारी