




जिल्ला दर(रेट) निर्धारण समिति  
भक्तपुर



ज्याला, ढुवानी तथा निर्माण सामग्रीहरुको दर(रेट)  
आ.ब.०७६।०७७

स्वीकृत मिति २०७६।०३।३०

आज मिति २०६६ साल असार ३० गतेका दिन मस जिस्वाथ प्रमुख जिल्वा आधिकारी श्री बारामठा प्रसाद भट्ट ज्यूको अध्यक्षतामा भक्तपुर जिल्वाडा लागि आ.व. २०६६/०६६ डा लागि जिस्वा बरेट निर्धारण गर्ने सम्बन्धमा सर्वज्ञविष खरिद विधमावली २०६४ को - नियम १४८ उपनियम (१) बमोजिम गठित जिस्वा बरेट निर्धारण - समितिडा बैठक देहायका पदाधिकारीहरूको उपस्थितिमा वसी बिनाकुसल विवाधे गरियो ।

उपस्थिति


- १) प्र. जि. अ. श्री बारामठा प्रसाद भट्ट - अध्यक्ष
- २) जि. स. स. सदस्य श्री राम ठामजु - सदस्य
- ३) जि. स. आधिकारी श्री कृष्ण प्रसाद धितास - सदस्य
- ४) प्र. डी. बि. श्री रेशम कुमार् खत्री - सदस्य
- ५) अध्यक्ष, नि. व. संघ, श्री बिज्जव बजगाई - " प्रति २
- ६) प्रतिनिधि, उ. वा. संघ, श्री सञ्जय जोषी - " प्रति २
- ७) ईन्जिनियर, श्री डी. सिंह खत्री - सदस्य-साथी

उपस्थित:

- उप निपन्त्र श्री सितावत विर्ता, ओ. वं. वि. डा. ...  
 स. प्र. जि. भ. श्री दिलिप प्रसाद त्रामिहाने  
 प्रमुख मात्वपोत अधिकारी, श्री दिपक अरराव  
 प्र. ना. अ. श्री बालेन्दु कुमार् किवट  
 प्रमुख, पुननिर्माण प्राङ्गण, ध्रुव गैडा  
 ईन्जिनियर, सुरज श्रेष्ठ  
 ईन्जिनियर, विडा त्वाका  
 ईन्जिनियर, सतिता उपाध्याय  
 ईन्जिनियर, अजय गेवाला
- श्रीनिधर शोभ प्रसाद शर्मा - सि. व. वि. ...  
 गेल कहर भुजेल, डि. प्र. उ. वि. ...  
 साथै ...  
 व. वा. श्री भीम व. वि. उ.

निर्णय नं. १ : श्रमिकको ज्यालादर सम्बन्धी श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला पक्षहरुसँगको परामर्श, नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, श्रमिकहरुको उपलब्धता र समयसापेक्षताको आधारमा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी गत आ.व.२०७५/७६ मा कायम गरिएको ज्यालादरलाई संशोधन गरी चालु आ.व. २०७६/७७ का लागि भक्तपुर जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर प्रतिदिन (रु.)			कैफियत
			आ.व.			
			०७५/७६	०७५/७६	०७६/७७	
१	अदक्ष श्रमिक (ज्यामी)	जवान	६७०	७३५	८१०	
२	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदी)	"	९१०	१०००	११००	
३	अर्धदक्ष ( डकर्मी, सिकर्मी, नकर्मी ) चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदी)	"	७५०	८२५	९१०	
४	इन्जिनियर सुपरभाइजर	"	१०८०	११५५	१२७०	
५	सब इन्जिनियर, (डाफ्ट मेन, अमिन, इलेक्ट्रीसियन, सर्भेयर आदी)	"	९१०	९७०	१०६५	
६	सिनियर टाईपिष्ट/कम्प्युटर अपरेटर, अवाल आदी)	"	८८०	९४०	१०३५	
७	ल्याव टेक्सिसियन, जुनियर टाईपिष्ट/कम्प्युटर अपरेटर, सिनियर सुपरभाइजर, ढल सफा गर्ने कामदार आदी)	"	८००	८५५	९४०	
८	असिस्टेण्ट सब इन्जिनियर, डाफ्टमेन, अमिन आदि	"	७५०	८००	८८०	
९	हेभी इक्युपमेण्ट डोजर, एक्सक्याभेटर, रोलर, ग्रेडर अपरेटर आदि	"	९८०	१०७५	११८०	
१०	मेकानिक्स, हेभी भेहिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेसिन अपरेटर ल्याव असिस्टेण्ट आदि	"	७००	७७०	८४५	
११	भरिया (४० के.जी. तौल सम्म)	"	६७०	७३५	८१०	
१२	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार) आदी	"	६७०	७१५	७९०	
१३	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरिटी गार्ड, नाइट वाचमेन, रोड लेन्य वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेण्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.ई. ई. उत्तीर्ण वा सो सरह) आदी	"	६१०	६७०	७४०	
१४	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेरालु, चौकिदार आदी	"	५६०	६१५	६७५	
	सडकको कामको लागि					
१५	पिच स्प्रेयर, पिच व्यायलर	"	६९०	७५५	८३०	
१६	प्याच वर्कर (दिउँसो को समयमा काम गर्ने)	"	६७०	७३५	८१०	

सुनु  
  
 १


सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर प्रतिदिन (रु.)			कैफियत
			आ.व.			
			०७४/७५	०७५/७६	०७६/७७	
१७	प्याच वर्कर (दिउँसो को समयमा काम गर्ने) सुपरभाइजर सरह	"	७००	७७०	८५०	
१८	प्याच वर्कर (रात्री समयमा काम गर्ने)	"	८९०	९७५	१०७५	
१९	प्याच वर्कर (रात्री समयमा काम गर्ने) सुपरभाइजर सरह	"	९२०	१०१०	१११०	

नोट :-

सिनियर- : S.E.E.E वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविणता प्रमाणतह उत्तिर्ण ।

जूनियर :- S.E.E.E वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा अनुभव प्राप्त ।

माथि निर्णय नं. १ मा उल्लेख नभएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।



निर्णय नं. २ ढुवानी सम्बन्धी : यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी चालु आ.व.०७६।०७७ का लागि निम्न अनुसारको दर निर्धारण गर्ने निर्णय गरियो ।

सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७४।७५	०७५।७६	०७६।७७	
१.०	सजिलो सामान (जस्तै: सिमेन्ट, बालुवा, रोडा, दाउरा, रासायनिक मल, खाद्यान्न, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३०.५०	३२.००	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४२.५०	४४.६०	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३४.००	३५.७०	३७.४९	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४६.००	४८.३०	५०.७२	
१.५	ट्रकबाट/मिनी ट्रकबाट पीच बाटोमा ढुवानी गर्ने । (२० कि.मी भन्दा बढी)	टन/कि.मी.	१६.६०	१७.४०	१८.२७	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	२.८०	२.९०	३.०५	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधी, काठ, कृषिजन्य, फलफूलको विरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४३.५०	४५.६५	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५०.००	५२.५०	५५.१३	
२.३	ट्याक्टर / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५०.००	५२.५०	५५.१३	
२.४	ट्याक्टर / मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५४.५०	५७.२०	६०.०६	
२.५	ट्रकबाट / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	२४.९०	२६.१५	२७.४६	
२.६	भरिया बाट (पैदल) सामान ढुवानी	के.जी./कि. मी.	३.७०	३.८५	४.०४	

*(Handwritten signatures and marks)*


सि. नं.	दुवानी सम्बन्धि विवरण	एकाई	दुवानी दर (रु)			कैफियत
			आ.व.			
			०७४।७५	०७५।७६	०७६।७७	
३	अति असजिलो सामान जस्तै: (जी. आई. पाईप, काँडेतार, फलामे छड, ईलेक्ट्रोमेकानिकल सामान, ३.८ मिटर सम्म लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि. एस. सी. पोल, आदि)					
३.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६१.००	६४.०५	६७.२५	
३.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	७३.५०	७७.१५	८१.०१	
३.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६७.५०	७०.८५	७४.३९	
३.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८०.००	८४.००	८८.२०	
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने ( २० कि.मी. भन्दा बढी)	टन/कि.मी.	३३.२०	३४.८५	३६.५९	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति क्वी.	१०.००	१०.५०	१०.६१	
४.२	असजिलो सामान	प्रति क्वी.	१२.५०	१३.१०	१३.२३	
४.३	अति-असजिलो सामान	प्रति क्वी.	१५.००	१५.७५	१५.९१	
५	अनलोड (उतार्ने)	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	१०.००	१०.५०	१०.६१	
५.२	असजिलो सामान	प्रति क्वी.	१२.५०	१३.१०	१३.२३	
५.३	अति-असजिलो सामान	प्रति क्वी.	१५.००	१५.७५	१५.९१	
६	ह्युम पाईपको दुवानी भाडादर सम्बन्धि (पाइप मूल्यको आधारमा)					
६.१	पहिलो दश कि.मी. सम्म	पाईपको मूल्यको प्रतिशत	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखि माथि २०(बीस) कि.मी सम्म	पाईपको मूल्यको प्रतिशत	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी देखि माथि	पाईपको मूल्यको प्रतिशत	१८.००	१८.००	१८.००	

नोट: माथि निर्णय नं. २ मा उल्लेख नभएको दुवानी दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट दुवानी दर तय गर्न सकिनेछ ।

*(Handwritten signatures and marks)*

निर्णय नं. ३ : मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि:

(क) मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदि यान्त्रिक उपकरणको भाडा दर (रेट) सडक विभाग, हेभी ईक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर कायम गर्ने निर्णय गरियो । (Website of Heavy Equipment Division - [www.dor.gov.np](http://www.dor.gov.np))

The image shows several handwritten signatures and initials in black ink. On the left, there is a signature that appears to be 'Sankar' with a double underline. In the center, there is a signature that looks like 'Mey' with a double underline. On the right, there is a signature that looks like 'Sankar' with a double underline. Above these signatures, there are several smaller initials and marks, including a checkmark-like symbol and some scribbles.

निर्णय नं. ४ : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण सम्बन्धमा : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर (रेट) कायम गर्ने निर्णय गरियो ।

सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७४/०७५ को दर रु.	आ.व. २०७५/०७६ को दर रु.	आ.व. २०७६/०७७ को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	१२६७००	१३९३१००	१३९३१००	
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	१६२९१००	१७९९१००	१७९९१००	
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	१८१११००	१९९२१००	१९९२१००	
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./ आर.सि.सि. ।	ब.फि.	१९०६१००	२०९६१००	२०९६१००	
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा वज्रको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	१८५९१००	२०४४१००	२०४४१००	
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा वज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	२०२२१००	२२२४१००	२२२४१००	
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा वज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./ आर.सि.सि. ।	ब.फि.	२१०५१००	२३१५१००	२३१५१००	
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	२०३८१००	२२४११००	२२४११००	
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./आर.सि.सि. ।	ब.फि.	२११०१००	२३२११००	२३२११००	
१०	आर.सि.सि.फ्रेम स्टक्चर भवन ।	ब.फि.	२२२९१००	२४५११००	२४५११००	
११	काठैकाठको भवन भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फि.	१९५०१००	२१४५१००	२१४५१००	

नोट: भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडान बारे बर्गीकरण

क) भवनको भित्र Wall Putty गरी इमलसन पेन्टिङ गरेको ।

ख) भवनको बाहिर Weather Coat painting भएको ।



सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७४/०७५ को दर रु.	आ.व. २०७५/०७६ को दर रु.	आ.व. २०७६/०७७ को दर रु.	कैफियत
--------	------------------	------	-------------------------------	-------------------------------	-------------------------------	--------

- ग) Lift जडान भएको ।  
 घ) विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।  
 ङ) प्यासेज, भरयाङ्गमा मार्बल/पार्केटिङ्ग भएको ।  
 च) शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ्ग उच्चस्तरीय प्रयोग भएको ।  
 छ) अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।  
 ज) बेसमेण्टमा (Basement) पार्किङ्ग सुविधा भएको ।  
 झ) Raft foundation भएको ।

उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

- अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।  
 आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।  
 इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायो र वायो निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हांगा फाटेका सडकको दायो र वायो निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

**मुख्य सडकहरू :**

- १) मनोहरा पुल (जडीवुटी)- ठिमी-सुर्यविनायक जगाती सम्म (अरनिको लोकमार्ग) सडक ।
- २) सल्लाघारी-सुर्यविनायकसम्म (काठमाण्डौ-नगरकोट) सडक ।
- ३) सल्लाघारी-भक्तपुर अस्पताल-दरवार स्वायर सडक ।
- ४) भक्तपुर क्याम्पस-भार्वाचो-तौमढी-सुकुलढोका-दत्रात्रय-च्यामासिंह सडक ।
- ५) जगाती-कमलविनायक सडक ।
- ६) दक्षिण बाराही मन्दिर- शंखधर चौक-पुरानोवाटो बाहाखा बजार-बोडे चार दोवाटो सम्म सडक ।
- ७) जडिबुटी - बाहाखा बजार- सल्लाघारी सडक ।
- ८) दरवार स्वायर-तौमढी-सुर्य विनायक बस स्टप-सुर्य विनायक गणेश धान सडक ।

द्विस्तव्य: आ.व.२०७६/०७७ लाई गत आ.व.को दररेट लिइने र नेपाल सरकार शहरी विकास मन्त्रालय भवन डिभिजन कार्यालयबाट रेट निर्धारण भएको खण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।

*(Handwritten signatures and marks)*

निर्णय नं. ५: वायो-इन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७	
१	हेज ८ इन्च पोली	गोटा	५५.००	५५.००	५५.००	
२	कार्पेट दुबो	व.फि	३०.००	३३.००	३३.००	
३	कार्पेट दुबोको लागि टाप्ने कार्य ज्याला	व.फि	२०.००	२२.००	२२.००	
४	निगालो (जरा सहित)	गोटा	१२.००	१२.००	१२.००	
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	५.००	६.००	६.००	
६	गोठे मल तयारी	के.जी.	३.००	४.००	४.००	
७	डाले घाँसको विरुवा	गोटा	११.००	११.००	११.००	
८	मोलाटो विरुवा	गोटा	२.००	२.००	२.००	
	जुटको डोरी	के.जी.	२५०.००	२७५.००	२७५.००	
९	नरिबल डोरी	के.जी.	१२०.००	१३२.००	१३२.००	
१०	नाइलन डोरी	के.जी.	२५०.००	२७५.००	२७५.००	
११	लौड सल्ला नेपाली	गोटा	७०.००	७७.००	७७.००	
१२	लौठ सल्ला अमेरिकन	गोटा	१३२.००	१३२.००	१३२.००	
१३	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२२०.००	२२०.००	२२०.००	
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु					
१	पोलिथीन टयुब ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	३२५.००	३५०.००	३५०.००	
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा		१४०.००	१४०.००	
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा		१५५.००	१५५.००	
४	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा		२४०.००	२४०.००	
५	गोलिया काठ लोड	क्यू.फि.		३०.००	३०.००	
६	गोलिया काठ अनलोन	क्यू.फि.		२०.००	२०.००	
७	दाउरा संकलन , ढुवानी चट्टा निर्माण (२० फि.* ५ फि. ८ ५ फि)	चट्टा				
८	दाउरा लोड	चट्टा		४०००.००	४०००.००	
९	दाउरा अनलोड	चट्टा		२०००.००	२०००.००	
१०	संकलन कटान , मुखान	चट्टा		४५००.००	४५००.००	
१२	अनलोडिङ्ग	चट्टा		१४०.००	१४०.००	
१३	चट्टा निर्माण	चट्टा		२०००.००	२०००.००	
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा		२८.००	२८.००	
१५	वन सुपारी	प्रति विरुवा		३०.००	३०.००	
	शहरी वृक्षारोपणकार्य					
१	४ फिट सम्मको विरुवा	प्रति विरुवा	८००.००	८८०.००	८८०.००	
२	५ फिट सम्मको विरुवा	प्रति विरुवा	११५०.००	१२५०.००	१२५०.००	
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१४००.००	१५४०.००	१५४०.००	
४	८ फिट सम्मको विरुवा	प्रति विरुवा	१७००.००	१८७०.००	१८७०.००	

निर्णय नं. ५: वायो-ईन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धित दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७	
	<b>४ फिट सम्मको विरुवाको मुल्य</b>					
१	कपूर, वैस	प्रति विरुवा		७७०.००	७७०.००	
२	रुद्राक्ष	प्रति विरुवा		९५०.००	९५०.००	
३	कल्की बोटल ब्रस	प्रति विरुवा		६६०.००	६६०.००	
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा		६६०.००	६६०.००	
५	असारे	प्रति विरुवा		६६०.००	६६०.००	
६	पैयू	प्रति विरुवा		४४०.००	४४०.००	
७	लप्सी	प्रति विरुवा		४४०.००	४४०.००	
८	धूपी, टिमुर, पारिजात	प्रति विरुवा		४९५.००	४९५.००	
९	बगमबेली	प्रति विरुवा		६६०.००	६६०.००	
१०	काइयो	प्रति विरुवा		६६०.००	६६०.००	
११	रक्तकमल	प्रति विरुवा		१३२०.००	१३२०.००	
१२	समी	प्रति विरुवा		११००.००	११००.००	
१३	बर	प्रति विरुवा		१३२०.००	१३२०.००	
१४	पिपल	प्रति विरुवा		१३२०.००	१३२०.००	
१५	५ फिट सम्मको करविर विरुवा	प्रति विरुवा	१२००.००	१२००.००	१२००.००	
१६	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	१२००.००	१२००.००	१२००.००	
१७	५ फिट सम्मको चापको विरुवा	प्रति विरुवा	१३००.००	१३००.००	१३००.००	
	<b>वायो ईन्जिनियरिङ्ग सम्बन्धित काम</b>					
	<b>घासको बिउ</b>					
१	जई	कि.ग्रा	७५.००	७५.००	७५.००	
२	भेच	कि.ग्रा	१५०.००	१५०.००	१५०.००	
३	नेपीयर	सेट	३.००	३.००	३.००	
४	बर्सिम	कि.ग्रा	१७५.००	१७५.००	१७५.००	
५	घाँसको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा	कि.ग्रा	०.५०	०.५०	०.५०	
६	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	
७	माटो भर्ने खाली बोरा	गोटा	१२.००	१२.००	१२.००	
८	बास काटेको सिंगो घाना	घाना	३५०.००	३५०.००	३५०.००	
९	बाँसको कटिङ स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिङ	५५.००	५५.००	५५.००	
	<b>Vegitation/Shrubs Cuttings/Slip/Plants/etc.</b>					
१	अम्रिसो(राइजोम)	प्रति विरुवा	७.००	७.००	७.००	
२	अलैची गानो	प्रति विरुवा	११.००	११.००	११.००	
३	अलैची विरुवा	प्रति विरुवा	८.००	८.००	८.००	
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति विरुवा	५.००	५.००	५.००	
५	नेपियर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००	

*(Handwritten signatures and marks)*

निर्णय नं. ५: वायो-ईन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७	
६	NB <sub>21</sub> घाँस	प्रति बिरुवा	२.००	२.००	२.००	
७	निगालो राईजोम	प्रति बिरुवा	५०.००	५०.००	५०.००	
८	बासको बेर्ना (कटीग राईजोम)	प्रति बिरुवा	३००.००	३००.००	३००.००	
९	बावियो ताइवानी दुबो	प्रति बिरुवा	३.००	३.००	३.००	
१०	सिजनल फुल ८ इन्च पोली	गोटा	२५.००	२५.००	२५.००	
११	गुलाफ फुल ८ इन्च पोली	गोटा	१५०.००	१५०.००	१५०.००	
१२	हेज ८ इन्च पोली	गोटा	३०.००	३०.००	३०.००	
१३	कार्पेट दुबो	व.फी.	३०.००	३०.००	३०.००	
१४	कार्पेट दुबो को लागि छापने कार्यको ज्याला	व.फी.	२०.००	२०.००	२०.००	
१५	निगालो (जरा सहीत)	गोटा	१२.००	१२.००	१२.००	
१६	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	गोटा	५.००	५.००	५.००	
१७	गोठे मल तयारी	के.जी.	३.००	३.००	३.००	
१८	डाले घासको बिरुवा	गोटा	६.००	६.००	६.००	
१९	मोलाटो बिरुवा	गोटा	२.००	२.००	२.००	
२०	लौठ सल्ला नेपाली	गोटा	७०.००	७०.००	७०.००	
२१	लौठ सल्ला अमेरिकन	गोटा	१२०.००	१२०.००	१२०.००	
२२	खर	गोटा		४.००	४.००	
२३	अम्बा, कागती	प्रति बिरुवा		४५०	४५०.००	
२४	उतिस, धयेरो, असुरो, बकाइनो, निम आदी	गोटा		४१०	४१०.००	
२५	भुजेत्रो	के.जी.		१५५०	१५५०.००	
२६	खर, फुकेँ सितो आदिको विउ	के.जी.		१४५०	१४५०.००	
२७	जुट नेट	व.मी.		४८५	४८५.००	
द टिम्बर कर्पोरेशनबाट सम्पादन गरिने कार्यहरू						
१	चिरान उत्पादन(बाकल, भुष, फाल्ने कस कटिंग समेत)	क्यू.फि.		६५	६५.००	
२	चिरान लोड	क्यू.फि.		१७	१७.००	
३	चिरान पाइलिंग	क्यू.फि.		८	८.००	
४	चिरान अनलोड	क्यू.फि.		९	९.००	
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.		११	११.००	
६	भाडाको स:मिलबाट गोलिया चिरान ज्याला(गोलियामा)	क्यू.फि.		९०	९०.००	
७	दाउरा लोड	क्वीन्टल		५०	५०.००	
८	दाउरा अनलोड	क्वीन्टल		१७	१७.००	
९	पोल लोड	प्रति गोटा		६०	६०.००	
१०	पोल अनलोड	प्रति गोटा		३०	३०.००	

निर्णय नं. ६ :-

आ.व. २०७५/७६ को लागि अरनिको लोकमार्गको दाँया बाँया ३ कि.मी. सम्मको लागि निर्माण सामग्रीहरुको दर (रेट) निम्नानुसार कायम गर्ने निर्णय गरियो ।

## सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>1</b>	<b>विभिन्न किसिमको ईँटा</b>					
	<b>chinese premium</b>	हजार		२४०००.००	२४०००.००	
	क) मेशिनबाट उत्पादित ईँटा (छानेको)	हजार	१९०००.००	२००००.००	२१०००.००	
	ख) मेशिनबाट उत्पादित ईँटा (१-नं.)	"	१६५००.००	१७०००.००	१७५००.००	
	ग) चिमनी भट्टाको ईँटा	"	१४४२०.००	१५०००.००	१५०००.००	
	घ)तराई को १ नं.ईँटा	"	१५५००.००	-	-	
	ङ) सिमेन्ट को ईँटा					
	BK108N	"	१५४५०.००	१५४५०.००	-	
	BK118As	"	१६२७४.००	१६२७४.००	-	
	<b>च) टुक्रा ईँटा</b>	घ. मि.	२५००.००	२५००.००	-	
	<b>छ) Concrete block</b>					
	size (40*15*20) cm	गोटा	४०.००	४०.००	४२.००	
	size ( 40*10*20) cm	गोटा	३५.००	३५.००	३६.७५	
	Cellular light weight concrete(CLC) block					
	Size 24**8**4"	गोटा	१४८.००	१६२.००	१६२.००	
	Size 24**8**6"	"	२१५.००	२३६.००	२३६.००	
<b>2</b>	<b>क्ले टायलहरु</b>					
2.1	<b>छानामा छाउने</b>					
	क) मेशिनबाट उत्पादित टायल	गोटा	२०.००	२०.००	२१.००	
	ख) चिमनी भट्टाको टायल	"	१८.००	१८.००	१८.९०	
	ग) मेशिनबाट उत्पादित धुरी	"	३५.००	३५.००	३६.७५	
	घ) चिमनी भट्टाको धुरी	"	२८.००	२८.००	२९.४०	
2.2	<b>भुईँमा/ कौसीमा छाप्ने टायल:</b>					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.००	१२.००	१२.६०	
	ख) चिमनी भट्टाको क्ले टायल	"	१२.००	१२.००	१२.६०	
<b>3</b>	<b>ढुंगाको काम (Stone work)</b>					
3.1	<b>Rubble Stone</b>					
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७५.००	७७.००	७९.३१	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७५.००	७७.००	७९.३१	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	६८.००	७०.००	७२.१०	
	(घ) कोसी खोला (चेहेरे) को एकनास गोला ढुङ्गा ( River round Pavel)	"	११०.००	११०.००	११३.३०	
3.2	<b>छापने ढुङ्गा (Flag stone)</b>					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि.	७५.००	७५.००	७७.२५	
	ख) १ 1/2" सम्म बाक्लो " "	"	८८.००	८८.००	९०.६४	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि.	१०४.००	१०४.००	१०७.१२	
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	११२.००	११२.००	११५.३६	
	ङ) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा "	"	१३९.००	१३९.००	१४३.१७	
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"				
4	<b>विभिन्न प्रकारको बालुवा</b>					
	(क) बालुवा (Washing plant)	घ.फि.	८२.००	८८.००	९०.६४	
	(ख) खानीकोबालुवा (Quarry sand)	घ.फि.	७७.००	८३.००	८५.४९	
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	८०.००	८६.००	८८.५८	
	(घ) भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	६२.००	६७.००	६९.०१	
5	<b>क्रसरबाट उत्पादित रोडा</b>					
	(क) ६-१० मी. मी. साइजका	घ.फि.	८५.००	९२.००	९७.५२	
	(ख) १०-२० मी. मी. साइजका	घ.फि.	९२.००	९९.००	१०४.९४	
	(ग) २०-४० मी. मी. साइजको	घ.फि.	८९.००	९६.००	१०१.७६	
	(घ) ६ मि.मि. down	घ.फि.	७७.००	८४.००	८९.०४	
6	<b>फुटालेको ढुङ्गाको गिट्टी</b>					
	क) सवै साइजको गिट्टी	"	८३.००	९०.००	९५.४०	
7	<b>सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री</b>					
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	६३.००	६८.००	७२.०८	
	ख) मेलम्ची खोलाको ग्राभेल	"	५८.००	६३.००	६६.७८	
	ग) टिकाभैरव को ग्राभेल	"	५९.००	६४.००	६७.८४	
	घ) भकुण्डेवेसी, रोशी खोलाको ग्राभेल	"	६६.००	७१.००	७५.२६	
	(ङ) खोला/खानीको स्थानीय ग्राभेल	"	४९.००	५४.००	५७.२४	
	(च) Granular sub base material (Crusher run material size 63mm down ) ग्राभेल	"	६६.००	७१.००	७५.२६	
	(छ) Base-course को लागि मिक्स सोलिङ्ग (WBM) गर्ने कार्य ।	घ.फि.	७७.००	८३.००	८७.९८	
	(ज) ढुगांको धुलो (Stone dust)	घ.फि.	३८.००	४१.००	४३.४६	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			बा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>8</b>	विभिन्न साइजका खोलाको Screening गरेको River pebbles					
	क) ४०- ८० मी.मी	घ.फि		१०५.००		
	ख) २०- ४० मी.मी	"		१०५.००		
	ग) १०- २० मी.मी	"		१०५.००		
	घ) ५- १० मी.मी	"		१०५.००		
<b>9</b>	फिल्टर सामग्री					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.				
<b>10</b>	सडक कालो पत्रे गर्ने कामको सामग्रीहरू					
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	६९.००	७५.००	७७.४५	
	ii) CRMB-DIGO 55 Bitumen	"	७३.००	७६.००	८४.४०	
	iii) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	६३.५०	६८.००	६७.६०	
	छिटो जम्ने (RS 65%)	"	७६.५०	७२.००	७१.६०	
	छिटो जम्ने (RS 70%)	"	७१.५०	७६.००	७५.६०	
	मध्यम जम्ने (MS 60%)	"	६४.५०	६९.००	६८.४०	
	मध्यम जम्ने (MS 65%)	"	६९.५०	७३.००	७२.४५	
	ढीलो जम्ने (SS60%)	"	६५.५०	७०.००	६९.७०	
	Slurry Seal with 60% bitumen	"	७२.५०	७५.००	६४.७५	
	Hi - seal Redymix	"	९४.००	९९.००	९९.००	
	Polymer Bitumen	"	१०५.००	११०.००	११०.००	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउप्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	३२३.५०	३२८.००	३२०.००	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"			-	
	vi) कालोपत्रे सडक Pot hole टाल्को लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३०.००	३०.००	३०.००	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	१६५.००	१६५.००	१६५.००	
	b) Most Grade	"	१८२.००	१८२.००	१८२.००	
	c) Glass beads	"	१५०.००	१५०.००	१५०.००	
<b>11</b>	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू					
11.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	७६.००	८४.५०	७९.६०	



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
11.2	भारतबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट (प्रति बोरा ५० के.जी.)	"	८३०.००	८३०.००	८३०.००	
11.3	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	७५५.००	७५०.००	७०८.००	
11.6	हेटौंडा सिमेन्ट (५० केजी) OPC	"	८१५.००		८४०.००	
11.7	उदयपुर सिमेन्ट (५० केजी) OPC	"	८५०.००		८५०.००	
11.5	सेतो सिमेन्ट (40kg/bag)	"	११००.००	१२३०.००	१२९१.५०	
11.11	लोड अनलोड चार्ज	"	११.००	१२.००	१३.००	
12	<b>Ready made Premix Concrete</b> (Supplying laying all complete work)					
12.1	Panchakanya , MAW or equivalent					
	M 10	घ. मि		१३०००.००	१३६५०.००	
	M 15	घ. मि	१४०००.००	१४०००.००	१४७००.००	
	M 20	"	१४५००.००	१४५००.००	१५२२५.००	
	M 25	"	१५५००.००	१५५००.००	१६२७५.००	
	M 30	"	१६३००.००	१६३००.००	१७११५.००	
	M 35	"	१७६००.००	१७६००.००	१८४८०.००	
	M 40	"	१८१००.००	१९०००.००	१९९५०.००	
13	<b>फलामको डण्डीहरु :</b>					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	७५.००	९४.३५	८८.३५	
	b) 10-20 mm dia	"	७३.००	९०.८५	८५.३५	
	c) 25-32 mm dia	"	७५.००	९३.३५	८८.३५	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8 mm dia	"	७८.००	९३.८५	८६.८५	
	b) 10-20 mm dia	"	७६.००	९२.३५	८५.३५	
	c) 25-32 mm dia	"	७८.००	९४.८५	८७.८५	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	७८.००	९३.१५	८७.८५	
	(घ) Binding Wire (डण्डी बाँधेतार)	"	८५.००	१०२.७२	९२.००	
14	<b>विभिन्न किसिमका काठहरु</b>					
14.1	काठ					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. पि	५९७५.००	५९७५.००	६०३४.७५	
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६२५०.००	६२५०.००	६३१२.५०	
	(ग) १२ फिट देखि माथिको साल काठ	"	६६००.००	६६००.००	६६६६.००	
	(घ) साज काठ	"	३३५०.००	३३५०.००	३३८३.५०	
	(ङ) जामुन काठ	"	२१५०.००	२१५०.००	२१७१.५०	
	(च) सल्लाको काठ	"	१५५०.००	१५५०.००	१५६५.५०	
	(छ) सिसौ काठ	"	३५००.००	३५००.००	३५३५.००	
	(ज) जंगली सिसौ काठ ,,	"	५२७०.००	५२७०.००	५३२२.७०	
	(झ) उतीस को काठ	"	६२५.००	६२५.००	६३१.२५	



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	(ज) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि				
	(ट) काठ दाउरा	के.जी	१८.००	१८.००	१८.१८	
14.2	<b>कुदिएको काठको काम तयारी</b>					
	i) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०८०.००	१०८०.००	१०९०.८०	
	ii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	१२६०.००	१२६०.००	१२७२.६०	
	iii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	६८०.००	६८६.८०	
	iv) भन्याङ्को रेलिङ्गको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२५०.००	२२५०.००	२२७२.५०	
	v) देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो ( ३"x ८") साल काठमा टुंडाल बनाउने काम	"	१३५००.००	१३५००.००	१३६३५.००	
	vi) देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो ( ३"x ८") साल काठमा टुंडाल बनाउने काम	"	२२५००.००	२२५००.००	२२७२५.००	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	३१५०.००	३१५०.००	३१८१.५०	
	viii) घोडाको आकृति गरि कुदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुंडाल बनाउने काम ।	गोटा	७२८०.००	७२८०.००	७३५२.८०	
	ix) सामान्य प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३५०.००	१३५०.००	१३६३.५०	
	x) मध्यम प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	"	१६२०.००	१६२०.००	१६३६.२०	
	xi) विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	२२५०.००	२२५०.००	२२७२.५०	
	विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१९८०.००	१९८०.००	१९९९.८०	
	xii) ३"x १.५" साइजको सालको काठको कुदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६३.६०	
	xiii) कुदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस थिम आदि तयारी गर्ने कार्य	"	१६२०.००	१६२०.००	१६३६.२०	
	xiv) ४"x ५"को साल काठको नाग बुट्टा कुदि तयारी गरी जडान गर्ने कार्य	"	१७१०.००	१७१०.००	१७२७.१०	
15	<b>Wooden Parquet Flooring</b>					
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००	
	ii)Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	"	५६०.००	५६०.००	५६०.००	
16	<b>विभिन्न मोटाईको प्लाइउडहरु</b>					
16.1	<b>Commercial</b>					
	(क) ३ मी.मी	व.फि	३६.००	३६.००	३६.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	३.५ मी.मी.	"	२६.००	२६.००	२६.००	
	(ख) ४ मी.मी	"	२६.००	२६.००	२६.००	
	(ग) ६ मी.मी	"	५३.००	५३.००	५३.००	
	(घ) ८ मी.मी	"	५७.००	५७.००	५७.००	
	(ङ) १२ मी.मी	"	८०.००	८०.००	८०.००	
	(च) १९ मी.मी B/B	"	१०७.००	१०७.००	१०७.००	
	छ) १८ मी.मी PLY	"	११०.००	११०.००	११०.००	
16.2	<b>P/F. Water Proof</b>				०.००	
	क) ४ मी.मी	व.फि	५२.००	५२.००	५२.००	
	ख) ६ मी.मी	व.फि	६७.००	६७.००	६७.००	
	ग) ८ मी.मी.	"	६३.००	६३.००	६३.००	
	घ) ९ मी.मी.	"	८९.००	८९.००	८९.००	
	(ङ) १२ मी.मी	"	९९.००	९९.००	९९.००	
	च) १९ मी.मी PLY	"	११३.००	११३.००	११३.००	
	छ) १९ मी.मी B/B	"	१३९.००	१३९.००	१३९.००	
16.3	<b>Natural Teak Plywood</b>					
	<b>One side lamination</b>					
	(क) ३ मी.मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ४ मी.मी (Group Match of in 5 pcs)	"	६९.००	६९.००	६९.००	
	४ मी.मी (Regular)	"	६०.००	६०.००	६०.००	
	४ मी.मी (Crown)	"	४३.००	४३.००	४३.००	
	४ मी.मी (Beri)	"	४९.००	४९.००	४९.००	
	४ मी.मी (Whitest line)	"	३९.००	३९.००	३९.००	
	४ मी.मी (Beach)	"	४६.००	४६.००	४६.००	
	४ मी.मी (Recon 18 No.)	"	३७.००	३७.००	३७.००	
	(ग) ६ मी.मी	"				
16.4	<b>DECORATIVE (THICKER)</b>					
	6 OST	व.फि	१२६.००	१२६.००	१२६.००	
	6 BST	"	१६०.००	१६०.००	१६०.००	
	9 OST	"	१४०.००	१४०.००	१४०.००	
	9 BST	"	१७३.००	१७३.००	१७३.००	
	12 OST	"	१५३.००	१५३.००	१५३.००	
	12 BST	"	१८७.००	१८७.००	१८७.००	
	19 B/B OST	"	१६५.००	१६५.००	१६५.००	
	19 B/B BST	"	२००.००	२००.००	२००.००	
	18 OST	"	१८७.००	१८७.००	१८७.००	
	18 BST	व.फि	२२१.००	२२१.००	२२१.००	
17	<b>Ready made Door</b>					
17.1	<b>38 mm th. Readymade solid core door shutter</b>					
	Plain	व.फि	२३३.००	२३३.००	२३३.००	
	One side teak	"	२६२.००	२६२.००	२६२.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Both side teak	"	२९४.००	२९४.००	२९४.००	
	One side teak waterProof	"	२८६.००	२८६.००	२८६.००	
	Both side teak waterProof	"	३१७.००	३१७.००	३१७.००	
17.2	<b>30 to 32 mm th. Readymade solid core door shutter</b>					
	Plain	व.फि	१९०.००	१९०.००	१९०.००	
	One side teak	"	२१३.००	२१३.००	२१३.००	
	Both side teak	"	२३९.००	२३९.००	२३९.००	
	One side teak waterProof	"	२३३.००	२३३.००	२३३.००	
	Both side teak waterProof	"	२५८.००	२५८.००	२५८.००	
17.3	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated )</b> ( excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१८३.००	१८३.००	१८३.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२४८.००	२४८.००	२४८.००	
	Readymade door shutter Recon, ordinary (1 side teak)	"	२०९.००	२०९.००	२०९.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.००	२८१.००	२८१.००	
17.4	<b>Wooden Listy</b>					
	1/2" wide	र.फि.	१४.००	१४.००	१४.००	
	3/4" wide	"	१८.००	१८.००	१८.००	
	1.5" wide	"	२९.००	२९.००	२९.००	
	Decorative	"	४०.००	४०.००	४०.००	
17.5	<b>Infill Material Thai Gypsum, Shera or equivalent</b>					
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	४३१.००	४३१.००	४३१.००	
	Frame U - Studs( 0.55mm*0.75mm*3m)	"	४३१.००	४३१.००	४३१.००	
	Board 9 mm	"	२५२४.००	२५२४.००	२५२४.००	
	Roofing Board 6mm (1.5mX.6m)	"	६९५.००	६९५.००	६९५.००	
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००	
	PU sasuge rod	"	२०३९.००	२०३९.००	२०३९.००	
18	<b>Prelaminated Particle Board</b>					
18.1	<b>Plain Particle Board (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	३८.००	३८.००	३८.००	
	(ख) १२ मी. मी.	"	४३.००	४३.००	४३.००	
	(ग) १८ मी.मी.	"	५५.००	५५.००	५५.००	
	(घ) २५ मी.मी	"	७४.००	७४.००	७४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			बा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
18.2	<b>One side lamination Melaminated faced (Exteriors Grade)</b>				०.००	
	(क) ९ मी .मी	व.फि	७७.००	७७.००	७७.००	
	(ख) १२ मी. मी.	"	८६.००	८६.००	८६.००	
	(ग) १८ मी.मी.	"	१०२.००	१०२.००	१०२.००	
	(घ) २५ मी.मी	"	१३२.००	१३२.००	१३२.००	
18.3	<b>Both side lamination Melaminated faced (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	८६.००	८६.००	८६.००	
	(ख) १२ मी. मी.	"	९९.००	९९.००	९९.००	
	(ग) १८ मी.मी.	"	११४.००	११४.००	११४.००	
	(घ) २५ मी.मी	"	१४५.००	१४५.००	१४५.००	
18.4	<b>Plain Particle Board (Interiors Grade)</b>					
	(क) ९ मी .मी	व.फि	२८.००	२८.००	२८.००	
	(ख) १२ मी. मी.	"	३२.००	३२.००	३२.००	
	(ग) १८ मी.मी.	"	४८.००	४८.००	४८.००	
	(घ) २५ मी.मी	"	६१.००	६१.००	६१.००	
18.5	<b>One side lamination Melaminated faced (Interiors Grade)</b>					
	(क) ३ मी .मी	व.फि	४२.००	४२.००	४२.००	
	(ख) ६ मी .मी	"	५९.००	५९.००	५९.००	
	(ग) ९ मी .मी	"	६८.००	६८.००	६८.००	
	(घ) १२ मी. मी.	"	७७.००	७७.००	७७.००	
	(ङ) १८ मी.मी.	"	८९.००	८९.००	८९.००	
	(च) २५ मी.मी	"	१११.००	१११.००	१११.००	
18.6	<b>Both side lamination Melaminated faced (Interiors Grade)</b>					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ६ मी .मी	"	६४.००	६४.००	६४.००	
	(ग) ९ मी .मी	"	७७.००	७७.००	७७.००	
18.7	<b>One side lamination Melaminated faced (Interiors Grade)MDF</b>					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ४ मी .मी	"	५५.००	५५.००	५५.००	
	(ग) ६ मी .मी	"	६८.००	६८.००	६८.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	(घ) ९ मी .मी	"	८८.००	८८.००	८८.००	
	(ड.) १२ मी .मी	"	९९.००	९९.००	९९.००	
	(च) १८ मी .मी	"	१२७.००	१२७.००	१२७.००	
	(छ) २५ मी .मी	"	१७६.००	१७६.००	१७६.००	
18.8	<b>Both side lamination Melaminated faced (Interiors Grade)MDF Century &amp; equivalent</b>					
	(क) ३ मी .मी	व.फि	५५.००	५५.००	५५.००	
	(ख) ४ मी .मी	"	६२.००	६२.००	६२.००	
	(ग) ६ मी .मी	"	७६.००	७६.००	७६.००	
	(घ) ९ मी .मी	"	९५.००	९५.००	९५.००	
	(ड.) १२ मी .मी	"	१०५.००	१०५.००	१०५.००	
	(च) १८ मी .मी	"	१३३.००	१३३.००	१३३.००	
	(छ) २५ मी .मी	"	१८०.००	१८०.००	१८०.००	
18.9	<b>Alstone Hybrid Board (WPC Board) Century &amp; equivalent</b>					
	(क) ६ मी .मी ( १२२० X २४४० )	व.फि	१७५.००	१७५.००	१७५.००	
	(ख) १२ मी .मी	"	२८०.००	२८०.००	२८०.००	
	(ग) १८ मी .मी	"	४२३.००	४२३.००	४२३.००	
19	<b>Other HardBoard/ Sunmica &amp; Formaica)</b>					
19.1	(क) सनमाईका (4' x 8')	पाता	४८८.००	४८८.००	४८८.००	
	(ख) फोरमाईका	व.फि	७७.००	७७.००	७७.००	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	४६.००	४६.००	४६.००	
19.2	<b>Alstone Hybrid Board</b>					
	(क) ६ मी .मी size ( 1220*2440) mm	व.फि	१६८.००	१६८.००	१६८.००	
	(ख) १२ मी .मी size ( 1221*2440) mm	"	३१३.००	३१३.००	३१३.००	
	(ग) १८ मी .मी size ( 1222*2440) mm	"	४३३.००	४३३.००	४३३.००	
20	<b>Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate</b>					
	i) Iron Square Pipe	के.जी	८१.००	८१.००	८२.६२	
	ii) विभिन्न साइजको MS Angle	"	८७.००	८७.००	८८.७४	
	iii) विभिन्न साइजको Black Pipe	"	८१.००	८१.००	८२.६२	
	iv) विभिन्न साइजको Channel	"	८८.००	८८.००	८९.७६	
	v) विभिन्न साइजको I-Beam	"	९०.००	९०.००	९१.८०	
	vi) विभिन्न साइजको MS plate	"	८६.००	८६.००	८७.७२	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८७.००	८७.००	८८.७४	
	viii) विभिन्न मोटाइको Black sheet	"	८२.००	८२.००	८३.६४	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
21	<b>G.I. Wire</b>					
	<b>i) 8 gauge</b>					
	a) light class	के.जी	८६.३०	९७.००	९३.००	
	b) medium class	"	९३.६०	१०५.००	१०१.००	
	c) heavy duty	"	९४.३०	१०६.००	१०२.००	
	d) Comercial wire	"	८६.३०	९७.००	९३.००	
	<b>ii) 10 gauge</b>					
	a) light class	के.जी	८६.३०	९७.००	९३.००	
	b) medium class	"	८९.३०	१००.००	९६.००	
	c) heavy duty	"	९४.३०	१०६.००	१०२.००	
	d) Comercial wire	"	८६.३०	९७.००	९३.००	
	<b>iii) 12 gauge</b>					
	a) light class	के.जी	८७.३०	९८.००	९४.००	
	b) medium class	"	९०.३०	१०२.००	९८.००	
	c) heavy duty	"	९५.३०	१०७.००	१०४.००	
	d) Comercial wire	"	८७.३०	९८.००	९४.००	
22	<b>मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी</b>					
	<b>क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)</b>	m2				
	१.५×१×०.५/०	गोटा	१४१६.००	१६३९.००	१६३९.००	
	२×१×०.५/०	"	१९२६.००	२२३५.००	२२३५.००	
	३×१×०.५/०	"	२७४९.००	३२७८.००	३२७८.००	
	४×१×०.५/०	"	३४७०.००	४३२९.००	४३२९.००	
	१.५×१×१/०	"	२०५८.००	२३८४.००	२३८४.००	
	२×१×१/१	"	२७३५.००	३२७८.००	३२७८.००	
	३×१×१/२	"	३८८१.००	४७६८.००	४७६८.००	
	४×१×१/३	"	४९९८.००	६२५८.००	६२५८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>ख) MBG/10x12/2.7/3.4/2.2/ZN</b>	m2				
	१.५×१×०.५०	गोटा	१२६०.००	१३८१.००	१३८१.००	
	२×१×०.५०	"	१७३६.००	१८८३.००	१८८३.००	
	३×१×०.५०	"	२४५८.००	२७६१.००	२७६१.००	
	४×१×०.५०	"	३१०१.००	३६४०.००	३६४०.००	
	१.५×१×१	"	१८३२.००	२००८.००	२००८.००	
	२×१×१	"	२४५८.००	२७६१.००	२७६१.००	
	३×१×१	"	३४७९.००	४०१६.००	४०१६.००	
	४×१×१	"	४३७०.००	५२७९.००	५२७९.००	
	<b>ग) MJG/10x12/3.0/3.9/2.4/ZN</b>					
	३×२×०.५०	गोटा	४०३८.००	५६६२.००	५६६२.००	
	४×२×०.५०	"	५१११.००	७४५०.००	७४५०.००	
	५×२×०.५०	"	६३३६.००	९२३८.००	९२३८.००	
	६×२×०.५०	"	७५७६.००	११०२६.००	११०२६.००	
	३×२×१	"	५६८६.००	७७४८.००	७७४८.००	
	४×२×१	"	७१६७.००	१०१३२.००	१०१३२.००	
	५×२×१	"	८८६१.००	१२५१६.००	१२५१६.००	
	६×२×१	"	१०५३९.००	१४९००.००	१४९००.००	
	<b>घ) MJG/10x12/2.7/3.4/2.2/ZN</b>					
	३×२×०.५०	गोटा	३५९४.००	४७६९.००	४७६९.००	
	४×२×०.५०	"	४५३४.००	६२७५.००	६२७५.००	
	५×२×०.५०	"	५६२२.००	७७८१.००	७७८१.००	
	६×२×०.५०	"	६७१०.००	९२८७.००	९२८७.००	
	३×२×१	"	५०४५.००	६५२६.००	६५२६.००	
	४×२×१	"	६३४७.००	८५३४.००	८५३४.००	
	५×२×१	"	७८४७.००	१०५४२.००	१०५४२.००	
	६×२×१	"	९३४७.००	१२५५०.००	१२५५०.००	
	<b>ङ) MRM/6x8/2.2/2.7/2.2/ZN</b>	m2				
	३×२×०.१७	गोटा	३३४४.००	४०१२.००	४०१२.००	
	४×२×०.१७	"	४३३२.००	५१९८.००	५१९८.००	
	५×२×०.१७	"	५३०२.००	६३६२.००	६३६२.००	
	६×२×०.१७	"	६३०७.००	७५६८.००	७५६८.००	
	३×२×०.२३	"	३६३९.००	४३६६.००	४३६६.००	
	४×२×०.२३	"	४७१३.००	५६५५.००	५६५५.००	
	५×२×०.२३	"	५८२२.००	६९८६.००	६९८६.००	
	६×२×०.२३	"	६८४४.००	८२१२.००	८२१२.००	
	३×२×०.३०	"	३९५१.००	४७४१.००	४७४१.००	
	४×२×०.३०	"	५०९४.००	६११२.००	६११२.००	
	५×२×०.३०	"	६२८९.००	७५४६.००	७५४६.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	६×२×०.३०	"	७४५०.००	८९४०.००	८९४०.००	
	Note:					
	BG= Box Gabion					
	JG= Jumbo Gabion					
	RM= Reno Mattress					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
<b>23</b>	<b>Barbed Wire (काँडेतार)</b>					
	12 guage commercial, Medium duty	के.जी	८५.००	९७.३५	९७.३५	
	U-hook for barbed wire fencing	गोटा	०.७४	०.७५	०.७५	
	<b>Fabrication of chain link mesh of size</b>					
	1"x1" 12 guage	वर्ग मी.	६९७.००	६९७.००	६९७.००	
	1.5"x1.5" 12 guage	"	६५२.००	६५२.००	६५२.००	
	2"x2" 10 guage	"	५९७.००	५९७.००	५९७.००	
	3"x3" 10 guage	"	४२३.००	४२३.००	४२३.००	
	4"x4" 10 guage	"	३३७.००	३३७.००	३३७.००	
<b>24</b>	<b>सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)</b>					
	<b>(क) सेतो सादा जस्तापाता (G P Sheet)</b>					
	0.2 mm (30 guage light)	वण्डल	४२७४.००	४६९०.००	४६९०.००	
	0.22 mm (30 guage Medium)	"	४६५५.००	५९३३.००	५९३३.००	
	0.24 mm (30 guage Heavy)	"	५०३५.००	५५२२.००	५५२२.००	
	0.26 mm (28 guage light)	"	५२८३.००	५८४९.००	५८४९.००	
	0.28 mm (28 guage Medium)	"	५६९९.००	६९५९.००	६९५९.००	
	0.31 mm (28 guage Heavy)	"	६९७७.००	६७७९.००	६७७९.००	
	0.35 mm (26 guage light)	"	६८२३.००	७५२२.००	७५२२.००	
	0.38 mm (26 guage Medium)	"	७९४२.००	७८८५.००	७८८५.००	
	0.41 mm (26 guage Heavy)	"	७८२३.००	८७०८.००	८७०८.००	
	0.45 mm (24 guage light)	"	८४७८.००	९४६०.००	९४६०.००	
	0.50 mm (24 guage Medium)	"	९३७२.००	९०४६९.००	९०४६९.००	
	0.52 mm (24 guage Heavy)	"	९६९०.००	९०८४९.००	९०८४९.००	
	0.75 mm	"	९४७७०.००	९५५९३.००	९५५९३.००	
	<b>(ख) रंगिन जस्तापाता</b>					
	0.2 mm (30 guage light)	वण्डल	५५९३.००	५७९६.००	५७९६.००	
	0.22 mm (30 guage Medium)	"	५८५४.००	६९९५.००	६९९५.००	

सि.नं. २३

२३

२३

२३



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	0.24 mm (30 guage Heavy)	"	६२२६.००	६५८४.००	६५८४.००	
	0.26 mm (28 guage light)	"	६५५८.००	६९७३.००	६९७३.००	
	0.28 mm (28 guage Medium)	"	६९२९.००	७३३६.००	७३३६.००	
	0.31 mm (28 guage Heavy)	"	७५०४.००	७९५६.००	७९५६.००	
	0.35 mm (26 guage light)	"	८२७४.००	८८२३.००	८८२३.००	
	0.38 mm (26 guage Medium)	"	८६८६.००	९२६५.००	९२६५.००	
	0.41 mm (26 guage Heavy)	"	९४२०.००	९९३३.००	९९३३.००	
	0.45 mm (24 guage light)	"	१०१०२.००	१०९१२.००	१०९१२.००	
	0.50 mm (24 guage Medium)	"	११०००.००	११९२०.००	११९२०.००	
	0.52 mm (24 guage Heavy)	"	११३८९.००	१२३५४.००	१२३५४.००	
	0.55 mm (24 guage Medium)	"	११९२९.००	१२९४७.००	१२९४७.००	
	0.75 mm	"	१५९९९.००	१७३८९.००	१७३८९.००	
	<b>(ग) ग्याल्मानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)</b>					
	0.2 mm (30 guage light)	बण्डल	४२७४.००	४६९०.००	४६९०.००	
	0.22 mm (30 guage Medium)	"	४६९५.००	५०८८.००	५०८८.००	
	0.24 mm (30 guage Heavy)	"	४९९९.००	५४८७.००	५४८७.००	
	0.26 mm (28 guage light)	"	५२३०.००	५७९६.००	५७९६.००	
	0.28 mm (28 guage Medium)	"	५५५८.००	६११५.००	६११५.००	
	0.31 mm (28 guage Heavy)	"	६१०२.००	६७२६.००	६७२६.००	
	0.35 mm (26 guage light)	"	६७६५.००	७४७८.००	७४७८.००	
	0.38 mm (26 guage Medium)	"	७०८८.००	७८४९.००	७८४९.००	
	0.41 mm (26 guage Heavy)	"	७७६९.००	८६५५.००	८६५५.००	
	0.45 mm (24 guage light)	"	८४२०.००	९४९६.००	९४९६.००	
	0.50 mm (24 guage Medium)	"	९३९५.००	१०४९६.००	१०४९६.००	
	0.52 mm (24 guage Heavy)	"	९६२८.००	१०७८८.००	१०७८८.००	
	0.75 mm	"	१३८८५.००	१५५९३.००	१५५९३.००	
	<b>घ) जस्ता पाता को धुरी (Ridge Cover)</b> Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	१४६०.००	१६०२.००	१६०२.००	
	0.22 mm	"	१५८०.००	१७३५.००	१७३५.००	
	0.24 mm	"	१७०५.००	१८६७.००	१८६७.००	
	0.26 mm	"	१७८५.००	१९७३.००	१९७३.००	
	0.28 mm	"	१८९४.००	२०८०.००	२०८०.००	
	0.31 mm	"	२०७५.००	२२८३.००	२२८३.००	
	0.35 mm	"	२२९७.००	२५३९.००	२५३९.००	
	0.38 mm	"	२४०४.००	२६५५.००	२६५५.००	
	0.41 mm	"	२६२८.००	२९२०.००	२९२०.००	

*निर्देश*

*[Signature]*

*[Signature]*

*[Signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>ड) ४ फिट * ८ फिट को जि.आई. प्लेन सिट</b>					
	1.1 mm	पिस	३११९.००	३२७४.००	३२७४.००	
	0.90 mm	"	२३९८.००	२७०८.००	२७०८.००	
	0.80 mm	"	२१७०.००	२४४२.००	२४४२.००	
	0.75 mm	"	२०३८.००	२२९२.००	२२९२.००	
	0.70 mm	"	१९०२.००	२१४२.००	२१४२.००	
	0.62 mm	"	१७०४.००	१९१२.००	१९१२.००	
	0.55 mm	"	१५२८.००	१७१७.००	१७१७.००	
	0.50 mm	"	१३९४.००	१५६६.००	१५६६.००	
	0.48 mm	"	१३३६.००	१४९६.००	१४९६.००	
	0.45 mm	"	१२६५.००	१४१६.००	१४१६.००	
	0.40 mm	"	११३७.००	१२७४.००	१२७४.००	
	0.37 mm	"	१०६२.००	११८६.००	११८६.००	
	0.35 mm	"	१०१४.००	११३३.००	११३३.००	
	0.30 mm	"	८८३.००	९८२.००	९८२.००	
	0.28 mm	"	८३२.००	९२०.००	९२०.००	
	<b>च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट</b>					
	0.90 mm	पिस	२७०१.००	२९७३.००	२९७३.००	
	0.80 mm	"	२४५७.००	२६९९.००	२६९९.००	
	0.75 mm	"	२३०७.००	२५३१.००	२५३१.००	
	0.70 mm	"	२२२८.००	२४३४.००	२४३४.००	
	0.62 mm	"	१९९४.००	२१७७.००	२१७७.००	
	0.55 mm	"	१७९७.००	१९५६.००	१९५६.००	
	0.50 mm	"	१६४०.००	१७८८.००	१७८८.००	
	0.48 mm	"	१५७२.००	१७०८.००	१७०८.००	
	0.45 mm	"	१४८६.००	१६१९.००	१६१९.००	
	0.40 mm	"	१३९१.००	१४८७.००	१४८७.००	
	0.37 mm	"	१२८५.००	१३८९.००	१३८९.००	
	0.35 mm	"	१२३३.००	१३२७.००	१३२७.००	
	0.30 mm	"	१०९१.००	११६८.००	११६८.००	
	0.28 mm	"	१०४०.००	११०६.००	११०६.००	
	<b>GI EXPANDED METAL MESH</b>					
	1.20 mm मोटाई र ३' चौडाई भएको जाली	र.मि.	१३५.००	१५९.००	१५९.००	
	1.20 mm मोटाई र ४' चौडाई भएको जाली	"	१२८.००	२१२.००	२१२.००	
	1.00 mm मोटाई र ३' चौडाई भएको जाली	"	१२३.००	१३३.००	१३३.००	
	1.00 mm मोटाई र ४' चौडाई भएको जाली	"	१५१.००	१७७.००	१७७.००	
	0.90 mm मोटाई र ३' चौडाई भएको जाली	"	१०३.००	१२४.००	१२४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	१३७.००	१५९.००	१५९.००	
<b>25</b>	<b>UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick )</b>					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh ( Regular )	व.मि.	१५०६.००	१५०६.००	१५०६.००	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh ( Tile )	"	१२००.००	१२००.००	१२००.००	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	१९२५.००	१९२५.००	१९२५.००	
25.5	UPVC Clip	गोटा	२६.००	२६.००	२६.००	
25.6	self tapping screw 3"	"	३०.००	३०.००	३०.००	
25.7	self tapping screw 2.5"	"	२०.००	२०.००	२०.००	
25.8	self tapping screw 2"	"	११.००	११.००	११.००	
25.9	self tapping screw 1.5"	"	८.५०	८.५०	८.५०	
<b>26</b>	<b>एल्मुनियम प्लेन सिट</b>				०.००	
	(क) २६ गेज	व.फि.	२९.००	२९.००	२९.००	
	(ख) ३० गेज	"	२७.००	२७.००	२७.००	
<b>27</b>	<b>विभिन्न प्रकारको जालीहरू (Netting)</b>				०.००	
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११९.००	११९.००	११९.००	
	(ख) वालुवा चाल्ने जाली	"	१२४.००	१२४.००	१२४.००	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	७६.००	७६.००	७६.००	
	(घ) ब्रास क्रसिङ्ग जाली	"	१९५.००	१९५.००	१९५.००	
	(ङ) स्टील जाली (crossing )	"	१५७.००	१५७.००	१५७.००	
	(च) मसिनो खालको steel Mosquito proof जाली	"	२७०.००	२७०.००	२७०.००	
<b>28</b>	<b>फलामबाट निर्मित सामानहरू</b>				०.००	
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	१३०.००	१३०.००	१३०.००	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५००.००	५००.००	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३५०.००	३५०.००	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	"	२८०.००	२८०.००	२८०.००	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	५००.००	५००.००	५००.००	
f	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत)	"	६५०.००	६५०.००	६५०.००	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ध्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ध्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३०५०.००	३०५०.००	३०५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
h	फलामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	४५.००	४५.००	४५.००	
i	All type of general MS structural works	व.फी.	१७०.००	१७०.००	१७०.००	
j	Truss & roofing works Plain sheet 26 gauge	"	२००.००	२००.००	२००.००	
k	Truss & roofing works colour sheet 26 gauge	"	१६५.००	१६५.००	१६५.००	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१४०.००	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	१९४०.००	१९४०.००	१९४०.००	
n	Steel Structural (Light guage ) frame work for building ( as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges ) all complete work Panchakanya or equivalent company	व.फि.	७७०.००	७७०.००	७७०.००	
<b>29</b>	<b>Glass सीसा</b>					
29.1	<b>Plain सादा (सेतो)</b>					
	(क) ३ मी.मी.	व.फि.	४९.००	४९.००	४९.००	
	(ख) ३।५ मी.मी.	व.फि.	५६.००	५६.००	५६.००	
	(ग) ४ मी.मी.	व.फि.	६५.००	६५.००	६५.००	
	(घ) ५ मी.मी. "	व.फि.	७५.००	७५.००	७५.००	
	(ङ) ६ मी.मी. "	व.फि.	१००.००	१००.००	१००.००	
	(च) ८ मी.मी. "	व.फि.	१५०.००	१५०.००	१५०.००	
29.2	<b>Printed Glass (बुट्टेदार सिसा)</b>					
	(क) ३ मी.मी.	व.फि.	४८.४१	४८.४१	४८.४१	
	(ख) ४ मी.मी. " "	व.फि.	५६.६५	५६.६५	५६.६५	
29.3	<b>Poly Fibre Glass</b>					
	(क) ६ मी.मी.	"	१५४.५०	१५४.५०	१५४.५०	
29.4	<b>Black Color Glass</b>					
	(क) ३ मी.मी.	व.फि.	९६.००	९६.००	९६.००	
	(ख) ४ मी.मी.	"	१०३.००	१०३.००	१०३.००	
	(ग) ५ मी.मी.	"	१२०.००	१२०.००	१२०.००	
	(घ) ६ मी.मी.	"	१८०.००	१८०.००	१८०.००	
	(ङ) ८ मी.मी.	"	२५०.००	२५०.००	२५०.००	
	(च) १० मी.मी.	"	३५०.००	३५०.००	३५०.००	
	(छ) १२ मी.मी.	"	४००.००	४००.००	४००.००	
29.5	<b>Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने</b>					
	(क) ५ मि.मि बाक्लो	व.फि.	११६.००	११६.००	११६.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture					
	(क) ४ मी.मी. बाक्लो	व.मि.	६२००.००	६२००.००	६२००.००	
29.7	विभिन्न रंगको Reflector Glass (शिशु)					
	५ मी.मी मोटो	व.फि.	१८४.००	१८४.००	१८४.००	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५०% थप रकम लाग्ने छ।					
30	<b>Corrugated/Plain Fiber Glass Sheet</b>					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१२२.००	१३२.००	१३२.००	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१३५.००	१४५.००	१४५.००	
	(ख) १.२ मी.मी. मोटो प्लेन	"	१३५.००	१४५.००	१४५.००	
	१.२ मी.मी. मोटो कोरोगेटेड	"	१५३.००	१६३.००	१६३.००	
	(ग) २ मी.मी. मोटो प्लेन	"	२२२.००	२३२.००	२३२.००	
	२ मी.मी. मोटो कोरोगेटेड	"	२६०.००	२७०.००	२७०.००	
	(घ) ३ मी. मी. मोटो प्लेन	"	२९७.००	३०७.००	३०७.००	
	३ मी. मी. मोटो कोरोगेटेड	"	३८५.००	३९५.००	३९५.००	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	७२.००	७२.००	७२.००	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	८.००	८.००	८.००	
31	<b>भ्याल ढोकामा लाग्ने Fixture हरु</b>					
	<b>Iron बाट बनेका</b>					
	<b>Hinge (कब्जा)</b>					
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००	
	(ख) ४" साइज	"	२८.००	२८.००	२८.००	
	(ग) ५" साइज	"	४३.००	४३.००	४३.००	
	(घ) ६" साइज	"	५६.००	५६.००	५६.००	
	<b>Locking Set (L-drop)</b>					
	300 mm	गोटा	२६०.००	२६०.००	२६०.००	
	225 mm	"	२२७.००	२२७.००	२२७.००	
	150 mm	"	१९५.००	१९५.००	१९५.००	
	<b>Aluminum बाट बनेका</b>					
	<b>Towerbolt (छेस्कीनी)</b>					
	(क) ३" लामो	गोटा	२०.००	२०.००	२०.००	
	(ख) ४" लामो	"	४०.००	४०.००	४०.००	
	(ग) ६" लामो	"	६७.००	६७.००	६७.००	
	(घ) ८" लामो	"	८०.००	८०.००	८०.००	
	(ङ) १०" लामो	"	९४.००	९४.००	९४.००	
	(च) १२" लामो	"	१०७.००	१०७.००	१०७.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>Handle (हतकल)</b>					
	Ordinary	गोटा	३२.००	३२.००	३२.००	
	Special	"	४७.००	४७.००	४७.००	
	<b>Brass बाट बनेका</b>					
	<b>Hinge (कब्जा)</b>					
	2" x 1/2"	गोटा	६३.००	६३.००	६३.००	
	2 1/2 x 3/4"	"	७१.००	७१.००	७१.००	
	3" x 3/4"	"	८७.००	८७.००	८७.००	
	2" x 3/4"	"	७१.००	७१.००	७१.००	
	2 1/2" x 3/4"	"	७९.००	७९.००	७९.००	
	3" x 3/4"	"	८७.००	८७.००	८७.००	
	3" x 1"	"	१८९.००	१८९.००	१८९.००	
	4" x 1"	"	२८४.००	२८४.००	२८४.००	
	5" x 1"	"	३७९.००	३७९.००	३७९.००	
	6" x 1"	"	४५८.००	४५८.००	४५८.००	
	<b>Towerbolt (छेस्कीनी)</b>					
	(क) ३" लामो	गोटा	१४२.००	१४२.००	१४२.००	
	(ख) ४" लामो	"	१८९.००	१८९.००	१८९.००	
	(ग) ६" लामो	"	२८४.००	२८४.००	२८४.००	
	(घ) ८" लामो	"	३७९.००	३७९.००	३७९.००	
	(ङ) १०" लामो	"	४७३.००	४७३.००	४७३.००	
	(च) १२" लामो	"	५६८.००	५६८.००	५६८.००	
	<b>Handle (हतकल)</b>					
	6" Brass handle	गोटा	१५०.००	१५०.००	१५०.००	
	8" Brass handle	"	४५८.००	४५८.००	४५८.००	
	10" Brass handle	"	९४७.००	९४७.००	९४७.००	
	<b>Locking Set (L-drop)</b>					
	(क) ८" लामो	गोटा	९४७.००	९४७.००	९४७.००	
	(ख) १०" लामो	"	१५६२.००	१५६२.००	१५६२.००	
	(ग) १२" लामो	"	१७३५.००	१७३५.००	१७३५.००	
	<b>Special Fittings</b>					
	<b>एल ड्रप :-</b>					
	८" लामो .....	गोटा	१०६२.००	१०६२.००	१०६२.००	
	१०" लामो .....	"	११९९.००	११९९.००	११९९.००	
	१२" लामो .....	"	१२४९.००	१२४९.००	१२४९.००	
	<b>ह्याण्डल :-</b>					
	८" लामो .....	"	१२४९.००	१२४९.००	१२४९.००	
	<b>टावर बोल्ट :-</b>					
	६" लामो .....	"	२२५.००	२२५.००	२२५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	८" लामो .....	"	३००.००	३००.००	३००.००	
	१०" लामो .....	"	३७५.००	३७५.००	३७५.००	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो .....	गोटा	८९२.००	८९२.००	८९२.००	
	१०" लामो .....	"	११३०.००	११३०.००	११३०.००	
	१२" लामो .....	"	१२४९.००	१२४९.००	१२४९.००	
	ह्याण्डल :-					
	६" लामो .....	"	२५०.००	२५०.००	२५०.००	
	८" लामो .....	"	३७५.००	३७५.००	३७५.००	
	<b>Mortice Lock</b>					
	Ordinary	गोटा	६२५.००	६२५.००	६२५.००	
	Chinese	"	४१६.००	४१६.००	४१६.००	
	Indian Godrej Company	"	२५५७.००	२५५७.००	२५५७.००	
	Brass		११३०.००	११३०.००	११३०.००	
	<b>Door Spring (Door Closer)</b>					
	Ordinary	गोटा	१७८.००	१७८.००	१७८.००	
	hydraulic	"	१८७४.००	१८७४.००	१८७४.००	
	Other Door/Windows fixtures					
	<b>Window I-hook</b>	गोटा	१८.००	१८.००	१८.००	
	<b>Gate Hook</b>					
	4" Gate hook	गोटा	३१.००	३१.००	३१.००	
	5" Gate hook	"	३५.००	३५.००	३५.००	
	6" Gate hook	"	४२.००	४२.००	४२.००	
	Brass Gate hook		७५.००	७५.००	७५.००	
	<b>Door stopper</b>					
	Butterfly	"	१४८.००	१४८.००	१४८.००	
	Bell catch 2" size	"	१९६.००	१९६.००	१९६.००	
	C.P. handle	"	४२५.००	४२५.००	४२५.००	
	Power coated handle	"	४०६.००	४०६.००	४०६.००	
	Brass coated handle	"	८७४.००	८७४.००	८७४.००	
	Door stopper, single brass stopper	सेट	१००.००	१००.००	१००.००	
	Door stopper double brass stopper	"	१७८.००	१७८.००	१७८.००	
32	बिबिध सामग्रीहरू					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१२५.००	१२५.००	१२५.००	
	Nails (different sizes)	के.जी.	११२.००	११२.००	११२.००	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७२१.००	७२१.००	७२१.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	कवाडी फलामे सामानहरू(वन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	२६.००	२६.००	२६.००	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	२९.००	२९.००	२९.००	
	Nut and Bolts	गोटा	२९.००	२९.००	२९.००	
	Nut and Bolts (different sizes)	के.जी.	१६५.००	१६५.००	१६५.००	
	Sandpaper (खाम्सी)	गोटा	६.००	६.००	६.००	
	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१३७.००	१३७.००	१३७.००	
	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.००	
	३" साइज रुफिङ्ग नेल्स	"	१०.००	१०.००	१०.००	
	<b>Screw Brass</b>					
	20mm	गोटा	२.००	२.००	२.००	
	25mm	"	३.००	३.००	३.००	
	35mm	"	४.००	४.००	४.००	
	50mm	"	१२.००	१२.००	१२.००	
	75mm	"	१५.००	१५.००	१५.००	
	<b>Screw Steel</b>					
	20mm	"	१.००	१.००	१.००	
	25mm	"	२.००	२.००	२.००	
	35mm	"	२.००	२.००	२.००	
	50mm	"	७.००	७.००	७.००	
	75mm	"	८.००	८.००	८.००	
	विटुमीन बासर	गोटा	३.००	३.००	३.००	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	९३.००	९३.००	९३.००	
	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३१.००	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२४७२.००	२४७२.००	२४७२.००	
	Plasticfelt (२०मी. × १मी.)	"	२३१८.००	२३१८.००	२३१८.००	
	१८-२० फिट लामो बाँस	गोटा	२०४.००	२०४.००	२०४.००	
	मैन पालिस	के.जि.	२०६.००	२०६.००	२०६.००	
	अक्जालिक एसिड	"	११८.००	११८.००	११८.००	
	जुट वा पोलिथिनको खाली बोरा	गोटा	१८.००	१८.००	१८.००	
	माटो (हुवानि बाहेक )	घ.मि.	२६८.००	२६८.००	२६८.००	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	४६४.००	४६४.००	४६४.००	
	भुस	के.जि.	५.००	५.००	५.००	
	गोवर	"	५.००	५.००	५.००	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९३.००	९३.००	९३.००	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९८.००	९८.००	९८.००	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.००	९.००	९.००	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिटर	०.२६	०.२६	०.२६	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	०.३१	०.३१	०.३१	
<b>33</b>	<b>स्टेनलेस स्टील पाइप (257/kg)</b>					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१९४.००	१९४.००	१९४.००	
	१" व्यास भएको १६ गेज मोटाई	"	२४३.००	२४३.००	२४३.००	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३०९.००	३०९.००	३०९.००	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३७६.००	३७६.००	३७६.००	
	२" व्यास भएको १६ गेज मोटाई	"	५०८.००	५०८.००	५०८.००	
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe )	र.फी.	११६८.००	११६८.००	११६८.००	
<b>34</b>	<b>मार्बल चिप्स</b>					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१७०.००	१७०.००	१७०.००	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१७०.००	१७०.००	१७०.००	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१८१.००	१८१.००	१८१.००	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१५३.००	१५३.००	१५३.००	
<b>35</b>	<b>मार्बल (Marble)</b>					
<b>35.1</b>	<b>राजस्थानी मार्बल</b>					
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६०.००	१६०.००	१६०.००	
	१६ मी.मी बाक्लो राजस्थानी	"	१७५.००	१७५.००	१७५.००	
<b>35.2</b>	<b>ग्रेनाइट</b>					
	१२ मी.मी बाक्लो ग्रेनाइट	"	२५०.००	२५०.००	२५०.००	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३३५.००	३३५.००	३३५.००	
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	३७६.००	३७६.००	३७६.००	
<b>35.3</b>	<b>Kota Stone</b>					
	1" thick	व.फि.	१४२.००	१४२.००	१४२.००	
	3/4" thick	व.फि.	१३०.००	१३०.००	१३०.००	
<b>35.4</b>	Sand stone ( for rubbing Marble )	गोटा	७२.००	७२.००	७२.००	
<b>36</b>	<b>Porcelain Glazed/Terrazo Mosaic Tiles</b>					
<b>36.1</b>	<b>Porcelain Glazed Tiles</b>					
	CottoThai Tiles	"	१२६.००	१२६.००	१२६.००	
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	८५.००	८५.००	८५.००	
	Ordinary floor and wall Tile	"	५४.००	५४.००	५४.००	
	Border Tile ( २ " X ८ " )	र.फि.	४३.००	४३.००	४३.००	
	Indian Ceramic Wall Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Indian Ceramic Border Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००	
	Indian Ceramic Floor Tile (31*45cm)	"	१५०.००	१५०.००	१५०.००	
	<b>Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent</b>					
	24"X24" GVT	व.फु.	१६५.००	१६५.००	१६५.००	
	24"X24" GRES Vitrified (Digital floor )	"	१४४.००	१४४.००	१४४.००	
	12"X12" GRES homogeous Vitrified parking tile	"	१०६.००	१०६.००	१०६.००	
	24"X24" Vitrified	"	१११.००	१११.००	१११.००	
	<b>Flooring tile Everest/Victory /Swastik /Espanoi or equivalent</b>					
	16"X16 "	व.फु.	९८.००	९८.००	९८.००	
	12"X12"	"	८८.००	८८.००	८८.००	
	12"X12" (White/Ivery)	"	७७.००	७७.००	७७.००	
	2"X2"(Digital)	"	१२९.००	१२९.००	१२९.००	
	12"X24" (Wall)	"	१३४.००	१३४.००	१३४.००	
	12"X18" (Wall)	"	१०३.००	१०३.००	१०३.००	
36.2	<b>LG Floors Tiles</b>					
	Fittings for Tiles	"	१५.००	१५.००	१५.००	
	Fittings for Tiles on stairs	"	१७.००	१७.००	१७.००	
	Dendrite for tiles	लि.	३७२.००	३७२.००	३७२.००	
36.3	<b>ELITE / FORBO FLOORING COATING</b>					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH )	व.फि.	३६१.००	३६१.००	३६१.००	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH )	"	३६१.००	३६१.००	३६१.००	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	३८३.००	३८३.००	३८३.००	
	SARLON VINYL ACOUSTIC FLOORING	"	४२७.००	४२७.००	४२७.००	
	SCRATCH FABRIC FALSE CEILING	"	२३२.००	२३२.००	२३२.००	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६२.००	६२.००	६२.००	
	Forbo marmoleum flooring 2mm thick all fitting work	"	४०३.००	४०३.००	४०३.००	
37	and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	b) Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	c) Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	d) Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
37.1	रंगरोगनका सामानहरू				०.००	
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१९.००	१९.००	१९.००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३६.००	३६.००	३६.००	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	३९.००	३९.००	३९.००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	Equivalent Asian, Berger & other company.
	(ध) सिमेन्ट प्राइमर सेतो	"	२६८.००	२६८.००	२६८.००	
	(छ) उड प्राइमर (Wood Primer)	लिटर	३७६.००	३७६.००	३७६.००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	५२५.००	५२५.००	५२५.००	"
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	५०६.००	५०६.००	५०६.००	
	(ज) कोरुगेटेड रुफ Paint	"	४७६.००	४७६.००	४७६.००	
	(झ) तयारी अल्मुनियम पेन्ट	"	५४६.००	५४६.००	५४६.००	
	(ञ) तयारी वार्नेस	"	४४०.००	४४०.००	४४०.००	
	(ट) तयारी वार्नेर सेन्थेटिक	"	३४०.००	३४०.००	३४०.००	
	(ठ) भारतीय थिनर	"	२३१.००	२३१.००	२३१.००	
	ड) उड एण्ड ग्लास पुटिन	के.जी	१३१.००	१३१.००	१३१.००	
	ढ) मेटल पुटिन	"	१५५.००	१५५.००	१५५.००	
	ण) चुना पेन्ट गर्न राख्ने गम	"	२०३.००	२०३.००	२०३.००	
	त) नेपाली थिनर	लिटर	२१८.००	२१८.००	२१८.००	
	(द) तारपिन तेल	"	२१४.००	२१४.००	२१४.००	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	२६२.००	२६२.००	२६२.००	
	(न) उड प्रिजरभेटिव पेन्ट	"	२२८.००	२२८.००	२२८.००	
	(प) Black Japan Paint	"	२८६.००	२८६.००	२८६.००	
	(फ) राम तिलक	के.जि.	५६.००	५६.००	५६.००	
	(ब) गेरु रंग	के.जि.	१३७.००	१३७.००	१३७.००	
	(भ) चप्रा पालिस	के.जि.	९१६.००	९१६.००	९१६.००	
	(म) तयारी वासेवल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	२२३.००	२२३.००	२२३.००	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५२६.००	५२६.००	५२६.००	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६३१.००	६३१.००	६३१.००	
	(र) Road Marking Paint	"	५७९.००	५७९.००	५७९.००	"
	(ल) लिनसिड आयल (linsed Oil)	"	१९६.००	१९६.००	१९६.००	
	(व) स्थानीय स्पीट	लि.	११८.००	११८.००	११८.००	
	(स) मोविकल/फेविकल	के.जि.	२६२.००	२६२.००	२६२.००	
	(ष) Tata Red Oxide Paint	"	२६२.००	२६२.००	२६२.००	
	(ह) गद्दा चुन (ईण्डीयन)	"	२२.००	२२.००	२२.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	(क) Wall putty equivalent Asian , Berger & other company.	के.जि.	६९.००	६९.००	६९.००	
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००	
	glass beads	के.जि.	-	-	१४५.००	
	wood keeper (chapara type )	लि.	५५०.००	५५०.००	५५०.००	
	Redoxide zink cromate primer For Bridge	लि.	४६३.००	४६३.००	४६३.००	
	Silk Breathless easy	लि.	१२१६.००	१२१६.००	१२१६.००	
	Road divider ( polythene )	गोटा	१६२२.००	१६२२.००	१६२२.००	
	Dust bin ( polythene ) 165 ltr	गोटा	३०८३.००	३०८३.००	३०८३.००	
	<b>Wall putty Epoxy flooring</b>				०.००	
	wall plast wall putty (40kg)	Bag	१३०६.००	१३०६.००	१३०६.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD ( 4layer & 5 component	व.मी.	२०८२.००	२०८२.००	२०८२.००	
	2mm Epoxy Antistatic Floor coating for OT( ( 4 layer & 9 component	"	३६८८.००	३६८८.००	३६८८.००	
	Epoxy Paint for Operation theater	"	११५०९.००	११५०९.००	११५०९.००	
37.2	<b>Decorative Painting Material Acro &amp; equivalent</b>					
A	<b>Specialized paints(Dr. wallz)</b>					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	१०९९.००	१०९९.००	१०९९.००	
2	Acro Ellastocrab (Anti carbonisation paint)	"	७६२.००	७६२.००	७६२.००	
B	<b>Texture paints</b>				०.००	
1	Mediterrano	के.जि.	१७६.००	१७६.००	१७६.००	
2	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००	
3	Velvetino	"	४३०५.००	४३०५.००	४३०५.००	
4	Travertino	"	४१२.००	४१२.००	४१२.००	
5	Gtone plaster	"	१२१.००	१२१.००	१२१.००	
6	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००	
7	Pearl skin texture	"	१४९.००	१४९.००	१४९.००	
8	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००	
9	Rustic	"	१५९.००	१५९.००	१५९.००	
10	Rockart	लिट्र	१५९.००	१५९.००	१५९.००	
11	Manhattan	के.जि.	२३८.००	२३८.००	२३८.००	
12	Sabbia	"	२३८.००	२३८.००	२३८.००	
13	Sandy Stone	"	१७४.००	१७४.००	१७४.००	
14	Insulplast	"	२३७.००	२३७.००	२३७.००	
15	Poly Under White	"	२६४.००	२६४.००	२६४.००	
16	Antica(Top coat)	"	१२६७.००	१२६७.००	१२६७.००	
17	T.C 100(Top coat)	"	७२८.००	७२८.००	७२८.००	
18	Dekorica White	"	२६३१.००	२६३१.००	२६३१.००	
19	Poly Plaster	"	१०७.००	१०७.००	१०७.००	
20	Granite tone	"	१६५.००	१६५.००	१६५.००	
21	Graffiato	"	१५९.००	१५९.००	१५९.००	
22	Elligance stone	"	१८९.००	१८९.००	१८९.००	
23	Marmorino Base	के.जि.	४१२.००	४१२.००	४१२.००	
24	Acro fine	लिट्र	१८१.००	१८१.००	१८१.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
25	Marmocastro base	के.जि	१३९.००	१३९.००	१३९.००	
26	Selva Granite	"	२१५.००	२१५.००	२१५.००	
27	Romart	"	२३९.००	२३९.००	२३९.००	
<b>C</b>	<b>Weathercoat paints</b>					
1	Guard	लिट्र	५०३.००	५०३.००	५०३.००	
2	Guard -3x	"	५८८.००	५८८.००	५८८.००	
3	Shield	"	३२२.००	३२२.००	३२२.००	
4	Acrotex matt	"	५१०.००	५१०.००	५१०.००	
5	Ext wall Primer	"	२३८.००	२३८.००	२३८.००	
<b>D</b>	<b>Emulsion Paints</b>					
1	silk Emulsion paints	"	५२२.००	५२२.००	५२२.००	
2	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२८०.००	
3	pearl Emulsion paints	"	७७२.००	७७२.००	७७२.००	
4	int. wall Primer	"	१७२.००	१७२.००	१७२.००	
E	Acrylic Washable Distemper	"	१४२.००	१४२.००	१४२.००	
F	Acro gold Enamel	"	५१२.००	५१२.००	५१२.००	
G	Universal primer ( wood primer)	"	३१३.००	३१३.००	३१३.००	
H	Red oxide metal primer	"	२७६.००	२७६.००	२७६.००	
<b>I</b>	<b>Construction Chemical / waterproof coating system</b>					
	crack sill	"	३८७.००	३८७.००	३८७.००	
	crack fill A+B	"	१७०.००	१७०.००	१७०.००	
<b>J</b>	<b>Silicon Bases water repellent impregnation</b>					
	Acropreg	"	४६६.००	४६६.००	४६६.००	
	Acropreg W	"	६१९.००	६१९.००	६१९.००	
	Wall putty	के.जि	३९.००	३९.००	३९.००	
<b>37.3</b>	Acro Texture ISO certified 9001-2008 ( Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
<b>1</b>	<b>Acro Spanezia maestro finishes texture</b>					
1.1	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००	
1.2	Traventino texture	"	१९५.००	१९५.००	१९५.००	
1.3	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
1.5	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
1.6	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
1.7	Marmorino texture	"	१५६.००	१५६.००	१५६.००	
<b>2</b>	<b>Acro texture</b>					
2.1	Acro spray flat/Acro spray dewes texture	ब.फि	७५.००	७५.००	७५.००	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
2.3	Rustic texture	"	९९.००	९९.००	९९.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
2.4	Rockart texture	"	९३.००	९३.००	९३.००	
2.5	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
2.6	Marmocastro texture	"	९०.००	९०.००	९०.००	
2.7	Marmoplast texture	"	९०.००	९०.००	९०.००	
2.8	Sabbia texture	"	११२.००	११२.००	११२.००	
2.9	Manhattan texture	"	११२.००	११२.००	११२.००	
2.10	Sandy stone texture	"	१५४.००	१५४.००	१५४.००	
2.11	Selva Granite texture	"	११६.००	११६.००	११६.००	
2.12	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
2.13	Granite tone texture	"	९८.००	९८.००	९८.००	
2.14	Romaart texture	"	१२४.००	१२४.००	१२४.००	
2.15	Insulplast texture	"	१३५.००	१३५.००	१३५.००	
3	Acro Bio-guard (Hospital Paint)	"	५४.००	५४.००	५४.००	
4	Acro Elastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००	
1	<b>EXTERIOR SURFACE WEATHERCOAT PAINTS</b>					
	1.ACROGUARD 3X	ब.फि	२३.००	२३.००	२३.००	
	2. ACROGUARD	"	२१.००	२१.००	२१.००	
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	4. ACROTEX MATT	"	३१.००	३१.००	३१.००	
2	<b>INTERIOR SURFACE EMULSION PAINTS</b>					
	1. ACROPEARL EMULSION PAINTS	ब.फि	२४.००	२४.००	२४.००	
	2. ACROSILK EMULSION PAINTS	"	२०.००	२०.००	२०.००	
	3. AQUALIN EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	११.००	११.००	११.००	
	5. ACRO GOLD ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
	<b>Expansion joint</b>					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	१५४५०.००	१५४५०.००	१५४५०.००	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	१२८७५.००	१२८७५.००	१२८७५.००	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	१४९३५.००	१४९३५.००	१४९३५.००	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	१८०२५.००	१८०२५.००	१८०२५.००	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	२५७५०.००	२५७५०.००	२५७५०.००	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	१३३९०.००	१३३९०.००	१३३९०.००	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	१९०५५.००	१९०५५.००	१९०५५.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	२८८४०.००	२८८४०.००	२८८४०.००	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	१२३६०.००	१२३६०.००	१२३६०.००	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	२१११५.००	२१११५.००	२१११५.००	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	३३४७५.००	३३४७५.००	३३४७५.००	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	३६०५०.००	३६०५०.००	३६०५०.००	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	३८६२५.००	३८६२५.००	३८६२५.००	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	१६४८०.००	१६४८०.००	१६४८०.००	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	३१९३०.००	३१९३०.००	३१९३०.००	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	१९३१३.००	१९३१३.००	१९३१३.००	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	२९३५५.००	२९३५५.००	२९३५५.००	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	९२७०.००	९२७०.००	९२७०.००	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	१५४५.००	१५४५.००	१५४५.००	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	२०६०.००	२०६०.००	२०६०.००	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	१५४५०.००	१५४५०.००	१५४५०.००	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	९७८५.००	९७८५.००	९७८५.००	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>38</b>	<b>Wall Paper</b>					
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००	
	Fittings for wall paper	व.फि	७.००	७.००	७.००	
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००	
<b>39</b>	<b>Eradication of peepal &amp; other plants</b>					
	a) Stem up to 1" thickness	गोटा				
	b) Stem up to 1"-2" thickness	"				
	c) Stem up to 2"-3" thickness	"				
	d) Stem up to 3"-4" thickness	"				
<b>40</b>	<b>Gypsum board</b>					
40.1	<b>Supplying and fixing of Thai gypsum board application work</b>					
	i) फल्स सिलिङ्ग गर्ने	व.फि				
	ii) Water resistant false ceiling	"				
	iii) Wall partition	"	११९.००	११९.००	११९.००	
	iv) Wall paneling	"	७९.००	७९.००	७९.००	
	v) Metalized polited laminated Board (MPL) board	"	७६.००	७६.००	७६.००	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	७०.००	७०.००	७०.००	
41.3	<b>Solid Infill wall ( Shera, Everest or Thai Gypsum or equivalent</b>					
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३७९३.००	३७९३.००	३७९३.००	
41.4	<b>Solid Infill wall (Chinese or equivalent)</b>					
	Solid infill wall 3"	व.मी.	१७७०.००	१७७०.००	१७७०.००	
41.5	<b>Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr</b>					
	Solid infill wall 50mm	व.मी.	३२८८.००	३२८८.००	३२८८.००	
<b>42</b>	<b>Interlocking Cement Concrete Block( Not less than M20 RCC Block )</b>					
	a) Curb stone ( M 25 )	र.मि.	११०१.००	११०१.००	११०१.००	
	<b>25 mm thick C.C. Tile (Grey color)</b>					
	Burfi , Round , Boby Checker	Sqft	४२.००	४२.००	४२.००	
	<b>25 mm thick C.C. Tile (Red color)</b>					
	Burfi , Round , Boby Checker	Sqft	४४.००	४४.००	४४.००	
	<b>50 mm thick CC Block (Grey color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५१.००	५१.००	५१.००	
	<b>50 mm thick CC Block (Red color)</b>					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५२.००	५२.००	५२.००	
	<b>60 mm thick CC Block (Grey color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	५३.००	५३.००	५३.००	
	<b>60 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	५५.००	५५.००	५५.००	
	<b>70 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	६१.००	६१.००	६१.००	
	<b>60 mm thick CC Block ( Ocm or equivalent )</b>					
	Brick type (23*11*6cm)non colour	Nos	१०.००	१०.००	१०.००	
	Hexagon (22*22 cm) non colour	"	२३.००	२३.००	२३.००	
	Hexagon (22*22 cm) colour	"	२५.००	२५.००	२५.००	
	Squire paver (30*30*4.5cm)non colour	"	३२.००	३२.००	३२.००	
	Squire paver (30*30*4.5cm)colour	"	३४.००	३४.००	३४.००	
	inter block(24*13*6cm)	"	१४.००	१४.००	१४.००	
	Isave paver (20*16*6cm)	"	१६.००	१६.००	१६.००	
	<b>supply of concrete Block different items United concrete or other Equivalent</b>					
	Hollow Block ( 16"*8"*6")	Nos	७८.००	७८.००	७८.००	
	Hollow Block ( 16"*8"*4")	"	६९.००	६९.००	६९.००	
	Corner Hollow Block ( 16"*8"*6")	"	८९.००	८९.००	८९.००	
	Lintel Block ( 16"*8"*6")	"	८९.००	८९.००	८९.००	
	Pavers Block ( fish or other shape ) 60mm thick	"	२०.००	२०.००	२०.००	
	concrete Brick ( 9"*4"*2.5")	"	१३.००	१३.००	१३.००	
<b>43</b>	<b>छानामा टाइलको बुट्टा काट्ने र पानी पट्टी कार्य</b>					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा रुफिड टाइलको बुट्टा काट्ने सामान सहित (तयारी)	व.मि.				
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी				
<b>44</b>	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting</b>					
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००	
	ii) Heritage flakes	"	१२४.००	१२४.००	१२४.००	
	iii) Heritage granite finish	"	१०८.००	१०८.००	१०८.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	iv) Heritage Top coat (plastic lamination)	„	२९.००	२९.००	२९.००	
<b>45</b>	<b>UPVC Profile Door and Window/ Wall partition</b>					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	<b>UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू</b>					
	<b>i) Single glazing</b>					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७२१५.००	७२१५.००	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	„	६६६४.००	६६६४.००	६६६४.००	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	„	७४९३.००	७४९३.००	७४९३.००	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	„	७४९३.००	७४९३.००	७४९३.००	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	„	८२१४.००	८२१४.००	८२१४.००	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	„	८३२८.००	८३२८.००	८३२८.००	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	„	८८८४.००	८८८४.००	८८८४.००	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	„	८८८४.००	८८८४.००	८८८४.००	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	„	८६०६.००	८६०६.००	८६०६.००	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	„	९९९९.००	९९९९.००	९९९९.००	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	८६२६.००	८६२६.००	८६२६.००	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	„	९७९६.००	९७९६.००	९७९६.००	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	„	१०३५३.००	१०३५३.००	१०३५३.००	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	„	१०७७.००	१०७७.००	१०७७.००	
13	UPVC60x60mm white colour swing door with 5mm glass pannel	„	६७२७.००	६७२७.००	६७२७.००	
	<b>ii) Double glazing</b>					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९४३५.००	९४३५.००	९४३५.००	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	„	८९३५.००	८९३५.००	८९३५.००	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	„	९७५.००	९७५.००	९७५.००	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	„	९७५.००	९७५.००	९७५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०४३९.००	१०४३९.००	१०४३९.००	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०५४७.००	१०५४७.००	१०५४७.००	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१११०३.००	१११०३.००	१११०३.००	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१०८२५.००	१०८२५.००	१०८२५.००	
9	Supply & fixing of 80*50 mm white colour casement window	"	९६११.००	९६११.००	९६११.००	
<b>46</b>	<b>Prefab Panel for wall Partition solid wall panel (ESWP) or Equivaient</b>					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in <b>partation wall</b> all complete					
	a) 40 mm thick	"				
	b) 50 mm thick	"	२३२.००	२३९.००	२३९.००	
	c) 75 mm thick	Sq .m.	२९४.००	३०२.००	३०२.००	
46.2	<b>False ceiling/ partition/ external cladding of everest or equivalent fibre designer board</b>					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९१.००	९३.००	९३.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२७१.००	२७९.००	२७९.००	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२३७.००	२४४.००	२४४.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	३०२.००	३११.००	३११.००	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	२६६.००	२७४.००	२७४.००	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	२११.००	२१७.००	२१७.००	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	२७९.००	२८८.००	२८८.००	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-			
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	6 mm thick	Sqft	३३.००	३४.००	३४.००	
	8 mm thick	Sqft	४१.००	४२.००	४२.००	
	10 mm thick	Sqft	५२.००	५३.००	५३.००	
	12 mm thick	Sqft	६२.००	६४.००	६४.००	
46.5	<b>Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire</b>					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३८१.००	३९३.००	३९३.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४१२.००	४२४.००	४२४.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५०९.००	५२४.००	५२४.००	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	Sqft	१०९.००	११२.००	११२.००	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	२५५.००	२६३.००	२६३.००	
	75 mm thick	Sqft	३३७.००	३४७.००	३४७.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२७४.००	२८२.००	२८२.००	
	<b>Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 &amp; Type A Category IV of ISO 8336:1993</b>	Sqft	२७८.००	२८६.००	२८६.००	
	<b>Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 &amp; Type A Category IV of ISO 8336:1993</b>	Sqft	२४३.००	२५०.००	२५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१०.००	३१९.००	३१९.००	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) conforming to IS 14862 : 2000	Sqft	३४८.००	३५९.००	३५९.००	
<b>47</b>	<b>Aluminium &amp; Steel Door &amp; Window</b>					
<b>47.1</b>	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५१३.९७	५२९.३९	५२९.३९	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	५५२.०८	५६८.६४	५६८.६४	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	५३८.६९	५५४.८५	५५४.८५	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५७७.८३	५९५.९६	५९५.९६	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	६६४.३५	६८४.२८	६८४.२८	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	४१५.०९	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	४१५.०९	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	५१३.९७	५२९.३९	५२९.३९	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	४६०.४१	४७४.२२	४७४.२२	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६२९.३३	६४८.२९	६४८.२९	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६२९.३३	६४८.२९	६४८.२९	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	३६७.७९	३७८.७४	३७८.७४	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	४८८.२२	५०२.८७	५०२.८७	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	४८८.२२	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	४८८.२२	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	४६२.४७	४७६.३४	४७६.३४	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल ( ८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	५०६.७६	५२९.९६	५२९.९६	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल ( ८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	५५८.२६	५७५.०९	५७५.०९	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	५५८.२६	५७५.०९	५७५.०९	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	५०६.७६	५२९.९६	५२९.९६	
	<b>102 series windows</b>				०.००	
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	५३६.६३	५५२.७३	५५२.७३	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६९२.८५	६३९.२४	६३९.२४	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४५९.९४	४६४.६७	४६४.६७	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6" )	"	९४४.२०	९४८.५३	९४८.५३	
	<b>90 series windows</b>					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५०४.७०	५१९.८४	५१९.८४	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५३२.५९	५४८.४९	५४८.४९	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४२३.३३	४३६.०३	४३६.०३	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	९४४.२०	९४८.५३	९४८.५३	
	<b>78 series windows</b>					
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	४४२.९०	४५६.९९	४५६.९९	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४७२.७७	४८६.९५	४८६.९५	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	३९६.५५	४०८.४५	४०८.४५	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	९३०.८९	९३४.७३	९३४.७३	
	<b>Casement window and doors</b>					

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	५१९.१२	५३४.६९	५३४.६९	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	५६३.४१	५८०.३१	५८०.३१	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	७१६.८८	७३८.३९	७३८.३९	
	<b>Partation work</b>					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३३८.८७	३४९.०४	३४९.०४	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	३६०.५०	३७१.३२	३७१.३२	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३८८.३१	३९९.९६	३९९.९६	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	४८३.०७	४९७.५६	४९७.५६	
	Structure glazing					
	glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	५४०.७५	५५६.९७	५५६.९७	
	glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६२७.२७	६४६.०९	६४६.०९	
	glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	७६२.२०	७८५.०७	७८५.०७	





सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>48</b>	<b>Aluminium composite panel</b>					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent					
	3 mm , .20 mm black core	बफी	३६०.५०	३७९.३२	३७९.३२	
	3 mm , .25 mm black core	"	३६९.७७	३८०.८६	३८०.८६	
	3 mm , .30 mm black core	"	३८३.९६	३९४.६५	३९४.६५	
	4 mm , .25 mm black core	"	३९२.४३	४०४.२०	४०४.२०	
	4 mm , .30 mm black core	"	३८३.९६	३९४.६५	३९४.६५	
	4 mm , .50 mm black core	"	४०५.८२	४१७.९९	४१७.९९	
	4 mm , .25 mm Vergin core	"	४१५.०९	४२७.५४	४२७.५४	
	4 mm , .30 mm vergin core	"	३८३.९६	३९४.६५	३९४.६५	
	4 mm , .50 mm vergin core	"	४१५.०९	४२७.५४	४२७.५४	
48.2	<b>Steel Door &amp; Windows</b>					
	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm )and both side 0.5 mm thick steel and honey comb paper in between steel in shuttert including peep hole 3pcs 130mm size hinges heavy duty lock ( in five place and all other necessary accesories all complete.	व.फि				
<b>49</b>	<b>Water proofing (chemicals &amp; Tretment)works</b>					
<b>1</b>	<b>CONCRETE ADMIXTURES (Chemical)</b>					
1.1	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	१६८.३०	१५०.००	१५०.००	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	२५२.४५	२५०.००	२५०.००	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	५०४.९०	४५०.००	४५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
1.4	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	३०८.५५	३००.००	३००.००	
1.5	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	९५३.७०	१०००.००	१०००.००	
1.6	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	९५३.७०	१०००.००	१०००.००	
1.7	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	१४०२.५०	१२५०.००	१२५०.००	
1.8	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१६८.३०	१८०.००	१८०.००	
1.9	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	Kg.	२८०.५०	२५०.००	२५०.००	
1.10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	Kg.	३९२.७०	३५०.००	३५०.००	
1.11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free]	Kg.	३३६.६०	३५०.००	३५०.००	
1.12	Retarding Superplasticizer for Concrete [ Naphthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२५२.४५	२५०.००	२५०.००	
1.13	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४०४.९०	४५०.००	४५०.००	
1.14	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	६६३.००	६६३.००	६६३.००	
<b>2</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>					
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३२३.८५	३३०.००	३३०.००	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	९५.३७	८५.००	८५.००	
<b>3</b>	<b>JOINT SEALANTS &amp; SYSTEMS</b>				०.००	
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	२०१९.६०	१८००.००	१८००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	२०१९.६०	१८००.००	१८००.००	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	३३६६.००	३०००.००	३०००.००	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	२२४४.००	२०००.००	२०००.००	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	३३६६.००	३०००.००	३०००.००	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	१३४६.४०	१२००.००	१२००.००	
3.7	Butyl Tape for various Applications	RM	१४०.२५	१२५.००	१२५.००	
3.8	Waterproofing Joint Tape [ 120 mm]	RM	५६१.००	५५०.००	५५०.००	
3.9	Waterproofing Joint Tape [ 200 mm]	RM	७२९.३०	७५०.००	७५०.००	
3.10	NBR based Waterproofing Joint Tape [ 200 mm]	RM	४४८८.००	४०००.००	४०००.००	
3.11	Joint Tape Epoxy Adhesive	Kg.	३३६६.००	३०००.००	३०००.००	
3.12	Glass Fiber Joint Tape	RM.	३०६.००	२७५.००	२७५.००	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	१६८३.००	१५००.००	१५००.००	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	३०२९.४०	२७००.००	२७००.००	
3.15	Construction Joint Tape [ 100 mm]	RM.	८९७.६०	८००.००	८००.००	
3.16	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	२७४८.९०	२४५०.००	२४५०.००	
3.17	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	५४४१.७०	४८५०.००	४८५०.००	
3.18	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	८९७.६०	८००.००	८००.००	
3.19	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	१६८३.००	१५००.००	१५००.००	
4	<b>INDUSTRIAL FLOORING SOLUTIONS</b>				०.००	
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	Kg.	१२३.४२	१२०.००	१२०.००	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	४२०.७५	४५०.००	४५०.००	
4.3	Anti Bacterial Floor & Wall Coating [ Epoxy]	Kg.	२५२४.५०	२५००.००	२५००.००	
4.4	Anti Bacterial Floor & Wall Coating [ Polyurethane]	Kg.	२८०५.००	३०००.००	३०००.००	
4.5	Anti bacterial Floor & Wall Coating [ Acrylic]	Kg.	२२४४.००	२०००.००	२०००.००	
4.6	Self Levelling Flooring System [ Epoxy]	Kg.	११२२.००	११७८.००	११७८.००	
4.7	Self Levelling Flooring System [ Polyurethane]	Kg.	१६८३.००	१७६७.००	१७६७.००	
4.8	Self Levelling Cementitious Flooring System	Kg.	३३६.६०	३५३.००	३५३.००	
5	<b>ENGINEERING GROUTS</b>					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	Kg.	१२३.४२	११०.००	११०.००	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	१३७.७०	१२५.००	१२५.००	
5.3	Hard wearing cementitious tile grout	Kg.	१७९.५२	१६०.००	१६०.००	
5.4	Hard wearing epoxy based tile grout	Kg.	११२२.००	१०००.००	१०००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	५६१.००	५००.००	५००.००	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	२८०५.००	२५००.००	२५००.००	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	MI	५०४९.००	४५००.००	४५००.००	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	७२९३.००	७५००.००	७५००.००	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	१५७०८.००	१२५००.००	१२५००.००	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	९५३७.००	८५००.००	८५००.००	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	१५७०८.००	१४०००.००	१४०००.००	
<b>6</b>	<b>BONDING ADHESIVES (Polymer &amp; Epoxy Resin)</b>					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	७२९.३०	७५०.००	७५०.००	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	९५३.७०	९५०.००	९५०.००	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	१३४६.४०	१२००.००	१२००.००	
6.4	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	Kg.	२०१९.६०	१८००.००	१८००.००	
<b>7</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	११२२.००	१२००.००	१२००.००	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	१४५८.६०	१५००.००	१५००.००	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	२२४४.००	२०००.००	२०००.००	
7.4	Loose steel Fibers	Kg.	२८०.५०	२५०.००	२५०.००	
7.5	Glued Steel Fibers	Kg.	३९२.७०	३५०.००	३५०.००	
7.6	Crimped Steel Fibers	Kg.	२४९.९०	२५०.००	२५०.००	
<b>8</b>	<b>SURFACE TREATMENT</b>					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	१३४६.४०	१२००.००	१२००.००	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१५१४.७०	१३५०.००	१३५०.००	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	५०४९.००	४५००.००	४५००.००	
8.4	Protective Acrylic Sealer	Kg.	१६८३.००	१५००.००	१५००.००	
8.5	Protective Polyurethane Sealer	Kg.	२०१९.६०	१८००.००	१८००.००	
8.6	Water Based Fire Retardant Coating	Kg.	१३४६.४०	१५००.००	१५००.००	
8.7	High Performance Water Repellent Paint	Ltr.	१००९८.००	१००९८.००	१००९८.००	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	५६१.००	५००.००	५००.००	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	४४८.८०	५००.००	५००.००	
8.10	Concrete Curing Aid	Kg.	४४८.८०	४५०.००	४५०.००	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७१४.००	७१४.००	७१४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>CONCRETE REPAIRS</b>					
9	Rust Remover & Passivator	Ltr.	११२२.००	१०००.००	१०००.००	
9.1	Corrosion Inhibitor	Kg.	११२२.००	१२००.००	१२००.००	
9.2	Micro Concrete [ M55] for Permanant Repairs	Kg.	१५७.०८	१४०.००	१४०.००	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	१९३.८०	१७५.००	१७५.००	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	२८०.५०	२५०.००	२५०.००	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	२२४.४०	२००.००	२००.००	
9.6	Acrylic Based Crack Filling Putty	Kg.	१३४६.४०	१२००.००	१२००.००	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	७१४.००	७१४.००	७१४.००	
	<b>PREPACKED MORTARS</b>					
10	Tile, Mabrble, Granite etc. Adhesive	Kg.	८४.१५	८५.००	८५.००	
10.1	Marble & Granite etc. Adhesive	Kg.	३९२.७०	३५०.००	३५०.००	
10.2	Coarse and water resistant Readymix plastering Mortar	Kg.	९१.८०	८५.००	८५.००	
10.3	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	७१.४०	८५.००	८५.००	
10.4	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	९१.८०	९०.००	९०.००	
10.5	<b>WATERPROOFING SYSTEMS</b>					
11	<b>INTEGRAL</b>					
	Integral Waterproofing Additive for Concrete & Plaster	Kg.	३०६.००	२७५.००	२७५.००	
11.1	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	३२१.३०	३२१.००	३२१.००	
11.2	<b>LIQUID APPLIED</b>					
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	७८५.४०	७००.००	७००.००	
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	५६१.००	५००.००	५००.००	
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	८४१.५०	७५०.००	७५०.००	
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	७६५.००	८५०.००	८५०.००	
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	७१४.००	७५०.००	७५०.००	
11.5	Crystalline Based Waterproofing Systems	Kg.	३३६.६०	३५०.००	३५०.००	
11.6	Fast Setting Plugging Compound for stopping running water	Kg.	३९२.७०	४००.००	४००.००	
11.7	Polyurethane based Waterproofing Coating System	Kg.	१६८३.००	१६५०.००	१६५०.००	
11.8	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१३४६.४०	१२५०.००	१२५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
11.9	Epoxy Resin based Waterproofing Coating System	Kg.	१६८३.००	१६८३.००	१६८३.००	
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	६१२.००	६००.००	६००.००	
	<b>PREFORMED</b>					
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	२०१९.६०	१८००.००	१८००.००	
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	२२४४.००	२०००.००	२०००.००	
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	११२२.००	१०५०.००	१०५०.००	
11.14	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	Sq. M.	१६८३.००	१५००.००	१५००.००	
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	१६८३.००	१५००.००	१५००.००	
11.16	1.2 mm High Polymer PVC Membranes	Sq. M.	२२४४.००	२०००.००	२०००.००	
11.17	PVC Adhesive	Kg.	२८०५.००	२५००.००	२५००.००	
11.18	1.2 mm EPDM Membranes	Sq. M.	२२४४.००	२५००.००	२५००.००	
11.19	EPDM Adhesive	Kg.	२८०५.००	२५००.००	२५००.००	
11.2	EPDM Primer	Kg.	३३६६.००	३०००.००	३०००.००	
11.21	2mm TPO Membranes	Sq. M.	३९२७.००	३५००.००	३५००.००	
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	८९७.६०	८००.००	८००.००	
11.23	100% Synthetic Rubber Roof Coating	Kg.	५०४९.००	४५००.००	४५००.००	
11.24	<b>SPECIALTY</b>					
12	Antistripping Agent for Bitumen	Kg.	४४८.८०	५५०.००	५५०.००	
12.1	Anti Termite [ Imidacloprid 30.5% ]	Kg.	८४१५.००	१२०००.००	१२०००.००	
12.2	Expanding Concrete Joint WATERSTOP	RM.	२२४४.००	२५००.००	२५००.००	
12.3	WB ADHESIVE Primer for Expanding Waterstop	2500	८४१५.००	७५००.००	७५००.००	
12.4	Swellable WATERSTOP	RM.	२८०५.००	२५००.००	२५००.००	
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	२८०५.००	२५००.००	२५००.००	
12.6	Nodular Drain with Geotextile Roof Garden	Sq. M.	२२४४.००	२५००.००	२५००.००	
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११२.२०	११०.००	११०.००	
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [ 25 mm]	Sq. M.	१२३४.२०	१८००.००	१८००.००	
	THERMOSEAL XPS - Extruded Polystyrene Boards [ 40 mm]	Sq. M.	२२४४.००	३०००.००	३०००.००	
13	<b>STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING</b>					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	८९७६.००	८५००.००	८५००.००	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	११२२०.००	१००००.००	१००००.००	
13.3	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	११२२०.००	८०००.००	८०००.००	
13.4	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	१६८३०.००	१२०००.००	१२०००.००	
13.5	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	२२४४०.००	१६०००.००	१६०००.००	
13.6	FRP [ Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	१६८३०.००	१२०००.००	१२०००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
13.7	EPOXY PRIMER	Kg.	३९२७.००	३५००.००	३५००.००	
13.8	SATURANT	Kg.	३३६६.००	३५००.००	३५००.००	
13.9	LAMINATE ADHESIVE	Kg.	२२४४.००	२५००.००	२५००.००	
13.11	EPOXY TOPCOAT	Kg.	३३६६.००	३५००.००	३५००.००	
13.12	POLYURETHANE TOPCOAT	Kg.	४४८८.००	४५००.००	४५००.००	
13.13	Fiber anchor system 5to 10 mm	R. M.	२२४४.००	२५००.००	२५००.००	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	८९७६.००	१००००.००	१००००.००	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	११२२०.००	१२०००.००	१२०००.००	
<b>14</b>	<b>Soil Stabiliser / Admixture</b>					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	६८३.४०	६८३.००	६८३.००	
<b>15</b>	<b>Concrete curing compound</b>					
15.10	Concrete Curing Aid	Kg.	४५३.००	४५३.००	४५३.००	
15.20	Resin, silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७२१.००	७२१.००	७२१.००	
<b>50</b>	<b>परम्परागत निर्माण सामग्रीहरू :-</b>					
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२१.००	२१.००	२१.००	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	१६.००	१६.००	१६.००	
	३) दचिअपा ठूलोको कुं	"	२५.००	२५.००	२५.००	
	४) दचिअपा सानोको कुं अपा	"	२१.००	२१.००	२१.००	
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	१९.००	१९.००	१९.००	
	६) माँ अपा ठूलो 241x60x158 mm	"	२४.००	२४.००	२४.००	
	७) मा अपा सानो ८-३/८"×२"×५"	"	१५.००	१५.००	१५.००	
	८) धुरी चाइ ठूलो ९-३/८"×५-१/२"×३/४"	"	२३.००	२३.००	२३.००	
	९) धुरी 230x295x25 mm	"	-	-	-	
	१०) धुरी चाइ सानो	"	१८.००	१८.००	१८.००	
	११) फिगटी नयाँ ८-३/४"×४"	गोटा	११.००	११.००	११.००	
	१२) फिगटी पुरानो	गोटा	७.००	७.००	७.००	
	१३) ढुकु	गोटा	४०.००	४०.००	४०.००	
	१४) Snake body brick traditional	गोटा	२५.००	२५.००	२५.००	
	१५) Snake neck brick ,,	गोटा	७४.००	७४.००	७४.००	
	१६) Snake head brick ,,	गोटा	१४५.००	१४५.००	१४५.००	
	क)साना	"	११३.००	११३.००	११३.००	
	ख)ठूलो	"	२२७.००	२२७.००	२२७.००	
	१७) पेटीकोलागि ढुङ्गा				०.००	
	क) १८"×१०"×४"	"	६८०.००	६८०.००	६८०.००	
	१८) नागोल ईटा	गोटा	१९.००	१९.००	१९.००	
	१९)९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	२२६६.००	२२६६.००	२२६६.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
२०)	फ:ल्लोह अपा ठुलो 375x225x100mm	गोटा	१७०.००	१७०.००	१७०.००	
२१)	फ:ल्लोह अपा सानो 254x229x102mm	"	१४२.००	१४२.००	१४२.००	
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	१४.००	१४.००	१४.००	
२३)	तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	"	१०.००	१०.००	१०.००	
२४)	चारकुनै तेलिया ईटा (८"×८"	"	१९.००	१९.००	१९.००	
२५)	तेलिया ईटा (६"×६"	"	१४.००	१४.००	१४.००	
२६)	बुट्टेदारी कर्निश इटा (काशीमोहरु)	"	२८.००	२८.००	२८.००	
२७)	बुट्टेदारी कर्निश इटा कुना	"	४२.००	४२.००	४२.००	
२८)	बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	१७०.००	१७०.००	१७०.००	
२९)	भ्याल माथिको कर्निश इटा बुट्टेदारी	"	३४.००	३४.००	३४.००	
३०)	काठको कर्निश माथिको इटा ११×६×२.५"	"	५७.००	५७.००	५७.००	
३१)	कर्नर स्टोन : १०"×१०"×१४"	"	१५८६.००	१५८६.००	१५८६.००	
३२)	क) विचको न्याहाकल्लै १०"×७"×१४"	"	१०७६.००	१०७६.००	१०७६.००	
३३)	नागोल दुङ्गा १८"×१०"×५"	"	७९३.००	७९३.००	७९३.००	
३४)	भौ प्वा	गोटा	२२७.००	२२७.००	२२७.००	
३५)	तामा पाता.( नेपाली)	केजी	१०७६.००	१०७६.००	१०७६.००	
	तामा पाता (Indian)	केजी	१२४६.००	१२४६.००	१२४६.००	
३६)	पित्तल पाता	केजी	८५०.००	८५०.००	८५०.००	
३७)	पारो	ग्राम	१७०.००	१७०.००	१७०.००	
३८)	सूर्कि इटा कुटि धुलो बनाएको ।	टन	१३६०.००	१३६०.००	१३६०.००	
३९)	Wind bell हवा घण्टी ४"	गोटा	४६७.००	४६७.००	४६७.००	
४०)	न्हकल्लो बीचको	१ गोटा	१७००.००	१७००.००	१७००.००	
४१)	पेटीदुङ्गा ४"	१ मि.	२०३९.००	२०३९.००	२०३९.००	
	४२)पेटीदुङ्गा ५"	१ मि.	२४९३.००	२४९३.००	२४९३.००	
४५)	श्री गणेश	गोटा	११३३.००	११३३.००	११३३.००	
४६)	कूमार	गोटा	११३३.००	११३३.००	११३३.००	
४७)	ढुङ्गे धारा	गोटा	११३३.००	११३३.००	११३३.००	
४८)	ल्हाकै सेट	गोटा	२२६६.००	२२६६.००	२२६६.००	
४९)	नागवेली बूटा	गोटा	२५.००	२५.००	२५.००	
५०)	नागवेली बूटा कूना	गोटा	३७.००	३७.००	३७.००	
५१)	स्वा बूटा	गोटा	२५.००	२५.००	२५.००	
५२)	चीर बूटा	गोटा	२५.००	२५.००	२५.००	
५३)	कार्नेसफयो	गोटा	२२.००	२२.००	२२.००	
५४)	कार्नेस गजूर पली	गोटा	३४.००	३४.००	३४.००	
५५)	ठुलो कलश	गोटा	१७०.००	१७०.००	१७०.००	
५६)	मसीनो सूर्कि	केजि	१३.००	१३.००	१३.००	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	५७) खस्रो सुर्कि	केजि	८.००	८.००	८.००	
	५८) गट्टा चुन	के.जि.	२५.००	२५.००	२५.००	
59	मा अपा (साइज 200x50x130)	गोटा	१५.००	१५.००	१५.००	
60	दचि अपा (साइज 200x55x100)	"	१८.००	१८.००	१८.००	
61	त्वा अपा (साइज 110x55x180)	"	१८.००	१८.००	१८.००	
62	गोल अपा (साइज 120x55x80)	"	१८.००	१८.००	१८.००	
63	गणेश अपा (साइज 200x250x35)	"	३४०.००	३४०.००	३४०.००	
64	कुमार अपा (साइज 200x250x35)	"	३४०.००	३४०.००	३४०.००	
65	तारा अपा (साइज 200x250x55)	"	३४०.००	३४०.००	३४०.००	
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	३४०.००	३४०.००	३४०.००	
67	कलस अपा (साइज 100x140x40)	"	५७.००	५७.००	५७.००	
68	नागोल अपा (साइज 140x52x120)	"	२०.००	२०.००	२०.००	
69	कसिमो अपा (साइज 230x55x100)	"	२९.००	२९.००	२९.००	
70	सकली अपा (साइज 140x55x115)	"	२५.००	२५.००	२५.००	
71	पानबुट्टा अपा (साइज 140x55x115)	"	२५.००	२५.००	२५.००	
72	सानो फ बुट्टा अपा (साइज 180x55x30)	"	२९.००	२९.००	२९.००	
73	ठूलो फ बुट्टा अपा (साइज 230x55x110)	"	२९.००	२९.००	२९.००	
74	नयां फ बुट्टा अपा (साइज 230x55x110)	"	२९.००	२९.००	२९.००	
75	साना ग बुट्टा अपा (साइज 140x50x110)	"	२५.००	२५.००	२५.००	
76	ठूलो ग बुट्टा अपा (साइज 230x55x90)	"	२९.००	२९.००	२९.००	
77	पुम्हा बुट्टा अपा (साइज 180x55x70)	"	२९.००	२९.००	२९.००	
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	२९.००	२९.००	२९.००	
79	तिनकुने पलि अपा (साइज 200x550x90)	"	२९.००	२९.००	२९.००	
80	साना स्वाँ अपा (साइज 140x50x110)	"	२५.००	२५.००	२५.००	
81	ठूलो स्वाँ अपा (साइज 230x55x90)	"	२९.००	२९.००	२९.००	
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	१४२.००	१४२.००	१४२.००	
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	७४.००	७४.००	७४.००	
84	नाग जीउ (साइज 140x60x70)	"	२५.००	२५.००	२५.००	
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	५६७.००	५६७.००	५६७.००	
86	खाल नागोल (साइज 130x55x120)	"	२०.००	२०.००	२०.००	
87	खाल फयो (साइज 130x55x135)	"	२०.००	२०.००	२०.००	
88	लहरा बुट्टा (साइज 125x45x140)	"	२५.००	२५.००	२५.००	
89	नग बेली (साइज 140x55x120)	"	२५.००	२५.००	२५.००	
90	मिखाफुसी (साइज 140x55x120)	"	३४.००	३४.००	३४.००	
91	पलियो दायाँ/वायाँ (साइज 130x55x120)	"	२५.००	२५.००	२५.००	
92	नयां पलिफो (साइज 185x52x80)	"	२९.००	२९.००	२९.००	
93	सिधा पलिफो (साइज 190x55x90)	"	२९.००	२९.००	२९.००	
94	२" सिंह (साइज 95x5010)	"	३४.००	३४.००	३४.००	
95	२"गरुड (साइज 95x50x100)	"	३४.००	३४.००	३४.००	
96	धलिखा (साइज 95x50x100)	"	३४.००	३४.००	३४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
97	श्रीयन्त्र (साइज 70x700x80)	"	४५.००	४५.००	४५.००	
98	त्वा फयो (साइज 140x55x120)	"	२०.००	२०.००	२०.००	
99	तारा बुझा पुरानो (साइज 180x55x80)	"	२५.००	२५.००	२५.००	
100	तारा बुझा नयाँ (साइज 230x70x90)	"	२९.००	२९.००	२९.००	
101	स्वाँफो तारा (साइज 220x55x90)	"	२९.००	२९.००	२९.००	
102	सिक्री बुझा (साइज 220x55x80)	"	२९.००	२९.००	२९.००	
103	न्हाय बुझा सानो (साइज 140x65x130)	"	२९.००	२९.००	२९.००	
104	न्हाय बुझा ठूलो (साइज 140x100x130)	"	२९.००	२९.००	२९.००	
105	नगोल नगोल (साइज 2000x55x90)	"	२०.००	२०.००	२०.००	
106	ठी बुझा (साइज 210x55x75)	"	२९.००	२९.००	२९.००	
107	सानो/ठूलो	"	२९.००	२९.००	२९.००	
<b>51</b>	<b>Security System</b>					
	<b>Steel Security Gate supply</b>					
	Metal detector (black Scorpion Company)	गोटा	१६९९५.००	१६९९५.००	१६९९५.००	
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२८८४०.००	
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१३९०५.००	
	<b>Steel Security Door</b>					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८६८३.००	८६८३.००	८६८३.००	
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	९९३०.००	९९३०.००	९९३०.००	
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	१०४१९.००	१०४१९.००	१०४१९.००	
	<b>Security System</b>					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००	
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR moton detector-3, Remote Controller -2) (अफिस तथा ब्यापारिक सुरक्षा प्रविधि)	गोटा	-	-	-	
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००	
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००	
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vi) Securty from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vii) GPS (Global Positioning System) Device with software	गोटा	२५७४९.००	२५७४९.००	२५७४९.००	
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)				०.००	
	Up to 1/2 H.P.	गोटा	४३२६.००	४३२६.००	४३२६.००	
	1.0 H.P.	गोटा	५९४८.००	५९४८.००	५९४८.००	
	5 H.P.	गोटा	९७३४.००	९७३४.००	९७३४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>52</b>	<b>Bridge Materials</b>					
	<b>Elastomeric Bearing Pad</b>					
	Free Type	NOS	२१२४७.००	२१२४७.००	२१२४७.००	
	Fix end Dowel Type	..	४७०७७.००	४७०७७.००	४७०७७.००	
	<b>Expansion Joint Works</b>					
	Single strip seal	Rm	९३१६.००	९३१६.००	९३१६.००	
	Slab seal(320*50)	..	१९२७७.००	१९२७७.००	१९२७७.००	
	<b>Thimbles</b>					
	iv) $\Phi$ 13 mm thimble	Pc	७२.००	७२.००	७२.००	
	v) $\Phi$ 26 mm thimble	Pc	३६१.००	३६१.००	३६१.००	
	vi) $\Phi$ 32 mm thimble	Pc	६१८.००	६१८.००	६१८.००	
	vii) $\Phi$ 36 mm thimble	Pc	१२३६.००	१२३६.००	१२३६.००	
	viii) $\Phi$ 40 mm thimble	Pc	१५४५.००	१५४५.००	१५४५.००	
	ix) $\Phi$ 13 mm Bulldog grip	Pc	७२.००	७२.००	७२.००	
	x) $\Phi$ 26 mm Bulldog grip	Pc	३६१.००	३६१.००	३६१.००	
	xi) $\Phi$ 32 mm Bulldog grip	Pc	५४१.००	५४१.००	५४१.००	
	xii) $\Phi$ 36 mm Bulldog grip	Pc	६७०.००	६७०.००	६७०.००	
	xiii) $\Phi$ 40 mm Bulldog grip	Pc	६७०.००	६७०.००	६७०.००	
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm <sup>2</sup> , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m <sup>2</sup>	४१२.००	४१२.००	४१२.००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	६६९५.००	६६९५.००	६६९५.००	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२५८.००	२५८.००	२५८.००	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३६१.००	३६१.००	३६१.००	
	High tensile friction grip nut bolts	kg	३३५.००	३३५.००	३३५.००	
	<b>Galvanization</b>					
	Zinc Above 98.5% purity	kg	३०९.००	३०९.००	३०९.००	
	Premix of Zinc amonium chloride	kg	५९५.००	५९५.००	५९५.००	
	Hydraucloric acid	Lit	४१.००	४१.००	४१.००	
<b>53</b>	<b>Concrete Post (Size 4"*4")</b>					
	Length 7'	गोटा	८८२.७४	८८२.७४	८८२.७४	
	Length 5'	..	४४१.३७	४४१.३७	४४१.३७	
	Length 3'	..	२२१.१९	२२१.१९	२२१.१९	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
54	<b>Sheet piling work :</b> Providing, preparing and installing of <b>piling of ms pipe</b> and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	२९९२.६३	२९९२.६३	२९९२.६३	
55	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२३४.३२	२३४.३२	२३४.३२	
	" Ventilation	"	२३४.३२	२३४.३२	२३४.३२	
	" Arc frame semi circular	"	४६८.६४	४६८.६४	४६८.६४	
56	EPS (Expanded Polystyrene) and cement based light weight <b>Sandwich Panel</b> with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)					
	a) 50 mm thick	Sq.ft	१८०.००	१८०.००	१८०.००	
	b) 60 mm thick	Sq.ft	२४५.००	२४५.००	२४५.००	
	c) 75 mm thick	Sq.ft	३००.००	३००.००	३००.००	
	d) 90 mm thick	Sq.ft	३४५.००	३४५.००	३४५.००	
	e) 120 mm thick	Sq.ft	४१५.००	४१५.००	४१५.००	
57	EPS (Expanded Polystyrene) and cement based light weight <b>Solid Panel</b> without face board (Size 1800*610mm)					
	b) 60 mm thick	Sq.ft	१६०.००	१६०.००	१६०.००	
	c) 75 mm thick	Sq.ft	२१५.००	२१५.००	२१५.००	
	d) 90 mm thick	Sq.ft	२५०.००	२५०.००	२५०.००	
58	EPS (Expanded Polystyrene) and cement based light weight <b>Hollow Panel</b> (Size: 1800*610mm)					
	d) 90 mm thick	Sq.ft	१९०.००	१९०.००	१९०.००	

**SANITARY WORK**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
1	<b>Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू)</b>					
	<b>White glazed porcelain pan</b>					
	i) 530mm size white glazed without siphon	सेट	2524	2524	2600	
	ii) 500 mm size white glazed without siphon	"	2741	2741	2823	
	iii) 580 mm size orrisa Pan	"	3371	3371	3472	
	iii) 580 mm size white glazed Indian pan	"	1049	1049	1080	
	iv) Siphon 'p' or 's' type	"	590	590	608	
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2600	
	<b>Porcelain Clay Cistern</b>					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	"	3559	3559	3666	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	687	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3809	
	<b>Commode</b>					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1635	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1880	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	18119	18119	18663	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	28875	29741	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	20389	21001	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5410	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8916	
	viii) 600 to 900 mm Grab bar	"	6062	6062	6244	
	<b>Bidet set</b>					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3803	
	<b>Urinal set</b>					

59

59

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4299	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)	"	1880	1880	1936	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1619	1668	
	vi) Wall mounted Urinal with sensor complete set.( Duravit, Grohe, American standard and equivalent)	"	-	-		
	<b>Porcelain Clay Urinal Squatting Plate</b>					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1248	
	ii) Porcelain clay white glaze squatting plate large size	"	1454	1454	1498	
	iii) Porcelain clay super color squatting plate large size.	"	2831	2831	2916	
	iv) Urinal Spreader	"	915	915	942	
	<b>Wash basin</b>					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1128	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1481	1525	
	iv) Do but wash basin (45×32)cm	"	1065	1065	1097	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1237	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8598	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"	13776	13776	14189	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	10079	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6232	6232	6419	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	21165	
	<b>Pedestal:</b>					
	i) Porcelain clay white glaze pedestal	"	1378	1378	1419	
	ii) White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1720	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	2032	
	iv) Two piece pedestal with Basin" complete set.( Duravit, Grohe, American standard or equivalent)	"	13313	13313	13712	
	<b>Urinal Partition</b>					
	White glaze porcelain clay (68×30)cm division plate	"	1741	1741	1793	
	<b>Lab sink</b>					
	i) Porcelain clay white glaze large size	"	2222	2222	2289	
	ii) Porcelain clay white glaze small size	"	1653	1653	1703	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	27553	28380	
	<b>Kitchen sink</b>					
	i) Porcelain clay large	सेट	3763	3763	3876	
	ii) Porcelain clay small	"	3409	3409	3511	
	iii) drain board white 53x45	"	1304	1304	1343	
	iv) Soap dish	"	661	661	681	
	v) White glaze foot rest	"	419	419	432	
	vi) White glaze Toilet paper holder	"	1157	1157	1192	
2	<b>PVC Cistern Set</b>					
	i) single flush	सेट	1973	1973	2032	
	ii) Deluxe single flush	"	2204	2204	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	3055	
	iv) concealed cistern with plate complete set.( Viega, Geberit, American standard or equivalent)	"	16862	16862	17368	
	v) 32 mm pvc bottle trap set.	पिस	476	476	490	
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	147	
	vi) Bakelite toilet seat cover set.	"	276	276	284	
3	<b>Stainless Steel Accessories etc.</b>					
	Stainless steel Deep sink 45×45×30 size	"	18185	18185	18731	
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8741	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13660	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10584	
	Stainless steel commode S trap with self closing complete set	"	17554	17554	18081	

61

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Wall mixer (single lever) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	15073	
	Bath tub (single lever )with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	26537	
	Wall mixer (single control) bath faucet with hand shower(conceal system)( Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	16431	
	Wall mixer (single control) shower faucet (conceal system)( Jaquare, Somany, Essel or equivalent)	"	4182	4182	4307	
	conceal mixer faucet( Jaquare, Somany, Essel or equivalent)	"	6455	6455	6649	
	Stainless steel Angle valve( Grohe, Hansgrohe, American standard or equivalent)	"	827	827	852	
	Stainless steel two way Angle valve( Jaquare, Somany, Essel or equivalent)	"	1157	1157	1192	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2673	2673	2753	
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3770	
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2383	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	14335	
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5960	
	Stainless steel p trap bottle trap for basin	"	2324	2324	2394	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	"	8408	8408	8660	
	Stainless steel Kitchen sink faucet( Jaquar, Somany, Essel or equivalent)	"	5565	5565	5732	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	"	8408	8408	8660	
	Stainless steel 1500mm flexible hose pipe( connection pipe)	"	1462	1462	1506	
	Stainless steel Hose ringer 1200 mm	"	1274	1274	1312	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1798	1852	

62



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Stainless steel basin mixer( single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	6943	7151	
	Stainless steel single faucet for basin( Jaquar, Somany, Essel or equivalent)	"	4425	4425	4558	
	Stainless steel Sink 700*450*200	"	24246	24246	24973	
	Stainless steel Sink table top1200*600*300	"	33504	33504	34509	
	Steel Split clamp with washer all complete	"				
	75 mm dia	पिस	331	331	341	
	110 mm dia	"	441	441	454	
	160 mm dia	"	771	771	794	
	Stainless steel telephonic shower( Jaquare, Somany, Essel or equivalent)	गोटा	1240	1240	1277	
	Stainless steel shower with sliding bar( Jaquare, Somany, Essel or equivalent)	"	2976	2976	3065	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	9785	10079	
	Stainless steel bottle trap ( Viega, Somany, Jaquar or equivalent)	"	647	647	666	
	Stainless steel towel bar 450 mm	"	1240	1240	1277	
	<b>Stainless steel water tank fitting with all complete set (304 grade steel )</b>					
	Capacity 500 ltr	set	12124	12124	12488	
	Capacity 1000 ltr	"	17699	17699	18230	
	Capacity 1500 ltr	"	27212	27212	28028	
	Capacity 2000 ltr	"	32743	32743	33725	
	<b>Sinks Other Types:</b>					
	<b>Super lab sink</b>					
	i) super lab sink large size	"	4313	4313	4442	
	ii) super lab sink small size	"	3401	3401	3503	
	<b>Super kitchen sink</b>					
	i) super kitchen sink large size	"	7465	7465	7689	
	ii) super kitchen sink small size	"	6756	6756	6959	
<b>4</b>	<b>Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.</b>					
	iv) Hand dryer Germany	"	19397	19397	19979	
	v) Hand Dryer Chinese	"	7164	7164	7379	
	vi) Indian Mark Brand Flush valve	"	5731	5731	5903	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267	35267	36325	
	xv) European pattern liquid soap container stainless steel	"	6062	6062	6244	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459	1459	1503	

63

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>European Pattern C.P. Grab Bar for disable</b>					
	a) 30cm long bend type	"	4786	5360	5521	
	b) 45 cm long bend type	"	5012	5613	5781	
	c) 60 cm long bend type	"	6418	7188	7404	
<b>5</b>	<b>C.P. Accessories( jaquar, somany, essel or equivalent)</b>					
	1) Toilet paper holder	"	510	510	525	
	2) Soap dish	"	510	510	525	
	3) Towel rod ½"×18" size	"	510	510	525	
	4) Towel rod ¾" ×24" size	"	567	567	584	
	5) Glass shelf	"	680	680	700	
	6) C.P. bottle trap	"	1246	1246	1283	
	7) 32 mm×60cm long C.P flush pipe	"	510	510	525	
	8) 15 mm flush cock push type	"	1133	1133	1167	
	9) 15 mm dia. C.P. shower arm	"	976	976	1005	
	10) 15 mm dia. C.P. spreader	"	940	940	968	
	11) 15 mm dia. C.P. wall mixture	"	5435	5435	5598	
	i) 3" dia. Shower rose , revolving type	"	906	906	933	
	ii) 4" dia. Shower rose , revolving type	"	1020	1020	1051	
	iii) Shower rose ordinary	"	567	567	584	
	iv) Shower rod 12" long	"	283	283	291	
	C.P. 15 mm dia. Angle Valve	"	1244	1244	1281	
	C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1861	
	C.P. 15mm Bib Cock	"	1361	1361	1402	
	C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1371	
	C.P. 15 mm dia Stop Cock	"	1331	1331	1371	
	C.P. 15 mm dia Sink Cock	"	1309	1309	1348	
	C.P. 15 mm dia Sink Mixture	"	4472	4472	4606	
	C.P. 32 mm dia Flush Valve	"	5404	5404	5566	
	C.P. 32 mm dia Waste Coupling for basin	"	424	424	437	
	C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	710	
	C.P. Basin Mixture	सेट	4640	4640	4779	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1783	
	C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2074	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4294	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	7054	
	C.P. flexible pipe	रोटा	181	181	186	
	C.P. Grating					
	i) 4" dia.	"	50	50	52	
	ii) 5" dia.	"	62	62	64	
	i) C.P. Toilet Paper Holder	"	929	929	957	

69

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
ii)	C.P. Soap Dish(Polyurethane)	"	1042	1042	1073	
iii)	C.P. Towel Rod 18"	"	1578	1578	1625	
iv)	C.P. Towel Rod 24"	"	1663	1663	1713	
v)	C.P. Glass Shelf 22"	"	2260	2260	2328	
vi)	C.P. Coat Hook Double	"	812	812	836	
<b>ix)</b>	<b>C.P. Angle Cock</b>					
	15mm C.P. Angle Cock	"	927	927	955	
	15 mm C.P. Angle Cock Long Thread	"	986	986	1016	
<b>x)</b>	<b>C.P. Conceal Stop Cock</b>					
	i) 15 mm Reduced body	"	1136	1136	1170	
	ii) 15 mm Extra Heavy Body	"	1390	1390	1432	
<b>xi)</b>	<b>C.P. Bib Cock</b>					
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2690	
	ii) 15mm C.P. Bib Cock	"	952	952	981	
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1086	
<b>xii)</b>	<b>C.P. Pillar Cock</b>					
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1301	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2603	
	i) 15mm C.P. Sink Cock	"	1600	1600	1648	
	ii) C.P. Sink Mixer	"	3966	3966	4085	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3560	
<b>xv)</b>	<b>C.P. Bottle Trap 32mm</b>					
	32 mm C.P. Conceal Flush Valve Dual Flow	"	1852	1852	1908	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3990	
<b>xvii)</b>	<b>C.P. Waste Coupling</b>					
	32 mm C.P. Waste Coupling H/T	"	446	446	459	
	32 mm C.P. Waste Coupling F/T	"	446	446	459	
<b>xviii)</b>	<b>15 mm Urinal Auto-Closing Valve with Built-in Control Cock</b>					
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2694	2694	2775	
<b>xix)</b>	<b>15 mm C.P. Wall Mixer</b>					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4597	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4463	4597	
<b>xx)</b>	<b>C.P. Basin Mixer</b>					
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3817	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	4008	
<b>xxi)</b>	<b>15mm Bath Tub Spout with wall flange</b>					
	15mm Bath Tub Spout with wall Flange	"	1263	1263	1301	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	15mm Bath Tub Spout with button attachment	"	2021	2021	2082	
	<b>xxii) C.P. Casted Shower Arm with Flange</b>	"				
	15 mm Casted Shower Arm Light	"	673	673	693	
	15 mm Casted Shower Arm Heavy	"	1094	1094	1127	
	<b>xxiii) 15 mm Telephonic Hand Shower</b>					
	With 1.50 m. PVC Tube	"	1791	1791	1845	
	With 1.5 Flexible Tube	"	2779	2779	2862	
	<b>xxiv) Auto closing urinal flush valve</b>					
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3224	3321	
	<b>xxiv) Other accessories</b>					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4834	4979	
	15 mm Braided Hose for E.W.C.	"	298	298	307	
	15 mm Health Faucet (Commode Spray)	"	1146	1146	1180	
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1560	
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1646	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	6135	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5949	
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	21095	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	20481	21095	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16708	
	Sensor valve for Urinal	"	10651	10651	10971	
	Basin cock Sensor	"	14418	14418	14851	
	15mm U shaped sink cock	"	1712	1712	1763	
	Sink Mixture with U shape swinging spout	"	3358	3558	3665	
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2236	
<b>7</b>	<b>Electric &amp; Solar Geyser</b>					
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11578	
	ii) 25 lit cap. " " "	"	17331	17331	17851	
	iii) 35 lit cap " " "	"	21546	21546	22192	
	iv) 50 lit cap " " "	"	25762	25762	26535	
	iv) Gas water heater with cylinder	"	8200	8200	8446	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12123	12123	12487	
<b>8</b>	<b>C.I. Manhole Cover including frame.</b>					

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>8.1</b>	<b>Square Frame (in outer dia)</b>					
	<b>Medium Duty</b>					
	i) 10" × 10" (4 Kg.)	सेट	669	669	689	
	ii) 12" × 12" (5 Kg.)	"	836	836	861	
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1206	
	v) 16" × 16" (10 Kg.)	"	1673	1673	1723	
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2584	
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2757	

The image shows several handwritten signatures and initials in Nepali script. There are approximately six distinct marks, including a large signature on the right and several smaller ones scattered across the middle section.

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) वाहेक (र.)			कैफियत
			आ. व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	ix) 22" x 22" (20 Kg.)	"	3346	3346	3446	
	x) 24" x 24" (24 Kg.)	"	4294	4294	4423	
	xi) 27" x 27" (31 Kg.)	"	5186	5186	5342	
	<b>Heavy Duty</b>					
	iii) 14" x 14" (14 Kg.)	"	2342	2342	2412	
	ix) 22" x 22" (22 Kg.)	"	3681	3681	3791	
	xi) 27" x 27" (45 Kg.)	"	7528	7528	7754	
8.2	<b>Rounded Manhole Cover (Outer dia.)</b>					
	<b>Medium class</b>					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9365	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12487	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15609	
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19979	
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	29843	
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6393	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7992	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11488	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13985	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	18480	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	18480	
8.3	<b>C.I. Tank Cover Locking Types</b>					
	<b>Round</b>					
	18" (8 Kg.)	सेट	1673	1723	1775	
	20" (12 Kg.)	"	2454	2527	2603	
	22" (14 Kg.)	"	2788	2871	2957	
	24" (16 Kg.)	"	3346	3446	3549	
	28" (24 Kg.)	"	5019	5169	5324	
	<b>Square</b>					
	18" x 18" (13 Kg.)	सेट	2788	2871	2957	
	24" x 24" (50 Kg.)	"	10038	10339	10649	

68

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>Rectangular</b>					
	18" x 24" (27 Kg.)	सेट	5577	5744	5916	
8.4	<b>C.I. Gully Gratings &amp; Jali</b>					
	<b>Round Jali Strip Medium Duty</b>					
	4"	सेट	100	103	106	
	5"	"	134	138	142	
	6"	"	178	183	188	
	10"	"	613	631	650	
	<b>Square Jali Strip Medium Duty</b>					
	4" x 4"	सेट	89	91	94	
	5" x 5"	"	112	115	118	
	6" x 6"	"	134	138	142	
	9" x 9"	"	390	401	413	
	10" x 10"	"	502	517	533	
	12" x 12"	"	725	746	768	
	<b>C.I. Gully Gratings</b>					
	i) 15"×18" Medium (18 Kg.)	सेट	3681	3791	3905	
	ii) 15"×18" Heavy (25 Kg.)	सेट	5019	5169	5324	
	<b>Grit Cover</b>					
	फलामे एङ्गलको फ्रेममा फलामे पतिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	166	171	
	<b>Aluminum Grating 4" dia.</b>	गोटा	42	43	44	
9	<b>G.I. Water Tank (17 Gauge)</b>					
	i) 100 gls	गोटा	8317	8317	8567	
	ii) 200 gls	"	13066	13066	13458	
	iii) 300 gls	"	16434	16434	16927	
	iv) 400 gls	"	19730	19730	20322	
	v) 500 gls	"	23036	23036	23727	
	<b>G.I. Water Tank (16 BWG TATA Sheet)</b>					
	i) 100 gls	गोटा	8773	8773	9036	
	ii) 200 gls	"	13267	13267	13665	
	iii) 300 gls	"	17615	17615	18143	
	iv) 400 gls	"	21106	21106	21739	
	v) 500 gls	"	24597	24597	25335	
10	<b>Roof Top PVC Water Tank</b>					
	i) 200 lit – 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit – 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
11	<b>Water Pumps/Hand Pumps</b>					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	1582	1582	1629	
	<b>Water Pump :</b>					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	11212	
	ii) ½ H.P. Water Pump mono block type	"	6258	6258	6446	

69

*(Handwritten signatures and marks)*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14686	
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9465	9749	
	v) 2.0 H.P. water pump	"	22587	22587	23265	
	vi) 2.0 H.P. 3 phase water pump	"	23847	23847	24562	
	vii) 5.0 HP 3 phase water pump	"	28656	28656	29516	
	<b>Jet Water Pump</b>					
	i) 1.10 H.P.	सेट	21630	21630	22279	
	ii) Double Stage jet 1.10 H.P.		25956	25956	26735	
	ii) 1.5 H.P.	"	29201	29201	30077	
	<b>Super Sunction</b>					
	i) ½ H.P.	सेट	8922	8922	9190	
	ii) 0.75 H.P.	"	8328	8328	8578	
	iii) 1.0 H.P.	"	14276	14276	14704	
	<b>Water Pump (Grundfoss, pentair, Pedrello or equiv)</b>					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18202	18748	
	ii) 2 H.P. single pump set "	"	29233	29233	30110	
	<b>Fire pump</b>					
	<b>Submersible Pump (Italian)</b>					
	i) 1.0 H.P.	"	26089	26089	26872	
	ii) 2.0 H.P.	"	48397	48397	49849	
	<b>Electric Water Pump (Chinese)</b>					
	i) ½ H.P.	"	1703	1703	1754	
	ii) ¾ H.P.	"	2219	2219	2286	
	iii) 1.0 H.P.	"	3270	3270	3368	
	<b>Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) ½ H.P open well type	"	16655	16655	17155	
	ii) 1.1 H.P open well type	"	24388	24388	25120	
	iii) 1.5 H.P open well type	"	29741	29741	30633	
	<b>Vertical Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) 1.1 H.P	"	27254	27254	28072	
	iii) 1.5 H.P	"	32932	32932	33920	
12	<b>Fire fighting equipment and accessories ( safeguard india or equiv)</b>					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170° U-shape hose reel carrier with drum set	सेट	-			
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-			



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	-			
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-			
<b>13</b>	<b>Fire extinguisher ABC stored Pressure</b> आपतकालिन आगलागी हुँदा प्रयोग गरिने सामाग्री (safeguard india or equivalent)					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-			
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-			
	iii) 3.0kg size ABC ,, ,, ,,	"	-			
	iii) 5.0kg size ABC ,, ,, ,,	"	-			
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-			
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-			
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-			
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-			
	viii) 2.5 kg size ABC ,, ,, ,,	"	-			
	ix) Co <sub>2</sub> Type fire extinguisher 6.80 lit .	"	-			
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-			
<b>14</b>	<b>Insulation for hot water pipe 'Acroflex'</b>					
	15mm Insulation 6 mm wall thickness	र.मी	-			
	20mm Insulation 6 mm wall thickness	"	-			
	25mm Insulation 6 mm wall thickness	"	-			
	32mm Insulation 6 mm wall thickness '	"	-			
<b>15</b>	<b>ACRYLIC GLASS SHELF</b>					
	i) Acrylic glass shelf best quality	सेट	-			
	ii) Acrylic glass shelf ordinary	"	-			
	iii) Shower curtain	"	-			
<b>16</b>	<b>Water Purification System</b>					
	Euro Guard Water purification system (one litre per minute)	युनिट	-			
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-			
	AQUA-ALO water purifier (1.0 lit/min)	"	-			
	AQUA-power water purifier	"	-			
	RO feed pump	सेट	-			
	Fire Sprinkler	"	-			

71

*(Handwritten signatures and marks)*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Supply, installation, testing and commisioning of Aeration system ( FRP Tray type)	"	-			
	Supply, installation, testing and commisioning of Dual Media Filter ( DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-			
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-			
	<b>Filter Media for existing filtration system</b>		-			
	Pebbles	के.जी.	-			
	Coarse silex	"	-			
	Gravel	"	-			
	Golden sand	"	-			
	Anthracite	"	-			
	MNo2	"	-			
	Activated Carbon	"	-			
	Motor starter switch	"	-			
	Pressure sensor switch for water tank(Italian)	"	-			
17	विभिन्न साइजको Bath tub .fiber ( Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट	-			
	Bath tub – 3'6" Heavy	"	-			
	b) Bath tub – 4'0" Medium	"	6705	6705	6906	
	Bath tub _4'0" Heavy	"	7787	7787	8021	
	c) Bath Tub – 4'6" Medium	"	8111	8111	8354	
	Bath tub – 4'6" Heavy	"	8137	8137	8381	
	d) Bath tub – 5'0" Medium	"	8868	8868	9134	
	Bath tub _5'0" Heavy	"	29355	29355	30236	
	e) Bath Tub – 5'6" Medium	"	7957	7957	8196	
	Bath tub – 5'6" Heavy	"	9373	9373	9654	
	f) Bath Tub – 6'0" Medium	"	12875	12875	13261	
	Bath tub – 6'0" Heavy	"	36823	36823	37928	
18	Shower Tray 3'0"×3'0"	गोटा	500	500	515	
	<b>Pipes and fittings</b>					
19	PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.)					
	<b>1) PP-R Pipe (PN-10)</b>					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	63	47.79	49	
	25mm " 2.3 mm thick 0.164kg/m	"	95	72.57	75	
	32mm 2.9 mm thick 0.26kg/m	"	152	115.93	119	
	40mm 3.7 mm thick 0.412kg/m	"	239	183.19	189	
	50mm 4.6 mm thick 0.638kg/m	"	372	284.07	293	
	63 mm 8.6 mm thick 0.638kg/m	"	588	449.56	463	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	75 mm	"	820	627.43	646	
	90 mm	"	1181	903.54	931	
	110 mm	"	1751	1339.82	1380	
	<b>2) PP-R Pipe (PN-16)</b>					
	20mm 2.80 mm thick 0.148kg/m	"	84	64.60	67	
	25mm 3.50 mm thick 0.26kg/m	"	131	100.00	103	
	32mm 3.7 mm thick 0.230kg/m	"	209	159.29	164	
	40mm 5.50 mm thick 0.575kg/m	"	335	255.75	263	
	50mm 6.90 mm thick 0.896kg/m	"	521	399.12	411	
	63 mm 4.6 mm thick 0.638kg/m	"	820	627.43	646	
	75 mm	"	1169	893.81	921	
	90 mm	"	1670	1276.99	1315	
	110 mm	"	2501	1913.27	1971	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>3) PP-R Pipe (PN-20)</b>					
	20mm 3.4 mm thick 0.172 kg/m	"	100	76.11	78	
	25mm 4.20 mm thick 0.266kg/m	"	155	118.58	122	
	32mm 5.40 mm thick 0.434kg/m	"	252	192.92	199	
	40mm 6.70 mm thick 0.671kg/m	"	390	298.23	307	
	50mm 8.30 mm thick 1.04kg/m	"	605	462.83	477	
	63mm 8.6mm thick 1.04kg/m	"	960	734.51	757	
	75 mm	"	1361	1041.59	1073	
	90 mm	"	1955	1495.58	1540	
	110 mm	"	2915	2229.20	2296	
	<b>PP-R Pipe Accessories :</b>					
	<b>Elbow ( 90<sup>0</sup> )</b>					
	20mm	गोटा	13	9.73	10	
	25mm	"	27	19.47	20	
	32mm	गोटा	45	32.74	34	
	40mm	"	95	69.03	71	
	50mm	"	159	115.04	118	
	63 mm	"	280	202.65	209	
	75 mm	"	526	380.53	392	
	90 mm	"	888	642.48	662	
	110 mm	"	1653	1196.46	1232	
	<b>Equal Tee</b>					
	20mm	"	18	13.27	14	
	25mm	"	32	23.89	25	
	32mm	"	56	40.71	42	
	40mm	"	109	78.76	81	
	50mm	"	185	133.63	138	
	63mm	"	337	243.36	251	
	75 mm	"	584	423.01	436	
	90 mm	"	1069	774.34	798	
	110 mm	"	1858	1344.25	1385	
	<b>Coupler</b>					
	20mm	गोटा	11	7.96	8	
	25mm	"	13	9.73	10	
	32mm	"	27	19.47	20	
	40mm	"	52	37.17	38	
	50mm	"	86	61.95	64	
	63 mm	"	151	108.85	112	
	75 mm	"	292	211.50	218	
	90 mm	"	432	312.39	322	
	110 mm	"	788	570.80	588	
	<b>45 Degree Elbow</b>					
	20 mm	"	18	13.27	14	
	25 mm	"	30	21.24	22	
	32 mm	"	46	33.63	35	
	40 mm	"	86	61.95	64	
	50 mm	"	144	104.42	108	
	63 mm	"	238	172.57	178	
	75 mm	"	467	338.05	348	
	90 mm	"	788	570.80	588	
	110 mm	"	1378	997.35	1027	

74

74

74

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>Union (Plastic)</b>					
	20mm	गोटा	70	50.44	52	
	25mm	"	119	85.84	88	
	32mm	"	192	138.94	143	
	40mm	"	290	210.62	217	
	50mm	"	456	330.09	340	
	63mm	"	544	393.81	406	
	<b>Reducing Coupler</b>					
	25mm*20mm	"	14	14.16	15	
	32mm*20mm	"	19	17.70	18	
	32mm*25mm	"	21	19.47	20	
	40mm*20mm	"	31	29.20	30	
	40mm*25mm	"	37	30.09	31	
	40mm*32mm	"	44	40.71	42	
	50mm*20mm	"	58	53.98	56	
	50mm*25mm	"	64	52.21	54	
	50mm*32mm	"	69	59.29	61	
	50mm*40mm	"	76	62.83	65	
	63mm*32mm	"	117	84.96	88	
	63mm*40mm	"	122	106.19	109	
	63mm*50mm	"	131	106.19	109	
	75mm*40mm	"	195	211.50	218	
	75mm*50mm	"	239	215.93	222	
	75mm*63mm	"	241	217.70	224	
	90mm*50mm	"	483	401.77	414	
	90mm*63mm	"	521	430.97	444	
	90mm*75mm	"	614	507.08	522	
	110mm*75mm	"	818	710.62	732	
	110mm*90mm	"	949	790.27	814	
	<b>Reducing Tee</b>					
	25*20*25 mm	"	26	25.66	26	
	32*20*32 mm	"	42	38.05	39	
	32*25*32 mm	"	45	40.71	42	
	40*20*40 mm	"	66	53.98	56	
	40*25*40 mm	"	69	61.06	63	
	40*32*40 mm	"	76	65.49	67	
	50*20*50 mm	"	88	83.00	85	
	50*25*50 mm	"	93	90.00	93	
	50*32*50 mm	"	151	122.12	126	
	50*40*50 mm	"	161	126.55	130	
	63*32*63 mm	"	199	190.27	196	
	63*40*63 mm	"	193	192.00	198	
	63*50*63 mm	"	214	200.88	207	
	75*50*75 mm	"	439	435.00	448	
	75*63*75 mm	"	458	455.00	469	
	90*63*90 mm	"	926	802.65	827	
	90*75*90 mm	"	993	887.61	914	
	110*75*110 mm	"	1622	1437.17	1480	
	110*90*110 mm	"	1700	1479.65	1524	
	<b>Reducing Elbow</b>					
	25mm*20mm	"	22	19.47	20	
	32mm*20mm	"	32	34.51	36	

निर्यात  
 75  
 मन्त्रालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	32mm*25mm	"	41	42.48	44	
	<b>High Footed Pipe Clip</b>					
	20mm	गोटा	14	10.62	11	
	25mm	"	17	12.39	13	
	32mm	"	22	19.47	20	
	40mm	"	25	21.24	22	
	50mm	"	34	23.89	25	
	63 mm	"	39	31.86	33	
	<b>Low Footed Pipe Clip</b>					
	20mm	"	7	5.31	5	
	25mm	"	8	6.19	6	
	32mm	"	14	12.39	13	
	40mm	"	19	16.81	17	
	50mm	"	30	26.55	27	
	63 mm	"	38	33.63	35	
	<b>"Y" type Pipe Clip</b>					
	20mm	"	25	16.81	17	
	25mm	"	25	19.47	20	
	32mm	"	34	23.89	25	
	40 mm	"	48	48.00	49	
	<b>End Plug (short)</b>					
	20mm	"	14	5.31	5	
	25mm	"	22	8.85	9	
	32mm	"	34	11.50	12	
	<b>End Plug with Ring</b>					
	20mm	"	25	19.47	20	
	<b>End Plug (long)</b>					
	20mm	"	10	7.96	8	
	<b>End Cap</b>					
	20mm	"	14	10.62	11	
	25mm	"	22	16.81	17	
	32mm	"	34	25.66	26	
	40mm	"	53	38.05	39	
	50mm	"	88	67.26	69	
	63 mm	"	164	129.20	133	
	75 mm	"	246	207.08	213	
	<b>Cross Tee</b>					
	20mm	"	25	22.12	23	
	25mm	"	36	33.63	35	
	32mm	"	64	57.52	59	
	<b>Short Passover</b>					
	20mm	"	70	64.60	67	
	25mm	"	99	92.92	96	
	32mm	"	143	144.25	149	
	<b>Long Bypass</b>					
	20mm	"	93	74.34	77	
	25mm	"	135	122.12	126	
	32mm	"	191	179.65	185	
	<b>Male Tee</b>					
	20mmx1/2"	"	145	122.12	126	
	25mmx1/2"	"	142	129.20	133	

76

मन्त्रालय

सि.नं.

निर्माण सामग्रीहरूको विवरण

एकाई

म.अ.क. (VAT)वाहेक (र.)

आ.व.

२०७४/७५

२०७५/७६

२०७६/७७

कैफियत

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	25mmx3/4"	"	176	153.98	159	
	32mmx1/2"	"	219	186.73	192	
	32mmx3/4"	"	224	193.81	200	
	32mmx1"	"	401	337.17	347	
	<b>Female Tee</b>					
	20mmx1/2"	"	108	99.12	102	
	25mmx1/2"	"	122	129.20	133	
	25mmx3/4"	"	160	150.44	155	
	32mmx1/2"	"	181	147.79	152	
	32mmx3/4"	"	200	173.45	179	
	32mmx1"	"	323	291.15	300	
	<b>Male elbow</b>					
	20mmx1/2"	"	139	117.70	121	
	25mmx1/2"	"	143	129.20	133	
	25mmx3/4"	"	174	158.41	163	
	32mmx1/2"	"	188	188.00	194	
	32mmx3/4"	"	205	211.50	218	
	32mmx1"	"	396	350.44	361	
	<b>Female elbow</b>					
	20mmx1/2"	"	105	96.46	99	
	25mmx1/2"	"	148	127.00	131	
	25mmx3/4"	"	136	129.20	133	
	32mmx1/2"	"	200	172.57	178	
	32mmx3/4"	"	229	202.65	209	
	32mmx1"	"	281	284.07	293	
	<b>Male Coupling</b>					
	20mmx1/2"	"	136	114.16	118	
	20mmx3/4"	"	163	120.35	124	
	25mmx1/2"	"	130	138.94	143	
	25mmx3/4"	"	164	160.18	165	
	32mmx1/2"	"	182	144.25	149	
	32mmx3/4"	"	23	153.98	159	गत आ.व. मा भूलको कारणले यस आ.व.मा बढेको देखिएपनि यथातमा चालु आ. व.मा
	32mmx1"	"	385	309.73	319	
	40mmx1-1/4"	"	548	523.01	539	
	50mmx1-1/2"	"	828	788.50	812	
	63mmx2"	"	1201	1040.71	1072	
	75mmx2-1/2"	"	329	2586.73	2664	गत आ.व. मा भूलको कारणले यस आ.व.मा बढेको देखिएपनि यथातमा चालु आ. व.मा
	<b>Female Coupling</b>					
	20mmx1/2"	"	102	92.92	96	
	20mmx3/4"	"	125	109.73	113	
	25mmx1/2"	"	114	122.12	126	
	25mmx3/4"	"	128	123.89	128	

77

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	32mmx1/2"	"	123	105.31	108	
	32mmx3/4"	"	131	112.39	116	
	32mmx1"	"	300	265.49	273	
	40mmx1-1/4"	"	482	459.29	473	
	50mmx1-1/2"	"	626	594.69	613	
	63mmx2"	"	922	797.35	821	
	75mmx2-1/2"	"	1822	1822.00	1877	
	<b>Male Union</b>					
	20mmx1/2"	"	245	258.41	266	
	25mmx3/4"	"	352	370.80	382	
	32mmx1"	"	506	544.25	561	
	40mmx1 <sup>1/4</sup> "	"	977	980.53	1010	
	50mmx1/2"	"	1342	1310.62	1350	
	63mmx2"	"	3117	3381.42	3483	
	<b>Female Union</b>					
	20mmx1/2"	"	238	248.67	256	
	25mmx3/4"	"	346	322.12	332	
	32mmx1"	"	487	521.24	537	
	40mmx1 <sup>1/4</sup> "	"	746	718.58	740	
	50mmx1/2"	"	1253	1228.32	1265	
	63mmx2"	"	2372	2239.82	2307	
	<b>Stop Valve</b>					
	a) 20 mm	"	288	297.35	306	
	b) 25 mm	"	381	392.04	404	
	c) 32 mm	"	462	473.45	488	
	d) 40mm	"	610	507.08	522	
	e)50 mm	"	1013	845.13	870	
	f) 63 mm	"	1461	1269.91	1308	
	<b>Male base elbow</b>					
	20mm x 1/2"	"	139	133.63	138	
	25mm x 3/4"	"	180	164.60	170	
	<b>Female base elbow</b>					
	20mm x 1/2"	"	147	130.97	135	
	25mm x 1/2"	"	175	161.06	166	
	25mm x 3/4"	"	162	158.41	163	
	<b>Metal Ball valve (double)</b>					
	20mmx1/2"	"	657	549.56	566	
	25mmx3/4"	"	887	805.31	829	
	32mmx1"	"	1284	993.81	1024	
	40mmx1-1/4"	"	3257	2830.09	2915	
	50mmx1-1/2"	"	4586	3888.50	4005	
	<b>Metal Ball valve (Single)</b>					
	20mmx1/2"	"	648	507.08	522	
	25mmx3/4"	"	872	811.50	836	
	32mmx1"	"	1274	1120.35	1154	
	<b>Conceal Valve (Lux)</b>					
	20mm	"	755	948.67	977	
	<b>Conceal Valve (Nor)</b>					
	20mm	"	719	798.23	822	
	<b>Ball Valve (Plastic)</b>					

78



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	20mm	"	112	80.53	83	
	25mm	"	151	109.73	113	
	32mm	"	244	190.27	196	
	40mm	"	478	405.31	417	
	50mm	"	614	587.61	605	
	63 mm	"	1091	993.81	1024	
	<b>Ball Valve (Brass)</b>					
	20mm	"	311	291.15	300	
	25mm	"	441	359.29	370	
	32mm	"	738	488.50	503	
	40mm	"	1762	807.08	831	
21	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system</b> CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)</b>					
	1/2" dia	Rm	115	115	118	
	3/4" dia	"	160	160	165	
	1" dia	"	210	210	216	
	1-1/4" dia	"	261	261	269	
	1-1/2" dia	"	366	366	376	
	2" dia	"	559	559	575	
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)</b>					
	1/2" dia	"	133	133	137	
	3/4" dia	"	178	178	183	
	1" dia	"	248	248	256	
	1-1/4" dia	"	300	300	309	
	1-1/2" dia	"	418	418	430	
	2" dia	"	677	677	698	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	"	365	365	376	
	3/4"	"	486	486	501	
	1"	"	588	588	605	
	1-1/4"	"	1371	1371	1412	
	1-1/2"	"	1643	1643	1692	
	2"	"	2117	2117	2181	
	<b>CPVC Reducer Brass Coupling</b>	गोटा				
	3/4" X 1/2"	"	138	138	142	
	1" X 1/2"	"	181	181	186	
	<b>CPVC Tee</b>	गोटा				
	1/2"	"	36	36	37	
	3/4"	"	77	77	79	
	1"	"	117	117	121	
	1-1/4"	"	220	220	227	

11537  
  
 79

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	1-1/2"	"	320	320	330	
	2"	"	687	687	707	
	<b>CPVC Reducer Tee</b>	गोटा				
	1/2" x 1/2" x 3/4"	"	70	70	73	
	3/4" x 3/4" x 1/2"	"	107	107	110	
	3/4" x 1/2" x 3/4"	"	134	134	138	
	3/4" x 1/2" x 1/2"	"	153	153	158	
	1" x 1" x 3/4"	"	161	161	166	
	1-1/2" x 1-1/2" x 1"	"	251	251	258	
	2" x 2" x 1"	"	436	436	449	
	1-1/4" x 1-1/4" x 1/2"	"	142	142	146	
	1-1/4" x 1-1/4" x 1"	"	153	153	158	
	2" x 2" x 1/2"	"	428	428	441	
	1" x 1" x 1/2"	"	100	100	103	
	<b>CPVC Brass FPT Tee</b>	गोटा				
	1/2" x 1/2" x 1/2"	"	120	120	124	
	3/4" x 3/4" x 1/2"	"	125	125	129	
	1" x 1" x 1/2"	"	139	139	143	
	1-1/4" x 1-1/4" x 1-1/4"	"	501	501	516	
	1-1/4" x 1-1/4" x 1/2"	"	272	272	280	
	<b>CPVC Elbow 90°</b>	गोटा				
	1/2"	"	25	25	26	
	3/4"	"	52	52	54	
	1"	"	95	95	98	
	1-1/4"	"	179	179	185	
	1-1/2"	"	267	267	275	
	2"	"	572	572	590	
	<b>CPVC Reducer Elbow 90°</b>					
	3/4" X 1/2"		53	53	54	
	<b>CPVC Brass FPT Elbow 90°</b>	गोटा				
	1/2" x 1/2"	"	84	84	86	
	3/4" x 1/2"	"	97	97	100	
	3/4" x 3/4"	"	111	111	114	
	1" X 1/2"	"	215	215	221	
	1" X 1"	"	596	596	614	
	1-1/4" x 1-1/4"	"	774	774	797	
	<b>CPVC Elbow 45°</b>	गोटा				
	1/2"	"	30	30	31	
	3/4"	"	54	54	56	
	1"	"	77	77	80	
	1-1/4"	"	136	136	140	
	1-1/2"	"	197	197	203	
	2"	"	427	427	440	
	<b>CPVC Male Adapter (CPVC Threads)</b>	गोटा				
	1/2"	"	22	22	23	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	3/4"	"	39	39	40	
	1"	"	59	59	61	
	1-1/4"	"	106	106	109	
	1-1/2"	"	149	149	153	
	2"	"	290	290	299	
	CPVC Reducing Male Adapter (CPVC Threads)	रोटा				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	3/4" x 1/2"	"	41	41	42	
	<b>CPVC Male Adapters (Brass Threads)</b>					
	1/2"	"	206	206	212	
	3/4"	"	267	267	275	
	1"	"	421	421	434	
	1-1/4"	"	926	926	953	
	1-1/2"	"	1080	1080	1113	
	2"	"	2224	2224	2290	
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>					
	3/4" x 1/2"	"	229	229	236	
	<b>CPVC Female Adapter (CPVC Threads)</b>					
	1/2"		31	31	32	
	3/4"		51	51	53	
	1"		77	77	79	
	<b>CPVC Female Adapters Brass Threads</b>					
	1/2"	गोटा	198	198	204	
	3/4"	"	269	269	277	
	1"	"	349	349	360	
	1-1/4"	"	917	917	945	
	1-1/2"	"	1020	1020	1050	
	2"	"	1994	1994	2054	
	<b>CPVC Caps</b>					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	37	37	38	
	1-1/4"	"	72	72	74	
	1-1/2"	"	106	106	109	
	2"	"	225	225	232	
	<b>CPVC Union</b>					
	1/2"	"	270	270	279	
	3/4"	"	398	398	410	
	1"	"	471	471	485	
	1-1/4"	"	862	862	888	
	1-1/2"	"	942	942	971	
	2"	"	1352	1352	1393	
	<b>CPVC Cross Tee</b>					
	1/2"	"	49	49	51	
	3/4"	"	106	106	109	
	<b>CPVC Step Over Bend</b>					
	1/2"	"	63	63	65	
	3/4"	"	104	104	107	

17857

8/20/77

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	"	661	661	681	
	3/4"	"	805	805	829	
	1"	"	921	921	949	
	1-1/4"	"	1879	1879	1935	
	1-1/2"	"	2391	2391	2462	
	2"	"	3075	3075	3167	
	<b>CPVC Flow Guard Adhesive Solution</b>					
	50ML	"	199	199	205	
	118ML	"	329	329	339	
	237ML	"	533	533	549	
	473ML	"	838	838	863	
	946ML	"	1471	1471	1515	
	<b>Plastic Strap</b>					
	1/2"	"	5	5	5	
	3/4"	"	5	5	6	
	1"	"	8	8	8	
	1-1/4"	"	11	11	12	
	1-1/2"	"	15	15	15	
	2"	"	18	18	19	
	<b>Metal Strap</b>					
	1/2"	"	13	13	13	
	3/4"	"	16	16	17	
	1"	"	21	21	21	
	1-1/4"	"	25	25	25	
	1-1/2"	"	27	27	28	
	2"	"	29	29	30	
	<b>Tee Holder</b>					
	1/2" X 1/2" X 1/2"	"	5	5	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	<b>Elbow Holder</b>					
	1/2" X 1/2"	"	5	5	6	
	1/2" X 3/4"	"	7	7	7	
	<b>Snap Fix Repair Coupling</b>					
	1/2"	"	229	229	236	
	3/4"	"	248	248	256	
	<b>End plug threaded 1/2"</b>	"	11	11	12	
21	<b>MS SEAMLESS PIPES</b>					
	<b>-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239</b>					
	<b>MS PIPE SEAMLESS SIZE OD (MM)</b>	"				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	411	452	466	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	493	542	558	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	618	680	700	

83

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	763	839	864	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	873	960	989	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1121	1233	1270	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	1723	1895	1952	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2255	2481	2555	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2914	3205	3301	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3210	3531	3637	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4347	4782	4925	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5643	6207	6393	
23	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>					
	Single Socket (R/R)	Mtr	410	451	465	
	Single Socket (R/R)	"	762	838	863	
	Single Socket (R/R)	"	821	903	930	
	Single Socket Self Fit	"	1058	1164	1199	
	Single Socket Self Fit	"	1294	1423	1466	
	Single Socket Self Fit	"	1778	1956	2015	
	Single Socket Self Fit	"	2093	2302	2371	
	Single Socket Self Fit	"	2795	3075	3167	
	Single Socket Self Fit	"	3331	3664	3774	
	Long Radius Bend - 45 Degree	Pc	1083	1191	1227	
	Long Radius Bend - 45 Degree	"	1977	2175	2240	
	Long Radius Bend - 45 Degree	"	3569	3926	4044	
	Long Radius Bend - 45 Degree	"	6921	7613	7841	
	Long Radius Bend - 60 Degree	"	1193	1312	1351	
	Long Radius Bend - 60 Degree	"	2186	2405	2477	
	Long Radius Bend - 60 Degree	"	4010	4411	4543	
	Long Radius Bend - 60 Degree	"	7593	8352	8603	
	Long Radius Bend - 90 Degree	"	585	644	663	
	Long Radius Bend - 90 Degree	"	1413	1554	1601	
	Long Radius Bend - 90 Degree	"	2606	2867	2953	
	Long Radius Bend - 90 Degree	"	4874	5361	5522	
	Long Radius Bend - 90 Degree	"	8980	9878	10174	
	Fab. Coupler	"	168	185	191	
	Fab. Coupler	"	404	444	457	
	Fab. Coupler	"	869	956	985	
	Fab. Coupler	"	1700	1870	1926	
	Fab. Coupler	"	3127	3440	3543	
	End Cap	"	360	396	408	
	End Cap	"	592	651	671	
	End Cap	"	945	1040	1071	
	End Cap	"	1380	1518	1564	
	Equal Tee	"	10303	11333	11673	
	Equal Tee	"	5929	6522	6718	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Equal Tee	"	3291	3620	3729	
	Gully Trap with grating	"	962	1058	1090	
	Rodding Point	"	570	627	646	
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	669	689	
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	917	945	
	Inspection Chamber Body	"	3000	3300	3399	
	Inspection Chamber Riser	"	1490	1639	1688	
	Inspection Chamber Lid with Cover	"	2829	3112	3205	
	Inspection Chamber Body	"	8284	9112	9385	
	Inspection Chamber Riser	"	2634	2897	2984	
	Inspection Chamber Lid with Cover	"	4395	4835	4980	
<b>24</b>	<b>GEBERIT</b>					
	<b>Geberit Products</b>					
	Concealled Cisterns 9cm	"	7431	7431	7654	
	Concealled Cisterns Kombo fix 8cm	"	9103	9103	9376	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3755	
	Concealled Cisterns 12cm	"	9140	9140	9415	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3755	
	Traps for Wash Basins	"	1004	1004	1035	
	Sensor for Urinal 9V DC	"	25764	25764	26537	
	Sensor for Urinal 230V AC	"	25764	25764	26537	
	control box for urinal sensor	"	7078	7078	7290	
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	32159	33124	
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	32159	33124	
<b>22</b>	<b>PVC Lead Free White Pipes SCHEDULE 40</b>					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	<b>PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)</b>	m.				
	1/2" dia. (42.19 Kg/cm2)	"	114	114	118	
	3/4" dia. (33.75 Kg/cm2)	"	147	147	151	
	1" dia. (31.64 Kg/cm2)	"	226	226	233	
	1-1/4" dia. (26.01 Kg/cm2)	"	279	279	287	
	1-1/2" dia. (23.20 Kg/cm2)	"	342	342	352	
	2" dia. (19.69 Kg/cm2)	"	485	485	500	
	2-1/2" dia. (21.09 Kg/cm2)	"	678	678	698	
	3" dia. (18.28 Kg/cm2)	"	856	856	882	
	4" dia. (15.47 Kg/cm2)	"	1256	1256	1294	
	6" dia. (12.66 Kg/cm2)	"	2616	2616	2695	
	<b>PVC Tee - Soc</b>	गोटा				
	1/2"	"	32	32	32	
	3/4"	"	44	44	45	
	1"	"	69	69	71	

85

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	1-1/4"	"	109	109	112	
	1-1/2"	"	143	143	147	
	2"	"	221	221	227	
	2-1/2"	"	633	633	652	
	3"	"	831	831	856	
	4"	"	1503	1503	1548	
	6"	"	8336	8336	8586	
	<b>PVC Reducer Tee - Soc</b>	गोटा				
	3/4 x 1/2	"	63	63	65	
	1 x 1/2	"	97	97	100	
	1 x 3/4	"	97	97	100	
	1-1/2 X 1/2	"	329	329	339	
	1-1/2 X 3/4	"	329	329	339	
	1-1/2 X 1	"	329	329	339	
	1-1/2 X 1-1/4	"	329	329	339	
	2 X 1/2	"	406	406	418	
	2 X 3/4	"	406	406	418	
	2 X 1	"	406	406	418	
	2 X 1-1/4	"	406	406	418	
	2 X 1-1/2	"	406	406	418	
	2-1/2 X 1/2	"	1043	1043	1074	
	2-1/2 X 3/4	"	1043	1043	1074	
	2-1/2 X 1	"	1043	1043	1074	
	2-1/2 X 1-1/4	"	1043	1043	1074	
	2-1/2 X 1-1/2	"	1043	1043	1074	
	2-1/2 X 2	"	1043	1043	1074	
	3 X 1/2	"	1523	1523	1568	
	3 X 3/4	"	1523	1523	1568	
	3 X 1	"	1523	1523	1568	
	3 X 1-1/4	"	1523	1523	1568	
	3 X 1-1/2	"	1523	1523	1568	
	3 X 2	"	1523	1523	1568	
	3 X 2-1/2	"	1523	1523	1568	
	6 X 1-1/4	"	8007	8007	8248	
	6 X 1-1/2	"	8007	8007	8248	
	6 X 2	"	8007	8007	8248	
	6 X 2-1/2	"	8007	8007	8248	
	6 X 3	"	8007	8007	8248	
	6 X 4	"	8007	8007	8248	
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>	गोटा				
	1/2"		161	161	166	
	3/4"		292	292	300	
	3/4" X 1/2"		237	237	244	
	1" X 1/2"		420	420	433	
	<b>PVC 90° Elbow - Soc</b>	गोटा				


86



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	1/2"	"	26	26	27	
	3/4"	"	30	30	31	
	1"	"	53	53	55	
	1-1/4"	"	93	93	95	
	1-1/2"	"	109	109	112	
	2"	"	167	167	172	
	2-1/2"	"	496	496	511	
	3"	"	594	594	612	
	4"	"	1216	1216	1252	
	6"	"	5121	5121	5275	
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>	गोटा				
	1/2"	"	173	173	178	
	3/4"	"	242	242	249	
	3/4" X 1/2"	"	250	250	258	
	<b>PVC 45° Elbow - Soc</b>	गोटा				
	1/2"	"	55	55	57	
	3/4"	"	86	86	88	
	1"	"	102	102	105	
	1-1/4"	"	143	143	147	
	1-1/2"	"	180	180	185	
	2"	"	234	234	241	
	2-1/2"	"	669	669	689	
	3"	"	1040	1040	1071	
	4"	"	1866	1866	1922	
	6"	"	5135	5135	5289	
	<b>PVC Coupling - Soc</b>	गोटा				
	1/2"	"	17	17	18	
	3/4"	"	26	26	27	
	1"	"	41	41	43	
	1-1/4"	"	56	56	57	
	1-1/2"	"	76	76	78	
	2"	"	117	117	121	
	2-1/2"	"	247	247	254	
	3"	"	386	386	398	
	4"	"	604	604	622	
	6"	"	2420	2420	2493	
	<b>PVC Reducer Coupling - Soc</b>	गोटा				
	3/4 X 1/2	"	42	42	44	
	1 X 3/4	"	73	73	75	
	1-1/2 X 1-1/4	"	131	131	134	
	2 X 1-1/2	"	208	208	214	
	4 x 2	"	1392	1392	1434	
	4 X 3	"	1392	1392	1434	
	6 X 4	"	2895	2895	2982	

87

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	35	35	36	
	1 X 1/2	"	50	50	51	
	1 X 3/4	"	50	50	51	
	1-1/4 X 1/2	"	86	86	88	
	1-1/4 X 3/4	"	86	86	88	
	1-1/4 X 1	"	86	86	88	
	1-1/2 X 1/2	"	90	90	93	
	1-1/2 X 3/4	"	90	90	93	
	1-1/2 X 1	"	90	90	93	
	1-1/2 X 1-1/4	"	90	90	93	
	2 X 1/2	"	165	165	170	
	2 X 3/4	"	165	165	170	
	2 X 1	"	165	165	170	
	2 X 1-1/4	"	165	165	170	
	2 X 1-1/2	"	165	165	170	
	2-1/2 X 1-1/4	"	232	232	239	
	2-1/2 X 1-1/2	"	232	232	239	
	2-1/2 X 2	"	232	232	239	
	3 X 1-1/2	"	344	344	354	
	3 X 2	"	344	344	354	
	3 X 2-1/2	"	344	344	354	
	4 X 2	"	676	676	696	
	4 X 3	"	676	676	696	
	6 X 2	"	2271	2271	2339	
	6 X 3	"	2271	2271	2339	
	6 X 4	"	2271	2271	2339	
	PVC Cap - Soc	गोटा				
	1/2"	"	24	24	25	
	3/4"	"	30	30	31	
	1"	"	42	42	44	
	1-1/4"	"	60	60	62	
	1-1/2"	"	66	66	68	
	2"	"	79	79	82	
	2-1/2"	"	254	254	261	
	3"	"	278	278	286	
	4"	"	633	633	652	
	6"	"	2498	2498	2573	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	"	254	254	261	
	3/4"	"	291	291	299	
	1"	"	298	298	307	
	1-1/4"	"	960	960	989	
	1-1/2"	"	1001	1001	1031	


  
 88

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	2"	"	1350	1350	1391	
	2-1/2"	"	1889	1889	1946	
	3"	"	3018	3018	3108	
	4"	"	4178	4178	4303	
	<b>PVC Male Adaptor - Soc x MBSP</b>	गोटा				
	1/2"	"	46	46	47	
	3/4"	"	54	54	56	
	1"	"	71	71	73	
	1-1/4"	"	87	87	90	
	1-1/2"	"	121	121	124	
	2"	"	156	156	160	
	2-1/2"	"	545	545	562	
	3"	"	648	648	667	
	4"	"	1025	1025	1056	
	6"	"	2359	2359	2430	
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>	गोटा				
	1/2"	"	262	262	270	
	3/4"	"	350	350	361	
	1"	"	527	527	542	
	<b>PVC Female Adaptor - Soc x FBSP</b>	गोटा				
	1/2"	"	59	59	61	
	3/4"	"	61	61	63	
	1"	"	64	64	66	
	1-1/4"	"	167	167	171	
	1-1/2"	"	245	245	252	
	2"	"	238	238	245	
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>	गोटा				
	1/2"	"	220	220	226	
	3/4"	"	311	311	321	
	1"	"	399	399	411	
	<b>PVC Ball Valve - Soc</b>	गोटा				
	1/2"	"	881	881	908	
	3/4"	"	1048	1048	1079	
	1"	"	1466	1466	1510	
	1-1/4"	"	1985	1985	2044	
	1-1/2"	"	3027	3027	3118	
	2"	"	3828	3828	3943	
	2-1/2"	"	6323	6323	6513	
	3"	"	10018	10018	10318	
	4"	"	16556	16556	17052	
	6"	"	35961	35961	37040	
	<b>PVC Adhesive Solution (Med. Bonded 705)</b>	गोटा				
	118ML	"	306	306	315	
	237ML	"	439	439	452	
	473ML	"	795	795	819	

विश्व  
89

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	946ML	"	1308	1308	1347	
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>	गोटा				
	118ML	"	492	492	507	
	237ML	"	649	649	668	
	473ML	"	1138	1138	1172	
	946ML	"	1969	1969	2028	
<b>23</b>	<b>Rainwater Collection System sintex or Prince Brand Roof)</b>					
	<b>140 mm Dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	164	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	264	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	362	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	445	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	445	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	98	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	314	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	79	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	52	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	80	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	31	
	<b>75 mm dia.</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	65	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	39	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	130	
	<b>180 mm dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	610	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424	424	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	111	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	94	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	53	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	113	

91

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	42	
	<b>110 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	70	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	45	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	250	
	<b>250 mm dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	603	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	632	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	994	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1429	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1429	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	311	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	826	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	309	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	169	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	125	

विश्व

92

मेश

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	327	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	171	
	<b>160 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	84	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	197	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	451	
	<b>ASTRAL "DWV" UPVC DRAIN, WASTE &amp; VENT SYSTEM and Ashirvad SWR Systems</b>					
	<b>ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY</b>					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	254	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	451	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	484	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	461	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	693	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	487	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	717	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	988	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1232	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1052	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1391	
	<b>ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY</b>					
	DWV Bend 45 Degree 75 mm size	pcs	140	140	144	
	DWV Bend 87.5 Degree	"	177	177	183	
	DWV Bend 87.5 Degree with Door	"	81	81	84	
	DWV Socket Plug	"	189	189	195	
	DWV Cleansing Pipe	"	114	114	117	

सि.नं. २

93

सि.नं. २

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	DWV Coupler	"	202	202	208	
	DWV Single Tee	"	222	222	228	
	DWV Single Tee with Door	"	349	349	360	
	DWV Cross Tee	"	491	491	506	
	DWV Cross Tee with Door	"	361	361	372	
	DWV Double 'Y'	"	481	481	496	
	DWV Double 'Y' with Door	"	226	226	232	
	DWV Single 'Y'	"	288	288	297	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	237	
	DWV Bend 45 Degree <b>110mm size</b>	"	282	282	291	
	DWV Bend 87.5 Degree	"	323	323	332	
	DWV Bend 87.5 Degree with Door	"	103	103	106	
	DWV Socket Plug	"	370	370	381	
	DWV Cleansing Pipe	"	206	206	212	
	DWV Coupler	"	684	684	705	
	DWV Double 'Y'	"	808	808	832	
	DWV Double 'Y' with Door	"	566	566	583	
	DWV Cross Tee	"	642	642	661	
	DWV Cross Tee with Door	"	370	370	381	
	DWV Single Tee	"	437	437	450	
	DWV Single Tee with Door	"	453	453	467	
	DWV Single 'Y'	"	475	475	489	
	DWV Single 'Y' with Door	"	47	47	48	
	DWV Vent Cowel	"	161	161	166	
	DWV Reducer <b>110*75 mm</b>	"	36	36	37	
	DWV Pipe Clip <b>110mm size</b>	"	436	436	449	
	DWV W.C. Connectore (Straight type)	"	348	348	359	
	DWV W.C. Connectore (Bend type)	"	174	174	179	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	555	
	DWV P-Trap with Leap Ring <b>10*110 mm</b>	"	773	773	796	
	DWV P-Trap with Leap Ring <b>25*110 mm</b>	"	232	232	239	
	DWV Multi Floor Trap 4" w/o Jali <b>75 mm</b>	"	470	470	484	
	DWV Reducer <b>60*110 mm</b>	"	449	449	463	
	DWV Coupler <b>160mm size</b>	"	1077	1077	1109	
	DWV Single Tee	"	1157	1157	1192	
	DWV Single Tee with Door	"	2016	2016	2076	
	DWV Single 'Y'	"	2118	2118	2181	
	DWV Single 'Y' with Door	"	742	742	764	
	DWV Bend 87.5 Degree	"	988	988	1018	
	DWV Bend 87.5 Degree with Door	"	864	864	890	
	DWV Bend 45 Degree	"				
	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	FOAMCORE Plain Both End (3mtrs length) SN-8 <b>110 mm</b>	per mtr.	584	584	602	

94



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	624	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	649	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	611	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	622	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1110	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1153	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1198	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1129	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1149	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1739	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1769	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1799	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2885	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2935	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2986	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3820	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3886	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3953	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4720	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4803	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4885	
		"				
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	601	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	616	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	631	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	612	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	623	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1109	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1142	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1174	

95

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1130	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1149	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1739	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1769	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1800	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2885	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2935	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	2985	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3820	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3886	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	3953	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4720	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4803	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4885	
	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	DWV Coupler SN-8 110mm	per pc	294	294	303	
	DWV Coupler SN-4 160 mm	"	708	708	729	
	DWV Coupler SN-4 200 mm	"	1447	1447	1491	
	DWV Coupler SN-4 250 mm	"	2697	2697	2778	
	DWV Coupler SN-2 315mm	"	4338	4338	4468	
	DWV Coupler SN-4 315 mm	"	4736	4736	4878	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1031	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2870	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5361	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	12018	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	28536	
24	<b>Multilayer Composite Pipe (Sanghai, or eqv.)</b>					
	<b>Cold Water Pipe (White)</b>					
	12-16 mm ½"	Rm	101	101	104	
	14-18 mm ½"	"	111	111	114	
	16-20 mm ½"	"	119	119	122	
	20-25 mm ¾"	"	180	180	186	
	26-32 mm 1"	"	281	281	290	
	32-40 mm 1¼"	"	446	446	459	

96

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	41-50 mm 1½"	"	653	653	673	
	<b>Hot Water Pipe (Orange)</b>					
	12-16 mm ½"	Rm	111	111	114	
	14-18 mm ½"	"	123	123	126	
	16-20 mm ½"	"	141	141	145	
	20-25 mm ¾"	"	208	208	214	
	26-32 mm 1"	"	302	302	311	
	32-40 mm 1¼"	"	465	465	479	
	<b>Gas Lines Pipe (Yellow)</b>					
	12-16 mm ½"	Rm	87	87	90	
	14-18 mm ½"	"	87	87	90	
	<b>MULTILAYER COMPOSITE Fittings</b>					
	<b>a. Equal Straight Union</b>					
	½"ø (16mm ø)	गोटा	133	133	137	
	½"ø (18mm ø)	"	140	140	145	
	½"ø (20mm ø)	"	154	154	159	
	¾" ø (25 mm ø)	"	225	225	232	
	1" ø (32 mm ø)	"	351	351	362	
	1¼" ø (40 mm ø)	"	1296	1296	1335	
	1½" ø (50 mm ø)	"	1958	1958	2016	
	<b>b. Unequal Straight Union</b>					
	25 - 16 mm ø	"	252	252	260	
	25 - 18 mm ø	"	261	261	269	
	25 - 20 mm ø	"	275	275	283	
	32 - 16 mm ø	"	338	338	348	
	32 - 18 mm ø	"	356	356	366	
	32 - 20 mm ø	"	383	383	394	
	32 - 25 mm ø	"	410	410	422	
	40 - 32 mm ø	"	1121	1121	1154	
	50 - 20 mm ø	"	1634	1634	1683	
	50 - 32 mm ø	"	1958	1958	2016	
	50 - 40 mm ø	"	1845	1845	1900	
	<b>c. Male Union</b>					
	16mm x ½"M	गोटा	95	95	97	
	18mm x ½"M	"	110	110	113	
	20mm x ½"M	"	126	126	130	
	25mm x ½"M	"	153	153	158	
	25mm x ¾"M	"	194	194	199	
	25mm x 1"M	"	248	248	255	
	32mm x ¾"M	"	284	284	292	
	32mm x 1"M	"	311	311	320	
	32mm x 1½"M	"	315	315	324	
	40mm x 1"M	"	995	995	1024	
	40mm x 1½"M	"	1030	1030	1060	
	50mm x 1"M	"	1563	1563	1610	
	50mm x 1¼"M	"	1590	1590	1638	
	50mm x 1½"M	"	2160	2160	2225	
	50mm x 2"M	"	1623	1623	1671	

97

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>d. Female Straight Union</b>						
	16mm x 1/2"F	गोटा	104	104	107	
	18mm x 1/2"F	"	113	113	116	
	20mm x 1/2"F	"	122	122	126	
	25mm x 1/2"F	"	162	162	167	
	25mm x 3/4"F	"	194	194	199	
	25mm x 1"F	"	198	198	204	
	32mm x 1/2"F	"	203	203	209	
	32mm x 3/4"F	"	207	207	213	
	32mm x 1"F	"	293	293	301	
	40mm x 1 1/2"F	"	1168	1168	1203	
	50mm x 1 1/4"F	"	1575	1575	1622	
	50mm x 1 1/2"F	"	2160	2160	2225	
	50mm x 2"F	"	1638	1638	1687	
<b>e. Equal Elbow</b>						
	1/2" ø (16mm ø)	गोटा	126	126	130	
	1/2" ø (18mm ø)	"	153	153	158	
	1/2" ø (20mm ø)	"	207	207	213	
	3/4" ø (25 mm ø)	"	315	315	324	
	1" ø (32 mm ø)	"	509	509	524	
	1 1/4" ø (40 mm ø)	"	1656	1656	1706	
	1 1/2" ø (50 mm ø)	"	2565	2565	2642	
<b>f. Unequal Elbow</b>						
	40 - 32 mm ø	"	1836	1836	1891	
	50 - 20 mm ø	"	2115	2115	2178	
	50 - 40 mm ø	"	2156	2156	2220	
<b>g. Female Elbow</b>						
	16mm x 1/2"F	गोटा	167	167	171	
	18mm x 1/2"F	"	185	185	190	
	20mm x 1/2"F	"	203	203	209	
	25mm x 1/2"F	"	225	225	232	
	25mm x 3/4"F	"	279	279	287	
	25mm x 1"F	"	306	306	315	
	32mm x 3/4"F	"	329	329	339	
	32mm x 1"F	"	410	410	422	
	50mm x 1 1/4"F	"	2115	2115	2178	
<b>h. Male Elbow</b>						
	25mm x 3/4"M	"	225	225	232	
	25mm x 1"M	"	293	293	301	
	32mm x 3/4"M	"	221	221	228	
	32mm x 1"M	"	374	374	385	
	40mm x 1"M	"	1215	1215	1251	
	50mm x 1"M	"	1732	1732	1784	
<b>i. Equal Tee</b>						
	1/2" ø (16mm ø)	गोटा	225	225	232	
	1/2" ø (18mm ø)	"	252	252	260	
	1/2" ø (20mm ø)	"	315	315	324	
	3/4" ø (25 mm ø)	"	455	455	468	
	1" ø (32 mm ø)	"	711	711	732	
	1 1/4" ø (40 mm ø)	"	2658	2658	2737	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)		कैफियत
			आ.व.		
			२०७४/७५	२०७५/७६	
	1½" ø (50 mm ø)	"	3884	3884	4000
<b>j. Unequal Tee</b>					
	20 mm x 16 mm x 20 mm	"	203	203	209
	20 mm x 18 mm x 20 mm	"	225	225	232
	25 mm x 16 mm x 25 mm	"	338	338	348
	25 mm x 18 mm x 25 mm	"	383	383	394
	25 mm x 20 mm x 25 mm	"	396	396	408
	32 mm x 16 mm x 32 mm	"	653	653	672
	32 mm x 18 mm x 32 mm	"	675	675	695
	32 mm x 20 mm x 32 mm	"	702	702	723
	32 mm x 25 mm x 32 mm	"	720	720	742
	40 mm x 32 mm x 32 mm	"	1967	1967	2025
	40 mm x 32 mm x 40 mm	"	2278	2278	2346
	50 mm x 20 mm x 50 mm	"	3105	3105	3198
	50 mm x 32 mm x 32 mm	"	2047	2047	2108
	50 mm x 32 mm x 50 mm	"	3137	3137	3231
	50 mm x 40 mm x 40 mm	"	3147	3147	3242
	50 mm x 40 mm x 50 mm	"	3595	3595	3702
<b>k. Female Tee</b>					
	16mm x ½"F x 16mm	गोटा	225	225	232
	18mm x ½"F x 18mm	"	234	234	241
	20mm x ½"F x 20mm	"	252	252	260
	25mm x ½"F x 25mm	"	237	237	244
	25mm x ¾"F x 25mm	"	261	261	269
	25mm x 1"F x 25mm	"	338	338	349
	32mm x ½"F x 32mm	"	365	365	375
	32mm x ¾"F x 32mm	"	374	374	385
	32mm x 1"F x 32mm	"	507	507	522
	40mm x ¾"F x 32mm	"	1496	1496	1541
	50mm x ¾"F x 40mm	"	2219	2219	2286
<b>l. Equal Ball Valve Union</b>					
	½"ø (16mm ø)	गोटा	262	262	270
	½"ø (18mm ø)	"	291	291	299
	½"ø (20mm ø)	"	383	383	394
	¾"ø (25 mm ø)	"	635	635	654
	1"ø (32 mm ø)	"	882	882	908
	1¼"ø (40 mm ø)	"	2882	2882	2968
	1½"ø (50 mm ø)	"	4159	4159	4284
<b>m. Female Ball Valve Union</b>					
	16mm x ½"F	गोटा	244	244	251
	18mm x ½"F	"	280	280	288
	20mm x ½"F	"	313	313	323
	20mm x ¾"F	"	351	351	362
	25mm x ¾"F	"	653	653	672
	25mm x 1"F	"	666	666	686
	32mm x 1"F	"	702	702	723
<b>n. Plug</b>					
	1¼"ø (40 mm ø)	"	1440	1440	1483
	1½"ø (50 mm ø)	"	1980	1980	2039
<b>p. Wall Plated Female Elbow</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	16mm x 1/2"F	गोटा	189	189	195	
	18mm x 1/2"F	"	207	207	213	
	20mm x 1/2"F	"	225	225	232	
	<b>q. Nipple</b>					
	N 1/2F*1/2F	गोटा	49	49	50	
	N 1/2M*1/2M	"	49	49	50	
	N 3/4F*1/2F	"	68	68	70	
	N 1F*1/2F	"	77	77	80	
	N 1F*3/4F	"	87	87	90	
	N 3/4M*1/2M	"	68	68	70	
	N 1M*1/2M	"	77	77	80	
	N 1M*3/4M	"	87	87	90	
	N 1/2F*1/2M	"	59	59	60	
	N 1/2F*3/4M	"	68	68	70	
	N 1/2F*1M	"	107	107	110	
	N 1/2M*3/4F	"	68	68	70	
	N 1/2M*1F	"	112	112	115	
	N 3/4F*3/4M	"	87	87	90	
	N 3/4F*1M	"	96	96	99	
	N 3/4M*1F	"	127	127	131	
25	<b>Supplying laying &amp; jointing of Nepal Plastic ( Blue colour slotted )Pvc pipe for different size of Ordinary Boring work by manually</b>					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	501	
	a.2) Failure chagre per well	संख्या	1350	1350	1391	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	714	
	b.2) Failure chagre per well	संख्या	3600	3600	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1363	
	c.2) Failure chagre per well	संख्या	4680	4680	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1928	
	d.2) Failure chagre per well	संख्या	5400	5400	5562	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1622	
26	<b>R.C.C. Hume Pipe &amp; Hume Pipe Collar</b>					
	<b>PIPES</b>					
	<b>a) NP-2</b>					
	150 mm dia.	र.मि	518	596	596	
	200 mm dia.	"	673	785	785	
	250 mm dia.	"	843	983	983	
	300 mm dia.	"	1142	1330	1330	
	350 mm dia.	"	1262	1470	1470	
	375 mm dia.	"	1382	1610	1610	
	400 mm dia.	"	1589	1852	1852	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	450 mm dia.	"	1682	1960	1960	
	500 mm dia.	"	1887	2200	2200	
	600 mm dia.	"	2490	3077	3077	
	700 mm dia.	"	3249	3785	3785	
	750 mm dia.	"	3513	4092	4092	
	800 mm dia.	"	3921	4567	4567	
	900 mm dia.	"	5298	6172	6172	
	1000 mm dia.	"	6182	7185	7185	
	1200 mm dia.	"	7540	8776	8776	
	1500 mm dia.	"	15851	18450	18450	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1156	1291	1291	
	200 mm dia.	"	1540	1720	1720	
	250 mm dia.	"	1925	2149	2149	
	300 mm dia.	"	2767	3088	3088	
	350 mm dia.	"	3104	3464	3464	
	375 mm dia.	"	3318	3702	3702	
	400 mm dia.	"	3536	3948	3948	
	450 mm dia.	"	3969	4432	4432	
	500 mm dia.	"	4425	4940	4940	
	600 mm dia.	"	5468	6104	6104	
	700 mm dia.	"	6602	7372	7372	
	750 mm dia.	"	7583	8467	8467	
	800 mm dia.	"	8276	9240	9240	
	900 mm dia.	"	10734	11985	11985	
	1000 mm dia.	"	11927	13312	13312	
	1200 mm dia.	"	14196	15847	15847	
	1500 mm dia.	"	22307	24894	24894	
	<b>R.C.C. Hume Pipe Collar</b>					
	<b>a) NP-2</b>					
	150 mm dia.	गोटा	129	165	165	
	200 mm dia.	"	170	195	195	
	250 mm dia.	"	211	245	245	
	300 mm dia.	"	286	332	332	
	350 mm dia.	"	315	365	365	
	375 mm dia.	"	346	365	365	
	400 mm dia.	"	398	463	463	
	450 mm dia.	"	420	490	490	
	500 mm dia.	"	472	550	550	
	600 mm dia.	"	623	769	769	
	700 mm dia.	"	812	946	946	
	750 mm dia.	"	878	1023	1023	
	800 mm dia.	"	980	1141	1141	
	900 mm dia.	"	1324	1543	1543	
	1000 mm dia.	"	1545	1799	1799	
	1200 mm dia.	"	1885	2196	2196	
	1500 mm dia.	"	3962	4615	4615	
	<b>b) NP-3</b>					

सि. नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	150 mm dia.	..	289	323	323	
	200 mm dia.	..	385	429	429	
	250 mm dia.	..	481	537	537	
	300 mm dia.	..	691	771	771	
	350 mm dia.		776	865	865	
	375 mm dia.		829	924	924	
	400 mm dia.	..	883	986	986	
	450 mm dia.	..	993	1107	1107	
	500 mm dia.	..	1107	1234	1234	
	600 mm dia.	..	1368	1526	1526	
	700 mm dia.	..	1650	1843	1843	
	750 mm dia.	..	1895	2116	2116	
	800 mm dia.	..	2068	2309	2309	
	900 mm dia.	..	2683	2996	2996	
	1000 mm dia.	..	2982	3327	3327	
	1200 mm dia.	..	3549	3961	3961	
	1500 mm dia.	..	5577	6223	6223	





सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>R.C.C.Spigot Pipes (Socket System)</b>					
	<b>a) NP-2</b>					
	150 mm dia.	र.मि	-	766	766	
	200 mm dia.	"	-	976	976	
	250 mm dia.	"	-	1221	1221	
	300 mm dia.	"	-	1656	1656	
	350 mm dia.	"	-	2007	2007	
	400 mm dia.	"	-	2300	2300	
	450 mm dia.	"	-	2438	2438	
	500 mm dia.	"	-	2736	2736	
	600 mm dia.	"	-	3608	3608	
	700 mm dia.	"	-	4709	4709	
	750 mm dia.	"	-	5090	5090	
	800 mm dia.	"	-	5684	5684	
	900 mm dia.	"	-	7339	7339	
	1000 mm dia.	"	-	8481	8481	
	1200 mm dia.	"	-	10274	10274	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1306	1603	1603	
	200 mm dia.	"	1772	2139	2139	
	250 mm dia.	"	2213	2674	2674	
	300 mm dia.	"	3181	3842	3842	
	350 mm dia.	"	-	4313	4313	
	400 mm dia.	"	4067	4913	4913	
	450 mm dia.	"	4566	5513	5513	
	500 mm dia.	"	5089	6141	6141	
	600 mm dia.	"	6288	7592	7592	
	700 mm dia.	"	7593	9169	9169	
	800 mm dia.	"	9517	11493	11493	
	900 mm dia.	"	12346	14907	14907	
	1000 mm dia.	"	13717	16564	16564	
	1200 mm dia.	"	16327	19506	19506	
	1500 mm dia.	"	26247	30835	30835	
	1600 mm dia.	"	30275	35566	35566	
	1800 mm dia.	"	40323	47339	47339	
<b>27</b>	<b>High Density Polythene Pipe NS-40</b>					
	Pipes of different sizes, series & pressure					
	<b>HDP Pipe</b>	Kg	<b>214.0</b>	<b>265.0</b>	281	
<b>27.1</b>	<b>2.5Kg/cm<sup>2</sup> Series II</b>					
	63 mm (0.403 Avg.wt. Kg/m)	Rm	86	107	113	
	75 mm (0.557 Avg.wt Kg/m)	"	119	148	156	
	90 mm (0.799 Avg.wt Kg/m)	"	171	212	224	
	110 mm (1.185 Avg.wt Kg/m)	"	254	314	333	
	125 mm (1.530 Avg.wt Kg/m)	"	327	405	430	
	140 mm (1.897 Avg.wt Kg/m)	"	406	503	533	
	160 mm (2.453 Avg.wt Kg/m)	"	525	650	689	
	180 mm (3.148 Avg.wt Kg/m)	"	674	834	884	



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	200 mm (3.875 Avg.wt Kg/m)	..	829	1027	1088	
	225 mm (4.822 Avg.wt Kg/m)	..	1032	1278	1354	
	250 mm (6.012 Avg.wt Kg/m)	..	1287	1593	1689	
	280 mm (7.471 Avg.wt Kg/m)	..	1599	1980	2099	
	315 mm (9.417 Avg.wt Kg/m)	..	2015	2510	2660	
	355 mm ( 11.957 Avg.wt Kg/m)	..	2559	3169	3359	
	400 mm (15.221 Avg.wt Kg/m)	..	3257	4034	4276	
	450 mm (19.163 Avg.wt Kg/m)	..	4101	5174	5484	
	500 mm (23.836 Avg.wt Kg/m)	..		6436	6822	
27.2	<b>4 Kg/cm<sup>2</sup> Series III</b>					
	40 mm (0.251 Avg.wt Kg/m)	Rm	54	67	71	
	50 mm (0.378 Avg.wt Kg/m)	..	81	100	106	
	63 mm (0.585 Avg.wt Kg/m)	..	125	155	164	
	75 mm (0.846 Avg.wt Kg/m)	..	181	224	238	
	90 mm (1.220 Avg.wt Kg/m)	..	261	323	343	
	110 mm (1.703 Avg.wt Kg/m)	..	364	451	478	
	125 mm (2.289 Avg.wt Kg/m)	..	490	607	643	
	140 mm (2.901 Avg.wt Kg/m)	..	621	769	815	
	160 mm (3.773 Avg.wt Kg/m)	..	807	1000	1060	
	180 mm (4.762 Avg.wt Kg/m)	..	1019	1262	1338	
	200 mm (5.890 Avg.wt Kg/m)	..	1260	1561	1655	
	225 mm (7.445 Avg.wt Kg/m)	..	1593	1973	2091	
	250 mm (9.187 Avg.wt Kg/m)	..	1966	2435	2581	
	280 mm (11.455 Avg.wt Kg/m)	..	2451	3036	3218	
	315 mm (14.508 Avg.wt Kg/m)	..	3105	3845	4075	
	355 mm ( 18.382 Avg.wt Kg/m)	..	3934	4871	5164	
	400 mm ( 23.343 Avg.wt Kg/m)	..	4995	6186	6557	
	450mm ( 29.351 Avg.wt Kg/m)	..	6281	7925	8400	
	500mm ( 36.406 Avg.wt Kg/m)	..		9828	10418	
27.3	<b>6 Kg/cm<sup>2</sup> Series IV</b>					
	32 mm (0.226 Avg.wt Kg/m)	Rm	48	60	63	
	40 mm (0.350 Avg.wt Kg/m)	..	75	93	98	
	50 mm (0.542 Avg.wt Kg/m)	..	116	144	152	
	63 mm (0.850 Avg.wt Kg/m)	..	182	225	239	
	75 mm (1.191 Avg.wt Kg/m)	..	255	316	335	
	90 mm (1.717 Avg.wt Kg/m)	..	367	455	482	
	110 mm (2.545 Avg.wt Kg/m)	..	545	674	715	
	125 mm (3.293 Avg.wt Kg/m)	..	705	873	925	
	140 mm (4.150 Avg.wt Kg/m)	..	888	1100	1166	
	160 mm (5.355 Avg.wt Kg/m)	..	1146	1419	1504	
	180 mm (6.800 Avg.wt Kg/m)	..	1455	1802	1910	
	200 mm (8.391 Avg.wt Kg/m)	..	1796	2224	2357	
	225 mm (10.544 Avg.wt Kg/m)	..	2256	2794	2962	
	250 mm (13.041 Avg.wt Kg/m)	..	2791	3456	3663	
	280 mm (16.327 Avg.wt Kg/m)	..	3494	4327	4586	
	315 mm (20.694 Avg.wt Kg/m)	..	4429	5484	5813	


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	355 mm ( 26.243 Avg.wt Kg/m)	..	5616	6954	7372	
	400 mm ( 33.309 Avg.wt Kg/m)	..	7128	8827	9356	
	450 mm ( 42.065 Avg.wt Kg/m)	..	9002	11358	12039	
	500 mm ( 51.900 Avg.wt Kg/m)	..		14013	14854	
27.4	<b>10 Kg/cm<sup>2</sup> Series VI</b>					
	16 mm (0.092 Avg.wt Kg/m)	Rm	20	24	26	
	20 mm (0.134 Avg.wt Kg/m)	..	29	36	38	
	25 mm (0.202 Avg.wt Kg/m)	..	43	54	57	
	32 mm (0.334 Avg.wt Kg/m)	..	71	89	94	
	40 mm (0.514 Avg.wt Kg/m)	..	110	136	144	
	50 mm (0.796 Avg.wt Kg/m)	..	170	211	224	
	63 mm (1.269 Avg.wt Kg/m)	..	272	336	356	
	75 mm (1.782 Avg.wt Kg/m)	..	381	472	501	
	90 mm (2.568 Avg.wt Kg/m)	..	550	681	721	
	110 mm (3.801 Avg.wt Kg/m)	..	813	1007	1068	
	125 mm (4.962 Avg.wt Kg/m)	..	1062	1315	1394	
	140 mm (6.209 Avg.wt Kg/m)	..	1329	1645	1744	
	160 mm (8.079 Avg.wt Kg/m)	..	1729	2141	2269	
	180 mm (10.256 Avg.wt Kg/m)	..	2195	2718	2881	
	200 mm (12.620 Avg.wt Kg/m)	..	2701	3318	3517	
	225 mm (16.014 Avg.wt Kg/m)	..	3427	4244	4498	
	250 mm (19.757 Avg.wt Kg/m)	..	4228	5236	5550	
	280 mm (24.708 Avg.wt Kg/m)	..	5288	6548	6940	
	315 mm (31.16 Avg.wt Kg/m)	..	6668	8257	8753	
	355 mm ( 39.635 Avg.wt Kg/m)	..	8482	10503	11133	
	400 mm ( 50.344 Avg.wt Kg/m)	..	10774	13341	14142	
	450 mm ( 63.598 Avg.wt Kg/m)	..	13610	16853	17864	
28	<b>UPVC (Pipe NS 206/046</b>					
28.1	<b>A) pipe 2.5 kg /cm<sup>2</sup> pressure</b>					
	a) 90 mm	र.मी	141	137.17	141	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	b) 110 mm	"	209	204.42	211	
	c) 125 mm	"	266	260.00	268	
	d) 140 mm	"	328	321.24	331	
	e) 160 mm	"	429	419.47	432	
	f) 180 mm	"	549	537.17	553	
	g) 200 mm	"	671	656.64	676	
28.2	<b>B) UPVC Pipe 4 kg / cm<sup>2</sup></b>					
	a) 63mm	र.मी	112	108.85	112	
	b) 75 mm	"	154	150.44	155	
	c) 90 mm	"	219	215.04	221	
	d) 110 mm	"	301	294.69	304	
	e) 125 mm	"	415	406.19	418	
	f) 140 mm	"	527	515.93	531	
	g) 160 mm	"	683	667.26	687	
	h) 180 mm	"	877	857.52	883	
	i) 200 mm	"	1064	1040.71	1072	
28.3	<b>C) UPVC Pipe 6 Kg/ cm<sup>2</sup> pressure</b>					
	a) 40 mm	र.मी	66	63.72	66	
	b) 50 mm	"	99	97.35	100	
	c) 63 mm	"	159	155.75	160	
	d) 75 mm	"	222	216.81	223	
	e) 90 mm	"	320	312.39	322	
	f) 110 mm	"	462	452.21	466	
	g) 125 mm	"	616	601.77	620	
	h) 140 mm	"	766	749.56	772	
	i) 160 mm	"	982	960.18	989	
	j) 180 mm	र.मी	1252	1224.78	1262	
	k) 200 mm	"	1534	1500.00	1545	
28.4	<b>C) UPVC Pipe 10 Kg/ cm<sup>2</sup> pressure</b>					
	a) 20 mm	र.मी	25	24.78	26	
	b) 25 mm	"	40	38.94	40	
	c) 32mm	"	65	63.72	66	
	a) 40 mm	"	98	96.46	99	
	b) 50 mm	"	155	151.33	156	
	c) 63 mm	"	246	240.71	248	
	d) 75 mm	"	351	325.66	335	
	e) 90 mm	"	501	489.38	504	
	f) 110 mm	"	742	725.66	747	
	g) 125 mm	"	950	929.20	957	
	h) 140 mm	"	1199	1172.57	1208	
	i) 160 mm	"	1542	1508.85	1554	
	j) 180 mm	"	1966	1923.01	1981	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	k) 200 mm	"	2431	2377.88	2449	
<b>28.5</b>	<b>UPVC fittings :</b>					
	<b>Coupler</b>					
	50 mm	गोटा	31	31	32	
	75 mm	"	75	75	77	
	110 mm	"	128	128	131	
	<b>Bend 87.5 degree</b>					
	50 mm	गोटा	46	46	47	
	75 mm	"	108	108	112	
	110 mm	"	200	200	206	
	<b>Bend 45 degree</b>					
	50 mm	गोटा	45	45	46	
	75 mm	"	88	88	91	
	110 mm	"	158	158	163	
	<b>Single Tee</b>					
	50 mm	गोटा	68	68	70	
	75 mm	"	147	147	151	
	110 mm	"	279	279	287	
	<b>Pipe clip</b>					
	50 mm	गोटा	14	14	15	
	75 mm	"	28	28	29	
	110 mm	"	37	37	38	
	<b>Bend 87.5 degree with door</b>					
	75 mm	गोटा	139	139	143	
	110 mm	"	242	242	249	
	<b>Single Tee with door</b>					
	75 mm	गोटा	198	198	204	
	110 mm	"	369	369	380	
	<b>Double Tee</b>					
	75 mm	गोटा	322	322	332	
	110 mm	"	510	510	525	
	<b>Double Tee with door</b>					
	75 mm	गोटा	427	427	440	
	110 mm	"	662	662	682	
	<b>Vent cowl</b>					
	75 mm	गोटा	53	53	54	
	110 mm	"	87	87	90	
	<b>Socket plug</b>					
	75 mm	गोटा	66	66	68	
	110 mm	"	108	108	111	
	<b>Single "Y"</b>					
	75 mm	गोटा	168	168	173	
	110 mm	"	363	363	374	
	<b>Single "Y" with door</b>					
	75 mm	गोटा	230	230	237	

  
  
 107



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	110 mm	"	438	438	451	
	<b>Double "Y"</b>					
	75 mm	गोटा	253	253	261	
	110 mm	"	499	499	514	
	<b>Double "Y" with door</b>					
	75 mm	गोटा	325	325	334	
	110 mm	"	523	523	539	
	<b>Cleaning pipe</b>					
	75 mm	"	147	147	152	
	110 mm	"	284	284	293	
	<b>Reducer</b>					
	110x 75 mm	"	131	131	135	
	75X50 mm	"	69	69	71	
	<b>P -Trap</b>					
	125mmx110mm	"	539	539	555	
	110mmx110mm	"	505	505	521	
	75mmx75mm	"	193	193	199	
	<b>Multi-Floor -Trap</b>					
	110mmx75mm	"	280	280	288	
	<b>Nahani-Trap</b>					
	110mmx75mm	"	255	255	263	
	<b>W.C. Connector (bent type)</b>					
	Square tile with jali	"	84	84	86	
	Round jali	"	38	38	40	
	End cap 50mm	"	25	25	26	
29.0	<b>G.I Pipe threaded , 6 m. length With Cap</b>					
	<b>a) Light class</b>					
	i. ½ " (15 mm)	र.मी	129	148.00	152	
	ii. ¾" (20 mm)	"	176	201.67	208	
	iii. 1" (25 mm)	"	244	280.00	288	
	iv. 1 ¼" (32 mm)	"	313	358.00	369	
	v. 1 ½ " (40 mm)	"	386	441.67	455	
	vi. 2" (50 mm)	"	488	558.33	575	
	vii. 2 ½ " (65 mm)	"	671	770.00	793	
	viii. 3" (80 mm)	"	788	903.33	930	
	ix. 4" (100 mm)	"	1127	1291.67	1330	
	x. 5" (125 mm)	"	1802	2066.67	2129	
	xi. 6" (150 mm)	"	2140	2455.00	2529	
	xii. 8" (200 mm)	"	3071	3523.00	3629	
	<b>b) Medium class</b>					
	i. ½ " (15 mm)	र.मी	150	171.00	176	
	ii. ¾" (20 mm)	"	191	220.00	227	
	iii. 1" (25 mm)	"	286	328.00	338	
	iv. 1 ¼" (32 mm)	"	373	426.67	439	

103

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
v.	1 1/2" (40 mm)	र.मि	428	490.00	505	
vi.	2" (50 mm)	"	583	670.00	690	
vii.	2 1/2" (65 mm)	"	745	855.00	881	
viii.	3" (80 mm)	"	923	1060.00	1092	
ix.	4" (100 mm)	"	1372	1573.00	1620	
x.	5" (125 mm)	"	1900	2180.00	2245	
xi.	6" (150 mm)	"	2297	2633.33	2712	
xii.	8" (200 mm)	"	3490	4003.33	4123	
<b>c) Heavy duty</b>						
i.	1/2" (15 mm)	र.मि	178	203.33	209	
ii.	3/4" (20 mm)	"	223	256.67	264	
iii.	1" (25 mm)	"	335	383.33	395	
iv.	1 1/4" (32 mm)	"	428	490.00	505	
v.	1 1/2" (40 mm)	"	493	565.00	582	
vi.	2" (50 mm)	"	718	823.33	848	
vii.	2 1/2" (65 mm)	"	899	1031.67	1063	
viii.	3" (80 mm)	"	1059	1215.00	1251	
ix.	4" (100 mm)	"	1643	1883.33	1940	
x.	5" (125 mm)	"	2128	2440.00	2513	
xi.	6" (150 mm)	"	2413	2766.67	2850	
xii.	8" (200 mm)	"	3698	4243.33	4371	
<b>30.0 G.I. Pipe fittings ISI or NS Standard</b>						
<b>a) G.M. Gate valve</b>						
i.	1/2"	गोटा	962	962	991	
ii.	3/4"	"	1198	1198	1234	
iii.	1"	"	1930	1930	1988	
iv.	1 1/4"	"	2753	2753	2836	
v.	1 1/2"	"	3467	3467	3571	
vi.	2"	"	5519	5519	5685	
vii.	2 1/2"	"	11411	11411	11753	
viii.	3"	"	14188	14188	14614	
ix.	4"	"	23238	23238	23935	
<b>b) G.M Check valve</b>						
i.	1/2"	गोटा	893	893	920	
ii.	3/4"	"	1200	1200	1236	
iii.	1"	"	1775	1775	1828	
iv.	1 1/4"	"	2623	2623	2702	
v.	1 1/2"	"	3035	3035	3126	
vi.	2"	"	5033	5033	5184	
vii.	2 1/2"	"	10225	10225	10532	
viii.	3"	"	13657	13657	14067	
ix.	4"	"	19301	19301	19880	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	म.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
<b>c) G.I. Elbow</b>						
i.	½ "	गोटा	52	52	54	
ii.	¾ "	"	94	94	97	
iii.	1 "	"	145	145	149	
iv.	1 ¼ "	"	220	220	227	
v.	1 ½ "	"	308	308	317	
vi.	2 "	"	464	464	478	
vii.	2 ½ "	"	805	805	829	
viii.	3 "	"	1253	1253	1291	
ix.	4 "	"	2159	2159	2224	
x.	5 "	"	5342	5342	5502	
xi.	6 "	"	6430	6430	6623	
<b>d) G.I. Tee</b>						
i.	½ "	गोटा	80	80	82	
ii.	¾ "	"	127	127	131	
iii.	1 "	"	185	185	191	
iv.	1 ¼ "	"	296	296	305	
v.	1 ½ "	"	410	410	422	
vi.	2 "	"	671	671	691	
vii.	2 ½ "	"	1054	1054	1086	
viii.	3 "	"	1424	1424	1467	
ix.	4 "	"	2587	2587	2665	
x.	5 "	"	7160	7160	7375	
xi.	6 "	"	8298	8298	8547	
<b>e) G.I. Union</b>						
i.	½ "	गोटा	169	169	174	
ii.	¾ "	"	238	238	245	
iii.	1 "	"	349	349	359	
iv.	1 ¼ "	"	480	480	494	
v.	1 ½ "	"	594	594	612	
vi.	2 "	"	884	884	911	
vii.	2 ½ "	"	1808	1808	1862	
viii.	3 "	"	2436	2436	2509	
ix.	4 "	"	3210	3210	3306	
x.	5 "	"	7160	7160	7375	
xi.	6 "	"	8663	8663	8923	
<b>f) G.I. Socket</b>						
i.	½ "	गोटा	47	47	48	
ii.	¾ "	"	73	73	75	
iii.	1 "	"	100	100	103	
iv.	1 ¼ "	"	154	154	159	
v.	1 ½ "	"	208	208	214	
vi.	2 "	"	306	306	315	
vii.	2 ½ "	"	554	554	571	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
viii.	3"	"	817	817	842	
ix.	4"	"	1415	1415	1457	
x.	5"	"	3534	3534	3640	
xi.	6"	"	4752	4752	4895	
<b>g) C.I. Plug</b>						
i.	½ "	गोटा	30	30	31	
ii.	¾"	"	40	40	41	
iii.	1"	"	49	49	50	
iv.	1 ¼"	"	98	98	101	
v.	1 ½ "	"	124	124	128	
vi.	2"	"	149	149	153	
vii.	2 ½ "	"	214	214	220	
viii.	3"	"	437	437	450	
ix.	4"	"	838	838	863	
<b>h) Hex Nipple</b>						
i.	½ "	गोटा	56	56	58	
ii.	¾"	"	86	86	89	
iii.	1"	"	139	139	143	
iv.	1 ¼"	"	217	217	224	
v.	1 ½ "	"	275	275	283	
vi.	2"	"	409	409	421	
vii.	2 ½ "	"	750	750	773	
viii.	3"	"	968	968	997	
ix.	4"	"	1484	1484	1529	
<b>i) Reducing Tee</b>						
i.	¾"	गोटा	139	139	143	
ii.	1"	"	204	204	210	
iii.	1 ¼"	"	325	325	335	
iv.	1 ½ "	"	451	451	465	
v.	2"	"	737	737	759	
vi.	2 ½ "	"	1160	1160	1195	
vii.	3"	"	1568	1568	1615	
viii.	4"	"	2866	2866	2952	
x.	5"	"	7884	7884	8121	
xi.	6"	"	9126	9126	9400	
<b>i) Reducing Elbow</b>						
i.	¾"	गोटा	103	103	106	
ii.	1"	"	160	160	165	
iii.	1 ¼"	"	244	244	251	
iv.	1 ½ "	"	342	342	352	
v.	2"	"	511	511	526	
vi.	2 ½ "	"	883	883	909	
vii.	3"	"	1361	1361	1402	
viii.	4"	"	2410	2410	2482	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
x.	5"	"	5878	5878	6054	
xi.	6"	"	7073	7073	7285	
<b>j) Reducing socket</b>						
i.	¾"	गोटा	80	80	82	
ii.	1"	"	108	108	111	
iii.	1 ¼"	"	168	168	173	
iv.	1 ½"	"	226	226	233	
v.	2"	"	337	337	347	
vi.	2 ½"	"	602	602	620	
vii.	3"	"	860	860	886	
viii.	4"	"	1552	1552	1599	
x.	5"	"	4436	4436	4569	
xi.	6"	"	5216	5216	5372	
<b>K) Short bend</b>						
i.	½"	गोटा	139	139	143	
ii.	¾"	"	214	214	220	
iii.	1"	"	328	328	338	
iv.	1 ¼"	"	630	630	649	
v.	1 ½"	"	952	952	981	
vi.	2"	"	1393	1393	1435	
vii.	2 ½"	"	3576	3576	3683	
viii.	3"	"	5544	5544	5710	
ix.	4"	"	7855	7855	8091	
<b>l) Cross Tee</b>						
i.	½"	गोटा	131	131	135	
ii.	¾"	"	186	186	192	
iii.	1"	"	293	293	302	
iv.	1 ¼"	"	509	509	524	
v.	1 ½"	"	611	611	629	
vi.	2"	"	990	990	1020	
vii.	2 ½"	"	1670	1670	1720	
viii.	3"	"	2420	2420	2493	
ix.	4"	"	3268	3268	3366	
<b>M) Tanki nipple</b>						
i.	½"	गोटा	154	154	159	
ii.	¾"	"	214	214	220	
iii.	1"	"	319	319	329	
iv.	1 ¼"	"	480	480	494	
v.	1 ½"	"	611	611	629	
vi.	2"	"	990	990	1020	
vii.	2 ½"	"	1906	1906	1963	
viii.	3"	"	2538	2538	2614	
ix.	4"	"	3367	3367	3468	
<b>G.I. Nipple Medium Class ISI or NS</b>						
<b>2" Long</b>						

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			बा.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
i.	½ "	गोटा	25	25	26	
ii.	¾ "	"	37	37	38	
iii.	1 "	"	50	50	52	
iv.	1 ¼ "	"	68	68	70	
v.	1 ½ "	"	83	83	85	
vi.	2 "	"	127	127	131	
<b>3" Long</b>						
i.	½ "	गोटा	37	37	38	
ii.	¾ "	"	56	56	58	
iii.	1 "	"	76	76	78	
iv.	1 ¼ "	"	102	102	105	
v.	1 ½ "	"	126	126	130	
vi.	2 "	"	188	188	194	
vii.	2 ½ "	"	259	259	267	
viii.	3 "	"	378	378	389	
<b>4" Long</b>						
i.	½ "	गोटा	50	50	52	
ii.	¾ "	"	74	74	76	
iii.	1 "	"	101	101	104	
iv.	1 ¼ "	"	136	136	140	
v.	1 ½ "	"	166	166	171	
vi.	2 "	"	253	253	261	
vii.	2 ½ "	"	347	347	357	
viii.	3 "	"	505	505	520	
ix.	4 "	"	649	649	668	
<b>6" Long</b>						
i.	½ "	गोटा	76	76	78	
ii.	¾ "	"	113	113	116	
iii.	1 "	"	151	151	156	
iv.	1 ¼ "	"	205	205	211	
v.	1 ½ "	"	253	253	261	
vi.	2 "	"	379	379	390	
vii.	2 ½ "	"	518	518	534	
viii.	3 "	"	742	742	764	
ix.	4 "	"	917	917	945	
<b>9" Long</b>						
i.	½ "	गोटा	113	113	116	
ii.	¾ "	"	167	167	172	
iii.	1 "	"	202	202	208	
iv.	1 ¼ "	"	307	307	316	
v.	1 ½ "	"	413	413	425	
vi.	2 "	"	569	569	586	
vii.	2 ½ "	"	768	768	791	
viii.	3 "	"	1136	1136	1170	
ix.	4 "	"	4871	4871	5017	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
v.	3"	"	1950	1950	2009	
vi.	4"	"	2406	2406	2478	
vii.	5"	"	3814	3814	3928	
viii.	6"	"	3505	3505	3610	
ix.	8"	"	7627	7627	7856	
<b>Brass tap ½"</b>						
i.	½ " (Wt. 400 gm)	गोटा	906	906	933	
ii.	½ " ordinary	गोटा	205	205	211	
<b>Globe Valve (GM)</b>						
i.	½ "	गोटा	924	924	952	
ii.	¾"	"	1505	1505	1550	
iii.	1"	"	1859	1859	1915	
iv.	1 ¼"	"	2953	2953	3042	
v.	1 ½ "	"	3716	3716	3827	
vi.	2"	"	4640	4640	4779	
vii.	2 ½ "	"	9114	9114	9387	
viii.	3"	"	15060	15060	15512	
ix.	4"	"	24350	24350	25081	
<b>Float Valve</b>						
i.	½ "	गोटा	1134	1134	1168	
ii.	¾"	"	1283	1283	1321	
iii.	1"	"	1556	1556	1603	
iv.	1 ¼"	"	2690	2690	2771	
v.	1 ½ "	"	4042	4042	4163	
vi.	2"	"	5381	5381	5542	
<b>C.I. Air valve (Heavy)</b>						
i.	½ "	गोटा	3756	3756	3869	
ii.	¾"	"	5182	5182	5337	
iii.	1"	"	5746	5746	5918	
<b>Brass Union with Adopter</b>						
i.	½ "	गोटा	245	245	252	
ii.	¾"	"	377	377	388	
iii.	1"	"	570	570	587	
iv.	1 ¼"	"	742	742	764	
v.	1 ½ "	"	1322	1322	1362	
vi.	2"	"	1961	1961	2020	
<b>Saddle Ferrule</b>						
i.	1 ½ "	गोटा	354	354	365	
ii.	2"	"	468	468	482	
iii.	2 ½ "	"	1306	1306	1345	
iv.	3"	"	1727	1727	1779	
v.	4"	"	2462	2462	2536	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	<b>Flow Regulating Valve (G.M.)</b>					
i.	½"	गोटा	1322	1322	1362	
	<b>C.I Sluice Valve</b>					
i.	1 ½ "	गोटा	6846	6846	7051	
ii.	2"	"	9132	9132	9406	
iii.	2 ½ "	"	11406	11406	11748	
iv.	3"	"	13691	13691	14102	
v.	4"	"	18250	18250	18798	
v.	5"	"	27737	27737	28569	
v.	6"	"	33288	33288	34287	
v.	8"	"	46603	46603	48001	
	<b>Brass Ferrule Cock</b>					
i.	½ "	गोटा	1505	1505	1550	
ii.	¾"	"	1961	1961	2020	
iii.	1"	"	2879	2879	2965	
	<b>Ball valve</b>					
a)	15mm	गोटा	514	514	529	
b)	20 mm	"	650	650	670	
c)	25 mm	"	872	872	898	
d)	32 mm	"	1051	1051	1083	
e)	40 mm	"	2035	2035	2096	
f)	50 mm	"	3341	3341	3441	
<b>31.0</b>	<b>Supplying of Rec ring for construction of well</b>					
<b>31.1</b>	<b>Ring</b>					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	580	597	615	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	718	740	762	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	835	860	886	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1106	1139	1173	
<b>31.2</b>	<b>Supplying &amp; fixing of metal frame and Rec cover</b>					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1751	1804	1858	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2318	2388	2460	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2544	2620	2699	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3039	3130	3224	
<b>32.0</b>	<b>ईनार खन्नको लागी R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)</b>					
	i) 28" dia. R.C.C. Ring	र.मी	4009	4129	4253	
	ii) 36" dia. R.C.C. Ring	"	5088	5240	5397	
	iii) 42" dia. R.C.C. Ring	"	5922	6099	6282	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	iv) 48" dia. R.C.C. Ring	"	7305	7524	7750	
32.2	२५ फीट देखि माथीको गहीराइ भएमा ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5380	5541	5707	
	ii) 36" dia. R.C.C. Ring	"	9097	9369	9650	
	iii) 42" dia. R.C.C. Ring	"	11011	11341	11681	
	iv) 48" dia. R.C.C. Ring	"	13228	13624	14033	
33.0	<b>Sanitary Tools</b>					
a	Adjustable spanner					
	10"	Pc	248	248	255	
	12"	Pc	468	468	482	
	15"	Pc	1348	1348	1388	
	18"	Pc	1595	1595	1643	
b	Blow Torch					
	1/2 pint	Pc	1392	1392	1433	
	1 pint	Pc	1716	1716	1767	
c	Building Trowel	Pc	77	77	79	
d	Chain Pipe wrench					
	50mm	Pc	1595	1595	1643	
	75mm	Pc	1898	1898	1954	
	100mm	Pc	2228	2228	2294	
	150mm	Pc	3135	3135	3229	
	200mm	Pc	5335	5335	5495	
e	Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17562	
	5 ton	Pc	28160	28160	29005	
f	Stone Chisel 1"x12"	Pc	358	358	368	
g	Die teeth oil with cane (250 ml size)	Pc	275	275	283	
h	Smooth steel file half round					
	8"	Pc	523	523	538	
	10"	Pc	1001	1001	1031	
i	Flat file 10"	Pc	523	523	538	
10.0	Hacksaw Blade					
	Single	Pc	4	4	5	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	187	187	193	
k	Handle die set					
	25 mm	Pc	3108	3108	3201	
	50 mm	Pc	3520	3520	3626	
	60 mm	Pc	9350	9350	9631	
l	Heating Plate					
	80 mm	Pc	935	935	963	
	100 mm	Pc	1073	1073	1105	
	125 mm	Pc	1375	1375	1416	
	150 mm	Pc	1639	1639	1688	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	200 mm	Pc	2651	2651	2731	
	250 mm	Pc	3212	3212	3308	
	300 mm	Pc	3751	3751	3864	
m	Iron Brush 12"	Pc	72	72	74	
n	Iron Pan (madium)	Pc	253	253	261	
o	Pick Axe 1.7 Kg.	Pc	418	418	431	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	2039	
	65-80 mm	Pc	3080	3080	3172	
	100 mm	Pc	4950	4950	5099	
	125 mm	Pc	5500	5500	5665	
	150 mm	Pc	9790	9790	10084	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	32291	
r	Pipe Vice					
	2"	Pc	2420	2420	2493	
	3"	Pc	3520	3520	3626	
	4"	Pc	5308	5308	5467	
	5"	Pc	9845	9845	10140	
s	Pipe Wrench					
	10"	Pc	308	308	317	
	12"	Pc	572	572	589	
	14"	Pc	682	682	702	
	18"	Pc	1084	1084	1116	
	24"	Pc	1496	1496	1541	
	36"	Pc	5280	5280	5438	
	48"	Pc	9350	9350	9631	
t	Plumb Bob Line	Pc	88	88	91	
u	Rachet Die Set					
	1/2"-1"	Pc	4180	4180	4305	
	1 1/4"-2"	Pc	7810	7810	8044	
	2 1/2"-3"	Pc	17050	17050	17562	
v	Round File 10"	Pc	358	358	368	
w	Screw Driver 12"	Pc	198	198	204	
x	Shovel 1.5 Kg	Pc	358	358	368	
y	Slide wrench					
	10"	Pc	352	352	363	
	12"	Pc	473	473	487	
	15"	Pc	1381	1381	1422	
z	Spade	Pc	429	429	442	
A	Spare Die Teeth					
	15 mm	Pc	572	572	589	
	20 mm	Pc	572	572	589	
	25 mm	Pc	572	572	589	
	32 mm	Pc	908	908	935	
	40 mm	Pc	1551	1551	1598	
	50 mm	Pc	1568	1568	1615	
	65 mm	Pc	1815	1815	1869	
	80 mm	Pc	2035	2035	2096	
B	Telflon Cover					
	5'x5'	Pc	303	303	312	
	7'x7'	Pc	413	413	425	



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
C	Teflon Cloth	m	3328	3328	3427	
D	Teflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon					
	Indian	Pc	743	743	765	
	Germany	Pc	1485	1485	1530	
F	Tool Box (14"x8"x22")	Pc	2041	2041	2102	

## Electrical Works

सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
1		<b>Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT</b>					
	1	One Gang one way switch	सेट	58	58	58	
	2	One Gang two way switch	सेट	69	69	69	
	3	One way bell switch	सेट	72	72	72	
	4	Two gang one way switch	"	96	96	96	
	5	Two gang one way switch with one bell push	"	105	105	105	
	6	Two gang Full two way switch	"	107	107	107	
	7	Three Gang one way switch	"	127	127	127	
	8	Four gang one way switch	"	161	161	161	
	9	Six gang one way switch ( 3x5 )	"	253	253	253	
	10	Eight gang one way switch	"	304	304	304	
	11	Dimmer single 300 watt	"	309	309	309	
	12	Dimmer single 750 watt	"	459	459	459	
	13	5 Step humming free dimmer	"	407	407	407	
	14	16Amp 3 Pin Plug Top	"	121	121	121	
	15	1 switch with dimmer	"	368	368	368	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151	
	17	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169	
	18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371	
	19	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206	
	20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611	
	21	Blanking plate single	"	40	40	40	
	22	Telephone socket single	"	118	118	118	
	23	Telephone socket Double	"	169	169	169	
	24	Angle / bottom holder	"	35	35	35	
	25	Ceiling Rose	"	35	35	35	
	26	Buzzer	"	97	97	97	
	27	Musical bell	"	222	222	222	
	28	T.V. antenna single Socket	"	82	82	82	
	29	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128	
	30	RJ 45 Computer Socket for modem	"	234	234	234	
	31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35	
	32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63	
	33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	34	<b>Switch / socket outlet, Plate series</b> having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	1	10A 1gang 1way Switch	Set	83	83	83	
	2	10A 2gang 1way Switch	Set	163	163	163	
	3	10A 3gang 1way Switch	"	216	216	216	
	4	10A 4gang 1way Switch	"	350	350	350	
	5	10A 5gang 1way Switch	"	371	371	371	
	6	10A 6gang 1way Switch	"	617	617	617	
	7	10A 1gang 2way Switch	"	144	144	144	
	8	10A 2gang 2way Switch	"	278	278	278	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT)वाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	9	10A 3gang 2way Switch	"	407	407	407	
	10	10A 4gang 2way Switch	"	613	613	613	
	11	T V Socket outlet	"	299	299	299	
	12	Telephone Socket	"	268	268	268	
	13	13A Universal socket outlet	"	464	464	464	
	14	13A Socket	"	273	273	273	
	15	15A switched Socket outlet	"	443	443	443	
	16	5A Socket	"	340	340	340	
	17	RJ 45 8way Computer Socket	"	824	824	824	
	18	TV and Telephone Socket	"	592	592	592	
	19	7+2 PIN SOCKET OUTLET	"	927	927	927	
	20	3+2 PIN SOCKET OUTLET	"	577	577	577	
	21	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
	22	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
	23	Bell Press	"	237	237	237	
	24	Blank Plate	"	93	93	93	
	25	400W Light Dimmer W/ Switch	"	906	906	906	
	26	400W Fan Controller / Multi Step Dimmer	"	917	917	917	
	27	5 Step Fan Controller	"	896	896	896	
	28	2 Pin Socket W/ Switch	"	453	453	453	
	29	13A Twin Socket	"	680	680	680	
1		<b>White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,Bentex,Premier,Rathi,Ohms or EQUIVALENT</b>					
	1	One Gang one way switch	सेट	100	100	100	
	2	One Gang two way switch	सेट	112	112	112	
	3	One way bell switch	सेट	112	112	112	
	4	Two gang one way switch	"	133	133	133	
	5	Two gang one way switch with one bell push	"	146	146	146	
	6	Two gang Full two way switch	"	158	158	158	
	7	Three Gang one way switch	"	167	167	167	
	8	Four gang one way switch	"	202	202	202	
	9	Six gang one way switch	"	307	307	307	
	10	Eight gang one way switch	"	374	374	374	
	11	Dimmer single 300 watt	"	486	486	486	
	15	1 switch with dimmer	"	499	499	499	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260	
	17	6/13 Amp , Power sockets with switch , indicator	"	263	263	263	
	18	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354	
	19	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	391	391	391	
	20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	474	474	474	
	21	Blanking plate single	"	62	62	62	
	22	Telephone socket single	"	152	152	152	
	23	Telephone socket Double	"	249	249	249	
	24	T.V.antena single Socket	"	142	142	142	
	25	RJ 45 Computer Socket for modem	"	206	206	206	
	26	CAT-6 Computer Socket for modem	"	321	321	321	
2		<b>Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent</b>					

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	1	1P – 6A/10A 1 way switch	No.	139	139	139	
	2	1P – 16A/20A 1 way switch	"	223	223	223	
	3	1P – 25A 1 way switch	"	326	326	326	
	4	1P – 6A/10A 2 way switch	"	167	167	167	
	5	1P – 16A/20A 2 way switch	"	253	253	253	
	6	1P – 6A push button	"	184	184	184	
	7	1 gang blanking module	"	43	43	43	
	8	2 gang blanking module	"	86	86	86	
	9	<b>FAN REGULATOR / DIMMER</b>					
	10	Step type fan regulator	No.	638	638	638	
	11	60 – 500 W dimmer	"	797	797	797	
	12	1000 W dimmer	"	1524	1524	1524	
		<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
	13	6A – multi socket 5 pin	No.	240	240	240	
	14	6/16A twin socket 3 pin (flushed)	"	332	332	332	
	15	6/16A twin socket 3 pin (projected)	"	332	332	332	
	16	25A 3 pin socket	"	401	401	401	
	17	13A 3 pin socket	"	270	270	270	
	18	RJ 11 telephone jack	"	159	159	159	
	19	RJ 45 cat.6e computer socket	"	557	557	557	
	20	TV socket	"	161	161	161	
		<b>HOSPITALITY RANGE</b>					
	21	250V/110V shaver socket	No.	4355	4355	4355	
	22	Indicator (DO NOT DISTUURB)	"	180	180	180	
	23	LED yellow night lamp	"	560	560	560	
	24	LED Blue night lamp	"	560	560	560	
		<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES) (White)</b>					
	25	1 module front plate	No.	72	72	72	
	26	2 module front plate	"	77	77	77	
	27	3 module front plate	"	84	84	84	
	28	4 module front plate	"	89	89	89	
	29	6 module front plate	"	162	162	162	
	30	8 module front plate(4+4)	"	217	217	217	
	31	8 module front plate (Horizontal)	"	174	174	174	
	32	12 module front plate	"	260	260	260	
	33	18 module front plate	"	350	350	350	
	2.2	<b>Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent</b>					
		<b>Seperate Module for Modular Switch &amp; Socket</b>					
	1	1P – 6A/10A 1 way switch	No.	87	87	87	
	3	1P – 16A/20A 1 way switch	"	144	144	144	
	7	1P – 6A/10A 2 way switch	"	134	134	134	
	8	1P – 16A/20A 2 way switch	"	175	175	175	
	9	1P – 6A push button	"	134	134	134	
	11	1 gang blanking module	"	41	41	41	
	12	2 gang blanking module	"	78	78	78	
		<b>FAN REGULATOR / DIMMER</b>					
	13	Step type fan regulator	No.	700	700	700	
	14	60 – 500 W dimmer	"	597	597	597	
		<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	16	6A – multi socket 5 pin	No.	185	185	185	
	17	6/16A twin socket 3 pin (flushed)	"	288	288	288	
	18	6/16A twin socket 3 pin (projected)	"	288	288	288	
	20	13A 3 pin socket	"	185	185	185	
	21	RJ 11 telephone jack	"	144	144	144	
	22	RJ 45 cat.6e computer socket	"	237	237	237	
	23	TV socket	"	144	144	144	
	40	1 module front plate	No.	113	113	113	
	41	2 module front plate	"	113	113	113	
	42	3 module front plate	"	148	148	148	
	43	4 module front plate	"	165	165	165	
	44	6 module front plate	"	227	227	227	
	45	8 module front plate(4+4)	"	305	305	305	
	46	8 module front plate (Horizontal)	"	313	313	313	
	47	12 module front plate	"	363	363	363	
		18 module front plate	"	453	453	453	
		<b>Flush mounting galvanized Metal box for modular type switch &amp; socket</b>					
	1	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	52	52	52	
	2	2 module " " = (78x78x45)mm	"	52	52	52	
	3	3 gang " " " =(78x100x45)mm	"	56	56	56	
	4	4 gang " " " =(78x140x50)mm	"	68	68	68	
	5	5 gang " " " =(78x205x50)mm	"	134	134	134	
	6	6 gang " " " =(78x205x50)mm	"	136	136	136	
3	7	8 module metal box (4+4) =(78x230x60)mm	"	181	181	181	
	8	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	181	
	9	12 module metal box =(135x120x60)mm	"	231	231	231	
	10	TV socket metal box	"	52	52	52	
	11	Telephone socket metal box	"	52	52	52	
		<b>METAL Junction BOX</b>					
	1	4"x4"	गोटा	100	100	100	
	2	4"x6"	"	150	150	150	
	3	6"x8"	"	237	237	237	
	4	8"x10"	"	349	349	349	
	5	8"x12"	"	349	349	349	
		<b>PVC Junction Box</b>	"	34	34	34	
	1	4"x4"	गोटा				
	2	4"x6"	"	31	31	31	
	3	6"x8"	"	46	46	46	
	4	8"x10"	"	67	67	67	
	5	8" x12"	"	129	129	129	
		Junction box cover	"	144	144	144	
		<b>PVC Listy Double Lock { 6'length =1 no.(गोटा)}</b>					
	1	½ " breadth	गोटा	31	31	31	
	2	¾"	"	46	46	46	
	3	1"	"	67	67	67	
	4	1 1/2"	"	129	129	129	
	5	2"	"	144	144	144	
		<b>PVC Conduit Pipe</b>					
6	1	1) ½ " diameter	र.मी	31	31	31	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक ( रु.)			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	2	2) ¾"	"	46	46	46	
	3	3) 1"	"	67	67	67	
		<b>Listy Pipe Accessories</b>					
7	1	½"-2" size Saddle	र.मी	8	8	8	
	2	Grips (Denmark)	गोटा	6	6	6	
	3	Steel screws	गोटा	2	2	2	
	4	PVC Tape	गोटा	15	15	15	
8		<b>Distribution board (DB)</b>					
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	1	4 way SPN DB Double Cover	सेट	1082	1082	1082	
	2	6 way SPN DB " "	"	1135	1135	1135	
	3	8 way SPN DB " "	"	1416	1416	1416	
	4	12 way SPN DB " "	"	1679	1679	1679	
	5	16 way SPN DB " "	"	1795	1795	1795	
	6	3-4 way TPN DB Double Cover	"	2668	2668	2668	
	7	6 way TPN " " "	"	2998	2998	2998	
	8	8 way TPN " " " Vertical	"	5799	5799	5799	
	9	12 way TPN " " " Vertical	"	7727	7727	7727	
	10	50 Pair Telephone D.B.with crown tag	"	5446	5446	5446	
		<b>PVC Box for MCB</b>					
9	1	1-pole PVC box GPS	सेट	81	81	81	
	2	2- pole PVC " "	"	81	81	81	
	3	3 and 4-pole PVC " "	"	130	130	130	
10	10.1	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	1	6-32 amp MCB SP (single pole)	गोटा	206	206	206	
	2	6-32 amp MCB DP (Double pole)	"	1030	1030	1030	
	3	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710	
	4	32 amp MCB TPN	"	2472	2472	2472	
	5	40-63 amp MCB DP	"	1648	1648	1648	
	6	40-63 amp MCB TP	"	2637	2637	2637	
	7	40-63 amp MCB TPN	"	3157	3157	3157	
10	10.2	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	1	0.5-5 amp MCB SP (single pole)	गोटा	258	258	258	
	2	6-32 amp MCB SP (single pole)	"	165	165	165	
	3	6-32 amp MCB DP (Double pole)	"	618	618	618	
	4	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236	
	5	32 amp MCB TPN	"	1494	1494	1494	
	6	40-63 amp MCB DP	"	979	979	979	
	7	40-63 amp MCB TP	"	1391	1391	1391	
	8	40-63 amp MCB TPN	"	1854	1854	1854	
		<b>Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent</b>					
	1	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2751	
	2	63A 30mA DP RCCB	"	3278	3278	3278	
12	3	63A 100mA DP RCCB	"	3014	3014	3014	

सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	4	63A 300mA DP RCCB	"	3064	3064	3064	
	5	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	6	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	7	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	8	63A 300mA Four Pole RCCB	"	3706	3706	3706	
	n	<b>Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent</b>		-	-	-	
		16AMP- 63AMP TP MCCB 16KA		5,665	5,665	5,665	
		80AMP TP MCCB 16KA		5,665	5,665	5,665	
		100AMP TP MCCB 16KA		6,386	6,386	6,386	
		125AMP TP MCCB 16KA		8,240	8,240	8,240	
		160AMP TP MCCB 16KA		9,785	9,785	9,785	
		16AMP- 63AMP TP MCCB 25KA		6,386	6,386	6,386	
		80AMP TP MCCB 25KA		7,045	7,045	7,045	
		100AMP TP MCCB 25KA		7,045	7,045	7,045	
		125AMP TP MCCB 25KA		11,330	11,330	11,330	
		160AMP TP MCCB 25KA		13,390	13,390	13,390	
		200AMP TP MCCB 25KA(Adjustable)		21,115	21,115	21,115	
		200AMP TP MCCB 36KA(Adjustable)		23,175	23,175	23,175	
		250AMP TP MCCB 36KA(Adjustable)		27,295	27,295	27,295	
		400AMP TP MCCB 50KA(Adjustable)		35,535	35,535	35,535	
		630AMP TP MCCB 50KA(Adjustable)		48,410	48,410	48,410	
		800AMP TP MCCB 50KA(Adjustable)		63,963	63,963	63,963	
	14	<b>Manual Changeover Panel Type</b>					
		Make ABB,Siemens,Hager DELTON or Equivalent					
		63 Amp FP	"	11618	11618	11618	
		80 Amp FP	"	12854	12854	12854	
		100 Amp FP	"	18210	18210	18210	
		125 Amp FP	"	19199	19199	19199	
		160 Amp FP	"	25214	25214	25214	
		200 Amp FP	"	26038	26038	26038	
		250 Amp FP	"	27686	27686	27686	
		315 Amp FP	"	35020	35020	35020	
	15	<b>Dome light Make Homedec, Decon, Fumagalli OR equivalent</b>					
	i	6" Milky type decorative dome light	सेट	180	180	180	
	ii	6 " Brass base decorative dome light	"	736	736	736	
	iii	8"Milky type decorative dome light	"	227	227	227	
	iv	8 " Brass base decorative dome light	"	876	876	876	
	v	8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1107	
	vi	6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	567	
	vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213	
	viii	<b>Wall bracket/spout light/mirror light bulk head ordinary .Make Homedec,Decon,Fumagalli</b>	"	232	232	232	
	ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. (VAT) बाहेक ( रु.)			कैफियत
			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
X	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824	
xi	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968	
xii	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514	
xiii	Dining lamp.	"	1700	1700	1700	
xiv	<b>Chandlers</b> 6-8 lamp Medium	"	15090	15090	15090	
xv	Chandlers 3-5 lamp Medium	"	10764	10764	10764	
xvi	Mirror Light Euro Light Wipro WRF21111	"	464	464	464	
xvii	Picture light Euro Light POO2	"	670	670	670	
xviii	Wall spot Light E27 60W Euro or eqv.	"	361	361	361	
xix	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824	
	<b>Post top Lanterns</b>					
xx	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575	
xxi	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090	
xxii	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476	
xxiii	8" Globe type Post top Lamp complete set	"	1416	1416	1416	
15 . xxiv	10" Globe type Post top Lamp complete set	"	2704	2704	2704	
	<b>Roadway light luminaires</b> <b>Wipro, Philips , Legero or Equivalent</b>					
XXV	1 x 36 W FTL <u>street light</u> fixture with acrylic diffuser complete set	"	2637	2637	2637	
XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complet set	"	3868	3868	3868	
XXVII	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	"	1545	1545	1545	
XXVII I	1000 watt halogen weather proof <b>flood light</b> with glass cover Complete set	"	3090	3090	3090	
XXIV	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270	
XXVi	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382	
xxvii	Single Piece deep drawn aluminum POT optics <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253	
xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271	
xxix	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	"	5119	5119	5119	
xxx	2X60/100W GLS <u>aviation light</u> fixture all complete set	"	5686	5686	5686	
	<b>CEILING FANS &amp; EXHAUST Fans,</b> <b>BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPA</b> <b>CK C/G . Almonard or equivalent</b>					
a	36" size ceiling Fan	गोटा	2163	2163	2163	
b	42" size " "	"	2266	2266	2266	
16 c	48" size " "	"	2318	2318	2318	



*Handwritten signatures and notes:*  
 8/12/22  
 8/12/22  
 8/12/22  
 8/12/22

क्र.सं.	विवरण	एकई			क्र.सं.	विवरण	एकई			
		₹.	₹.	₹.			₹.	₹.	₹.	
17	d	56" size "	2575	2575	2575	2575	2575	2575	2575	
	e	6" Exhaust Fan	1494	1494	1494	1494	1494	1494	1494	
	f	9" Exhaust Fan	1803	1803	1803	1803	1803	1803	1803	
	g	16" size wall fan	2833	2833	2833	2833	2833	2833	2833	
	h	12" size exhaust fan	2575	2575	2575	2575	2575	2575	2575	
	<b>BELL INDICATOR</b>									
	a	4 way bell indicator with plate	1255	1255	1255	1255	1255	1255	1255	1255
	b	6 way " " " "	2049	2049	2049	2049	2049	2049	2049	2049
	c	8 way " " " "	2851	2851	2851	2851	2851	2851	2851	2851
	d	12 way " " " "	4395	4395	4395	4395	4395	4395	4395	4395
<b>Materials For Earthing &amp; Lightning Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>										
a	Copper plate	917	917	917	917	917	917	917	917	
b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	1082	1082	1082	1082	1082	1082	1082	1082	
c	Copper Strip (20mm breadth x 3mm thick)	1082	1082	1082	1082	1082	1082	1082	1082	
d	Copper Strip (12 x 3)mm	1082	1082	1082	1082	1082	1082	1082	1082	
e	Lightning rod copper conductor Air termination set	2730	2730	2730	2730	2730	2730	2730	2730	
f	8 SWG bare copper wire	144	144	144	144	144	144	144	144	
g	29 mm Diameter GI Pipe of 1m length	252	252	252	252	252	252	252	252	
h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	618	618	618	618	618	618	618	618	
i	5/16 nuts & bolt with spring washer cadmium maker	15	15	15	15	15	15	15	15	
j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	196	196	196	196	196	196	196	196	
k	Funnel with wire mesh	361	361	361	361	361	361	361	361	
l	Charcoal	309	309	309	309	309	309	309	309	
m	Salt	12	12	12	12	12	12	12	12	
19	<b>STEEL TUBULAR POLE / WOODEN POLE</b>									
	<b>Steel Tubular Poles with welded plate on top and bottom ( medium Gauge non Galvanized with folding System and accessories )</b>									
a	90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	12057	12057	12057	12057	12057	12057	12057	12057	
b	115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	12978	12978	12978	12978	12978	12978	12978	12978	
c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom ( medium Gauge non Galvanized with welded joints )	12484	12484	12484	12484	12484	12484	12484	12484	
d	7 mtr.length Wooden Pole	4996	4996	4996	4996	4996	4996	4996	4996	
e	9 mtr.length Wooden Pole	6798	6798	6798	6798	6798	6798	6798	6798	
<b>Modular ceiling Luminaries</b>										

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
		<b>Fluorescent Tube light (FTL) set including</b> Tube, condenser, starter, lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block. PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	a	1x20 watt FTL (Patti fittings)	सेट	464	464	464	
	b	1x40 watt FTL, Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775	
	c	1x20 watt FTL (Mirrolta) WRF 20120	"	876	876	876	
	d	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	
	e	1x40 watt FTL box fittings WIF 14140	"	1159	1159	1159	
	f	2x40 watt FTL box fittings WIF 14240	"	1751	1751	1751	
	g	1x40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782	
	h	2x40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287	
	i	1x40 watt FTL, opalite with opal Arcylic dissuser. WCF51140	"	1854	1854	1854	
	j	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3090	
	k	4x20 watt FTL, oplite WCF 93418	"	5410	5410	5410	
	l	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting WCF93418	"	5410	5410	5410	
	m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3554	
	n	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326	
	o	4 x 14 watt FTL T5 with electronic ballast direct / indirect, surface / recessed with paralite P5 louver Complete set WVF20414	सेट	9383	9383	9383	
	p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	
		<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete. PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, LEGERO or ISI equivalent.</b>					
20	q	2 x 18 W <u>CFL</u> recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	"	2678	2678	2678	
	r	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	s	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	
	t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect, surface / recessed with louver Complete set WVP24236	सेट	6067	6067	6067	
	u	3x36 W CFL -4 pin low glare fixture with P 5 louver & electronic ballast complete set WVP 24336	सेट	6824	6824	6824	
	v	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10815	10815	10815	

सि.नं	सुन सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	w	Recess mounting Direct Indirect LED luminaire LM11-291-XXX-57-XX		14060	14060	14060	
	x	Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339	
	y	Hight efficiency circular LED Down Lighter LD71		3245	3245	3245	
	z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600	
	a	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082	
	b	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245	
	c	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245	
	d	Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6129	
	e	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129	
	20.1	<b>Down Light Fiam Make</b>					
	1.1	FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298	
	1.2	FDL004 SMD7W-CW Taiwan chip		1298	1298	1298	
	1.3	FDLO04 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1857	
	1.4	FDLO04 SMD9W-CW Taiwan chip		1857	1857	1857	
	1.5	FDLO04 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2828	
	1.6	FDLO04 SMD15W-CW Taiwan chip		2828	2828	2828	
	1.7	FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5091	
	1.8	FDL004 SMD30W-CW Taiwan chip		5091	5091	5091	
	1.9	FDLO12 COB5W-WWH (90MM)		1301	1301	1301	
	2	FDLO12 COB5W-CW		1301	1301	1301	
	2.1	FDLO12 COB10W-WWH (120MM)		1979	1979	1979	
	2.2	FDLO12 COB10W-CW		1979	1979	1979	
	2.3	FDLO12 COB15W-WWH Taiwan chip (140MM)		5091	5091	5091	
	2.4	FDLO12 COB15W-CW Taiwan chip		5091	5091	5091	
	2.5	FDLO12 COB25W-WWH Taiwan chip (175MM)		6787	6787	6787	
	2.6	FDLO12 COB25W-CW Taiwan chip		6787	6787	6787	
	2.7	FDLO12 COB30W-WWH Taiwan chip (200MM)		8483	8483	8483	
	2.8	FDLO12 COB30W-CW Taiwan chip		8483	8483	8483	
	2.9	FDLO07 SMD12W-WWH Taiwan chip (130*110)		4184	4184	4184	
	3	FDLO07 SMD12W-CW Taiwan chip		4184	4184	4184	
	3.1	FDLO07 SMD18W-WWH Taiwan chip (165*145)		6108	6108	6108	
	3.2	FDLO07 SMD18W-CW Taiwan chip		6108	6108	6108	
	3.3	FDLO07 SMD24W-WWH Taiwan chip (195*175)		7635	7635	7635	
	3.4	FDLO07 SMD24W-CW Taiwan chip		7635	7635	7635	
	3.5	FDLO01 HP5W FBK-WWH Taiwan chip (95*110)		3167	3167	3167	
	3.6	FDLO01 HP5W FBK-CW Taiwan chip		3167	3167	3167	
	3.7	FDLO01 HP5W FWH-WWH Taiwan chip (80*120)		3167	3167	3167	
	3.8	FDLO01 HP5W FWH-CW Taiwan chip		3167	3167	3167	
	3.9	FDLLO05 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1301	
	4	FDLLO05 SMD7W-CW Taiwan chip		1301	1301	1301	
	4.1	FDLO05 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1696	
	4.2	FDLO05 SMD12W-CW Taiwan chip		1696	1696	1696	
	4.3	FDLO05 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3111	
	4.4	FDLO05 SMD20W-CW Taiwan chip		3111	3111	3111	
	4.5	FM3161 HP 18W-WWH Cree Led		6787	6787	6787	
	4.6	FM3161 HP 18W-CW Cree Led		6787	6787	6787	
	4.7	HD-5010-13-WWH Osram chip (86*75)		2094	2094	2094	
	4.8	HD-5010-13-CW Osram chip		2094	2094	2094	
	4.9	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3167	
	5	HD-5010-14-CW Osram chip		3167	3167	3167	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
5.1		HD-5010-14-WWH Osram chip (140*125)		3959	3959	3959	
5.2		HD-5010-14-CW Osram chip		3959	3959	3959	
5.3		HD-5010-18-WWH Osram chip (215*200)		7860	7860	7860	
5.4		HD-5010-18-CW Osram chip		7860	7860	7860	
5.5		LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2451	
5.6		LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		2451	2451	2451	
5.7		LUCIA WHITE OPAL		1803	1803	1803	
5.8		LUCIA BLACK OPAL		1803	1803	1803	
5.9		LUCIA-GD WHITE OPAL		1803	1803	1803	
6		LUCIA-GD BLACK OPAL		1803	1803	1803	
6.1		REMI/LUCIA WHITE OPAL		2163	2163	2163	
6.2		REMI/LUCIA BLACK OPAL		2163	2163	2163	
6.3		REMI/LUCIA-EL WHITE OPAL		2163	2163	2163	
6.4		REMI/LUCIA-EL BLACK OPAL		2163	2163	2163	
6.5		REMI/LUCIA-GD WHITE OPAL		2163	2163	2163	
6.6		REMI/LUCIA-GD BLACK OPAL		2163	2163	2163	
6.7		MADDI BULKHEAD WHITE OPAL		1803	1803	1803	
6.8		MADDI BULKHEAD BLACK OPAL		1803	1803	1803	
6.9		MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524	
7		MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803	
7.1		MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803	
7.2		MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803	
7.3		REMI/MADDI WHITE OPAL		2163	2163	2163	
7.4		REMI/MADDI BLACK OPAL		2163	2163	2163	
7.5		REMI/MADDI-VE WHITE OPAL		2163	2163	2163	
7.6		REMI/MADDI-VE BLACK OPAL		2163	2163	2163	
7.7		REMI/MADDI-HL WHITE OPAL		2163	2163	2163	
7.8		REMI/MADDI-HL BLACK OPAL		2163	2163	2163	
7.9		GABRI/MADDI 1L BLACK OPAL		7210	7210	7210	
8		MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489	
8.1		MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489	
8.2		GELMI WHITE OPAL E27		2884	2884	2884	
8.3		GELMI BLACK OPAL E27		2884	2884	2884	
8.4		GELMI-EL WHITE OPAL E27		2884	2884	2884	
8.5		GELMI-EL BLACK OPAL E27		2884	2884	2884	
8.6		DANZI WHITE OPAL E27		2884	2884	2884	
8.7		DANZI BLACK OPAL E27		2884	2884	2884	
8.8		STUCCHI WHITE OPAL E27		3245	3245	3245	
8.9		STUCCHI BLACK OPAL E27		3245	3245	3245	
9		CECCHI WHITE OPAL E27		3245	3245	3245	
9.1		CECCHI BLACK OPAL E27		3245	3245	3245	
9.2		BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605	
9.3		MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605	
9.4		IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245	
9.5		MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210	
20.2		<b>System Sensor Product (Honeywell)</b>					
1		Photo Electric Smoke Detector		1875	1875	1875	
2		Rate of Rise Heat Detector		1875	1875	1875	
3		Fixed temperature Detector		2287	2287	2287	
4		Base		371	371	371	
5		Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483	
6		Wall mount Horn+Strobe		4120	4120	4120	
7		Ceiling mount Horn+Strobe		4120	4120	4120	


सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
20.3		<b>Exit Light Samcon make</b>					
	1	MODEL SLM 18		12360	12360	12360	
	2	MODEL ELS 28		12360	12360	12360	
	3	MODEL ETL 210H-4LA		12360	12360	12360	
21		<b>LUMINARIES Accessories</b> ( PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	a	500 watt halogen rod	गोटा	232	232	232	
	b	1000 watt halogen rod	"	278	278	278	
	c	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	d	150 watt sodium vapour bulb	"	1298	1298	1298	
	e	250 watt sodium vapour bulb	"	1700	1700	1700	
	f	20-40 watt FTL rod	"	80	80	80	
	g	20-40 watt FTL Copper chowk.	"	258	258	258	
	h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	i	Acrylye cover for 4*20 FTL	"	989	989	989	
	j	FTL starter	"	19	19	19	
21	k	8 W to 11W, C.F.L. Direct fit	"	232	232	232	
	l	13 to 22W, C.F.L. Direct fit	"	299	299	299	
	m	15-100 watt bulb. ( ISI )	गोटा	26	26	26	
	n	PL-S 9W/86 (CFL)	"	165	165	165	
	o	PL-S 11W/86 (CFL)	"	175	175	175	
	p	PL-L 36W/86 (CFL)	"	417	417	417	
	q	125W HPL-N (Mercury Vapour)	"	371	371	371	
	r	250W HPL-N	"	876	876	876	
		<b>Solar LED bulb</b>					
	s	12V/2W LED bulb	"	361	361	361	
	t	12V/3W LED bulb	"	412	412	412	
	u	12V/4W LED bulb	"	464	464	464	
		<b>COPPER CONDUCTOR / WIRE / CABLE (PER COIL=90 RM) NS marked</b>					
	1	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	948	948	948	
	2	3/22 " " "	"	1133	1133	1133	
	3	3/20 " " "	"	1803	1803	1803	
	4	7/22 " " "	"	2524	2524	2524	
22	5	7/20 " " "	"	4120	4120	4120	
	6	7/18 " " "	"	6489	6489	6489	
	7	7/16 " " "	"	13390	13390	13390	
	8	19/18 " " "	"	18025	18025	18025	
	9	19/16 " " "	"	36050	36050	36050	
	10	2/20 " " "	"	1370	1370	1370	
	11	2/22 " " "	"	927	927	927	
		<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>					
	1	1.0 mm PVC insulated Copper wire	क्वायल	1030	1030	1030	
	2	1.5 mm PVC insulated Copper wire	"	1648	1648	1648	
	3	2.5 mm PVC insulated Copper wire	"	2421	2421	2421	
	4	4.0 mm PVC insulated Copper wire	"	3914	3914	3914	
	5	6.0 mm PVC insulated Copper wire	"	6180	6180	6180	
	6	10.0mm PVC insulated Copper wire	"	10300	10300	10300	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. (VAT)वाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
23		<b>Concentric cable NS marked Eqv.</b>					
	1	4mm size concentric cable	र.मी	23	23	23	
	2	6mm size " "	र.मी	26	26	26	
	3	10mm size concentric cable	र.मी	39	39	39	
	4	16mm size " "	र.मी	67	67	67	
	5	25mm size " "	र.मी	89	89	89	
	6	RG6 Coaxial cable	र.मी	23	23	23	
	7	RG59 Coaxial cable	र.मी	26	26	26	
	8	UTP cat -5 networking cable	र.मी	26	26	26	
24		<b>Telephone Drop wire/pair cable NS marked Eqv.</b>					
	1	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	989	989	989	
	2	<sup>2</sup> / <sub>22</sub> " "	क्वायल	670	670	670	
	3	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14	14	14	
	4	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	6	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	7	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	8	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	9	1mm drop wire	"	10	10	10	
	10	1-4 Line <b>EPABX</b> , with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	11	2-6 Line EPABX "	"	18411	18411	18411	
	12	3-8 Line EPABX "	"	20538	20538	20538	
	13	4-12 Line EPABX "	"	36823	36823	36823	
	14	6-16 Line EPABX "	"	49569	49569	49569	
	15	8-24 Line EPABX "	"	84975	84975	84975	
	16	8-48 Line EPABX "	"	90923	90923	90923	
	17	8-72 Line EPABX "	"	97288	97288	97288	
		<b>Other Accessories</b>					
25	1	6" size Dome light glass	गोटा	65	65	65	
	2	8" size " " "	"	76	76	76	
	3	wall bracket glass	"	65	65	65	
	4	Fan regulator	"	271	271	271	
		<b>Panel board double door type with locking arrangement with 2 coat of red oxide metal prime &amp; 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB &amp; measuring instrument are not included here .) Ankur metal or Equivalent</b>					
27	a	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414	
	b	60/75/100 AMP "12×36"×48" size	"	25493	25493	25493	
	c	60/75/100 AMP 9"×48"×60" size	"	35690	35690	35690	
	d	60/75/100 AMP 12"×49"×60" size	"	42488	42488	42488	
	e	150/200 AMP 9"×38"×52" size	"	23793	23793	23793	
	f	150/200 AMP 12"×38"×52" size	"	23793	23793	23793	
	g	150/200 AMP 9"×42"×56" size	"	26496	26496	26496	
	h	150/200 AMP 12"×42"×56" size	"	28179	28179	28179	
	i	250/300AMP 12"×48"×60" size	"	34505	34505	34505	
	j	250/300AMP 12"×52"×62" size	"	38626	38626	38626	
	k	400 AMP 12"×52"×66" size	"	41118	41118	41118	

*[Handwritten signatures and notes]*

132 *[Signature]* *[Signature]* *[Signature]* *[Signature]*

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
29	<b>Panel Board measurement instrument</b>					
a	0-500 volt meter	पिस	1023	1023	1023	
b	60/100 Amp meter .	"	979	979	979	
c	Panel Indicator	"	237	237	237	
d	2 Amp glass fuse with holder 12 mm size	"	134	134	134	
e	AMP meter selector switch	"	649	649	649	
f	volt meter selector switch	"	711	711	711	
g	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432	
h	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782	
i	250-300 AMP " "	"	2421	2421	2421	
j	400/500/600AMP " "	"	3554	3554	3554	
k	Kilo watt hour <b>energy meter</b> single phase	पिस	2271	2271	2271	
l	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10228	



सि.नं	सव सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
30		<b>Trailing Protected Industrial Plug IP44</b>					
	a	16A 3P+E 400V Industrial plug	सेट	541	541	541	
	b	32 A 3p +N+E " Plug	सेट	803	803	803	
	c	32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1545	
31		<b>Access Controller</b> with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600	
32		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905	
33		<b>CABLE SHOE</b>					
	a	16 sq.mm cable shoe	गोटा	64	64	64	
	b	25 sq.mm " "	"	83	83	83	
	c	35 sq.mm " "	"	64	64	64	
	d	50 sq.mm " "	"	75	75	75	
	e	70 sq.mm " "	"	92	92	92	
	f	95 sq.mm " "	"	143	143	143	
	g	150 sq.mm " "	"	215	215	215	
	h	195 sq.mm " "	"	305	305	305	
	i	250 sq.mm " "	"	485	485	485	
34		<b>Copper Conductor Armoured Power Cables NS marked or eqv.</b>					
		<b>a) 2 Core</b>					
	1	1.5 mm2	र.मी	103	103	103	
	2	2.5 mm2	"	139	139	139	
	3	4.0 mm2	"	191	191	191	
	4	6.0 mm2	"	247	247	247	
	5	10.0 mm2	"	371	371	371	
	6	16.0 mm2	"	494	494	494	
	7	25.0 mm2	"	721	721	721	
	8	35.0 mm2	"	958	958	958	
	9	50.0 mm2	"	1339	1339	1339	
		<b>b) 3 Core</b>					
	1	1.5 mm2	"	129	129	129	
	2	2.5 mm2	"	180	180	180	
	3	4.0 mm2	"	258	258	258	
	4	6.0 mm2	"	330	330	330	
	5	10.0 mm2	"	494	494	494	
	6	16.0 mm2	"	690	690	690	
	7	25.0 mm2	"	1051	1051	1051	
	8	35.0 mm2	"	1391	1391	1391	
	9	50.0 mm2 Copper Conductor Armoured	"	1906	1906	1906	
	10	70.0 mm2	"	2678	2678	2678	
	11	95.0 mm2	"	3605	3605	3605	
	12	120.0 mm2	"	4532	4532	4532	
	13	150.0 mm2	"	5562	5562	5562	
		<b>c) 3.5 Core</b>					
	1	25.0 mm2	र.मी	1257	1257	1257	
	2	35.0 mm2	"	1597	1597	1597	
	3	50.0 mm2	"	2245	2245	2245	
	4	70.0 mm2	"	3090	3090	3090	



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	5	95.0 mm <sup>2</sup>	"	4120	4120	4120	
	6	120.0 mm <sup>2</sup>	"	5408	5408	5408	
	7	150.0 mm <sup>2</sup>	"	6386	6386	6386	
	8	185.0 mm <sup>2</sup>	"	7931	7931	7931	
	9	240.0 mm <sup>2</sup>	"	10403	10403	10403	
	10	300.0 mm <sup>2</sup>	"	13184	13184	13184	
	11	400.0 mm <sup>2</sup>	"	17304	17304	17304	
		<b>d) 4 Core</b>					
	1	1.5 mm <sup>2</sup>	र.मी	155	155	155	
	2	2.5 mm <sup>2</sup>	"	221	221	221	
	3	4.0 mm <sup>2</sup>	"	319	319	319	
	4	6.0 mm <sup>2</sup>	"	412	412	412	
	5	10.0 mm <sup>2</sup>	"	618	618	618	
	6	16.0 mm <sup>2</sup>	"	901	901	901	
	7	25.0 mm <sup>2</sup>	"	1339	1339	1339	
	8	35.0 mm <sup>2</sup>	"	1803	1803	1803	
	9	50.0 mm <sup>2</sup>	"	2575	2575	2575	
	10	70.0 mm <sup>2</sup>	"	3502	3502	3502	
34	11	95.0 mm <sup>2</sup> Copper Conductor Armoured	"	4738	4738	4738	
	12	120.0 mm <sup>2</sup>	"	5974	5974	5974	
	13	150.0 mm <sup>2</sup>	"	7416	7416	7416	
	14	185.0 mm <sup>2</sup>	"	9064	9064	9064	
	15	240.0 mm <sup>2</sup>	"	12360	12360	12360	
	16	300.0 mm <sup>2</sup>	"	14832	14832	14832	
	17	400.0 mm <sup>2</sup>	"	20085	20085	20085	
		<b>Copper Conductor Unarmoured Power Cables NS marked or Eqv.</b>					
		<b>a) 1-core</b>					
	1	10 sq. mm.	र.मी	43	43	43	
	2	16 sq. mm.	"	65	65	65	
	3	25 sq. mm.	"	76	76	76	
	4	35 sq. mm.	"	91	91	91	
35	5	50 sq. mm.	"	121	121	121	
	6	70 sq. mm.	"	158	158	158	
	7	95 sq. mm.	"	214	214	214	
	8	120 sq. mm.	"	260	260	260	
	9	150 sq. mm.	"	308	308	308	
		<b>b) 2- core</b>					
	1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72	
	2	2.5 sq.mm	"	103	103	103	
	3	4 sq.mm	"	144	144	144	
	4	6 sq.mm	"	196	196	196	
	5	10 sq.mm	"	309	309	309	
	6	16 sq.mm	"	427	427	427	
	7	25 sq.mm	"	659	659	659	
	8	35 sq.mm	"	896	896	896	
	9	50 sq.mm	"	1236	1236	1236	
	10	70 sq.mm	"	1236	1236	1236	
	11	95 sq.mm	"	2318	2318	2318	
	12	120 sq.mm	"	3039	3039	3039	
	13	150 sq.mm	"	3811	3811	3811	
		<b>c) 3-core</b>					
	1	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	2	2.5 sq.mm	"	134	134	134	
	3	4 sq.mm	"	196	196	196	
	4	6 sq.mm	"	278	278	278	
	5	10 sq.mm	"	438	438	438	
	6	16 sq.mm	"	639	639	639	
	7	25 sq.mm	"	979	979	979	
	8	35 sq.mm	"	1318	1318	1318	
	9	50 sq.mm	"	1854	1854	1854	
	10	70 sq.mm	"	2575	2575	2575	
	11	95 sq.mm	"	3502	3502	3502	
	12	120 sq.mm	"	4429	4429	4429	
	13	150 sq.mm	र.मी	5459	5459	5459	
		<b>d) 3.5 core</b>					
	1	25 sq.mm	र.मी	1205	1205	1205	
	2	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545	
	3	50 sq.mm	"	2163	2163	2163	
	4	70 sq.mm	"	3013	3013	3013	
	5	95 sq.mm	"	4069	4069	4069	
	6	120 sq.mm	"	5356	5356	5356	
	7	150 sq.mm	"	6335	6335	6335	
		<b>e) 4-core Copper Conductor Unarmoured</b>					
	1	1.5 sq.mm	र.मी	113	113	113	
	2	2.5 sq.mm	"	170	170	170	
	3	4 sq.mm	"	252	252	252	
	4	6 sq.mm	"	350	350	350	
	5	10 sq.mm	"	556	556	556	
	6	16 sq.mm	"	845	845	845	
	7	25 sq.mm	"	1318	1318	1318	
	8	35 sq.mm	"	1772	1772	1772	
	9	50 sq.mm	"	2472	2472	2472	
	10	70 sq.mm	"	3451	3451	3451	
	11	95 sq.mm	"	4687	4687	4687	
	12	120 sq.mm	"	5923	5923	5923	
	13	150 sq.mm	"	7365	7365	7365	
	14	185 sq.mm	"	9064	9064	9064	
	15	240 Sq. mm	"	12257	12257	12257	
	16	300 Sq. mm	"	14832	14832	14832	
	17	400 Sq. mm	"	20085	20085	20085	
		<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>					
		<b>a) 2-core</b>					
	1	1.5 sq.mm	र.मी	-	-	-	
	2	2.5 sq.mm	र.मी	93	93	93	
	3	4 sq.mm	"	118	118	118	
	4	6 sq.mm	"	134	134	134	
	5	10 sq.mm	"	160	160	160	
	6	16 sq.mm	"	180	180	180	
	7	25 sq.mm	"	216	216	216	
	8	35 sq.mm	"	247	247	247	
	9	50 sq.mm	"	319	319	319	
	10	70 sq.mm	"	397	397	397	
	11	95 sq.mm	"	505	505	505	
		<b>b) 3-core</b>					

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
	2	4 sq.mm	"	134	134	134	
	3	6 sq.mm	"	149	149	149	
	4	10 sq.mm	"	180	180	180	
	5	16 sq.mm	"	206	206	206	
	6	25 sq.mm Aluminum conductor Armoured	"	278	278	278	
	7	35 sq.mm	"	335	335	335	
	8	50 sq.mm	"	427	427	427	
	9	70 sq.mm	"	541	541	541	
	10	95 sq.mm	"	494	494	494	
	11	120 sq.mm	"	834	834	834	
	12	150 sq.mm	"	1004	1004	1004	
	13	185 sq.mm	"	1236	1236	1236	
	14	240 sq.mm	"	1514	1514	1514	
	15	300 sq.mm	"	1854	1854	1854	
	16	400 sq.mm	"	2318	2318	2318	
		<b>c) 3.5 core</b>					
	1	25 sq.mm.	र.मी	319	319	319	
	2	35 sq.mm	"	371	371	371	
	3	50 sq.mm	"	489	489	489	
	4	70 sq.mm	"	628	628	628	
	5	95 sq.mm	"	803	803	803	
	6	120 sq.mm Aluminum conductor Armoured	"	979	979	979	
	7	150 sq.mm	र.मी	1174	1174	1174	
	8	185 sq.mm	"	1421	1421	1421	
	9	240 sq.mm	"	1772	1772	1772	
	10	300 sq.mm	"	2215	2215	2215	
36	11	400 sq.mm	"	2781	2781	2781	
		<b>d) 4-core</b>					
	1	2.5 sq.mm	र.मी	124	124	124	
	2	4 sq.mm	"	155	155	155	
	3	6 sq.mm	"	180	180	180	
	4	10 sq.mm	"	196	196	196	
	5	16 sq.mm	"	252	252	252	
	6	25 sq.mm	"	340	340	340	
	7	35 sq.mm	"	402	402	402	
	8	50 sq.mm	"	548	548	548	
	9	70 sq.mm	"	700	700	700	
	10	95 sq.mm	"	901	901	901	
	11	120 sq.mm	"	1082	1082	1082	
	12	150 sq.mm	"	1370	1370	1370	
	13	185 sq.mm	"	1627	1627	1627	
	14	240sq.mm	"	2039	2039	2039	
	15	300 sq.mm Aluminum conductor Armoured	"	2524	2524	2524	
	16	400sq.mm	"	3193	3193	3193	
37		<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>					
		<b>a) 1-core</b>					
	1	16 sq.mm	र.मी	52	52	52	
	2	25 sq.mm	"	72	72	72	
	3	35 sq.mm	"	88	88	88	

सि.नं	सब सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मू.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	4	50 sq.mm	"	113	113	113	
	5	70 sq.mm	"	144	144	144	
	6	95 sq.mm	"	196	196	196	
	7	120 sq.mm	"	237	237	237	
	8	150 sq.mm	"	391	391	391	
	9	185 sq.mm	"	361	361	361	
	10	240 sq.mm	"	443	443	443	
	11	300 sq.mm	"	536	536	536	
		<b>b) 2-core Aluminium conductor unarmoured</b>					
	1	2.5 sq.mm	र.मी	52	52	52	
	2	4 sq.mm	"	62	62	62	
	3	6 sq.mm	र.मी	77	77	77	
	4	10 sq.mm	"	98	98	98	
	5	16 sq.mm	"	103	103	103	
	6	25 sq.mm	"	144	144	144	
	7	35 sq.mm	"	185	185	185	
	8	50 sq.mm	"	237	237	237	
	9	70 sq.mm	"	299	299	299	
	10	95 sq.mm 2 core	"	402	402	402	
		<b>c) 3-core</b>					
	1	2.5 sq.mm	र.मी	62	62	62	
	2	4 sq.mm	"	72	72	72	
	3	6 sq.mm	"	88	88	88	
	4	10 sq.mm	"	124	124	124	
	5	16 sq.mm	"	144	144	144	
	6	25 sq.mm	"	206	206	206	
	7	35 sq.mm	"	258	258	258	
	8	50 sq.mm	"	340	340	340	
	9	70 sq.mm	"	453	453	453	
	10	95 sq.mm	"	597	597	597	
37	11	120 sq.mm	"	742	742	742	
	12	150 sq.mm	"	886	886	886	
	13	185 sq.mm	"	1112	1112	1112	
	14	240 sq.mm	"	1380	1380	1380	
	15	300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1751	
		<b>d) 3.5-core</b>					
	1	25 sq.mm	र.मी	258	258	258	
	2	35 sq.mm	"	309	309	309	
	3	50 sq.mm	"	412	412	412	
	4	70 sq.mm	"	567	567	567	
	5	95 sq.mm	"	742	742	742	
	6	120 sq.mm	"	927	927	927	
	7	150 sq.mm	"	1112	1112	1112	
	8	185 sq.mm	"	1391	1391	1391	
	9	240 sq.mm	"	1751	1751	1751	
	10	300 sq.mm	"	2163	2163	2163	
		<b>e) 4-core core aluminium unarmoured</b>					
	1	2.5 sq.mm	र.मी	72	72	72	
	2	4 sq.mm	"	82	82	82	
	3	6 sq.mm	"	98	98	98	
	4	10 sq.mm	"	134	134	134	
	5	16 sq.mm	र.मी	196	196	196	
	6	25 sq.mm	"	288	288	288	
	7	35 sq.mm	"	350	350	350	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	8	50 sq.mm	"	484	484	484	
	9	70 sq.mm 4	"	639	639	639	
	10	95 sq.mm	"	845	845	845	
	11	120 sq.mm	"	1030	1030	1030	
	12	150 sq.mm	"	1288	1288	1288	
	13	185 sq.mm	"	1597	1597	1597	
	14	240 sq.mm	"	2009	2009	2009	
	15	300 sq.mm	"	2472	2472	2472	
38		<b>Security Gate System</b>					
	a	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	16995	16995	16995	
39		<b>Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv</b>					
	i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
41		<b>Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company</b>					
	i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	iii	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	iv	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
		<b>Air Conditioning system, whirlpool or Eqv Company</b>					
	v	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	vi	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	vii	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
viii	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-		
42		<b>General Lightig ANCHOR, C/G, Eqv.</b>					
	i	1 x 40 W FTL Patti fitting	सेट	252	252	252	
	ii	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	iii	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	iv	1 x 20 W FTL Box fitting	सेट	417	417	417	
v		9/11W Mini mirror light with electronic Blast		355	355	355	
		suitable for PL lamp	सेट				
43		<b>GEWISS /BEC PVC Conduit product of Italy</b>					
		<b>RK Range</b>					
		1 16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88	
		2 20 mm medium rigid conduit DX 25 320	"	124	124	124	
		3 25 mm medium rigid conduit DX 25 325	"	175	175	175	
		4 32 mm medium rigid conduit DX 25 332	"	252	252	252	
		5 40 mm medium rigid conduit DX 25 340	"	345	345	345	
		6 50 mm medium rigid conduit DX 25 350	"	530	530	530	
		7 63 mm medium rigid conduit DX 25 363	"	999	999	999	
		8 16 mm heavy rigid conduit DX 25 716	"	165	165	165	
		9 20 mm heavy rigid conduit DX 25 720	"	216	216	216	
		10 25 mm heavy rigid conduit DX 25 725	"	288	288	288	
		11 32 mm heavy rigid conduit DX 25 732	"	433	433	433	
		12 40 mm heavy rigid conduit DX 25 740	"	587	587	587	
		13 50 mm heavy rigid conduit DX 25 750	"	793	793	793	
	14 63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488		

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. (VAT) बाहेक (रु.)			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196	
	16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247	
	17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376	
	18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623	
	19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747	
	20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963	
	21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200	
	22	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31	
	23	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36	
	24	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41	
	25	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62	
	26	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98	
	27	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118	
	28	16 mm conduit coupler DX 40 016	"	36	36	36	
	29	20 mm conduit coupler DX 40 020	"	46	46	46	
44	30	25 mm conduit coupler DX 40 025	"	57	57	57	
	31	32 mm conduit coupler DX 40 032	"	103	103	103	
	32	40 mm conduit coupler DX 40 040	"	139	139	139	
	33	50 mm conduit coupler DX 40 050	"	242	242	242	
	34	63 mm conduit coupler DX 40 063	"	458	458	458	
	35	16 mm tight bend DX 40 116	"	57	57	57	
	36	20 mm tight bend DX 40 120	"	82	82	82	
	37	25 mm tight bend DX 40 125	"	129	129	129	
	38	32 mm tight bend DX 40 132	"	237	237	237	
	39	40 mm tight bend DX 40 140	"	335	335	335	
	40	50 mm tight bend DX 40 150	"	603	603	603	
	41	63 mm tight bend DX 40 163	"	2359	2359	2359	
	42	4 way junction box DX 45 004	"	670	670	670	
	43	7 way junction box DX 45 007	"	803	803	803	
	44	10 way junction box DX 45 010	"	1020	1020	1020	
	45	Closing cap for junction box DX 47 000	"	118	118	118	
	46	16 mm inspectionable T bend DX 40216	"	118	118	118	
	47	20 mm inspectionable T bend DX 40220	"	149	149	149	
	48	25 mm inspectionable T bend DX 40225	"	196	196	196	
	49	32 mm inspectionable T bend DX 40232	"	237	237	237	
	50	16 mm inspectionable bend DX 40 316	"	98	98	98	
	51	20 mm inspectionable bend DX 40 320	"	118	118	118	
	52	25 mm inspectionable bend DX 40 325	"	155	155	155	
	53	32 mm inspectionable bend DX 40 332	"	185	185	185	
45		<b>GEWISS/BEC Cable Tray with Cover and Accessories BRN Range</b>					
	1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	
	2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973	
	3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318	
	5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540	
	6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710	
	7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137	
	8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513	
	9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090	
	10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281	
	11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984	
	12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179	
	13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298	
	14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468	
	15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663	
	16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859	
	17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276	
	18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657	
46	19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456	
	20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749	
	21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584	
	22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313	
	23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122	
	24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781	
	25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852	
	26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836	
	27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449	
	28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494	
	29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271	
	30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884	
	31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151	
	32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016	
		<b>Intrusion Detection System Make Honeywell or equivalent</b>					
		<b>Main Controller</b>					
i		CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	38851	38851	38851	
ii		<b>Smoke &amp; Heat Detector</b>	सेट	10545	10545	10545	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक ( रु.			कैफियत	
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७		
47		Wireless Smoke and Head Detector						
	iii	Door Contact Wireless Door Contact with transmitter	सेट	2678	2678	2678		
	iv	Motion Detector Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4178	4178	4178		
	v	Panic Switch Wireless Panic Transmitter	सेट	4921	4921	4921		
	vi	Key Wireless Key to Arm and Disarm the System	सेट	4780	4780	4780		
	vii	Window Contact Wired door Contact with transmitter slim	सेट	2812	2812	2812		
		Earth Quake Detector( JDS Inc, USA) Quake Alarm	पिस	3601	3601	3601		
	48		Automatic Motor Operator for water motor					
		i	Upto 1/2 HP single phase motor	सेट	4120	4120	4120	
		ii	Upto 1 HP single phase motor	सेट	5665	5665	5665	
iii		Upto 5 HP three phase motor	सेट	9270	9270	9270		
49	CCTV System							
	a	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.						
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650		
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916		
	b	Indoor high speed Dome Integrated CAMERA						
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384		
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650		
50	c	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable;white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450		
	d	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8364		
	e	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990		
		ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	50985		
	f	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815		
51		Electrical Equipments						
	i	Earthing Materials (ISI or other International Standard)						
	a	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2829		
	c	Funnelling Mechanisn with cover (mild steel)	set	618	618	618		
	d	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9517		
	e	Copper wire (10 SWG)	Mtr.	155	155	155		



सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क. (VAT) बाहेक ( रु.			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
ii		Service wire (Al)					
a.		2.5 mm <sup>2</sup>	Mtr.	18	18	18	
b.		4.0 mm <sup>2</sup>	"	22	22	22	
c.		6.0 mm <sup>2</sup>	"	28	28	28	
iii		Lightening Arrestor for 3 Phase .					
a.		0.5 KV	Set	1236	1236	1236	
b.		11 KV	Set	4326	4326	4326	
c.		Cross Arms V Channel.	No	3090	3090	3090	
iv		Stay set with accessories.					
a.		GI wire	No	1182	1182	1182	
b.		GI Plate	"	1185	1185	1185	
c.		Gay Insulator.	"	56	56	56	
d.		Elbow		103	103	103	
e.		Rod , Nut	No	445	445	445	
f.		Grip	"	49	49	49	
v		Overhead Insulators (0.4KV)					
a.		Sackle Insulator	No	31	31	31	
b.		D-Iron	"	93	93	93	
c.		Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
d.		Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
vi		Overhead Insulators with fixing accessories (11KV)					
a.		Pin Insulator	No	185	185	185	
b.		Disc Insulator	"	989	989	989	
c.		Cross Arms V Channel.	"	2719	2719	2719	
vii		Sqarrel ACSR conductor 20mm <sup>2</sup>	Rm.	17	17	17	
viii		weasel ACSR conductor 30 mm <sup>2</sup>	"	25	25	25	
ix		Rabbit ACSR conductor 50 mm <sup>2</sup>	"	41	41	41	
x		Dog ACSR conductor 100 mm <sup>2</sup>	"	82	82	82	
xi		Supply of aluminium ABC cable					
		25mm square 4 core ABC cable	Rm.	155	155	155	
		50 mm square 4 core ABC cable	"	258	258	258	
		95 mm square 4 core ABC cable	"	505	505	505	
xii		Alternator 3 Phase Brush less with compounded Excitation. (KEL)					
52	C	AMF with ATS palel for DG Ankur metal or Equivalent					
	i	5KVA AMF with ATS palel	set	22660	22660	22660	
	ii	7.5KVA AMF with ATS palel	"	28840	28840	28840	
	iii	10KVA AMF with ATS palel	"	36050	36050	36050	
	iv	15KVA AMF with ATS palel	"	46350	46350	46350	
	v	20KVA AMF with ATS palel	"	66950	66950	66950	
	vi	25KVA AMF with ATS palel	"	77250	77250	77250	
	vii	30KVA AMF with ATS palel	"	92700	92700	92700	
53		MCB/ISOLATOR ORIENT or equivalent					
		B CURVE MCB SP 6A-32A	pole	239	239	239	
		B CURVE MCB SP 40A	pole	281	281	281	
		B CURVE MCB SP 50A-63A	pole	281	281	281	
		C CURVE MCB SP 0.5-4A	pole	281	281	281	
		C CURVE MCB SP 6-32A	pole	239	239	239	
		C CURVE MCB SP 40A	pole	446	446	446	
		C CURVE MCB SP 50-63A	pole	446	446	446	
		C CURVE MCB SPN 0.5-4A	pole	479	479	479	
		C CURVE MCB SPN 6-32A	pole	513	513	513	
		C CURVE MCB SPN 40A	pole	561	561	561	

*Handwritten signature and notes at the bottom right of the page.*

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
		C CURVE MCB SPN 50-63A	pole	561	561	561	
		C CURVE MCB DP 0.5-4A	pole	617	617	617	
		C CURVE MCB DP 6-32A	pole	564	564	564	
		C CURVE MCB DP 40A	pole	617	617	617	
		C CURVE MCB DP 50-63A	pole	617	617	617	
		C CURVE MCB TP 0.5-4A	pole	925	925	925	
		C CURVE MCB TP 6-32A	pole	847	847	847	
		C CURVE MCB TP 40A	pole	925	925	925	
		C CURVE MCB TP 50-63A	pole	925	925	925	
		C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
		C CURVE MCB TPN 6-32A	pole	1103	1103	1103	
		C CURVE MCB TPN 40A	pole	1206	1206	1206	
		C CURVE MCB TPN 50-63A	pole	1206	1206	1206	
		C CURVE MCB FP 0.5-4A	pole	1290	1290	1290	
		C CURVE MCB FP 6-32A	pole	1180	1180	1180	
		C CURVE MCB FP 40A	pole	1290	1290	1290	
		C CURVE MCB FP 50-63A	pole	1290	1290	1290	
		ISOLATOR DP 40A	pole	551	551	551	
		ISOLATOR DP 63A	pole	551	551	551	
		ISOLATOR DP 80-100A	pole	576	576	576	
		ISOLATOR DP 125A	pole	611	611	611	
		ISOLATOR FP 40A	pole	902	902	902	
		ISOLATOR FP 63A	pole	902	902	902	
		ISOLATOR FP 80-100A	pole	998	998	998	
		ISOLATOR FP 125A	pole	998	998	998	
		RCCB DP 25A 30mA	pole	3547	3547	3547	
		RCCB DP 40A 30mA	pole	3547	3547	3547	
		RCCB DP 63A 30mA	pole	3547	3547	3547	
		RCCB DP 25A 100mA	pole	3345	3345	3345	
		RCCB DP 40A 100mA	pole	3345	3345	3345	
		RCCB DP 63A 100mA	pole	3345	3345	3345	
		RCCB DP 25A 300mA	pole	3345	3345	3345	
		RCCB DP 40A 300mA	pole	3345	3345	3345	
		RCCB DP 63A 300mA	pole	3345	3345	3345	
		RCCB FP 25A 30mA	pole	4155	4155	4155	
		RCCB FP 40A 30mA	pole	4155	4155	4155	
		RCCB FP 63A 30mA	pole	4155	4155	4155	
		RCCB FP 25A 100mA	pole	4004	4004	4004	
		RCCB FP 40A 100mA	pole	4004	4004	4004	
		RCCB FP 63A 100mA	pole	4004	4004	4004	
		RCCB FP 25A 300mA	pole	4004	4004	4004	
		RCCB FP 40A 300mA	pole	4004	4004	4004	
		RCCB FP 63A 300mA	pole	4004	4004	4004	

  
 Branch 