

नुवाकोट जिल्लाको ज्याला तथा निर्माण सामाग्रीहरुको दररेट

आ.ब. ०७५/७६



जिल्ला प्राविधिक कार्यालय
बिदुर, नुवाकोट
श्रावण, २०७५



आज दिनी 206X/08/25 गते शुक्रवारका दिन आः व
 06X/106X को लागी निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण
 गर्ने सार्वजनिक खारेज नियमावली 2068 को नियम 98C को
 उपनियम 9 बमोजिम नुवाकोट जिल्लाको लागी निर्माण सामग्री
 हुवाना, भोसि तथा उपकरणको भाडा र कामदारको ज्याला
 दररेट निर्धारण समितीको बैठक प्रमुख जिल्ला अधिकारी श्री
 डुव वहादुर थापाको अध्यक्षतामा त्रिनाश्वर समितीका सदस्य
 र अन्य पदबधिकारीहरूको उपस्थितिमा बैठक गरी बैठकका निर्णय
 गरियो ।

1. अध्यक्ष प्रमुख जिल्ला अधिकारी श्री. डुव वहादुर थापा
 जिल्ला प्रशासन कार्यालय, नुवाकोट
2. सदस्य जिल्ला समन्वय अधिकारी श्री सच्चनराज उप्रेती
 जिल्ला समन्वय समितीको कार्यालय, नुवाकोट
3. सदस्य प्रमुख कोष नियन्त्रक श्री. दामोदर थापा
 कोष तथा लैवा नियन्त्रक कार्यालय, नुवाकोट
4. सदस्य श्री राजेन्द्र श्रेष्ठ
 (द्वितीय उपाध्यक्ष) नुवाकोट उद्योग वाणिज्य संघ, नुवाकोट
5. सदस्य श्री सुमन अधिकारी
 (अध्यक्ष) नुवाकोट निर्माण व्यवसायी संघ
6. सदस्य श्री जगेश वहादुर शर्मा
 जिल्ला समन्वय समितीको कार्यालय, नुवाकोट
7. सदस्य सचिव नि. प्रमुख जिल्ला इन्जिनियर उशोप श्रेष्ठ
 जिल्ला प्राविधिक कार्यालय, नुवाकोट

आमन्त्रित

8. डिभिजन प्रमुख श्री विदुर खड्का
 शहरी विकास भवन डिभिजन कार्यालय नुवाकोट
9. श्री गणेशमान शर्मा
 जिल्ला प्रशासन कार्यालय, नुवाकोट

3. श्री पुरुषोत्तम उपाध्याय
विस्थापन विकास डिभिजन कार्यालय, नुवाकोट
4. श्री. सुबह्र शर्मा
जिल्ला भु संरक्षण कार्यालय, नुवाकोट
5. श्री पद्म राज नेपाल
जिल्ला वन कार्यालय
6. श्री विश्व जित कायस्थ
खानेपानी तथा सरसफाई डिभिजन कार्यालय
7. श्री राबिन्द्र थापा
उपौखण प्रदेशीय वाजवानी विकास केन्द्र
8. श्री. बोध प्रसाद भण्डारी
डिभिजन सडक कार्यालय, नुवाकोट
9. श्री. कृष्ण प्रसाद उपाध्याय
जिल्ला कृषि विकास कार्यालय
10. श्री विष्णु प्रसाद धोरेल्लेनी
जल आपवण प्रकल्प व्यवस्थापन कार्यालय

अन्य उपाध्याय

1. प्रशासकीय नुवाकोट निर्माण व्यवसायी संघ श्री. होम व. ताम्राड.
2. ना. पु. जिल्ला प्राविधिक कार्यालय नुवाकोट श्री. पदुव संजेल
3. स. ई. जिल्ला प्राविधिक कार्यालय नुवाकोट श्री. सुबह्र चौखेल

निर्णय नं. 9.

गत वर्ष कायम भएको जिल्ला दररेट यस वर्षको मूल्य वृद्धि अनुसार चलन चलतको दररेट सुबह्रलाई मध्यनजर राखि सन् २०७६ को लागि निर्माण सामग्री दररेट, जिल्ला दररेट प्रस्ताव गर्ने तपाशिलको कार्यफल गठन गर्ने निर्णय गरियो।

1. संयोजक - ई. श्री. दशरथ शंखर
जिल्ला प्राविधिक कार्यालय, नुवाकोट
2. सदस्य - ई. श्री. आनम कुमार थाहा

2/1

सहस्रविकास तथा भवन डिजिटल कार्यालय नुवाकोट

3. सदस्य ई. श्री. नरेश्वर जित कार्यालय

रवानेपानी तथा सरसफाई डिजिटल कार्यालय नुवाकोट

4. सदस्य ई. श्री. मोहन प्रसाद भण्डारी
डिजिटल सडक कार्यालय, नुवाकोट

2/1 5. सदस्य श्री. राजेन्द्र श्रेष्ठ

नक्षेत्रीय उपाध्यक्ष, नुवाकोट उद्योग वाणिज्य संघ, नुवाकोट

6. सदस्य श्री. सुमन अधिकारी

अध्यक्ष, नुवाकोट निर्माण व्यवसायी संघ

7. सदस्य श्री. सव. ई. श्री. सुब्रह्म चौखेल
जिल्ला प्राविधिक कार्यालय, नुवाकोट

2/1

2/1
01/01/22

2/1
01/01/22

अगल दिती २०६५ साल ०३ गते का दिन आ.व. ०६५१०६६
लागी जिल्ला दर्रेत प्रस्ताव गर्ने गठित समितीका संयोजक
श्री. उशोष खेवह को संयोजकत्वमा वसैको बैठकमा देहात
निर्णय गरियो।

उपलपेती

१. संयोजक श्री. उशोष खेवह
२. व. विष्णुजित ब्राह्मण (के.पा. तथा व. वि. क)
३. सदस्य सुन्दर पौडेल
४. सदस्य बाबुप्रसाद भण्डारी (वि. स. की. नुवाकोट, इजिगाँव)
५. " आत्मा कुमार शाह (शसि विद्या तथा म. वि. उ. काठमाडौं)
६. सदस्य - रागेन्द्र खेवह (वि. प्र. पापु उमने उमने वि. प्र. २५)
७. सदस्य - रत्नेन्द्र राजपात्रेल - प्र. उपोध्यक्ष नु. निर्मल ब्य. सघ
८. लीजेन्ड सिद्ध थापा - युवाकोट निर्माण व्यवसायी संघ

निर्णय नं. १.

आ.व. ०६५१०६६ को लागी निर्माण सामग्री तथा ज्याला
दर्रेत निर्धारण गर्दा नेपाल राष्ट्र बैंक को सुचना (NRB १४
तथा छिमेकी जिल्ला काठमाडौं को जिल्ला दर्रेत को आधार
निर्माण गरे यी कार्यदलले रजेल्ला दर्रेत निर्धारण समिती का
पेश गर्ने निर्णय गरियो।

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left and center.

आज मिति २०७४ साल चैत्र १४ गते का दिन आ.व. ०६२/०६६ को लागी निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्ने शासनात्मक स्वरूप निर्धारण २०७४ को नियम १४८ को उप-नियम १ बमोजिम नुवाकोट जिल्लाको लागी निर्माण सामग्री हुलाकी, भोलिने तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्ने गठित कार्यदलका संयोजक श्री. उशेष ओवर को संयोजकत्वमा देहायका समितिका सदस्यहरूको उपस्थितिमा बैठक बसी निम्न अनुशारको निर्णय गरियो।

उपस्थिति

१. संयोजक श्री उशेष ओवर
जिल्ला प्राविधिक कार्यालय नुवाकोट
२. सदस्य श्री. धाम कुमार शाह
शहरी विकास तथा भवन डिभिजन कार्यालय, नुवाकोट
३. सदस्य श्री. विश्वानि कार्पल
खानेपानी तथा हरलवाई डिभिजन कार्यालय नुवाकोट
४. सदस्य श्री. लोच प्रताप भण्डारी
डिभिजन लडक कार्यालय, नुवाकोट
५. सदस्य श्री. राजेन्द्र ओवर
द्वितीय उपाध्यक्ष, नुवाकोट उद्योग वाणिज्य संघ.
६. सदस्य श्री. पुष्प आदिकारी
अध्यक्ष, नुवाकोट निर्माण व्यवसायी संघ
७. सदस्य श्री. पुष्कर पौखेल
जिल्ला प्राविधिक कार्यालय नुवाकोट

निर्णय नं-१. आमेकको ज्यालादर सम्बन्धमा।

आमेकको ज्यालादर सम्बन्धमा नेपाल राष्ट्र बैंक बाट प्रकाशित National Wholesale Price Index बाट आ.व. ०६४/०६६ को औषत तुलनामा २१% बृद्धि भए बमोजिम दररेट निर्धारण गर्ने जिल्ला दररेट समितिलाई सिफारिस गर्ने निर्णय गरियो।

निर्णय नं-२.

HDP पाइप सम्बन्धमा।






HDP पाइपको सम्बन्धमा अघिल्लो आ.व. ०६४/०६५ को तुलनामा

२५%    

वजार भाउ र काठमाण्डौ को दरैर आ.व. ०६५/०६६ लाई आधार मा
१२-१५% ले वृद्धि गरि प्रति के.जे.कै.मा २४०१- काममा गरि
जिल्ला दरैर समितीलाई यस कार्यफलले सिफारिस गर्ने
निर्णय गरियो ।

निर्णय नं.३. जिल्ला दरैर ०६५/०६६ जिल्ला दरैर समितीलाई
सिफारिस गर्ने सम्बन्धमा ।

आ.व. ०६५/०६६ को लागि यस कार्यफलले ~~सिफारिस~~ तयार गरि
जिल्ला दरैर भित्री २०६५/०४/१२ गते हुने जिल्ला दरैर
समितीलाई यस कार्यफलले सिफारिस गर्ने निर्णय गरियो ।

आज मिति २०६४ साल आषाढ १२ गतेका दिन आ.व. ०६४/०६६ को लागी निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्ने सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप-नियम १ तमोजिम नुवाकोट जिल्लाको लागी निर्माण सामग्री खुानी, मैदिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री उदुव बहादुर थापा ज्यू.को अध्यक्षतामा कैलाशका समितिका सदस्यहरु र अन्य पदाधिकारीहरुको उपस्थितिमा बैठक वसी विनम्रप्रकार दररेट कायम गर्ने निर्णय गरियो ।

उपाध्यक्ष

१. अध्यक्ष ~~श्री~~ प्रमुख जिल्ला अधिकारी श्री उदुव बहादुर थापा जिल्ला प्रशासन कार्यालय नुवाकोट
२. सदस्य जिल्ला समन्वय अधिकारी श्री सन्धुतराज उप्रेती जिल्ला समन्वय समितिको कार्यालय नुवाकोट
३. सदस्य प्रमुख कौष निपन्त्रक श्री रामोदर थापा कौष तथा लेखा निपन्त्रक कार्यालय, नुवाकोट
४. सदस्य श्री राजेन्द्र श्रेष्ठ (द्वितीय उपाध्यक्ष) नुवाकोट उद्योग वाणिज्य संघ, नुवाकोट
५. सदस्य श्री सुमन अधिकारी (अध्यक्ष) नुवाकोट निर्माण व्यवसायी संघ, नुवाकोट
६. सदस्य श्री गणेश बहादुर शाही जिल्ला समन्वय समिति, नुवाकोट
७. सदस्य सचिव श्री उशोच श्रेष्ठ जिल्ला प्राविधिक कार्यालय, नुवाकोट

आमन्त्रित

१. श्री. प्र. क. वसन्त व. कुमार, जिल्ला प्रहरी कार्यालय, नुवाकोट
२. शहरी विकास भवन डिभिजन कार्यालय, नुवाकोट
३. श्री. कुमारी व. श्रेष्ठ सिवाई विकास डिभिजन कार्यालय, नुवाकोट
४. श्री. डेबेन्द्र अजिवापा जिल्ला भु-सुरक्षण कार्यालय, नुवाकोट
५. नवलपरासी जिल्ला उपप्रधान कार्यालय, नुवाकोट



आ.व. ०७५/०७६ को लागि निर्माण सामाग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामाग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्न मिति २०७५ श्रावण ०३ र २०७५ श्रावण १४ गते बसेको बैठकबाट गठित कार्यदलले मिति २०७५ श्रावण १४ गतेका दिन पेश गरेको निर्माण सामाग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र मनासिव देखिएकोले आ.व. २०७५/०७६ का लागि सोही अनुसारको दररेट यस जिल्ला भर लागु हुने गरि अनुमोदन गर्ने निर्णय गरियो ।

ज्याला दर रेट

बिदुर, नुवाकोट

श्रावण, २०७५

निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

आज मिति २०७५/०४/१५ गतेका दिन श्रमिकहरुको ज्यालादर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरु, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरु) पक्षहरु सँगको परामर्श, नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मूल्य र श्रमिकहरुको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी ५% ले वृद्धि गरी चालु आ.व. ०७५/७६ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
१.	दक्ष कामदार (Skilled Labour)					
क.	प्लम्बर	प्रति दिन प्रति व्यक्ति	1000	1080	1130	
ख.	रक डिलर/हेभी ड्राईभर/बल्डर/प्लम्बर/विफोटक पदार्थ ढुवानी गर्ने ज्यामी/डकमी/नकमी/सिकमी/बज्रकमी/चित्रकारी/हेभी सिनियर अपरेटर/कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	815	850	890	
२	अर्द्धदक्ष कामदार (Semi Skill Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	620	660	690	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर/उत्प्रेरक/हेभी हेल्पर/सर्भ हेल्पर/अवाले/ईट्टा बनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याब व्याय/नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	530	600	630	
ख.	मासम रकडेर/हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	435	460	480	
ग.	लेन्थ वर्करहरु (सडकमा काम गर्ने)		400	430	450	
घ.	निर्माण सुपरभाइजर	प्रति दिन	495	530	555	
ङ.	लाईट ड्राईभर		560	600	630	
च.	प्याच वर्कर (Patch Worker)	प्रति व्यक्ति	495	530	555	
छ.	लेन्थ वर्कर सुपरभाइजर		550	595	625	
ज.	मेहतर/स्वपिर (झाडु लगाउने)		460	495	520	

नोट: विद्युत कार्यको हकमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।



निर्णय नं. ३ ढुवानी दर सम्बन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको क्रिभिल्लन श्रोतसाधनलाई आधार मानी चालु आ.व. २०७५/७६ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।

ढुवानी ज्याला

सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी. / क्वीन्टल	75	75	78	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, ट्रस, ऐना, बाथरुमका फुटने सामानहरु	प्रति कि.मी. / क्वीन्टल	90	90	93	
२.	ट्रक वा ट्र्याक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी. / क्वीन्टल	4.00	4.00	4.10	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी. / क्वीन्टल	8.00	8.00	8.30	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी. / क्वीन्टल	9.00	9.00	9.35	
३.	विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)					
क.	कच्ची सडक	प्रति कि.मी. / क्वीन्टल	29.00	29.00	30.15	
ख.	पक्की सडक	प्रति कि.मी. / क्वीन्टल	14.50	14.50	15.05	
ग.	बोकानी	प्रति कि.मी. / क्वीन्टल	325.00	325.00	335.00	
४.	लोड अनलोड					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.40	0.40	0.40	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, ट्रस, ऐना, बाथरुमका फुटने सामानहरु	प्रति केजी.	0.70	0.70	0.70	
ग.	फुलाम तथा काठको पोल बोकानी ज्यामीद्वारा	प्रति कि.मी.	2.40	2.40	2.40	

Handwritten signatures and stamps at the bottom of the page, including a large circular stamp on the right and several handwritten notes and signatures on the left and center.



नेपाल सरकार

नगर प्रशासन विभाग
जिल्ला प्रशासन कार्यालय
मुस्ताफा

निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने वीर्यो-इन्जिनियरिङ एवं अन्य मालसामान सम्बन्धि आ.व. ०७५/०७६ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो।

सि.नं.	सामग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
1	भु-संरक्षण सम्बन्धी कार्य					
1.1	Grass Seeds					
	जई	Kg	75	75	75	
	भेच	..	150	150	150	
	नेपीयर	set	3	3	3	
	वर्सिम	Kg	175	175	175	
	घासको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा (ढुवानी)	..	0.50	0.50	1	
	घासको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा (ढुवानी)	..	1	1	1	
	२०० गेजको विरुवा उमाने कालो ४ प्वाल भएको विभिन्न साइजका पोली थैला	"	350	350	350	
	माटो भने खाली बोरा	गोटा	12	12	12	
	बांस काटेको सिंगो घना	घना	350	350	350	
	बांसको कटिङ स्टम्प विरुवा (१५ महिने नगरी राखेका) १' ६" देखि २' लामो	प्रति कटिङ	225	225	225	
2.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.				0	
	अम्रिसो राइजोम (तिनवटाको १ सेट)	set	10	10	10	
	अलैची गानो	..	10	10	10	
	अलैची विरुवा	..	8	8	8	
	टाइड्ड कटिङ्ग (बैस) पेन्सिल साइज	..	5	5	5	
	नेपीयर कटिङ्ग	..	2	2	2	
	NB ₂₁ घास	Slip	2	2	2	
	निगालो राइजोम	set	50	50	50	
	बासको वेर्ना (कटीग राइजोम)	..	170	170	170	
	बांसको विरुवा पोलिथिनमा उमारेको	गोटा	50	50	50	
	वावियो ताइवानी दुवो	..	3	3	3	
	सिजनल फूल ८ इन्च पोली	गोटा	25	25	25	
	गुलाफ फूल ८ इन्च पोली	..	150	150	150	
	हेज ८ इन्च पोली	..	30	30	30	
	कार्पेट दुवो	व.फी.	30	30	30	
	कार्पेट दुवो को लागी छान्ने कार्यको ज्याला	..	20	20	20	
	निगालो (जरा सहीत)	गोटा	12	12	12	
	स्थानीय स्तरमा उत्पादीत विरुवा फलफूल बाहेक	..	5	5	5	
	गोठे मल तयारी	के.जी.	3	3	3	
	डाले घासको विरुवा	गोटा	6	6	6	
	मोलाटो विरुवा	..	2	2	2	
	नरीबल डोरी	के.जी.	120	120	120	
	नाइलन डोरी	..	250	250	250	
	लौठ सल्ला (नेपाली)	गोटा	75	75	75	
	लौठ सल्ला (अमेरिकन)	गोटा	125	125	125	
	बोधिचिह्नको विरुवा	गोटा	550.00	550	550	


	रुद्राक्षको विरुवा	गोटा	300.00	300	300	
	लप्सीको विरुवा (ग्राफिटिड)	गोटा	55.00	55	55	
	चिराईतोको विरुवा	गोटा	5.00	5	5	
	तेजपातको विरुवा	गोटा	20.00	20	20	
	टिमुरको विरुवा	गोटा	15.00	15	15	
	अन्य जडिबुटीको विरुवा	गोटा	10.00	10	10	
3.0	बन कार्यालयबाट सम्पादन गरिने कार्यहरु (काठ लोड अनलोड तथा ढुवानी आदि)					
	चीरान काठ (लोड वा अनलोड)	क्यू.फि.	8	8	8	
	ठुला विरुवा रोपन (५ देखि १० फीट)	प्रती विरुवा	138	138	138	
	अग्ला विरुवा रोपन (१० देखि १५ फीट)	"	207	207	207	
	विरुवा खरिद				0	
	४ फिट सम्म उचाई भएको विरुवा	"	700	700	700	
	५ फिट सम्म उचाई भएको विरुवा	"	1000	1000	1000	
	६ फिट सम्म उचाई भएको विरुवा	"	1200	1200	1200	
	६ फिट भन्दा अग्लो विरुवा	"	1500	1500	1500	
५	काठ कटान, मुछान, घाटगढी सम्बन्धि दररेट (प्रति क्यू.फिट)					
क.सं.	रुख कटान, मुछान खर्च रु.	यार्डिङ्ग खर्च रु.	वाँक्रा ताछ्ने/रिङ्ग काट्ने खर्च रु.	पाईलिङ्ग खर्च रु.	नम्बरिङ्ग खर्च रु.	
क.	40.00	17.50	3.25	7.30	1.40	
६	गाडी मार्फत काठ ढुवानी (प्रती क्यू.फि.)					
क.सं.	दुरी (कि.मी.)	दर रु.	लोड अनलोड खर्च रु.	जम्मा खर्च रु.		
क.	०-५ सम्म	24.00	19.00	43.00		
ख.	५.१-१० सम्म	29.00	19.00	48.00		
ग.	१०.१-१५ सम्म	33.80	19.00	52.80		
घ.	१५.१-२० सम्म	38.60	19.00	57.60		
ङ.	२०.१ देखि माथि	43.50	19.00	62.50		
७	ज्यामी मार्फत काठ ढुवानी (प्रती क्यू.फि.)					
क.सं.	दुरी (मीटर)			दर रु.		
क.	०-५० सम्म			7.60		
ख.	५०.१-१०० सम्म			12.60		
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि			5.20		
८	दाउरा कटान, मुछान तथा चट्टा निर्माण दररेट (प्रती चट्टा)					
क.सं.	क्षेत्र	कटान, मुछान खर्च रु.	चट्टा निर्माण खर्च रु.	जम्मा खर्च रु.		
क.	सम्पूर्ण	4500	1300	5800		
९	गाडी मार्फत दाउरा ढुवानी (प्रती चट्टा)					
क.सं.	दुरी (कि.मी.)	दर रु.	लोड खर्च रु.	अनलोड खर्च रु.	जम्मा खर्च रु.	
क.	०-५ सम्म	1690	2300	1100	5090	
ख.	५.१-१० सम्म	2050	2300	1100	5450	
ग.	१०.१-१५ सम्म	2295	2300	1100	5695	
घ.	१५.१-२० सम्म	2535	2300	1100	5935	
ङ.	२०.१ देखि माथि	2775	2300	1100	6175	

१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा)				
क्र.सं.	दुरी (मीटर)			दर रु.	
क.	०-५० सम्म			585	
ख.	५०.१-१०० सम्म			975	
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि			40.0	
११	विरुवा ढुवानी				
क्र.सं.	विवरण			दर रु. (प्रती विरुवा)	
क.	लोड अनलोड			0.70	
ख.	पक्की बाटो ढुवानी (प्रती कि.मी.)			0.30	
ग.	कच्ची बाटो ढुवानी (प्रती कि.मी.)			0.45	









निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

सि.नं.	कामको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
1	Heavy Equipment प्रयोग गरि विभिन्न प्रकारको माटो तथा चट्टान काट्ने कार्य ।					
1.1	सबै प्रकारको माटोमा पहिरो हटाउने । कार्य (OS,HS, BMS, MS,SR)	घ.मी.	55.00	55.00	55.00	
1.2	सबै प्रकारको माटो काट्ने कार्य । (OS,HS, BMS, MS,SR)	घ.मी.	83.00	83.00	83.00	
1.3	मध्यम प्रकारको चट्टान (MR) काट्ने कार्य।	घ.मी.	500.00	500.00	500.00	
1.4	कडा प्रकारको चट्टान (HR) काट्ने कार्य ।	घ.मी.	750.00	750.00	750.00	
नोट: माथि निर्णय नं. ३ मा उल्लेख भएको सबै प्रकारको माटो काट्ने कार्यको Abbreviation तपसिलमा उल्लेख गरिएको छ : OS - Ordinary Soil, HS - Hard Soil, BMS - Boulder Mixed Soil, MS - Marshy Soil, SR - Soft Rock, MR- Medium Rock, HR - Hard Rock						

Civil Works

बिदुर, नुवाकोट

श्रावण, २०७५

निर्णय नं. ६


अर्थिक वर्ष ०७५/०७६ मा नुवाकोट जिल्ला भित्र गरीने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरू (सिभिल कार्य / स्थापना कार्य र इलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो।

CIVIL WORKS						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
1	विभिन्न किसिमको ईटा					
	क) मेशिनबाट उत्पादित ईटा (छानेको)	हजार	20765	20765	21803	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	15760	15760	16548	
	ग) स्थानीय चिमनी भट्टाको ईटा (१-नं.)	"	12000	12000	13200	
	ग) स्थानीय चिमनी भट्टाको ईटा (२-नं.)	"	11000	11000	11550	
	घ) तराई को १ नं. ईटा	"	18025	18025	18025	
	ड) स्थानीय ठाडो भट्टाको ईटा	"	7500	7500	7500	
	(ड) सिमेन्ट को ईटा					
	BK108N	"	15450	15450	15450	
	BK118As	"	16274	16274	16274	
	च) Concrete block					
	size (40*15*20) cm	गोटा	37	37	37	
	size (40*10*20) cm	गोटा	32	32	32	
	size (39*14*19) cm (Ocm or equivalent)	गोटा	50	50	50	
	Cellular light weight concrete (CLC) block					
	Size 24*8*4"	गोटा	148	148	162	
	Size 24*8*6"	"	215	215	236	
2	क्ले टायलहरू					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18	
	ख) चिमनी भट्टाको टायल	"	16	16	16	
	ग) मेशिनबाट उत्पादित धुरी	"	32	32	32	
	घ) चिमनी भट्टाको धुरी	"	26	26	26	
2.2	भुईँमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10	
	ख) चिमनी भट्टाको क्ले टायल	"	9	9	9	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	क) फोरया ढुंगा (खानीको)	घ.मि.	1335	1335	1465	
	ख) टुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1155	1155	1270	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
3.2	छापने ढुङ्गा (Flag stone)				
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि	75	75	82
	ख) १ 1/2" सम्म बाक्लो " "	"	90	90	99
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि	105	105	115
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " "	"	115	115	125
	ड) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा " "	"	140	140	154
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"			
4	विभिन्न प्रकारको बालुवा				
	क) खानीको बालुवा (Quarry sand)	घ.मि.	1680	1680	1845
	ख) खोला/नदीको बालुवा (River sand)	"	1680	1680	1845
	ग) भवनको भुईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	800	800	880
5	क्रसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	1680	1680	1845
6	फुटालेको ढुङ्गाको गिट्टी				
	क) सवै साइजको गिट्टी	घ.मि.	1680	1680	1845
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) विभिन्न साइजको खोलाको ग्रभेल	घ.मी.	1215	1215	1335
	ख) स्थानीय खानी ग्रभेल	घ.मी.	1050	1050	1155
	ग) ढुगाको धूलो (Stone dust)	घ.मी.	735	735	805
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravels)				
	क) ४०-८० मि.मि. साइज	घ.मी.	1470	1470	1615
	ख) ५-४० मि.मि. साइज	घ.मी.	1470	1470	1615
9	फिल्टर सामग्री				
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	62	62	68
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरु				
	i) ८०/१०० ग्रेडको बिटुमीन	के.जी	68	68	74
	ii) CRMB-DIGO 55 Bitumen	"	77	77	77
	iii) Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	64	64	67
	छिटो जम्ने (RS 65%)	"	68	68	71
	छिटो जम्ने (RS 70%)	"	72	72	75
	मध्यम जम्ने (MS 60%)	"	65	65	68
	मध्यम जम्ने (MS 65%)	"	70	70	73
	ढीलो जम्ने (SS60%)	"	66	66	69

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			अ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Slurry Seal with 60% bitumen	"	73	73	74	
	Hi - seal Redymix	"				
	Polymer Bitumen	"				
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	324	324	328	
	v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	30	30	30	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	170	170	170	
	b) Most Grade	"	188	188	188	
	c) Glass beads	"	154	154	154	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू					
11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी सिमेन्ट NS #49 (प्रतिबोरा ५० के.जी.)	ब्याग	797	797	841	
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	-	-	-	
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी सिमेन्ट (प्रतिबोरा ५० के.जी.)	"	765	765	765	
11.4	सेतो सिमेन्ट (40kg/bag)	"	1055	1055	1230	
11.5	लोड अनलोड चार्ज	"	10	10	10	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	Panchakanya , MAW or equivalent					
	M 15	घ. मि	13205	13205	13800	
	M 20	"	13725	13725	14400	
	M 25	"	14375	14375	15000	
	M 30	"	15240	15240	16000	
13	फलामको डण्डीहरू :					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	75	75	94	
	b) 10,12,16,20, 25mm dia	"	72	72	91.5	
	c) 28,32 mm dia	"	75	75	92.5	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8mm dia TOR steel	"	77	77	88.94	
	b) 10-25mm TOR steel	"	76	76	85.84	
	c) 28-32mm TOR steel	"	79	79	88.94	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia		77	77	94.15	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट म.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	(घ) Binding Wire (डण्डी बाँधनेतार)	..	89	89	101.77
14	विभिन्न किसिमका काठहरु				
14.1	काठ				
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	5975	5975	5975
	(ख) ८' देखि १२' सम्मको सालकाठ	..	6260	6260	6260
	(ग) १२ फिट देखि माथिको साल काठ	..	6550	6550	6550
	(घ) साज काठ	..	2500	2500	2500
	(ङ) जामुन काठ	..	2135	2135	2135
	(च) सल्लाको काठ	..	1130	1130	1130
	(छ) सिसौ काठ	..	2300	2300	2300
	(ज) जंगली सिसौ काठ ..	..	5270	5270	5270
	(झ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	950	950	950
	(ञ) स्थानिय साल काठ	घ. फि	2000	2000	2000
	(ट) काठ दाउरा	के.जी	12	12	12
14.2	कुदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821
	ii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	..	895	895	895
	iii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746
	iv) भन्याङ्को रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोला हेण्ड रेल (3"x4")	गोटा	3282	3282	3282
	v) देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुंडाल बनाउने काम	..	10443	10443	10443
	vi) देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुंडाल बनाउने काम	..	11935	11935	11935
	vii) विभिन्न बुझा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2238	2238	2238
	viii) घोडाको आकृति गरि कुदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुंडाल बनाउने काम।	गोटा	5221	5221	5221
	ix) सामान्य प्रकारको कुदिएको सालको काठको अखी भ्याल तयारी	व.फि.	746	746	746
	x) मध्यम प्रकारको कुदिएको सालको काठको अखी भ्याल तयारी	..	1044	1044	1044

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	xi) विशेष प्रकारको कुँदैएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	2238	2238	2238	
	xii) विशेष प्रकारको कुँदैएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	1417	1417	1417	
	xiii) ३"x १.५" साइजको सालको काठको कुँदैएको पत्ती तयारी गर्ने काम	र.फि.	522	522	522	
	xiv) कुँदैएको विभिन्न बुडा राखी बनाएको साल काठको ४"x ५"को कान्स चिम आदि तयारी गर्ने कार्य	"	895	895	895	
	xv) ४"x ५"को साल काठको नाग बुडा कुँदै तयारी गरी जडान गर्ने कार्य	"	746	746	746	
15	Wooden Parquet Flooring					
	i) Shisam wood 150mm*30mm*8mm	व.फि.	179	179	179	
	ii) Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	597	597	597	
16	विभिन्न मोटाईको प्लाइउडहरू					
16.1	Commercial					
	(क) ३ मी.मी	व.फि.	20	20	20	
	३.५ मी.मी.	"	23	23	23	
	(ख) ४ मी.मी	"	24	24	24	
	(ग) ६ मी.मी	"	38	38	38	
	(घ) ८ मी.मी	"	42	42	42	
	(ङ) १२ मी.मी	"	64	64	64	
	(च) १९ मी.मी B/B	"	93	93	93	
	छ) १८ मी.मी PLY	"	96	96	96	
16.2	P/F. Water Proof					
	क) ४ मी.मी	व.फि.	40	40	40	
	ख) ६ मी.मी	व.फि.	55	55	55	
	ग) ८ मी.मी.	"	60	60	60	
	घ) ९ मी.मी.	"	66	66	66	
	(ङ) १२ मी.मी	"	76	76	76	
	च) १९ मी.मी PLY		125	125	125	
	छ) १९ मी.मी B/B	"	105	105	105	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी.मी	व.फि.	58	58	58	
	(ख) ४ मी.मी (Group Match of in 5 pcs)	"	76	76	76	
	४ मी.मी (Regular)	"	66	66	66	
	४ मी.मी (Crown)	"	44	44	44	
	४ मी.मी (Berri)	"	50	50	50	
	४ मी.मी (Whitest line)	"	40	40	40	
	४ मी.मी (Beach)	"	47	47	47	
	४ मी.मी (Recon 18 No.)	"	37	37	37	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	(ग) ६ मी.मी	"			
16.4	DECORATIVE (THICKER)				
	6 OST	व.फि	-	-	-
	6 BST	"	-	-	-
	9 OST	"	-	-	-
	9 BST	"	-	-	-
	12 OST	"	-	-	-
	12 BST	"	-	-	-
	19 B/B OST	"	-	-	-
	19 B/B BST	"	-	-	-
	18 OST	"	-	-	-
	18 BST	व.फि	-	-	-
17	Ready made Door				
17.1	38 mm th. Redimade solid core door shutter				
	Plain	व.फि	233	233	233
	One side teak	"	262	262	262
	Both side teak	"	294	294	294
	One side teak waterProof	"	286	286	286
	Both side teak waterProof	"	317	317	317
17.2	30 to 32 mm th. Redimade solid core door shutter				
	Plain	व.फि	190	190	190
	One side teak	"	213	213	213
	Both side teak	"	239	239	239
	One side teak waterProof	"	233	233	233
	Both side teak waterProof	"	258	258	258
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	209
	Readymade door shutter Recon, Special (1 side teak)	"	281	281	281
17.4	Wooden Listy				
	1/2" wide	र.फि.	14	14	14
	3/4" wide	"	18	18	18
	1.5" wide	"	29	29	29
	Decorative	"	40	40	40
17.5	Infill Material Thai Gypsum, Shera or equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431
	Board 9 mm	"	2524	2524	2524
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	Fiber mess tape (for 90mm/roll)	॥	340	340	340
	PU sasuage rod	॥	2039	2039	2039
18	Prelaminated Particle Board				
18.1	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी.मी	व.फि	37	37	37
	(ख) १२ मी. मी.	॥	41	41	41
	(ग) १८ मी.मी.	॥	53	53	53
	(घ) २५ मी.मी	॥	71	71	71
18.2	One side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी.मी	व.फि	74	74	74
	(ख) १२ मी. मी.	॥	83	83	83
	(ग) १८ मी.मी.	॥	98	98	98
	(घ) २५ मी.मी	॥	127	127	127
18.3	Both side lamination Melaminated faced (Exteriors Grade)				
	(क) ९ मी.मी	व.फि	83	83	83
	(ख) १२ मी. मी.	॥	95	95	95
	(ग) १८ मी.मी.	॥	110	110	110
	(घ) २५ मी.मी	॥	139	139	139
18.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी.मी	व.फि	27	27	27
	(ख) १२ मी. मी.	॥	31	31	31
	(ग) १८ मी.मी.	॥	46	46	46
	(घ) २५ मी.मी	॥	59	59	59
18.5	One side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी.मी	व.फि	40	40	40
	(ख) ६ मी.मी	॥	57	57	57
	(ग) ९ मी.मी	॥	65	65	65
	(घ) १२ मी. मी.	॥	74	74	74
	(ङ) १८ मी.मी.	॥	86	86	86
	(च) २५ मी.मी	॥	107	107	107
18.6	Both side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी.मी	व.फि	46	46	46
	(ख) ६ मी.मी	॥	62	62	62
	(ग) ९ मी.मी	॥	74	74	74
18.7	One side lamination Melaminated faced (Interiors Grade)MDF				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	(क) ३ मी .मी	व.फि	46	46	46	
	(ख) ४ मी .मी	"	53	53	53	
	(ग) ६ मी .मी	"	65	65	65	
	(घ) ९ मी .मी	"	85	85	85	
	(ङ.) १२ मी .मी	"	95	95	95	
	(च) १८ मी .मी	"	122	122	122	
	(छ) २५ मी .मी	"	169	169	169	
18.8	Both side lamination Melaminated faced (Interiors Grade)MDF Century & equivalent					
	(क) ३ मी .मी	व.फि	53	53	53	
	(ख) ४ मी .मी	"	59	59	59	
	(ग) ६ मी .मी	"	73	73	73	
	(घ) ९ मी .मी	"	91	91	91	
	(ङ.) १२ मी .मी	"	101	101	101	
	(च) १८ मी .मी	"	128	128	128	
	(छ) २५ मी .मी	"	173	173	173	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	168	168	168	
	(ख) १२ मी .मी	"	269	269	269	
	(ग) १८ मी .मी	"	407	407	407	
19	Other HardBoard/ Sunmica & Formaica)					
19.1	(क) सतमाईका (4' x 8')	पाता	486	486	486	
	(ख) फोरमाईका	व.फि	75	75	75	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162	
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307	
	(ग) १८ मी .मी size (1222*2440) mm	"	427	427	427	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I- Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	81	81	87	
	ii) विभिन्न साइजको MS Angle	"	87	87	93	
	iii) विभिन्न साइजको Black Pipe	"	81	81	87	
	iv) विभिन्न साइजको Channel	"	88	88	95	
	v) विभिन्न साइजको I-Beam	"	90	90	97	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	vi) विभिन्न साइजको MS plate	॥	86	86	92	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	87	87	93	
	viii) विभिन्न मोटाइको Black sheet	॥	82	82	88	
21	G.I. Wire					
	i) 8 gauge					
	a) medium class	॥	91	91	100	
	b) heavy duty	॥	96	96	105	
	c) Comercial wire	॥	85	85	93	
	ii) 10 gauge					
	a) medium class	॥	91	91	100	
	b) heavy duty	॥	96	96	105	
	c) Comercial wire	॥	85	85	93	
	iii) 12 gauge					
	a) medium class	॥	91	91	100	
	b) heavy duty	॥	96	96	105	
	c) Comercial wire	॥	85	85	93	
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाक्स तयारी					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	M2	306	306	306	
	१.५×१×०.५/०	गोटा	1692	1692	1692	
	२×१×०.५/०	॥	2302	2302	2302	
	३×१×०.५/०	॥	3286	3286	3286	
	४×१×०.५/०	॥	4146	4146	4146	
	१.५×१×१/०	॥	2460	2460	2460	
	२×१×१/१	॥	3268	3268	3268	
	३×१×१/२	॥	4639	4639	4639	
	४×१×१/३	॥	5974	5974	5974	
	ख) MBG/10x12/2.7/3.4/2.2/ZN	M2	287	287	287	
	१.५×१×०.५/०	गोटा	1573	1573	1573	
	२×१×०.५/०	॥	2150	2150	2150	
	३×१×०.५/०	॥	3045	3045	3045	
	४×१×०.५/०	॥	3841	3841	3841	
	१.५×१×१	॥	2269	2269	2269	
	२×१×१	॥	3045	3045	3045	
	३×१×१	॥	4299	4299	4299	
	४×१×१	॥	5414	5414	5414	
	ग) MJG/10x12/3.0/3.9/2.4/ZN					
	३×२×०.५/०	गोटा	6800	6800	6800	
	४×२×०.५/०	॥	8590	8590	8590	
	५×२×०.५/०	॥	10662	10662	10662	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	६×२×५.०	"	12734	12734	12734	
	३×२×५	"	9354	9354	9354	
	४×२×५	"	11769	11769	11769	
	५×२×५	"	14545	14545	14545	
	६×२×५	"	17300	17300	17300	
	घ) MJG/10x12/2.7/3.4/2.2/ZN					
	३×२×०.५०	गोटा	5562	5562	5562	
	४×२×०.५०	"	7038	7038	7038	
	५×२×०.५०	"	8717	8717	8717	
	६×२×०.५०	"	1126	1126	1126	
	३×२×५	"	7646	7646	7646	
	४×२×५	"	9627	9627	9627	
	५×२×५	"	11892	11892	11892	
	६×२×५	"	14157	14157	14157	
	ड) MRM/6x8/2.2/2.7/2.2/ZN					
	३×२×०.५७	गोटा	3332	3332	3332	
	४×२×०.५७	"	4317	4317	4317	
	५×२×०.५७	"	5283	5283	5283	
	६×२×०.५७	"	6284	6284	6284	
	३×२×०.२३	"	3626	3626	3626	
	४×२×०.२३	"	4697	4697	4697	
	५×२×०.२३	"	5801	5801	5801	
	६×२×०.२३	"	6821	6821	6821	
	३×२×०.३०	"	3937	3937	3937	
	४×२×०.३०	"	5076	5076	5076	
	५×२×०.३०	"	6268	6268	6268	
	६×२×०.३०	"	7423	7423	7423	
	Note:					
	MBG = Maccaferi Box Gabion					
	MJG = Maccaferi Jumbo Gabion					
	MRM = Maccaferi Reno Mattress					
	WMN = Wire Mesh Netting					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	Barbed Wire (कँडितार)					
	12 guage commercial, Medium duty	के.जी	98	98	98	
	U-hook for barbed wire fencing	गोटा	1	1	1	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	वर्ग मी.	697	697	697	
	1.5"x1.5" 12 guage	"	652	652	652	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	2"x2" 10 guage	"	517	517	517	
	3"x3" 10 guage	"	423	423	423	
	4"x4" 10 guage	"	337	337	337	
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)		?			
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	3819	3819	4200	
	0.22 mm (30 guage Medium)	"	4184	4184	4600	
	0.24 mm (30 guage Heavy)	"	4466	4466	4900	
	0.26 mm (28 guage light)	"	4703	4703	5150	
	0.28 mm (28 guage Medium)	"	5013	5013	5500	
	0.31 mm (28 guage Heavy)	"	5479	5479	6025	
	0.35 mm (26 guage light)	"	6071	6071	6675	
	0.38 mm (26 guage Medium)	"	6372	6372	7000	
	0.41 mm (26 guage Heavy)	"	6982	6982	7675	
	0.45 mm (24 guage light)	"	7575	7575	8330	
	0.50 mm (24 guage Medium)	"	8331	8331	9150	
	0.52 mm (24 guage Heavy)	"	8623	8623	9475	
	0.75 mm	"	12379	12379	13600	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	5013	5013	5500	
	0.22 mm (30 guage Medium)	"	5341	5341	5875	
	0.24 mm (30 guage Heavy)	"	5651	5651	6200	
	0.26 mm (28 guage light)	"	5952	5952	6540	
	0.28 mm (28 guage Medium)	"	6298	6298	6925	
	0.31 mm (28 guage Heavy)	"	6772	6772	7445	
	0.35 mm (26 guage light)	"	7483	7483	8230	
	0.38 mm (26 guage Medium)	"	7857	7857	8640	
	0.41 mm (26 guage Heavy)	"	8504	8504	9350	
	0.45 mm (24 guage light)	"	9124	9124	10000	
	0.50 mm (24 guage Medium)	"	9917	9917	10900	
	0.52 mm (24 guage Heavy)	"	10254	10254	11275	
	0.75 mm	"	14393	14393	15830	
	(ग) म्याल्भामाटाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	3819	3819	4200	
	0.22 mm (30 guage Medium)	"	4138	4138	4550	
	0.24 mm (30 guage Heavy)	"	4421	4421	4860	
	0.26 mm (28 guage light)	"	4649	4649	5110	
	0.28 mm (28 guage Medium)	"	4959	4959	5450	
	0.31 mm (28 guage Heavy)	"	5423	5423	5960	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकीकृत	दररेटमु अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	0.35 mm (26 guage light)	"	6025	6025	6625	
	0.38 mm (26 guage Medium)	"	6326	6326	6950	
	0.41 mm (26 guage Heavy)	"	6927	6927	7600	
	0.45 mm (24 guage light)	"	7520	7520	8270	
	0.50 mm (24 guage Medium)	"	8276	8276	9100	
	0.52 mm (24 guage Heavy)	"	8568	8568	9420	
	0.75 mm	"	12378	12378	13600	
	घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	1303	1303	1430	
	0.22 mm	"	1422	1422	1550	
	0.24 mm	"	1513	1513	1660	
	0.26 mm	"	1586	1586	1740	
	0.28 mm	"	1695	1695	1860	
	0.31 mm	"	1841	1841	2025	
	0.35 mm	"	2042	2042	2240	
	0.38 mm	"	2142	2142	2350	
	0.41 mm	"	2343	2343	2570	
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	2643	2643	2900	
	0.90 mm	"	2188	2188	2400	
	0.80 mm	"	1978	1978	2175	
	0.75 mm	"	1859	1859	2040	
	0.70 mm	"	1732	1732	1905	
	0.62 mm	"	1550	1550	1705	
	0.55 mm	"	1395	1395	1530	
	0.50 mm	"	1267	1267	1390	
	0.48 mm	"	1221	1221	1340	
	0.45 mm	"	1158	1158	1270	
	0.40 mm	"	1039	1039	1140	
	0.37 mm	"	966	966	1060	
	0.35 mm	"	921	921	1010	
	0.30 mm	"	811	811	890	
	0.28 mm	"	766	766	840	
	च) ४ फिट * ८ फिट को रजिन प्लेन सिट					
	0.90 mm	पिस	2406	2406	2645	
	0.80 mm	"	2178	2178	2395	
	0.75 mm	"	2078	2078	2285	
	0.70 mm	"	1978	1978	2175	
	0.62 mm	"	1777	1777	1950	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	0.55 mm	„	1604	1604	1760	
	0.50 mm	„	1477	1477	1620	
	0.48 mm	„	1404	1404	1540	
	0.45 mm	„	1358	1358	1490	
	0.40 mm	„	1240	1240	1360	
	0.37 mm	„	1148	1148	1260	
	0.35 mm	„	1103	1103	1210	
	0.30 mm	„	975	975	1070	
	0.28 mm	„	930	930	1023	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	118	118	129	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	„	164	164	180	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	„	100	100	110	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	„	137	137	150	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	„	91	91	100	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	„	410	410	159	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	„	1496	1496	1496	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288	
25.4	Ridge cover Tile Profile 0.78 R.m.	„	1288	1288	1288	
25.5	UPVC Clip	गोटा	26	26	26	
25.6	self tapping screw 3"	„	26	26	26	
25.7	self tapping screw 2.5"	„	10	10	10	
25.8	self tapping screw 2"	„	10	10	10	
25.9	self tapping screw 1.5"	„	8	8	8	
26	एन्मुनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	29	29	29	
	(ख) ३० गेज	„	27	27	27	
27	विभिन्न प्रकारको जालीहरु (Netting)					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	119	119	119	
	(ख) बालुवा चाल्ने जाली	„	124	124	124	



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल सरकार गृह मन्त्रालय जिल्ला पञ्चायत नुवाकोट	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	76	76	76	
	(घ) ब्रास क्रसिङ्ग जाली	"	195	195	195	
	ड. स्टील जाली (crossing)	"	157	157	157	
	च मसिनो खालको steel Mosquito proof जाली	"	270	270	270	
28	फलामबाट निर्मित सामानहरु					
a	M.S. Grill बनाई गडान गर्ने काम	के.जी.	144	144	144	
b	कोल्योप्सीबल गेट बनाई जडान गर्ने	व.फि.	515	515	515	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	360	360	360	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्याल भएको	"	453	453	453	
e	फलामे रोलिङ्ग सटर ढण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	515	515	515	
f	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५०X ५ mm) को फ्रेम समेत।	"	670	670	670	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भ्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भ्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3142	3142	3142	
h	फलामे सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी.	46	46	46	
i	All type of general MS structural works	व.फी.	175	175	175	
j	Truss & roofing works Plain sheet 26 gauge	"	206	206	206	
k	Truss & roofing works colour sheet 26 gauge	"	242	242	242	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	196	196	196	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	1998	1998	1998	
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	793	793	793	
29	Glass सीसा					
29.1	Plain सादा (सेतो)					
	(क) ३ मी.मी.	व.फि.	52	52	52	
	(ख) ३.५ मी.मी.	व.फि.	58	58	58	
	(ग) ४ मी.मी.	व.फि.	66	66	66	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	(घ) ५ मी.मी. "	"	89	89	89	
	(ङ) ६ मी.मी. "	"	103	103	103	
	(च) ८ मी.मी. "	"	173	173	173	
29.2	Printed Glass (बुट्टेदार सिसा)					
	(क) ३ मी.मी.	"	47	47	47	
	(ख) ४ मी.मी. " "	"	55	55	55	
29.3	Poly Fibre Glass					
	(क) ६ मी.मी.	"	150	150	150	
29.4	Black Color Glass					
	(क) ३ मी.मी.	व.फि.	89	89	89	
	(ख) ४ मी.मी.	"	96	96	96	
	(ग) ५ मी.मी.	"	109	109	109	
	(घ) ६ मी.मी.	"	150	150	150	
	(ङ) ८ मी.मी.	"	219	219	219	
	(च) १० मी.मी.	"	314	314	314	
	(छ) १२ मी.मी.	"	355	355	355	
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107	
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture					
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753	
29.7	विभिन्न रंगको Reflector Glass (शिशु)					
	५ मी.मी. मोटो	व.फि.	171	171	171	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % अथ रकम लाग्ने छ।					
30	Corrugated/Plain Fiber Glass Sheet					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125	
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125	
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143	
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212	
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250	
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287	
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7	



सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		एकाई	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
31	भ्याल ढोकामा लाग्ने Fixture हरु				
	Iron बाट बनेका				
	Hinge (कब्जा)				
	(क) ३" साइज	गोटा	15	15	15
	(ख) ४" साइज	"	28	28	28
	(ग) ५" साइज	"	43	43	43
	(घ) ६" साइज	"	56	56	56
	Locking Set (L-drop)				
	300 mm	गोटा	260	260	260
	225 mm	"	227	227	227
	150 mm	"	195	195	195
	Aluminum बाट बनेका				
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	20	20	20
	(ख) ४" लामो	"	40	40	40
	(ग) ६" लामो	"	67	67	67
	(घ) ८" लामो	"	80	80	80
	(ङ) १०" लामो	"	94	94	94
	(च) १२" लामो	"	107	107	107
	Handle (हतकल)				
	Ordinary	गोटा	32	32	32
	Special	"	47	47	47
	Brass बाट बनेका				
	Hinge (कब्जा)				
	2" x 1/2"	गोटा	63	63	63
	2 1/2" x 3/4"	"	71	71	71
	3" x 3/4"	"	87	87	87
	2" x 3/4"	"	71	71	71
	2 1/2" x 3/4"	"	79	79	79
	3" x 3/4"	"	87	87	87
	3" x 1"	"	189	189	189
	4" x 1"	"	284	284	284
	5" x 1"	"	379	379	379
	6" x 1"	"	458	458	458
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	142	142	142
	(ख) ४" लामो	"	189	189	189
	(ग) ६" लामो	"	284	284	284
	(घ) ८" लामो	"	379	379	379
	(ङ) १०" लामो	"	473	473	473
	(च) १२" लामो	"	568	568	568
	Handle (हतकल)				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	6" Brass handle	गोटा	150	150	150	
	8" Brass handle	"	458	458	458	
	10" Brass handle	"	947	947	947	
	Brass 5"	"	142	142	142	
	Brass 6"	"	221	221	221	
	Locking Set (L-drop)					
	(क) ८" लामो	गोटा	947	947	947	
	(ख) १०" लामो	"	1562	1562	1562	
	(ग) १२" लामो	"	1735	1735	1735	
	Special Fittings					
	एल ड्रप :-					
	८" लामो	गोटा	1062	1062	1062	
	१०" लामो	"	1199	1199	1199	
	१२" लामो	"	1249	1249	1249	
	ह्याण्डल :-					
	८" लामो	"	1249	1249	1249	
	टावर बोल्ट :-					
	६" लामो	"	225	225	225	
	८" लामो	"	300	300	300	
	१०" लामो	"	375	375	375	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	892	892	892	
	१०" लामो	"	1130	1130	1130	
	१२" लामो	"	1249	1249	1249	
	ह्याण्डल :-					
	६" लामो	"	250	250	250	
	८" लामो	"	375	375	375	
	Mortice Lock					
	Ordinary	गोटा	625	625	625	
	Chinese	"	416	416	416	
	Indian Godrej Company	"	2557	2557	2557	
	Brass		1130	1130	1130	
	Door Spring (Door Closer)					
	Ordinary	गोटा	178	178	178	
	hydraulic	"	1874	1874	1874	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	18	18	18	
	Gate Hook					
	4" Gate hook	गोटा	31	31	31	
	5" Gate hook		35	35	35	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	6" Gate hook	"	42	42	42	
	Brass Gate hook		75	75	75	
	Door stopper					
	Diamond	गोटा				
	Butterfly	"	148	148	148	
	Bell catch 2" size	"	196	196	196	
	C.P. handle	"	425	425	425	
	Power coated handle	"	406	406	406	
	Brass coated handle	"	874	874	874	
	Door stopper, single brass stopper	सेट	100	100	100	
	Door stopper double brass stopper	"	178	178	178	
32	विविध सामग्रीहरू					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125	
	Nails (different sizes)	के.जी.	112	112	112	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721	
	कवाडी फलामे सामानहरू(बन्चरो,घन,छिन्ना आदि फलामे सामान)	के.जी.	26	26	26	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	21	21	21	
	Nut and Bolts	गोटा	29	29	29	
	Nut and Bolts (different sizes)	के.जी.	165	165	165	
	Sandpaper (खाप्सी)	गोटा	6	6	6	
	विभिन्न साइजका जे-हुक, यु-हुक	के.जी.	137	137	137	
	२" साइज रुफिङ नेल्स	गोटा	7	7	7	
	३" साइज रुफिङ नेल्स	"	10	10	10	
	Screw Brass					
	20mm	गोटा	2	2	2	
	25mm	"	3	3	3	
	35mm	"	4	4	4	
	50mm	"	12	12	12	
	75mm	"	15	15	15	
	Screw Steel					
	20mm	"	1	1	1	
	25mm	"	2	2	2	
	35mm	"	2	2	2	
	50mm	"	7	7	7	
	75mm	"	8	8	8	
	बिटुमीन बासर	गोटा	3	3	3	
	Roofing bitumen (रुफिङ अलकत्रा)	के.जी.	93	93	93	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472	
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318	
	१८-२० फिट लामो बाँस	गोटा	204	204	204	
	मैन पालिस	के.जि.	206	206	206	
	अक्जालिक एसिड	"	118	118	118	
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18	
	माटो (दुर्धान बाहेक)	घ.मि.	268	268	268	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	464	464	464	
	भुस	के.जि.	5	5	5	
	गोबर	"	5	5	5	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिट्र	0.26	0.26	0.26	
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	0.31	0.31	0.31	
33	स्टेनलेस स्टील पाइप (257/kg)					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	194	194	194	
	१" व्यास भएको १६ गेज मोटाई	"	243	243	243	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	309	309	309	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	346	346	346	
	२" व्यास भएको १६ गेज मोटाई	"	508	508	508	
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1168	1168	1168	
34	मार्बल चिप्स					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	170	170	170	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153	
35	मार्बल (Marble)				0	
35.1	राजस्थानी मार्बल				0	
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	158	158	158	
	१६ मी.मी बाक्लो राजस्थानी	"	164	164	164	
35.2	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	"	297	297	297	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	303	303	303	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	कररेट मा अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	346	346	346	
35.3	Kota Stone					
	1" thick	ब.फि.	142	142	142	
	3/4" thick	ब.फि.	130	130	130	
35.4	Sand stone (for rubbing Marble)	गोटा	72	72	72	
36	Porcelain Glazed/Terrazo Mosaic Tiles					
36.1	Porcelain Glazed Tiles					
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-	
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	"	-	-	-	
	Cotto Tiles	"	126	126	126	
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	85	85	
	Ordinary floor and wall Tile	"	54	54	54	
	Border Tile (२ " X ८ ")	र.फि.	43	43	43	
	Border Tile (२ " X ८ ")	व.फि.	178	178	178	
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Border Tile (31*45cm)	"	180	180	180	
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150	
	Flooring tile GVT Somany/Swastik/Victory / Español or equivalent					
	24"X24" GVT	व.फु.	165	165	165	
	24"X24" GRES Vitrified (Digital floor)	"	144	144	144	
	12"X12" GRES homogenous Vitrified parking tile	"	106	106	106	
	24"X24" Vitrified	"	111	111	111	
	Flooring tile Everest/Victory /Swastik /Español or equivalent					
	16"X16 "	व.फु.	98	98	98	
	12"X12"	"	88	88	88	
	12"X12" (White/Ivery)	"	77	77	77	
	2"X2"(Digital)	"	129	129	129	
	12"X24" (Wall)	"	134	134	134	
	12"X18" (Wall)	"	103	103	103	
36.2	L.G Floors Tiles					
	L.G. Deluxe Tiles (300x300x2mm)	व.फु.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-	
	L.G. Deco Wood (100x920x3mm)	"	-	-	-	
	Fittings for Tiles	"	14	14	14	
	Fittings for Tiles on stairs	"	16	16	16	
	Dendrite for tiles	लि.	371	371	371	

Page 29

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकइ	वस्तु मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
36.3	ELITE / FORBO FLOORING COATING					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	383	383	383	
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427	
	SCRATCH FABRIC FALSE CEILING	"	232	232	232	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62	
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403	
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.					
	a) POP Molding 1" to 1½"	र.मि	238	238	238	
	b) Up to 5" wide	र.मि	285	285	285	
	c) Up to 8" wide	र.मि	393	393	393	
	d) Above 8" wide	र.मि	161	161	161	
37.1	रंगरोगनका सामानहरू					
	(क) कृषि चुनवाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Asian , Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	"	268	268	268	
	(छ) उड प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	525	525	525	
	(च) नेपाल रेडको म्याट फिनिसिङ	लिटर	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	"	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	"	546	546	546	
	(ञ) तयारी बार्नेस	"	440	440	440	
	(ट) तयारी बार्नेर सेन्थेटिक	"	340	340	340	
	(ठ) भारतीय थिनर	"	231	231	231	
	(ड) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	(ढ) मेटल पुटिन	"	155	155	155	
	(ण) चुना पेन्ट गर्न राख्ने गम	"	203	203	203	
	(त) नेपाली थिनर	लिटर	218	218	218	
	(द) तारपिन तेल	"	214	214	214	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	(घ) रेड अक्साइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(प) Black Japan Paint	"	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	
	(म) तयारी बासेबल डिस्टेम्पर	लि.	223	223	223	Equivalent Asian , Berger & other company.
	(य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	526	526	526	
	(य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्प्रिट	लि.	118	118	118	
	(स) मोविकल/फेविकल	के.जि.	262	262	262	
	(ष) Tata Red Oxide Paint	"	262	262	262	
	(ह) गट्टा चुन (इण्डीयन)	"	22	22	22	
	(अ) Wall putty equivalent Asian , Berger & other company.	के.जि.	69	69	69	
	(त्र) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	
	Redoxide zink cromate primer For Bridge	लि.	463	463	463	
	Silk Breathless easy	लि.	1216	1216	1216	
	Road divider (polythene)	गोटा	1622	1622	1622	
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	1306	1306	1306	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3688	3688	3688	
	Epoxy Paint for Operation theater	"	11509	11509	11509	
37.2	Decorative Painting Material Acro & equivalents					
A	Specialized paints(Dr. wallz)					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	1099	1099	1099	
2	Acro Elastocrab (Anti carbonisation paint)	"	762	762	762	



सि.नं.	निर्माण सामग्रीहरूको विवरण	नक्सा परीक्षण गृह मन्त्रालय नयाँ बानेश्वर सुरेष्ट म.स.क. (VAT बाहेक)(रुपैयामा)			
		एकीकृत आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
B	Texture paints				
1	Mediterrano	के.जि	176	176	
2	Stucco Veneziano	"	1639	1639	
3	Velvetino	"	4305	4305	
4	Travertino	"	412	412	
5	Gtone plaster	"	121	121	
6	Colorato (Multi color)	"	921	921	
7	Pearl skin texture	"	149	149	
8	TS 52 Spray white	"	199	199	
9	Rustic	"	159	159	
10	Rockart	लिटर	159	159	
11	Manhattan	के.जि	238	238	
12	Sabbia	"	238	238	
13	Sandy Stone	"	174	174	
14	Insulplast	"	237	237	
15	Poly Under White	"	264	264	
16	Antica(Top coat)	"	1267	1267	
17	T.C 100(Top coat)	"	728	728	
18	Dekorica White	"	2631	2631	
19	Poly Plaster	"	107	107	
20	Granite tone	"	165	165	
21	Graffiato	"	159	159	
22	Elligance stone	"	189	189	
23	Marmorino Base	के.जि	412	412	
24	Acro fine	लिटर	181	181	
25	Marmocastro base	के.जि	139	139	
26	Selva Granite	"	215	215	
27	Romart	"	239	239	
C	Weathercoat paints				
1	Guard	लिटर	503	503	
2	Guard -3x	"	588	588	
3	Shield	"	322	322	
4	Acrotex matt	"	510	510	
5	Ext wall Primer	"	238	238	
D	Emulsion Paints				
1	silk Emulsion paints	"	522	522	
2	Aqualin Int.Emulsion	"	280	280	
3	pearl Emulsion paints	"	772	772	
4	int. wall Primer	"	172	172	
E	Acrylic Washable Distemper	"	142	142	
F	Acro gold Enamel	"	512	512	
G	Universal primer (wood primer)	"	313	313	
H	Red oxide metal primer	"	276	276	
I	Construction Chemical / waterproof coating system				
	crack sill	"	387	387	
	crack fill A+B	"	170	170	
J	Silicon Bases water repellent impregnation				
	Acropreg	"	466	466	
	Acropreg W	"	619	619	
	Wall putty	के.जि	39	39	



सि.नं.	निर्माण सामग्रीहरूको विवरण	दरदर (VAT बाहेक) (रुपैयामा)			
		एकाइ	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1	Acro Spanezia maestro finishes texture				
1.1	Mediterrano texture	ब.फि	128	128	128
1.2	Travertino texture	"	195	195	195
1.3	Velvetino texture	"	167	167	167
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133
1.5	Stucco veneziano texture	"	140	140	140
1.6	Pearl skin texture	"	120	120	120
1.7	Marmorino texture	"	156	156	156
2	Acro texture				
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74
2.3	Rustic texture	"	99	99	99
2.4	Rockart texture	"	93	93	93
2.5	Graffiato texture	"	103	103	103
2.6	Marmocastro texture	"	90	90	90
2.7	Marmoplast texture	"	90	90	90
2.8	Sabbia texture	"	112	112	112
2.9	Manhattan texture	"	112	112	112
2.10	Sandy stone texture	"	154	154	154
2.11	Selva Granite texture	"	116	116	116
2.12	Elligance stone texture	"	107	107	107
2.13	Granite tone texture	"	98	98	98
2.14	Romaart texture	"	124	124	124
2.15	Insulplast texture	"	135	135	135
3	Acro Bio-guard (Hospital Paint)	"	54	54	54
4	Acro Elastocarb(anti carbonisation paint)	"	38	38	38
1	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	1.ACROGUARD 3X	ब.फि	23	23	23
	2. ACROGUARD	"	21	21	21
	3. ACROSHIELD	"	17	17	17
	4. ACROTEX MATT	"	31	31	31
2	INTERIOR SURFACE EMULSION PAINTS				
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24
	2. ACROSILK EMULSION PAINTS	"	20	20	20
	3. AQUALIN EMULSION PAINTS	"	16	16	16
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18
	Expansion joint				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	इन्स्ट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to 70mm)	RM	31930	31930	31930	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785	
38	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236	
	Fittings for wall paper	ब.फि	7	7	7	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	रेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	White glue for wall paper	लि.	108	108	108	
39	Eradication of peepal & other plants					
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"-2" thickness	"	-	-	-	
	c) Stem up to 2"-3" thickness	"	-	-	-	
	d) Stem up to 3"-4" thickness	"	-	-	-	
40	Gypsum board					
40.1	Supplying and fixing of Thai gypsum board application work					
	i) फल्स सिलिङ्ग गर्ने	व.फि	-	-	-	
	ii) Water resistant false ceiling	"	-	-	-	
	iii) Wall partition	"	119	119	119	
	iv) Wall paneling	"	79	79	79	
	v) Metalized polited laminated Board (MPL) board	"	76	76	76	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70	
41	Calcium Silicate Board supplying & fitting all complete work					
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent)					
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793	
41.2	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	1770	1770	1770	
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	3288	3288	3288	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	a) Curb stone (M'25)	र.मि.	1101	1101	1101	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Bobby Checker	Sqft	42	42	42	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Bobby Checker	Sqft	44	44	44	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51	



सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट म.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	50 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52
	60 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53
	60 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55
	70 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61
	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	Nos	10	10	10
	Hexagon (22*22 cm) non colour	..	23	23	23
	Hexagon (22*22 cm) colour		25	25	25
	Squire paver (30*30*4.5cm)non colour	..	32	32	32
	Squire paver (30*30*4.5cm)colour		34	34	34
	inter block(24*13*6cm)	..	14	14	14
	Isave paver (20*16*6cm)	..	16	16	16
	supply of concrete Block different items United concrete or other Equivalent				
	Hollow Block (16"*8"*6")	Nos	78	78	78
	Hollow Block (16"*8"*4")	..	69	69	69
	Corner Hollow Block (16"*8"*6")	..	89	89	89
	Lintel Block (16"*8"*6")	..	89	89	89
	Pavers Block (fish or other shape) 60mm thick	..	20	20	20
	concrete Brick (9"*4"*2.5")	..	13	13	13
43	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"बाक्लो प्लाष्टरमा रुफिङ टाइलको बुझा काट्ने सामान सहित तयारी।	व.मि.	-	-	-
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम तयारी।	र.मी	-	-	-
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting				



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गुटि मा ब्याज दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	i) Heritage granular	व.फि	100	100	100	
	ii) Heritage flakes	"	124	124	124	
	iii) Heritage granite finish	"	108	108	108	
	iv) Heritage Top coat (plastic lamination)	"	29	29	29	
45	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू					
	i) Single glazing					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	6664	6664	6664	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	7493	7493	7493	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8214	8214	8214	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	8328	8328	8328	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	8884	8884	8884	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	8884	8884	8884	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	8606	8606	8606	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	9991	9991	9991	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	9796	9796	9796	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	10353	10353	10353	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	"	10717	10717	10717	
13	UPVC60x60mm white colour swing door with 5mm glass pannel		6727	6727	6727	
ii) Double glazing						
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	8935	8935	8935	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	9718	9718	9718	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10439	10439	10439	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	10547	10547	10547	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	11103	11103	11103	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	10825	10825	10825	
9	Supply & fixing of 80*50 mm white colour casement window	"	9611	9611	9611	
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivailent					



सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		एकाइ	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 40 mm thick	..			
	b) 50 mm thick	..	232	232	232
	c) 75 mm thick	Sq .m.	294	294	294
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	271	271	271
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	237	237	237
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	302	302	302
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	211	211	211
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	279	279	279
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent				0
	6 mm thick	Sqft	33	33	33
	8 mm thick	Sqft	41	41	41



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकैडि	दररेट म.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	10 mm thick	Sqft	52	52	52	
	12 mm thick	Sqft	62	62	62	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	255	255	255	
	75 mm thick	Sqft	337	337	337	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	देररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348	
47	Aluminium & Steel Door & Window				0	
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	499	499	499	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	536	536	536	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	523	523	523	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	561	561	561	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	645	645	645	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	403	403	403	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	499	499	499	



सि.नं.	निर्माण सामग्रीहरूको विवरण	गृह मन्त्रालय, नेपाल (VAT बाहेक)(रुपैयामा)				
		एकाई	आ.व. ०७३/०७४	आ.व. ०७४/०७५		आ.व. ०७५/०७६
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	447	447	447	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	611	611	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	611	611	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	357	357	357	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	474	474	474	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	474	474	474	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	449	449	449	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	492	492	492	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	542	542	542	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	542	542	542	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	492	492	492	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	521	521	521	


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	595	595	595	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	438	438	438	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	140	140	140	
	90 series windows					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	490	490	490	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	517	517	517	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	412	412	412	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	140	140	140	
	78 series windows				0	
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	430	430	430	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	459	459	459	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	385	385	385	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	127	127	127	
	Casement window and doors					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	504	504	504	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	547	547	547	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	696	696	696	
	Partation work					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	329	329	329	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	350	350	350	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	377	377	377	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	469	469	469	
	Structure glazing					
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	525	525	525	
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	609	609	609	
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	740	740	740	
48	Aluminium composite panel					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND, ALUTUF, INDO BOND or equivalent					
	3 mm, .20 mm black core	वफी	350	350	350	
	3 mm, .25 mm black core	"	359	359	359	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	3 mm , .30 mm black core	"	372	372	372	
	4 mm , .25 mm black core	"	381	381	381	
	4 mm , .30 mm black core	"	372	372	372	
	4 mm , .50 mm black core	"	394	394	394	
	4 mm , .25 mm Vergin core	"	403	403	403	
	4 mm , .30 mm vergin core	"	372	372	372	
	4 mm , .50 mm vergin core	"	403	403	403	
49	Water proofing (chemicals & Tretment)works					
1	CONCRETE ADMIXTURES (Chemical)					
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	165	165	165	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375	



सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495
1.15	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650
2	CONCRETE ADMIXTURES (Mineral)				0
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	315	315	315
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	94	94	94
3	JOINT SEALANTS & SYSTEMS				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597	
3.7	Butyl Tape for various Applications	RM	166	166	166	
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666	
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865	
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324	
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993	
3.12	Glass Fiber Joint Tape	RM.	300	300	300	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594	
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065	
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997	
4	INDUSTRIAL FLOORING SOLUTIONS					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662	
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331	
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997	
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399	
5	ENGINEERING GROUTS					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135	
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213	
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3328	3328	3328	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 ML Cartridge]	ML	5990	5990	5990	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	Kg.	1597	1597	1597	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662	
7.4	Loose steel Fibers	Kg.	333	333	333	
7.5	Glued Steel Fibers	Kg.	466	466	466	
7.6	Crimped Steel Fibers	Kg.	245	245	245	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990	
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396	
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597	
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532	
8.10	Concrete Curing Aid	Kg.	532	532	532	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	700	700	700	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331	
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331	
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266	
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700	
10	PREPACKED MORTARS					
10.1	Tile, Mabrbble, Granite etc. Adhesive	Kg.	100	100	100	
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466	
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	90	90	90	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90	
11	WATERPROOFING SYSTEMS, Bal endura or equivalent					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315	
	LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932	



सि.नं.	निर्माण सामग्रीहरूको विवरण	नक्साकाट एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750	
11.7	Acrylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700	
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363	
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424	
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815	
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452	
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815	
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600	
	PREFORMED					
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178	
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420	
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210	
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815	
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815	
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420	
11.2	PVC Adhesive	Kg.	3025	3025	3025	
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420	
11.22	EPDM Adhesive	Kg.	3025	3025	3025	
11.23	EPDM Primer	Kg.	3630	3630	3630	
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235	
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968	
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
12	SPECIALTY					
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484	
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075	
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075	
12.5	Swellable WATERSTOP	RM.	3025	3025	3025	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	121	121	121	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331	
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420	
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200	
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150	
13.7	EPOXY PRIMER	Kg.	4235	4235	4235	
13.8	SATURANT	Kg.	3630	3630	3630	
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420	
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630	
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840	
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100	
14	Soil Stabiliser / Admixture					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670	
15	Concrete curing compound					
15.10	Concrete Curing Aid	Kg.	453	453	453	



सि.नं.	निर्माण सामग्रीहरूको विवरण	डिस्ट्रिक्ट म.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721
50	परम्परागत निर्माण सामग्रीहरू :-				
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	21	21	21
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	16	16	16
	३) दचिअपा ठूलोको कुँ	"	25	25	25
	४) दचिअपा सानोको कुँ अपा	"	21	21	21
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	19	19	19
	६) माँ अपा ठूलो 241x60x158 mm	"	24	24	24
	७) मा अपा सानो ८-३/८"×२"×५"	"	15	15	15
	८) धुरी चाङ्ग ठूलो ९-३/८"×१-१/२"×३/४"	"	23	23	23
	९) धुरी 230x295x25 mm	"	-	-	-
	१०) धुरी चाङ्ग सानो	"	18	18	18
	११) फिगटी नया ८-३/४"×४"	गोटा	11	11	11
	१२) फिगटी पुरानो	गोटा	7	7	7
	१३) ढुक्कु	गोटा	40	40	40
	१४) Snake body brick traditional	गोटा	25	25	25
	१५) Snake neck brick ,,	गोटा	74	74	74
	१६) Snake head brick ,,	गोटा	145	145	145
	क)साना	"	१13	113	113
	ख)ठूलो	"	227	227	227
	१७) पेटाकोलागि ढुङ्गा				
	क) १८"×१०"×४"	"	680	680	680
	१८) नागोख ईटा	गोटा	19	19	19
	१९)९"X ९"X १८ इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266
	२०) फःल्होह अपा ठूलो 375x225x100mm	गोटा	170	170	170
	२१) फःल्होह अपा सानो 254x229x102mm	"	142	142	142
	२२) तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	14	14	14
	२३) तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	"	10	10	10
	२४) चारकुनै तेलिया ईटा (८"×८"	"	19	19	19
	२५) तेलिया ईटा (६"×६"	"	14	14	14
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	"	28	28	28
	२७) बुट्टेदारी कर्निश इटा कुना	"	42	42	42
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	170	170	170

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	"	34	34	34
	३०) काठको कर्निश माथिको ईटा ११×६×२.५"	"	57	57	57
	३१) कर्नर स्टोन : १०"×१०"×१४"	"	1586	1586	1586
	३२) का. विचको त्याहाकल्ल १०"×७"×१४"	"	1076	1076	1076
	३३) नागोल दुङ्गा १८"×१०"×५"	"	793	793	793
	३४) भौ प्वा	गोटा	227	227	227
	३५) तामा पाता (नेपाली)	केजी	1076	1076	1076
	तामा पाता (Indian)	केजी	1246	1246	1246
	३६) पित्तल पाता	केजी	850	850	850
	३७) पारो	ग्राम	170	170	170
	३८) सुर्कि ईटा कुटि धुलो बनाएको ।	टन	1360	1360	1360
	३९) Wind bell हवा घण्टी ४"	गोटा	467	467	467
	४०) न्हकल्लो बीचको	१ गोटा	1700	1700	1700
	४१) पेटीदुङ्गा ४"	१ मि.	2039	2039	2039
	४२) पेटीदुङ्गा ५"	१ मि.	2493	2493	2493
	४५) श्री गणेश	गोटा	1133	1133	1133
	४६) कुमार	गोटा	1133	1133	1133
	४७) दुङ्गे धारा	गोटा	1133	1133	1133
	४८) ल्हाके सेट	गोटा	2266	2266	2266
	४९) नागवेली बूटा	गोटा	25	25	25
	५०) नागवेली बूटा कूना	गोटा	37	37	37
	५१) स्वा बूटा	गोटा	35	35	35
	५२) चीर बूटा	गोटा	25	25	25
	५३) कर्नेसफयो	गोटा	22	22	22
	५४) कर्नेस गजूर पली	गोटा	34	34	34
	५५) ठुलो कलश	गोटा	170	170	170
	५६) मसौनो सुर्कि	केजि	13	13	13
	५७) खस्रो सुर्कि	केजि	8	8	8
	५८) गद्दा चुन	के.जि.	25	25	25
59	मा अषा (साइज 200x50x130)	गोटा	15	15	15
60	दीब अषा (साइज 200x55x100)	"	18	18	18
61	त्वा अषा (साइज 110x55x180)	"	18	18	18
62	गोल अषा (साइज 120x55x80)	"	18	18	18
63	गणेश अषा (साइज 200x250x35)	"	340	340	340
64	कुमार अषा (साइज 200x250x35)	"	340	340	340
65	तारा अषा (साइज 200x250x55)	"	340	340	340
66	पञ्च बुद्ध अषा (साइज 170x230x55)	"	340	340	340
67	कलस अषा (साइज 100x140x40)	"	57	57	57
68	नागोल अषा (साइज 140x52x120)	"	20	20	20
69	कर्नेस अषा (साइज 230x55x100)	"	29	29	29
70	सकली अषा (साइज 140x55x115)	"	25	25	25



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
71	पानबुट्टा अपा (साइज 140x55x115)	"	25	25	25
72	सानो फ बुट्टा अपा (साइज 180x55x30)	"	29	29	29
73	ठूलो फ बुट्टा अपा (साइज 230x55x110)	"	29	29	29
74	नया फ बुट्टा अपा (साइज 230x55x110)	"	29	29	29
75	साना ग बुट्टा अपा (साइज 140x50x110)	"	25	25	25
76	ठूलो ग बुट्टा अपा (साइज 230x55x90)	"	29	29	29
77	पुम्हा बुट्टा अपा (साइज 180x55x70)	"	29	29	29
78	तिनकुने स्वा अपा (साइज 200x550x30)	"	29	29	29
79	तिनकुने पलि अपा (साइज 200x550x90)	"	29	29	29
80	साना स्वा अपा (साइज 140x50x110)	"	25	25	25
81	ठूलो स्वा अपा (साइज 230x55x90)	"	29	29	29
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	142	142	142
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	74	74	74
84	नाग जीउ (साइज 140x60x70)	"	25	25	25
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567
86	खाल नागोल (साइज 130x55x120)	"	20	20	20
87	खाल फयो (साइज 130x55x135)	"	20	20	20
88	लहरा बुट्टा (साइज 125x45x140)	"	25	25	25
89	नग बेली (साइज 140x55x120)	"	25	25	25
90	मिखाफुसी (साइज 140x55x120)	"	34	34	34
91	पलियो दायाँ/बायाँ (साइज 130x55x120)	"	25	25	25
92	नया पलिफो (साइज 185x52x80)	"	29	29	29
93	सिधा पलिफो (साइज 190x55x90)	"	29	29	29
94	२" सिंह (साइज 95x50x10)	"	34	34	34
95	२"गरुड (साइज 95x50x100)	"	34	34	34
96	धलिख्वा (साइज 95x50x100)	"	34	34	34
97	श्रीयन्त्र (साइज 70x700x80)	"	45	45	45
98	त्वा फयो (साइज 140x55x120)	"	20	20	20
99	तारा बुट्टा पुरानो (साइज 180x55x80)	"	25	25	25
100	तारा बुट्टा नया (साइज 230x70x90)	"	29	29	29
101	स्वाफो तारा (साइज 220x55x90)	"	29	29	29
102	सिक्री बुट्टा (साइज 220x55x80)	"	29	29	29
103	न्हाय बुट्टा सानो (साइज 140x65x130)	"	29	29	29
104	न्हाय बुट्टा ठूलो (साइज 140x100x130)	"	29	29	29
105	नोल नगोल (साइज 2000x55x90)	"	20	20	20
106	छी बुट्टा (साइज 210x55x75)	"	29	29	29
107	सानो/ठूलो (साइज)	"	29	29	29
51	Security System				
	Steel Security Gate supply				
	Metal detector (black Scorpion Company)	गोटा	16995	16995	16995
	Access Controller (Taiwanese)	गोटा	28840	28840	28840
	Access Controller (Chainese)	गोटा	13905	13905	13905
	Steel Security Door				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	34333	34333	34333	
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600	
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875	
	iv) Finger print access system with software	गोटा	36050	36050	36050	
	v) Security from Panic Alarm	गोटा	36050	36050	36050	
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749	
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)				0	
	Up to 1/2 H.P.	गोटा	4326	4326	4326	
	1.0 H.P.	गोटा	5948	5948	5948	
	5 H.P.	गोटा	9734	9734	9734	
52	Bridge Materials					
	Elastomeric Bearing Pad					
	Free Type	NOS	20554	20554	20554	
	Fix end Dowel Type	..	48489	48489	48489	
	Expansion Joint Works					
	Single strip seal	Rm	9328	9328	9328	
	Slab seal(320*50)	..	19277	19277	19277	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	72	72	72	
	v) Φ 26 mm thimble	Pc	361	361	361	
	vi) Φ 32 mm thimble	Pc	618	618	618	
	vii) Φ 36 mm thimble	Pc	1236	1236	1236	
	viii) Φ 40 mm thimble	Pc	1545	1545	1545	
	ix) Φ 13 mm Bulldog grip	Pc	72	72	72	
	x) Φ 26 mm Bulldog grip	Pc	361	361	361	
	xi) Φ 32 mm Bulldog grip	Pc	541	541	541	
	xii) Φ 36 mm Bulldog grip	Pc	670	670	670	
	xiii) Φ 40 mm Bulldog grip	Pc	670	670	670	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m ²	412	412	412	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6695	6695	6695	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258	258	258	
	xviii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	361	361	361	
	High tensile friction grip nut bolts	kg	335	335	335	
	Galvanization:					
	Zinc Above 98.5% purity	kg	309	309	309	
	Premix of Zinc ammonium chloride	kg	595	595	595	
	Hydraucloric acid	Lit	41	41	41	
53	Concrete Post (Size 4"X4")					
	Length 7'	गोटा	874	874	874	
	Length 5'	"	437	437	437	
	Length 3'	"	219	219	219	
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation, basement and shear wall	Sq.m.	2963	2963	2963	
55	Readymade RCC Door & windows frame (4"X2.75" of 1:1:1 concrete mix design safety plate all complete work.	Rft	232	232	232	
	" Ventilation	"	232	232	232	
	" Arc frame semi circular	"	464	464	464	

Sanitary Works

बिदुर, नुवाकोट

श्रावण, २०७५

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७२/०७३	आ.व. ०७३/०७४	आ.व. ०७४/०७५
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)				
	White glazed porcelain pan				
	i) 530mm size white glazed without siphon	सेट	2524	2524	2524
	ii) 500 mm size white glazed without siphon	"	2741	2741	2741
	iii) 580 mm size orrisa Pan	"	3371	3371	3371
	iii) 580 mm size white glazed Indian pan	"	1049	1049	1049
	iv) Siphon 'p' or 's' type	"	590	590	590
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524
	Porcelain Clay Cistern				
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698
	Commode				
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1825
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		18119	18119	18119
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	28875	28875
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	20389	20389

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दर मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5252	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8656	
	x) 600 to 900 mm Grab bar	"	6062	6062	6062	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size (Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1619	1619	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291	
	Porcelain Clay Urinal Squatting Plate				0	
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212	
	ii) Porcelain clay white glaze squatting plate large size	"	1454	1454	1454	
	iii) Porcelain clay super color squatting plate large size.	"	2831	2831	2831	
	iv) Urinal Spreader	"	915	915	915	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1481	1481	
	iv) Do but wash basin (45×32)cm	"	1065	1065	1065	
	vi) white glazed porcelain clay Corner basin 40×40 complete set	सेट	1201	1201	1201	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8348	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	रिट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"	13776	13776	13776
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	9785
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6232	6232	6232
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	20549
	Pedestal:				
	i) Porcelain clay white glaze pedestal	"	1378	1378	1378
	iii) White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1670
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	1973
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313	13313	13313
	Urinal Partition				0
	White glaze porcelain clay (68×30)cm division plate	"	1741	1741	1741
	Lab sink				0
	i) Porcelain clay white glaze large size	"	2222	2222	2222
	ii) Porcelain clay white glaze small size	"	1653	1653	1653
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	27553	27553
	Kitchen sink				
	i) Porcelain clay large	सेट	3763	3763	3763
	ii) Porcelain clay small	"	3409	3409	3409
	iii) drain board white 53x45	"	1304	1304	1304
	iii) Soap dish	"	661	661	661
	iv) White glaze foot rest	"	419	419	419
	v) White glaze Toilet paper holder	"	1157	1157	1157
2	PVC Cistern Set				
	i) single flush	सेट	1973	1973	1973
	ii) Deluxe single flush	"	2204	2204	2204
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दरदु. मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862	
	v) 32 mm pvc bottle trap set.	पिस	476	476	476	
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	143	
	vi) Bakelite toilet seat cover set.	"	276	276	276	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45x45x30 size	"	18185	18185	18185	
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276	
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4182	4182	4182	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6455	6455	6455	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157	1157	1157	
	Stainless steel bowl 19"x16" diamond board 37" long	"	2673	2673	2673	
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3660	



सि.नं.	निर्माण सामग्रीहरुको विवरण	कररेट सु.अ.क. (VAT बाहेक)(रुपैयामा)			
		एकाई	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786
	Stainless steel p trap bottle trap for basin	"	2324	2324	2324
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462	1462	1462
	Stainless steel Hose ringer 1200 mm	"	1274	1274	1274
	Stainless steel comode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1798	1798
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	6943	6943
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425	4425	4425
	Stainless steel Sink 700*450*200	"	24246	24246	24246
	Stainless steel Sink table top 1200*600*300	"	33504	33504	33504
	Steel Split clamp with washer all complete				0
	75 mm dia	पिस	331	331	331
	110 mm dia	"	441	441	441
	160 mm dia	"	771	771	771
	Stainless steel telephonic shower(Jaquar, Somany, Essel or equivalent)	गोटा	1240	1240	1240
	Stainless steel shower with sliding bar(Jaquar, Somany, Essel or equivalent)	"	2976	2976	2976
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	9785	9785
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647	647	647

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Stainless steel towel bar 450 mm	..	1240	1240	1240	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12124	12124	12124	
	Capacity 1000 ltr	..	17699	17699	17699	
	Capacity 1500 ltr	..	27212	27212	27212	
	Capacity 2000 ltr	..	32743	32743	32743	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	..	4313	4313	4313	
	ii) super lab sink small size	..	3401	3401	3401	
	Super kitchen sink					
	i) super kitchen sink large size	..	7465	7465	7465	
	ii) super kitchen sink small size	..	6756	6756	6756	
	Modern Sanitaryware:Grohe, 4 Hansgrohe, American Standard or eqv.					
	iv) Hand dryer Germany	..	19397	19397	19397	
	v) Hand Dryer Chinese	..	7164	7164	7164	
	vi) Indian Mark Brand Flush valve	..	5731	5731	5731	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	..	35267	35267	35267	
	xv) European pattern liquid soap container stainless steel	..	6062	6062	6062	
	xvii) Looking Mirror Modi guard 450x600mm (18"x 24")	..	1459	1459	1459	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	..	4786	4786	4786	
	b) 45 cm long bend type	..	5012	5012	5012	
	c) 60 cm long bend type	..	6418	6418	6418	
5	C.P. Accessories(jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	..	510	510	510	
	2) Soap dish	..	510	510	510	
	3) Towel rod ½"x18" size	..	510	510	510	
	4) Towel rod ¾" x24" size	..	567	567	567	
	5) Glass shelf	..	680	680	680	
	6) C.P. bottle trap	..	1246	1246	1246	
	7) 32 mm×60cm long C.P flush pipe	..	510	510	510	
	8) 15 mm flush cock push type	..	1133	1133	1133	
	9) 15 mm dia. C.P. shower arm	..	976	976	976	
	10) 15 mm dia. C.P. spreader	..	940	940	940	
	11) 15 mm dia. C.P. wall mixture	..	5435	5435	5435	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	वरेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	i) 3" dia. Shower rose , revolving type	"	906	906	906	
	ii) 4" dia. Shower rose , revolving type	"	1020	1020	1020	
	iii) Shower rose ordinary	"	567	567	567	
	iv) Shower rod 12" long	"	283	283	283	
	C.P. 15 mm dia. Angle Valve	"	1244	1244	1244	
	C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807	
	C.P. 15mm Bib Cock	"	1361	1361	1361	
	C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1331	
	C.P. 15 mm dia Stop Cock	"	1331	1331	1331	
	C.P. 15 mm dia Sink Cock	"	1309	1309	1309	
	C.P. 15 mm dia Sink Mixture	"	4472	4472	4472	
	C.P. 32 mm dia Flush Valve	"	5404	5404	5404	
	C.P. 32 mm dia Waste Coupling for basin	"	424	424	424	
	C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	689	
	C.P. Basin Mixture	सेट	4640	4640	4640	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1731	
	C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2014	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4169	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849	
	C.P. flexible pipe	रोटा	181	181	181	
	C.P. Grating					
	i) 4" dia.	"	50	50	50	
	ii) 5" dia.	"	62	62	62	
	i) C.P. Toilet Paper Holder	"	929	929	929	
	ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042	
	iii) C.P. Towel Rod 18"	"	1578	1578	1578	
	iv) C.P. Towel Rod 24"	"	1663	1663	1663	
	v) C.P. Glass Shelf 22"	"	2260	2260	2260	
	vi) C.P. Coat Hook Double	"	812	812	812	
	C.P. बाट निर्मित सामग्रीहरु(jaquar, somany, essel or equivalent)	"				
	i) C.P. Toilet Paper Holder	"	969	969	969	
	ii) C.P. Soap Dish(Polyurethane)	"	843	843	843	
	iv) C.P. Towel Rod 24"	"	1643	1643	1643	
	v) C.P. Glass Shelf 22"	"	2232	2232	2232	
	vi) C.P. Coat Hook Double	"	758	758	758	
	ix) C.P. Angle Cock					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	15mm C.P. Angle Cock	"	927	927	927	
	15 mm C.P. Angle Cock Long Thread	"	986	986	986	
	x) C.P. Conceal Stop Cock	"				
	i) 15 mm Reduced body	"	1136	1136	1136	
	ii) 15 mm Extra Heavy Body	"	1390	1390	1390	
	xi) C.P. Bib Cock	"				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2612	
	ii) 15mm C.P. Bib Cock	"	952	952	952	
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1054	
	xii) C.P. Pillar Cock	"				
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1263	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2527	
	i) 15mm C.P. Sink Cock	"	1600	1600	1600	
	ii) C.P. Sink Mixer	"	3966	3966	3966	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3456	
	xv) C.P. Bottle Trap 32mm	"	1852	1852	1852	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3874	
	xvii) C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	446	446	446	
	32 mm C.P. Waste Coupling F/T	"	446	446	446	
	xviii) 15 mm Urinal Auto- Closing Valve with Built-in Control Cock	"	2694	2694	2694	
	xix) 15 mm C.P. Wall Mixer	"				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4463	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4463	4463	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3706	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	3891	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall flange	"	1263	1263	1263	
	15mm Bath Tub Spout with button attachment	"	2021	2021	2021	
	xxii) C.P. Casted Shower Arm with Flange	"				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दरदरेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	15 mm Casted Shower Arm Light	"	673	673	673	
	15 mm Casted Shower Arm Heavy	"	1094	1094	1094	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1791	1791	1791	
	With 1.5 Flexible Tube	"				
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3224	3224	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4834	4834	
	15 mm Braided Hose for E.W.C.	"	298	298	298	
	15 mm Health Faucet (Commode Spray)	"	1146	1146	1146	
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1515	
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1598	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	5956	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5776	
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	20481	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	20481	20481	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16221	
	Sensor valve for Urinal	"	10651	10651	10651	
	Basin cock Sensor	"	14418	14418	14418	
	15mm U shaped sink cock	"	1712	1712	1712	
	Sink Mixture with U shape swinging spout	"	3358	3358	3358	
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2171	
	7 Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241	
	ii) 25 lit cap. " " "	"	17331	17331	17331	
	iii) 35 lit cap " " "	"	21546	21546	21546	
	iv) 50 lit cap " " "	"				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	v) 15.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12123	12123	12123	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	669	669	669	
	ii) 12" × 12" (5 Kg.)	"	836	836	836	
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1171	
	v) 16" × 16" (10 Kg.)	"	1673	1673	1673	
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2509	
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2677	
	ix) 22" × 22" (20 Kg.)	"	3346	3346	3346	
	x) 24" × 24" (24 Kg.)	"	4294	4294	4294	
	xi) 27" × 27" (31 Kg.)	"	5186	5186	5186	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2342	2342	2342	
	ix) 22" × 22" (22 Kg.)	"	3681	3681	3681	
	xi) 27" × 27" (45 Kg.)	"	7528	7528	7528	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12123	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15154	
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19397	
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	28974	
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6207	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7759	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11153	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13578	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942	

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व.		
			०७३/०७४	०७४/०७५	०७५/०७६
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	..	17942	17942	17942
8.3	C.I. Tank Cover Locking Types				
	Round				
	18" (8 Kg.)	सेट	1673	1673	1673
	20" (12 Kg.)	..	2454	2454	2454
	22" (14 Kg.)	..	2788	2788	2788
	24" (16 Kg.)	..	3346	3346	3346
	28" (24 Kg.)	..	5019	5019	5019
	Square				
	18" x 18" (13 Kg.)	सेट	2788	2788	2788
	24" x 24" (50 Kg.)	..	10038	10038	10038
	Rectangular				
	18" x 24" (27 Kg.)	सेट	5577	5577	5577
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	सेट	100	100	100
	5"	..	134	134	134
	6"	..	178	178	178
	10"	..	613	613	613
	Square Jali Strip Medium Duty				
	4" x 4"	सेट	89	89	89
	5" x 5"	..	112	112	112
	6" x 6"	..	134	134	134
	9" x 9"	..	390	390	390
	10" x 10"	..	502	502	502
	12" x 12"	..	725	725	725
	C.I. Gully Gratings				
	i) 15"x18" Medium (18 Kg.)	सेट	3681	3681	3681
	ii) 15"x18" Heavy (25 Kg.)	सेट	5019	5019	5019
	Grit Cover				
	फलामे एड्रलको फ्रेममा फलामे पतियो जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	162	162
	Aluminum Grating 4" dia.	गोटा	42	42	42
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	गोटा	8317	8317	8317
	ii) 200 gls	..	13066	13066	13066
	iii) 300 gls	..	16434	16434	16434
	iv) 400 gls	..	19730	19730	19730
	v) 500 gls	..	23036	23036	23036
	G.I. Water Tank (16 BWG TATA Sheet)				
	i) 100 gls	गोटा	8773	8773	8773

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	ii) 200 gls	"	13267	13267	13267
	iii) 300 gls	"	17615	17615	17615
	iv) 400 gls	"	21106	21106	21106
	v) 500 gls	"	24597	24597	24597
10	Roof Top PVC Water Tank				
	i) 200 lit – 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit – 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	Water Pumps/Hand Pumps				
	Indian Mark-III , Deep Well Hand Pump				
	6 No. hand pump	गोटा	1582	1582	1582
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885
	ii) ½ H.P. Water Pump mono block type	"	6258	6258	6258
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14258
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9465	9465
	v) 2.0 H.P. water pump	"	22587	22587	22587
	vi) 2.0 H.P.3 phase water pump	"	23847	23847	23847
	vii) 5.0 HP 3 phase water pump	"	28656	28656	28656
	Jet Water Pump				
	i) 1.10 H.P.	सेट	21630	21630	21630
	ii) Double Stage jet 1.10 H.P.		25956	25956	25956
	ii) 1.5 H.P.	"	29201	29201	29201
	Super Sunction				
	i) ½ H.P.	सेट	8922	8922	8922
	ii) 0.75 H.P.	"	8328	8328	8328
	iii) 1.0 H.P.	"	14276	14276	14276
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18202	18202
	ii) 2 H.P. single pump set "	"	29233	29233	29233
	Fire pump				
	Submersible Pump (Italian)				
	i) 1.0 H.P.	"	26089	26089	26089
	ii) 2.0 H.P.	"	48397	48397	48397
	Electric Water Pump (Chinese)				
	i) ½ H.P.	"	1703	1703	1703
	ii) ¾ H.P.	"	2219	2219	2219
	iii) 1.0 H.P.	"	3270	3270	3270
	Submersible Pump Sarvo/Bimal or equivalent				
	i) ½ H.P open well type	"	16655	16655	16655
	ii) 1.1 H.P open well type	"	24388	24388	24388

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	रु. अ. क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	iii) 1.5 H.P open well type Vertical Submersible Pump Sarvo/Bimal or equivalent	"	29741	29741	29741	
	i) 1.1 H.P	"	27254	27254	27254	
	iii) 1.5 H.P	"	32932	32932	32932	
12	Fire fighting equipment and accessories (safeguard india or equiv)					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-	
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)				0	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-	-	-	
	iii) 3.0kg size ABC ,, ,, ,,	"	-	-	-	
	iii) 5.0kg size ABC ,, ,, ,,	"	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-	
	viii) 2.5 kg size ABC ,, ,,	"	-	-	-	
	ix) Co ₂ Type fire extinguisher 6.80 lit	"	-	-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक) (रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-
14	Insulation for hot water pipe 'Acroflex'		-	-	-
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-
	20mm Insulation 6 mm wall thickness	"	-	-	-
	25mm Insulation 6 mm wall thickness	"	-	-	-
	32mm Insulation 6 mm wall thickness	"	-	-	-
15	ACRYLIC GLASS SHELF				
	i) Acrylic glass shelf best quality	सेट	-	-	-
	ii) Acrylic glass shelf ordinary	"	-	-	-
	iii) Shower curtain	"	-	-	-
16	Water Purification System		-	-	-
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-
	AQUA-power water purifier	"	-	-	-
	RO feed pump	सेट	-	-	-
	Fire Sprinkler	"	-	-	-
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-
	Filter Media for existing filtration system		-	-	-
	Pebbles	के.जी.	-	-	-
	Coarse silex	"	-	-	-
	Gravel	"	-	-	-
	Golden sand	"	-	-	-
	Anthracite	"	-	-	-
	MNo2	"	-	-	-
	Activated Carbon	"	-	-	-
	Motor starter switch	"	-	-	-
	Pressure sensor switch for water tank (Italian)	"	-	-	-

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	"	-	-	-	
	b) Bath tub – 4'0" Medium	"	6705	6705	6705	
	Bath tub 4'0" Heavy	"	7787	7787	7787	
	c) Bath Tub – 4'6" Medium	"	8111	8111	8111	
	Bath tub – 4'6" Heavy	"	8137	8137	8137	
	d) Bath tub – 5'0" Medium	"	8868	8868	8868	
	Bath tub 5'0" Heavy	"	29355	29355	29355	
	e) Bath Tub – 5'6" Medium	"	7957	7957	7957	
	Bath tub – 5'6" Heavy	"	9373	9373	9373	
	f) Bath Tub – 6'0" Medium	"	12875	12875	12875	
	Bath tub – 6'0" Heavy	"	36823	36823	36823	
18	Shower Tray 3'0"×3'0"	गोटा	500	500	500	
	Pipes and fittings					
19	PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	63	63	63	
	25mm 2.3 mm thick 0.164kg/m	"	95	95	95	
	32mm 2.9 mm thick 0.26kg/m	"	152	152	152	
	40mm 3.7 mm thick 0.412kg/m	"	239	239	239	
	50mm 4.6 mm thick 0.638kg/m	"	372	372	372	
	63 mm 8.6 mm thick 0.638kg/m	"	588	588	588	
	75 mm	"	820	820	820	
	90 mm	"	1181	1181	1181	
	110 mm	"	1751	1751	1751	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	84	84	84	
	25mm 3.50 mm thick 0.26kg/m	"	131	131	131	
	32mm 3.7 mm thick 0.230kg/m	"	209	209	209	
	40mm 5.50 mm thick 0.575kg/m	"	335	335	335	
	50mm 6.90 mm thick 0.896kg/m	"	521	521	521	
	63 mm 4.6 mm thick 0.638kg/m	"	820	820	820	
	75 mm	"	1169	1169	1169	
	90 mm	"	1670	1670	1670	
	110 mm	"	2501	2501	2501	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"	100	100	100	
	25mm 4.20 mm thick 0.266kg/m	"	155	155	155	
	32mm 5.40 mm thick 0.434kg/m	"	252	252	252	
	40mm 6.70mm thick 0.671kg/m	"	390	390	390	
	50mm 8.30 mm thick 1.04kg/m	"	605	605	605	
	63mm 8.6mm thick 1.04kg/m	"	960	960	960	
	75 mm	"	1361	1361	1361	
	90 mm	"	1955	1955	1955	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	110 mm	"	2915	2915	2915	
	PP-R Pipe Accessories :					
	Elbow (90⁰)					
	20mm	गोटा	13	13	13	
	25mm	"	27	27	27	
	32mm	गोटा	45	45	45	
	40mm	"	95	95	95	
	50mm	"	159	159	159	
	63 mm	"	280	280	280	
	75 mm	"	526	526	526	
	90 mm	"	888	888	888	
	110 mm	"	1653	1653	1653	
	Equal Tee					
	20mm	"	18	18	18	
	25mm	"	32	32	32	
	32mm	"	56	56	56	
	40mm	"	109	109	109	
	50mm	"	185	185	185	
	63mm	"	337	337	337	
	75 mm	"	584	584	584	
	90 mm	"	1069	1069	1069	
	110 mm	"	1858	1858	1858	
	Coupler					
	20mm	गोटा	11	11	11	
	25mm	"	13	13	13	
	32mm	"	27	27	27	
	40mm	"	52	52	52	
	50mm	"	86	86	86	
	63 mm	"	151	151	151	
	75 mm	"	292	292	292	
	90 mm	"	432	432	432	
	110 mm	"	788	788	788	
	45 Degree Elbow					
	20 mm	"	18	18	18	
	25 mm	"	30	30	30	
	32 mm	"	46	46	46	
	40 mm	"	86	86	86	
	50 mm	"	144	144	144	
	63 mm	"	238	238	238	
	75 mm	"	467	467	467	
	90 mm	"	788	788	788	
	110 mm	"	1378	1378	1378	
	Union (Plastic)					
	20mm	गोटा	70	70	70	
	25mm	"	119	119	119	
	32mm	"	192	192	192	
	40mm	"	290	290	290	
	50mm	"	456	456	456	
	63mm	"	544	544	544	
	Reducing Coupler					
	25mm*20mm	"	14	14	14	
	32mm*20mm	"	19	19	19	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकईकाटि	रु. अ. क. (VAT बाहेक) (रुपैयामा)		
			आ. व. ०७३/०७४	आ. व. ०७४/०७५	आ. व. ०७५/०७६
	32mm*25mm	"	21	21	21
	40mm*20mm	"	31	31	31
	40mm*25mm	"	37	37	37
	40mm*32mm	"	44	44	44
	50mm*20mm	"	58	58	58
	50mm*25mm	"	64	64	64
	50mm*32mm	"	69	69	69
	50mm*40mm	"	76	76	76
	63mm*32mm	"	117	117	117
	63mm*40mm	"	122	122	122
	63mm*50mm	"	131	131	131
	75mm*40mm	"	195	195	195
	75mm*50mm	"	239	239	239
	75mm*63mm	"	241	241	241
	90mm*50mm	"	483	483	483
	90mm*63mm	"	521	521	521
	90mm*75mm	"	614	614	614
	110mm*75mm	"	818	818	818
	110mm*90mm	"	949	949	949
	Reducing Tee				
	25*20*25 mm	"	26	26	26
	32*20*32 mm	"	42	42	42
	32*25*32 mm	"	45	45	45
	40*20*40 mm	"	66	66	66
	40*25*40 mm	"	69	69	69
	40*32*40 mm	"	76	76	76
	50*20*50 mm	"	88	88	88
	50*25*50 mm	"	93	93	93
	50*32*50 mm	"	151	151	151
	50*40*50 mm	"	161	161	161
	63*32*63 mm	"	199	199	199
	63*40*63 mm	"	193	193	193
	63*50*63 mm	"	214	214	214
	75*50*75 mm	"	439	439	439
	75*63*75 mm	"	458	458	458
	90*63*90 mm	"	926	926	926
	90*75*90 mm	"	993	993	993
	110*75*110 mm	"	1622	1622	1622
	110*90*110 mm	"	1700	1700	1700
	Reducing Elbow				
	25mm*20mm	"	22	22	22
	32mm*20mm	"	32	32	32
	32mm*25mm	"	41	41	41
	High Footed Pipe Clip				
	20mm	गोटा	14	14	14
	25mm	"	17	17	17
	32mm	"	22	22	22
	40mm	"	25	25	25
	50mm	"	34	34	34
	63 mm	"	39	39	39
	Low Footed Pipe Clip				
	20mm	"	7	7	7
	25mm	"	8	8	8
	32mm	"	14	14	14

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व.		
			०७३/०७४	०७४/०७५	०७५/०७६
	40mm	"	19	19	19
	50mm	"	30	30	30
	63 mm	"	38	38	38
	"Y" type Pipe Clip				
	20mm	"	25	25	25
	25mm	"	25	25	25
	32mm	"	34	34	34
	40 mm	"	48	48	48
	End Plug (short)				
	20mm	"	14	14	14
	25mm	"	22	22	22
	32mm	"	34	34	34
	End Plug with Ring				
	20mm	"	25	25	25
	End Plug (long)				
	20mm	"	10	10	10
	End Cap				
	20mm	"	14	14	14
	25mm	"	22	22	22
	32mm	"	34	34	34
	40mm	"	53	53	53
	50mm	"	88	88	88
	63 mm	"	164	164	164
	75 mm	"	246	246	246
	Cross Tee				
	20mm	"	25	25	25
	25mm	"	36	36	36
	32mm	"	64	64	64
	Short Passover				
	20mm	"	70	70	70
	25mm	"	99	99	99
	32mm	"	143	143	143
	Long Bypass				
	20mm	"	93	93	93
	25mm	"	135	135	135
	32mm	"	191	191	191
	Male Tee				
	20mmx1/2"	"	145	145	145
	25mmx1/2"	"	142	142	142
	25mmx3/4"	"	176	176	176
	32mmx1/2"	"	219	219	219
	32mmx3/4"	"	224	224	224
	32mmx1"	"	401	401	401
	Female Tee				
	20mmx1/2"	"	108	108	108
	25mmx1/2"	"	122	122	122
	25mmx3/4"	"	160	160	160
	32mmx1/2"	"	181	181	181
	32mmx3/4"	"	200	200	200
	32mmx1"	"	323	323	323
	Male elbow				
	20mmx1/2"	"	139	139	139

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	एकाइ	आ.व.		
				०७३/०७४	०७४/०७५	०७५/०७६
	25mmx1/2"		"	143	143	143
	25mmx3/4"		"	174	174	174
	32mmx1/2"		"	188	188	188
	32mmx3/4"		"	205	205	205
	32mmx1"		"	396	396	396
	Female elbow					
	20mmx1/2"		"	105	105	105
	25mmx1/2"		"	148	148	148
	25mmx3/4"		"	136	136	136
	32mmx1/2"		"	200	200	200
	32mmx3/4"		"	229	229	229
	32mmx1"		"	281	281	281
	Male Coupling					
	20mmx1/2"		"	136	136	136
	20mmx3/4"		"	163	163	163
	25mmx1/2"		"	130	130	130
	25mmx3/4"		"	164	164	164
	32mmx1/2"		"	182	182	182
	32mmx3/4"		"	23	23	23
	32mmx1"		"	385	385	385
	40mmx1-1/4"		"	548	548	548
	50mmx1-1/2"		"	828	828	828
	63mmx2"		"	1201	1201	1201
	75mmx2-1/2"		"	329	329	329
	Female Coupling					
	20mmx1/2"		"	102	102	102
	20mmx3/4"		"	125	125	125
	25mmx1/2"		"	114	114	114
	25mmx3/4"		"	128	128	128
	32mmx1/2"		"	123	123	123
	32mmx3/4"		"	131	131	131
	32mmx1"		"	300	300	300
	40mmx1-1/4"		"	482	482	482
	50mmx1-1/2"		"	626	626	626
	63mmx2"		"	922	922	922
	75mmx2-1/2"		"	1822	1822	1822
	Male Union					
	20mmx1/2"		"	245	245	245
	25mmx3/4"		"	352	352	352
	32mmx1"		"	506	506	506
	40mmx1 1/4"		"	977	977	977
	50mmx1/2"		"	1342	1342	1342
	63mmx2"		"	3117	3117	3117
	Female Union					
	20mmx1/2"		"	238	238	238
	25mmx3/4"		"	346	346	346
	32mmx1"		"	487	487	487
	40mmx1 1/4"		"	746	746	746
	50mmx1/2"		"	1253	1253	1253
	63mmx2"		"	2372	2372	2372
	Stop Valve					
	a) 20 mm		"	288	288	288



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	b) 25 mm	"	381	381	381	
	c) 32 mm	"	462	462	462	
	d) 40mm	"	610	610	610	
	e) 50 mm	"	1013	1013	1013	
	f) 63 mm	"	1461	1461	1461	
	Male base elbow					
	20mm x 1/2"	"	139	139	139	
	25mm x 3/4"	"	180	180	180	
	Female base elbow					
	20mm x 1/2"	"	147	147	147	
	25mm x 1/2"	"	175	175	175	
	25mm x 3/4"	"	162	162	162	
	Metal Ball valve (double)					
	20mmx1/2"	"	657	657	657	
	25mmx3/4"	"	887	887	887	
	32mmx1"	"	1284	1284	1284	
	40mmx1-1/4"	"	3257	3257	3257	
	50mmx1-1/2"	"	4586	4586	4586	
	Metal Ball valve (Single)					
	20mmx1/2"	"	648	648	648	
	25mmx3/4"	"	872	872	872	
	32mmx1"	"	1274	1274	1274	
	Conceal Valve (Lux)					
	20mm	"	755	755	755	
	Conceal Valve (Nor)					
	20mm	"	719	719	719	
	Ball Valve (Plastic)					
	20mm	"	112	112	112	
	25mm	"	151	151	151	
	32mm	"	244	244	244	
	40mm	"	478	478	478	
	50mm	"	614	614	614	
	63 mm	"	1091	1091	1091	
	Ball Valve (Brass)					
	20mm	"	311	311	311	
	25mm	"	441	441	441	
	32mm	"	738	738	738	
	40mm	"	1762	1762	1762	
21	CPVC Pipes & Fittings for hot and cold water distribution system					
	system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	115	115	115	
	3/4" dia	"	160	160	160	
	1" dia	"	210	210	210	
	1-1/4" dia	"	261	261	261	
	1-1/2" dia	"	366	366	366	
	2" dia	"	559	559	559	



सि.नं.	निर्माण सामग्रीहरूको विवरण	नेपाल प्रजातन्त्र गणराज्य न्यायाधीश कोर्ट	दरमा अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	CPVC Pipe SDR 11 (28.1 Kg/cm ²)					
	1/2" dia	"	133	133	133	
	3/4" dia	"	178	178	178	
	1" dia	"	248	248	248	
	1-1/4" dia	"	300	300	300	
	1-1/2" dia	"	418	418	418	
	2" dia	"	677	677	677	
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)					
	1/2" dia	Rm	126	126	126	
	3/4" dia	"	168	168	168	
	1" dia	"	234	234	234	
	1-1/4" dia	"	289	289	289	
	1-1/2" dia	"	402	402	402	
	2" dia	"	679	679	679	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	365	365	365	
	3/4"	"	486	486	486	
	1"	"	588	588	588	
	1-1/4"	"	1371	1371	1371	
	1-1/2"	"	1643	1643	1643	
	2"	"	2117	2117	2117	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	"	138	138	138	
	1" X 1/2"	"	181	181	181	
	CPVC Tee	गोटा				
	1/2"	"	36	36	36	
	3/4"	"	77	77	77	
	1"	"	117	117	117	
	1-1/4"	"	220	220	220	
	1-1/2"	"	320	320	320	
	2"	"	687	687	687	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	"	70	70	70	
	3/4" x 3/4" x 1/2"	"	107	107	107	
	3/4" x 1/2" x 3/4"	"	134	134	134	
	3/4" x 1/2" x 1/2"	"	153	153	153	
	1" x 1" x 3/4"	"	161	161	161	
	1-1/2" x 1-1/2" x 1"	"	251	251	251	
	2" x 2" x 1"	"	436	436	436	
	1-1/4" x 1-1/4" x 1/2"	"	142	142	142	
	1-1/4" x 1-1/4" x 1"	"	153	153	153	
	2" x 2" x 1/2"	"	428	428	428	
	1" x 1" x 1/2"	"	100	100	100	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	"	120	120	120	

सि.नं.	निर्माण सामग्रीहरूको विवरण	दरदु मु.अ.क. (VAT बाहेक)(रुपैयामा)				
		एकाइ	आ.व. ०७३/०७४	आ.व. ०७४/०७५		आ.व. ०७५/०७६
	3/4" x 3/4" x 1/2"	॥	125	125	125	
	1" x 1" x 1/2"	॥	139	139	139	
	1-1/4" x 1-1/4" x 1-1/4"	॥	501	501	501	
	1-1/4" x 1-1/4" x 1/2"	॥	272	272	272	
	CPVC Elbow 90°	गोटा				
	1/2"	॥	25	25	25	
	3/4"	॥	52	52	52	
	1"	॥	95	95	95	
	1-1/4"	॥	179	179	179	
	1-1/2"	॥	267	267	267	
	2"	॥	572	572	572	
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"		53	53	53	
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	॥	84	84	84	
	3/4" x 1/2"	॥	97	97	97	
	3/4" x 3/4"	॥	111	111	111	
	1" X 1/2"	॥	215	215	215	
	1" X 1"	॥	596	596	596	
	1-1/4" x 1-1/4"	॥	774	774	774	
	CPVC Elbow 45°	गोटा				
	1/2"	॥	30	30	30	
	3/4"	॥	54	54	54	
	1"	॥	77	77	77	
	1-1/4"	॥	136	136	136	
	1-1/2"	॥	197	197	197	
	2"	॥	427	427	427	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	॥	22	22	22	
	3/4"	॥	39	39	39	
	1"	॥	59	59	59	
	1-1/4"	॥	106	106	106	
	1-1/2"	॥	149	149	149	
	2"	॥	290	290	290	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	॥	41	41	41	
	CPVC Male Adapters (Brass Threads)					
	1/2"	॥	206	206	206	
	3/4"	॥	267	267	267	
	1"	॥	421	421	421	
	1-1/4"	॥	926	926	926	
	1-1/2"	॥	1080	1080	1080	
	2"	॥	2224	2224	2224	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	॥	229	229	229	

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	CPVC Female Adapter (CPVC Threads)					
	1/2"		31	31	31	
	3/4"		51	51	51	
	1"		77	77	77	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	"	198	198	198	
	3/4"	"	269	269	269	
	1"	"	349	349	349	
	1-1/4"	"	917	917	917	
	1-1/2"	"	1020	1020	1020	
	2"	"	1994	1994	1994	
	CPVC Caps					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	37	37	37	
	1-1/4"	"	72	72	72	
	1-1/2"	"	106	106	106	
	2"	"	225	225	225	
	CPVC Union					
	1/2"	"	270	270	270	
	3/4"	"	398	398	398	
	1"	"	471	471	471	
	1-1/4"	"	862	862	862	
	1-1/2"	"	942	942	942	
	2"	"	1352	1352	1352	
	CPVC Cross Tee					
	1/2"	"	49	49	49	
	3/4"	"	106	106	106	
	CPVC Step Over Bend					
	1/2"	"	63	63	63	
	3/4"	"	104	104	104	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	661	661	661	
	3/4"	"	805	805	805	
	1"	"	921	921	921	
	1-1/4"	"	1879	1879	1879	
	1-1/2"	"	2391	2391	2391	
	2"	"	3075	3075	3075	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	199	199	199	
	118ML	"	329	329	329	
	237ML	"	533	533	533	
	473ML	"	838	838	838	
	946ML	"	1471	1471	1471	
	Plastic Strap					
	1/2"	"	5	5	5	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	3/4"	"	5	5	5	
	1"	"	8	8	8	
	1-1/4"	"	11	11	11	
	1-1/2"	"	15	15	15	
	2"	"	18	18	18	
	Metal Strap					
	1/2"	"	13	13	13	
	3/4"	"	16	16	16	
	1"	"	21	21	21	
	1-1/4"	"	25	25	25	
	1-1/2"	"	27	27	27	
	2"	"	29	29	29	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	5	5	5	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	"	5	5	5	
	1/2" X 3/4"	"	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	"	229	229	229	
	3/4"	"	248	248	248	
	End plug threaded 1/2"	"	11	11	11	
21	MS SEAMLESS PIPES					
	PIPES: ASTM-A-106-1 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)	"				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	411	411	411	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	493	493	493	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	618	618	618	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	763	763	763	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	873	873	873	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1121	1121	1121	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	1723	1723	1723	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2255	2255	2255	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	2914	2914	2914	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3210	3210	3210	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4347	4347	4347	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	5643	5643	5643
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	Mtr	410	410	410
	Single Socket (R/R)	"	762	762	762
	Single Socket (R/R)	"	821	821	821
	Single Socket Self Fit	"	1058	1058	1058
	Single Socket Self Fit	"	1294	1294	1294
	Single Socket Self Fit	"	1778	1778	1778
	Single Socket Self Fit	"	2093	2093	2093
	Single Socket Self Fit	"	2795	2795	2795
	Single Socket Self Fit	"	3331	3331	3331
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083
	Long Radius Bend - 45 Degree	"	1977	1977	1977
	Long Radius Bend - 45 Degree	"	3569	3569	3569
	Long Radius Bend - 45 Degree	"	6921	6921	6921
	Long Radius Bend - 60 Degree	"	1193	1193	1193
	Long Radius Bend - 60 Degree	"	2186	2186	2186
	Long Radius Bend - 60 Degree	"	4010	4010	4010
	Long Radius Bend - 60 Degree	"	7593	7593	7593
	Long Radius Bend - 90 Degree	"	585	585	585
	Long Radius Bend - 90 Degree	"	1413	1413	1413
	Long Radius Bend - 90 Degree	"	2606	2606	2606
	Long Radius Bend - 90 Degree	"	4874	4874	4874
	Long Radius Bend - 90 Degree	"	8980	8980	8980
	Fab. Coupler	"	168	168	168
	Fab. Coupler	"	404	404	404
	Fab. Coupler	"	869	869	869
	Fab. Coupler	"	1700	1700	1700
	Fab. Coupler	"	3127	3127	3127
	End Cap	"	360	360	360
	End Cap	"	592	592	592
	End Cap	"	945	945	945
	End Cap	"	1380	1380	1380
	Equal Tee	"	10303	10303	10303
	Equal Tee	"	5929	5929	5929
	Equal Tee	"	3291	3291	3291
	Gully Trap with grating	"	962	962	962
	Rodding Point	"	570	570	570
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834
	Inspection Chamber Body	"	3000	3000	3000
	Inspection Chamber Riser	"	1490	1490	1490

सि.नं.	निर्माण सामग्रीहरुको विवरण	रररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Inspection Chamber Lid with Cover	"	2829	2829	2829	
	Inspection Chamber Body	"	8284	8284	8284	
	Inspection Chamber Riser	"	2634	2634	2634	
	Inspection Chamber Lid with Cover	"	4395	4395	4395	
24	GEBERIT					
	Geberit Products					
	Concealled Cisterns 9cm	"	7431	7431	7431	
	Concealled Cisterns Kombo fix 8cm	"	9103	9103	9103	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Concealled Cisterns 12cm	"	9140	9140	9140	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646	
	Traps for Wash Basins	"	1004	1004	1004	
	Sensor for Urinal 9V DC	"	25764	25764	25764	
	Sensor for Urinal 230V AC	"	25764	25764	25764	
	control box for urinal sensor	"	7078	7078	7078	
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	32159	32159	
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	32159	32159	
22	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	114	114	114	
	3/4" dia. (33.75 Kg/cm2)	"	147	147	147	
	1" dia. (31.64 Kg/cm2)	"	226	226	226	
	1-1/4" dia. (26.01 Kg/cm2)	"	279	279	279	
	1-1/2" dia. (23.20 Kg/cm2)	"	342	342	342	
	2" dia. (19.69 Kg/cm2)	"	485	485	485	
	2-1/2" dia. (21.09 Kg/cm2)	"	678	678	678	
	3" dia. (18.28 Kg/cm2)	"	856	856	856	
	4" dia. (15.47 Kg/cm2)	"	1256	1256	1256	
	6" dia. (12.66 Kg/cm2)	"	2616	2616	2616	
	PVC Tee - Soc	गोटा				
	1/2"	"	32	32	32	
	3/4"	"	44	44	44	
	1"	"	69	69	69	
	1-1/4"	"	109	109	109	
	1-1/2"	"	143	143	143	
	2"	"	221	221	221	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	2-1/2"	"	633	633	633
	3"	"	831	831	831
	4"	"	1503	1503	1503
	6"	"	8336	8336	8336
	PVC Reducer Tee - Soc	गोटा			
	3/4 x 1/2	"	63	63	63
	1 x 1/2	"	97	97	97
	1 x 3/4	"	97	97	97
	1-1/2 X 1/2	"	329	329	329
	1-1/2 X 3/4	"	329	329	329
	1-1/2 X 1	"	329	329	329
	1-1/2 X 1-1/4	"	329	329	329
	2 X 1/2	"	406	406	406
	2 X 3/4	"	406	406	406
	2 X 1	"	406	406	406
	2 X 1-1/4	"	406	406	406
	2 X 1-1/2	"	406	406	406
	2-1/2 X 1/2	"	1043	1043	1043
	2-1/2 X 3/4	"	1043	1043	1043
	2-1/2 X 1	"	1043	1043	1043
	2-1/2 X 1-1/4	"	1043	1043	1043
	2-1/2 X 1-1/2	"	1043	1043	1043
	2-1/2 X 2	"	1043	1043	1043
	3 X 1/2	"	1523	1523	1523
	3 X 3/4	"	1523	1523	1523
	3 X 1	"	1523	1523	1523
	3 X 1-1/4	"	1523	1523	1523
	3 X 1-1/2	"	1523	1523	1523
	3 X 2	"	1523	1523	1523
	3 X 2-1/2	"	1523	1523	1523
	6 X 1-1/4	"	8007	8007	8007
	6 X 1-1/2	"	8007	8007	8007
	6 X 2	"	8007	8007	8007
	6 X 2-1/2	"	8007	8007	8007
	6 X 3	"	8007	8007	8007
	6 X 4	"	8007	8007	8007
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा			
	1/2"		161	161	161
	3/4"		292	292	292
	3/4" X 1/2"		237	237	237
	1" X 1/2"		420	420	420
	PVC 90° Elbow - Soc	गोटा			
	1/2"	"	26	26	26
	3/4"	"	30	30	30
	1"	"	53	53	53
	1-1/4"	"	93	93	93
	1-1/2"	"	109	109	109

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	2"	"	167	167	167
	2-1/2"	"	496	496	496
	3"	"	594	594	594
	4"	"	1216	1216	1216
	6"	"	5121	5121	5121
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा			
	1/2"	"	173	173	173
	3/4"	"	242	242	242
	3/4" X 1/2"	"	250	250	250
	PVC 45° Elbow - Soc	गोटा			
	1/2"	"	55	55	55
	3/4"	"	86	86	86
	1"	"	102	102	102
	1-1/4"	"	143	143	143
	1-1/2"	"	180	180	180
	2"	"	234	234	234
	2-1/2"	"	669	669	669
	3"	"	1040	1040	1040
	4"	"	1866	1866	1866
	6"	"	5135	5135	5135
	PVC Coupling - Soc	गोटा			
	1/2"	"	17	17	17
	3/4"	"	26	26	26
	1"	"	41	41	41
	1-1/4"	"	56	56	56
	1-1/2"	"	76	76	76
	2"	"	117	117	117
	2-1/2"	"	247	247	247
	3"	"	386	386	386
	4"	"	604	604	604
	6"	"	2420	2420	2420
	PVC Reducer Coupling - Soc	गोटा			
	3/4 X 1/2	"	42	42	42
	1 X 3/4	"	73	73	73
	1-1/2 X 1-1/4	"	131	131	131
	2 X 1-1/2	"	208	208	208
	4 x 2	"	1392	1392	1392
	4 X 3	"	1392	1392	1392
	6 X 4	"	2895	2895	2895
	PVC Reducer Bushing - (Flush Style)	गोटा			
	3/4 X 1/2	"	35	35	35
	1 X 1/2	"	50	50	50
	1 X 3/4	"	50	50	50
	1-1/4 X 1/2	"	86	86	86
	1-1/4 X 3/4	"	86	86	86
	1-1/4 X 1	"	86	86	86



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेड्युम् अ.क. (VAT बाहेक) (रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	1-1/2 X 1/2	"	90	90	90
	1-1/2 X 3/4	"	90	90	90
	1-1/2 X 1	"	90	90	90
	1-1/2 X 1-1/4	"	90	90	90
	2 X 1/2	"	165	165	165
	2 X 3/4	"	165	165	165
	2 X 1	"	165	165	165
	2 X 1-1/4	"	165	165	165
	2 X 1-1/2	"	165	165	165
	2-1/2 X 1-1/4	"	232	232	232
	2-1/2 X 1-1/2	"	232	232	232
	2-1/2 X 2	"	232	232	232
	3 X 1-1/2	"	344	344	344
	3 X 2	"	344	344	344
	3 X 2-1/2	"	344	344	344
	4 X 2	"	676	676	676
	4 X 3	"	676	676	676
	6 X 2	"	2271	2271	2271
	6 X 3	"	2271	2271	2271
	6 X 4	"	2271	2271	2271
	PVC Cap - Soc	गोटा			
	1/2"	"	24	24	24
	3/4"	"	30	30	30
	1"	"	42	42	42
	1-1/4"	"	60	60	60
	1-1/2"	"	66	66	66
	2"	"	79	79	79
	2-1/2"	"	254	254	254
	3"	"	278	278	278
	4"	"	633	633	633
	6"	"	2498	2498	2498
	PVC Union - Soc With EPDM O-Ring Seal	गोटा			
	1/2"	"	254	254	254
	3/4"	"	291	291	291
	1"	"	298	298	298
	1-1/4"	"	960	960	960
	1-1/2"	"	1001	1001	1001
	2"	"	1350	1350	1350
	2-1/2"	"	1889	1889	1889
	3"	"	3018	3018	3018
	4"	"	4178	4178	4178
	PVC Male Adaptor - Soc x MBSP	गोटा			
	1/2"	"	46	46	46
	3/4"	"	54	54	54
	1"	"	71	71	71
	1-1/4"	"	87	87	87

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	1-1/2"	"	121	121	121
	2"	"	156	156	156
	2-1/2"	"	545	545	545
	3"	"	648	648	648
	4"	"	1025	1025	1025
	6"	"	2359	2359	2359
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा			
	1/2"	"	262	262	262
	3/4"	"	350	350	350
	1"	"	527	527	527
	PVC Female Adaptor - Soc x FBSP	गोटा			
	1/2"	"	59	59	59
	3/4"	"	61	61	61
	1"	"	64	64	64
	1-1/4"	"	167	167	167
	1-1/2"	"	245	245	245
	2"	"	238	238	238
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा			
	1/2"	"	220	220	220
	3/4"	"	311	311	311
	1"	"	399	399	399
	PVC Ball Valve - Soc	गोटा			
	1/2"	"	881	881	881
	3/4"	"	1048	1048	1048
	1"	"	1466	1466	1466
	1-1/4"	"	1985	1985	1985
	1-1/2"	"	3027	3027	3027
	2"	"	3828	3828	3828
	2-1/2"	"	6323	6323	6323
	3"	"	10018	10018	10018
	4"	"	16556	16556	16556
	6"	"	35961	35961	35961
	PVC Adhesive Solution (Med. Bonded 705)	गोटा			
	118ML	"	306	306	306
	237ML	"	439	439	439
	473ML	"	795	795	795
	946ML	"	1308	1308	1308
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा			
	118ML	"	492	492	492
	237ML	"	649	649	649
	473ML	"	1138	1138	1138
	946ML	"	1969	1969	1969
23	Rainwater Collection System sintex or Prince Brand Roof)				
	140 mm Dia.				




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	159	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30	
	75 mm dia.				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु. अ. क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	126	
	180 mm dia.				0	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	302	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424	424	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	108	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	110	


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दरदुआ.क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	41	
	110 mm dia.				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	68	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	243	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	585	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	614	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	965	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1387	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	164	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दरदु. मु.अ.क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	122	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	318	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	166	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	82	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	437	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	959	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350	


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दरस्ट मु.अ.क. (VAT वाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	140	140	140	
	DWV Bend 87.5 Degree	"	177	177	177	
	DWV Bend 87.5 Degree with Door	"	81	81	81	
	DWV Socket Plug	"	189	189	189	
	DWV Cleansing Pipe	"	114	114	114	
	DWV Coupler	"	202	202	202	
	DWV Single Tee	"	222	222	222	
	DWV Single Tee with Door	"	349	349	349	
	DWV Cross Tee	"	491	491	491	
	DWV Cross Tee with Door	"	361	361	361	
	DWV Double 'Y'	"	481	481	481	
	DWV Double 'Y' with Door	"	226	226	226	
	DWV Single 'Y'	"	288	288	288	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	230	230	
	DWV Bend 45 Degree 110mm size	"	282	282	282	
	DWV Bend 87.5 Degree	"	323	323	323	
	DWV Bend 87.5 Degree with Door	"	103	103	103	
	DWV Socket Plug	"	370	370	370	
	DWV Cleansing Pipe	"	206	206	206	
	DWV Coupler	"	684	684	684	
	DWV Double 'Y'	"	808	808	808	
	DWV Double 'Y' with Door	"	566	566	566	
	DWV Cross Tee	"	642	642	642	
	DWV Cross Tee with Door	"	370	370	370	
	DWV Single Tee	"	437	437	437	
	DWV Single Tee with Door	"	453	453	453	
	DWV Single 'Y'	"	475	475	475	
	DWV Single 'Y' with Door	"	47	47	47	
	DWV Vent Cowel	"	161	161	161	
	DWV Reducer 110*75 mm	"	36	36	36	
	DWV Pipe Clip 110mm size	"	436	436	436	
	DWV W.C. Connectore (Straight type)	"	348	348	348	
	DWV W.C. Connectore (Bend type)	"	174	174	174	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	539	539	
	DWV P-Trap with Leap Ring 10*110 mm	"	773	773	773	
	DWV P-Trap with Leap Ring 25*110 mm	"	232	232	232	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	470	
	DWV Reducer 60*110 mm	"	449	449	449	
	DWV Coupler 160mm size	"	1077	1077	1077	
	DWV Single Tee	"	1157	1157	1157	
	DWV Single Tee with Door	"	2016	2016	2016	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	DWV Single 'Y'	"	2118	2118	2118
	DWV Single 'Y' with Door	"	742	742	742
	DWV Bend 87.5 Degree	"	988	988	988
	DWV Bend 87.5 Degree with Door	"	864	864	864
	DWV Bend 45 Degree	"			
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	584
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	606
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	630
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	593
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	604
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3709
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3773
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3838
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4583
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4663
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4743
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	583
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	598
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	613
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	594
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	605




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1077	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1116	1116	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1688	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1718	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1747	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2801	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2849	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2898	2898	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3709	3709	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3773	3773	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3838	3838	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4583	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4663	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4743	4743	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	294	294	294	
	DWV Coupler SN-4 160 mm	"	708	708	708	
	DWV Coupler SN-4 200 mm	"	1447	1447	1447	
	DWV Coupler SN-4 250 mm	"	2697	2697	2697	
	DWV Coupler SN-2 315mm	"	4338	4338	4338	
	DWV Coupler SN-4 315 mm	"	4736	4736	4736	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001	1001	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787	2787	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205	5205	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668	11668	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705	27705	
24	Multilayer Composite Pipe (Sainghai, or eqv.)					
	Cold Water Pipe (White)					
	1/2-16 mm 1/2"	Rm	101	101	101	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररे मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	14-18 mm ½"	"	111	111	111
	16-20 mm ½"	"	119	119	119
	20-25 mm ¾"	"	180	180	180
	26-32 mm 1"	"	281	281	281
	32-40 mm 1¼"	"	446	446	446
	41-50 mm 1½"	"	653	653	653
	Hot Water Pipe (Orange)				
	12-16 mm ½"	Rm	111	111	111
	14-18 mm ½"	"	123	123	123
	16-20 mm ½"	"	141	141	141
	20-25 mm ¾"	"	208	208	208
	26-32 mm 1"	"	302	302	302
	32-40 mm 1¼"	"	465	465	465
	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	Rm	87	87	87
	14-18 mm ½"	"	87	87	87
	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½"ø (16mm ø)	गोटा	133	133	133
	½"ø (18mm ø)	"	140	140	140
	½"ø (20mm ø)	"	154	154	154
	¾"ø (25 mm ø)	"	225	225	225
	1"ø (32 mm ø)	"	351	351	351
	1¼"ø (40 mm ø)	"	1296	1296	1296
	1½"ø (50 mm ø)	"	1958	1958	1958
	b. Unequal Straight Union				
	25 - 16 mm ø	"	252	252	252
	25 - 18 mm ø	"	261	261	261
	25 - 20 mm ø	"	275	275	275
	32 - 16 mm ø	"	338	338	338
	32 - 18 mm ø	"	356	356	356
	32 - 20 mm ø	"	383	383	383
	32 - 25 mm ø	"	410	410	410
	40 - 32 mm ø	"	1121	1121	1121
	50 - 20 mm ø	"	1634	1634	1634
	50 - 32 mm ø	"	1958	1958	1958
	50 - 40 mm ø	"	1845	1845	1845
	c. Male Union				
	16mm x ½"M	गोटा	95	95	95
	18mm x ½"M	"	110	110	110
	20mm x ½"M	"	126	126	126
	25mm x ½"M	"	153	153	153
	25mm x ¾"M	"	194	194	194
	25mm x 1"M	"	248	248	248
	32mm x ¾"M	"	284	284	284
	32mm x 1"M	"	311	311	311
	32mm x 1½"M	"	315	315	315
	40mm x 1"M	"	995	995	995
	40mm x 1½"M	"	1030	1030	1030

सि.नं.	निर्माण सामग्रीहरूको विवरण	एफआई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	50mm x 1"M	"	1563	1563	1563
	50mm x 1¼"M	"	1590	1590	1590
	50mm x 1½"M	"	2160	2160	2160
	50mm x 2"M	"	1623	1623	1623
	d. Female Straight Union				
	16mm x ½"F	गोटा	104	104	104
	18mm x ½"F	"	113	113	113
	20mm x ½"F	"	122	122	122
	25mm x ½"F	"	162	162	162
	25mm x ¾"F	"	194	194	194
	25mm x 1"F	"	198	198	198
	32mm x ½"F	"	203	203	203
	32mm x ¾"F	"	207	207	207
	32mm x 1"F	"	293	293	293
	40mm x 1½"F	"	1168	1168	1168
	50mm x 1¼"F	"	1575	1575	1575
	50mm x 1½"F	"	2160	2160	2160
	50mm x 2"F	"	1638	1638	1638
	e. Equal Elbow				
	½"ø (16mm ø)	गोटा	126	126	126
	½"ø (18mm ø)	"	153	153	153
	½"ø (20mm ø)	"	207	207	207
	¾"ø (25 mm ø)	"	315	315	315
	1"ø (32 mm ø)	"	509	509	509
	1¼"ø (40 mm ø)	"	1656	1656	1656
	1½"ø (50 mm ø)	"	2565	2565	2565
	f. Unequal Elbow				
	40 - 32 mm ø	"	1836	1836	1836
	50 - 20 mm ø	"	2115	2115	2115
	50 - 40 mm ø	"	2156	2156	2156
	g. Female Elbow				
	16mm x ½"F	गोटा	167	167	167
	18mm x ½"F	"	185	185	185
	20mm x ½"F	"	203	203	203
	25mm x ½"F	"	225	225	225
	25mm x ¾"F	"	279	279	279
	25mm x 1"F	"	306	306	306
	32mm x ¾"F	"	329	329	329
	32mm x 1"F	"	410	410	410
	50mm x 1¼"F	"	2115	2115	2115
	h. Male Elbow				
	25mm x ¾"M	"	225	225	225
	25mm x 1"M	"	293	293	293
	32mm x ¾"M	"	221	221	221
	32mm x 1"M	"	374	374	374
	40mm x 1"M	"	1215	1215	1215
	50mm x 1"M	"	1732	1732	1732
	i. Equal Tee				
	½"ø (16mm ø)	गोटा	225	225	225
	½"ø (18mm ø)	"	252	252	252
	½"ø (20mm ø)	"	315	315	315
	¾"ø (25 mm ø)	"	455	455	455



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बररट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	1" ϕ (32 mm ϕ)	"	711	711	711
	1 1/4" ϕ (40 mm ϕ)	"	2658	2658	2658
	1 1/2" ϕ (50 mm ϕ)	"	3884	3884	3884
	j. Unequal Tee				
	20 mm x 16 mm x 20 mm	"	203	203	203
	20 mm x 18 mm x 20 mm	"	225	225	225
	25 mm x 16 mm x 25 mm	"	338	338	338
	25 mm x 18 mm x 25 mm	"	383	383	383
	25 mm x 20 mm x 25 mm	"	396	396	396
	32 mm x 16 mm x 32 mm	"	653	653	653
	32 mm x 18 mm x 32 mm	"	675	675	675
	32 mm x 20 mm x 32 mm	"	702	702	702
	32 mm x 25 mm x 32 mm	"	720	720	720
	40 mm x 32 mm x 32 mm	"	1967	1967	1967
	40 mm x 32 mm x 40 mm	"	2278	2278	2278
	50 mm x 20 mm x 50 mm	"	3105	3105	3105
	50 mm x 32 mm x 32 mm	"	2047	2047	2047
	50 mm x 32 mm x 50 mm	"	3137	3137	3137
	50 mm x 40 mm x 40 mm	"	3147	3147	3147
	50 mm x 40 mm x 50 mm	"	3595	3595	3595
	k. Female Tee				
	16mm x 1/2"F x 16mm	गोटा	225	225	225
	18mm x 1/2"F x 18mm	"	234	234	234
	20mm x 1/2"F x 20mm	"	252	252	252
	25mm x 1/2"F x 25mm	"	237	237	237
	25mm x 3/4"F x 25mm	"	261	261	261
	25mm x 1"F x 25mm	"	338	338	338
	32mm x 1/2"F x 32mm	"	365	365	365
	32mm x 3/4"F x 32mm	"	374	374	374
	32mm x 1"F x 32mm	"	507	507	507
	40mm x 3/4"F x 32mm	"	1496	1496	1496
	50mm x 3/4"F x 40mm	"	2219	2219	2219
	l. Equal Ball Valve Union				
	1/2" ϕ (16mm ϕ)	गोटा	262	262	262
	1/2" ϕ (18mm ϕ)	"	291	291	291
	1/2" ϕ (20mm ϕ)	"	383	383	383
	3/4" ϕ (25 mm ϕ)	"	635	635	635
	1" ϕ (32 mm ϕ)	"	882	882	882
	1 1/4" ϕ (40 mm ϕ)	"	2882	2882	2882
	1 1/2" ϕ (50 mm ϕ)	"	4159	4159	4159
	m. Female Ball Valve Union				
	16mm x 1/2"F	गोटा	244	244	244
	18mm x 1/2"F	"	280	280	280
	20mm x 1/2"F	"	313	313	313
	20mm x 3/4"F	"	351	351	351
	25mm x 3/4"F	"	653	653	653
	25mm x 1"F	"	666	666	666
	32mm x 1"F	"	702	702	702
	n. Plug				
	1 1/4" ϕ (40 mm ϕ)	"	1440	1440	1440
	1 1/2" ϕ (50 mm ϕ)	"	1980	1980	1980
	p. Wall Plated Female Elbow				



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दरदर म. अ. क. (VAT बाहेक) (रुपैयामा)			
			आ. व. ०७३/०७४	आ. व. ०७४/०७५	आ. व. ०७५/०७६	
	16mm x 1/2"F	गोटा	189	189	189	
	18mm x 1/2"F	"	207	207	207	
	20mm x 1/2"F	"	225	225	225	
	q. Nipple					
	N 1/2F*1/2F	गोटा	49	49	49	
	N 1/2M*1/2M	"	49	49	49	
	N 3/4F*1/2F	"	68	68	68	
	N 1F*1/2F	"	77	77	77	
	N 1F*3/4F	"	87	87	87	
	N 3/4M*1/2M	"	68	68	68	
	N 1M*1/2M	"	77	77	77	
	N 1M*3/4M	"	87	87	87	
	N 1/2F*1/2M	"	59	59	59	
	N 1/2F*3/4M	"	68	68	68	
	N 1/2F*1M	"	107	107	107	
	N 1/2M*3/4F	"	68	68	68	
	N 1/2M*1F	"	112	112	112	
	N 3/4F*3/4M	"	87	87	87	
	N 3/4F*1M	"	96	96	96	
	N 3/4M*1F	"	127	127	127	
25	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486	
	a.2) Failure chagre per well	संख्या	1350	1350	1350	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693	
	b.2) Failure chagre per well	संख्या	3600	3600	3600	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323	
	c.2) Failure chagre per well	संख्या	4680	4680	4680	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872	
	d.2) Failure chagre per well	संख्या	5400	5400	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575	
26	R.C.C. Hume Pipe & Hume Pipe Collar					
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	533	533	580	
	200 mm dia.	"	693	693	760	
	250 mm dia.	"	868	868	955	
	300 mm dia.	"	1176	1176	1290	
	350 mm dia.	"	1300	1300	1430	
	375 mm dia.	"	1424	1424	1565	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट मु अ क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	400 mm dia.	"	1636	1636	1790	
	450 mm dia.	"	1733	1733	1900	
	500 mm dia.	"	1944	1944	2135	
	600 mm dia.	"	2565	2565	2800	
	700 mm dia.	"	3347	3347	3675	
	750 mm dia.	"	3618	3618	3975	
	800 mm dia.	"	4039	4039	4440	
	900 mm dia.	"	5457	5457	6000	
	1000 mm dia.	"	6367	6367	7000	
	1200 mm dia.	"	7766	7766	8540	
	1500 mm dia.	"	16326	16326	17950	
	b) NP-3					
	150 mm dia.	र.मि	1191	1191	1305	
	200 mm dia.	"	1586	1586	1740	
	250 mm dia.	"	1983	1983	2180	
	300 mm dia.	"	2850	2850	3130	
	350 mm dia.	"	3197	3197	3515	
	375 mm dia.	"	3418	3418	3750	
	400 mm dia.	"	3642	3642	4000	
	450 mm dia.	"	4088	4088	4490	
	500 mm dia.	"	4558	4558	5010	
	600 mm dia.	"	5632	5632	6190	
	700 mm dia.	"	6800	6800	7475	
	750 mm dia.	"	7810	7810	8590	
	800 mm dia.	"	8524	8524	9375	
	900 mm dia.	"	11056	11056	12150	
	1000 mm dia.	"	12285	12285	13500	
	1200 mm dia.	"	14622	14622	16080	
	1500 mm dia.	"	22976	22976	25270	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	133	133	145	
	200 mm dia.	"	175	175	190	
	250 mm dia.	"	217	217	235	
	300 mm dia.	"	294	294	320	
	350 mm dia.	"	324	324	350	
	375 mm dia.	"	356	356	390	
	400 mm dia.	"	410	410	450	
	450 mm dia.	"	433	433	475	
	500 mm dia.	"	487	487	535	
	600 mm dia.	"	642	642	705	
	700 mm dia.	"	837	837	920	
	750 mm dia.	"	904	904	990	
	800 mm dia.	"	1009	1009	1100	
	900 mm dia.	"	1364	1364	1500	
	1000 mm dia.	"	1591	1591	1750	
	1200 mm dia.	"	1942	1942	2130	
	1500 mm dia.	"	4081	4081	4475	
	b) NP-3					
	150 mm dia.	"	297	297	325	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	200 mm dia.	॥	397	397	435
	250 mm dia.	॥	496	496	545
	300 mm dia.	॥	712	712	775
	350 mm dia.		799	799	875
	375 mm dia.		854	854	930
	400 mm dia.	॥	910	910	1000
	450 mm dia.	॥	1022	1022	1120
	500 mm dia.	॥	1140	1140	1250
	600 mm dia.	॥	1409	1409	1540
	700 mm dia.	॥	1700	1700	1860
	750 mm dia.	॥	1952	1952	2145
	800 mm dia.	॥	2131	2131	2340
	900 mm dia.	॥	2764	2764	3030
	1000 mm dia.	॥	3072	3072	3375
	1200 mm dia.	॥	3655	3655	4020
	1500 mm dia.	॥	5744	5744	6300
	R.C.C.Spigot Pipes (Socket System)				
	a) NP-2				
	150 mm dia.	र.मि	-	-	-
	200 mm dia.	॥	-	-	-
	250 mm dia.	॥	-	-	-
	300 mm dia.	॥	-	-	-
	350 mm dia.	॥	-	-	-
	400 mm dia.	॥	-	-	-
	450 mm dia.	॥	-	-	-
	500 mm dia.	॥	-	-	-
	600 mm dia.	॥	-	-	-
	700 mm dia.	॥	-	-	-
	750 mm dia.	॥	-	-	-
	800 mm dia.	॥	-	-	-
	900 mm dia.	॥	-	-	-
	1000 mm dia.	॥	-	-	-
	1200 mm dia.	॥	-	-	-
	b) NP-3				
	150 mm dia.	र.मि	1345	1345	1475
	200 mm dia.	॥	1825	1825	2000
	250 mm dia.	॥	2280	2280	2505
	300 mm dia.	॥	3276	3276	3600
	350 mm dia.	॥	-	-	-
	400 mm dia.	॥	4189	4189	4605
	450 mm dia.	॥	4703	4703	5170
	500 mm dia.	॥	5242	5242	5765
	600 mm dia.	॥	6477	6477	7120
	700 mm dia.	॥	7821	7821	8600
	800 mm dia.	॥	9803	9803	10780
	900 mm dia.	॥	12716	12716	13980
	1000 mm dia.	॥	14128	14128	15540
	1200 mm dia.	॥	16816	16816	18490
	1500 mm dia.	॥	27035	27035	29735

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक) (रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	1600 mm dia.	„	31183	31183	34300
	1800 mm dia.	„	41533	41533	45680
27	High Density Polythene Pipe NS-40				
	Pipes of different sizes, series & pressure				
	HDP Pipe	Kg	214	214	240
27.1	2.5Kg/cm² Series II				
	63 mm (0.403 Avg.wt. Kg/in)	Rm	86	86	97
	75 mm (0.557 Avg.wt Kg/m)	„	119	119	134
	90 mm (0.799 Avg.wt Kg/m)	„	171	171	192
	110 mm (1.185 Avg.wt Kg/m)	„	254	254	284
	125 mm (1.530 Avg.wt Kg/m)	„	327	327	367
	140 mm (1.897 Avg.wt Kg/m)	„	406	406	455
	160 mm (2.453 Avg.wt Kg/m)	„	525	525	589
	180 mm (3.148 Avg.wt Kg/m)	„	674	674	756
	200 mm (3.875 Avg.wt Kg/m)	„	829	829	930
	225 mm (4.822 Avg.wt Kg/m)	„	1032	1032	1157
	250 mm (6.012 Avg.wt Kg/m)	„	1287	1287	1443
	280 mm (7.471 Avg.wt Kg/m)	„	1599	1599	1793
	315 mm (9.417 Avg.wt Kg/in)	„	2015	2015	2260
	355 mm (11.957 Avg.wt Kg/m)	„	2559	2559	2870
	400 mm (15.221 Avg.wt Kg/m)	„	3257	3257	3653
	450 mm (19.163 Avg.wt Kg/m)	„	4101	4101	4599
27.2	4 Kg/cm² Series III				
	40 mm (0.251 Avg.wt Kg/m)	Rm	54	54	60
	50 mm (0.378 Avg.wt Kg/m)	„	81	81	91
	63 mm (0.585 Avg.wt Kg/m)	„	125	125	140
	75 mm (0.846 Avg.wt Kg/m)	„	181	181	203
	90 mm (1.220 Avg.wt Kg/m)	„	261	261	293
	110 mm (1.703 Avg.wt Kg/m)	„	364	364	409
	125 mm (2.289 Avg.wt Kg/m)	„	490	490	549
	140 mm (2.901 Avg.wt Kg/m)	„	621	621	696
	160 mm (3.773 Avg.wt Kg/m)	„	807	807	906
	180 mm (4.762 Avg.wt Kg/m)	„	1019	1019	1143
	200 mm (5.890 Avg.wt Kg/m)	„	1260	1260	1414
	225 mm (7.445 Avg.wt Kg/m)	„	1593	1593	1787
	250 mm (9.187 Avg.wt Kg/m)	„	1966	1966	2205
	280 mm (11.455 Avg.wt Kg/m)	„	2451	2451	2749
	315 mm (14.508 Avg.wt Kg/m)	„	3105	3105	3482
	355mm (18.382 Avg.wt Kg/m)	„	3934	3934	4412
	400mm (23.343 Avg.wt Kg/m)	„	4995	4995	5602
	450mm (29.351 Avg.wt Kg/m)	„	6281	6281	7044
27.3	6 Kg/cm² Series IV				
	32 mm (0.226 Avg.wt Kg/m)	Rm	48	48	54
	40 mm (0.350 Avg.wt Kg/m)	„	75	75	84
	50 mm (0.542 Avg.wt Kg/m)	„	116	116	130
	63 mm (0.850 Avg.wt Kg/m)	„	182	182	204
	75 mm (1.191 Avg.wt Kg/m)	„	255	255	286



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	90 mm (1.717 Avg.wt Kg/m)	„	367	367	412
	110 mm (2.545 Avg.wt Kg/m)	„	545	545	611
	125 mm (3.293 Avg.wt Kg/m)	„	705	705	790
	140 mm (4.150 Avg.wt Kg/m)	„	888	888	996
	160 mm (5.355 Avg.wt Kg/m)	„	1146	1146	1285
	180 mm (6.800 Avg.wt Kg/m)	„	1455	1455	1632
	200 mm (8.391 Avg.wt Kg/m)	„	1796	1796	2014
	225 mm (10.544 Avg.wt Kg/m)	„	2256	2256	2531
	250 mm (13.041 Avg.wt Kg/m)	„	2791	2791	3130
	280 mm (16.327 Avg.wt Kg/m)	„	3494	3494	3918
	315 mm (20.694 Avg.wt Kg/m)	„	4429	4429	4967
	355 mm (26.243 Avg.wt Kg/m)	„	5616	5616	6298
	400 mm (33.309 Avg.wt Kg/m)	„	7128	7128	7994
	450 mm (42.065 Avg.wt Kg/m)	„	9002	9002	10096
27.4	10 Kg/cm² Series VI				
	16 mm (0.092 Avg.wt Kg/m)	Rm	20	20	22
	20 mm (0.134 Avg.wt Kg/m)	„	29	29	32
	25 mm (0.202 Avg.wt Kg/m)	„	43	43	48
	32 mm (0.334 Avg.wt Kg/m)	„	71	71	80
	40 mm (0.514 Avg.wt Kg/m)	„	110	110	123
	50 mm (0.796 Avg.wt Kg/m)	„	170	170	191
	63 mm (1.269 Avg.wt Kg/m)	„	272	272	305
	75 mm (1.782 Avg.wt Kg/m)	„	381	381	428
	90 mm (2.568 Avg.wt Kg/m)	„	550	550	616
	110 mm (3.801 Avg.wt Kg/m)	„	813	813	912
	125 mm (4.962 Avg.wt Kg/m)	„	1062	1062	1191
	140 mm (6.209 Avg.wt Kg/m)	„	1329	1329	1490
	160 mm (8.079 Avg.wt Kg/m)	„	1729	1729	1939
	180 mm (10.256 Avg.wt Kg/m)	„	2195	2195	2461
	200 mm (12.620 Avg.wt Kg/m)	„	2701	2701	3029
	225 mm (16.014 Avg.wt Kg/m)	„	3427	3427	3843
	250 mm (19.757 Avg.wt Kg/m)	„	4228	4228	4742
	280 mm (24.708 Avg.wt Kg/m)	„	5288	5288	5930
	315 mm (31.16 Avg.wt Kg/m)	„	6668	6668	7478
	355 mm (39.635 Avg.wt Kg/m)	„	8482	8482	9512
	400 mm (50.344 Avg.wt Kg/m)	„	10774	10774	12083
	450 mm (63.598 Avg.wt Kg/m)	„	13610	13610	15264
28	UPVC (Pipe NS 206/046				
28.1	A) pipe 2.5 kg /cm² pressure				
	a) 90 mm	र.मी	141	141	141
	b) 110 mm	„	209	209	209
	c) 125 mm	„	266	266	266
	d) 140 mm	„	328	328	328
	e) 160 mm	„	429	429	429
	f) 180 mm	„	549	549	549
	g) 200 mm	„	671	671	671
28.2	B) PVC Pipe 4 kg / cm²				
	a) 63mm	र.मी	112	112	112
	b) 75 mm	„	154	154	154

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	c) 90 mm	"	219	219	219
	d) 110 mm	"	301	301	301
	e) 125 mm	"	415	415	415
	f) 140 mm	"	527	527	527
	g) 160 mm	"	683	683	683
	h) 180 mm	"	877	877	877
	i) 200 mm	"	1064	1064	1064
28.3	C) PVC Pipe 6 Kg/ cm² pressure				
	a) 40 mm	र.मी	66	66	66
	b) 50 mm	"	99	99	99
	c) 63 mm	"	159	159	159
	d) 75 mm	"	222	222	222
	e) 90 mm	"	320	320	320
	f) 110 mm	"	462	462	462
	g) 125 mm	"	616	616	616
	h) 140 mm	"	766	766	766
	i) 160 mm	"	982	982	982
	j) 180 mm	र.मी	1252	1252	1252
	k) 200 mm	"	1534	1534	1534
28.4	C) PVC Pipe 10 Kg/ cm² pressure				
	a) 20 mm	र.मी	25	25	25
	b) 25 mm	"	40	40	40
	c) 32mm	"	65	65	65
	a) 40 mm	"	98	98	98
	b) 50 mm	"	155	155	155
	c) 63 mm	"	246	246	246
	d) 75 mm	"	351	351	351
	e) 90 mm	"	501	501	501
	f) 110 mm	"	742	742	742
	g) 125 mm	"	950	950	950
	h) 140 mm	"	1199	1199	1199
	i) 160 mm	"	1542	1542	1542
	j) 180 mm	"	1966	1966	1966
	k) 200 mm	"	2431	2431	2431
28.5	UPVC fittings :				
	Coupler				
	50 mm	गोटा	31	31	31
	75 mm	"	75	75	75
	110 mm	"	128	128	128
	Bend 87.5 degree				
	50 mm	गोटा	46	46	46
	75 mm	"	108	108	108
	110 mm	"	200	200	200
	Bend 45 degree				
	50 mm	गोटा	45	45	45
	75 mm	"	88	88	88



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	110 mm	"	158	158	158
	Single Tee				
	50 mm	गोटा	68	68	68
	75 mm	"	147	147	147
	110 mm	"	279	279	279
	Pipe clip				
	50 mm	गोटा	14	14	14
	75 mm	"	28	28	28
	110 mm	"	37	37	37
	Bend 87.5 degree with door				
	75 mm	गोटा	139	139	139
	110 mm	"	242	242	242
	Single Tee with door				
	75 mm	गोटा	198	198	198
	110 mm	"	369	369	369
	Double Tee				
	75 mm	गोटा	322	322	322
	110 mm	"	510	510	510
	Double Tee with door				
	75 mm	गोटा	427	427	427
	110 mm	"	662	662	662
	Vent cowl				
	75 mm	गोटा	53	53	53
	110 mm	"	87	87	87
	Socket plug				
	75 mm	गोटा	66	66	66
	110 mm	"	108	108	108
	Single "Y"				
	75 mm	गोटा	168	168	168
	110 mm	"	363	363	363
	Single "Y" with door				
	75 mm	गोटा	230	230	230
	110 mm	"	438	438	438
	Double "Y"				
	75 mm	गोटा	253	253	253
	110 mm	"	499	499	499
	Double "Y" with door				
	75 mm	गोटा	325	325	325
	110 mm	"	523	523	523
	Cleaning pipe				
	75 mm	"	147	147	147
	110 mm	"	284	284	284
	Reducer				
	110x 75 mm	"	131	131	131
	75X50 mm	"	69	69	69
	P-Trap				

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	125mmx110mm	"	539	539	539	
	110mmx110mm	"	505	505	505	
	75mmx75mm	"	193	193	193	
	Multi-Floor -Trap					
	110mmx75mm	"	280	280	280	
	Nahani-Trap					
	110mmx75mm	"	255	255	255	
	W.C. Connector (bent type)	"	261	261	261	
	Square tile with jali	"	84	84	84	
	Round jali	"	38	38	38	
	End cap 50mm	"	25	25	25	
29.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	102	102	111	
	ii. ¾" (20 mm)	"	138	138	152	
	iii. 1" (25 mm)	"	195	195	214	
	iv. 1 ¼" (32 mm)	"	250	250	275	
	v. 1 ½ " (40 mm)	"	310	310	341	
	vi. 2" (50 mm)	"	475	475	522	
	vii. 2 ½ " (65 mm)	"	540	540	594	
	viii. 3" (80 mm)	"	635	635	698	
	ix. 4" (100 mm)	"	913	913	1004	
	x. 5" (125 mm)	"	1385	1385	1523	
	xi. 6" (150 mm)	"	1703	1703	1873	
	xii. 8" (200 mm)	"	2453	2453	2698	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	120	120	132	
	ii. ¾" (20 mm)	"	152	152	166	
	iii. 1" (25 mm)	"	230	230	253	
	iv. 1 ¼" (32 mm)	"	300	300	330	
	v. 1 ½ " (40 mm)	र.मि	345	345	379	
	vi. 2" (50 mm)	"	473	473	520	
	vii. 2 ½ " (65 mm)	"	605	605	665	
	viii. 3" (80 mm)	"	752	752	826	
	ix. 4" (100 mm)	"	1458	1458	1604	
	x. 5" (125 mm)	"	1517	1517	1668	
	xi. 6" (150 mm)	"	1835	1835	2018	
	xii. 8" (200 mm)	"	2805	2805	3085	
	c) Heavy duty					
	i. ½ " (15 mm)	र.मि	143	143	157	
	ii. ¾" (20 mm)	"	178	178	196	
	iii. 1" (25 mm)	"	253	253	278	
	iv. 1 ¼" (32 mm)	"	345	345	379	
	v. 1 ½ " (40 mm)	"	398	398	438	
	vi. 2" (50 mm)	"	585	585	643	
	vii. 2 ½ " (65 mm)	"	730	730	803	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	viii. 3" (80 mm)	"	862	862	947
	ix. 4" (100 mm)	"	1325	1325	1457
	x. 5" (125 mm)	"	1708	1708	1879
	xi. 6" (150 mm)	"	1600	1600	1760
	xii. 8" (200 mm)	"	2980	2980	3278
30.0	G.I. Pipe fittings ISI or NS Standard				
	a) G.M. Gate valve				
	i. ½ "	गोटा	802	802	802
	ii. ¾ "	"	998	998	998
	iii. 1 "	"	1608	1608	1608
	iv. 1 ¼ "	"	2294	2294	2294
	v. 1 ½ "	"	2889	2889	2889
	vi. 2 "	"	4599	4599	4599
	vii. 2 ½ "	"	9509	9509	9509
	viii. 3 "	"	11823	11823	11823
	ix. 4 "	"	19365	19365	19365
	b) G.M Check valve				
	i. ½ "	गोटा	744	744	744
	ii. ¾ "	"	1000	1000	1000
	iii. 1 "	"	1479	1479	1479
	iv. 1 ¼ "	"	2186	2186	2186
	v. 1 ½ "	"	2529	2529	2529
	vi. 2 "	"	4194	4194	4194
	vii. 2 ½ "	"	8521	8521	8521
	viii. 3 "	"	11381	11381	11381
	ix. 4 "	"	16084	16084	16084
	c) G.I. Elbow				
	i. ½ "	गोटा	43	43	43
	ii. ¾ "	"	78	78	78
	iii. 1 "	"	121	121	121
	iv. 1 ¼ "	"	183	183	183
	v. 1 ½ "	"	257	257	257
	vi. 2 "	"	387	387	387
	vii. 2 ½ "	"	671	671	671
	viii. 3 "	"	1044	1044	1044
	ix. 4 "	"	1799	1799	1799
	x. 5 "	"	4452	4452	4452
	xi. 6 "	"	5358	5358	5358
	d) G.I. Tee				
	i. ½ "	गोटा	67	67	67
	ii. ¾ "	"	106	106	106
	iii. 1 "	"	154	154	154
	iv. 1 ¼ "	"	247	247	247
	v. 1 ½ "	"	342	342	342

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
vi.	2"	"	559	559	559	
vii.	2 ½ "	"	878	878	878	
viii.	3"	"	1187	1187	1187	
ix.	4"	"	2156	2156	2156	
x.	5"	"	5967	5967	5967	
xi.	6"	"	6915	6915	6915	
e) G.I Union						
i.	½ "	गोटा	141	141	141	
ii.	¾ "	"	198	198	198	
iii.	1"	"	291	291	291	
iv.	1 ¼ "	"	400	400	400	
v.	1 ½ "	"	495	495	495	
vi.	2"	"	737	737	737	
vii.	2 ½ "	"	1507	1507	1507	
viii.	3"	"	2030	2030	2030	
ix.	4"	"	2675	2675	2675	
x.	5"	"	5967	5967	5967	
xi.	6"	"	7219	7219	7219	
f) G.I. Socket						
i.	½ "	गोटा	39	39	39	
ii.	¾ "	"	61	61	61	
iii.	1"	"	83	83	83	
iv.	1 ¼ "	"	128	128	128	
v.	1 ½ "	"	173	173	173	
vi.	2"	"	255	255	255	
vii.	2 ½ "	"	462	462	462	
viii.	3"	"	681	681	681	
ix.	4"	"	1179	1179	1179	
x.	5"	"	2945	2945	2945	
xi.	6"	"	3960	3960	3960	
g) C.I. Plug						
i.	½ "	गोटा	25	25	25	
ii.	¾ "	"	33	33	33	
iii.	1"	"	41	41	41	
iv.	1 ¼ "	"	82	82	82	
v.	1 ½ "	"	103	103	103	
vi.	2"	"	124	124	124	
vii.	2 ½ "	"	178	178	178	
viii.	3"	"	364	364	364	
ix.	4"	"	698	698	698	
h) Hex Nipple						
i.	½ "	गोटा	47	47	47	
ii.	¾ "	"	72	72	72	
iii.	1"	"	116	116	116	
iv.	1 ¼ "	"	181	181	181	
v.	1 ½ "	"	229	229	229	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
vi.	2"	"	341	341	341
vii.	2 ½ "	"	625	625	625
viii.	3"	"	807	807	807
ix.	4"	"	1237	1237	1237
i) Reducing Tee					
i.	¾"	गोटा	116	116	116
ii.	1"	"	170	170	170
iii.	1 ¼"	"	271	271	271
iv.	1 ½ "	"	376	376	376
v.	2"	"	614	614	614
vi.	2 ½ "	"	967	967	967
vii.	3"	"	1307	1307	1307
viii.	4"	"	2388	2388	2388
x.	5"	"	6570	6570	6570
xi.	6"	"	7605	7605	7605
i) Reducing Elbow					
i.	¾"	गोटा	86	86	86
ii.	1"	"	133	133	133
iii.	1 ¼"	"	203	203	203
iv.	1 ½ "	"	285	285	285
v.	2"	"	426	426	426
vi.	2 ½ "	"	736	736	736
vii.	3"	"	1134	1134	1134
viii.	4"	"	2008	2008	2008
x.	5"	"	4898	4898	4898
xi.	6"	"	5894	5894	5894
j) Reducing socket					
i.	¾"	गोटा	67	67	67
ii.	1"	"	90	90	90
iii.	1 ¼"	"	140	140	140
iv.	1 ½ "	"	188	188	188
v.	2"	"	281	281	281
vi.	2 ½ "	"	502	502	502
vii.	3"	"	717	717	717
viii.	4"	"	1293	1293	1293
x.	5"	"	3697	3697	3697
xi.	6"	"	4347	4347	4347
K) Short bend					
i.	½ "	गोटा	116	116	116
ii.	¾"	"	178	178	178
iii.	1"	"	273	273	273
iv.	1 ¼"	"	525	525	525
v.	1 ½ "	"	793	793	793
vi.	2"	"	1161	1161	1161
vii.	2 ½ "	"	2980	2980	2980
viii.	3"	"	4620	4620	4620

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दरिस्ट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
ix.	4"	"	6546	6546	6546
	l) Cross Tee				
i.	1/2"	गोटा	109	109	109
ii.	3/4"	"	155	155	155
iii.	1"	"	244	244	244
iv.	1 1/4"	"	424	424	424
v.	1 1/2"	"	509	509	509
vi.	2"	"	825	825	825
vii.	2 1/2"	"	1392	1392	1392
viii.	3"	"	2017	2017	2017
ix.	4"	"	2723	2723	2723
	M) Tanki nipple				
i.	1/2"	गोटा	128	128	128
ii.	3/4"	"	178	178	178
iii.	1"	"	266	266	266
iv.	1 1/4"	"	400	400	400
v.	1 1/2"	"	509	509	509
vi.	2"	"	825	825	825
vii.	2 1/2"	"	1588	1588	1588
viii.	3"	"	2115	2115	2115
ix.	4"	"	2806	2806	2806
	G.I. Nipple Medium Class ISI or NS				
	2" Long				
i.	1/2"	गोटा	21	21	21
ii.	3/4"	"	31	31	31
iii.	1"	"	42	42	42
iv.	1 1/4"	"	57	57	57
v.	1 1/2"	"	69	69	69
vi.	2"	"	106	106	106
	3" Long				
i.	1/2"	गोटा	31	31	31
ii.	3/4"	"	47	47	47
iii.	1"	"	63	63	63
iv.	1 1/4"	"	85	85	85
v.	1 1/2"	"	105	105	105
vi.	2"	"	157	157	157
vii.	2 1/2"	"	216	216	216
viii.	3"	"	315	315	315
	4" Long				
i.	1/2"	गोटा	42	42	42
ii.	3/4"	"	62	62	62
iii.	1"	"	84	84	84
iv.	1 1/4"	"	113	113	113
v.	1 1/2"	"	138	138	138
vi.	2"	"	211	211	211

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७५/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
vii.	2 1/2 "	"	289	289	289	
viii.	3"	"	421	421	421	
ix.	4"	"	541	541	541	
	6" Long					
i.	1/2 "	गोटा	63	63	63	
ii.	3/4"	"	94	94	94	
iii.	1"	"	126	126	126	
iv.	1 1/4"	"	171	171	171	
v.	1 1/2 "	"	211	211	211	
vi.	2"	"	316	316	316	
vii.	2 1/2 "	"	432	432	432	
viii.	3"	"	618	618	618	
ix.	4"	"	764	764	764	
	9" Long					
i.	1/2 "	गोटा	94	94	94	
ii.	3/4"	"	139	139	139	
iii.	1"	"	168	168	168	
iv.	1 1/4"	"	256	256	256	
v.	1 1/2 "	"	344	344	344	
vi.	2"	"	474	474	474	
vii.	2 1/2 "	"	640	640	640	
viii.	3"	"	947	947	947	
ix.	4"	"	4059	4059	4059	
	12" Long					
i.	1/2 "	गोटा	126	126	126	
ii.	3/4"	"	184	184	184	
iii.	1"	"	209	209	209	
iv.	1 1/4"	"	342	342	342	
v.	1 1/2 "	"	421	421	421	
vi.	2"	"	631	631	631	
vii.	2 1/2 "	"	852	852	852	
viii.	3"	"	1262	1262	1262	
ix.	4"	"	1507	1507	1507	
	18" Long					
i.	1/2 "	गोटा	189	189	189	
ii.	3/4"	"	233	233	233	
iii.	1"	"	315	315	315	
iv.	1 1/4"	"	512	512	512	
v.	1 1/2 "	"	629	629	629	
vi.	2"	"	947	947	947	
vii.	2 1/2 "	"	1280	1280	1280	
viii.	3"	"	1874	1874	1874	
ix.	4"	"	2286	2286	2286	
	G.I/G.I Flange					
i.	1 1/4"	गोटा	803	803	803	
ii.	1 1/2 "	"	988	988	988	
iii.	2"	"	1211	1211	1211	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
iv.	2 ½ "	"	1416	1416	1416
v.	3"	"	1577	1577	1577
vi.	4"	"	1957	1957	1957
vii.	5"	"	2798	2798	2798
viii.	6"	"	2907	2907	2907
ix.	8"	"	5790	5790	5790
G.I./HDP Flange					
i.	1 ¼"	गोटा	865	865	865
ii.	1 ½ "	"	1102	1102	1102
iii.	2"	"	1302	1302	1302
iv.	2 ½ "	"	1520	1520	1520
v.	3"	"	1625	1625	1625
vi.	4"	"	2005	2005	2005
vii.	5"	"	2798	2798	2798
viii.	6"	"	2921	2921	2921
ix.	8"	"	6356	6356	6356
GI Endcap					
i.	1"	गोटा	106	106	106
ii.	1 ¼"	"	196	196	196
iii.	1 ½ "	"	240	240	240
iv.	2"	"	285	285	285
v.	2 ½ "	"	420	420	420
CI Plug					
i.	1"	गोटा	98	98	98
ii.	1 ¼"	"	182	182	182
iii.	1 ½ "	"	223	223	223
iv.	2"	"	265	265	265
v.	2 ½ "	"	390	390	390
GI Stainer					
i.	1"	गोटा	480	480	480
ii.	1 ¼"	"	648	648	648
iii.	1 ½ "	"	895	895	895
iv.	2"	"	1144	1144	1144
v.	2 ½ "	"	1450	1450	1450
vi.	3"	"	1960	1960	1960
HDPE Saddle clamp					
i.	1"	गोटा	141	141	141
ii.	1 ¼"	"	141	141	141
iii.	1 ½ "	"	183	183	183
iv.	2"	"	242	242	242
v.	2 ½ "	"	272	272	272
vi.	3"	"	301	301	301
Non returning CI Valve					
i.	3"	"	11400	11400	11400
ii.	4"	"	15200	15200	15200
iii.	5"	"	19600	19600	19600

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
iv.	6"	"	22800	22800	22800	
	HDP/HDP Flange set with adaptor					
i.	1 1/4"	गोटा	865	865	865	
ii.	1 1/2 "	"	1102	1102	1102	
iii.	2"	"	1302	1302	1302	
iv.	2 1/2 "	"	1520	1520	1520	
v.	3"	"	1625	1625	1625	
vi.	4"	"	2005	2005	2005	
vii.	5"	"	3178	3178	3178	
viii.	6"	"	2921	2921	2921	
ix.	8"	"	6356	6356	6356	
	Brass tap 1/2"					
i.	1/2 " (Wt. 400 gm)	गोटा	755	755	755	
ii.	1/2 " ordinary	गोटा	171	171	171	
	Globe Valve (GM)					
i.	1/2 "	गोटा	770	770	770	
ii.	3/4"	"	1254	1254	1254	
iii.	1"	"	1549	1549	1549	
iv.	1 1/4"	"	2461	2461	2461	
v.	1 1/2 "	"	3097	3097	3097	
vi.	2"	"	3867	3867	3867	
vii.	2 1/2 "	"	7595	7595	7595	
viii.	3"	"	12550	12550	12550	
ix.	4"	"	20292	20292	20292	
	Float Valve					
i.	1/2 "	गोटा	945	945	945	
ii.	3/4"	"	1069	1069	1069	
iii.	1"	"	1297	1297	1297	
iv.	1 1/4"	"	2242	2242	2242	
v.	1 1/2 "	"	3368	3368	3368	
vi.	2"	"	4484	4484	4484	
	C.I. Air valve (Heavy)					
i.	1/2 "	गोटा	3130	3130	3130	
ii.	3/4"	"	4318	4318	4318	
iii.	1"	"	4788	4788	4788	
	Brass Union with Adopter					
i.	1/2 "	गोटा	204	204	204	
ii.	3/4"	"	314	314	314	
iii.	1"	"	475	475	475	
iv.	1 1/4"	"	618	618	618	
v.	1 1/2 "	"	1102	1102	1102	
vi.	2"	"	1634	1634	1634	
	Saddle Ferrule					
i.	1 1/2 "	गोटा	295	295	295	
ii.	2"	"	390	390	390	
iii.	2 1/2 "	"	1088	1088	1088	

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
iv.	3"	"	1439	1439	1439	
v.	4"	"	2052	2052	2052	
	Flow Regulating Valve (G.M.)					
i.	1/2"	गोटा	1102	1102	1102	
	C.I Sluice Valve					
i.	1 1/2 "	गोटा	5705	5705	5705	
ii.	2"	"	7610	7610	7610	
iii.	2 1/2 "	"	9505	9505	9505	
iv.	3"	"	11409	11409	11409	
v.	4"	"	15208	15208	15208	
v.	5"	"	23114	23114	23114	
v.	6"	"	27740	27740	27740	
v.	8"	"	38836	38836	38836	
	Brass Ferrule Cock					
i.	1/2 "	गोटा	1254	1254	1254	
ii.	3/4"	"	1634	1634	1634	
iii.	1"	"	2399	2399	2399	
	Ball valve					
a)	15mm	गोटा	428	428	428	
b)	20 mm	"	542	542	542	
c)	25 mm	"	727	727	727	
d)	32 mm	"	876	876	876	
e)	40 mm	"	1696	1696	1696	
f)	50 mm	"	2784	2784	2784	
31.0	Supplying of Rcc ring for construction of well					
31.1	Ring					
i)	28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	563	
ii)	36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	697	697	697	
iii)	42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	811	811	811	
iv)	48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1074	1074	1074	
31.2	Supplying & fixing of metal frame and Rcc cover					
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700	
i)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2250	
i)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2470	
i)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	2950	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
32.0	ईनार खन्नेको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने, आवश्यक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र मी	3892	3892	3892	
	ii) 36" dia. R.C.C. Ring	"	4940	4940	4940	
	iii) 42" dia. R.C.C. Ring	"	5750	5750	5750	
	iv) 48" dia. R.C.C. Ring	"	7093	7093	7093	
32.2	२५ फीट देखि माथीको गहीराइ भएमा					
	ईनार खन्नेको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने, आवश्यक फील्डर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र मी	5223	5223	5223	
	ii) 36" dia. R.C.C. Ring	"	8832	8832	8832	
	iii) 42" dia. R.C.C. Ring	"	10690	10690	10690	
	iv) 48" dia. R.C.C. Ring	"	12843	12843	12843	
33.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	248	248	248	
	12"	Pc	468	468	468	
	15"	Pc	1348	1348	1348	
	18"	Pc	1595	1595	1595	
b	Blow Torch					
	1/2 pint	Pc	1392	1392	1392	
	1 pint	Pc	1716	1716	1716	
c	Building Trowel	Pc	77	77	77	
d	Chain Pipe wrench					
	50mm	Pc	1595	1595	1595	
	75mm	Pc	1898	1898	1898	
	100mm	Pc	2228	2228	2228	
	150mm	Pc	3135	3135	3135	
	200mm	Pc	5335	5335	5335	
e	Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17050	
	5 ton	Pc	28160	28160	28160	
f	Stone Chisel 1"x12"	Pc	358	358	358	
g	Die teeth oil with cane (250 ml size)	Pc	275	275	275	
h	Smooth steel file half round					
	8"	Pc	523	523	523	
	10"	Pc	1001	1001	1001	
i	Flat file 10"	Pc	523	523	523	
10.0	Hacksaw Blade					
	Single	Pc	4	4	4	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	187	187	187	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			अ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
k	Handle die set					
	25 mm	Pc	3108	3108	3108	
	50 mm	Pc	3520	3520	3520	
	60 mm	Pc	9350	9350	9350	
l	Heating Plate					
	80 mm	Pc	935	935	935	
	100 mm	Pc	1073	1073	1073	
	125 mm	Pc	1375	1375	1375	
	150 mm	Pc	1639	1639	1639	
	200 mm	Pc	2651	2651	2651	
	250 mm	Pc	3212	3212	3212	
	300 mm	Pc	3751	3751	3751	
m	Iron Brush 12"	Pc	72	72	72	
n	Iron Pan (madium)	Pc	253	253	253	
o	Pick Axe 1.7 Kg.	Pc	418	418	418	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	1980	
	65-80 mm	Pc	3080	3080	3080	
	100 mm	Pc	4950	4950	4950	
	125 mm	Pc	5500	5500	5500	
	150 mm	Pc	9790	9790	9790	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350	
r	Pipe Vice					
	2"	Pc	2420	2420	2420	
	3"	Pc	3520	3520	3520	
	4"	Pc	5308	5308	5308	
	5"	Pc	9845	9845	9845	
s	Pipe Wrench					
	10"	Pc	308	308	308	
	12"	Pc	572	572	572	
	14"	Pc	682	682	682	
	18"	Pc	1084	1084	1084	
	24"	Pc	1496	1496	1496	
	36"	Pc	5280	5280	5280	
	48"	Pc	9350	9350	9350	
t	Plumb Bob Line	Pc	88	88	88	
u	Ratchet Die Set					
	1/2"-1"	Pc	4180	4180	4180	
	1 1/4"-2"	Pc	7810	7810	7810	
	2 1/2"-3"	Pc	17050	17050	17050	
v	Round File 10"	Pc	358	358	358	
w	Screw Driver 12"	Pc	198	198	198	
x	Shovel 1.5 Kg	Pc	358	358	358	
y	Slide wrench					
	10"	Pc	352	352	352	
	12"	Pc	473	473	473	
	15"	Pc	1381	1381	1381	
z	Spade	Pc	429	429	429	
A	Spare Die Teeth					
	15 mm	Pc	572	572	572	
	20 mm	Pc	572	572	572	
	25 mm	Pc	572	572	572	


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	दररेट म अ क. (VAT बाहेक) (रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	32 mm	Pc	908	908	908	
	40 mm	Pc	1551	1551	1551	
	50 mm	Pc	1568	1568	1568	
	65 mm	Pc	1815	1815	1815	
	80 mm	Pc	2035	2035	2035	
	B Teflon Cover					
	5'x5'	Pc	303	303	303	
	7'x7'	Pc	413	413	413	
	C Teflon Cloth	m	3328	3328	3328	
	D Teflon Tape 10 mm roll	Roll	17	17	17	
	E Thermochrome Crayon					
	Indian	Pc	743	743	743	
	Germany	Pc	1485	1485	1485	
	F Tool Box (14"x8"x22")	Pc	2041	2041	2041	
34	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-F316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-F316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)					
	800 lts for 4 persons	nos	63750	63750	63750	
	1200 lts for 6 people	nos	79050	79050	79050	
	1600 lts for 10 persons	nos	95200	95200	95200	
35	Irrigation Works excluding pipes including installation (Rainbird or equivalent)					
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150	
2	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates: 11.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30	30	30	
3	SPRINKLERS & ACCESSORIES					
	Unispray	No.	660	660	660	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु. अ. क. (VAT वाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200	1200	1200	
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200	
	gear rotors 5004	No.	3100	3100	3100	
	Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390	390	390	
	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480	480	480	
	Providing and fixing of HDPE service saddle of varying size		850	850	850	
4	VALVES & ACCESSORIES					
	Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800	
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	7500	
	6"Round box.	No.	1250	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500	13500	13500	
	Key threads into top of QCV to provide water access 33DK	No.	9750	9750	9750	







Electrical Works

बिदुर, नुवाकोट

श्रावण, २०७५

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६

ELECTRICAL WORK

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	Dyana White Plate series				
1	SWITCH SOCKET ANCHOR /				
	CPL /NG/Flux OR ISI EQUIVALENT				
	One Gang one way switch	सेट	58	58	58
	One Gang two way switch	सेट	69	69	69
	One way bell switch	सेट	72	72	72
	Two gang one way switch	"	96	96	96
	Two gang one way switch with one bell push	"	105	105	105
	Two gang Full two way switch	"	107	107	107
	Three Gang one way switch	"	127	127	127
	Four gang one way switch	"	161	161	161
	Six gang one way switch (3x5)	"	253	253	253
	Eight gang one way switch	"	304	304	304
	Dimmer single 300 watt	"	309	309	309
	Dimmer single 750 watt	"	459	459	459
	5 Step humming free dimmer	"	407	407	407
	16Amp 3 Pin Plug Top	"	121	121	121
	1 switch with dimmer	"	368	368	368
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611
	Blanking plate single	"	40	40	40
	Telephone socket single	"	118	118	118
	Telephone socket Double	"	169	169	169
	Angle / bottom holder	"	35	35	35
	Ceiling Rose	"	35	35	35
	Buzzer	"	97	97	97
	Musical bell	"	222	222	222
	T.V. antenna single Socket	"	82	82	82
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128
	RJ 45 Computer Socket for modem	"	234	234	234
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm).	"	35	35	35
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
1.	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98	
	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	10A 1gang 1way Switch	Set	83	83	83	
	10A 2gang 1way Switch	Set	163	163	163	
	10A 3gang 1way Switch	"	216	216	216	
	10A 4gang 1way Switch	"	350	350	350	
	10A 5gang 1way Switch	"	371	371	371	
	10A 6gang 1way Switch	"	617	617	617	
	10A 1gang 2way Switch	"	144	144	144	
	10A 2gang 2way Switch	"	278	278	278	
	10A 3gang 2way Switch	"	407	407	407	
	10A 4gang 2way Switch	"	613	613	613	
	T V Socket outlet	"	299	299	299	
	Telephone Socket	"	268	268	268	
	13A Universal socket outlet	"	464	464	464	
	13A Socket	"	273	273	273	
	15A switched Socket outlet	"	443	443	443	
	5A Socket	"	340	340	340	
	RJ 45 8way Computer Socket	"	824	824	824	
	TV and Telephone Socket	"	592	592	592	
	7+2 PIN SOCKET OUTLET	"	927	927	927	
	3+2 PIN SOCKET OUTLET	"	577	577	577	
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783	
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505	
	Bell Press	"	237	237	237	
	Blank Plate	"	93	93	93	
	400W Light Dimmer W/ Switch	"	906	906	906	
	400W Fan Controller / Multi Step Dimmer	"	917	917	917	
	5 Step Fan Controller	"	896	896	896	
	2 Pin Socket W/ Switch	"	453	453	453	
	13A Twin Socket	"	680	680	680	
	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier, Rathi, Ohms or EQUIVALENT					
	One Gang one way switch	सेट	100	100	100	
	One Gang two way switch	सेट	112	112	112	
	One way bell switch	सेट	112	112	112	
	Two gang one way switch	"	133	133	133	
	Two gang one way switch with one bell push	"	146	146	146	
	Two gang Full two way switch	"	158	158	158	
	Three Gang one way switch	"	167	167	167	
	Four gang one way switch	"	202	202	202	
	Six gang one way switch	"	307	307	307	
	Eight gang one way switch	"	374	374	374	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट भु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Dimmer single 300 watt	"	486	486	486	
	1 switch with dimmer	"	499	499	499	
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260	
	6/13 Amp , Power sockets with switch , indicator	"	263	263	263	
	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391	
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474	
	Blanking plate single	"	62	62	62	
	Telephone socket single	"	152	152	152	
	Telephone socket Double	"	249	249	249	
	T.V. antenna single Socket	"	142	142	142	
	RJ 45 Computer Socket for modem	"	206	206	206	
	CAT-6 Computer Socket for modem	"	321	321	321	
2	Modular Type Switch Socket set NORTH-WEST NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1P – 6A/10A 1 way switch	No.	139	139	139	
	1P – 16A/20A 1 way switch	"	223	223	223	
	1P – 25A 1 way switch	"	326	326	326	
	1P – 6A/10A 2 way switch	"	167	167	167	
	1P – 16A/20A 2 way switch	"	253	253	253	
	1P – 6A push button	"	184	184	184	
	1 gang blanking module	"	43	43	43	
	2 gang blanking module	"	86	86	86	
	FAN REGULATOR / DIMMER					
	Step type fan regulator	No.	638	638	638	
	60 – 500 W dimmer	"	797	797	797	
	1000 W dimmer	"	1524	1524	1524	
	SOCKETS / TELEPHONE / COMPUTER					
	SOCKETS / TV SOCKETS					
	6A – multi socket 5 pin	No.	240	240	240	
	6/16A twin socket 3 pin (flushed)	"	332	332	332	
	6/16A twin socket 3 pin (projected)	"	332	332	332	
	25A 3 pin socket	"	401	401	401	
	13A 3 pin socket	"	270	270	270	
	RJ 11 telephone jack	"	159	159	159	
	RJ 45 cat.6e computer socket	"	557	557	557	
	TV socket	"	161	161	161	
	250V/110V shaver socket	No.	4355	4355	4355	
	Indicator (DO NOT DISTUURB)	"	180	180	180	
	LED yellow night lamp	"	560	560	560	
	LED Blue night lamp	"	560	560	560	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)					
	(White)					
	1 module front plate	No.	72	72	72	
	2 module front plate	"	77	77	77	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	3 module front plate	"	84	84	84
	4 module front plate	"	89	89	89
	6 module front plate	"	162	162	162
	8 module front plate(4+4)	"	217	217	217
	8 module front plate (Horizontal)	"	174	174	174
	12 module front plate	"	260	260	260
	18 module front plate	"	350	350	350
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent				
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	No.	87	87	87
	1P – 16A/20A 1 way switch	"	144	144	144
	1P – 6A/10A 2 way switch	"	134	134	134
	1P – 16A/20A 2 way switch	"	175	175	175
	1P – 6A push button	"	134	134	134
	1 gang blanking module	"	41	41	41
	2 gang blanking module	"	78	78	78
	FAN REGULATOR / DIMMER				
	Step type fan regulator	No.	700	700	700
	60 – 500 W dimmer	"	597	597	597
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	No.	185	185	185
	6/16A twin socket 3 pin (flushed)	"	288	288	288
	6/16A twin socket 3 pin (projected)	"	288	288	288
	13A 3 pin socket	"	185	185	185
	RJ 11 telephone jack	"	144	144	144
	RJ 45 cat.6e computer socket	"	237	237	237
	TV socket	"	144	144	144
	1 module front plate	No.	113	113	113
	2 module front plate	"	113	113	113
	3 module front plate	"	148	148	148
	4 module front plate	"	165	165	165
	6 module front plate	"	227	227	227
	8 module front plate(4+4)	"	305	305	305
	8 module front plate (Horizontal)	"	313	313	313
	12 module front plate	"	363	363	363
	18 module front plate	"	453	453	453
	Flush mounting galvanized Metal box for modular type switch & socket				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	52	52	52
	2 module " " " (78x78x45)mm	"	52	52	52
	3 gang " " " =(78x100x45)mm	"	56	56	56

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
3	4 gang " " " =(78x140x50)mm	"	68	68	68	
	5 gang " " " =(78x205x50)mm	"	134	134	134	
	6 gang " " " =(78x205x50)mm	"	136	136	136	
	8 module metal box (4+4) =(78x230x60)mm	"	181	181	181	
	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	181	
	12 module metal box =(135x120x60)mm	"	231	231	231	
	TV socket metal box	"	52	52	52	
	Telephone socket metal box	"	52	52	52	
	METAL Junction BOX					
	4"x4"	गोटा	100	100	100	
	4"x6"	"	150	150	150	
	6"x8"	"	237	237	237	
	8"x10"	"	349	349	349	
	8"x12"	"	349	349	349	
4	PVC Junction Box	"	34	34	34	
	4"x4"	गोटा				
	4"x6"	"	31	31	31	
	6"x8"	"	46	46	46	
	8"x10"	"	67	67	67	
	8" x12"	"	129	129	129	
5	Junction box cover	"	144	144	144	
	PVC Listy Double Lock { 6'length =1 no.(गोटा)}					
	½ " breadth	गोटा	31	31	31	
	¾ "	"	46	46	46	
	1"	"	67	67	67	
	1 ½ "	"	129	129	129	
6	2"	"	144	144	144	
	PVC Conduit Pipe					
	1) ½ " diameter	र.मी	31	31	31	
	2) ¾ "	"	46	46	46	
7	3) 1"	"	67	67	67	
	Listy Pipe Accessories					
	½"-2" size Saddle	र.मी	8	8	8	
	Grips (Denmark)	गोटा	6	6	6	
	Steel screws	गोटा	2	2	2	
8	PVC Tape	गोटा	15	15	15	
	Distribution board (DB)					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	4 way SPN DB Double Cover	सेट	1082	1082	1082	
	6 way SPN DB " "	"	1135	1135	1135	
	8 way SPN DB " "	"	1416	1416	1416	
	12 way SPN DB " "	"	1679	1679	1679	
	16 way SPN DB " "	"	1795	1795	1795	
	3-4 way TPN DB Double Cover	"	2668	2668	2668	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	6 way TPN " " "	"	2998	2998	2998	
	8 way TPN " " " Vertical	"	5799	5799	5799	
	12 way TPN " " " Vertical	"	7727	7727	7727	
	50 Pair Telephone D.B.with crown tag	"	5446	5446	5446	
9	PVC Box for MCB					
	1-pole PVC box GPS	सेट	81	81	81	
	2- pole PVC " "	"	81	81	81	
	3 and 4-pole PVC " "	"	130	130	130	
10	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	6-32 amp MCB SP (single pole)	गोटा	206	206	206	
	6-32 amp MCB DP (Double pole)	"	1030	1030	1030	
	6-32 amp MCB TP (Triple pole)	"	1710	1710	1710	
	32 amp MCB TPN	"	2472	2472	2472	
	40-63 amp MCB DP	"	1648	1648	1648	
	40-63 amp MCB TP	"	2637	2637	2637	
	40-63 amp MCB TPN	"	3157	3157	3157	
	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	0.5-5 amp MCB SP (single pole)	गोटा	258	258	258	
12	6-32 amp MCB SP (single pole)	"	165	165	165	
	6-32 amp MCB DP (Double pole)	"	618	618	618	
	6-32 amp MCB TP (Triple pole)	"	1236	1236	1236	
	32 amp MCB TPN	"	1494	1494	1494	
	40-63 amp MCB DP	"	979	979	979	
	40-63 amp MCB TP	"	1391	1391	1391	
	40-63 amp MCB TPN	"	1854	1854	1854	
	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent					
	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2751	
	63A 30mA DP RCCB	"	3278	3278	3278	
	63A 100mA DP RCCB	"	3014	3014	3014	
	63A 300mA DP RCCB	"	3064	3064	3064	
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3377	
	63A 30mA Four Pole RCCB	"	3706	3706	3706	
	63A 100mA Four Pole RCCB	"	3706	3706	3706	
	63A 300mA Four Pole RCCB	"	3706	3706	3706	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent				
	16AMP- 63AMP TP MCCB 16KA		5665	5665	5665
	80AMP TP MCCB 16KA		5665	5665	5665
	100AMP TP MCCB 16KA		6386	6386	6386
	125AMP TP MCCB 16KA		8240	8240	8240
	160AMP TP MCCB 16KA		9785	9785	9785
	16AMP- 63AMP TP MCCB 25KA		6386	6386	6386
	80AMP TP MCCB 25KA		7045	7045	7045
	100AMP TP MCCB 25KA		7045	7045	7045
	125AMP TP MCCB 25KA		11330	11330	11330
	160AMP TP MCCB 25KA		13390	13390	13390
	200AMP TP MCCB 25KA(Adjustable)		21115	21115	21115
	200AMP TP MCCB 36KA(Adjustable)		23175	23175	23175
	250AMP TP MCCB 36KA(Adjustable)		27295	27295	27295
	400AMP TP MCCB 50KA(Adjustable)		35535	35535	35535
	630AMP TP MCCB 50KA(Adjustable)		48410	48410	48410
	800AMP TP MCCB 50KA(Adjustable)		63963	63963	63963
14	Manual Changeover Panel Type				
	Make ABB, Siemens, Hager DELTON or Equivalent				
	63 Amp FP	..	11618	11618	11618
	80 Amp FP	..	12854	12854	12854
	100 Amp FP	..	18210	18210	18210
	125 Amp FP	..	19199	19199	19199
	160 Amp FP	..	25214	25214	25214
	200 Amp FP	..	26038	26038	26038
	250 Amp FP	..	27686	27686	27686
	315 Amp FP	..	35020	35020	35020
15					
	<u>Dome light Make Homedec, Decon, Fumagalli OR equivalent</u>				
	6" Milky type decorative dome light	सेट	180	180	180
	6 " Brass base decorative dome light	..	736	736	736
	8"Milky type decorative dome light	..	227	227	227
	8 " Brass base decorative dome light	..	876	876	876
	8" Silver cast Milky base Decorative Dome Light	..	1107	1107	1107
	6) 8" Silver cast Black Base base Decorative Dome Light	..	567	567	567

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213
	<u>Wall bracket/spout light/mirror light bulk head</u> ordinary .Make Homedec,Decon,Fumagalli	"	232	232	232
	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514
	Dining lamp.	"	1700	1700	1700
	<u>Chandlers</u> 6-8 lamp Medium	"	15090	15090	15090
	Chandlers 3-5 lamp Medium	"	10764	10764	10764
	Mirror Light Euro Light Wipro WRF21111	"	464	464	464
	Picture light Euro Light POO2	"	670	670	670
	Wall spot Light E27 60W Euro or eqv.	"	361	361	361
	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824
	<u>Post top Lanterns</u>				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476
	8" Globe type Post top Lamp complete set	"	1416	1416	1416
	10" Globe type Post top Lamp complete set	"	2704	2704	2704

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
15.	Roadway light luminaires Wipro, Philips , Legero or Equivalent				
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2637
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	"	3868	3868	3868
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1545	1545
	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382
	Single Piece deep drawn aluminum POT optics road light luminaries with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271
	1X125W HPSV street light fixture with acrylic diffuser	"	5119	5119	5119
	2X60/100W GLS aviation light fixture all complete set	"	5686	5686	5686
16	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPT ON/POWERPACK C/G . Almonard or equivalent				
	36" size ceiling Fan	गोटा	2163	2163	2163
	42" size " "	"	2266	2266	2266
	48" size " "	"	2318	2318	2318
	56" size " "	"	2575	2575	2575
	6" Exhaust Fan	"	1494	1494	1494
	9" Exhaust Fan	"	1803	1803	1803
	16" size wall fan	"	2833	2833	2833
	12" size exhaust fan	"	2575	2575	2575
17	BELL INDICATOR				
	4 way bell indicator with plate	सेट	1255	1255	1255
	6 way " " " "	"	2049	2049	2049
	8 way " " " "	"	2851	2851	2851
	12 way " " " "	"	4395	4395	4395
	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)				
	Copper plate	के.जी	917	917	917
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1082	1082
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1082	1082
	Copper Strip (12 x 3)mm	के.जी	1082	1082	1082

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
18	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2730	
	8 SWG bare copper wire	र. मी	144	144	144	
	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	252	
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618	
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196	
	Funnel with wire mesh	गोटा	361	361	361	
	Charcoal	ब्याग	309	309	309	
	Salt	के.जी	12	12	12	
19	STEEL TUBELAR POLE / WOODEN POLE					
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)					
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057	12057	12057	
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12978	12978	12978	
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12484	12484	12484	
	7 mtr.length Wooden Pole	No	4996	4996	4996	
	9 mtr.length Wooden Pole	No	6798	6798	6798	
20	Modular ceiling Luminaries				0	
	Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent				0	
	1x20 watt FTL (Patti fittings)	सेट	464	464	464	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775	
	1×20 watt FTL (Mirrolta) WRF 20120	"	876	876	876	
	1×40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020	
	1×40 watt FTL box fittings WIF 14140	"	1159	1159	1159	
	2×40 watt FTL box fittings WIF 14240	"	1751	1751	1751	
	1×40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782	
	2×40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287	
	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	1854	1854	1854	
	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3090	
	4×20 watt FTL, oplite WCF 93418	"	5410	5410	5410	
	4×20 watt FTL <u>mirror optic</u> , surface/recessed mounting WCF93418	"	5410	5410	5410	
	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3554	
	2×40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326	
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set WVF20414	सेट	9383	9383	9383	
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245	
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTON, MIDEA, LEGERO or ISI equivalent.					
	2 x 18 W CFL recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	"	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2266	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	सेट	6067	6067	6067
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	6824	6824	6824
	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10815	10815	10815
	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		14060	14060	14060
	Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13339
	Hight efficiency circular LED Down Lighter LD71		3245	3245	3245
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	14600
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1082
	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3245
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3245
	Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6129
	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6129
	Down Light Fiam Make				
	FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1298
	FDL004 SMD7W-CW Taiwan chip		1298	1298	1298
	FDLOO4 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1857
	FDLOO4 SMD9W-CW Taiwan chip		1857	1857	1857
	FDLOO4 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2828
	FDLOO4 SMD15W-CW Taiwan chip		2828	2828	2828
	FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5091
	FDL004 SMD30W-CW Taiwan chip		5091	5091	5091
	FDLO12 COB5W-WWH (90MM)		1301	1301	1301
	FDLO12 COB5W-CW		1301	1301	1301
	FDLO12 COB10W-WWH (120MM)		1979	1979	1979
	FDLO12 COB10W-CW		1979	1979	1979
	FDLO12 COB15W-WWH Taiwan chip (140MM)		5091	5091	5091
	FDLO12 COB15W-CW Taiwan chip		5091	5091	5091
	FDLO12 COB25W-WWH Taiwan chip (175MM)		6787	6787	6787
	FDLO12 COB25W-CW Taiwan chip		6787	6787	6787
	FDLO12 COB30W-WWH Taiwan chip (200MM)		8483	8483	8483
	FDLO12 COB30W-CW Taiwan chip		8483	8483	8483
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)		4184	4184	4184

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	FDLOO7 SMD12W-CW Taiwan chip		4184	4184	4184
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)		6108	6108	6108
	FDLOO7 SMD18W-CW Taiwan chip		6108	6108	6108
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)		7635	7635	7635
	FDLOO7 SMD24W-CW Taiwan chip		7635	7635	7635
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)		3167	3167	3167
	FDLOO1 HP5W FBK-CW Taiwan chip		3167	3167	3167
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)		3167	3167	3167
	FDLOO1 HP5W FWH-CW Taiwan chip		3167	3167	3167
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1301
	FDLLOO5 SMD7W-CW Taiwan chip		1301	1301	1301
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1696
	FDLOO5 SMD12W-CW Taiwan chip		1696	1696	1696
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3111
	FDLOO5 SMD20W-CW Taiwan chip		3111	3111	3111
	FM3161 HP 18W-WWH Cree Led		6787	6787	6787
	FM3161 HP 18W-CW Cree Led		6787	6787	6787
	HD-5010-13-WWH Osram chip (86*75)		2094	2094	2094
	HD-5010-13-CW Osram chip		2094	2094	2094
	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3167
	HD-5010-14-CW Osram chip		3167	3167	3167
	HD-5010-14-WWH Osram chip (140*125)		3959	3959	3959
	HD-5010-14-CW Osram chip		3959	3959	3959
	HD-5010-18-WWH Osram chip (215*200)		7860	7860	7860
	HD-5010-18-CW Osram chip		7860	7860	7860
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2451
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP 3W 3C1.000.000		2451	2451	2451
	LUCIA WHITE OPAL		1803	1803	1803
	LUCIA BLACK OPAL		1803	1803	1803
	LUCIA-GD WHITE OPAL		1803	1803	1803
	LUCIA-GD BLACK OPAL		1803	1803	1803
	REMI/LUCIA WHITE OPAL		2163	2163	2163
	REMI/LUCIA BLACK OPAL		2163	2163	2163
	REMI/LUCIA-EL WHITE OPAL		2163	2163	2163

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	REMI/LUCIA-EL BLACK OPAL		2163	2163	2163
	REMI/LUCIA-GD WHITE OPAL		2163	2163	2163
	REMI/LUCIA-GD BLACK OPAL		2163	2163	2163
	MADDI BULKHEAD WHITE OPAL		1803	1803	1803
	MADDI BULKHEAD BLACK OPAL		1803	1803	1803
	MADDI-VE BULKHEAD WHITE OPAL		2524	2524	2524
	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1803
	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1803
	MADDI-HL BULKHEAD BLACK OPAL		1803	1803	1803
	REMI/MADDI WHITE OPAL		2163	2163	2163
	REMI/MADDI BLACK OPAL		2163	2163	2163
	REMI/MADDI-VE WHITE OPAL		2163	2163	2163
	REMI/MADDI-VE BLACK OPAL		2163	2163	2163
	REMI/MADDI-HL WHITE OPAL		2163	2163	2163
	REMI/MADDI-HL BLACK OPAL		2163	2163	2163
	GABRI/MADDI 1L BLACK OPAL		7210	7210	7210
	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6489
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		6489	6489	6489
	GELMI WHITE OPAL E27		2884	2884	2884
	GELMI BLACK OPAL E27		2884	2884	2884
	GELMI-EL WHITE OPAL E27		2884	2884	2884
	GELMI-EL BLACK OPAL E27		2884	2884	2884
	DANZI WHITE OPAL E27		2884	2884	2884
	DANZI BLACK OPAL E27		2884	2884	2884
	STUCCHI WHITE OPAL E27		3245	3245	3245
	STUCCHI BLACK OPAL E27		3245	3245	3245
	CECCHI WHITE OPAL E27		3245	3245	3245
	CECCHI BLACK OPAL E27		3245	3245	3245
	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3605
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3605
	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3245
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7210
	System Sensor Product (Honeywell)				
	Photo Electric Smoke Detector		1875	1875	1875
	Rate of Rise Heat Detector		1875	1875	1875
	Fixed temperature Detector		2287	2287	2287
	Base		371	371	371
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1483
	Wall mount Horn+Strobe		4120	4120	4120
	Ceiling mount Horn+Strobe		4120	4120	4120
	Exit Light Samcon make				
	MODEL SLM 18		12360	12360	12360
	MODEL ELS 28		12360	12360	12360




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	MODEL ETL 210H-4LA		12360	12360	12360	
21	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
	500 watt halogen rod	गोटा	232	232	232	
	1000 watt halogen rod	"	278	278	278	
	70Watt SON Lamp (Sodium Vapour)	"	834	834	834	
	150 watt sodium vapour bulb	"	1298	1298	1298	
	250 watt sodium vapour bulb	"	1700	1700	1700	
	20-40 watt FTL rod	"	80	80	80	
	20-40 watt FTL Copper chowk.	"	258	258	258	
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	412	
	Acrylic cover for 4x20 FTL	"	989	989	989	
	FTL starter	"	19	19	19	
21	8 W to 11W, C.F.L Direct fit	"	232	232	232	
	13 to 22W, C.F.L Direct fit	"	299	299	299	
	15-100 watt bulb. (ISI)	गोटा	26	26	26	
	PL-S 9W/86 (CFL)	"	165	165	165	
	PL-S 11W/86 (CFL)	"	175	175	175	
	PL-L 36W/86 (CFL)	"	417	417	417	
	125W HPL-N (Mercury Vapour)	"	371	371	371	
	250W HPL-N	"	876	876	876	
	Solar LED bulb					
	12V/2W LED bulb	"	361	361	361	
	12V/3W LED bulb	"	412	412	412	
	12V/4W LED bulb	"	464	464	464	
	COPPER CONDUCTOR / WIRE /CABLE (PER COIL=90 RM) NS marked					
	1/18" size p.v.c. insulated copper wire/ cable	ब्यायल	948	948	948	
	3/22 " "	"	1133	1133	1133	
	3/20 " "	"	1803	1803	1803	
	7/22 " "	"	2524	2524	2524	
22	7/20 " "	"	4120	4120	4120	
	7/18 " "	"	6489	6489	6489	
	7/16 " "	"	13390	13390	13390	
	19/18 " "	"	18025	18025	18025	
	19/16 " "	"	36050	36050	36050	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	2\20 " "	"	1370	1370	1370	
	2\22 " "	"	927	927	927	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1.0 mm PVC insulated Copper wire	क्वायल	1030	1030	1030	
	1.5 mm PVC insulated Copper wire	"	1648	1648	1648	
	2.5 mm PVC insulated Copper wire	"	2421	2421	2421	
	4.0 mm PVC insulated Copper wire	"	3914	3914	3914	
	6.0 mm PVC insulated Copper wire	"	6180	6180	6180	
	10.0mm PVC insulated Copper wire	"	10300	10300	10300	
23	Concentric cable NS marked Eqv.					
	4mm size concentric cable	र.मी	23	23	23	
	6mm size " "	र.मी	26	26	26	
	10mm size concentric cable	र.मी	39	39	39	
	16mm size " "	र.मी	67	67	67	
	25mm size " "	र.मी	89	89	89	
	RG6 Coaxial cable	र.मी	23	23	23	
	RG59 Coaxial cable	र.मी	26	26	26	
	UTP cat -5 networking cable	र.मी	26	26	26	
24	Telephone Drop wire/pair cable NS marked Eqv.					
	² / ₂₀ Telephone drop wire	क्वायल	989	989	989	
	² / ₂₂ " "	क्वायल	670	670	670	
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14	14	14	
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20	
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32	
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62	
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91	
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119	
	1mm drop wire	"	10	10	10	
	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7648	
	2-6 Line EPABX "	"	18411	18411	18411	
	3-8 Line EPABX "	"	20538	20538	20538	
	4-12 Line EPABX "	"	36823	36823	36823	
	6-16 Line EPABX "	"	49569	49569	49569	
	8-24 Line EPABX "	"	84975	84975	84975	
	8-48 Line EPABX "	"	90923	90923	90923	
	8-72 Line EPABX "	"	97288	97288	97288	

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
25	Other Accessories					
	6" size Dome light glass	गोटा	65	65	65	
	8" size " " "	"	76	76	76	
	wall bracket glass	"	65	65	65	
	Fan regulator	"	271	271	271	
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414	
	60/75/100 AMP "12"×36"×48" size	"	25493	25493	25493	
	60/75/100 AMP 9"×48"×60" size	"	35690	35690	35690	
	60/75100 AMP 12"×49"×60" size	"	42488	42488	42488	
	150/200 AMP 9"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 12"×38"×52" size	"	23793	23793	23793	
	150/200 AMP 9"×42"×56 "size	"	26496	26496	26496	
	150/200 AMP 12"×42"×56" size	"	28179	28179	28179	
	250/300AMP 12"×48"×60"size	"	34505	34505	34505	
	250/300AMP 12"×52"×62" size	"	38626	38626	38626	
	400 AMP 12"×52"×66" size	"	41118	41118	41118	
29	Panel Board measurement instrument					
	0-500 volt meter	पिस	1023	1023	1023	
	60/100 Amp meter .	"	979	979	979	
	Panel Indicator	"	237	237	237	
	2 Amp glass fuse with holder 12 mm size	"	134	134	134	
	AMP meter selector switch	"	649	649	649	
	volt meter selector switch	"	711	711	711	
	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432	
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782	
	250-300 AMP " " "	"	2421	2421	2421	
	400/500/600AMP " " "	"	3554	3554	3554	
	Kilo watt hour energy meter single phase	पिस	2271	2271	2271	
	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10228	
30	Trailing Protected Industrial Plug IP44					
	16A 3P+E 400V Industrial plug	सेट	541	541	541	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
32	32 A 3p +N+E " Plug	सेट	803	803	803	
	32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1545	
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905	
33	CABLE SHOE					
	16 sq.mm cable shoe	गोटा	64	64	64	
	25 sq.mm " "	"	83	83	83	
	35 sq.mm " "	"	64	64	64	
	50 sq.mm " "	"	75	75	75	
	70 sq.mm " "	"	92	92	92	
	95 sq.mm " "	"	143	143	143	
	150 sq.mm " "	"	215	215	215	
	195 sq.mm " "	"	305	305	305	
	250 sq.mm " "	"	485	485	485	
34	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1.5 mm2	र.मी	103	103	103	
	2.5 mm2	"	139	139	139	
	4.0 mm2	"	191	191	191	
	6.0 mm2	"	247	247	247	
	10.0 mm2	"	371	371	371	
	16.0 mm2	"	494	494	494	
	25.0 mm2	"	721	721	721	
	35.0 mm2	"	958	958	958	
	50.0 mm2	"	1339	1339	1339	
	b) 3 Core					
	1.5 mm2	"	129	129	129	
	2.5 mm2	"	180	180	180	
	4.0 mm2	"	258	258	258	
	6.0 mm2	"	330	330	330	
	10.0 mm2	"	494	494	494	
	16.0 mm2	"	690	690	690	
	25.0 mm2	"	1051	1051	1051	
	35.0 mm2	"	1391	1391	1391	
	50.0 mm2 Copper Conductor Armoured	"	1906	1906	1906	
	70.0 mm2	"	2678	2678	2678	
	95.0 mm2	"	3605	3605	3605	
	120.0 mm2	"	4532	4532	4532	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
34	150.0 mm ²	"	5562	5562	5562	
	c) 3.5 Core					
	25.0 mm ²	र.मी	1257	1257	1257	
	35.0 mm ²	"	1597	1597	1597	
	50.0 mm ²	"	2245	2245	2245	
	70.0 mm ²	"	3090	3090	3090	
	95.0 mm ²	"	4120	4120	4120	
	120.0 mm ²	"	5408	5408	5408	
	150.0 mm ²	"	6386	6386	6386	
	185.0 mm ²	"	7931	7931	7931	
	240.0 mm ²	"	10403	10403	10403	
	300.0 mm ²	"	13184	13184	13184	
	400.0 mm ²	"	17304	17304	17304	
	d) 4 Core					
	1.5 mm ²	र.मी	155	155	155	
	2.5 mm ²	"	221	221	221	
	4.0 mm ²	"	319	319	319	
	6.0 mm ²	"	412	412	412	
	10.0 mm ²	"	618	618	618	
	16.0 mm ²	"	901	901	901	
	25.0 mm ²	"	1339	1339	1339	
	35.0 mm ²	"	1803	1803	1803	
	50.0 mm ²	"	2575	2575	2575	
	70.0 mm ²	"	3502	3502	3502	
34	95.0 mm ² Copper Conductor Armoured	"	4738	4738	4738	
	120.0 mm ²	"	5974	5974	5974	
	150.0 mm ²	"	7416	7416	7416	
	185.0 mm ²	"	9064	9064	9064	
	240.0 mm ²	"	12360	12360	12360	
	300.0 mm ²	"	14832	14832	14832	
	400.0 mm ²	"	20085	20085	20085	
35	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
	a) 1-core					
	10 sq. mm.	र.मी	43	43	43	
	16 sq. mm.	"	65	65	65	
	25 sq. mm.	"	76	76	76	
	35 sq. mm.	"	91	91	91	
	50 sq. mm.	"	121	121	121	
	70 sq. mm.	"	158	158	158	
	95 sq. mm.	"	214	214	214	
	120 sq. mm.	"	260	260	260	
	150 sq. mm.	"	308	308	308	
	b) 2-core					
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	72	72	
	2.5 sq.mm	"	103	103	103	
	4 sq.mm	"	144	144	144	
	6 sq.mm	"	196	196	196	
	10 sq.mm	"	309	309	309	
	16 sq.mm	"	427	427	427	



सि.नं.	निर्माण सामग्रीहरूको विवरण		दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	25 sq.mm	"	659	659	659	
	35 sq.mm	"	896	896	896	
	50 sq.mm	"	1236	1236	1236	
	70 sq.mm	"	1236	1236	1236	
	95 sq.mm	"	2318	2318	2318	
	120 sq.mm	"	3039	3039	3039	
	150 sq.mm	"	3811	3811	3811	
	c) 3-core					
	1.5 sq.mm. 3- core copper conductor	र.मी	93	93	93	
	2.5 sq.mm	"	134	134	134	
	4 sq.mm	"	196	196	196	
	6 sq.mm	"	278	278	278	
	10 sq.mm	"	438	438	438	
	16 sq.mm	"	639	639	639	
	25 sq.mm	"	979	979	979	
	35 sq.mm	"	1318	1318	1318	
	50 sq.mm	"	1854	1854	1854	
	70 sq.mm	"	2575	2575	2575	
	95 sq.mm	"	3502	3502	3502	
	120 sq.mm	"	4429	4429	4429	
	150 sq.mm	र.मी	5459	5459	5459	
	d) 3.5 core					
	25 sq.mm	र.मी	1205	1205	1205	
	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545	
	50 sq.mm	"	2163	2163	2163	
	70 sq.mm	"	3013	3013	3013	
	95 sq.mm	"	4069	4069	4069	
	120 sq.mm	"	5356	5356	5356	
	150 sq.mm	"	6335	6335	6335	
35	e) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	र.मी	113	113	113	
	2.5 sq.mm	"	170	170	170	
	4 sq.mm	"	252	252	252	
	6 sq.mm	"	350	350	350	
	10 sq.mm	"	556	556	556	
	16 sq.mm	"	845	845	845	
	25 sq.mm	"	1318	1318	1318	
	35 sq.mm	"	1772	1772	1772	
	50 sq.mm	"	2472	2472	2472	
	70 sq.mm	"	3451	3451	3451	
	95 sq.mm	"	4687	4687	4687	
	120 sq.mm	"	5923	5923	5923	
	150 sq.mm	"	7365	7365	7365	
	185 sq.mm	"	9064	9064	9064	
	240 Sq. mm	"	12257	12257	12257	
	300 Sq. mm	"	14832	14832	14832	
	400 Sq. mm	"	20085	20085	20085	
	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
36	1.5 sq.mm	र.मी	-	-	-
	2.5 sq.mm	र.मी	93	93	93
	4 sq.mm	"	118	118	118
	6 sq.mm	"	134	134	134
	10 sq.mm	"	160	160	160
	16 sq.mm	"	180	180	180
	25 sq.mm	"	216	216	216
	35 sq.mm	"	247	247	247
	50 sq.mm	"	319	319	319
	70 sq.mm	"	397	397	397
	95 sq.mm	"	505	505	505
	b) 3-core				
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108
	4 sq.mm	"	134	134	134
	6 sq.mm	"	149	149	149
	10 sq.mm	"	180	180	180
	16 sq.mm	"	206	206	206
	25 sq.mm Aluminum conductor Armoured	"	278	278	278
	35 sq.mm	"	335	335	335
	50 sq.mm	"	427	427	427
	70 sq.mm	"	541	541	541
	95 sq.mm	"	494	494	494
	120 sq.mm	"	834	834	834
	150 sq.mm	"	1004	1004	1004
	185 sq.mm	"	1236	1236	1236
	240 sq.mm	"	1514	1514	1514
	300 sq.mm	"	1854	1854	1854
	400 sq.mm	"	2318	2318	2318
	c) 3.5 core				
	25 sq.mm.	र.मी	319	319	319
	35 sq.mm	"	371	371	371
	50 sq.mm	"	489	489	489
	70 sq.mm	"	628	628	628
	95 sq.mm	"	803	803	803
	120 sq.mm Aluminum conductor Armoured	"	979	979	979
	150 sq.mm	र.मी	1174	1174	1174
	185 sq.mm	"	1421	1421	1421
	240 sq.mm	"	1772	1772	1772
	300 sq.mm	"	2215	2215	2215
36	400 sq.mm	"	2781	2781	2781
	d) 4-core				
	2.5 sq.mm	र.मी	124	124	124
	4 sq.mm	"	155	155	155
	6 sq.mm	"	180	180	180
	10 sq.mm	"	196	196	196
	16 sq.mm	"	252	252	252
	25 sq.mm	"	340	340	340
	35 sq.mm	"	402	402	402
	50 sq.mm	"	548	548	548
	70 sq.mm	"	700	700	700
	95 sq.mm	"	901	901	901
	120 sq.mm	"	1082	1082	1082

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गरेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	150 sq.mm	"	1370	1370	1370	
	185 sq.mm	"	1627	1627	1627	
	240sq.mm	"	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	"	2524	2524	2524	
	400sq.mm	"	3193	3193	3193	
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					
	16 sq.mm	र.मी	52	52	52	
	25 sq.mm	"	72	72	72	
	35 sq.mm	"	88	88	88	
	50 sq.mm	"	113	113	113	
	70 sq.mm	"	144	144	144	
	95 sq.mm	"	196	196	196	
	120 sq.mm	"	237	237	237	
	150 sq.mm	"	391	391	391	
	185 sq.mm	"	361	361	361	
	240 sq.mm	"	443	443	443	
	300 sq.mm	"	536	536	536	
	b) 2-core Aluminium conductor unarmoured					
	2.5 sq.mm	र.मी	52	52	52	
	4 sq.mm	"	62	62	62	
	6 sq.mm	र.मी	77	77	77	
	10 sq.mm	"	98	98	98	
	16 sq.mm	"	103	103	103	
	25 sq.mm	"	144	144	144	
	35 sq.mm	"	185	185	185	
	50 sq.mm	"	237	237	237	
	70 sq.mm	"	299	299	299	
	95 sq.mm 2 core	"	402	402	402	
	c) 3-core					
	2.5 sq.mm	र.मी	62	62	62	
	4 sq.mm	"	72	72	72	
	6 sq.mm	"	88	88	88	
	10 sq.mm	"	124	124	124	
	16 sq.mm	"	144	144	144	
	25 sq.mm	"	206	206	206	
	35 sq.mm	"	258	258	258	
	50 sq.mm	"	340	340	340	
	70 sq.mm	"	453	453	453	
	95 sq.mm	"	597	597	597	
37	120 sq.mm	"	742	742	742	
	150 sq.mm	"	886	886	886	
	185 sq.mm	"	1112	1112	1112	
	240 sq.mm	"	1380	1380	1380	
	300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1751	
	d) 3.5-core					
	25 sq.mm	र.मी	258	258	258	
	35 sq.mm	"	309	309	309	
	50 sq.mm	"	412	412	412	
	70 sq.mm	"	567	567	567	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	95 sq.mm	"	742	742	742	
	120 sq.mm	"	927	927	927	
	150 sq.mm	"	1112	1112	1112	
	185 sq.mm	"	1391	1391	1391	
	240 sq.mm	"	1751	1751	1751	
	300 sq.mm	"	2163	2163	2163	
	e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	72	72	72	
	4 sq.mm	"	82	82	82	
	6 sq.mm	"	98	98	98	
	10 sq.mm	"	134	134	134	
	16 sq.mm	र.मी	196	196	196	
	25 sq.mm	"	288	288	288	
	35 sq.mm	"	350	350	350	
	50 sq.mm	"	484	484	484	
	70 sq.mm 4	"	639	639	639	
	95 sq.mm	"	845	845	845	
	120 sq.mm	"	1030	1030	1030	
	150 sq.mm	"	1288	1288	1288	
	185 sq.mm	"	1597	1597	1597	
	240 sq.mm	"	2009	2009	2009	
	300 sq.mm	"	2472	2472	2472	
38	Security Gate System					
	Metal Detector (ब्लाक स्कानिङ कम्पनी)	गोटा	16995	16995	16995	
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	Air Conditioning system, McQuay, Panasonic, Fujiare, Malaysian or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
41	Air Conditioning system, whirlpool or Eqv Company					
	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
42	General Lighting ANCHOR, C/G, Eqv.					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	इन्स्टेड मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	1 x 40 W FTL Patti fitting	सेट	252	252	252	
	1 x 20 W FTL Patti fitting	सेट	232	232	232	
	1 x 40 W FTL Box Fitting	सेट	427	427	427	
	1 x 20 W FTL Box fitting	सेट	417	417	417	
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	355	
43	GEWISS /BEC PVC Conduit product of Italy					
	RK Range					
	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	88	
	20 mm medium rigid conduit DX 25 320	"	124	124	124	
	25 mm medium rigid conduit DX 25 325	"	175	175	175	
	32 mm medium rigid conduit DX 25 332	"	252	252	252	
	40 mm medium rigid conduit DX 25 340	"	345	345	345	
	50 mm medium rigid conduit DX 25 350	"	530	530	530	
	63 mm medium rigid conduit DX 25 363	"	999	999	999	
	16 mm heavy rigid conduit DX 25 716	"	165	165	165	
	20 mm heavy rigid conduit DX 25 720	"	216	216	216	
	25 mm heavy rigid conduit DX 25 725	"	288	288	288	
	32 mm heavy rigid conduit DX 25 732	"	433	433	433	
	40 mm heavy rigid conduit DX 25 740	"	587	587	587	
	50 mm heavy rigid conduit DX 25 750	"	793	793	793	
	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1488	
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	196	
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	247	
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	376	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623	
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747	
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963	
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200	
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31	
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36	
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41	
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62	
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकैडि	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118	
	16 mm conduit coupler DX 40 016	"	36	36	36	
	20 mm conduit coupler DX 40 020	"	46	46	46	
44	25 mm conduit coupler DX 40 025	"	57	57	57	
	32 mm conduit coupler DX 40 032	"	103	103	103	
	40 mm conduit coupler DX 40 040	"	139	139	139	
	50 mm conduit coupler DX 40 050	"	242	242	242	
	63 mm conduit coupler DX 40 063	"	458	458	458	
	16 mm tight bend DX 40 116	"	57	57	57	
	20 mm tight bend DX 40 120	"	82	82	82	
	25 mm tight bend DX 40 125	"	129	129	129	
	32 mm tight bend DX 40 132	"	237	237	237	
	40 mm tight bend DX 40 140	"	335	335	335	
	50 mm tight bend DX 40 150	"	603	603	603	
	63 mm tight bend DX 40 163	"	2359	2359	2359	
	4 way junction box DX 45 004	"	670	670	670	
	7 way junction box DX 45 007	"	803	803	803	
	10 way junction box DX 45 010	"	1020	1020	1020	
	Closing cap for junction box DX 47 000	"	118	118	118	
	16 mm inspectionable T bend DX 40216	"	118	118	118	
	20 mm inspectionable T bend DX 40220	"	149	149	149	
	25 mm inspectionable T bend DX 40225	"	196	196	196	
	32 mm inspectionable T bend DX 40232	"	237	237	237	
	16 mm inspectionable bend DX 40 316	"	98	98	98	
	20 mm inspectionable bend DX 40 320	"	118	118	118	
	25 mm inspectionable bend DX 40 325	"	155	155	155	
	32 mm inspectionable bend DX 40 332	"	185	185	185	
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range					
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819	
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973	
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174	
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318	
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1540	
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1710	
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2137	
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2513	
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3090	
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3281	

सि.नं.	निर्माण सामग्रीहरूको विवरण	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)	आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	984	
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1179	
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1298	
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1468	
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1663	
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1859	
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2276	
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2657	
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3456	
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3749	
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4584	
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1313	
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2122	
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2781	
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3852	
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4836	
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5449	
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1494	
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2271	
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2884	
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4151	
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5016	
47	Intrusion Detection System Make Honeywell or equivalent.					
	Main Controller	सेट	38851	38851	38851	
	CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP					
	Smoke & Heat Detector	सेट	10545	10545	10545	
	Wireless Smoke and Head Detector					
	Door Contact	सेट	2678	2678	2678	
	Wireless Door Contact with transmitter					
	Motion Detector	सेट	4178	4178	4178	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	Panic Switch	सेट	4921	4921	4921	
	Wireless Panic Transmitter					
	Key	सेट	4780	4780	4780	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	डररट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६
	Wireless Key to Arm and Disarm the System				
	Window Contact	सेट	2812	2812	2812
	Wired door Contact with transmitter slim				
	Earth Quake Detector(JDS Inc, USA)	पिस	3601	3601	3601
	Quake Alarm				
	Automatic Motor Operator for water motor				
48	Upto 1/2 HP single phase motor	सेट	4120	4120	4120
	Upto 1 HP single phase motor	सेट	5665	5665	5665
	Upto 5 HP three phase motor	सेट	9270	9270	9270
49	CCTV System				
	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	58916
	Indoor high speed Dome Integrated CAMERA				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	54384
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	56650
50	VISTA Box camera with adopter, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15450
	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8364
	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	33990
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	50985
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	10815
51.	Electrical Equipments;				0

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Earthing Materials (ISI or other International Standard)				0	
	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2829	
	Funneling Mechanism with cover (mild steel)	set	618	618	618	
	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9517	
	Copper wire (10 SWG)	Mtr.	155	155	155	
	Service wire (Al)					
	2.5 mm ²	Mtr.	18	18	18	
	4.0 mm ²	"	22	22	22	
	6.0 mm ²	"	28	28	28	
	Lightening Arrestor for 3 Phase .					
	0.5 KV	Set	1236	1236	1236	
	11 KV	Set	4326	4326	4326	
	Cross Arms V Channel.	No	3090	3090	3090	
	Stay set with accessories.					
	GI wire	No	1182	1182	1182	
	GI Plate	"	1185	1185	1185	
	Gay Insulator.	"	56	56	56	
	Elbow		103	103	103	
	Rod , Nut	No	445	445	445	
	Grip	"	49	49	49	
	Overhead Insulators (0.4KV)					
	Sackle Insulator	No	31	31	31	
	D-Iron	"	93	93	93	
	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	23	
	Overhead Insulators with fixing accessories (11KV)					
	Pin Insulator	No	185	185	185	
	Disc Insulator	"	989	989	989	
	Cross Arms V Channel.	"	2719	2719	2719	
	Sqarrel ACSR conductor 20mm ²	Rm.	17	17	17	
	weasel ACSR conductor 30 mm ²	"	25	25	25	
	Rabbit ACSR conductor 50 mm ²	"	41	41	41	
	Dog ACSR conductor 100 mm ²	"	82	82	82	
	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Rm.	155	155	155	
	50 mm square 4 core ABC cable	"	258	258	258	
	95 mm square 4 core ABC cable	"	505	505	505	
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)					
52	AMF with ATS palel for DG Ankur metal or Equivalent					
	5KVA AMF with ATS palel	set	22660	22660	22660	
	7.5KVA AMF with ATS palel	"	28840	28840	28840	
	10KVA AMF with ATS palel	"	36050	36050	36050	
	15KVA AMF with ATS palel	"	46350	46350	46350	
	20KVA AMF with ATS palel	"	66950	66950	66950	
	25KVA AMF with ATS palel	"	77250	77250	77250	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	30KVA AMF with ATS palel	"	92700	92700	92700	
53	Solar system\Backup Power					
	Pure sine wave inverter					
	675 VA inverter	set	11483	11483	11483	
	875 VA inverter	"	12601	12601	12601	
	1500 VA inverter	"	18987	18987	18987	
	3 KVA inverter	"	55947	55947	55947	
	Exide Battery					
	tubular inverter Battery					
	80 AH inverter Battery	set	9935	9935	9935	
	100 AH inverter Battery	"	11958	11958	11958	
	150 AH inverter Battery	"	16698	16698	16698	
	200 AH inverter Battery	"	20745	20745	20745	
	75 AH tubular inverter Battery	"	12731	12731	12731	
	100 AH tubular inverter Battery	"	16966	16966	16966	
	150 AH tubular inverter Battery	"	24967	24967	24967	
	200 AH tubular inverter Battery	"	31477	31477	31477	
	Solar Panel	watt	144	144	144	
54	Angel Eyes solar street light absorb energy					
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465	
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743	
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112	
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814	
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746	
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882	
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961	
55	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	239	
	B CURVE MCB SP 40A	pole	281	281	281	
	B CURVE MCB SP 50A-63A	pole	281	281	281	
	C CURVE MCB SP 0.5-4A	pole	281	281	281	
	C CURVE MCB SP 6-32A	pole	239	239	239	
	C CURVE MCB SP 40A	pole	446	446	446	
	C CURVE MCB SP 50-63A	pole	446	446	446	
	C CURVE MCB SPN 0.5-4A	pole	479	479	479	
	C CURVE MCB SPN 6-32A	pole	513	513	513	
	C CURVE MCB SPN 40A	pole	561	561	561	
	C CURVE MCB SPN 50-63A	pole	561	561	561	
	C CURVE MCB DP 0.5-4A	pole	617	617	617	
	C CURVE MCB DP 6-32A	pole	564	564	564	
	C CURVE MCB DP 40A	pole	617	617	617	
	C CURVE MCB DP 50-63A	pole	617	617	617	
	C CURVE MCB TP 0.5-4A	pole	925	925	925	
	C CURVE MCB TP 6-32A	pole	847	847	847	
	C CURVE MCB TP 40A	pole	925	925	925	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	C CURVE MCB TP 50-63A	pole	925	925	925	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103	
	C CURVE MCB TPN 40A	pole	1206	1206	1206	
	C CURVE MCB TPN 50-63A	pole	1206	1206	1206	
	C CURVE MCB FP 0.5-4A	pole	1290	1290	1290	
	C CURVE MCB FP 6-32A	pole	1180	1180	1180	
	C CURVE MCB FP 40A	pole	1290	1290	1290	
	C CURVE MCB FP 50-63A	pole	1290	1290	1290	
	ISOLATOR DP 40A	pole	551	551	551	
	ISOLATOR DP 63A	pole	551	551	551	
	ISOLATOR DP 80-100A	pole	576	576	576	
	ISOLATOR DP 125A	pole	611	611	611	
	ISOLATOR FP 40A	pole	902	902	902	
	ISOLATOR FP 63A	pole	902	902	902	
	ISOLATOR FP 80-100A	pole	998	998	998	
	ISOLATOR FP 125A	pole	998	998	998	
	RCCB DP 25A 30mA	pole	3547	3547	3547	
	RCCB DP 40A 30mA	pole	3547	3547	3547	
	RCCB DP 63A 30mA	pole	3547	3547	3547	
	RCCB DP 25A 100mA	pole	3345	3345	3345	
	RCCB DP 40A 100mA	pole	3345	3345	3345	
	RCCB DP 63A 100mA	pole	3345	3345	3345	
	RCCB DP 25A 300mA	pole	3345	3345	3345	
	RCCB DP 40A 300mA	pole	3345	3345	3345	
	RCCB DP 63A 300mA	pole	3345	3345	3345	
	RCCB FP 25A 30mA	pole	4155	4155	4155	
	RCCB FP 40A 30mA	pole	4155	4155	4155	
	RCCB FP 63A 30mA	pole	4155	4155	4155	
	RCCB FP 25A 100mA	pole	4004	4004	4004	
	RCCB FP 40A 100mA	pole	4004	4004	4004	
	RCCB FP 63A 100mA	pole	4004	4004	4004	
	RCCB FP 25A 300mA	pole	4004	4004	4004	
	RCCB FP 40A 300mA	pole	4004	4004	4004	
	RCCB FP 63A 300mA	pole	4004	4004	4004	
56	Solar component					
	Solar PV Module	Per watt	123	123	123	
	Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767	
	Solar Tubular Battery (150 Ah@c20,12v)	Nos	22763	22763	22763	
	Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759	
	Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868	
	Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339	
	Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008	
	Charge controller (60Ah/24V)	Nos	31518	31518	31518	
	Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201	
	Charge controller 10a/12-24 V	Nos	2627	2627	2627	
	Charge controller 20a/12-24 V	Nos	3940	3940	3940	
	Solar dusk to down controller 20A/12Vwith driver curcuit	Nos	4378	4378	4378	
	Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७३/०७४	आ.व. ०७४/०७५	आ.व. ०७५/०७६	
	Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643	
	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197	
	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137	
	40 watt solar street light	Nos	14008	14008	14008	
	20 watt solar street light	Nos	8405	8405	8405	
	12 watt solar street light	Nos	5428	5428	5428	
	Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004	
	Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133	
	pure sine wave inverter 1400 VA	nos	22763	22763	22763	
	Ms light Arms	Set	2189	2189	2189	
	SPV mounting frame	set	5691	5691	5691	
	Battery box	Set	4378	4378	4378	
	Battery stand	Set	4378	4378	4378	

निर्णय नं. ७

माथि उल्लेख गर्न नसकिएका र यस जिल्लाको स्थानीय बजारमा उपलब्ध हुन नसक्ने निर्माण तथा अन्य आवश्यक सामग्री अन्य बजारबाट खरीद गर्नुपर्ने भएमा सम्बन्धित जिल्लाबाट तोकिएको जिल्ला दररेटलाई नै कायम गर्न सकिने र सो को कारण र औचित्य सहित ढुवानी भाडा समेत थप गर्न सकिने निर्णय गरियो ।

निर्णय नं. ८

माथि उल्लेखित निर्णय अनुसार माथि महलमा उल्लेख गर्न नसकिएका निर्माण सामग्रीहरू तथा अन्य आवश्यक सामग्रीहरूको हकमा जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालयबाट, नेपाल सरकारको स्वामित्वमा रहेको संघ, संस्था, कम्पनी आदिले बिक्री गर्ने प्रचलित बजार दररेटलाई र नेपाल सरकारको स्वामित्वमा रहेका संघ, संस्था, कम्पनीबाट दररेट उपलब्ध हुन नसक्ने अवस्थामा निर्माण तथा अन्य आवश्यक सामग्रीको बजार सर्भेक्षण गरी उत्पादक/अधिकृत बिक्रतासँग कम्तीमा तीन (३) वटा कोटेसन लिई सबैभन्दा कम दररेटलाई आधार मानी लागत अनुमान गर्न सकिने निर्णय गरियो ।

निर्णय नं. ९

भोलुङ्गेपुल निर्माणका लागि प्रयोग हुने लड्डा तथा फेब्रिकेशन सामग्रीहरूको हकमा स्थानीय पूर्वाधार विकास तथा कृषि सडक विभाग (डोलिडार) बाट स्वीकृत भई आएको दररेट कायम हुने निर्णय गरियो ।

निर्णय नं. १०

पेट्रोलियम पदार्थको हकमा नेपाल आयल निगमले तोकेको दररेटलाई आधार मान्ने निर्णय गरियो ।

निर्णय नं. ११

माथि उल्लेखित सम्पूर्ण आईटमहरूको दररेटमा मूल्य अभिवृद्धि कर (VAT) समावेश गरिएको छैन ।