




जिल्ला दर(रेट) निर्धारण समिति  
भक्तपुर



ज्याला, ढुवानी तथा निर्माण सामग्रीहरुको दर(रेट)  
आ.ब.०७७१०७८

स्वीकृत मिति २०७७१०३१२८

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten mark]*

*[Handwritten signature]*


*[Handwritten signature]*

निर्णय नं. १ : श्रमिकको ज्यालादर सम्बन्धी श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला पक्षहरुसंगको परामर्श, नेपाल राष्ट्र बैकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, श्रमिकहरुको उपलब्धता र समयसापेक्षताको आधारमा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी गत आ.व. ०७६।०७७ मा कायम गरिएको ज्यालादरलाई संशोधन गरी चालु आ.व. ०७७।०७८ का लागि भक्तपुर जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर			कैफियत
			आ.व.			
			०७५।७६	०७६।७७	०७७।७८	
१	अदक्ष श्रमिक (ज्यामी)	जवान	७३५	८१०	८९०	
२	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदी)	"	१०००	११००	१२००	
३	अर्धदक्ष ( डकर्मी, सिकर्मी, नकर्मी ) चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदी)	"	८२५	९१०	१०००	
४	इन्जिनियर सुपरभाइजर	"	११५५	१२७०	१३९०	
५	सब इन्जिनियर, (ड्राफ्ट मेन, अमिन, इलेक्ट्रीसियन, सर्भेयर आदी)	"	९७०	१०६५	११७०	
६	सिनियर टाईपिष्ट/कम्प्युटर अपरेटर, अवाल आदी)	"	९४०	१०३५	११३५	
७	ल्याव टेक्निसियन, जुनियर टाईपिष्ट/कम्प्युटर अपरेटर, सिनियर सुपरभाइजर, ढल सफा गर्ने कामदार आदी)	"	८५५	९४०	१०३०	
८	असिस्टेण्ट सब इन्जिनियर, ड्राफ्टमेन, अमिन आदि	"	८००	८८०	९६५	
९	हेभी इक्विपमेन्ट डोजर, एक्सक्याभेटर, रोलर, ग्रेडर अपरेटर आदि	"	१०७५	११८०	१२९५	
१०	मेकानिक्स, हेभी भेहिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेसिन अपरेटर ल्याव असिस्टेन्ट आदि	"	७७०	८४५	९३०	
११	भरिया (४० के.जी. तौल सम्म)	"	७३५	८१०	८९०	
१२	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार) आदी	"	७१५	७९०	८६५	
१३	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.ई. ई. उत्तीर्ण वा सो सरह) आदी	"	६७०	७४०	८१०	
१४	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोबी, वन हेरालु, चौकिदार आदी	"	६१५	६७५	७४०	
१५	काठ ढुंगा झिगटि लगायत परम्परागत कार्य गर्ने कालिगढ मिस्त्री	"			१८००	
१६	जोखिम जन्य क्षेत्रमा कार्य कार्य गर्नु पर्ने लेबर	"			१५००	








सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर			कैफियत
			आ.व.			
			०७५/७६	०७६/७७	०७७/७८	
	सडकको कामको लागि					
१५	पिच स्प्रेयर, पिच ब्यायलर	"	७५५	८३०	९१०	
१६	प्याच वर्कर (दिउँसो को समयमा काम गर्ने)	"	७३५	८१०	८९०	
१७	प्याच वर्कर (दिउँसो को समयमा काम गर्ने) सुपरभाइजर सरह	"	७७०	८५०	९३५	
१८	प्याच वर्कर (रात्री समयमा काम गर्ने)	"	९७५	१०७५	११८०	
१९	प्याच वर्कर (रात्री समयमा काम गर्ने) सुपरभाइजर सरह	"	१०१०	१११०	१२२०	

नोट :-

सिनियर- : S.E.E. वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविणता प्रमाणतह उत्तिर्ण ।

जुनियर :- S.E.E. वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा अनुभव प्राप्त ।

माथि निर्णय नं. १ मा उल्लेख नभएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।



निर्णय नं. २ ढुवानी सम्बन्धी : यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी चालु आ.ब.०७१०७८ का लागि निम्न अनुसारको दर निर्धारण गर्ने निर्णय गरियो ।

सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७५।७६	०७६।७७	०७७।७८	
१.०	सजिलो सामान (जस्तै: सिमेन्ट, बालुवा, रोडा, दाउरा, रासायनिक मल, खाद्यान्न, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३२.००	३३.६०	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४४.६०	४६.८३	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३५.७०	३७.४९	३७.४९	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४८.३०	५०.७२	५०.७२	
१.५	ट्रकबाट/मिनी ट्रकबाट पीच बाटोमा ढुवानी गर्ने । (२० कि.मी भन्दा बढी)	टन/कि.मी.	१७.४०	१८.२७	१८.२७	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	२.९०	३.०५	३.०५	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधी, काठ, कृषिजन्य, फलफूलको बिरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४५.६५	४७.९३	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५२.५०	५५.१३	५५.१३	
२.३	ट्याक्टर / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५२.५०	५५.१३	५५.१३	
२.४	ट्याक्टर / मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५७.२०	६०.०६	६०.०६	
२.५	ट्रकबाट / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	२६.१५	२७.४६	२७.४६	
२.६	भरिया बाट (पैदल) सामान ढुवानी	के.जी./कि. मी.	३.८५	४.०४	४.०४	

११






सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७५।७६	०७६।७७	०७७।७८	
३	अति असजिलो सामान जस्तै: (जी. आई. पाईप, काँडितार, फलामे छड, ईलेक्ट्रोमेकानिकल सामान, ३.८ मिटर सम्म लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि. एस. सी. पोल, आदि)					
३.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	६४.०५	६७.२५	६७.२५	
३.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	७७.१५	८१.०१	८१.०१	
३.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	७०.८५	७४.३९	७४.३९	
३.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	८४.००	८८.२०	८८.२०	
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	३४.८५	३६.५९	३६.५९	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति ब्वी.	१०.५०	१०.६१	१०.६१	
४.२	असजिलो सामान	प्रति ब्वी.	१३.१०	१३.२३	१३.२३	
४.३	अति-असजिलो सामान	प्रति ब्वी.	१५.७५	१५.९१	१५.९१	
५	अनलोड (उतार्ने)	प्रति ब्वी.				
५.१	सजिलो सामान	प्रति ब्वी.	१०.५०	१०.६१	१०.६१	
५.२	असजिलो सामान	प्रति ब्वी.	१३.१०	१३.२३	१३.२३	
५.३	अति-असजिलो सामान	प्रति ब्वी.	१५.७५	१५.९१	१५.९१	
६	ट्रकबाट ढुवानी भाडादर सम्बन्धि (पाइप मूल्यको आधारमा)					
६.१	पहिलो दश कि.मी. सम्म	पाइपको मूल्यको प्रतिशत	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखि माथि २०(बीस) कि.मी सम्म	पाइपको मूल्यको प्रतिशत	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी देखि माथि	पाइपको मूल्यको प्रतिशत	१८.००	१८.००	१८.००	

नोट: माथि निर्णय नं. २ मा उल्लेख नभएको ढुवानी दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ढुवानी दर तय गर्न सकिनेछ।

7

Bhaktapur

Bhaktapur

Bhaktapur

Bhaktapur

Bhaktapur

निर्णय नं. ५: वायो-ईन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०७५/७६	आ.व. २०७६/७७	आ.व. २०७७/७८	
१	हेज ढ इन्च पोली	गोटा	५५.००	५५.००	६६.००	
२	कापेट दुवो	व.फि	३३.००	३३.००	४०.००	
३	कापेट दुवोको लागि टाप्ने कार्ये ज्याला	व.फि	२२.००	२२.००	२६.००	
४	निगालो (जरा सहित)	गोटा	१२.००	१२.००	१४.००	
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	६.००	६.००	७.००	
६	गोठे मल तयारी	के.जी.	४.००	४.००	५.००	
७	डाले घाँसको विरुवा	गोटा	११.००	११.००	१४.००	
८	मोलाटो विरुवा	गोटा	२.००	२.००	२.००	
	जूटको डोरी	के.जी.	२७५.००	२७५.००	३३०.००	
९	नरिबल डोरी	के.जी.	१३२.००	१३२.००	१५८.००	
१०	नाइलन डोरी	के.जी.	२७५.००	२७५.००	३३०.००	
११	लौड सल्ला नेपाली	गोटा	७७.००	७७.००	९२.००	
१२	लौठ सल्ला अमेरिकन	गोटा	१३२.००	१३२.००	१५८.००	
१३	ठूलो साइजको बाँसको विरुवा विउवाट उत्पादित	गोटा	२२०.००	२२०.००	२६४.००	
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु					
१	पोलिथिन टयुब ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	३५०.००	३५०.००	४२०.००	
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१४०.००	१४०.००	१६८.००	
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा	१५५.००	१५५.००	१८६.००	
४	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा	२४०.००	२४०.००	२८८.००	
५	गोलिया काठ लोड	क्यू.फि.	३०.००	३०.००	३६	
६	गोलिया काठ अनलोन	क्यू.फि.	२०.००	२०.००	२४।-	
७	दाउरा संकलन, दुवानी चट्टा निर्माण (२० फि.* ५ फि. ८ ५ फि)	चट्टा				
८	दाउरा लोड	चट्टा	४०००.००	४०००.००	४८००।-	
९	दाउरा अनलोड	चट्टा	२०००.००	२०००.००	२४००।-	
१०	संकलन कटान, मुछान	चट्टा	४५००.००	४५००.००	५४।-	
१२	अनलोडिङ्ग	चट्टा	१४०.००	१४०.००	१६८।-	
१३	चट्टा निर्माण	चट्टा	२०००.००	२०००.००	२४००।-	
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	२८.००	२८.००	३४।-	
१५	वन सुपारी	प्रति विरुवा	३०.००	३०.००	३६।-	
	शहरी वृक्षारोपणकार्य					
१	४ फिट सम्मको विरुवा	प्रति विरुवा	८८०.००	८८०.००	१०५६।-	
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१२५०.००	१२५०.००	१५००।-	
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१५४०.००	१५४०.००	१८४८।-	
४	८ फिट सम्मको विरुवा	प्रति विरुवा	१८७०.००	१८७०.००	२२४४।-	
	४ फिट सम्मको विरुवाको मुल्य					
१	कपूर, बैस	प्रति विरुवा	७७०.००	७७०.००	९२४.००	
२	रुद्राक्ष	प्रति विरुवा	९५०.००	९५०.००	११४०.००	
३	कल्की बोटल ब्रस	प्रति विरुवा	६६०.००	६६०.००	७९२.००	

१५

१५  
१५/०८/७७

१५  
१५/०८/७७

१५  
१५/०८/७७

१५  
१५/०८/७७

निर्णय नं. ५: वायो-ईन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			कैफियत
			आ.व. २०७५/७६	आ.व. २०७६/७७	आ.व. २०७७/७८	
४	ज्याकारण्डा गोल्डमोहोर	प्रति बिरुवा	६६०.००	६६०.००	७९२.००	
५	असारे	प्रति बिरुवा	६६०.००	६६०.००	७९२.००	
६	पैयू	प्रति बिरुवा	४४०.००	४४०.००	५२८.००	
७	लप्सी	प्रति बिरुवा	४४०.००	४४०.००	५२८.००	
८	धूपी, टिमुर, पारिजात	प्रति बिरुवा	४९५.००	४९५.००	५९४.००	
९	बगमबेली	प्रति बिरुवा	६६०.००	६६०.००	७९२.००	
१०	काइयो	प्रति बिरुवा	६६०.००	६६०.००	७९२.००	
११	रक्तकमल	प्रति बिरुवा	१३२०.००	१३२०.००	१५८४.००	
१२	सर्मी	प्रति बिरुवा	११००.००	११००.००	१३२०.००	
१३	बर	प्रति बिरुवा	१३२०.००	१३२०.००	१५८४.००	
१४	पिपल	प्रति बिरुवा	१३२०.००	१३२०.००	१५८४.००	
१५	५ फिट सम्मको करविर बिरुवा	प्रति बिरुवा	१२००.००	१२००.००	१४४०.००	
१६	५ फिट सम्मको तिकोमा बिरुवा	प्रति बिरुवा	१२००.००	१२००.००	१४४०.००	
१७	५ फिट सम्मको चापको बिरुवा	प्रति बिरुवा	१३००.००	१३००.००	१५६०.००	
	वायो ईन्जिनियरिङ्ग सम्बन्धि काम					
	घासको विउ					
१	जई	कि.ग्रा	७५.००	७५.००	९०.००	
२	भेच	कि.ग्रा	१५०.००	१५०.००	१८०.००	
३	नेपीयर	सेट	३.००	३.००	४.००	
४	वसिम	कि.ग्रा	१७५.००	१७५.००	२१०.००	
५	घाँसको बिउ र औषधि जिल्ला भित्र दुवानी गर्दा	कि.ग्रा	०.५०	०.५०	१.००	
६	घाँसको बिउ जिल्ला बाहिरबाट दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	
७	माटो भने खाली बोरा	गोटा	१२.००	१२.००	१४.००	
८	बास काटेको सिंगो घाना	घाना	३५०.००	३५०.००	४२०.००	
९	बाँसको कटिग स्टम्प बिरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिग	५५.००	५५.००	६६.००	
	<b>Vegetation/Shrubs Cuttings/Slip/Plants/etc.</b>					
१	अभ्रिसो(राइजोम)	प्रति बिरुवा	७.००	७.००	८.००	
२	अलैची गानो	प्रति बिरुवा	११.००	११.००	१३.००	
३	अलैची बिरुवा	प्रति बिरुवा	८.००	८.००	१०.००	
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति बिरुवा	५.००	५.००	६.००	
५	नेपियर कटिङ्गस्	प्रति बिरुवा	२.००	२.००	२.००	

१७

१७/०७/७७

१७/०७/७७

१७/०७/७७

१७/०७/७७


१७/०७/७७


निर्णय नं. ३ : मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि:

(क) मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदि यान्त्रिक उपकरणको भाडा दर (रेट) सडक विभाग, हेभी ईक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर कायम गर्ने निर्णय गरियो । (Website of Heavy Equipment Division - [www.dor.gov.np](http://www.dor.gov.np))

7



निर्णय नं. ४ : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण सम्बन्धमा : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर (रेट) कायम गर्ने निर्णय गरियो ।

सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७५/०७६ को दर रु.	आ.व. २०७६/०७७ को दर रु.	आ.व. २०७७/०७८ को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	१३९३।००	१३९३।००	१४३४।७९	
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	१७९१।००	१७९१।००	१८४४।७३	
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	१९९२।००	१९९२।००	२०५१।७६	
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./ आर.सि.सि. ।	ब.फि.	२०९६।००	२०९६।००	२१५८।८८	
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	२०४४।००	२०४४।००	२१०५।३२	
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	२२२४।००	२२२४।००	२२९०।७२	
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./ आर.सि.सि. ।	ब.फि.	२३१५।००	२३१५।००	२३८४।४५	
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	२२४१।००	२२४१।००	२३०८।२३	
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./ आर.सि.सि. ।	ब.फि.	२३२१।००	२३२१।००	२३९०।६३	
१०	आर.सि.सि. फ्रेम स्टक्चर भवन ।	ब.फि.	२४५१।००	२४५१।००	२५२४।५३	
११	काठैकाठको भवन भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सित ।	ब.फि.	२१४५।००	२१४५।००	२२०९।३५	

नोट: भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडान बारे बर्गीकरण

क) भवनको भित्र Wall Putty गरी इमलसन पन्टिङ गरेको ।

ख) भवनको बाहिर Weather Coat painting भएको ।

Handwritten signatures and initials are present at the bottom of the page, including a signature that appears to be "M. S. S." and another that looks like "M. S. S." with a flourish.

सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७५/०७६ को दर रु.	आ.व. २०७६/०७७ को दर रु.	आ.व. २०७७/०७८ को दर रु.	कैफियत
--------	------------------	------	-------------------------------	-------------------------------	-------------------------------	--------

- ग) Lift जडान भएको ।  
घ) विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।  
ङ) प्यासेज, भर्याङ्गमा मार्बल/पार्केटिङ्ग भएको ।  
च) शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ्ग उच्चस्तरीय प्रयोग भएको ।  
छ) अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।  
ज) बेसमेण्टमा (Basement) पार्किङ्ग सुविधा भएको ।  
झ) Raft foundation भएको ।

उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

- अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।  
आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।  
इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायाँ र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायाँ र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

#### मुख्य सडकहरू :

- १) मनोहरा पुल (जडीवुटी)- ठिमी-सुर्यविनायक जगाती सम्म (अरनिको लोकमार्ग) सडक ।
- २) सल्लाघारी-सुर्यविनायकसम्म (काठमाण्डौ-नगरकोट) सडक ।
- ३) सल्लाघारी-भक्तपुर अस्पताल-दरवार स्क्वायर सडक ।
- ४) भक्तपुर क्याम्पस-भार्वाचो-तौमढी-सुकुलढोका-दत्रावय-च्यामासिंह सडक ।
- ५) जगाती-कमलविनायक सडक ।
- ६) दक्षिण बाराही मन्दिर- शंखधर चौक-पुरानोवाटो बाहाखा बजार-बोडे चार दोवाटो सम्म सडक ।
- ७) जडिवुटी - बाहाखा बजार- सल्लाघारी सडक ।
- ८) दरवार स्क्वायर-तौमढी-सुर्य विनायक बस स्टप-सुर्य विनायक गणेश थान सडक ।
- ९) सल्लाघारी-ब्यासी-कमलविनायक सडक ।

द्रष्टव्यः आ.व.२०७७/०७८ लाई गत आ.व.को दररेट लिइने र नेपाल सरकार शहरी विकास मन्त्रालय भवन डिभिजन कार्यालयबाट रेट निर्धारण भएको खण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।

M

तहसिल  
कैलाश

## निर्णय नं. ६ :-

आ.व. २०७७/७८ को लागि अरनिको लोकमार्गको दाँया बाँया ३ कि.मी. सम्मको लागि निर्माण सामग्रीहरुको दर (रेट) निम्नानुसार कायम गर्ने निर्णय गरियो ।

## सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
1	विभिन्न किसिमको ईटा					
	chinese premium	हजार	२४०००.००	२४०००.००	२४०००.००	
	क) मेशिनबाट उत्पादित ईटा (छानेको)	हजार	२००००.००	२१०००.००	२१०००.००	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	१७०००.००	१७५००.००	१७५००.००	
	ग) मेशिनबाट उत्पादित ईटा (२-नं.)	"			१५०००.००	
	घ) मेशिनबाट उत्पादित ईटा (कालो.)	"			१२०००.००	
	BBT Brick	"			१६५००.००	
	ग) चिमनी भट्टाको ईटा	"	१५०००.००	१५०००.००	१३५००.००	
	घ) तराई को १ नं. ईटा	"	-	-		
	(ङ) सिमेन्ट को ईटा					
	BK108N	"	१५४५०.००	-		
	BK118As	"	१६२७४.००	-		
	च) टुक्रा ईटा	घ. मि.	२५००.००	-		
	छ) Concrete block					
	size (40*15*20) cm	गोटा	४०.००	४२.००	४२.००	
	size (40*10*20) cm	गोटा	३५.००	३६.७५	३६.७५	
	Cellular light weight concrete (CLC) block					
	Size 24**8**4"	गोटा	१६२.००	१६२.००	१६२.००	
	Size 24**8**6"	"	२३६.००	२३६.००	२३६.००	
2	क्ले टायलहरु					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	२०.००	२१.००	२१.००	
	ख) चिमनी भट्टाको टायल	"	१८.००	१८.९०	१८.९०	
	ग) मेशिनबाट उत्पादित धुरी	"	३५.००	३६.७५	३६.७५	
	घ) चिमनी भट्टाको धुरी	"	२८.००	२९.४०	२९.४०	
2.2	भुईमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.००	१२.६०	१२.६०	
	ख) चिमनी भट्टाको क्ले टायल	"	१२.००	१२.६०	१२.६०	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७७.००	७९.३१	७९.३१	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७७.००	७९.३१	७९.३१	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	(ग) स्थानीय दुङ्गा (Av. Lead 500 m. सम्मको)	"	७०.००	७२.१०	७२.१०	
	(घ) कोसी खोला (चेहेरे) को एकनासे गोला दुङ्गा ( River round Pavel)	"	११०.००	११३.३०	११३.३०	
3.2	<b>छापने दुङ्गा (Flag stone)</b>					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने दुङ्गा	व.फि	७५.००	७७.२५	८५.००	
	ख) १ 1/2" सम्म बाक्लो " "	"	८८.००	९०.६४	१००.००	
	ग) २" सम्म बाक्लो दुङ्गा " "	व.फि	१०४.००	१०७.१२	११७.००	
	घ) २ 1/2" सम्म बाक्लो दुङ्गा " "	"	११२.००	११५.३६	१२७.००	
	ङ) २ 1/2" - ३" सम्म बाक्लो दुङ्गा " "	"	१३९.००	१४३.१७	१५५.००	
	च) २ 1/2" - ३" सम्म बाक्लो दुङ्गा मेसिनले काटेको	"			३२०.००	
4	<b>विभिन्न प्रकारको बालुवा</b>					
	(क) बालुवा (Washing plant)	घ.फि.	८८.००	९०.६४	९०.६४	
	(ख) खानीको बालुवा (Quarry sand)	घ.फि.	८३.००	८५.४९	८५.४९	
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	८६.००	८८.५८	८८.५८	
	(घ) भवनको भूईँ कोठामा पुर्न, सोलिडका Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	६७.००	६९.०१	६९.०१	
5	<b>क्रसरबाट उत्पादित रोडा</b>					
	(क) ६-१० मी. मी. साइजका	घ.फि.	९२.००	९७.५२	९७.५२	
	(ख) १०-२० मी. मी. साइजका	घ.फि.	९९.००	१०४.९४	१०४.९४	
	(ग) २०-४० मी. मी. साइजको	घ.फि.	९६.००	१०१.७६	१०१.७६	
	(घ) ६ मि.मि. down	घ.फि.	८४.००	८९.०४	८९.०४	
6	<b>फुटालेको दुङ्गाको गिट्टी</b>					
	क) सबै साइजको गिट्टी	"	९०.००	९५.४०	९५.४०	
7	<b>सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री</b>					
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	६८.००	७२.०८	७२.०८	
	ख) मेलम्ची खोलाको ग्राभेल	"	६३.००	६६.७८	६६.७८	
	ग) टिकाभैरव को ग्राभेल	"	६४.००	६७.८४	६७.८४	
	घ) भकुण्डेवेसी, रोशी खोलाको ग्राभेल	"	७१.००	७५.२६	७५.२६	
	(ङ) खोला/खानीको स्थानीय ग्राभेल	"	५४.००	५७.२४	५७.२४	
	(च) Granular sub base material (Crusher run material size 63mm down ) ग्राभेल	"	७१.००	७५.२६	७५.२६	
	(छ) Base-course को लागि मिक्स सोलिड (WBM) गर्ने कार्य ।	घ.फि.	८३.००	८७.९८	८७.९८	

१

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	(ज) ढुगांको धुलो (Stone dust)	घ.फि.	४१.००	४३.४६	४३.४६	
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles					
	क) ४०- ८० मी.मी	घ.फि.	१०५.००		१०५.००	
	ख) २०- ४० मी.मी	"	१०५.००		१०५.००	
	ग) १०- २० मी.मी	"	१०५.००		१०५.००	
	घ) ५- १० मी.मी	"	१०५.००		१०५.००	
9	फिल्टर सामग्री					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.				
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरु					
	८०/१०० ग्रेडको विटुमीन	के.जी	७५.००	७७.४५	७९.८०	
	VG-10	के.जी			७९.८०	
	VG-30	के.जी			७४.५०	
	CRMB-DIGO 55 Bitumen	"	७६.००	८४.४०	८२.४०	
	Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	६८.००	६७.६०	६४.६०	
	छिटो जम्ने (RS 65%)	"	७२.००	७१.६०	६९.६०	
	छिटो जम्ने (RS 70%)	"	७६.००	७५.६०	७२.६०	
	मध्यम जम्ने (MS 60%)	"	६९.००	६८.४०	६६.४०	
	मध्यम जम्ने (MS 65%)	"	७३.००	७२.४५	६८.००	
	ढीलो जम्ने (SS60%)	"	७०.००	६९.७०	६६.७०	
	Slurry Seal with 60% bitumen	"	७५.००	६४.७५	६२.७५	
	Hi - seal Redymix	"	९९.००	९९.००	९७.००	
	Polymer Bitumen	"	११०.००	११०.००	११०.००	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping agent	"	३२८.००	३२०.००	३२०.००	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागि राखिने Rubber Asphalt Modifier	"				
	vi) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३०.००	३०.००	३०.००	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	१६५.००	१६५.००	१७५.००	
	b) Most Grade	"	१८२.००	१८२.००	१९०.००	
	c) Glass beads	"	१५०.००	१५०.००	१५५.००	


17

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
<b>11</b>	<b>विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु</b>					
11.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	८४५.००	७९६.००	७५०.००	
11.2	भारतबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट (प्रति बोरा ५० के.जी.)	"	८३०.००	८३०.००	८३०.००	
11.3	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	७५०.००	७०८.००	६५०.००	
11.6	हेटौंडा सिमेन्ट (५० केजी) OPC	"		८४०.००	७३०.००	
11.7	उदयपुर सिमेन्ट (५० केजी) OPC	"		८५०.००	७५२.००	
11.5	सेतो सिमेन्ट (40kg/bag)	"	१२३०.००	१२९१.५०	१२८३.००	
11.11	लोड अनलोड चार्ज	"	१२.००	१३.००	१३.००	
<b>12</b>	<b>Ready made Premix Concrete (Supplying laying all complete work)</b>					
12.1	Panchakanya , MAW or equivalent					
	M 10	घ. मि	१३०००.००	१३६५०.००	१२५००.००	
	M 15	घ. मि	१४०००.००	१४७००.००	१३०००.००	
	M 20	"	१४५००.००	१५२२५.००	१४०००.००	
	M 25	"	१५५००.००	१६२७५.००	१५०००.००	
	M 30	"	१६३००.००	१७११५.००	१६०००.००	
	M 35	"	१७६००.००	१८४८०.००	१८३००.००	
	M 40	"	१९०००.००	१९९५०.००	१८९००.००	
<b>13</b>	<b>फलामको इण्डीहरु :</b>					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	९४.३५	८८.३५	७७.६०	
	b) 10-20 mm dia	"	९०.८५	८५.३५	७४.६०	
	c) 25-28 mm dia	"	९३.३५	८८.३५	७६.६०	
	(d) 32 mm dia	"			७७.६०	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8 mm dia	"	९३.८५	८६.८५	७५.६०	
	b) 10-20 mm dia	"	९२.३५	८५.३५	७३.६०	
	c) 25-28 mm dia	"	९४.८५	८७.८५	७५.६०	
	(d) 32 mm dia	"			७६.६०	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	९३.१५	८७.८५	७७.६०	
	(घ) Binding Wire (इण्डी बाँधनेतार)	"	१०२.७२	९२.००	९१.००	
<b>14</b>	<b>विभिन्न किसिमका काठहरु</b>					
14.1	काठ					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. पि	५९७५.००	६०३४.७५	६०३४.७५	
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६२५०.००	६३१२.५०	६३१२.५०	

५

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	(ग) १२ फिट देखि माथिको साल काठ	"	६६००.००	६६६६.००	६६६६.००	
	(घ) साज काठ	"	३३५०.००	३३८३.५०	३३८३.५०	
	(ङ) जामुन काठ	"	२१५०.००	२१७१.५०	२१७१.५०	
	(च) सल्लाको काठ	"	१५५०.००	१५६५.५०	१५६५.५०	
	(छ) सिसौ काठ	"	३५००.००	३५३५.००	३५३५.००	
	(ज) जंगली सिसौ काठ "	"	५२७०.००	५३२२.७०	५३२२.७०	
	झ) उतीस को काठ	"	६२५.००	६३१.२५	६३१.२५	
	(ञ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि				
	(ट) काठ दाउरा	के.जी	१८.००	१८.१८	१८.१८	
14.2	कुँदिएको काठको काम तयारी					
	i) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०८०.००	१०९०.८०	१०९०.८०	
	ii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	१२६०.००	१२७२.६०	१२७२.६०	
	iii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	६८६.८०	६८६.८०	
	iv) भन्याङ्को रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोला हेण्ड रेल (3"x4")	गोटा	२२५०.००	२२७२.५०	२२७२.५०	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x८") साल काठमा टुँडाल बनाउने काम	"	१३५००.००	१३६३५.००	१३६३५.००	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x८") साल काठमा टुँडाल बनाउने काम	"	२२५००.००	२२७२५.००	२२७२५.००	
	vii) विभिन्न बृद्ध तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	३१५०.००	३१८१.५०	३१८१.५०	
	viii) घोडाको आकृति गरि कुँदिएको ४"x५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७२८०.००	७३५२.८०	७३५२.८०	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३५०.००	१३६३.५०	१३६३.५०	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	१६२०.००	१६३६.२०	१६३६.२०	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	२२५०.००	२२७२.५०	२२७२.५०	
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१९८०.००	१९९९.८०	१९९९.८०	
	xii) ३"x१.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६३.६०	३६३.६०	
	xiii) कुँदिएको विभिन्न बृद्ध राखी बनाएको साल काठको ४"x५"को कार्नेस बिम आदि तयारी गर्ने कार्य	"	१६२०.००	१६३६.२०	१६३६.२०	

०१







सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	xiv) ४"X ५"को साल काठको नाग बुट्टा कुँद तयारी गरी जडान गर्ने कार्य	"	१७१०.००	१७२७.१०	१७२७.१०	
<b>15</b>	<b>Wooden Parquet Flooring</b>					
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००	
	ii)Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	"	५६०.००	५६०.००	५६०.००	
<b>16</b>	<b>विभिन्न मोटाईको प्लाइउडहरु</b>					
<b>16.1</b>	<b>Commercial</b>					
	(क) ३ मी.मी	व.फि	३६.००	३६.००	३६.००	
	३.५ मी.मी.	"	२६.००	२६.००	२६.००	
	(ख) ४ मी.मी	"	२६.००	२६.००	२६.००	
	(ग) ६ मी.मी	"	५३.००	५३.००	५३.००	
	(घ) ८ मी.मी	"	५७.००	५७.००	५७.००	
	(ङ) १२ मी.मी	"	८०.००	८०.००	८०.००	
	(च) १९ मी.मी B/B	"	१०७.००	१०७.००	१०७.००	
	छ) १८ मी.मी PLY	"	११०.००	११०.००	११०.००	
<b>16.2</b>	<b>P/F. Water Proof</b>			०.००		
	क) ४ मी.मी	व.फि	५२.००	५२.००	५२.००	
	ख) ६ मी.मी	व.फि	६७.००	६७.००	६७.००	
	ग) ८ मी.मी.	"	६३.००	६३.००	६३.००	
	घ) ९ मी.मी.	"	८९.००	८९.००	८९.००	
	(ङ)१२ मी.मी	"	९९.००	९९.००	९९.००	
	च) १९ मी.मी PLY	"	११३.००	११३.००	११३.००	
	छ) १९ मी.मी B/B	"	१३९.००	१३९.००	१३९.००	
<b>16.3</b>	<b>Natural Teak Plywood</b>					
	<b>One side lamination</b>					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	५०.४०	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	६९.००	६९.००	७२.४५	
	४ मी. मी (Regular)	"	६०.००	६०.००	६३.००	
	४ मी. मी (Crown)	"	४३.००	४३.००	४५.१५	
	४ मी. मी (Beri)	"	४९.००	४९.००	५१.४५	
	४ मी. मी (Whitest line)	"	३९.००	३९.००	४०.९५	
	४ मी. मी (Beach)	"	४६.००	४६.००	४८.३०	
	४ मी. मी (Recon 18 No.)	"	३७.००	३७.००	३८.८५	
	(ग) ६ मी.मी	"				
<b>16.4</b>	<b>DECORATIVE (THICKER)</b>					
	6 OST	व.फि	१२६.००	१२६.००	१२६.००	
	6 BST	"	१६०.००	१६०.००	१६०.००	
	9 OST	"	१४०.००	१४०.००	१४०.००	

17

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
			१७३.००	१७३.००	१७३.००	
	9 BST	"	१५३.००	१५३.००	१५३.००	
	12 OST	"	१८७.००	१८७.००	१८७.००	
	12 BST	"	१६५.००	१६५.००	१६५.००	
	19 B/B OST	"	२००.००	२००.००	२००.००	
	19 B/B BST	"	१८७.००	१८७.००	१८७.००	
	18 OST	"	२२१.००	२२१.००	२२१.००	
	18 BST	व.फि				
<b>17</b>	<b>Ready made Door</b>					
17.1	<b>38 mm th. Readymade solid core door shutter</b>					
	Plain	व.फि	२३३.००	२३३.००	२३३.००	
	One side teak	"	२६२.००	२६२.००	२६२.००	
	Both side teak	"	२९४.००	२९४.००	२९४.००	
	One side teak waterProof	"	२८६.००	२८६.००	२८६.००	
	Both side teak waterProof	"	३१७.००	३१७.००	३१७.००	
17.2	<b>30 to 32 mm th. Readymade solid core door shutter</b>					
	Plain	व.फि	१९०.००	१९०.००	१९०.००	
	One side teak	"	२१३.००	२१३.००	२१३.००	
	Both side teak	"	२३९.००	२३९.००	२३९.००	
	One side teak waterProof	"	२३३.००	२३३.००	२३३.००	
	Both side teak waterProof	"	२५८.००	२५८.००	२५८.००	
17.3	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated )</b> (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१८३.००	१८३.००	१८३.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२४८.००	२४८.००	२४८.००	
	Readymade door shutter Recon, ordinary (1 side teak)	"	२०९.००	२०९.००	२०९.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.००	२८१.००	२८१.००	
17.4	<b>Wooden Listy</b>					
	1/2" wide	र.फि.	१४.००	१४.००	१४.००	
	3/4" wide	"	१८.००	१८.००	१८.००	
	1.5" wide	"	२९.००	२९.००	२९.००	
	Decorative	"	४०.००	४०.००	४०.००	
17.5	<b>Infill Material Thai Gypsum, Shera or equivalent</b>					
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	४३१.००	४३१.००	४३१.००	
	Frame U - Studs( 0.55mm*0.75mm*3m)	"	४३१.००	४३१.००	४३१.००	

M

Tepone  
GREGARIO





सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	Board 9 mm	"	२५२४.००	२५२४.००	२५२४.००	
	Roofing Board 6mm (1.5mX.6m)	"	६९५.००	६९५.००	६९५.००	
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००	
	PU sasuage rod	"	२०३९.००	२०३९.००	२०३९.००	
<b>18</b>	<b>Prelaminated Particle Board</b>					
18.1	<b>Plain Particle Board (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	३८.००	३८.००	३८.००	
	(ख) १२ मी. मी.	"	४३.००	४३.००	४३.००	
	(ग) १८ मी.मी.	"	५५.००	५५.००	५५.००	
	(घ) २५ मी.मी	"	७४.००	७४.००	७४.००	
18.2	<b>One side lamination Melamined faced (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	७७.००	७७.००	७७.००	
	(ख) १२ मी. मी.	"	८६.००	८६.००	८६.००	
	(ग) १८ मी.मी.	"	१०२.००	१०२.००	१०२.००	
	(घ) २५ मी.मी	"	१३२.००	१३२.००	१३२.००	
18.3	<b>Both side lamination Melamined faced (Exteriors Grade)</b>					
	(क) ९ मी .मी	व.फि	८६.००	८६.००	८६.००	
	(ख) १२ मी. मी.	"	९९.००	९९.००	९९.००	
	(ग) १८ मी.मी.	"	११४.००	११४.००	११४.००	
	(घ) २५ मी.मी	"	१४५.००	१४५.००	१४५.००	
18.4	<b>Plain Particle Board (Interiors Grade)</b>					
	(क) ९ मी .मी	व.फि	२८.००	२८.००	२८.००	
	(ख) १२ मी. मी.	"	३२.००	३२.००	३२.००	
	(ग) १८ मी.मी.	"	४८.००	४८.००	४८.००	
	(घ) २५ मी.मी	"	६१.००	६१.००	६१.००	
18.5	<b>One side lamination Melamined faced (Interiors Grade)</b>					
	(क) ३ मी .मी	व.फि	४२.००	४२.००	४२.००	
	(ख) ६ मी .मी	"	५९.००	५९.००	५९.००	
	(ग) ९ मी .मी	"	६८.००	६८.००	६८.००	
	(घ) १२ मी. मी.	"	७७.००	७७.००	७७.००	
	(ङ) १८ मी.मी.	"	८९.००	८९.००	८९.००	
	(च) २५ मी.मी	"	१११.००	१११.००	१११.००	
18.6	<b>Both side lamination Melamined faced (Interiors Grade)</b>					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	(ख) ६ मी .मी	"	६४.००	६४.००	६४.००	
	(ग) ९ मी .मी	"	७७.००	७७.००	७७.००	
18.7	<b>One side lamination Melamined faced (Interiors Grade)MDF</b>					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ४ मी .मी	"	५५.००	५५.००	५५.००	
	(ग) ६ मी .मी	"	६८.००	६८.००	६८.००	
	(घ) ९ मी .मी	"	८८.००	८८.००	८८.००	
	(ड.) १२ मी .मी	"	९९.००	९९.००	९९.००	
	(च) १८ मी .मी	"	१२७.००	१२७.००	१२७.००	
	(छ) २५ मी .मी	"	१७६.००	१७६.००	१७६.००	
18.8	<b>Both side lamination Melamined faced (Interiors Grade)MDF Century &amp; equivalent</b>					
	(क) ३ मी .मी	व.फि	५५.००	५५.००	५५.००	
	(ख) ४ मी .मी	"	६२.००	६२.००	६२.००	
	(ग) ६ मी .मी	"	७६.००	७६.००	७६.००	
	(घ) ९ मी .मी	"	९५.००	९५.००	९५.००	
	(ड.) १२ मी .मी	"	१०५.००	१०५.००	१०५.००	
	(च) १८ मी .मी	"	१३३.००	१३३.००	१३३.००	
	(छ) २५ मी .मी	"	१८०.००	१८०.००	१८०.००	
18.9	<b>Alstone Hybrid Board (WPC Board) Century &amp; equivalent</b>					
	(क) ६ मी .मी ( १२२० X २४४० )	व.फि	१७५.००	१७५.००	१७५.००	
	(ख) १२ मी .मी	"	२८०.००	२८०.००	२८०.००	
	(ग) १८ मी .मी	"	४२३.००	४२३.००	४२३.००	
19	<b>Other HardBoard/ Sunmica &amp; Formaica)</b>					
19.1	(क) सनमाईका (4' x 8')	पाता	४८८.००	४८८.००	४००.००	
	(ख) फोरमाईका	व.फि	७७.००	७७.००	८०.००	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	४६.००	४६.००	४८.००	
19.2	<b>Alstone Hybrid Board</b>					
	(क) ६ मी .मी size ( 1220*2440) mm	व.फि	१६८.००	१६८.००	१७०.००	
	(ख) १२ मी .मी size ( 1221*2440) mm	"	३१३.००	३१३.००	३१५.००	
	(ग) १८ मी .मी size ( 1222*2440) mm	"	४३३.००	४३३.००	४३५.००	
20	<b>Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate</b>					

7

[Signature]

[Signature]

[Signature]

[Signature]


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	i) Iron Square Pipe	के.जी	८१.००	८२.६२	८०.२१	
	ii) विभिन्न साइजको MS Angle	"	८७.००	८८.७४	८६.१६	
	iii) विभिन्न साइजको Black Pipe	"	८१.००	८२.६२	८०.२१	
	iv) विभिन्न साइजको Channel	"	८८.००	८९.७६	८७.१५	
	v) विभिन्न साइजको I-Beam	"	९०.००	९१.८०	८९.१३	
	vi) विभिन्न साइजको MS plate	"	८६.००	८७.७२	८५.१७	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८७.००	८८.७४	८६.१६	
	viii) विभिन्न मोटाइको Black sheet	"	८२.००	८३.६४	८१.२०	
<b>21</b>	<b>G.I. Wire</b>					
	<b>i) 8 gauge</b>					
	a) light class	के.जी	९७.००	९३.००	९३.००	
	b) medium class	"	१०५.००	१०१.००	१०१.००	
	c) heavy duty	"	१०६.००	१०२.००	१०२.००	
	d) Comercial wire	"	९७.००	९३.००	९३.००	
	<b>ii) 10 gauge</b>					
	a) light class	के.जी	९७.००	९३.००	९३.००	
	b) medium class	"	१००.००	९६.००	९६.००	
	c) heavy duty	"	१०६.००	१०२.००	१०२.००	
	d) Comercial wire	"	९७.००	९३.००	९३.००	
	<b>iii) 12 gauge</b>					
	a) light class	के.जी	९८.००	९४.००	९४.००	
	b) medium class	"	१०२.००	९८.००	९८.००	
	c) heavy duty	"	१०७.००	१०४.००	१०४.००	
	d) Comercial wire	"	९८.००	९४.००	९४.००	
<b>22</b>	<b>मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी</b>					
	<b>क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)</b>	m2				
	१.५×१×०.५/०	गोटा	१६३९.००	१६३९.००	१६३९.००	
	२×१×०.५/०	"	२२३५.००	२२३५.००	२२३५.००	
	३×१×०.५/०	"	३२७८.००	३२७८.००	३२७८.००	
	४×१×०.५/०	"	४३२१.००	४३२१.००	४३२१.००	
	१.५×१×१/०	"	२३८४.००	२३८४.००	२३८४.००	
	२×१×१/१	"	३२७८.००	३२७८.००	३२७८.००	
	३×१×१/२	"	४७६८.००	४७६८.००	४७६८.००	
	४×१×१/३	"	६२५८.००	६२५८.००	६२५८.००	

7

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	<b>ख) MBG/10x12/2.7/3.4/2.2/ZN</b>	m2				
	१.५×१×०.५०	गोटा	१३८१.००	१३८१.००	१३८१.००	
	२×१×०.५०	"	१८८३.००	१८८३.००	१८८३.००	
	३×१×०.५०	"	२७६१.००	२७६१.००	२७६१.००	
	४×१×०.५०	"	३६४०.००	३६४०.००	३६४०.००	
	१.५×१×१	"	२००८.००	२००८.००	२००८.००	
	२×१×१	"	२७६१.००	२७६१.००	२७६१.००	
	३×१×१	"	४०१६.००	४०१६.००	४०१६.००	
	४×१×१	"	५२७१.००	५२७१.००	५२७१.००	
	<b>ग) MJG/10x12/3.0/3.9/2.4/ZN</b>					
	३×२×०.५०	गोटा	५६६२.००	५६६२.००	५६६२.००	
	४×२×०.५०	"	७४५०.००	७४५०.००	७४५०.००	
	५×२×०.५०	"	९२३८.००	९२३८.००	९२३८.००	
	६×२×०.५०	"	११०२६.००	११०२६.००	११०२६.००	
	३×२×१	"	७७४८.००	७७४८.००	७७४८.००	
	४×२×१	"	१०१३२.००	१०१३२.००	१०१३२.००	
	५×२×१	"	१२५१६.००	१२५१६.००	१२५१६.००	
	६×२×१	"	१४९००.००	१४९००.००	१४९००.००	
	<b>घ) MJG/10x12/2.7/3.4/2.2/ZN</b>					
	३×२×०.५०	गोटा	४७६९.००	४७६९.००	४७६९.००	
	४×२×०.५०	"	६२७५.००	६२७५.००	६२७५.००	
	५×२×०.५०	"	७७८१.००	७७८१.००	७७८१.००	
	६×२×०.५०	"	९२८७.००	९२८७.००	९२८७.००	
	३×२×१	"	६५२६.००	६५२६.००	६५२६.००	
	४×२×१	"	८५३४.००	८५३४.००	८५३४.००	
	५×२×१	"	१०५४२.००	१०५४२.००	१०५४२.००	
	६×२×१	"	१२५५०.००	१२५५०.००	१२५५०.००	
	<b>ङ) MRM/6x8/2.2/2.7/2.2/ZN</b>	m2				
	३×२×०.१७	गोटा	४०१२.००	४०१२.००	४०१२.००	
	४×२×०.१७	"	५१९८.००	५१९८.००	५१९८.००	
	५×२×०.१७	"	६३६२.००	६३६२.००	६३६२.००	
	६×२×०.१७	"	७५६८.००	७५६८.००	७५६८.००	
	३×२×०.२३	"	४३६६.००	४३६६.००	४३६६.००	
	४×२×०.२३	"	५६५५.००	५६५५.००	५६५५.००	
	५×२×०.२३	"	६९८६.००	६९८६.००	६९८६.००	
	६×२×०.२३	"	८२१२.००	८२१२.००	८२१२.००	
	३×२×०.३०	"	४७४१.००	४७४१.००	४७४१.००	




१७







सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	४×२×०.३०	"	६११२.००	६११२.००	६११२.००	
	५×२×०.३०	"	७५४६.००	७५४६.००	७५४६.००	
	६×२×०.३०	"	८९४०.००	८९४०.००	८९४०.००	
	Note:					
	BG= Box Gabion					
	JG= Jumbo Gabion					
	RM= Reno Mattress					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
<b>23</b>	<b>Barbed Wire (काँडेतार)</b>					
	12 guage commercial, Medium duty	के.जी	९७.३५	९७.३५	९७.३५	
	U-hook for barbed wire fencing	गोटा	०.७५	०.७५	०.७५	
	<b>Fabrication of chain link mesh of size</b>					
	1"x1" 12 guage	बर्ग मी.	६९७.००	६९७.००	६९७.००	
	1.5"x1.5" 12 guage	"	६५२.००	६५२.००	६५२.००	
	2"x2" 10 guage	"	५१७.००	५१७.००	५१७.००	
	3"x3" 10 guage	"	४२३.००	४२३.००	४२३.००	
	4"x4" 10 guage	"	३३७.००	३३७.००	३३७.००	
<b>24</b>	<b>सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)</b>					
	<b>(क) सेतो सादा जस्तापाता (G P Sheet)</b>					
	0.2 mm (30 guage light)	बण्डल	४६९०.००	४६९०.००	४६९०.००	
	0.22 mm (30 guage Medium)	"	५१३३.००	५१३३.००	५१३३.००	
	0.24 mm (30 guage Heavy)	"	५५२२.००	५५२२.००	५५२२.००	
	0.26 mm (28 guage light)	"	५८४१.००	५८४१.००	५८४१.००	
	0.28 mm (28 guage Medium)	"	६१५९.००	६१५९.००	६१५९.००	
	0.31 mm (28 guage Heavy)	"	६७७९.००	६७७९.००	६७७९.००	
	0.35 mm (26 guage light)	"	७५२२.००	७५२२.००	७५२२.००	
	0.38 mm (26 guage Medium)	"	७८८५.००	७८८५.००	७८८५.००	
	0.41 mm (26 guage Heavy)	"	८७०८.००	८७०८.००	८७०८.००	
	0.45 mm (24 guage light)	"	९४६०.००	९४६०.००	९४६०.००	
	0.50 mm (24 guage Medium)	"	१०४६९.००	१०४६९.००	१०४६९.००	
	0.52 mm (24 guage Heavy)	"	१०८४१.००	१०८४१.००	१०८४१.००	

०१








सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	0.75 mm	"	१५५१३.००	१५५१३.००	१५५१३.००	
	<b>(ख) रंगिन जस्तापाता</b>					
	0.2 mm (30 guage light)	बण्डल	५७९६.००	५७९६.००	५७९६.००	
	0.22 mm (30 guage Medium)	"	६१९५.००	६१९५.००	६१९५.००	
	0.24 mm (30 guage Heavy)	"	६५८४.००	६५८४.००	६५८४.००	
	0.26 mm (28 guage light)	"	६९७३.००	६९७३.००	६९७३.००	
	0.28 mm (28 guage Medium)	"	७३६२.००	७३६२.००	७३६२.००	
	0.31 mm (28 guage Heavy)	"	७९५६.००	७९५६.००	७९५६.००	
	0.35 mm (26 guage light)	"	८८२३.००	८८२३.००	८८२३.००	
	0.38 mm (26 guage Medium)	"	९२६५.००	९२६५.००	९२६५.००	
	0.41 mm (26 guage Heavy)	"	१०१३३.००	१०१३३.००	१०१३३.००	
	0.45 mm (24 guage light)	"	१०९१२.००	१०९१२.००	१०९१२.००	
	0.50 mm (24 guage Medium)	"	११९२०.००	११९२०.००	११९२०.००	
	0.52 mm (24 guage Heavy)	"	१२३५४.००	१२३५४.००	१२३५४.००	
	0.55 mm (24 guage Medium)	"	१२९४७.००	१२९४७.००	१२९४७.००	
	0.75 mm	"	१७३८९.००	१७३८९.००	१७३८९.००	
	<b>(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)</b>					
	0.2 mm (30 guage light)	बण्डल	४६९०.००	४६९०.००	४६९०.००	
	0.22 mm (30 guage Medium)	"	५०८८.००	५०८८.००	५०८८.००	
	0.24 mm (30 guage Heavy)	"	५४८७.००	५४८७.००	५४८७.००	
	0.26 mm (28 guage light)	"	५७९६.००	५७९६.००	५७९६.००	
	0.28 mm (28 guage Medium)	"	६११५.००	६११५.००	६११५.००	
	0.31 mm (28 guage Heavy)	"	६७२६.००	६७२६.००	६७२६.००	
	0.35 mm (26 guage light)	"	७४७८.००	७४७८.००	७४७८.००	
	0.38 mm (26 guage Medium)	"	७८४१.००	७८४१.००	७८४१.००	
	0.41 mm (26 guage Heavy)	"	८६५५.००	८६५५.००	८६५५.००	
	0.45 mm (24 guage light)	"	९४१६.००	९४१६.००	९४१६.००	
	0.50 mm (24 guage Medium)	"	१०४१६.००	१०४१६.००	१०४१६.००	
	0.52 mm (24 guage Heavy)	"	१०७८८.००	१०७८८.००	१०७८८.००	
	0.75 mm	"	१५५१३.००	१५५१३.००	१५५१३.००	
	<b>घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.</b>					
	0.20 mm	बण्डल	१६०२.००	१६०२.००	१६०२.००	
	0.22 mm	"	१७३५.००	१७३५.००	१७३५.००	
	0.24 mm	"	१८६७.००	१८६७.००	१८६७.००	

14

  
 [Signature]  
 [Signature]

  
 [Signature]

  
 [Signature]

  
 [Signature]

  
 [Signature]

सि. नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.) आ. व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	0.26 mm	"	१९७३.००	१९७३.००	१९७३.००	
	0.28 mm	"	२०८०.००	२०८०.००	२०८०.००	
	0.31 mm	"	२२८३.००	२२८३.००	२२८३.००	
	0.35 mm	"	२५३१.००	२५३१.००	२५३१.००	
	0.38 mm	"	२६५५.००	२६५५.००	२६५५.००	
	0.41 mm	"	२९२०.००	२९२०.००	२९२०.००	
	ड) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	३२७४.००	३२७४.००	३२७४.००	
	0.90 mm	"	२७०८.००	२७०८.००	२७०८.००	
	0.80 mm	"	२४४२.००	२४४२.००	२४४२.००	
	0.75 mm	"	२२९२.००	२२९२.००	२२९२.००	
	0.70 mm	"	२१४२.००	२१४२.००	२१४२.००	
	0.62 mm	"	१९१२.००	१९१२.००	१९१२.००	
	0.55 mm	"	१७१७.००	१७१७.००	१७१७.००	
	0.50 mm	"	१५६६.००	१५६६.००	१५६६.००	
	0.48 mm	"	१४९६.००	१४९६.००	१४९६.००	
	0.45 mm	"	१४१६.००	१४१६.००	१४१६.००	
	0.40 mm	"	१२७४.००	१२७४.००	१२७४.००	
	0.37 mm	"	११८६.००	११८६.००	११८६.००	
	0.35 mm	"	११३३.००	११३३.००	११३३.००	
	0.30 mm	"	९८२.००	९८२.००	९८२.००	
	0.28 mm	"	९२०.००	९२०.००	९२०.००	
	च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	२९७३.००	२९७३.००	२९७३.००	
	0.80 mm	"	२६९९.००	२६९९.००	२६९९.००	
	0.75 mm	"	२५३१.००	२५३१.००	२५३१.००	
	0.70 mm	"	२४३४.००	२४३४.००	२४३४.००	
	0.62 mm	"	२१७७.००	२१७७.००	२१७७.००	
	0.55 mm	"	१९५६.००	१९५६.००	१९५६.००	
	0.50 mm	"	१७८८.००	१७८८.००	१७८८.००	
	0.48 mm	"	१७०८.००	१७०८.००	१७०८.००	
	0.45 mm	"	१६१९.००	१६१९.००	१६१९.००	
	0.40 mm	"	१४८७.००	१४८७.००	१४८७.००	
	0.37 mm	"	१३८९.००	१३८९.००	१३८९.००	
	0.35 mm	"	१३२७.००	१३२७.००	१३२७.००	

११

११  
 ११  
 ११

११  
 ११  
 ११

११  
 ११  
 ११

११  
 ११  
 ११

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	0.30 mm	"	११६८.००	११६८.००	११६८.००	
	0.28 mm	"	११०६.००	११०६.००	११०६.००	
	<b>GI EXPANDED METAL MESH</b>					
	1.20 mm मोटाई र ३' चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००	
	1.20 mm मोटाई र ४' चौडाई भएको जाली	"	२१२.००	२१२.००	२१२.००	
	1.00 mm मोटाई र ३' चौडाई भएको जाली	"	१३३.००	१३३.००	१३३.००	
	1.00 mm मोटाई र ४' चौडाई भएको जाली	"	१७७.००	१७७.००	१७७.००	
	0.90 mm मोटाई र ३' चौडाई भएको जाली	"	१२४.००	१२४.००	१२४.००	
	0.90 mm मोटाई र ४' चौडाई भएको जाली	"	१५९.००	१५९.००	१५९.००	
<b>25</b>	<b>UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick )</b>					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh ( Regular )	व.मि.	१५०६.००	१५०६.००	१५०६.००	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh ( Tile )	"	१२००.००	१२००.००	१२००.००	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	१९२५.००	१९२५.००	१९२५.००	
25.5	UPVC Clip	गोटा	२६.००	२६.००	२६.००	
25.6	self tapping screw 3"	"	३०.००	३०.००	३०.००	
25.7	self tapping screw 2.5"	"	२०.००	२०.००	२०.००	
25.8	self tapping screw 2"	"	११.००	११.००	११.००	
25.9	self tapping screw 1.5"	"	८.५०	८.५०	८.५०	
<b>26</b>	<b>एलुमिनियम प्लेन सिट</b>					
	(क) २६ गेज	व.फि.	२९.००	२९.००	२९.००	
	(ख) ३० गेज	"	२७.००	२७.००	२७.००	
<b>27</b>	<b>विभिन्न प्रकारको जालीहरू (Netting)</b>					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११९.००	११९.००	११९.००	
	(ख) बालुवा चाल्ने जाली	"	१२४.००	१२४.००	१२४.००	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	७६.००	७६.००	७६.००	
	(घ) ब्रास क्रसिङ्ग जाली	"	१९५.००	१९५.००	१९५.००	
	(ङ) स्टील जाली (crossing )	"	१५७.००	१५७.००	१५७.००	
	(च) मसिनो खालको steel Mosquito proof जाली	"	२७०.००	२७०.००	२७०.००	
<b>28</b>	<b>फलामबाट निर्मित सामानहरू</b>					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	१३०.००	१३०.००	१३०.००	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५००.००	५००.००	

1/

1/

1/

1/

1/

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
c	१६-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.फि.	३५०.००	३५०.००	३५०.००	
d	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	"	२८०.००	२८०.००	२८०.००	
e	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	५००.००	५००.००	५००.००	
f	१६ गेज पाताबाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत)	"	६५०.००	६५०.००	६५०.००	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ड्याङ्ग (Spiral Staircase)तयार गरी जडान समेत (भन्ड्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३०५०.००	३०५०.००	३०५०.००	
h	फलामे सामग्रीको फेब्रिकेशन तथा जडान कार्य	के.जी.	४५.००	४५.००	४५.००	
i	All type of general MS structural works	व.फी.	१७०.००	१७०.००	१७०.००	
j	Truss & roofing works Plain sheet 26 gauge	"	२००.००	२००.००	२००.००	
k	Truss & roofing works colour sheet 26 gauge	"	१६५.००	१६५.००	१६५.००	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१४०.००	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	१९४०.००	१९४०.००	१९४०.००	
n	Steel Structural (Light guage ) frame work for building ( as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges ) all complete work Panchakanya or equivalent company	व.फि.	७७०.००	७७०.००	७७०.००	
<b>29</b>	<b>Glass सीसा</b>					
29.1	<b>Plain सादा (सेतो)</b>					
	(क) ३ मी.मी.	व.फि.	४९.००	४९.००	५०.४७	
	(ख) ३.५ मी.मी.	व.फि.	५६.००	५६.००	५७.६८	
	(ग) ४ मी.मी.	व.फि.	६५.००	६५.००	६६.९५	
	(घ) ५ मी.मी. "	व.फि.	७५.००	७५.००	७७.२५	
	(ङ) ६ मी.मी. "	व.फि.	१००.००	१००.००	१०३.००	
	(च) ८ मी.मी. "	व.फि.	१५०.००	१५०.००	१५४.५०	
29.2	<b>Printed Glass (बुट्टेदार सिसा)</b>					
	(क) ३ मी.मी.	व.फि.	४८.४१	४८.४१	४९.८६	
	(ख) ४ मी.मी. " "	व.फि.	५६.६५	५६.६५	५८.३५	
29.3	<b>Poly Fibre Glass</b>					
	(क) ६ मी.मी.	"	१५४.५०	१५४.५०	१५९.१४	

M

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
29.4	<b>Black Color Glass</b>					
	(क) ३ मी.मी.	व.फि.	९६.००	९६.००	९८.८८	
	(ख) ४ मी.मी.	"	१०३.००	१०३.००	१०६.०९	
	(ग) ५ मी.मी.	"	१२०.००	१२०.००	१२३.६०	
	(घ) ६ मी.मी.	"	१८०.००	१८०.००	१८५.४०	
	(ङ) ८ मी.मी.	"	२५०.००	२५०.००	२५७.५०	
	(च) १० मी.मी	"	३५०.००	३५०.००	३६०.५०	
	(छ) १२ मी.मी	"	४००.००	४००.००	४१२.००	
29.5	<b>Tinted Float glass बाहिर बाट नदेखिने भिन्नबाट देखिने</b>					
	(क) ५ मि.मि बाक्लो	व.फि.	११६.००	११६.००	११९.४८	
29.6	<b>छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture</b>					
	(क) ४ मी.मी. बाक्लो	व.मि.	६२००.००	६२००.००	६३८६.००	
29.7	<b>विभिन्न रंगको Reflector Glass (शिशु)</b>					
	५ मी.मी मोटो	व.फि.	१८४.००	१८४.००	१८९.४२	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिमा भएमा ५०% थप रकम लाग्ने छ।					
30	<b>Corrugated/Plain Fiber Glass Sheet</b>					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१३२.००	१३२.००	१३५.९६	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१४५.००	१४५.००	१४९.३५	
	(ख) १.२ मी.मी. मोटो प्लेन	"	१४५.००	१४५.००	१४९.३५	
	१.२ मी.मी. मोटो कोरोगेटेड	"	१६३.००	१६३.००	१६७.८९	
	(ग) २ मी.मी. मोटो प्लेन	"	२३२.००	२३२.००	२३८.९६	
	२ मी.मी. मोटो कोरोगेटेड	"	२७०.००	२७०.००	२७८.१०	
	(घ) ३ मी. मी. मोटो प्लेन	"	३०७.००	३०७.००	३१६.२१	
	३ मी. मी. मोटो कोरोगेटेड	"	३९५.००	३९५.००	४०६.८५	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	७२.००	७२.००	७४.१६	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	८.००	८.००	८.२४	
31	<b>भ्याल ढोकामा लाग्ने Fixture हरु</b>					
	<b>Iron बाट बनेका</b>					
	<b>Hinge (कब्जा)</b>					
	(क) ३" साइज	गोटा	१५.००	१५.००	१६.५०	
	(ख) ४" साइज	"	२८.००	२८.००	३०.८०	
	(ग) ५" साइज	"	४३.००	४३.००	४७.३०	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	(घ) ६" साइज	"	५६.००	५६.००	६१.६०	
	<b>Locking Set (L-drop)</b>					
	300 mm	गोटा	२६०.००	२६०.००	२८६.००	
	225 mm	"	२२७.००	२२७.००	२४९.७०	
	150 mm	"	१९५.००	१९५.००	२१४.५०	
	<b>Aluminum बाट बनेका</b>					
	<b>Towerbolt (छेस्कीनी)</b>					
	(क) ३" लामो	गोटा	२०.००	२०.००	२२.००	
	(ख) ४" लामो	"	४०.००	४०.००	४४.००	
	(ग) ६" लामो	"	६७.००	६७.००	७३.७०	
	(घ) ८" लामो	"	८०.००	८०.००	८८.००	
	(ङ) १०" लामो	"	९४.००	९४.००	१०३.४०	
	(च) १२" लामो	"	१०७.००	१०७.००	११७.७०	
	<b>Handle (हतकल)</b>					
	Ordinary	गोटा	३२.००	३२.००	३५.२०	
	Special	"	४७.००	४७.००	५१.७०	
	<b>Brass बाट बनेका</b>					
	<b>Hinge (कब्जा)</b>					
	2" x 1/2"	गोटा	६३.००	६३.००	६९.३०	
	2 1/2 x 3/4"	"	७१.००	७१.००	७८.१०	
	3" x 3/4"	"	८७.००	८७.००	९५.७०	
	2" x 3/4"	"	७१.००	७१.००	७८.१०	
	2 1/2" x 3/4"	"	८७.००	८७.००	९५.७०	
	3" x 3/4"	"	१८९.००	१८९.००	२०७.९०	
	3" x 1"	"	२८४.००	२८४.००	३१२.४०	
	4" x 1"	"	३७९.००	३७९.००	४१६.९०	
	5" x 1"	"	४५८.००	४५८.००	५०३.८०	
	6" x 1"	"				
	<b>Towerbolt (छेस्कीनी)</b>					
	(क) ३" लामो	गोटा	१४२.००	१४२.००	१५६.२०	
	(ख) ४" लामो	"	१८९.००	१८९.००	२०७.९०	
	(ग) ६" लामो	"	२८४.००	२८४.००	३१२.४०	
	(घ) ८" लामो	"	३७९.००	३७९.००	४१६.९०	
	(ङ) १०" लामो	"	४७३.००	४७३.००	५२०.३०	
	(च) १२" लामो	"	५६८.००	५६८.००	६२४.८०	
	<b>Handle (हतकल)</b>					
	6" Brass handle	गोटा	१५०.००	१५०.००	१६५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	8" Brass handle	"	४५८.००	४५८.००	५०३.८०	
	10" Brass handle	"	९४७.००	९४७.००	१०४१.७०	
	<b>Locking Set (L-drop)</b>					
	(क) ८" लामो	गोटा	९४७.००	९४७.००	१०४१.७०	
	(ख) १०" लामो	"	१५६२.००	१५६२.००	१७९८.२०	
	(ग) १२" लामो	"	१७३५.००	१७३५.००	१९०८.५०	
	<b>Special Fittings</b>					
	<b>एल ड्रप :-</b>					
	८" लामो .....	गोटा	१०६२.००	१०६२.००	११६८.२०	
	१०" लामो .....	"	११९९.००	११९९.००	१३१८.९०	
	१२" लामो .....	"	१२४९.००	१२४९.००	१३७३.९०	
	<b>ह्याण्डल :-</b>					
	८" लामो .....	"	१२४९.००	१२४९.००	१३७३.९०	
	<b>टावर बोल्ट :-</b>					
	६" लामो .....	"	२२५.००	२२५.००	२४७.५०	
	८" लामो .....	"	३००.००	३००.००	३३०.००	
	१०" लामो .....	"	३७५.००	३७५.००	४१२.५०	
	<b>डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)</b>					
	<b>एल ड्रप :-</b>					
	८" लामो .....	गोटा	८९२.००	८९२.००	९८१.२०	
	१०" लामो .....	"	११३०.००	११३०.००	१२४३.००	
	१२" लामो .....	"	१२४९.००	१२४९.००	१३७३.९०	
	<b>ह्याण्डल :-</b>					
	६" लामो .....	"	२५०.००	२५०.००	२७५.००	
	८" लामो .....	"	३७५.००	३७५.००	४१२.५०	
	<b>Mortice Lock</b>					
	Ordinary	गोटा	६२५.००	६२५.००	६८७.५०	
	Chinese	"	४१६.००	४१६.००	४५७.६०	
	Indian Godrej Company	"	२५५७.००	२५५७.००	२८१२.७०	
	Brass		११३०.००	११३०.००	१२४३.००	
	<b>Door Spring (Door Closer)</b>					
	Ordinary	गोटा	१७८.००	१७८.००	१९५.८०	
	hydraulic	"	१८७४.००	१८७४.००	२०६१.४०	
	<b>Other Door/Windows fixtures</b>					
	Window I-hook	गोटा	१८.००	१८.००	१९.८०	
	Gate Hook					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	4" Gate hook	गोटा	३१.००	३१.००	३४.१०	
	5" Gate hook	"	३५.००	३५.००	३८.५०	
	6" Gate hook	"	४२.००	४२.००	४६.२०	
	Brass Gate hook		७५.००	७५.००	८२.५०	
	<b>Door stopper</b>					
	Butterfly	"	१४८.००	१४८.००	१६२.८०	
	Bell catch 2" size	"	१९६.००	१९६.००	२१५.६०	
	C.P. handle	"	४२५.००	४२५.००	४६७.५०	
	Power coated handle	"	४०६.००	४०६.००	४४६.६०	
	Brass coated handle	"	८७४.००	८७४.००	९६१.४०	
	Door stopper, single brass stopper	सेट	१००.००	१००.००	११०.००	
	Door stopper double brass stopper	"	१७८.००	१७८.००	१९५.८०	
<b>32</b>	<b>बिबिध सामग्रीहरू</b>					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१२५.००	१२५.००	१३७.५०	
	Nails (different sizes)	के.जी.	११२.००	११२.००	१२३.२०	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७२१.००	७२१.००	७९३.१०	
	कवाडी फलामे सामानहरू(बन्चरो,घन,छिन्ना आदि फलामे सामान)	के.जी.	२६.००	२६.००	२८.६०	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	२१.००	२१.००	२३.१०	
	Nut and Bolts	गोटा	२९.००	२९.००	३१.९०	
	Nut and Bolts (different sizes)	के.जी.	१६५.००	१६५.००	१८१.५०	
	Sandpaper (खान्सी)	गोटा	६.००	६.००	६.६०	
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	१३७.००	१३७.००	१५०.७०	
	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.७०	
	३" साइज रुफिङ्ग नेल्स	"	१०.००	१०.००	११.००	
	<b>Screw Brass</b>					
	20mm	गोटा	२.००	२.००	२.२०	
	25mm	"	३.००	३.००	३.३०	
	35mm	"	४.००	४.००	४.४०	
	50mm	"	१२.००	१२.००	१३.२०	
	75mm	"	१५.००	१५.००	१६.५०	
	<b>Screw Steel</b>					
	20mm	"	१.००	१.००	१.१०	
	25mm	"	२.००	२.००	२.२०	
	35mm	"	२.००	२.००	२.२०	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	50mm	"	७.००	७.००	७.७०	
	75mm	"	८.००	८.००	८.८०	
	विटुमीन बासर	गोटा	३.००	३.००	३.३०	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	९३.००	९३.००	१०२.३०	
	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३४.१०	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२४७२.००	२४७२.००	२७१९.२०	
	Plasticfelt (२०मी. × १मी.)	"	२३१८.००	२३१८.००	२५४९.८०	
	१८-२० फिट लामो बाँस	गोटा	२०४.००	२०४.००	२२४.४०	
	मैन पालिस	के.जि.	२०६.००	२०६.००	२२६.६०	
	अक्जालिक एसिड	"	११८.००	११८.००	१२९.८०	
	जुट वा पोलिथिनको खाली बोरा	गोटा	१८.००	१८.००	१९.८०	
	माटो (ढुवानि बाहेक )	घ.मि.	२६८.००	२६८.००	२९४.८०	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	४६४.००	४६४.००	५१०.४०	
	भुस	के.जि.	४.००	४.००	४.४०	
	गोबर	"	४.००	४.००	४.४०	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९३.००	९३.००	१०२.३०	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९८.००	९८.००	१०७.८०	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.००	९.००	९.९०	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिट्र	०.२६	०.२६	०.२९	
	३ कि.मी. देखि माथीको दुरीमा	लिट्र	०.३१	०.३१	०.३४	
<b>33</b>	<b>स्टेनलेस स्टील पाइप (257/kg)</b>					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१९४.००	१९४.००	१९४.००	
	१" व्यास भएको १६ गेज मोटाई	"	२४३.००	२४३.००	२४३.००	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३०९.००	३०९.००	३०९.००	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३७६.००	३७६.००	३७६.००	
	२" व्यास भएको १६ गेज मोटाई	"	४०८.००	४०८.००	४०८.००	
	स्टील रेलिड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe )	र.फी.	११६८.००	११६८.००	११६८.००	
<b>34</b>	<b>मार्बल चिप्स</b>					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१७०.००	१७०.००	१७०.००	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१७०.००	१७०.००	१७०.००	
	(ग) केजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१८१.००	१८१.००	१८१.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१५३.००	१५३.००	१५३.००	
<b>35</b>	<b>मार्बल (Marble)</b>					
35.1	<b>राजस्थानी मार्बल</b>					
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६०.००	१६०.००	१६०.००	
	१६ मी.मी बाक्लो राजस्थानी	"	१७५.००	१७५.००	१७५.००	
35.2	<b>ग्रेनाइट</b>					
	१२ मी.मी बाक्लो ग्रेनाइट	"	२५०.००	२५०.००	२५०.००	
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३३५.००	३३५.००	३३५.००	
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	३७६.००	३७६.००	३७६.००	
35.3	<b>Kota Stone</b>					
	1" thick	व.फि.	१४२.००	१४२.००	१४२.००	
	3/4" thick	व.फि.	१३०.००	१३०.००	१३०.००	
35.4	<b>Sand stone ( for rubbing Marble )</b>	गोटा	७२.००	७२.००	७२.००	
<b>36</b>	<b>Porcelain Glazed/Terrazo Mosaic Tiles</b>					
36.1	<b>Porcelain Glazed Tiles</b>					
	CottoThai Tiles	"	१२६.००	१२६.००	१२६.००	
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	८५.००	८५.००	८५.००	
	Ordinary floor and wall Tile	"	५४.००	५४.००	५४.००	
	Border Tile ( २ " X ८ " )	र.फि.	४३.००	४३.००	४३.००	
	Indian Ceramic Wall Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००	
	Indian Ceramic Border Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००	
	Indian Ceramic Floor Tile (31*45cm)	"	१५०.००	१५०.००	१५०.००	
	<b>Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent</b>					
	24"X24" GVT	व.फु.	१६५.००	१६५.००	१६५.००	
	24"X24" GRES Vitrified (Digital floor )	"	१४४.००	१४४.००	१४४.००	
	12"X12" GRES homogeous Vitrified parking tile	"	१०६.००	१०६.००	१०६.००	
	24"X24" Vitrified	"	१११.००	१११.००	१११.००	
	<b>Flooring tile Everest/Victory /Swastik /Espanoi or equivalent</b>					
	16"X16 "	व.फु.	९८.००	९८.००	९८.००	
	12"X12"	"	८८.००	८८.००	८८.००	
	12"X12" (White/Ivery)	"	७७.००	७७.००	७७.००	
	12"X24" (Wall)	"	१३४.००	१३४.००	१३४.००	
	12"X18" (Wall)	"	१०३.००	१०३.००	१०३.००	
36.2	<b>LG Floors Tiles</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	Fittings for Tiles	"	१५.००	१५.००	१५.००	
	Fittings for Tiles on stairs	"	१७.००	१७.००	१७.००	
	Dendrite for tiles	लि.	३७२.००	३७२.००	४००.००	
<b>36.3</b>	<b>ELITE / FORBO FLOORING COATING</b>					
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH )	व.फि.	३६१.००	३६१.००	३६१.००	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH )	"	३६१.००	३६१.००	३६१.००	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	३८३.००	३८३.००	३८३.००	
	SARLON VINYL ACOUSTIC FLOORING	"	४२७.००	४२७.००	४२७.००	
	SCRATCH FABRIC FALSE CEILING	"	२३२.००	२३२.००	२३२.००	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६२.००	६२.००	६२.००	
	Forbo marmoleum flooring 2mm thick all fitting work	"	४०३.००	४०३.००	४०३.००	
<b>37</b>	<b>Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.</b>					
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	b) Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	c) Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	d) Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
<b>37.1</b>	<b>रंगरोगनका सामानहरु</b>					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१९.००	१९.००	३५.००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३३.००	३३.००	४०.००	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	३९.००	३९.००	४०.००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	Equivalent Asian, Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	लिट्र	२६८.००	२६८.००	२७०.००	
	(छ) उड प्राइमर (Wood Primer)	लिट्र	३७६.००	३७६.००	३७६.००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिट्र	५२५.००	५२५.००	५४४.००	"
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिट्र	५०६.००	५०६.००	५०६.००	
	(ज) कोरुगेटेड रुफ Paint	"	४७६.००	४७६.००	५००.००	
	(झ) तयारी अल्मुनियम पेन्ट	"	५४६.००	५४६.००	५४६.००	
	(ञ) तयारी वार्नेस	"	४४०.००	४४०.००	४४०.००	
	(ट) तयारी वार्नेर सेन्थेटिक	"	३४०.००	३४०.००	३७५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	(ठ) भारतिय थिनर	"	२३१.००	२३१.००	१५०.००	
	ड) उड एण्ड ग्लास पुटिन	के.जी	१३१.००	१३१.००	१३१.००	
	ढ) मेटल पुटिन	"	१५५.००	१५५.००	१५५.००	
	ण) चुना पेन्ट गर्न राख्ने गम	"	२०३.००	२०३.००	२६७.००	
	त) नेपाली थिनर	लिटर	२१८.००	२१८.००	१५०.००	
	(द) तारपिन तेल	"	२१४.००	२१४.००	१५०.००	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	२६२.००	२६२.००	२७५.००	
	(न) उड प्रिजरभेटिव पेन्ट	"	२२८.००	२२८.००	३००.००	
	(प) Black Japan Paint	"	२८६.००	२८६.००	२८६.००	
	(फ) राम तिलक	के.जि.	५६.००	५६.००	६०.००	
	(ब) गेरु रंग	के.जि.	१३७.००	१३७.००	१३७.००	
	(भ) चप्रा पालिस	के.जि.	९१६.००	९१६.००	११००.००	
	(म) तयारी वासेवल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	२२३.००	२२३.००	१७५.००	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५२६.००	५२६.००	५७०.००	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६३१.००	६३१.००	६७०.००	
	(र) Road Marking Paint	"	५७९.००	५७९.००	५७९.००	"
	(ल) लिनसिड आयल (linsed Oil)	"	१९६.००	१९६.००	२१५.००	
	(व) स्थानीय स्प्रिट	लि.	११८.००	११८.००	११८.००	
	(स) मोविकल/ फेविकल	के.जि.	२६२.००	२६२.००	३००.००	
	(ष) Tata Red Oxide Paint	"	२६२.००	२६२.००	२७५.००	
	(ह) गड्डा चुन (ईण्डीयन)	"	२२.००	२२.००	३५.००	
	(क्ष) Wall putty equaivalent Asian, Berger & other company.	के.जि.	६९.००	६९.००	४०.००	
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००	
	wood keeper (chapara type)	लि.	५५०.००	५५०.००	६००.००	
	Redoxide zink cromate primer For Bridge	लि.	४६३.००	४६३.००	४६३.००	
	Silk Breathless easy	लि.	१२१६.००	१२१६.००	१२१६.००	
	Road divider ( polythene )	गोटा	१६२२.००	१६२२.००	१६२२.००	
	Dust bin ( polythene ) 165 ltr	गोटा	३०८३.००	३०८३.००	३०८३.००	
	<b>Wall putty Epoxy flooring</b>					
	wall plast wall putty (40kg)	Bag	१३०६.००	१३०६.००	१३०६.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD ( 4layer & 5 component	व.मी.	२०८२.००	२०८२.००	२०८२.००	
	2mm Epoxy Antistatic Floor coating for OT( ( 4 layer & 9 component	"	३६८८.००	३६८८.००	३६८८.००	
	Epoxy Paint for Operation theater	"	११५०९.००	११५०९.००	११५०९.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
37.2	<b>Decorative Painting Material Acro &amp; equivalents</b>					
<b>A</b>	<b>Specialized paints(Dr. wallz)</b>					
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	१०९९.००	१०९९.००	१०९९.००	
2	Acro Elastocrab (Anti carbonisation paint)	"	७६२.००	७६२.००	७६२.००	
<b>B</b>	<b>Texture paints</b>					
1	Mediterrano	के.लि	१७६.००	१७६.००	१७६.००	
2	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००	
3	Velvetino	"	४३०५.००	४३०५.००	४३०५.००	
4	Travertino	"	४१२.००	४१२.००	४१२.००	
5	Gtone plaster	"	१२१.००	१२१.००	१२१.००	
6	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००	
7	Pearl skin texture	"	१४९.००	१४९.००	१४९.००	
8	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००	
9	Rustic	"	१५९.००	१५९.००	१५९.००	
10	Rockart	लिट्र	१५९.००	१५९.००	१५९.००	
11	Manhattan	के.लि	२३८.००	२३८.००	२३८.००	
12	Sabbia	"	२३८.००	२३८.००	२३८.००	
13	Sandy Stone	"	१७४.००	१७४.००	१७४.००	
14	Insulplast	"	२३७.००	२३७.००	२३७.००	
15	Poly Under White	"	२६४.००	२६४.००	२६४.००	
16	Antica(Top coat)	"	१२६७.००	१२६७.००	१२६७.००	
17	T.C 100(Top coat)	"	७२८.००	७२८.००	७२८.००	
18	Dekorica White	"	२६३१.००	२६३१.००	२६३१.००	
19	Poly Plaster	"	१०७.००	१०७.००	१०७.००	
20	Granite tone	"	१६५.००	१६५.००	१६५.००	
21	Graffiato	"	१५९.००	१५९.००	१५९.००	
22	Elligance stone	"	१८९.००	१८९.००	१८९.००	
23	Marmorino Base	के.लि	४१२.००	४१२.००	४१२.००	
24	Acro fine	लिट्र	१८१.००	१८१.००	१८१.००	
25	Marmocastro base	के.लि	१३९.००	१३९.००	१३९.००	
26	Selva Granite.	"	२१५.००	२१५.००	२१५.००	
27	Romart	"	२३९.००	२३९.००	२३९.००	
<b>C</b>	<b>Weathercoat paints</b>					
1	Guard	लिट्र	५०३.००	५०३.००	५०३.००	
2	Guard -3x	"	५८८.००	५८८.००	५८८.००	
3	Shield	"	३२२.००	३२२.००	३२२.००	
4	Acrotex matt	"	५१०.००	५१०.००	५१०.००	
5	Ext wall Primer	"	२३८.००	२३८.००	२३८.००	
<b>D</b>	<b>Emulsion Paints</b>					
1	silk Emulsion paints	"	५२२.००	५२२.००	५२२.००	
2	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२८०.००	
3	pearl Emulsion paints	"	७७२.००	७७२.००	७७२.००	
4	int. wall Primer	"	१७२.००	१७२.००	१७२.००	
<b>E</b>	<b>Acrylic Washable Distemper</b>					
<b>F</b>	<b>Acro gold Enamel</b>					
			५१२.००	५१२.००	५१२.००	

↓  
f

(Signature)

(Signature)

(Signature)

(Signature)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
G	Universal primer ( wood primer)	"	३१३.००	३१३.००	३१३.००	
H	Red oxide metal primer	"	२७६.००	२७६.००	२७६.००	
I	<b>Construction Chemical / waterproof coating system</b>					
	crack sill	"	३८७.००	३८७.००	३८७.००	
	crack fill A+B	"	१७०.००	१७०.००	१७०.००	
J	<b>Silicon Bases water repellent impregnation</b>					
	Acropreg	"	४६६.००	४६६.००	४६६.००	
	Acropreg W	"	६१९.००	६१९.००	६१९.००	
	Wall putty	के.लि	३९.००	३९.००	३९.००	
37.3	Acro Texture ISO certified 9001-2008 ( Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1	<b>Acro Spanezia maestro finishes texture</b>					
1.1	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००	
1.2	Travertino texture	"	१९५.००	१९५.००	१९५.००	
1.3	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
1.5	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
1.6	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
1.7	Marmorino texture	"	१५६.००	१५६.००	१५६.००	
2	<b>Acro texture</b>					
2.1	Acro spray flat/Acro spray dews texture	ब.फि	७५.००	७५.००	७५.००	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
2.3	Rustic texture	"	९९.००	९९.००	९९.००	
2.4	Rockart texture	"	९३.००	९३.००	९३.००	
2.5	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
2.6	Marmocastro texture	"	९०.००	९०.००	९०.००	
2.7	Marmoplast texture	"	९०.००	९०.००	९०.००	
2.8	Sabbia texture	"	११२.००	११२.००	११२.००	
2.9	Manhattan texture	"	११२.००	११२.००	११२.००	
2.10	Sandy stone texture	"	१५४.००	१५४.००	१५४.००	
2.11	Selva Granite texture	"	११६.००	११६.००	११६.००	
2.12	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
2.13	Granite tone texture	"	९८.००	९८.००	९८.००	
2.14	Romaart texture	"	१२४.००	१२४.००	१२४.००	
2.15	Insulplast texture	"	१३५.००	१३५.००	१३५.००	
3	<b>Acro Bio-guard (Hospital Paint)</b>	"	५४.००	५४.००	५४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
4	Acro Ellastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००	
1	<b>EXTERIOR SURFACE WEATHERCOAT PAINTS</b>					
	1.ACROGUARD 3X	ब.फि	२३.००	२३.००	२३.००	
	2. ACROGUARD	"	२१.००	२१.००	२१.००	
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	4. ACROTEX MATT	"	३१.००	३१.००	३१.००	
2	<b>INTERIOR SURFACE EMULSION PAINTS</b>					
	1. ACROPEARL EMULSION PAINTS	ब.फि	२४.००	२४.००	२४.००	
	2. ACROSILK EMULSION PAINTS	"	२०.००	२०.००	२०.००	
	3. AQUALIN EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	११.००	११.००	११.००	
	5. ACRO GOLD ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
	<b>Expansion joint</b>					
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	१५४५०.००	१५४५०.००	१५४५०.००	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	१२८७५.००	१२८७५.००	१२८७५.००	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	१४९३५.००	१४९३५.००	१४९३५.००	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	१८०२५.००	१८०२५.००	१८०२५.००	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	२५७५.००	२५७५.००	२५७५.००	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	१३३९०.००	१३३९०.००	१३३९०.००	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	१९०५५.००	१९०५५.००	१९०५५.००	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	२८८४०.००	२८८४०.००	२८८४०.००	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	१२३६०.००	१२३६०.००	१२३६०.००	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	२१११५.००	२१११५.००	२१११५.००	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	३३४७५.००	३३४७५.००	३३४७५.००	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	३६०५०.००	३६०५०.००	३६०५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	३८६२५.००	३८६२५.००	३८६२५.००	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	१६४८०.००	१६४८०.००	१६४८०.००	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	३१९३०.००	३१९३०.००	३१९३०.००	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	१९३१३.००	१९३१३.००	१९३१३.००	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	२९३५५.००	२९३५५.००	२९३५५.००	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	९२७०.००	९२७०.००	९२७०.००	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	१५४५.००	१५४५.००	१५४५.००	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	२०६०.००	२०६०.००	२०६०.००	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	१५४५.००	१५४५.००	१५४५.००	
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	९७८५.००	९७८५.००	९७८५.००	
<b>38</b>	<b>Wall Paper</b>					
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००	
	Fittings for wall paper	व.फि	७.००	७.००	७.००	
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००	
<b>39</b>	<b>Eradication of peepal &amp; other plants</b>					
	a) Stem up to 1" thickness	गोटा				
	b) Stem up to 1"-2" thickness	"				
	c) Stem up to 2"-3" thickness	"				
	d) Stem up to 3"-4" thickness	"				
<b>40</b>	<b>Gypsum board</b>					
40.1	Supplying and fixing of Thai gypsum board application work					
	i) फल्स सिलिङ्ग गर्ने	व.फि				
	ii)Water resistant false ceiling	"				
	iii)Wall partition	"	११९.००	११९.००	११९.००	
	iv)Wall paneling	"	७९.००	७९.००	७९.००	
	v)Metalized polited laminated Board ( MPL) board	"	७६.००	७६.००	७६.००	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	७०.००	७०.००	७०.००	
41.3	Solid Infill wall ( Shera, Everest or Thai Gypsum or equivalent					

25

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.थ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३७९३.००	३७९३.००	३७९३.००	
41.4	Solid Infill wall (Chinese or equivalent)					
	Solid infill wall 3"	व.मी.	१७७०.००	१७७०.००	१७७०.००	
41.5	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
	Solid infill wall 50mm	व.मी.	३२८८.००	३२८८.००	३२८८.००	
42	<b>Interlocking Cement Concrete Block(</b> Not less than M20 RCC Block )					
	(a) Curb stone M15				१०००.००	
	b) Curb stone ( M 20 )	र.मि.	११०१.००	११०१.००	१२००.००	
	<b>25 mm thick C.C. Tile (Grey color)</b>					
	Burfi , Round , Boby Checker	Sqft	४२.००	४२.००	४४.१०	
	<b>25 mm thick C.C. Tile (Red color)</b>					
	Burfi , Round , Boby Checker	Sqft	४४.००	४४.००	४६.२०	
	<b>50 mm thick CC Block (Grey color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५१.००	५१.००	५३.५५	
	<b>50 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५२.००	५२.००	५४.६०	
	<b>60 mm thick CC Block (Grey color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	५३.००	५३.००	५५.६५	
	<b>60 mm thick CC Block (Red color)</b>					
	Cosmix . Hexagon , Threehex . Royal tone Interlock . I-Interlock , Plus Interlock	Sqft	५५.००	५५.००	५७.७५	
	<b>70 mm thick CC Block (Red color)</b>					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	६१.००	६१.००	६४.०५	
	<b>60 mm thick CC Block ( Ocm or equivalent )</b>					
	Brick type (23*11*6cm)non colour	Nos	१०.००	१०.००	१०.५०	
	Hexagon (22*22 cm) non colour	"	२३.००	२३.००	२४.१५	
	Hexagon (22*22 cm) colour	"	२५.००	२५.००	२६.२५	
	Squire paver (30*30*4.5cm)non colour	"	३२.००	३२.००	३३.६०	
	Squire paver (30*30*4.5cm)colour	"	३४.००	३४.००	३५.७०	
	inter block(24*13*6cm)	"	१४.००	१४.००	१४.७०	
	Isave paver (20*16*6cm)	"	१६.००	१६.००	१६.८०	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	<b>supply of concrete Block different items United concrete or other Equivalent</b>					
	Hollow Block ( 16"*8"*6")	Nos	७८.००	७८.००	८१.९०	
	Hollow Block ( 16"*8"*4")	"	६९.००	६९.००	७२.४५	
	Corner Hollow Block ( 16"*8"*6")	"	८९.००	८९.००	९३.४५	
	Lintel Block ( 16"*8"*6")	"	८९.००	८९.००	९३.४५	
	Pavers Block ( fish or other shape ) 60mm thick	"	२०.००	२०.००	२१.००	
	concrete Brick ( 9"*4"*2.5")	"	१३.००	१३.००	१३.६५	
<b>43</b>	<b>छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य</b>					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित (तयारी)	व.मि.				
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी				
<b>44</b>	<b>Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting</b>					
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००	
	ii) Heritage flakes	"	१२४.००	१२४.००	१२४.००	
	iii) Heritage granite finish	"	१०८.००	१०८.००	१०८.००	
	iv) Heritage Top coat (plastic lamination)	"	२९.००	२९.००	२९.००	
<b>45</b>	<b>UPVC Profile Door and Window/ Wall partition</b>					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	<b>UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु</b>					
	<b>i) Single glazing</b>					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७२१५.००	७२१५.००	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	६६६४.००	६६६४.००	६६६४.००	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७४९३.००	७४९३.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७४९३.००	७४९३.००	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८२१४.००	८२१४.००	८२१४.००	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	८३२८.००	८३२८.००	८३२८.००	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८८८४.००	८८८४.००	८८८४.००	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	८८८४.००	८८८४.००	८८८४.००	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	८६०६.००	८६०६.००	८६०६.००	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	९९९१.००	९९९१.००	९९९१.००	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	८६२६.००	८६२६.००	८६२६.००	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	९७९६.००	९७९६.००	९७९६.००	
12	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	१०३५३.००	१०३५३.००	१०३५३.००	
12	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	"	१०७१७.००	१०७१७.००	१०७१७.००	
13	UPVC 60x60mm white colour swing door with 5mm glass pannel	"	६७२७.००	६७२७.००	६७२७.००	
	<b>ii) Double glazing</b>					
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९४३५.००	९४३५.००	९४३५.००	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	८९३५.००	८९३५.००	८९३५.००	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९७१८.००	९७१८.००	९७१८.००	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९७१८.००	९७१८.००	९७१८.००	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०४३९.००	१०४३९.००	१०४३९.००	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०५४७.००	१०५४७.००	१०५४७.००	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१११०३.००	१११०३.००	१११०३.००	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१०८२५.००	१०८२५.००	१०८२५.००	
9	Supply & fixing of 80*50 mm white colour casement window	"	९६११.००	९६११.००	९६११.००	
46	<b>Prefab Panel for wall Partition solid wall panel (ESWP) or Equivalent</b>					

09

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in <b>partation wall</b> all complete					
	a) 40 mm thick	"				
	b) 50 mm thick	"	२३९.००	२३९.००	२३९.००	
	c) 75 mm thick	Sq .m.	३०२.००	३०२.००	३०२.००	
46.2	<b>False ceiling/ partition/ external cladding of everest or equivalent fibre designer board</b>					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९३.००	९३.००	९३.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२७९.००	२७९.००	२७९.००	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	२४४.००	२४४.००	२४४.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	३१९.००	३१९.००	३१९.००	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	२७४.००	२७४.००	२७४.००	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	२१७.००	२१७.००	२१७.००	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	२८८.००	२८८.००	२८८.००	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft				
46.4	Cement board Aerocon C Board CK Biralal , Everest or equivalent					
	6 mm thick	Sqft	३४.००	३४.००	३४.००	
	8 mm thick	Sqft	४२.००	४२.००	४२.००	
	10 mm thick	Sqft	५३.००	५३.००	५३.००	
	12 mm thick	Sqft	६४.००	६४.००	६४.००	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					

४७

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३९३.००	३९३.००	३९३.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२४.००	४२४.००	४२४.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५२४.००	५२४.००	५२४.००	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	Sqft	११२.००	११२.००	११२.००	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	२६३.००	२६३.००	२६३.००	
	75 mm thick	Sqft	३४७.००	३४७.००	३४७.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२८२.००	२८२.००	२८२.००	
	<b>Full Height Partition</b> (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८६.००	२८६.००	२८६.००	
	<b>Full Height Partition</b> (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२५०.००	२५०.००	२५०.००	
	<b>Full Height Partition</b> (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१९.००	३१९.००	३१९.००	
	<b>False Floor / Cavity Floor</b> (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	३५९.००	३५९.००	३५९.००	
47	Aluminium & Steel Door & Window					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५२९.३९	५२९.३९	५२९.३९	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	५६८.६४	५६८.६४	५६८.६४	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	५५४.८५	५५४.८५	५५४.८५	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५९५.९६	५९५.९६	५९५.९६	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass. .	"	६८४.२८	६८४.२८	६८४.२८	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	५२९.३९	५२९.३९	५२९.३९	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	४७४.२२	४७४.२२	४७४.२२	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६४८.२९	६४८.२९	६४८.२९	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६४८.२९	६४८.२९	६४८.२९	

88

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	३७८.७४	३७८.७४	३७८.७४	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	५०२.८७	५०२.८७	५०२.८७	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	५०२.८७	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	५०२.८७	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	४७६.३४	४७६.३४	४७६.३४	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल ( ८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	५२१.९६	५२१.९६	५२१.९६	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल ( ८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	५२१.९६	५२१.९६	५२१.९६	
	<b>102 series windows</b>					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	५५२.७३	५५२.७३	५५२.७३	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६३१.२४	६३१.२४	६३१.२४	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४६४.६७	४६४.६७	४६४.६७	

89

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6" )	"	१४८.५३	१४८.५३	१४८.५३	
	<b>90 series windows</b>					
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५१९.८४	५१९.८४	५१९.८४	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५४८.४९	५४८.४९	५४८.४९	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४३६.०३	४३६.०३	४३६.०३	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	<b>78 series windows</b>					
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	४५६.१९	४५६.१९	४५६.१९	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४८६.९५	४८६.९५	४८६.९५	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	४०८.४५	४०८.४५	४०८.४५	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	१३४.७३	१३४.७३	१३४.७३	
	<b>Casement window and doors</b>					
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	५३४.६९	५३४.६९	५३४.६९	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	५८०.३१	५८०.३१	५८०.३१	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	७३८.३९	७३८.३९	७३८.३९	
	<b>Partation work</b>					
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३४९.०४	३४९.०४	३४९.०४	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	३७१.३२	३७१.३२	३७१.३२	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३९९.९६	३९९.९६	३९९.९६	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	४९७.५६	४९७.५६	४९७.५६	
	Structure glazing					
	Providing and fixing aluminium structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	५५६.९७	५५६.९७	५५६.९७	
	Providing and fixing aluminium structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६४६.०९	६४६.०९	६४६.०९	
	Providing and fixing aluminium structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	७८५.०७	७८५.०७	७८५.०७	
<b>48</b>	<b>Aluminium composite panel</b>					
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND, ALUTUF, INDO BOND or equivalent					
	3 mm , .20 mm black core	बफी	३७१.३२	३७१.३२	३७१.३२	
	3 mm , .25 mm black core	"	३८०.८६	३८०.८६	३८०.८६	
	3 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .25 mm black core	"	४०४.२०	४०४.२०	४०४.२०	

86

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	4 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .50 mm black core	"	४१७.९९	४१७.९९	४१७.९९	
	4 mm , .25 mm Vergin core	"	४२७.५४	४२७.५४	४२७.५४	
	4 mm , .30 mm vergin core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .50 mm vergin core	"	४२७.५४	४२७.५४	४२७.५४	
48.2	<b>Steel Door &amp; Windows</b>					
	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm )and both side 0.5 mm thick steel and honey comb paper in between steel in shuttert including peep hole 3pcs 130mm size hinges heavy duty lock ( in five place and all other necessary accesories all complete.	व.फि				
49	<b>Water proofing (chemicals &amp; Tretment)works</b>					
1	<b>CONCRETE ADMIXTURES (Chemical)</b>					
1.1	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	१५०.००	१५०.००	१५७.५०	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	२५०.००	२५०.००	२६२.५०	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	४५०.००	४५०.००	४७२.५०	
1.4	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	३००.००	३००.००	३१५.००	
1.5	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०००.००	१०००.००	१०५०.००	

85

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
1.6	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०००.००	१०००.००	१०५०.००	
1.7	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 2 % by wt of cement	Kg.	१२५०.००	१२५०.००	१३१२.५०	
1.8	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१८०.००	१८०.००	१८९.००	
1.9	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	Kg.	२५०.००	२५०.००	२६२.५०	
1.10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	Kg.	३५०.००	३५०.००	३६७.५०	
1.11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free]	Kg.	३५०.००	३५०.००	३६७.५०	
1.12	Retarding Superplasticizer for Concrete [ Naphthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२५०.००	२५०.००	२६२.५०	
1.13	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४५०.००	४५०.००	४७२.५०	
1.14	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	६६३.००	६६३.००	६९६.१५	
<b>2</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>					
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३३०.००	३३०.००	३४६.५०	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	८५.००	८५.००	८९.२५	
<b>3</b>	<b>JOINT SEALANTS &amp; SYSTEMS</b>					
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	१८००.००	१८००.००	१८००.००	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	१८००.००	१८००.००	१८००.००	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	३०००.००	३०००.००	३०००.००	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	२०००.००	२०००.००	२०००.००	
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	३०००.००	३०००.००	३०००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/७८	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	१२००.००	१२००.००	१२००.००	
3.7	Butyl Tape for various Applications	RM	१२५.००	१२५.००	१२५.००	
3.8	Waterproofing Joint Tape [ 120 mm]	RM	५५०.००	५५०.००	५५०.००	
3.9	Waterproofing Joint Tape [ 200 mm]	RM	७५०.००	७५०.००	७५०.००	
3.10	NBR based Waterproofing Joint Tape [ 200 mm]	RM	४०००.००	४०००.००	४०००.००	
3.11	Joint Tape Epoxy Adhesive	Kg.	३०००.००	३०००.००	३०००.००	
3.12	Glass Fiber Joint Tape	RM.	२७५.००	२७५.००	२७५.००	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	१५००.००	१५००.००	१५००.००	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	२७००.००	२७००.००	२७००.००	
3.15	Construction Joint Tape [ 100 mm]	RM.	६००.००	६००.००	६००.००	
3.16	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	२४५०.००	२४५०.००	२४५०.००	
3.17	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	४६५०.००	४६५०.००	४६५०.००	
3.18	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	६००.००	६००.००	६००.००	
3.19	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	१५००.००	१५००.००	१५००.००	
<b>4</b>	<b>INDUSTRIAL FLOORING SOLUTIONS</b>					
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	Kg.	१२०.००	१२०.००	१२०.००	
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	४५०.००	४५०.००	४५०.००	
4.3	Anti Bacterial Floor & Wall Coating [ Epoxy]	Kg.	२५००.००	२५००.००	२५००.००	
4.4	Anti Bacterial Floor & Wall Coating [ Polyurethane]	Kg.	३०००.००	३०००.००	३०००.००	
4.5	Anti bacterial Floor & Wall Coating [ Acrylic]	Kg.	२०००.००	२०००.००	२०००.००	
4.6	Self Levelling Flooring System [ Epoxy]	Kg.	११७६.००	११७६.००	११७६.००	
4.7	Self Levelling Flooring System [ Polyurethane]	Kg.	१७६७.००	१७६७.००	१७६७.००	
4.8	Self Levelling Cementitious Flooring System	Kg.	३५३.००	३५३.००	३५३.००	
<b>5</b>	<b>ENGINEERING GROUTS</b>					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	Kg.	११०.००	११०.००	११०.००	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	१२५.००	१२५.००	१२५.००	
5.3	Hard wearing cementitious tile grout	Kg.	१६०.००	१६०.००	१६०.००	
5.4	Hard wearing epoxy based tile grout	Kg.	१०००.००	१०००.००	१०००.००	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	५००.००	५००.००	५००.००	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	२५००.००	२५००.००	२५००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	MI	४५००.००	४५००.००	४५००.००	
5.8	Low Viscosity Injection Epoxy Grout	Kg.	७५००.००	७५००.००	७५००.००	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inche per gallon	Kg.	१२५००.००	१२५००.००	१२५००.००	
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	८५००.००	८५००.००	८५००.००	
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	१४०००.००	१४०००.००	१४०००.००	
<b>6</b>	<b>BONDING ADHESIVES (Polymer &amp; Epoxy Resin)</b>					
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	७५०.००	७५०.००	७५०.००	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	९५०.००	९५०.००	९५०.००	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	१२००.००	१२००.००	१२००.००	
6.4	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	Kg.	१८००.००	१८००.००	१८००.००	
<b>7</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>					
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	१२००.००	१२००.००	१२००.००	
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	१५००.००	१५००.००	१५००.००	
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	२०००.००	२०००.००	२०००.००	
7.4	Loose steel Fibers	Kg.	२५०.००	२५०.००	२५०.००	
7.5	Glued Steel Fibers	Kg.	३५०.००	३५०.००	३५०.००	
7.6	Crimped Steel Fibers	Kg.	२५०.००	२५०.००	२५०.००	
<b>8</b>	<b>SURFACE TREATMENT</b>					
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	१२००.००	१२००.००	१२००.००	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१३५०.००	१३५०.००	१३५०.००	
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	४५००.००	४५००.००	४५००.००	
8.4	Protective Acrylic Sealer	Kg.	१५००.००	१५००.००	१५००.००	
8.5	Protective Polyurethane Sealer	Kg.	१८००.००	१८००.००	१८००.००	
8.6	Water Based Fire Retardant Coating	Kg.	१५००.००	१५००.००	१५००.००	
8.7	High Performance Water Repellent Paint	Ltr.	१००९८.००	१००९८.००	१००९८.००	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००	
8.9	Ready to use Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००	
8.10	Concrete Curing Aid	Kg.	४५०.००	४५०.००	४५०.००	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७९४.००	७९४.००	७९४.००	
	<b>CONCRETE REPAIRS</b>					
<b>9</b>	<b>Rust Remover &amp; Passivator</b>	Ltr.	१०००.००	१०००.००	१०००.००	
9.1	Corrosion Inhibitor	Kg.	१२००.००	१२००.००	१२००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
9.2	Micro Concrete [ M55] for Permanant Repairs	Kg.	१४०.००	१४०.००	१४०.००	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	१७५.००	१७५.००	१७५.००	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	२५०.००	२५०.००	२५०.००	
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	२००.००	२००.००	२००.००	
9.6	Acrylic Based Crack Filling Putty	Kg.	१२००.००	१२००.००	१२००.००	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	७१४.००	७१४.००	७१४.००	
	<b>PREPACKED MORTARS</b>					
<b>10</b>	Tile, Mabrble, Granite etc. Adhesive	Kg.	८५.००	८५.००	८५.००	
10.1	Marble & Granite etc. Adhesive	Kg.	३५०.००	३५०.००	३५०.००	
10.2	Coarse and water resistant Readymix plastring Mortar	Kg.	८५.००	८५.००	८५.००	
10.3	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	८५.००	८५.००	८५.००	
10.4	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	९०.००	९०.००	९०.००	
10.5	<b>WATERPROOFING SYSTEMS</b>					
<b>11</b>	<b>INTEGRAL</b>					
	Integral Waterproofing Additive for Concrete & Plaster	Kg.	२७५.००	२७५.००	२७५.००	
11.1	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	३२१.००	३२१.००	३२१.००	
11.2	<b>LIQUID APPLIED</b>				०.००	
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	७००.००	७००.००	७००.००	
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	५००.००	५००.००	५००.००	
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	७५०.००	७५०.००	७५०.००	
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	८५०.००	८५०.००	८५०.००	
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	७५०.००	७५०.००	७५०.००	
11.5	Crystalline Based Waterproofing Systems	Kg.	३५०.००	३५०.००	३५०.००	
11.6	Fast Setting Plugging Compound for stopping running water	Kg.	४००.००	४००.००	४००.००	
11.7	Polyurethane based Waterproofing Coating System	Kg.	१६५०.००	१६५०.००	१६५०.००	
11.8	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१२५०.००	१२५०.००	१२५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
11.9	Epoxy Resin based Waterproofing Coating System	Kg.	१६८३.००	१६८३.००	१६८३.००	
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	६००.००	६००.००	६००.००	
	<b>PREFORMED</b>				०.००	
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	१८००.००	१८००.००	१८००.००	
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	२०००.००	२०००.००	२०००.००	
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	१०५०.००	१०५०.००	१०५०.००	
11.14	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	Sq. M.	१५००.००	१५००.००	१५००.००	
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	१५००.००	१५००.००	१५००.००	
11.16	1.2 mm High Polymer PVC Membranes	Sq. M.	२०००.००	२०००.००	२०००.००	
11.17	PVC Adhesive	Kg.	२५००.००	२५००.००	२५००.००	
11.18	1.2 mm EPDM Membranes	Sq. M.	२५००.००	२५००.००	२५००.००	
11.19	EPDM Adhesive	Kg.	२५००.००	२५००.००	२५००.००	
11.2	EPDM Primer	Kg.	३०००.००	३०००.००	३०००.००	
11.21	2mm TPO Membranes	Sq. M.	३५००.००	३५००.००	३५००.००	
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	८००.००	८००.००	८००.००	
11.23	100% Synthetic Rubber Roof Coating	Kg.	४५००.००	४५००.००	४५००.००	
11.24	<b>SPECIALTY</b>					
<b>12</b>	Antistripping Agent for Bitumen	Kg.	५५०.००	५५०.००	५५०.००	
12.1	Anti Termite [ Imidacloprid 30.5% ]	Kg.	१२०००.००	१२०००.००	१२०००.००	
12.2	Expanding Concrete Joint WATERSTOP	RM.	२५००.००	२५००.००	२५००.००	
12.3	WB ADHESIVE Primer for Expanding Waterstop	2500	७५००.००	७५००.००	७५००.००	
12.4	Swellable WATERSTOP	RM.	२५००.००	२५००.००	२५००.००	
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	२५००.००	२५००.००	२५००.००	
12.6	Nodular Drain with Geotextile Roof Garden	Sq. M.	२५००.००	२५००.००	२५००.००	
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११०.००	११०.००	११०.००	
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [ 25 mm]	Sq. M.	१८००.००	१८००.००	१८००.००	
	THERMOSEAL XPS - Extruded Polystyrene Boards [ 40 mm]	Sq. M.	३०००.००	३०००.००	३०००.००	
<b>13</b>	<b>STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING</b>					
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	८५००.००	८५००.००	८५००.००	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	१००००.००	१००००.००	१००००.००	
13.3	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	८०००.००	८०००.००	८०००.००	
13.4	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००	

५९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
13.5	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	१६०००.००	१६०००.००	१६०००.००	
13.6	FRP [ Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००	
13.7	EPOXY PRIMER	Kg.	३५००.००	३५००.००	३५००.००	
13.8	SATURANT	Kg.	३५००.००	३५००.००	३५००.००	
13.9	LAMINATE ADHESIVE	Kg.	२५००.००	२५००.००	२५००.००	
13.11	EPOXY TOPCOAT	Kg.	३५००.००	३५००.००	३५००.००	
13.12	POLYURETHANE TOPCOAT	Kg.	४५००.००	४५००.००	४५००.००	
13.13	Fiber anchor system 5to 10 mm	R. M.	२५००.००	२५००.००	२५००.००	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	१००००.००	१००००.००	१००००.००	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	१२०००.००	१२०००.००	१२०००.००	
<b>14</b>	<b>Soil Stabiliser / Admixture</b>					
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	६८३.००	६८३.००	६८३.००	
<b>15</b>	<b>Concrete curing compound</b>					
15.10	Concrete Curing Aid	Kg.	४५३.००	४५३.००	४५३.००	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m <sup>2</sup>	kg	७२१.००	७२१.००	७२१.००	
<b>50</b>	<b>परम्परागत निर्माण सामग्रीहरू :-</b>					
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२१.००	२१.००	२७१००	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	१६.००	१६.००	२९१००	
	३) दचिअपा ठूलोको कुं	"	२५.००	२५.००	३८१००	
	४) दचिअपा सानोको कुं अपा	"	२१.००	२१.००	४०१००	
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	१९.००	१९.००	२२१००	
	६) माँ अपा ठूलो 241x60x158 mm	"	२४.००	२४.००	२५१००	
	७) मा अपा सानो ८-३/८"×२"×५"	"	१५.००	१५.००	२२१००	
	८) धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४"	"	२३.००	२३.००	८४१००	
	९) धुरी 230x295x25 mm	"	-	-		
	१०) धुरी चाँङ्ग सानो	"	१८.००	१८.००	२५१००	
	११) भिगटी नयाँ ८-३/८"×४"	गोटा	११.००	११.००	१२१००	
	१२) भिगटी पुरानो	गोटा	७.००	७.००	८१००	
	१३) ढुकु	गोटा	४०.००	४०.००	८४१००	
	१४) Snake body brick traditional	गोटा	२५.००	२५.००	२८१००	
	१५) Snake neck brick ,,	गोटा	७४.००	७४.००	७११००	
	१६) Snake head brick ,,	गोटा	१४५.००	१४५.००	१३३१००	

५

M

Bhaktapur

Bhaktapur

Bhaktapur

Bhaktapur

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	क)साना	„	११३.००	११३.००	११९१००	
	ख)ठुलो	„	२२७.००	२२७.००	२३८१००	
१७)	पेटीकोलागि ढुङ्गा					
	क) १८"×१०"×४"	„	६८०.००	६८०.००	१५१३१८४	
१८)	नागोल ईटा	गोटा	१९.००	१९.००	३११००	
१९)	९"×९"×१ इन्च कुना ढुङ्गा	१ मि.	२२६६.००	२२६६.००	२३९१००	
२०)	फ.ल्होह अपा ठुलो 375x225x100mm	गोटा	१७०.००	१७०.००	१७९१००	
२१)	फ.ल्होह अपा सानो 254x229x102mm	„	१४२.००	१४२.००	१४९१००	
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	„	१४.००	१४.००	१५१००	
२३)	तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	„	१०.००	१०.००	२२१५०	
२४)	चारकुनै तेलिया ईटा (८"×८"	„	१९.००	१९.००	३५१५०	
२५)	तेलिया ईटा (६"×६"	„	१४.००	१४.००	२४१५०	
२६)	बुट्टेदारी कर्निश इटा (काशीमोहरु)	„	२८.००	२८.००	२८१००	
२७)	बुट्टेदारी कर्निश इटा कुना	„	४२.००	४२.००	४४१००	
२८)	बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	„	१७०.००	१७०.००	१७९१००	
२९)	भ्याल माथिको कर्निश ईटा बुट्टेदारी	„	३४.००	३४.००	३६१००	
३०)	काठको कर्निश माथिको इटा ११×६×२.५"	„	५७.००	५७.००	६०१००	
३१)	कर्नर स्टोन : १०"×१०"×१४"	„	१५८६.००	१५८६.००	१९००१००	
३२)	क) विचको न्याहाकल्ल १०"×७"×१४"	„	१०७६.००	१०७६.००	११३०१००	
३३)	नागोल ढुङ्गा १८"×१०"×५"	„	७९३.००	७९३.००	८३३१००	
३४)	भौ प्वा	गोटा	२२७.००	२२७.००	२३८१००	
३५)	तामा पाता. (नेपाली)	केजी	१०७६.००	१०७६.००	११५०१००	
	तामा पाता (Indian)	केजी	१२४६.००	१२४६.००	१३५०१००	
३६)	पित्तल पाता	केजी	८५०.००	८५०.००	११००१००	
३७)	पारो	ग्राम	१७०.००	१७०.००	१७०१००	
३८)	सूर्कि इटा कूटि धुलो बनाएको ।	टन	१३६०.००	१३६०.००	१४२८१००	
३९)	Wind bell हवा घण्टी ४"	गोटा	४६७.००	४६७.००	४७६१००	
४०)	न्हकल्लो विचको	१ गोटा	१७००.००	१७००.००	१७८५१००	
४१)	पेटीढुङ्गा ४"	१ मि.	२०३९.००	२०३९.००	३२८०१००	
४२)	पेटीढुङ्गा ५"	१ मि.	२४९३.००	२४९३.००	२४९३१००	
४५)	श्री गणेश	गोटा	११३३.००	११३३.००	११९०१००	
४६)	कूमार	गोटा	११३३.००	११३३.००	११९०१००	
४७)	ढुङ्गे धारा	गोटा	११३३.००	११३३.००	११९०१००	

५

५

५

५

५

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	४८)लुहाकै सेट	गोटा	२२६६.००	२२६६.००	२३७९१००	
	४९)नागबेली बूटा	गोटा	२५.००	२५.००	२६१००	
	५०)नागबेली बूटा कूना	गोटा	३७.००	३७.००	३९१००	
	५१)स्वा बूटा	गोटा	२५.००	२५.००	२६१००	
	५२)चीर बूटा	गोटा	२५.००	२५.००	२६१००	
	५३)कार्नेसफयो	गोटा	२२.००	२२.००	२३१००	
	५४)कार्नेस गजूर पली	गोटा	३४.००	३४.००	३६१००	
	५५)ठुलो कलश	गोटा	१७०.००	१७०.००	१७९१००	
	५६)मसीनो सूर्कि	केजि	१३.००	१३.००	१४१००	
	५७)खस्रो सूर्कि	केजि	८.००	८.००	८१००	
	५८)गद्दा चुन	के.जि.	२५.००	२५.००	२६१००	
59	मा अपा (साइज 200x50x130)	गोटा	१५.००	१५.००	१६१००	
60	दचि अपा (साइज 200x55x100)	"	१८.००	१८.००	१९१००	
61	त्वा अपा (साइज 110x55x180)	"	१८.००	१८.००	३९१००	
62	गोल अपा (साइज 120x55x80)	"	१८.००	१८.००	१९१००	
63	गणेश अपा (साइज 200x250x35)	"	३४०.००	३४०.००	३५७१००	
64	कुमार अपा (साइज 200x250x35)	"	३४०.००	३४०.००	३५७१००	
65	तारा अपा (साइज 200x250x55)	"	३४०.००	३४०.००	३५७१००	
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	३४०.००	३४०.००	३५७१००	
67	कलस अपा (साइज 100x140x40)	"	५७.००	५७.००	६०१००	
68	नागोल अपा (साइज 140x52x120)	"	२०.००	२०.००	२११००	
69	कसिमो अपा (साइज 230x55x100)	"	२९.००	२९.००	३०१००	
70	सकली अपा (साइज 140x55x115)	"	२५.००	२५.००	२६१००	
71	पानबुद्ध अपा (साइज 140x55x115)	"	२५.००	२५.००	२६१००	
72	सानो फ बुद्ध अपा (साइज 180x55x30)	"	२९.००	२९.००	३०१००	
73	ठूलो फ बुद्ध अपा (साइज 230x55x110)	"	२९.००	२९.००	३०१००	
74	नयां फ बुद्ध अपा (साइज 230x55x110)	"	२९.००	२९.००	३०१००	
75	साना ग बुद्ध अपा (साइज 140x50x110)	"	२५.००	२५.००	२६१००	
76	ठूलो ग बुद्ध अपा (साइज 230x55x90)	"	२९.००	२९.००	३०१००	
77	पुम्हा बुद्ध अपा (साइज 180x55x70)	"	२९.००	२९.००	३०१००	
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	२९.००	२९.००	३०१००	
79	तिनकुने पलि अपा (साइज 200x550x90)	"	२९.००	२९.००	३०१००	
80	साना स्वाँ अपा (साइज 140x50x110)	"	२५.००	२५.००	२६१००	
81	ठूलो स्वाँ अपा (साइज 230x55x90)	"	२९.००	२९.००	३०१००	
82	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	१४२.००	१४२.००	१४९१००	
83	नाग घटी दायाबायाँ (साइज 140x60x70)	"	७४.००	७४.००	७८१००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
84	नाग जीउ (साइज 140x60x70)	"	२५.००	२५.००	२६१००	
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	५६७.००	५६७.००	५९५१००	
86	खाल नागोल (साइज 130x55x120)	"	२०.००	२०.००	२११००	
87	खाल फयो (साइज 130x55x135)	"	२०.००	२०.००	२११००	
88	लहरा बुट्टा (साइज 125x45x140)	"	२५.००	२५.००	२६१००	
89	नग बेली (साइज 140x55x120)	"	२५.००	२५.००	२६१००	
90	मिखाफुसी (साइज 140x55x120)	"	३४.००	३४.००	३४१००	
91	पलियो दायां/बायां (साइज 130x55x120)	"	२५.००	२५.००	२५१००	
92	नयां पलिफो (साइज 185x52x80)	"	२९.००	२९.००	२९१००	
93	सिधा पलिफो (साइज 190x55x90)	"	२९.००	२९.००	२९१००	
94	२" सिंह (साइज 95x5010)	"	३४.००	३४.००	३४१००	
95	२"गरुड (साइज 95x50x100)	"	३४.००	३४.००	३४१००	
96	धलिंखा (साइज 95x50x100)	"	३४.००	३४.००	३४१००	
97	श्रीयन्त्र (साइज 70x700x80)	"	४५.००	४५.००	४५१००	
98	त्वा फयो (साइज 140x55x120)	"	२०.००	२०.००	२०१००	
99	तारा बुट्टा पुरानो (साइज 180x55x80)	"	२५.००	२५.००	२५१००	
100	तारा बुट्टा नयां (साइज 230x70x90)	"	२९.००	२९.००	२९१००	
101	स्वांफो तारां (साइज 220x55x90)	"	२९.००	२९.००	२९१००	
102	सिक्री बुट्टा (साइज 220x55x80)	"	२९.००	२९.००	२९१००	
103	न्हाय बुट्टा सानो (साइज 140x65x130)	"	२९.००	२९.००	२९१००	
104	न्हाय बुट्टा ठूलो (साइज 140x100x130)	"	२९.००	२९.००	२९१००	
105	नगोल नागोल (साइज 2000x55x90)	"	२०.००	२०.००	२०१००	
106	ठी बुट्टा (साइज 210x55x75)	"	२९.००	२९.००	२९१००	
107	सानो/ठूलो	"	२९.००	२९.००	२९१००	
<b>51</b>	<b>Security System</b>					
	<b>Steel Security Gate supply</b>					
	Metal detector (black Scorpion Company)	गोटा	१६९९५.००	१६९९५.००	१६९९५.००	
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२८८४०.००	
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१३९०५.००	
	<b>Steel Security Door</b>					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८६८३.००	८६८३.००	८६८३.००	
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	९९३०.००	९९३०.००	९९३०.००	
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	१०४१९.००	१०४१९.००	१०४१९.००	
	<b>Security System</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.थ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००	
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अफिस तथा व्यापारिक सुरक्षा प्रविधि)	गोटा	-	-	-	
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००	
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००	
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vii) GPS (Global Positioning System) Device with software	गोटा	२५७४९.००	२५७४९.००	२५७४९.००	
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रूपमा on/off हुने प्रणाली)					
	Up to 1/2 H.P.	गोटा	४३२६.००	४३२६.००	४३२६.००	
	1.0 H.P.	गोटा	५९४८.००	५९४८.००	५९४८.००	
	5 H.P.	गोटा	९७३४.००	९७३४.००	९७३४.००	
<b>52</b>	<b>Bridge Materials</b>					
	<b>Elastomeric Bearing Pad</b>					
	Free Type	NOS	२१२४७.००	२१२४७.००	२३१०७.००	
	Fix end Dowel Type	"	४७०७७.००	४७०७७.००	४९०३२.००	
	<b>Expansion Joint Works</b>					
	Single strip seal	Rm	९३१६.००	९३१६.००	९६५०.००	
	Slab seal (320*50)	"	१९२७७.००	१९२७७.००	२००००.००	
	Tendon sheath	"			३७०.००	
	Tendon wire	ton			१५००००.००	
	Anchorage block with cap	nos			१००००.००	
	High tensile friction grip nut bolts	kg			३७०.००	
	Bolts, nuts & washers (hold up friction grip)	kg			३९०.००	
	W- beam metal crash barrier, 3 mm thick corrugated sheet, ISMB series channel	Rm			६०००.००	
	<b>Thimbles</b>					
	iv) Φ 13 mm thimble	Pc	७२.००	७२.००	७२.००	
	v) Φ 26 mm thimble	Pc	३६१.००	३६१.००	३६१.००	
	vi) Φ 32 mm thimble	Pc	६१८.००	६१८.००	६१८.००	
	vii) Φ 36 mm thimble	Pc	१२३६.००	१२३६.००	१२३६.००	
	viii) Φ 40 mm thimble	Pc	१५४५.००	१५४५.००	१५४५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	x) Φ 26 mm Bulldog grip	Pc	३६१.००	३६१.००	३६१.००	
	xi) Φ 32 mm Bulldog grip	Pc	५४१.००	५४१.००	५४१.००	
	xii) Φ 36 mm Bulldog grip	Pc	६७०.००	६७०.००	६७०.००	
	xiii) Φ 40 mm Bulldog grip	Pc	६७०.००	६७०.००	६७०.००	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm <sup>2</sup> , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m <sup>2</sup>	४१२.००	४१२.००	४१२.००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	६६९५.००	६६९५.००	६६९५.००	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२५८.००	२५८.००	२५८.००	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३६१.००	३६१.००	३६१.००	
	High tensile friction grip nut bolts	kg	३३५.००	३३५.००	३३५.००	
	<b>Galvanization</b>					
	Zinc Above 98.5% purity	kg	३०९.००	३०९.००	३०९.००	
	Premix of Zinc amonium chloride	kg	५९५.००	५९५.००	५९५.००	
	Hydraucloric acid	Lit	४१.००	४१.००	४१.००	
<b>53</b>	<b>Concrete Post (Size 4"*4")</b>					
	Length 7'	गोटा	८८२.७४	८८२.७४	८८२.७४	
	Length 5'	"	४४१.३७	४४१.३७	४४१.३७	
	Length 3'	"	२२१.१९	२२१.१९	२२१.१९	
<b>54</b>	<b>Sheet piling work :</b> Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	२९९२.६३	२९९२.६३	३०००.००	
<b>55</b>	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२३४.३२	२३४.३२	२३४.३२	
	" Ventilation	"	२३४.३२	२३४.३२	२३४.३२	
	" Arc frame semi circular	"	४६८.६४	४६८.६४	४६८.६४	
<b>56</b>	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)					
	a) 50 mm thick	Sq.ft	१८०.००	१८०.००	१८०.००	
	b) 60 mm thick	Sq.ft	२४५.००	२४५.००	२४५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७५/७६	२०७६/७७	२०७७/७८	
	c) 75 mm thick	Sq.ft	३००.००	३००.००	३००.००	
	d) 90 mm thick	Sq.ft	३४५.००	३४५.००	३४५.००	
	e) 120 mm thick	Sq.ft	४९५.००	४९५.००	४९५.००	
57	EPS (Expanded Polystyrene) and cement based light weight <b>Solid Panel</b> without face board (Size 1800*610mm)					
	b) 60 mm thick	Sq.ft	१६०.००	१६०.००	१६०.००	
	c) 75 mm thick	Sq.ft	२१५.००	२१५.००	२१५.००	
	d) 90 mm thick	Sq.ft	२५०.००	२५०.००	२५०.००	
58	EPS (Expanded Polystyrene) and cement based light weight <b>Hollow Panel</b> (Size: 1800*610mm)					
	d) 90 mm thick	Sq.ft	१९०.००	१९०.००	१९०.००	

8-


7

*[Handwritten signature]*  
 २०७६/७७

*[Handwritten signature]*

*[Handwritten signature]*  
*[Handwritten signature]*

SANITARY WORK						
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
1	<b>Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू)</b>					
	<b>White glazed porcelain pan</b>					
	i) 530mm size white glazed without siphon	सेट	2524	2600	2600	
	ii) 500 mm size white glazed without siphon	"	2741	2823	2823	
	iii) 580 mm size orrisa Pan	"	3371	3472	3472	
	iii) 580 mm size white glazed Indian pan	"	1049	1080	1080	
	iv) Siphon 'p' or 's' type	"	590	608	608	
	v) Asian Pan 51x40 Rectangular	"	2524	2600	2600	
	<b>Porcelain Clay Cistern</b>					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	"	3559	3666	3666	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	687	687	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3809	3809	
	<b>Commode</b>					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1635	1635	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1880	1880	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	18119	18663	18663	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	28875	29741	29741	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	"	20389	21001	21001	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	"	5252	5410	5410	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8916	8916	
	viii) 600 to 900 mm Grab bar	"	6062	6244	6244	
	<b>Bidet set</b>					
	i) Porcelain clay white glaze Bidet.	सेट	3692	3803	3803	
	<b>Urinal set</b>					




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4299	4299	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size (Hindware, Paryware, Somany, cera or eqv.)	"	1880	1936	1936	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1668	1668	
	vi) Wall mounted Urinal with sensor complete set.( Duravit, Grohe, American standard and equivalent)	"	-			
	<b>Porcelain Clay Urinal Squatting Plate</b>					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1248	1248	
	ii) Porcelain clay white glaze squatting plate large size	"	1454	1498	1498	
	iii) Porcelain clay super color squatting plate large size.	"	2831	2916	2916	
	iv) Urinal Spreader	"	915	942	942	
	<b>Wash basin</b>					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1128	1128	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1525	1525	
	iv) Do but wash basin (45×32)cm	"	1065	1097	1097	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1237	1237	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8598	8598	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"	13776	14189	14189	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	10079	10079	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	6232	6419	6419	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	21165	21165	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७२/७६	२०७६/७७	२०७७/०७८	
	<b>Pedestal:</b>					
	i) Porcelain clay white glaze pedestal	"	1378	1419	1419	
	ii) White glazed Porcelain clay half pedestal complete set.	"	1670	1720	1720	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	1973	2032	2032	
	iv) Two piece pedestal with Basin" complete set.( Duravit, Grohe, American standard or equivalent)	"	13313	13712	13712	
	<b>Urinal Partition</b>					
	White glaze porcelain clay (68×30)cm division plate	"	1741	1793	1793	
	<b>Lab sink</b>					
	i) Porcelain clay white glaze large size	"	2222	2289	2289	
	ii) Porcelain clay white glaze small size	"	1653	1703	1703	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	27553	28380	28380	
	<b>Kitchen sink</b>					
	i) Porcelain clay large	सेट	3763	3876	3876	
	ii) Porcelain clay small	"	3409	3511	3511	
	iii) drain board white 53×45	"	1304	1343	1343	
	iv) Soap dish	"	661	681	681	
	v) White glaze foot rest	"	419	432	432	
	vi) White glaze Toilet paper holder	"	1157	1192	1192	
2	<b>PVC Cistern Set</b>					
	i) single flush	सेट	1973	2032	2032	
	ii) Deluxe single flush	"	2204	2270	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	3055	3055	
	iv) concealed cistern with plate complete set.( Viega, Geberit, American standard or equivalent)	"	16862	17368	17368	
	v) 32 mm pvc bottle trap set.	पिस	476	490	490	
	vi) 1.5×45 cm pvc pipe connector set.	"	143	147	147	
	vi) Bakelite toilet seat cover set.	"	276	284	284	
3	<b>Stainless Steel Accessories etc.</b>					
	Stainless steel Deep sink 45×45×30 size	"	18185	18731	18731	
	Stainless steel Orissa pan LP 210 size	"	8486	8741	8741	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13660	13660	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10584	10584	
	Stainless steel commode S trap with self closing complete set	"	17554	18081	18081	
	Wall mixer (single lever) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	14634	15073	15073	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	Bath tub (single lever )with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	18432	18985	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	25764	26537	26537	
	Wall mixer (single control) bath faucet with hand shower(conceal system)( Grohe, Hansgrohe, American standard or equivalent)	"	15952	16431	16431	
	Wall mixer (single control) shower faucet (conceal system)( Jaquare, Somany, Essel or equivalent)	"	4182	4307	4307	
	conceal mixer faucet( Jaquare, Somany, Essel or equivalent)	"	6455	6649	6649	
	Stainless steel Angle valve( Grohe, Hansgrohe, American standard or equivalent)	"	827	852	852	
	Stainless steel two way Angle valve( Jaquare, Somany, Essel or equivalent)	"	1157	1192	1192	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2673	2753	2753	
	Stainless steel bowl with diamond board 37" long	"	3660	3770	3770	
	Stainless steel bowl with ordinary board 37" long	"	2314	2383	2383	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	14335	14335	
	Stainless steel double bowl with single drain board ordinary	"	5786	5960	5960	
	Stainless steel p trap bottle trap for basin	"	2324	2394	2394	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	"	8408	8660	8660	
	Stainless steel Kitchen sink faucet( Jaquar, Somany, Essel or equivalent)	"	5565	5732	5732	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	"	8408	8660	8660	
	Stainless steel 1500mm flexible hose pipe( connection pipe)	"	1462	1506	1506	
	Stainless steel Hose ringer 1200 mm	"	1274	1312	1312	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1852	1852	
	Stainless steel basin mixer( single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	7151	7151	
	Stainless steel single faucet for basin( Jaquar, Somany, Essel or equivalent)	"	4425	4558	4558	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	Stainless steel Sink 700*450*200	"	24246	24973	24973	
	Stainless steel Sink table top 1200*600*300	"	33504	34509	34509	
	Steel Split clamp with washer all complete	"				
	75 mm dia	पिस	331	341	341	
	110 mm dia	"	441	454	454	
	160 mm dia	"	771	794	794	
	Stainless steel telephonic shower( Jaquare, Somany, Essel or equivalent)	गोटा	1240	1277	1277	
	Stainless steel shower with sliding bar( Jaquare, Somany, Essel or equivalent)	"	2976	3065	3065	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	10079	10079	
	Stainless steel bottle trap ( Viega, Somany, Jaquar or equivalent)	"	647	666	666	
	Stainless steel towel bar 450 mm	"	1240	1277	1277	
	Stainless steel water tank fitting with all complete set (304 grade steel )					
	Capacity 500 ltr	set	12124	12488	12488	
	Capacity 1000 ltr	"	17699	18230	18230	
	Capacity 1500 ltr	"	27212	28028	28028	
	Capacity 2000 ltr	"	32743	33725	33725	
	<b>Sinks Other Types:</b>					
	<b>Super lab sink</b>					
	i) super lab sink large size	"	4313	4442	4442	
	ii) super lab sink small size	"	3401	3503	3503	
	<b>Super kitchen sink</b>					
	i) super kitchen sink large size	"	7465	7689	7689	
	ii) super kitchen sink small size	"	6756	6959	6959	
4	<b>Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.</b>					
	iv) Hand dryer Germany	"	19397	19979	19979	
	v) Hand Dryer Chinese	"	7164	7379	7379	
	vi) Indian Mark Brand Flush valve	"	5731	5903	5903	
	xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267	36325	36325	
	xv) European pattern liquid soap container stainless steel	"	6062	6244	6244	
	xvii) Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459	1503	1503	
	<b>European Pattern C.P. Grab Bar for disable</b>					
	a) 30cm long bend type	"	5360	5521	5521	
	b) 45 cm long bend type	"	5613	5781	5781	
	c) 60 cm long bend type	"	7188	7404	7404	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
5	C.P. Accessories( jaquar, somany, essel or equivalent)					
	1) Toilet paper holder	"	510	525	525	
	2) Soap dish	"	510	525	525	
	3) Towel rod ½"×18" size	"	510	525	525	
	4) Towel rod ¾" ×24" size	"	567	584	584	
	5) Glass shelf	"	680	700	700	
	6) C.P. bottle trap	"	1246	1283	1283	
	7) 32 mm×60cm long C.P flush pipe	"	510	525	525	
	8) 15 mm flush cock push type	"	1133	1167	1167	
	9) 15 mm dia. C.P. shower arm	"	976	1005	1005	
	10) 15 mm dia. C.P. spreader	"	940	968	968	
	11) 15 mm dia. C.P. wall mixture	"	5435	5598	5598	
	i) 3" dia. Shower rose , revolving type	"	906	933	933	
	ii) 4" dia. Shower rose , revolving type	"	1020	1051	1051	
	iii) Shower rose ordinary	"	567	584	584	
	iv) Shower rod 12" long	"	283	291	291	
	C.P. 15 mm dia. Angle Valve	"	1244	1281	1281	
	C.P. 15 mm dia Concealed Stop Cock	"	1807	1861	1861	
	C.P 15mm Bib Cock	"	1361	1402	1402	
	C.P. 15 mm dia swan neck Pillar Cock	"	1331	1371	1371	
	C.P. 15 mm dia Stop Cock	"	1331	1371	1371	
	C.P. 15 mm dia Sink Cock	"	1309	1348	1348	
	C.P. 15 mm dia Sink Mixture	"	4472	4606	4606	
	C.P. 32 mm dia Flush Valve	"	5404	5566	5566	
	C.P. 32 mm dia Waste Coupling for basin	"	424	437	437	
	C.P. 32 mm dia Waste Coupling for Urinal	"	689	710	710	
	C.P. Basin Mixture	सेट	4640	4779	4779	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1783	1783	
	C.P. Exclusive Shower Arm with Hinge	"	2014	2074	2074	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4294	4294	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	7054	7054	
	C.P. flexible pipe	गोटा	181	186	186	
	C.P. Grating					
	i) 4" dia.	"	50	52	52	
	ii) 5" dia.	"	62	64	64	
	i) C.P. Toilet Paper Holder	"	929	957	957	
	ii) C.P. Soap Dish(Polyurethane)	"	1042	1073	1073	
	iii) C.P. Towel Rod 18"	"	1578	1625	1625	
	iv) C.P. Towel Rod 24"	"	1663	1713	1713	
	v) C.P. Glass Shelf 22"	"	2260	2328	2328	



सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
vi)	C.P. Coat Hook Double	"	812	836	836	
ix)	<b>C.P. Angle Cock</b>					
	15mm C.P. Angle Cock	"	927	955	955	
	15 mm C.P. Angle Cock Long Thread	"	986	1016	1016	
x)	<b>C.P. Conceal Stop Cock</b>					
	i) 15 mm Reduced body	"	1136	1170	1170	
	ii) 15 mm Extra Heavy Body	"	1390	1432	1432	
xi)	<b>C.P. Bib Cock</b>					
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2690	2690	
	ii) 15mm C.P. Bib Cock	"	952	981	981	
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1086	1086	
xii)	<b>C.P. Pillar Cock</b>					
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1301	1301	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2603	2603	
	i) 15mm C.P. Sink Cock	"	1600	1648	1648	
	ii) C.P. Sink Mixer	"	3966	4085	4085	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3560	3560	
xv)	<b>C.P. Bottle Trap 32mm</b>					
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3990	3990	
xvii)	<b>C.P. Waste Coupling</b>					
	32 mm C.P. Waste Coupling H/T	"	446	459	459	
	32 mm C.P. Waste Coupling F/T	"	446	459	459	
xviii)	<b>15 mm Urinal Auto-Closing Valve with Built-in Control Cock</b>					
		"	2694	2775	2775	
xix)	<b>15 mm C.P. Wall Mixer</b>					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4597	4597	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4597	4597	
xx)	<b>C.P. Basin Mixer</b>					
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3817	3817	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	4008	4008	
xxi)	<b>15mm Bath Tub Spout with wall flange</b>					
	15mm Bath Tub Spout with wall Flange	"	1263	1301	1301	
	15mm Bath Tub Spout with button attachment	"	2021	2082	2082	
xxii)	<b>C.P. Casted Shower Arm with Flange</b>					
	15 mm Casted Shower Arm Light	"	673	693	693	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	15 mm Casted Shower Arm Heavy	"	1094	1127	1127	
	<b>xxiii) 15 mm Telephonic Hand Shower</b>					
	With 1.50 m. PVC Tube	"	1791	1845	1845	
	With 1.5 Flexible Tube	"	2779	2862	2862	
	<b>xxiv) Auto closing urinal flush valve</b>					
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3321	3321	
	<b>xxiv) Other accessories</b>					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4979	4979	
	15 mm Braided Hose for E.W.C.	"	298	307	307	
	15 mm Health Faucet (Commode Spray)	"	1146	1180	1180	
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1560	1560	
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1646	1646	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	6135	6135	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5949	5949	
	Sensor mixer for wash basin (Battery operated)	"	20481	21095	21095	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	21095	21095	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16708	16708	
	Sensor valve for Urinal	"	10651	10971	10971	
	Basin cock Sensor	"	14418	14851	14851	
	15mm U shaped sink cock	"	1712	1763	1763	
	Sink Mixture with U shape swinging spout	"	3558	3665	3665	
	15mm metallic Health Faucet (Commode Spray)	"	2171	2236	2236	
<b>7</b>	<b>Electric &amp; Solar Geyser</b>					
	i) 10 lit. cap. electric water heater	गोटा	11241	11578	11578	
	ii) 25 lit cap. " " "	"	17331	17851	17851	
	iii) 35 lit cap " " "	"	21546	22192	22192	
	iv) 50 lit cap " " "	"	25762	26535	26535	
	iv) Gas water heater with cylinder	"	8200	8446	8446	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12123	12487	12487	
<b>8</b>	<b>C.I. Manhole Cover including frame.</b>					
<b>8.1</b>	<b>Square Frame (in outer dia)</b>					
	<b>Medium Duty</b>					
	i) 10" x 10" (4 Kg.)	सेट	669	689	689	
	ii) 12" x 12" (5 Kg.)	"	836	861	861	

S

M

[Signature]

[Signature]

[Signature]

[Signature]

६८

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	iii) 14" × 14" (7 Kg.)	"	1171	1206	1206	
	v) 16" × 16" (10 Kg.)	"	1673	1723	1723	
	vi) 18" × 18" (14 Kg.)	"	2509	2584	2584	
	viii) 20" × 20" (16 Kg.)	"	2677	2757	2757	

१६

~~विकास~~  
विकास



शर्मा  
शर्मा

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	ix) 22" x 22" (20 Kg.)	"	3346	3446	3446	
	x) 24" x 24" (24 Kg.)	"	4294	4423	4423	
	xi) 27" x 27" (31 Kg.)	"	5186	5342	5342	
	<b>Heavy Duty</b>					
	iii) 14" x 14" (14 Kg.)	"	2342	2412	2412	
	ix) 22" x 22" (22 Kg.)	"	3681	3791	3791	
	xi) 27" x 27" (45 Kg.)	"	7528	7754	7754	
8.2	<b>Rounded Manhole Cover (Outer dia.)</b>					
	<b>Medium class</b>					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9365	9365	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12487	12487	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15609	15609	
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19979	19979	
	v) 22" dia. Heavy class. (208Kg.)	"	28974	29843	29843	
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6393	6393	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7992	7992	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11488	11488	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13985	13985	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	18480	18480	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	18480	18480	
8.3	<b>C.I. Tank Cover Locking Types</b>					
	<b>Round</b>					
	18" (8 Kg.)	सेट	1723	1775	1775	
	20" (12 Kg.)	"	2527	2603	2603	
	22" (14 Kg.)	"	2871	2957	2957	
	24" (16 Kg.)	"	3446	3549	3549	
	28" (24 Kg.)	"	5169	5324	5324	
	<b>Square</b>					
	18" x 18" (13 Kg.)	सेट	2871	2957	2957	
	24" x 24" (50 Kg.)	"	10339	10649	10649	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>Rectangular</b>					
	18" x 24" (27 Kg.)	सेट	5744	5916	5916	
8.4	<b>C.I. Gully Gratings &amp; Jali</b>					
	<b>Round Jali Strip Medium Duty</b>					
	4"	सेट	103	106	106	
	5"	"	138	142	142	
	6"	"	183	188	188	
	10"	"	631	650	650	
	<b>Square Jali Strip Medium Duty</b>					
	4" x 4"	सेट	91	94	94	
	5" x 5"	"	115	118	118	
	6" x 6"	"	138	142	142	
	9" x 9"	"	401	413	413	
	10" x 10"	"	517	533	533	
	12" x 12"	"	746	768	768	
	<b>C.I. Gully Gratings</b>					
	i) 15" x 18" Medium (18 Kg.)	सेट	3791	3905	3905	
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5169	5324	5324	
	<b>Grit Cover</b>					
	फलामे एडलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	166	171	171	
	<b>Aluminum Grating 4" dia.</b>	गोटा	43	44	44	
9	<b>G.I. Water Tank (17 Gauge)</b>					
	i) 100 gls	गोटा	8317	8567	8567	
	ii) 200 gls	"	13066	13458	13458	
	iii) 300 gls	"	16434	16927	16927	
	iv) 400 gls	"	19730	20322	20322	
	v) 500 gls	"	23036	23727	23727	
	<b>G.I. Water Tank (16 BWG TATA Sheet)</b>					
	i) 100 gls	गोटा	8773	9036	9036	
	ii) 200 gls	"	13267	13665	13665	
	iii) 300 gls	"	17615	18143	18143	
	iv) 400 gls	"	21106	21739	21739	
	v) 500 gls	"	24597	25335	25335	
10	<b>Roof Top PVC Water Tank</b>					
	i) 200 lit - 5000 lit cap.	ली.	11	11	11	
	ii) 5000 lit - 10,000 lit cap	"	12	12	12	
	iii) Horizontal PVC water tank	"	12	12	12	
11	<b>Water Pumps/Hand Pumps</b>					
	Indian Mark-III, Deep Well Hand Pump 6 No. hand pump	गोटा	1582	1629	1629	
	<b>Water Pump :</b>					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	11212	11212	
	ii) ½ H.P. Water Pump mono block type	"	6258	6446	6446	

75

75

75

75

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	iii) 1.0 H.P. water pump Multistage	"	14258	14686	14686	
	iv) 1.0 H.P. water pump (mono block type)	"	9465	9749	9749	
	v) 2.0 H.P. water pump	"	22587	23265	23265	
	vi) 2.0 H.P. 3 phase water pump	"	23847	24562	24562	
	vii) 5.0 HP 3 phase water pump	"	28656	29516	29516	
	<b>Jet Water Pump</b>					
	i) 1.10 H.P.	सेट	21630	22279	22279	
	ii) Double Stage jet 1.10 H.P.		25956	26735	26735	
	ii) 1.5 H.P.	"	29201	30077	30077	
	<b>Super Sunction</b>					
	i) ½ H.P	सेट	8922	9190	9190	
	ii) 0.75 H.P.	"	8328	8578	8578	
	iii) 1.0 H.P.	"	14276	14704	14704	
	<b>Water Pump (Grundfoss, pentair, Pedrello or equiv)</b>					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18748	18748	
	ii) 2 H.P. single pump set "	"	29233	30110	30110	
	<b>Fire pump</b>					
	<b>Submersible Pump (Italian)</b>					
	i) 1.0 H.P.	"	26089	26872	26872	
	ii) 2.0 H.P.	"	48397	49849	49849	
	<b>Electric Water Pump (Chinese)</b>					
	i) ½ H.P	"	1703	1754	1754	
	ii) ¾ H.P.	"	2219	2286	2286	
	iii) 1.0 H.P.	"	3270	3368	3368	
	<b>Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) ½ H.P open well type	"	16655	17155	17155	
	ii) 1.1 H.P open well type	"	24388	25120	25120	
	iii) 1.5 H.P open well type	"	29741	30633	30633	
	<b>Vertical Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) 1.1 H.P	"	27254	28072	28072	
	iii) 1.5 H.P	"	32932	33920	33920	
12	<b>Fire fighting equipment and accessories (safeguard india or equiv)</b>					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट				
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pipe with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"				
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"				
<b>13</b>	<b>Fire extinguisher ABC stored Pressure</b> आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री ( <b>safeguard india or equivalent</b> )					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा				
	ii) 2 kg size ABC ,, ,, ,,	गोटा				
	iii) 3.0kg size ABC ,, ,, ,,	"				
	iii) 5.0kg size ABC ,, ,, ,,	"				
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट				
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"				
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"				
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"				
	viii) 2.5 kg size ABC ,, ,, ,,	"				
	ix) Co <sub>2</sub> Type fire extinguisher 6.80 lit .	"				
	x) Foam type fire extinguisher 9 lit capacity	गोटा				
<b>14</b>	<b>Insulation for hot water pipe 'Acroflex'</b>					
	15mm Insulation 6 mm wall thickness	र.मी				
	20mm Insulation 6 mm wall thickness	"				
	25mm Insulation 6 mm wall thickness	"				
	32mm Insulation 6 mm wall thickness '	"				
<b>15</b>	<b>ACRYLIC GLASS SHELF</b>					
	i) Acrylic glass shelf best quality	सेट				
	ii) Acrylic glass shelf ordinary	"				
	iii) Shower curtain	"				
<b>16</b>	<b>Water Purification System</b>					
	Euro Guard Water purification system (one litre per minute)	युनिट				
	Euro-guard water purification system (hi-flow 3 lit/min)	"				
	AQUA-ALO water purifier (1.0 lit/min)	"				
	AQUA-power water purifier	"				
	RO feed pump	सेट				
	Fire Sprinkler	"				

१७

*[Signature]*

*[Signature]*

*[Signature]*

*[Signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	Supply, installation, testing and commissioning of Aeration system ( FRP Tray type)	"				
	Supply, installation, testing and commissioning of Dual Media Filter ( DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"				
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"				
	<b>Filter Media for existing filtration system</b>					
	Pebbles	के.जी.				
	Coarse silex	"				
	Gravel	"				
	Golden sand	"				
	Anthracite	"				
	MNo2	"				
	Activated Carbon	"				
	Motor starter switch	"				
	Pressure sensor switch for water tank(Italian)	"				
17	विभिन्न साइजको Bath tub .fiber ( Duravit, grohe, American standard or equiv)					
	a) Bath tub – 3'6" Medium	सेट				
	Bath tub – 3'6" Heavy	"				
	b) Bath tub – 4'0" Medium	"	6705	6906	6906	
	Bath tub 4'0" Heavy	"	7787	8021	8021	
	c) Bath Tub – 4'6" Medium	"	8111	8354	8354	
	Bath tub – 4'6" Heavy	"	8137	8381	8381	
	d) Bath tub – 5'0" Medium	"	8868	9134	9134	
	Bath tub 5'0" Heavy	"	29355	30236	30236	
	e) Bath Tub – 5'6" Medium	"	7957	8196	8196	
	Bath tub – 5'6" Heavy	"	9373	9654	9654	
	f) Bath Tub – 6'0" Medium	"	12875	13261	13261	
	Bath tub – 6'0" Heavy	"	36823	37928	37928	
18	Shower Tray 3'0"×3'0"	रोटा	500	515	515	
	<b>Pipes and fittings</b>					
19	PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.)					
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	47.79	49	49	
	25mm " 2.3 mm thick 0.164kg/m	"	72.57	75	75	
	32mm 2.9 mm thick 0.26kg/m	"	115.93	119	119	
	40mm 3.7 mm thick 0.412kg/m	"	183.19	189	189	
	50mm 4.6 mm thick 0.638kg/m	"	284.07	293	293	
	63 mm 8.6 mm thick 0.638kg/m	"	449.56	463	463	
	75 mm	"	627.43	646	646	

8/7

तहसील  
बिरेन्द्र

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	90 mm	"	903.54	931	931	
	110 mm	"	1339.82	1380	1380	
	<b>2) PP-R Pipe (PN-16)</b>					
	20mm 2.80 mm thick 0.148kg/m	"	64.60	67	67	
	25mm 3.50 mm thick 0.26kg/m	"	100.00	103	103	
	32mm 3.7 mm thick 0.230kg/m	"	159.29	164	164	
	40mm 5.50 mm thick 0.575kg/m	"	255.75	263	263	
	50mm 6.90 mm thick 0.896kg/m	"	399.12	411	411	
	63 mm 4.6 mm thick 0.638kg/m	"	627.43	646	646	
	75 mm	"	893.81	921	921	
	90 mm	"	1276.99	1315	1315	
	110 mm	"	1913.27	1971	1971	

6 7

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.ब.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>3) PP-R Pipe (PN-20)</b>					
	20mm 3.4 mm thick 0.172 kg/m	"	76.11	78	78	
	25mm 4.20 mm thick 0.266kg/m	"	118.58	122	122	
	32mm 5.40 mm thick 0.434kg/m	"	192.92	199	199	
	40mm 6.70 mm thick 0.671kg/m	"	298.23	307	307	
	50mm 8.30 mm thick 1.04kg/m	"	462.83	477	477	
	63mm 8.6mm thick 1.04kg/m	"	734.51	757	757	
	75 mm	"	1041.59	1073	1073	
	90 mm	"	1495.58	1540	1540	
	110 mm	"	2229.20	2296	2296	
	<b>PP-R Pipe Accessories :</b>					
	<b>Elbow ( 90<sup>0</sup> )</b>					
	20mm	गोटा	9.73	10	10	
	25mm	"	19.47	20	20	
	32mm	गोटा	32.74	34	34	
	40mm	"	69.03	71	71	
	50mm	"	115.04	118	118	
	63 mm	"	202.65	209	209	
	75 mm	"	380.53	392	392	
	90 mm	"	642.48	662	662	
	110 mm	"	1196.46	1232	1232	
	<b>Equal Tee</b>					
	20mm	"	13.27	14	14	
	25mm	"	23.89	25	25	
	32mm	"	40.71	42	42	
	40mm	"	78.76	81	81	
	50mm	"	133.63	138	138	
	63mm	"	243.36	251	251	
	75 mm	"	423.01	436	436	
	90 mm	"	774.34	798	798	
	110 mm	"	1344.25	1385	1385	
	<b>Coupler</b>					
	20mm	गोटा	7.96	8	8	
	25mm	"	9.73	10	10	
	32mm	"	19.47	20	20	
	40mm	"	37.17	38	38	
	50mm	"	61.95	64	64	
	63 mm	"	108.85	112	112	
	75 mm	"	211.50	218	218	
	90 mm	"	312.39	322	322	
	110 mm	"	570.80	588	588	
	<b>45 Degree Elbow</b>					
	20 mm	"	13.27	14	14	
	25 mm	"	21.24	22	22	
	32 mm	"	33.63	35	35	
	40 mm	"	61.95	64	64	
	50 mm	"	104.42	108	108	
	63 mm	"	172.57	178	178	
	75 mm	"	338.05	348	348	
	90 mm	"	570.80	588	588	
	110 mm	"	997.35	1027	1027	

७५

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>Union (Plastic)</b>					
	20mm	गोटा	50.44	52	52	
	25mm	"	85.84	88	88	
	32mm	"	138.94	143	143	
	40mm	"	210.62	217	217	
	50mm	"	330.09	340	340	
	63mm	"	393.81	406	406	
	<b>Reducing Coupler</b>					
	25mm*20mm	"	14.16	15	15	
	32mm*20mm	"	17.70	18	18	
	32mm*25mm	"	19.47	20	20	
	40mm*20mm	"	29.20	30	30	
	40mm*25mm	"	30.09	31	31	
	40mm*32mm	"	40.71	42	42	
	50mm*20mm	"	53.98	56	56	
	50mm*25mm	"	52.21	54	54	
	50mm*32mm	"	59.29	61	61	
	50mm*40mm	"	62.83	65	65	
	63mm*32mm	"	84.96	88	88	
	63mm*40mm	"	106.19	109	109	
	63mm*50mm	"	106.19	109	109	
	75mm*40mm	"	211.50	218	218	
	75mm*50mm	"	215.93	222	222	
	75mm*63mm	"	217.70	224	224	
	90mm*50mm	"	401.77	414	414	
	90mm*63mm	"	430.97	444	444	
	90mm*75mm	"	507.08	522	522	
	110mm*75mm	"	710.62	732	732	
	110mm*90mm	"	790.27	814	814	
	<b>Reducing Tee</b>					
	25*20*25 mm	"	25.66	26	26	
	32*20*32 mm	"	38.05	39	39	
	32*25*32 mm	"	40.71	42	42	
	40*20*40 mm	"	53.98	56	56	
	40*25*40 mm	"	61.06	63	63	
	40*32*40 mm	"	65.49	67	67	
	50*20*50 mm	"	83.00	85	85	
	50*25*50 mm	"	90.00	93	93	
	50*32*50 mm	"	122.12	126	126	
	50*40*50 mm	"	126.55	130	130	
	63*32*63 mm	"	190.27	196	196	
	63*40*63 mm	"	192.00	198	198	
	63*50*63 mm	"	200.88	207	207	
	75*50*75 mm	"	435.00	448	448	
	75*63*75 mm	"	455.00	469	469	
	90*63*90 mm	"	802.65	827	827	
	90*75*90 mm	"	887.61	914	914	
	110*75*110 mm	"	1437.17	1480	1480	
	110*90*110 mm	"	1479.65	1524	1524	
	<b>Reducing Elbow</b>					
	25mm*20mm	"	19.47	20	20	
	32mm*20mm	"	34.51	36	36	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	32mm*25mm	"	42.48	44	44	
	<b>High Footed Pipe Clip</b>					
	20mm	रोटा	10.62	11	11	
	25mm	"	12.39	13	13	
	32mm	"	19.47	20	20	
	40mm	"	21.24	22	22	
	50mm	"	23.89	25	25	
	63 mm	"	31.86	33	33	
	<b>Low Footed Pipe Clip</b>					
	20mm	"	5.31	5	5	
	25mm	"	6.19	6	6	
	32mm	"	12.39	13	13	
	40mm	"	16.81	17	17	
	50mm	"	26.55	27	27	
	63 mm	"	33.63	35	35	
	<b>"Y" type Pipe Clip</b>					
	20mm	"	16.81	17	17	
	25mm	"	19.47	20	20	
	32mm	"	23.89	25	25	
	40 mm	"	48.00	49	49	
	<b>End Plug (short)</b>					
	20mm	"	5.31	5	5	
	25mm	"	8.85	9	9	
	32mm	"	11.50	12	12	
	<b>End Plug with Ring</b>					
	20mm	"	19.47	20	20	
	<b>End Plug (long)</b>					
	20mm	"	7.96	8	8	
	<b>End Cap</b>					
	20mm	"	10.62	11	11	
	25mm	"	16.81	17	17	
	32mm	"	25.66	26	26	
	40mm	"	38.05	39	39	
	50mm	"	67.26	69	69	
	63 mm	"	129.20	133	133	
	75 mm	"	207.08	213	213	
	<b>Cross Tee</b>					
	20mm	"	22.12	23	23	
	25mm	"	33.63	35	35	
	32mm	"	57.52	59	59	
	<b>Short Passover</b>					
	20mm	"	64.60	67	67	
	25mm	"	92.92	96	96	
	32mm	"	144.25	149	149	
	<b>Long Bypass</b>					
	20mm	"	74.34	77	77	
	25mm	"	122.12	126	126	
	32mm	"	179.65	185	185	
	<b>Male Tee</b>					
	20mmx1/2"	"	122.12	126	126	
	25mmx1/2"	"	129.20	133	133	

10 79

Bhaktapur  
कैफियत

100

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	25mmx3/4"	"	153.98	159	159	
	32mmx1/2"	"	186.73	192	192	
	32mmx3/4"	"	193.81	200	200	
	32mmx1"	"	337.17	347	347	
	<b>Female Tee</b>					
	20mmx1/2"	"	99.12	102	102	
	25mmx1/2"	"	129.20	133	133	
	25mmx3/4"	"	150.44	155	155	
	32mmx1/2"	"	147.79	152	152	
	32mmx3/4"	"	173.45	179	179	
	32mmx1"	"	291.15	300	300	
	<b>Male elbow</b>					
	20mmx1/2"	"	117.70	121	121	
	25mmx1/2"	"	129.20	133	133	
	25mmx3/4"	"	158.41	163	163	
	32mmx1/2"	"	188.00	194	194	
	32mmx3/4"	"	211.50	218	218	
	32mmx1"	"	350.44	361	361	
	<b>Female elbow</b>					
	20mmx1/2"	"	96.46	99	99	
	25mmx1/2"	"	127.00	131	131	
	25mmx3/4"	"	129.20	133	133	
	32mmx1/2"	"	172.57	178	178	
	32mmx3/4"	"	202.65	209	209	
	32mmx1"	"	284.07	293	293	
	<b>Male Coupling</b>					
	20mmx1/2"	"	114.16	118	118	
	20mmx3/4"	"	120.35	124	124	
	25mmx1/2"	"	138.94	143	143	
	25mmx3/4"	"	160.18	165	165	
	32mmx1/2"	"	144.25	149	149	
	32mmx3/4"	"	153.98	159	159	भूलको कारणले यस आ. व. मा बढेको देखिएपनि यथातमा चालु आ. व. मा घटेको छ।
	32mmx1"	"	309.73	319	319	
	40mmx1-1/4"	"	523.01	539	539	
	50mmx1-1/2"	"	788.50	812	812	
	63mmx2"	"	1040.71	1072	1072	
	75mmx2-1/2"	"	2586.73	2664	2664	भूलको कारणले यस आ. व. मा बढेको देखिएपनि यथातमा चालु आ. व. मा घटेको छ।
	<b>Female Coupling</b>					
	20mmx1/2"	"	92.92	96	96	
	20mmx3/4"	"	109.73	113	113	
	25mmx1/2"	"	122.12	126	126	
	25mmx3/4"	"	123.89	128	128	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	32mmx1/2"	"	105.31	108	108	
	32mmx3/4"	"	112.39	116	116	
	32mmx1"	"	265.49	273	273	
	40mmx1-1/4"	"	459.29	473	473	
	50mmx1-1/2"	"	594.69	613	613	
	63mmx2"	"	797.35	821	821	
	75mmx2-1/2"	"	1822.00	1877	1877	
	<b>Male Union</b>					
	20mmx1/2"	"	258.41	266	266	
	25mmx3/4"	"	370.80	382	382	
	32mmx1"	"	544.25	561	561	
	40mmx1 <sup>1/4</sup> "	"	980.53	1010	1010	
	50mmx1/2"	"	1310.62	1350	1350	
	63mmx2"	"	3381.42	3483	3483	
	<b>Female Union</b>					
	20mmx1/2"	"	248.67	256	256	
	25mmx3/4"	"	322.12	332	332	
	32mmx1"	"	521.24	537	537	
	40mmx1 <sup>1/4</sup> "	"	718.58	740	740	
	50mmx1/2"	"	1228.32	1265	1265	
	63mmx2"	"	2239.82	2307	2307	
	<b>Stop Valve</b>					
	a) 20 mm	"	297.35	306	306	
	b) 25 mm	"	392.04	404	404	
	c) 32 mm	"	473.45	488	488	
	d) 40mm	"	507.08	522	522	
	e) 50 mm	"	845.13	870	870	
	f) 63 mm	"	1269.91	1308	1308	
	<b>Male base elbow</b>					
	20mm x 1/2"	"	133.63	138	138	
	25mm x 3/4"	"	164.60	170	170	
	<b>Female base elbow</b>					
	20mm x 1/2"	"	130.97	135	135	
	25mm x 1/2"	"	161.06	166	166	
	25mm x 3/4"	"	158.41	163	163	
	<b>Metal Ball valve (double)</b>					
	20mmx1/2"	"	549.56	566	566	
	25mmx3/4"	"	805.31	829	829	
	32mmx1"	"	993.81	1024	1024	
	40mmx1-1/4"	"	2830.09	2915	2915	
	50mmx1-1/2"	"	3888.50	4005	4005	
	<b>Metal Ball valve (Single)</b>					
	20mmx1/2"	"	507.08	522	522	
	25mmx3/4"	"	811.50	836	836	
	32mmx1"	"	1120.35	1154	1154	
	<b>Conceal Valve (Lux)</b>					
	20mm	"	948.67	977	977	
	<b>Conceal Valve (Nor)</b>					
	20mm	"	798.23	822	822	
	<b>Ball Valve (Plastic)</b>					

15/7

  
 तहसीला कार्यालय  
 बृहत्पत्तन

  
 सहायक  
 प्रमुख

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	20mm	"	80.53	83	83	
	25mm	"	109.73	113	113	
	32mm	"	190.27	196	196	
	40mm	"	405.31	417	417	
	50mm	"	587.61	605	605	
	63 mm	"	993.81	1024	1024	
	<b>Ball Valve (Brass)</b>					
	20mm	"	291.15	300	300	
	25mm	"	359.29	370	370	
	32mm	"	488.50	503	503	
	40mm	"	807.08	831	831	
21	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system</b> CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)</b>					
	1/2" dia	Rm	115	118	118	
	3/4" dia	"	160	165	165	
	1" dia	"	210	216	216	
	1-1/4" dia	"	261	269	269	
	1-1/2" dia	"	366	376	376	
	2" dia	"	559	575	575	
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)</b>					
	1/2" dia	"	133	137	137	
	3/4" dia	"	178	183	183	
	1" dia	"	248	256	256	
	1-1/4" dia	"	300	309	309	
	1-1/2" dia	"	418	430	430	
	2" dia	"	677	698	698	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	"	365	376	376	
	3/4"	"	486	501	501	
	1"	"	588	605	605	
	1-1/4"	"	1371	1412	1412	
	1-1/2"	"	1643	1692	1692	
	2"	"	2117	2181	2181	
	<b>CPVC Reducer Brass Coupling</b>	गोटा				
	3/4" X 1/2"	"	138	142	142	
	1" X 1/2"	"	181	186	186	
	<b>CPVC Tee</b>	गोटा				
	1/2"	"	36	37	37	
	3/4"	"	77	79	79	
	1"	"	117	121	121	
	1-1/4"	"	220	227	227	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	1-1/2"	"	320	330	330	
	2"	"	687	707	707	
	<b>CPVC Reducer Tee</b>	गोटा				
	1/2" x 1/2" x 3/4"	"	70	73	73	
	3/4" x 3/4" x 1/2"	"	107	110	110	
	3/4" x 1/2" x 3/4"	"	134	138	138	
	3/4" x 1/2" x 1/2"	"	153	158	158	
	1" x 1" x 3/4"	"	161	166	166	
	1-1/2" x 1-1/2" x 1"	"	251	258	258	
	2" x 2" x 1"	"	436	449	449	
	1-1/4" x 1-1/4" x 1/2"	"	142	146	146	
	1-1/4" x 1-1/4" x 1"	"	153	158	158	
	2" x 2" x 1/2"	"	428	441	441	
	1" x 1" x 1/2"	"	100	103	103	
	<b>CPVC Brass FPT Tee</b>	गोटा				
	1/2" x 1/2" x 1/2"	"	120	124	124	
	3/4" x 3/4" x 1/2"	"	125	129	129	
	1" x 1" x 1/2"	"	139	143	143	
	1-1/4" x 1-1/4" x 1-1/4"	"	501	516	516	
	1-1/4" x 1-1/4" x 1/2"	"	272	280	280	
	<b>CPVC Elbow 90°</b>	गोटा				
	1/2"	"	25	26	26	
	3/4"	"	52	54	54	
	1"	"	95	98	98	
	1-1/4"	"	179	185	185	
	1-1/2"	"	267	275	275	
	2"	"	572	590	590	
	<b>CPVC Reducer Elbow 90°</b>					
	3/4" X 1/2"		53	54	54	
	<b>CPVC Brass FPT Elbow 90°</b>	गोटा				
	1/2" x 1/2"	"	84	86	86	
	3/4" x 1/2"	"	97	100	100	
	3/4" x 3/4"	"	111	114	114	
	1" X 1/2"	"	215	221	221	
	1" X 1"	"	596	614	614	
	1-1/4" x 1-1/4"	"	774	797	797	
	<b>CPVC Elbow 45°</b>	गोटा				
	1/2"	"	30	31	31	
	3/4"	"	54	56	56	
	1"	"	77	80	80	
	1-1/4"	"	136	140	140	
	1-1/2"	"	197	203	203	
	2"	"	427	440	440	
	<b>CPVC Male Adapter (CPVC Threads)</b>	गोटा				
	1/2"	"	22	23	23	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	3/4"	"	39	40	40	
	1"	"	59	61	61	
	1-1/4"	"	106	109	109	
	1-1/2"	"	149	153	153	
	2"	"	290	299	299	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				

१०.

५५

१०५५

१०५५

१०५५

१०५५

८२

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	3/4" x 1/2"	"	41	42	42	
	<b>CPVC Male Adapters (Brass Threads)</b>					
	1/2"	"	206	212	212	
	3/4"	"	267	275	275	
	1"	"	421	434	434	
	1-1/4"	"	926	953	953	
	1-1/2"	"	1080	1113	1113	
	2"	"	2224	2290	2290	
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>					
	3/4" x 1/2"	"	229	236	236	
	<b>CPVC Female Adapter (CPVC Threads)</b>					
	1/2"		31	32	32	
	3/4"		51	53	53	
	1"		77	79	79	
	<b>CPVC Female Adapters Brass Threads</b>	रोटा				
	1/2"	"	198	204	204	
	3/4"	"	269	277	277	
	1"	"	349	360	360	
	1-1/4"	"	917	945	945	
	1-1/2"	"	1020	1050	1050	
	2"	"	1994	2054	2054	
	<b>CPVC Caps</b>					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	37	38	38	
	1-1/4"	"	72	74	74	
	1-1/2"	"	106	109	109	
	2"	"	225	232	232	
	<b>CPVC Union</b>					
	1/2"	"	270	279	279	
	3/4"	"	398	410	410	
	1"	"	471	485	485	
	1-1/4"	"	862	888	888	
	1-1/2"	"	942	971	971	
	2"	"	1352	1393	1393	
	<b>CPVC Cross Tee</b>					
	1/2"	"	49	51	51	
	3/4"	"	106	109	109	
	<b>CPVC Step Over Bend</b>					
	1/2"	"	63	65	65	
	3/4"	"	104	107	107	

१६

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	"	661	681	681	
	3/4"	"	805	829	829	
	1"	"	921	949	949	
	1-1/4"	"	1879	1935	1935	
	1-1/2"	"	2391	2462	2462	
	2"	"	3075	3167	3167	
	<b>CPVC Flow Guard Adhesive Solution</b>					
	50ML	"	199	205	205	
	118ML	"	329	339	339	
	237ML	"	533	549	549	
	473ML	"	838	863	863	
	946ML	"	1471	1515	1515	
	<b>Plastic Strap</b>					
	1/2"	"	5	5	5	
	3/4"	"	5	6	6	
	1"	"	8	8	8	
	1-1/4"	"	11	12	12	
	1-1/2"	"	15	15	15	
	2"	"	18	19	19	
	<b>Metal Strap</b>					
	1/2"	"	13	13	13	
	3/4"	"	16	17	17	
	1"	"	21	21	21	
	1-1/4"	"	25	25	25	
	1-1/2"	"	27	28	28	
	2"	"	29	30	30	
	<b>Tee Holder</b>					
	1/2" X 1/2" X 1/2"	"	5	6	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	<b>Elbow Holder</b>					
	1/2" X 1/2"	"	5	6	6	
	1/2" X 3/4"	"	7	7	7	
	<b>Snap Fix Repair Coupling</b>					
	1/2"	"	229	236	236	
	3/4"	"	248	256	256	
	<b>End plug threaded 1/2"</b>	"	11	12	12	
21	<b>MS SEAMLESS PIPES</b>					
	<b>-PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239</b>					
	<b>MS PIPE SEAMLESS SIZE OD (MM)</b>	"				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	452	466	466	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	542	558	558	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	680	700	700	

२५

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	839	864	864	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	960	989	989	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1233	1270	1270	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	1895	1952	1952	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2481	2555	2555	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	3205	3301	3301	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3531	3637	3637	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4782	4925	4925	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	6207	6393	6393	
23	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>					
	Single Socket (R/R)	Mtr	451	465	465	
	Single Socket (R/R)	"	838	863	863	
	Single Socket (R/R)	"	903	930	930	
	Single Socket Self Fit	"	1164	1199	1199	
	Single Socket Self Fit	"	1423	1466	1466	
	Single Socket Self Fit	"	1956	2015	2015	
	Single Socket Self Fit	"	2302	2371	2371	
	Single Socket Self Fit	"	3075	3167	3167	
	Single Socket Self Fit	"	3664	3774	3774	
	Long Radius Bend - 45 Degree	Pc	1191	1227	1227	
	Long Radius Bend - 45 Degree	"	2175	2240	2240	
	Long Radius Bend - 45 Degree	"	3926	4044	4044	
	Long Radius Bend - 45 Degree	"	7613	7841	7841	
	Long Radius Bend - 60 Degree	"	1312	1351	1351	
	Long Radius Bend - 60 Degree	"	2405	2477	2477	
	Long Radius Bend - 60 Degree	"	4411	4543	4543	
	Long Radius Bend - 60 Degree	"	8352	8603	8603	
	Long Radius Bend - 90 Degree	"	644	663	663	
	Long Radius Bend - 90 Degree	"	1554	1601	1601	
	Long Radius Bend - 90 Degree	"	2867	2953	2953	
	Long Radius Bend - 90 Degree	"	5361	5522	5522	
	Long Radius Bend - 90 Degree	"	9878	10174	10174	
	Fab. Coupler	"	185	191	191	
	Fab. Coupler	"	444	457	457	
	Fab. Coupler	"	956	985	985	
	Fab. Coupler	"	1870	1926	1926	
	Fab. Coupler	"	3440	3543	3543	
	End Cap	"	396	408	408	
	End Cap	"	651	671	671	
	End Cap	"	1040	1071	1071	
	End Cap	"	1518	1564	1564	
	Equal Tee	"	11333	11673	11673	
	Equal Tee	"	6522	6718	6718	

१६

१५

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	Equal Tee	"	3620	3729	3729	
	Gully Trap with grating	"	1058	1090	1090	
	Rodding Point	"	627	646	646	
	Adjustable Bend 7 Degree to 37.5 Degree	"	669	689	689	
	Adjustable Bend 7 Degree to 87.5 Degree	"	917	945	945	
	Inspection Chamber Body	"	3300	3399	3399	
	Inspection Chamber Riser	"	1639	1688	1688	
	Inspection Chamber Lid with Cover	"	3112	3205	3205	
	Inspection Chamber Body	"	9112	9385	9385	
	Inspection Chamber Riser	"	2897	2984	2984	
	Inspection Chamber Lid with Cover	"	4835	4980	4980	
<b>24</b>	<b>GEBERIT</b>					
	<b>Geberit Products</b>					
	Concealled Cisterns 9cm	"	7431	7654	7654	
	Concealled Cisterns Kombo fix 8cm	"	9103	9376	9376	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3755	3755	
	Concealled Cisterns 12cm	"	9140	9415	9415	
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3755	3755	
	Traps for Wash Basins	"	1004	1035	1035	
	Sensor for Urinal 9V DC	"	25764	26537	26537	
	Sensor for Urinal 230V AC	"	25764	26537	26537	
	control box for urinal sensor	"	7078	7290	7290	
	Sensor Faucet Cold / Mixed water 6V DC	"	32159	33124	33124	
	Sensor Faucet Cold / Mixed water 230V AC	"	32159	33124	33124	
<b>22</b>	<b>PVC Lead Free White Pipes SCHEDULE 40</b>					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	<b>PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)</b>	m.				
	1/2" dia. (42.19 Kg/cm2)	"	114	118	118	
	3/4" dia. (33.75 Kg/cm2)	"	147	151	151	
	1" dia. (31.64 Kg/cm2)	"	226	233	233	
	1-1/4" dia. (26.01 Kg/cm2)	"	279	287	287	
	1-1/2" dia. (23.20 Kg/cm2)	"	342	352	352	
	2" dia. (19.69 Kg/cm2)	"	485	500	500	
	2-1/2" dia. (21.09 Kg/cm2)	"	678	698	698	
	3" dia. (18.28 Kg/cm2)	"	856	882	882	
	4" dia. (15.47 Kg/cm2)	"	1256	1294	1294	
	6" dia. (12.66 Kg/cm2)	"	2616	2695	2695	
	<b>PVC Tee - Soc</b>	गोटा				
	1/2"	"	32	32	32	
	3/4"	"	44	45	45	
	1"	"	69	71	71	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	1-1/4"	"	109	112	112	
	1-1/2"	"	143	147	147	
	2"	"	221	227	227	
	2-1/2"	"	633	652	652	
	3"	"	831	856	856	
	4"	"	1503	1548	1548	
	6"	"	8336	8586	8586	
	<b>PVC Reducer Tee - Soc</b>	गोटा				
	3/4 x 1/2	"	63	65	65	
	1 x 1/2	"	97	100	100	
	1 x 3/4	"	97	100	100	
	1-1/2 X 1/2	"	329	339	339	
	1-1/2 X 3/4	"	329	339	339	
	1-1/2 X 1	"	329	339	339	
	1-1/2 X 1-1/4	"	329	339	339	
	2 X 1/2	"	406	418	418	
	2 X 3/4	"	406	418	418	
	2 X 1	"	406	418	418	
	2 X 1-1/4	"	406	418	418	
	2 X 1-1/2	"	406	418	418	
	2-1/2 X 1/2	"	1043	1074	1074	
	2-1/2 X 3/4	"	1043	1074	1074	
	2-1/2 X 1	"	1043	1074	1074	
	2-1/2 X 1-1/4	"	1043	1074	1074	
	2-1/2 X 1-1/2	"	1043	1074	1074	
	2-1/2 X 2	"	1043	1074	1074	
	3 X 1/2	"	1523	1568	1568	
	3 X 3/4	"	1523	1568	1568	
	3 X 1	"	1523	1568	1568	
	3 X 1-1/4	"	1523	1568	1568	
	3 X 1-1/2	"	1523	1568	1568	
	3 X 2	"	1523	1568	1568	
	3 X 2-1/2	"	1523	1568	1568	
	6 X 1-1/4	"	8007	8248	8248	
	6 X 1-1/2	"	8007	8248	8248	
	6 X 2	"	8007	8248	8248	
	6 X 2-1/2	"	8007	8248	8248	
	6 X 3	"	8007	8248	8248	
	6 X 4	"	8007	8248	8248	
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>	गोटा				
	1/2"		161	166	166	
	3/4"		292	300	300	
	3/4" X 1/2"		237	244	244	
	1" X 1/2"		420	433	433	
	<b>PVC 90° Elbow - Soc</b>	गोटा				

१६ १७

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	1/2"	"	26	27	27	
	3/4"	"	30	31	31	
	1"	"	53	55	55	
	1-1/4"	"	93	95	95	
	1-1/2"	"	109	112	112	
	2"	"	167	172	172	
	2-1/2"	"	496	511	511	
	3"	"	594	612	612	
	4"	"	1216	1252	1252	
	6"	"	5121	5275	5275	
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>	गोटा				
	1/2"	"	173	178	178	
	3/4"	"	242	249	249	
	3/4" X 1/2"	"	250	258	258	
	<b>PVC 45° Elbow - Soc</b>	गोटा				
	1/2"	"	55	57	57	
	3/4"	"	86	88	88	
	1"	"	102	105	105	
	1-1/4"	"	143	147	147	
	1-1/2"	"	180	185	185	
	2"	"	234	241	241	
	2-1/2"	"	669	689	689	
	3"	"	1040	1071	1071	
	4"	"	1866	1922	1922	
	6"	"	5135	5289	5289	
	<b>PVC Coupling - Soc</b>	गोटा				
	1/2"	"	17	18	18	
	3/4"	"	26	27	27	
	1"	"	41	43	43	
	1-1/4"	"	56	57	57	
	1-1/2"	"	76	78	78	
	2"	"	117	121	121	
	2-1/2"	"	247	254	254	
	3"	"	386	398	398	
	4"	"	604	622	622	
	6"	"	2420	2493	2493	
	<b>PVC Reducer Coupling - Soc</b>	गोटा				
	3/4 X 1/2	"	42	44	44	
	1 X 3/4	"	73	75	75	
	1-1/2 X 1-1/4	"	131	134	134	
	2 X 1-1/2	"	208	214	214	
	4 x 2	"	1392	1434	1434	
	4 X 3	"	1392	1434	1434	
	6 X 4	"	2895	2982	2982	

८

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>PVC Reducer Bushing - (Flush Style)</b>	गोटा				
	3/4 X 1/2	"	35	36	36	
	1 X 1/2	"	50	51	51	
	1 X 3/4	"	50	51	51	
	1-1/4 X 1/2	"	86	88	88	
	1-1/4 X 3/4	"	86	88	88	
	1-1/4 X 1	"	86	88	88	
	1-1/2 X 1/2	"	90	93	93	
	1-1/2 X 3/4	"	90	93	93	
	1-1/2 X 1	"	90	93	93	
	1-1/2 X 1-1/4	"	90	93	93	
	2 X 1/2	"	165	170	170	
	2 X 3/4	"	165	170	170	
	2 X 1	"	165	170	170	
	2 X 1-1/4	"	165	170	170	
	2 X 1-1/2	"	165	170	170	
	2-1/2 X 1-1/4	"	232	239	239	
	2-1/2 X 1-1/2	"	232	239	239	
	2-1/2 X 2	"	232	239	239	
	3 X 1-1/2	"	344	354	354	
	3 X 2	"	344	354	354	
	3 X 2-1/2	"	344	354	354	
	4 X 2	"	676	696	696	
	4 X 3	"	676	696	696	
	6 X 2	"	2271	2339	2339	
	6 X 3	"	2271	2339	2339	
	6 X 4	"	2271	2339	2339	
	<b>PVC Cap - Soc</b>	गोटा				
	1/2"	"	24	25	25	
	3/4"	"	30	31	31	
	1"	"	42	44	44	
	1-1/4"	"	60	62	62	
	1-1/2"	"	66	68	68	
	2"	"	79	82	82	
	2-1/2"	"	254	261	261	
	3"	"	278	286	286	
	4"	"	633	652	652	
	6"	"	2498	2573	2573	
	<b>PVC Union - Soc With EPDM O-Ring Seal</b>	गोटा				
	1/2"	"	254	261	261	
	3/4"	"	291	299	299	
	1"	"	298	307	307	
	1-1/4"	"	960	989	989	
	1-1/2"	"	1001	1031	1031	

५० ७

*(Signature)*

*(Signature)*

*(Signature)*

*(Signature)*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	2"	"	1350	1391	1391	
	2-1/2"	"	1889	1946	1946	
	3"	"	3018	3108	3108	
	4"	"	4178	4303	4303	
	<b>PVC Male Adaptor - Soc x MBSP</b>	गोटा				
	1/2"	"	46	47	47	
	3/4"	"	54	56	56	
	1"	"	71	73	73	
	1-1/4"	"	87	90	90	
	1-1/2"	"	121	124	124	
	2"	"	156	160	160	
	2-1/2"	"	545	562	562	
	3"	"	648	667	667	
	4"	"	1025	1056	1056	
	6"	"	2359	2430	2430	
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>	गोटा				
	1/2"	"	262	270	270	
	3/4"	"	350	361	361	
	1"	"	527	542	542	
	<b>PVC Female Adaptor - Soc x FBSP</b>	गोटा				
	1/2"	"	59	61	61	
	3/4"	"	61	63	63	
	1"	"	64	66	66	
	1-1/4"	"	167	171	171	
	1-1/2"	"	245	252	252	
	2"	"	238	245	245	
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>	गोटा				
	1/2"	"	220	226	226	
	3/4"	"	311	321	321	
	1"	"	399	411	411	
	<b>PVC Ball Valve - Soc</b>	गोटा				
	1/2"	"	881	908	908	
	3/4"	"	1048	1079	1079	
	1"	"	1466	1510	1510	
	1-1/4"	"	1985	2044	2044	
	1-1/2"	"	3027	3118	3118	
	2"	"	3828	3943	3943	
	2-1/2"	"	6323	6513	6513	
	3"	"	10018	10318	10318	
	4"	"	16556	17052	17052	
	6"	"	35961	37040	37040	
	<b>PVC Adhesive Solution (Med. Bonded 705)</b>	गोटा				
	118ML	"	306	315	315	
	237ML	"	439	452	452	
	473ML	"	795	819	819	

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	946ML	„	1308	1347	1347	
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>	गोटा				
	118ML	„	492	507	507	
	237ML	„	649	668	668	
	473ML	„	1138	1172	1172	
	946ML	„	1969	2028	2028	
<b>23</b>	<b>Rainwater Collection System sintex or Prince Brand Roof)</b>					
	<b>140 mm Dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	164	164	
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	264	264	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	362	362	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	445	445	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	445	445	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	98	98	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	314	314	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	79	79	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	52	52	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	80	80	
	RUBBER GASKET To provide leak proof joints.	Pc.	30	31	31	

10 7

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>75 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	65	65	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	39	39	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	130	130	
	<b>180 mm dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	311	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	369	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	533	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	610	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	610	610	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	145	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424	437	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	111	111	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	94	94	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	53	53	

52

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	113	113	
	RUBBER GASKET To provide leak proof joints.	Pc.	41	42	42	
	<b>110 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	70	70	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	45	45	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	250	250	
	<b>250 mm dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	603	603	
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	632	632	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	994	994	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1429	1429	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1429	1429	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	311	311	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	826	826	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	309	309	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	169	169	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	125	125	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	327	327	
	RUBBER GASKET To provide leak proof joints.	Pc.	166	171	171	
	<b>160 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	84	84	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	197	197	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	451	451	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	254	254	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	451	451	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	270	270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	484	484	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	461	461	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	693	693	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	487	487	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	717	717	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	988	988	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1232	1232	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1052	1052	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1391	1391	

52

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY</b>					
	DWV Bend 45 Degree 75 mm size	pcs	140	144	144	
	DWV Bend 87.5 Degree	"	177	183	183	
	DWV Bend 87.5 Degree with Door	"	81	84	84	
	DWV Socket Plug	"	189	195	195	
	DWV Cleansing Pipe	"	114	117	117	
	DWV Coupler	"	202	208	208	
	DWV Single Tee	"	222	228	228	
	DWV Single Tee with Door	"	349	360	360	
	DWV Cross Tee	"	491	506	506	
	DWV Cross Tee with Door	"	361	372	372	
	DWV Double 'Y'	"	481	496	496	
	DWV Double 'Y' with Door	"	226	232	232	
	DWV Single 'Y'	"	288	297	297	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	230	237	237	
	DWV Bend 45 Degree 110mm size	"	282	291	291	
	DWV Bend 87.5 Degree	"	323	332	332	
	DWV Bend 87.5 Degree with Door	"	103	106	106	
	DWV Socket Plug	"	370	381	381	
	DWV Cleansing Pipe	"	206	212	212	
	DWV Coupler	"	684	705	705	
	DWV Double 'Y'	"	808	832	832	
	DWV Double 'Y' with Door	"	566	583	583	
	DWV Cross Tee	"	642	661	661	
	DWV Cross Tee with Door	"	370	381	381	
	DWV Single Tee	"	437	450	450	
	DWV Single Tee with Door	"	453	467	467	
	DWV Single 'Y'	"	475	489	489	
	DWV Single 'Y' with Door	"	47	48	48	
	DWV Vent Cowel	"	161	166	166	
	DWV Reducer 110*75 mm	"	36	37	37	
	DWV Pipe Clip 110mm size	"	436	449	449	
	DWV W.C. Connectore (Straight type)	"	348	359	359	
	DWV W.C. Connectore (Bend type)	"	174	179	179	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	
	DWV Nahani Trap Jali	"	539	555	555	
	DWV P-Trap with Leap Ring 10*110 mm	"	773	796	796	
	DWV P-Trap with Leap Ring 25*110 mm	"	232	239	239	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	484	484	
	DWV Reducer 60*110 mm	"	449	463	463	
	DWV Coupler 160mm size	"	1077	1109	1109	
	DWV Single Tee	"	1157	1192	1192	
	DWV Single Tee with Door	"	2016	2076	2076	
	DWV Single 'Y'	"	2118	2181	2181	
	DWV Single 'Y' with Door	"	742	764	764	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	DWV Bend 87.5 Degree	"	988	1018	1018	
	DWV Bend 87.5 Degree with Door	"	864	890	890	
	DWV Bend 45 Degree	"				
	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	602	602	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	624	624	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	649	649	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	611	611	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	622	622	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1110	1110	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1153	1153	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1198	1198	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1129	1129	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1149	1149	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1739	1739	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1769	1769	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1799	1799	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2885	2885	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2935	2935	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2986	2986	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3820	3820	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3886	3886	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3953	3953	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4720	4720	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4803	4803	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4885	4885	
		"				
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	601	601	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	616	616	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	631	631	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	612	612	

१७

*(Signature)*

*(Signature)*

*(Signature)*

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	623	623	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1109	1109	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1142	1142	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1174	1174	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1130	1130	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1116	1149	1149	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1688	1739	1739	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1718	1769	1769	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1747	1800	1800	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2801	2885	2885	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2849	2935	2935	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2898	2985	2985	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3709	3820	3820	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3773	3886	3886	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3838	3953	3953	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4583	4720	4720	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4663	4803	4803	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4743	4885	4885	
	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	DWV Coupler SN-8 110mm	per pc	294	303	303	
	DWV Coupler SN-4 160 mm	"	708	729	729	
	DWV Coupler SN-4 200 mm	"	1447	1491	1491	
	DWV Coupler SN-4 250 mm	"	2697	2778	2778	
	DWV Coupler SN-2 315mm	"	4338	4468	4468	
	DWV Coupler SN-4 315 mm	"	4736	4878	4878	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1031	1031	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2870	2870	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5361	5361	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	12018	12018	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	28536	28536	
24	<b>Multilayer Composite Pipe (Sanghai, or eqv.)</b>					
	Cold Water Pipe (White)					

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	12-16 mm ½"	Rm	101	104	104	
	14-18 mm ½"	"	111	114	114	
	16-20 mm ½"	"	119	122	122	
	20-25 mm ¾"	"	180	186	186	
	26-32 mm 1"	"	281	290	290	
	32-40 mm 1¼"	"	446	459	459	
	41-50 mm 1½"	"	653	673	673	
	<b>Hot Water Pipe (Orange)</b>					
	12-16 mm ½"	Rm	111	114	114	
	14-18 mm ½"	"	123	126	126	
	16-20 mm ½"	"	141	145	145	
	20-25 mm ¾"	"	208	214	214	
	26-32 mm 1"	"	302	311	311	
	32-40 mm 1¼"	"	465	479	479	
	<b>Gas Lines Pipe (Yellow)</b>					
	12-16 mm ½"	Rm	87	90	90	
	14-18 mm ½"	"	87	90	90	
	<b>MULTILAYER COMPOSITE Fittings</b>					
	<b>a. Equal Straight Union</b>					
	½" Ø (16mm Ø)	गोटा	133	137	137	
	½" Ø (18mm Ø)	"	140	145	145	
	½" Ø (20mm Ø)	"	154	159	159	
	¾" Ø (25 mm Ø)	"	225	232	232	
	1" Ø (32 mm Ø)	"	351	362	362	
	1¼" Ø (40 mm Ø)	"	1296	1335	1335	
	1½" Ø (50 mm Ø)	"	1958	2016	2016	
	<b>b. Unequal Straight Union</b>					
	25 - 16 mm Ø	"	252	260	260	
	25 - 18 mm Ø	"	261	269	269	
	25 - 20 mm Ø	"	275	283	283	
	32 - 16 mm Ø	"	338	348	348	
	32 - 18 mm Ø	"	356	366	366	
	32 - 20 mm Ø	"	383	394	394	
	32 - 25 mm Ø	"	410	422	422	
	40 - 32 mm Ø	"	1121	1154	1154	
	50 - 20 mm Ø	"	1634	1683	1683	
	50 - 32 mm Ø	"	1958	2016	2016	
	50 - 40 mm Ø	"	1845	1900	1900	
	<b>c. Male Union</b>					
	16mm x ½"M	गोटा	95	97	97	
	18mm x ½"M	"	110	113	113	
	20mm x ½"M	"	126	130	130	
	25mm x ½"M	"	153	158	158	
	25mm x ¾"M	"	194	199	199	
	25mm x 1"M	"	248	255	255	
	32mm x ¾"M	"	284	292	292	
	32mm x 1"M	"	311	320	320	
	32mm x 1½"M	"	315	324	324	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	40mm x 1"M	"	995	1024	1024	
	40mm x 1½"M	"	1030	1060	1060	
	50mm x 1"M	"	1563	1610	1610	
	50mm x 1¼"M	"	1590	1638	1638	
	50mm x 1½"M	"	2160	2225	2225	
	50mm x 2"M	"	1623	1671	1671	
	<b>d. Female Straight Union</b>					
	16mm x ½"F	गोटा	104	107	107	
	18mm x ½"F	"	113	116	116	
	20mm x ½"F	"	122	126	126	
	25mm x ½"F	"	162	167	167	
	25mm x ¾"F	"	194	199	199	
	25mm x 1"F	"	198	204	204	
	32mm x ½"F	"	203	209	209	
	32mm x ¾"F	"	207	213	213	
	32mm x 1"F	"	293	301	301	
	40mm x 1½"F	"	1168	1203	1203	
	50mm x 1¼"F	"	1575	1622	1622	
	50mm x 1½"F	"	2160	2225	2225	
	50mm x 2"F	"	1638	1687	1687	
	<b>e. Equal Elbow</b>					
	½"ø (16mm ø)	गोटा	126	130	130	
	½"ø (18mm ø)	"	153	158	158	
	½"ø (20mm ø)	"	207	213	213	
	¾"ø (25 mm ø)	"	315	324	324	
	1"ø (32 mm ø)	"	509	524	524	
	1¼"ø (40 mm ø)	"	1656	1706	1706	
	1½"ø (50 mm ø)	"	2565	2642	2642	
	<b>f. Unequal Elbow</b>					
	40 - 32 mm ø	"	1836	1891	1891	
	50 - 20 mm ø	"	2115	2178	2178	
	50 - 40 mm ø	"	2156	2220	2220	
	<b>g. Female Elbow</b>					
	16mm x ½"F	गोटा	167	171	171	
	18mm x ½"F	"	185	190	190	
	20mm x ½"F	"	203	209	209	
	25mm x ½"F	"	225	232	232	
	25mm x ¾"F	"	279	287	287	
	25mm x 1"F	"	306	315	315	
	32mm x ¾"F	"	329	339	339	
	32mm x 1"F	"	410	422	422	
	50mm x 1¼"F	"	2115	2178	2178	
	<b>h. Male Elbow</b>					
	25mm x ¾"M	"	225	232	232	
	25mm x 1"M	"	293	301	301	
	32mm x ¾"M	"	221	228	228	
	32mm x 1"M	"	374	385	385	
	40mm x 1"M	"	1215	1251	1251	
	50mm x 1"M	"	1732	1784	1784	
	<b>i. Equal Tee</b>					

10-19

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	½"ø (16mm ø)	गोटा	225	232	232	
	½"ø (18mm ø)	"	252	260	260	
	½"ø (20mm ø)	"	315	324	324	
	¾"ø (25 mm ø)	"	455	468	468	
	1"ø (32 mm ø)	"	711	732	732	
	1¼"ø (40 mm ø)	"	2658	2737	2737	
	1½"ø (50 mm ø)	"	3884	4000	4000	
	<b>j. Unequal Tee</b>					
	20 mm x 16 mm x 20 mm	"	203	209	209	
	20 mm x 18 mm x 20 mm	"	225	232	232	
	25 mm x 16 mm x 25 mm	"	338	348	348	
	25 mm x 18 mm x 25 mm	"	383	394	394	
	25 mm x 20 mm x 25 mm	"	396	408	408	
	32 mm x 16 mm x 32 mm	"	653	672	672	
	32 mm x 18 mm x 32 mm	"	675	695	695	
	32 mm x 20 mm x 32 mm	"	702	723	723	
	32 mm x 25 mm x 32 mm	"	720	742	742	
	40 mm x 32 mm x 32 mm	"	1967	2025	2025	
	40 mm x 32 mm x 40 mm	"	2278	2346	2346	
	50 mm x 20 mm x 50 mm	"	3105	3198	3198	
	50 mm x 32 mm x 32 mm	"	2047	2108	2108	
	50 mm x 32 mm x 50 mm	"	3137	3231	3231	
	50 mm x 40 mm x 40 mm	"	3147	3242	3242	
	50 mm x 40 mm x 50 mm	"	3595	3702	3702	
	<b>k. Female Tee</b>					
	16mm x ½"F x 16mm	गोटा	225	232	232	
	18mm x ½"F x 18mm	"	234	241	241	
	20mm x ½"F x 20mm	"	252	260	260	
	25mm x ½"F x 25mm	"	237	244	244	
	25mm x ¾"F x 25mm	"	261	269	269	
	25mm x 1"F x 25mm	"	338	349	349	
	32mm x ½"F x 32mm	"	365	375	375	
	32mm x ¾"F x 32mm	"	374	385	385	
	32mm x 1"F x 32mm	"	507	522	522	
	40mm x ¾"F x 32mm	"	1496	1541	1541	
	50mm x ¾"F x 40mm	"	2219	2286	2286	
	<b>l. Equal Ball Valve Union</b>					
	½"ø (16mm ø)	गोटा	262	270	270	
	½"ø (18mm ø)	"	291	299	299	
	½"ø (20mm ø)	"	383	394	394	
	¾"ø (25 mm ø)	"	635	654	654	
	1"ø (32 mm ø)	"	882	908	908	
	1¼"ø (40 mm ø)	"	2882	2968	2968	
	1½"ø (50 mm ø)	"	4159	4284	4284	
	<b>m. Female Ball Valve Union</b>					
	16mm x ½"F	गोटा	244	251	251	
	18mm x ½"F	"	280	288	288	
	20mm x ½"F	"	313	323	323	
	20mm x ¾"F	"	351	362	362	
	25mm x ¾"F	"	653	672	672	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	25mm x 1"F	"	666	686	686	
	32mm x 1"F	"	702	723	723	
	<b>n. Plug</b>					
	1/4" ø (40 mm ø)	"	1440	1483	1483	
	1/2" ø (50 mm ø)	"	1980	2039	2039	
	<b>p. Wall Plated Female Elbow</b>					
	16mm x 1/2"F	गोटा	189	195	195	
	18mm x 1/2"F	"	207	213	213	
	20mm x 1/2"F	"	225	232	232	
	<b>q. Nipple</b>					
	N 1/2F*1/2F	गोटा	49	50	50	
	N 1/2M*1/2M	"	49	50	50	
	N 3/4F*1/2F	"	68	70	70	
	N 1F*1/2F	"	77	80	80	
	N 1F*3/4F	"	87	90	90	
	N 3/4M*1/2M	"	68	70	70	
	N 1M*1/2M	"	77	80	80	
	N 1M*3/4M	"	87	90	90	
	N 1/2F*1/2M	"	59	60	60	
	N 1/2F*3/4M	"	68	70	70	
	N 1/2F*1M	"	107	110	110	
	N 1/2M*3/4F	"	68	70	70	
	N 1/2M*1F	"	112	115	115	
	N 3/4F*3/4M	"	87	90	90	
	N 3/4F*1M	"	96	99	99	
	N 3/4M*1F	"	127	131	131	
25	<b>Supplying laying &amp; jointing of Nepal Plastic ( Blue colour slotted )Pvc pipe for different size of Ordinary Boring work by manually</b>					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	501	501	
	a.2) Failure chagre per well	संख्या	1350	1391	1391	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	714	714	
	b.2) Failure chagre per well	संख्या	3600	3708	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1363	1363	
	c.2) Failure chagre per well	संख्या	4680	4820	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1928	1928	
	d.2) Failure chagre per well	संख्या	5400	5562	5562	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1622	1622	
26	<b>R.C.C. Hume Pipe &amp; Hume Pipe Collar</b>					
	<b>PIPES</b>					
	a) NP-2					
	150 mm dia.	र.मि	596	596	596	
	200 mm dia.	"	785	785	785	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	250 mm dia.	"	983	983	983	
	300 mm dia.	"	1330	1330	1330	
	350 mm dia.	"	1470	1470	1470	
	375 mm dia.	"	1610	1610	1610	
	400 mm dia.	"	1852	1852	1852	
	450 mm dia.	"	1960	1960	1960	
	500 mm dia.	"	2200	2200	2200	
	600 mm dia.	"	3077	3077	3077	
	700 mm dia.	"	3785	3785	3785	
	750 mm dia.	"	4092	4092	4092	
	800 mm dia.	"	4567	4567	4567	
	900 mm dia.	"	6172	6172	6172	
	1000 mm dia.	"	7185	7185	7185	
	1200 mm dia.	"	8776	8776	8776	
	1500 mm dia.	"	18450	18450	18450	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1291	1291	1291	
	200 mm dia.	"	1720	1720	1720	
	250 mm dia.	"	2149	2149	2149	
	300 mm dia.	"	3088	3088	3088	
	350 mm dia.	"	3464	3464	3464	
	375 mm dia.	"	3702	3702	3702	
	400 mm dia.	"	3948	3948	3948	
	450 mm dia.	"	4432	4432	4432	
	500 mm dia.	"	4940	4940	4940	
	600 mm dia.	"	6104	6104	6104	
	700 mm dia.	"	7372	7372	7372	
	750 mm dia.	"	8467	8467	8467	
	800 mm dia.	"	9240	9240	9240	
	900 mm dia.	"	11985	11985	11985	
	1000 mm dia.	"	13312	13312	13312	
	1200 mm dia.	"	15847	15847	15847	
	1500 mm dia.	"	24894	24894	24894	
	<b>R.C.C. Hume Pipe Collar</b>					
	<b>a) NP-2</b>					
	150 mm dia.	गोटा	165	165	165	
	200 mm dia.	"	195	195	195	
	250 mm dia.	"	245	245	245	
	300 mm dia.	"	332	332	332	
	350 mm dia.	"	365	365	365	
	375 mm dia.	"	365	365	365	
	400 mm dia.	"	463	463	463	
	450 mm dia.	"	490	490	490	
	500 mm dia.	"	550	550	550	
	600 mm dia.	"	769	769	769	
	700 mm dia.	"	946	946	946	
	750 mm dia.	"	1023	1023	1023	
	800 mm dia.	"	1141	1141	1141	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	900 mm dia.	"	1543	1543	1543	
	1000 mm dia.	"	1799	1799	1799	
	1200 mm dia.	"	2196	2196	2196	
	1500 mm dia.	"	4615	4615	4615	
	<b>b) NP-3</b>					
	150 mm dia.	"	323	323	323	
	200 mm dia.	"	429	429	429	
	250 mm dia.	"	537	537	537	
	300 mm dia.	"	771	771	771	
	350 mm dia.	"	865	865	865	
	375 mm dia.	"	924	924	924	
	400 mm dia.	"	986	986	986	
	450 mm dia.	"	1107	1107	1107	
	450 mm dia.	"	1234	1234	1234	
	500 mm dia.	"	1526	1526	1526	
	600 mm dia.	"	1843	1843	1843	
	700 mm dia.	"	2116	2116	2116	
	750 mm dia.	"	2309	2309	2309	
	800 mm dia.	"	2996	2996	2996	
	900 mm dia.	"	3327	3327	3327	
	1000 mm dia.	"	3961	3961	3961	
	1200 mm dia.	"	6223	6223	6223	
	1500 mm dia.	"				

MA M

~~बहाल~~

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>R.C.C.Spigot Pipes (Socket System)</b>					
	<b>a) NP-2</b>					
	150 mm dia.	र.मि	766	766	766	
	200 mm dia.	"	976	976	976	
	250 mm dia.	"	1221	1221	1221	
	300 mm dia.	"	1656	1656	1656	
	350 mm dia.	"	2007	2007	2007	
	400 mm dia.	"	2300	2300	2300	
	450 mm dia.	"	2438	2438	2438	
	500 mm dia.	"	2736	2736	2736	
	600 mm dia.	"	3608	3608	3608	
	700 mm dia.	"	4709	4709	4709	
	750 mm dia.	"	5090	5090	5090	
	800 mm dia.	"	5684	5684	5684	
	900 mm dia.	"	7339	7339	7339	
	1000 mm dia.	"	8481	8481	8481	
	1200 mm dia.	"	10274	10274	10274	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1603	1603	1603	
	200 mm dia.	"	2139	2139	2139	
	250 mm dia.	"	2674	2674	2674	
	300 mm dia.	"	3842	3842	3842	
	350 mm dia.	"	4313	4313	4313	
	400 mm dia.	"	4913	4913	4913	
	450 mm dia.	"	5513	5513	5513	
	500 mm dia.	"	6141	6141	6141	
	600 mm dia.	"	7592	7592	7592	
	700 mm dia.	"	9169	9169	9169	
	800 mm dia.	"	11493	11493	11493	
	900 mm dia.	"	14907	14907	14907	
	1000 mm dia.	"	16564	16564	16564	
	1200 mm dia.	"	19506	19506	19506	
	1500 mm dia.	"	30835	30835	30835	
	1600 mm dia.	"	35566	35566	35566	
	1800 mm dia.	"	47339	47339	47339	
27	<b>High Density Polythene Pipe NS-40</b>					
	Pipes of different sizes, series & pressure	Kg	265.0	281	281	
28	<b>UPVC (Pipe NS 206/046</b>					
28.1	<b>A) pipe 2.5 kg/cm<sup>2</sup> pressure</b>					
	a) 90 mm	र.मी	137.17	141	141	

१० ७

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

902

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	b) 110 mm	"	204.42	211	211	
	c) 125 mm	"	260.00	268	268	
	d) 140 mm	"	321.24	331	331	
	e) 160 mm	"	419.47	432	432	
	f) 180 mm	"	537.17	553	553	
	g) 200 mm	"	656.64	676	676	
28.2	<b>B) UPVC Pipe 4 kg / cm<sup>2</sup></b>					
	a) 63mm	र.मी	108.85	112	112	
	b) 75 mm	"	150.44	155	155	
	c) 90 mm	"	215.04	221	221	
	d) 110 mm	"	294.69	304	304	
	e) 125 mm	"	406.19	418	418	
	f) 140 mm	"	515.93	531	531	
	g) 160 mm	"	667.26	687	687	
	h) 180 mm	"	857.52	883	883	
	i) 200 mm	"	1040.71	1072	1072	
28.3	<b>C) UPVC Pipe 6 Kg/ cm<sup>2</sup> pressure</b>					
	a) 40 mm	र.मी	63.72	66	66	
	b) 50 mm	"	97.35	100	100	
	c) 63 mm	"	155.75	160	160	
	d) 75 mm	"	216.81	223	223	
	e) 90 mm	"	312.39	322	322	
	f) 110 mm	"	452.21	466	466	
	g) 125 mm	"	601.77	620	620	
	h) 140 mm	"	749.56	772	772	
	i) 160 mm	"	960.18	989	989	
	j) 180 mm	र.मी	1224.78	1262	1262	
	k) 200 mm	"	1500.00	1545	1545	
28.4	<b>C) UPVC Pipe 10 Kg/ cm<sup>2</sup> pressure</b>					
	a) 20 mm	र.मी	24.78	26	26	
	b) 25 mm	"	38.94	40	40	
	c) 32mm	"	63.72	66	66	
	a) 40 mm	"	96.46	99	99	
	b) 50 mm	"	151.33	156	156	
	c) 63 mm	"	240.71	248	248	
	d) 75 mm	"	325.66	335	335	
	e) 90 mm	"	489.38	504	504	
	f) 110 mm	"	725.66	747	747	
	g) 125 mm	"	929.20	957	957	
	h) 140 mm	"	1172.57	1208	1208	
	i) 160 mm	"	1508.85	1554	1554	
	j) 180 mm	"	1923.01	1981	1981	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	k) 200 mm	"	2377.88	2449	2449	
<b>28.5</b>	<b>UPVC fittings :</b>					
	<b>Coupler</b>					
	50 mm	गोटा	31	32	32	
	75 mm	"	75	77	77	
	110 mm	"	128	131	131	
	<b>Bend 87.5 degree</b>					
	50 mm	गोटा	46	47	47	
	75 mm	"	108	112	112	
	110 mm	"	200	206	206	
	<b>Bend 45 degree</b>					
	50 mm	गोटा	45	46	46	
	75 mm	"	88	91	91	
	110 mm	"	158	163	163	
	<b>Single Tee</b>					
	50 mm	गोटा	68	70	70	
	75 mm	"	147	151	151	
	110 mm	"	279	287	287	
	<b>Pipe clip</b>					
	50 mm	गोटा	14	15	15	
	75 mm	"	28	29	29	
	110 mm	"	37	38	38	
	<b>Bend 87.5 degree with door</b>					
	75 mm	गोटा	139	143	143	
	110 mm	"	242	249	249	
	<b>Single Tee with door</b>					
	75 mm	गोटा	198	204	204	
	110 mm	"	369	380	380	
	<b>Double Tee</b>					
	75 mm	गोटा	322	332	332	
	110 mm	"	510	525	525	
	<b>Double Tee with door</b>					
	75 mm	गोटा	427	440	440	
	110 mm	"	662	682	682	
	<b>Vent cowl</b>					
	75 mm	गोटा	53	54	54	
	110 mm	"	87	90	90	
	<b>Socket plug</b>					
	75 mm	गोटा	66	68	68	
	110 mm	"	108	111	111	
	<b>Single "Y"</b>					
	75 mm	गोटा	168	173	173	
	110 mm	"	363	374	374	
	<b>Single "Y" with door</b>					
	75 mm	गोटा	230	237	237	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	110 mm	"	438	451	451	
	<b>Double "Y"</b>					
	75 mm	गोटा	253	261	261	
	110 mm	"	499	514	514	
	<b>Double "Y" with door</b>					
	75 mm	गोटा	325	334	334	
	110 mm	"	523	539	539	
	<b>Cleaning pipe</b>					
	75 mm	"	147	152	152	
	110 mm	"	284	293	293	
	<b>Reducer</b>					
	110x 75 mm	"	131	135	135	
	75X50 mm	"	69	71	71	
	<b>P -Trap</b>					
	125mmx110mm	"	539	555	555	
	110mmx110mm	"	505	521	521	
	75mmx75mm	"	193	199	199	
	<b>Multi-Floor -Trap</b>					
	110mmx75mm	"	280	288	288	
	<b>Nahani-Trap</b>					
	110mmx75mm	"	255	263	263	
	<b>W.C. Connector (bent type)</b>					
	Square tile with jali	"	84	86	86	
	Round jali	"	38	40	40	
	End cap 50mm	"	25	26	26	
29.0	<b>G.I Pipe threaded , 6 m. length With Cap</b>					
	<b>a) Light class</b>					
	i. ½ " (15 mm)	र.मी	148.00	152	152	
	ii. ¾" (20 mm)	"	201.67	208	208	
	iii. 1" (25 mm)	"	280.00	288	288	
	iv. 1 ¼" (32 mm)	"	358.00	369	369	
	v. 1 ½" (40 mm)	"	441.67	455	455	
	vi. 2" (50 mm)	"	558.33	575	575	
	vii. 2 ½" (65 mm)	"	770.00	793	793	
	viii. 3" (80 mm)	"	903.33	930	930	
	ix. 4" (100 mm)	"	1291.67	1330	1330	
	x. 5" (125 mm)	"	2066.67	2129	2129	
	xi. 6" (150 mm)	"	2455.00	2529	2529	
	xii. 8" (200 mm)	"	3523.00	3629	3629	
	<b>b) Medium class</b>					
	i. ½ " (15 mm)	र.मी	171.00	176	176	
	ii. ¾" (20 mm)	"	220.00	227	227	
	iii. 1" (25 mm)	"	328.00	338	338	
	iv. 1 ¼" (32 mm)	"	426.67	439	439	



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
v.	1 1/2" (40 mm)	र.मि	490.00	505	505	
vi.	2" (50 mm)	"	670.00	690	690	
vii.	2 1/2" (65 mm)	"	855.00	881	881	
viii.	3" (80 mm)	"	1060.00	1092	1092	
ix.	4" (100 mm)	"	1573.00	1620	1620	
x.	5" (125 mm)	"	2180.00	2245	2245	
xi.	6" (150 mm)	"	2633.33	2712	2712	
xii.	8" (200 mm)	"	4003.33	4123	4123	
<b>c) Heavy duty</b>						
i.	1/2" (15 mm)	र.मि	203.33	209	209	
ii.	3/4" (20 mm)	"	256.67	264	264	
iii.	1" (25 mm)	"	383.33	395	395	
iv.	1 1/4" (32 mm)	"	490.00	505	505	
v.	1 1/2" (40 mm)	"	565.00	582	582	
vi.	2" (50 mm)	"	823.33	848	848	
vii.	2 1/2" (65 mm)	"	1031.67	1063	1063	
viii.	3" (80 mm)	"	1215.00	1251	1251	
ix.	4" (100 mm)	"	1883.33	1940	1940	
x.	5" (125 mm)	"	2440.00	2513	2513	
xi.	6" (150 mm)	"	2766.67	2850	2850	
xii.	8" (200 mm)	"	4243.33	4371	4371	
<b>30.0 G.I. Pipe fittings ISI or NS Standard</b>						
<b>a) G.M. Gate valve</b>						
i.	1/2"	गोटा	962	991	991	
ii.	3/4"	"	1198	1234	1234	
iii.	1"	"	1930	1988	1988	
iv.	1 1/4"	"	2753	2836	2836	
v.	1 1/2"	"	3467	3571	3571	
vi.	2"	"	5519	5685	5685	
vii.	2 1/2"	"	11411	11753	11753	
viii.	3"	"	14188	14614	14614	
ix.	4"	"	23238	23935	23935	
<b>b) G.M Check valve</b>						
i.	1/2"	गोटा	893	920	920	
ii.	3/4"	"	1200	1236	1236	
iii.	1"	"	1775	1828	1828	
iv.	1 1/4"	"	2623	2702	2702	
v.	1 1/2"	"	3035	3126	3126	
vi.	2"	"	5033	5184	5184	
vii.	2 1/2"	"	10225	10532	10532	
viii.	3"	"	13657	14067	14067	
ix.	4"	"	19301	19880	19880	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
<b>c) G.I. Elbow</b>						
i.	1/2 "	गोटा	52	54	54	
ii.	3/4 "	"	94	97	97	
iii.	1 "	"	145	149	149	
iv.	1 1/4 "	"	220	227	227	
v.	1 1/2 "	"	308	317	317	
vi.	2 "	"	464	478	478	
vii.	2 1/2 "	"	805	829	829	
viii.	3 "	"	1253	1291	1291	
ix.	4 "	"	2159	2224	2224	
x.	5 "	"	5342	5502	5502	
xi.	6 "	"	6430	6623	6623	
<b>d) G.I. Tee</b>						
i.	1/2 "	गोटा	80	82	82	
ii.	3/4 "	"	127	131	131	
iii.	1 "	"	185	191	191	
iv.	1 1/4 "	"	296	305	305	
v.	1 1/2 "	"	410	422	422	
vi.	2 "	"	671	691	691	
vii.	2 1/2 "	"	1054	1086	1086	
viii.	3 "	"	1424	1467	1467	
ix.	4 "	"	2587	2665	2665	
x.	5 "	"	7160	7375	7375	
xi.	6 "	"	8298	8547	8547	
<b>e) G.I Union</b>						
i.	1/2 "	गोटा	169	174	174	
ii.	3/4 "	"	238	245	245	
iii.	1 "	"	349	359	359	
iv.	1 1/4 "	"	480	494	494	
v.	1 1/2 "	"	594	612	612	
vi.	2 "	"	884	911	911	
vii.	2 1/2 "	"	1808	1862	1862	
viii.	3 "	"	2436	2509	2509	
ix.	4 "	"	3210	3306	3306	
x.	5 "	"	7160	7375	7375	
xi.	6 "	"	8663	8923	8923	
<b>f) G.I. Socket</b>						
i.	1/2 "	गोटा	47	48	48	
ii.	3/4 "	"	73	75	75	
iii.	1 "	"	100	103	103	
iv.	1 1/4 "	"	154	159	159	
v.	1 1/2 "	"	208	214	214	
vi.	2 "	"	306	315	315	
vii.	2 1/2 "	"	554	571	571	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
viii.	3"	"	817	842	842	
ix.	4"	"	1415	1457	1457	
x.	5"	"	3534	3640	3640	
xi.	6"	"	4752	4895	4895	
<b>g) C.I. Plug</b>						
i.	½ "	गोटा	30	31	31	
ii.	¾ "	"	40	41	41	
iii.	1"	"	49	50	50	
iv.	1 ¼ "	"	98	101	101	
v.	1 ½ "	"	124	128	128	
vi.	2"	"	149	153	153	
vii.	2 ½ "	"	214	220	220	
viii.	3"	"	437	450	450	
ix.	4"	"	838	863	863	
<b>h) Hex Nipple</b>						
i.	½ "	गोटा	56	58	58	
ii.	¾ "	"	86	89	89	
iii.	1"	"	139	143	143	
iv.	1 ¼ "	"	217	224	224	
v.	1 ½ "	"	275	283	283	
vi.	2"	"	409	421	421	
vii.	2 ½ "	"	750	773	773	
viii.	3"	"	968	997	997	
ix.	4"	"	1484	1529	1529	
<b>i) Reducing Tee</b>						
i.	¾ "	गोटा	139	143	143	
ii.	1"	"	204	210	210	
iii.	1 ¼ "	"	325	335	335	
iv.	1 ½ "	"	451	465	465	
v.	2"	"	737	759	759	
vi.	2 ½ "	"	1160	1195	1195	
vii.	3"	"	1568	1615	1615	
viii.	4"	"	2866	2952	2952	
x.	5"	"	7884	8121	8121	
xi.	6"	"	9126	9400	9400	
<b>i) Reducing Elbow</b>						
i.	¾ "	गोटा	103	106	106	
ii.	1"	"	160	165	165	
iii.	1 ¼ "	"	244	251	251	
iv.	1 ½ "	"	342	352	352	
v.	2"	"	511	526	526	
vi.	2 ½ "	"	883	909	909	
vii.	3"	"	1361	1402	1402	
viii.	4"	"	2410	2482	2482	

डा. म. त.

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७२/७६	२०७६/७७	२०७७/०७८	
x.	5"	"	5878	6054	6054	
xi.	6"	"	7073	7285	7285	
<b>j) Reducing socket</b>						
i.	¾"	गोटा	80	82	82	
ii.	1"	"	108	111	111	
iii.	1 ¼"	"	168	173	173	
iv.	1 ½"	"	226	233	233	
v.	2"	"	337	347	347	
vi.	2 ½"	"	602	620	620	
vii.	3"	"	860	886	886	
viii.	4"	"	1552	1599	1599	
x.	5"	"	4436	4569	4569	
xi.	6"	"	5216	5372	5372	
<b>K) Short bend</b>						
i.	½"	गोटा	139	143	143	
ii.	¾"	"	214	220	220	
iii.	1"	"	328	338	338	
iv.	1 ¼"	"	630	649	649	
v.	1 ½"	"	952	981	981	
vi.	2"	"	1393	1435	1435	
vii.	2 ½"	"	3576	3683	3683	
viii.	3"	"	5544	5710	5710	
ix.	4"	"	7855	8091	8091	
<b>L) Cross Tee</b>						
i.	½"	गोटा	131	135	135	
ii.	¾"	"	186	192	192	
iii.	1"	"	293	302	302	
iv.	1 ¼"	"	509	524	524	
v.	1 ½"	"	611	629	629	
vi.	2"	"	990	1020	1020	
vii.	2 ½"	"	1670	1720	1720	
viii.	3"	"	2420	2493	2493	
ix.	4"	"	3268	3366	3366	
<b>M) Tanki nipple</b>						
i.	½"	गोटा	154	159	159	
ii.	¾"	"	214	220	220	
iii.	1"	"	319	329	329	
iv.	1 ¼"	"	480	494	494	
v.	1 ½"	"	611	629	629	
vi.	2"	"	990	1020	1020	
vii.	2 ½"	"	1906	1963	1963	
viii.	3"	"	2538	2614	2614	
ix.	4"	"	3367	3468	3468	
<b>G.I. Nipple Medium Class ISI or NS</b>						
<b>2" Long</b>						

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
i.	1/2 "	गोटा	25	26	26	
ii.	3/4 "	"	37	38	38	
iii.	1 "	"	50	52	52	
iv.	1 1/4 "	"	68	70	70	
v.	1 1/2 "	"	83	85	85	
vi.	2 "	"	127	131	131	
<b>3" Long</b>						
i.	1/2 "	गोटा	37	38	38	
ii.	3/4 "	"	56	58	58	
iii.	1 "	"	76	78	78	
iv.	1 1/4 "	"	102	105	105	
v.	1 1/2 "	"	126	130	130	
vi.	2 "	"	188	194	194	
vii.	2 1/2 "	"	259	267	267	
viii.	3 "	"	378	389	389	
<b>4" Long</b>						
i.	1/2 "	गोटा	50	52	52	
ii.	3/4 "	"	74	76	76	
iii.	1 "	"	101	104	104	
iv.	1 1/4 "	"	136	140	140	
v.	1 1/2 "	"	166	171	171	
vi.	2 "	"	253	261	261	
vii.	2 1/2 "	"	347	357	357	
viii.	3 "	"	505	520	520	
ix.	4 "	"	649	668	668	
<b>6" Long</b>						
i.	1/2 "	गोटा	76	78	78	
ii.	3/4 "	"	113	116	116	
iii.	1 "	"	151	156	156	
iv.	1 1/4 "	"	205	211	211	
v.	1 1/2 "	"	253	261	261	
vi.	2 "	"	379	390	390	
vii.	2 1/2 "	"	518	534	534	
viii.	3 "	"	742	764	764	
ix.	4 "	"	917	945	945	
<b>9" Long</b>						
i.	1/2 "	गोटा	113	116	116	
ii.	3/4 "	"	167	172	172	
iii.	1 "	"	202	208	208	
iv.	1 1/4 "	"	307	316	316	
v.	1 1/2 "	"	413	425	425	
vi.	2 "	"	569	586	586	
vii.	2 1/2 "	"	768	791	791	
viii.	3 "	"	1136	1170	1170	
ix.	4 "	"	4871	5017	5017	

B M

Bhaktapur

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>12" Long</b>					
	i. 1/2 "	गोटा	151	156	156	
	ii. 3/4"	"	221	228	228	
	iii. 1"	"	251	259	259	
	iv. 1 1/4"	"	410	422	422	
	v. 1 1/2 "	"	505	520	520	
	vi. 2"	"	757	780	780	
	vii. 2 1/2 "	"	1022	1053	1053	
	viii. 3"	"	1514	1559	1559	
	ix. 4"	"	1808	1862	1862	
	<b>18" Long</b>					
	i. 1/2 "	गोटा	227	234	234	
	ii. 3/4"	"	280	288	288	
	iii. 1"	"	378	389	389	
	iv. 1 1/4"	"	614	632	632	
	v. 1 1/2 "	"	755	778	778	
	vi. 2"	"	1136	1170	1170	
	vii. 2 1/2 "	"	1536	1582	1582	
	viii. 3"	"	2249	2316	2316	
	ix. 4"	"	2743	2825	2825	
	<b>G.I./G.I. Flange</b>					
	i. 1 1/4"	गोटा	964	993	993	
	ii. 1 1/2 "	"	1186	1222	1222	
	iii. 2"	"	1453	1497	1497	
	iv. 2 1/2 "	"	1699	1750	1750	
	v. 3"	"	1892	1949	1949	
	vi. 4"	"	2348	2418	2418	
	vii. 5"	"	3358	3459	3459	
	viii. 6"	"	3488	3593	3593	
	ix. 8"	"	6948	7156	7156	
	<b>G.I./HDP Flange</b>					
	i. 1 1/4"	गोटा	1038	1069	1069	
	ii. 1 1/2 "	"	1322	1362	1362	
	iii. 2"	"	1562	1609	1609	
	iv. 2 1/2 "	"	1824	1879	1879	
	v. 3"	"	1950	2009	2009	
	vi. 4"	"	2406	2478	2478	
	vii. 5"	"	3358	3459	3459	
	viii. 6"	"	3505	3610	3610	
	ix. 8"	"	7627	7856	7856	
	<b>HDP/HDP Flange set with adaptor</b>					
	i. 1 1/4"	गोटा	1038	1069	1069	
	ii. 1 1/2 "	"	1322	1362	1362	
	iii. 2"	"	1562	1609	1609	
	iv. 2 1/2 "	"	1824	1879	1879	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
v.	3"	"	1950	2009	2009	
vi.	4"	"	2406	2478	2478	
vii.	5"	"	3814	3928	3928	
viii.	6"	"	3505	3610	3610	
ix.	8"	"	7627	7856	7856	
<b>Brass tap 1/2"</b>						
i.	1/2" (Wt. 400 gm)	गोटा	906	933	933	
ii.	1/2" ordinary	गोटा	205	211	211	
<b>Globe Valve (GM)</b>						
i.	1/2"	गोटा	924	952	952	
ii.	3/4"	"	1505	1550	1550	
iii.	1"	"	1859	1915	1915	
iv.	1 1/4"	"	2953	3042	3042	
v.	1 1/2"	"	3716	3827	3827	
vi.	2"	"	4640	4779	4779	
vii.	2 1/2"	"	9114	9387	9387	
viii.	3"	"	15060	15512	15512	
ix.	4"	"	24350	25081	25081	
<b>Float Valve</b>						
i.	1/2"	गोटा	1134	1168	1168	
ii.	3/4"	"	1283	1321	1321	
iii.	1"	"	1556	1603	1603	
iv.	1 1/4"	"	2690	2771	2771	
v.	1 1/2"	"	4042	4163	4163	
vi.	2"	"	5381	5542	5542	
<b>C.I. Air valve (Heavy)</b>						
i.	1/2"	गोटा	3756	3869	3869	
ii.	3/4"	"	5182	5337	5337	
iii.	1"	"	5746	5918	5918	
<b>Brass Union with Adopter</b>						
i.	1/2"	गोटा	245	252	252	
ii.	3/4"	"	377	388	388	
iii.	1"	"	570	587	587	
iv.	1 1/4"	"	742	764	764	
v.	1 1/2"	"	1322	1362	1362	
vi.	2"	"	1961	2020	2020	
<b>Saddle Ferrule</b>						
i.	1 1/2"	गोटा	354	365	365	
ii.	2"	"	468	482	482	
iii.	2 1/2"	"	1306	1345	1345	
iv.	3"	"	1727	1779	1779	
v.	4"	"	2462	2536	2536	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	<b>Flow Regulating Valve (G.M.)</b>					
i.	1/2"	गोटा	1322	1362	1362	
	<b>C.I Sluice Valve</b>					
i.	1 1/2 "	गोटा	6846	7051	7051	
ii.	2"	"	9132	9406	9406	
iii.	2 1/2 "	"	11406	11748	11748	
iv.	3"	"	13691	14102	14102	
v.	4"	"	18250	18798	18798	
v.	5"	"	27737	28569	28569	
v.	6"	"	33288	34287	34287	
v.	8"	"	46603	48001	48001	
	<b>Brass Ferrule Cock</b>					
i.	1/2 "	गोटा	1505	1550	1550	
ii.	3/4"	"	1961	2020	2020	
iii.	1"	"	2879	2965	2965	
	<b>Ball valve</b>					
a)	15mm	गोटा	514	529	529	
b)	20 mm	"	650	670	670	
c)	25 mm	"	872	898	898	
d)	32 mm	"	1051	1083	1083	
e)	40 mm	"	2035	2096	2096	
f)	50 mm	"	3341	3441	3441	
<b>31.0</b>	<b>Supplying of Rcc ring for construction of well</b>					
<b>31.1</b>	<b>Ring</b>					
i)	28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	597	615	615	
ii)	36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	740	762	762	
iii)	42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	860	886	886	
iv)	48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1139	1173	1173	
<b>31.2</b>	<b>Supplying &amp; fixing of metal frame and Rcc cover</b>					
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1804	1858	1858	
i)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	2388	2460	2460	
i)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	2620	2699	2699	
i)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	3130	3224	3224	
<b>32.0</b>	<b>ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ती गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)</b>					
i)	28" dia. R.C.C. Ring	र.मी	4129	4253	4253	
ii)	36" dia. R.C.C. Ring	"	5240	5397	5397	
iii)	42" dia. R.C.C. Ring	"	6099	6282	6282	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	iv) 48" dia. R.C.C. Ring	"	7524	7750	7750	
32.2	२५ फीट देखि माथीको गहीराइ भएमा ईनार खन्नको लागी R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	र.मी	5541	5707	5707	
	ii) 36" dia. R.C.C. Ring	"	9369	9650	9650	
	iii) 42" dia. R.C.C. Ring	"	11341	11681	11681	
	iv) 48" dia. R.C.C. Ring	"	13624	14033	14033	
33.0	<b>Sanitary Tools</b>					
a	Adjustable spanner					
	10"	Pc	248	255	255	
	12"	Pc	468	482	482	
	15"	Pc	1348	1388	1388	
	18"	Pc	1595	1643	1643	
b	Blow Torch					
	1/2 pint	Pc	1392	1433	1433	
	1 pint	Pc	1716	1767	1767	
c	Building Trowel	Pc	77	79	79	
d	Chain Pipe wrench					
	50mm	Pc	1595	1643	1643	
	75mm	Pc	1898	1954	1954	
	100mm	Pc	2228	2294	2294	
	150mm	Pc	3135	3229	3229	
	200mm	Pc	5335	5495	5495	
e	Chain Pulley in Ton					
	3 ton	Pc	17050	17562	17562	
	5 ton	Pc	28160	29005	29005	
f	Stone Chisel 1"x12"	Pc	358	368	368	
g	Die teeth oil with cane (250 ml size)	Pc	275	283	283	
h	Smooth steel file half round					
	8"	Pc	523	538	538	
	10"	Pc	1001	1031	1031	
i	Flat file 10"	Pc	523	538	538	
10.0	Hacksaw Blade					
	Single	Pc	4	5	5	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	187	193	193	
k	Handle die set					
	25 mm	Pc	3108	3201	3201	
	50 mm	Pc	3520	3626	3626	
	60 mm	Pc	9350	9631	9631	
l	Heating Plate					
	80 mm	Pc	935	963	963	
	100 mm	Pc	1073	1105	1105	
	125 mm	Pc	1375	1416	1416	
	150 mm	Pc	1639	1688	1688	

७

७

७

७

७

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७५/७६	२०७६/७७	२०७७/०७८	
	200 mm	Pc	2651	2731	2731	
	250 mm	Pc	3212	3308	3308	
	300 mm	Pc	3751	3864	3864	
m	Iron Brush 12"	Pc	72	74	74	
n	Iron Pan (madium)	Pc	253	261	261	
o	Pick Axe 1.7 Kg.	Pc	418	431	431	
p	Pipe Cutter					
	15-50 mm	Pc	1980	2039	2039	
	65-80 mm	Pc	3080	3172	3172	
	100 mm	Pc	4950	5099	5099	
	125 mm	Pc	5500	5665	5665	
	150 mm	Pc	9790	10084	10084	
q	Pipe Jack Machine (Heavy)	Pc	31350	32291	32291	
r	Pipe Vice					
	2"	Pc	2420	2493	2493	
	3"	Pc	3520	3626	3626	
	4"	Pc	5308	5467	5467	
	5"	Pc	9845	10140	10140	
s	Pipe Wrench					
	10"	Pc	308	317	317	
	12"	Pc	572	589	589	
	14"	Pc	682	702	702	
	18"	Pc	1084	1116	1116	
	24"	Pc	1496	1541	1541	
	36"	Pc	5280	5438	5438	
	48"	Pc	9350	9631	9631	
t	Plumb Bob Line	Pc	88	91	91	
u	Rachet Die Set					
	1/2"-1"	Pc	4180	4305	4305	
	1 1/4" -2"	Pc	7810	8044	8044	
	2 1/2"-3"	Pc	17050	17562	17562	
v	Round File 10"	Pc	358	368	368	
w	Screw Driver 12"	Pc	198	204	204	
x	Shovel 1.5 Kg	Pc	358	368	368	
y	Slide wrench					
	10"	Pc	352	363	363	
	12"	Pc	473	487	487	
	15"	Pc	1381	1422	1422	
z	Spade	Pc	429	442	442	
A	Spare Die Teeth					
	15 mm	Pc	572	589	589	
	20 mm	Pc	572	589	589	
	25 mm	Pc	572	589	589	
	32 mm	Pc	908	935	935	
	40 mm	Pc	1551	1598	1598	
	50 mm	Pc	1568	1615	1615	
	65 mm	Pc	1815	1869	1869	
	80 mm	Pc	2035	2096	2096	
B	Telflon Cover					
	5'x5'	Pc	303	312	312	
	7'x7'	Pc	413	425	425	

११७ ३

*(Signature)*

*(Signature)*

## Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
1	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
1	One Gang one way switch	सेट	58	58	60	
2	One Gang two way switch	सेट	69	69	71	
3	One way bell switch	सेट	72	72	74	
4	Two gang one way switch	"	96	96	99	
5	Two gang one way switch with one bell push	"	105	105	108	
6	Two gang Full two way switch	"	107	107	110	
7	Three Gang one way switch	"	127	127	131	
8	Four gang one way switch	"	161	161	166	
9	Six gang one way switch ( 3x5 )	"	253	253	261	
10	Eight gang one way switch	"	304	304	313	
11	Dimmer single 300 watt	"	309	309	318	
12	Dimmer single 750 watt	"	459	459	473	
13	5 Step humming free dimmer	"	407	407	419	
14	16Amp 3 Pin Plug Top	"	121	121	125	
15	1 switch with dimmer	"	368	368	379	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	156	
17	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	174	
18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	382	
19	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	212	
20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	629	
21	Blanking plate single	"	40	40	41	
22	Telephone socket single	"	118	118	122	
23	Telephone socket Double	"	169	169	174	
24	Angle / bottom holder	"	35	35	36	
25	Ceiling Rose	"	35	35	36	
26	Buzzer	"	97	97	100	
27	Musical bell	"	222	222	229	
28	T.V. antenna single Socket	"	82	82	84	
29	6A 2/3 Pin unshuttered multi switch socket	"	128	128	132	
30	RJ 45 Computer Socket for modem	"	234	234	241	
31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	36	
32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	65	
33	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	"	98	98	101	
34	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
1.	1 10A 1gang 1way Switch	Set	83	83	85	
2	10A 2gang 1way Switch	Set	163	163	168	
3	10A 3gang 1way Switch	"	216	216	222	
4	10A 4gang 1way Switch	"	350	350	361	
5	10A 5gang 1way Switch	"	371	371	382	
6	10A 6gang 1way Switch	"	617	617	636	
7	10A 1gang 2way Switch	"	144	144	148	
8	10A 2gang 2way Switch	"	278	278	286	
9	10A 3gang 2way Switch	"	407	407	419	
10	10A 4gang 2way Switch	"	613	613	631	
11	T V Socket outlet	"	299	299	308	

B

N

Bhaktapur

Bhaktapur

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	12 Telephone Socket	"	268	268	276	
	13A Universal socket outlet	"	464	464	478	
	14 13A Socket	"	273	273	281	
	15 15A switched Socket outlet	"	443	443	456	
	16 5A Socket	"	340	340	350	
	17 RJ 45 8way Computer Socket	"	824	824	849	
	18 TV and Telephone Socket	"	592	592	610	
	19 7+2 PIN SOCKET OUTLET	"	927	927	955	
	20 3+2 PIN SOCKET OUTLET	"	577	577	594	
	21 X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	806	
	22 SCHUKO SOCKET WITH ONE SWITCH	"	505	505	520	
	23 Bell Press	"	237	237	244	
	24 Blank Plate	"	93	93	96	
	25 400W Light Dimmer W/ Switch	"	906	906	933	
	26 400W Fan Controller / Multi Step Dimmer	"	917	917	945	
	27 5 Step Fan Controller	"	896	896	923	
	28 2 Pin Socket W/ Switch	"	453	453	467	
	29 13A Twin Socket	"	680	680	700	
1	<b>White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier, Rathi, Ohms or EQUIVALENT</b>					
	1 One Gang one way switch	सेट	100	100	103	
	2 One Gang two way switch	सेट	112	112	115	
	3 One way bell switch	सेट	112	112	115	
	4 Two gang one way switch	"	133	133	137	
	5 Two gang one way switch with one bell push	"	146	146	150	
	6 Two gang Full two way switch	"	158	158	163	
	7 Three Gang one way switch	"	167	167	172	
	8 Four gang one way switch	"	202	202	208	
	9 Six gang one way switch	"	307	307	316	
	10 Eight gang one way switch	"	374	374	385	
	11 Dimmer single 300 watt	"	486	486	501	
	15 1 switch with dimmer	"	499	499	514	
	16 6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	268	
	17 6/13 Amp , Power sockets with switch , indicator	"	263	263	271	
	18 20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	365	
	19 4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	391	391	403	
	20 6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	474	474	488	
	21 Blanking plate single	"	62	62	64	
	22 Telephone socket single	"	152	152	157	
	23 Telephone socket Double	"	249	249	256	
	24 T.V. antenna single Socket	"	142	142	146	
	25 RJ 45 Computer Socket for modem	"	206	206	212	
	26 CAT-6 Computer Socket for modem	"	321	321	331	
2	<b>Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent</b>					
	1 1P - 6A/10A 1 way switch	No.	139	139	143	
	2 1P - 16A/20A 1 way switch	"	223	223	230	
	3 1P - 25A 1 way switch	"	326	326	336	
	4 1P - 6A/10A 2 way switch	"	167	167	172	
	5 1P - 16A/20A 2 way switch	"	253	253	261	
	6 1P - 6A push button	"	184	184	190	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
7	1 gang blanking module	"	43	43	44	
8	2 gang blanking module	"	86	86	89	
9	<b>FAN REGULATOR / DIMMER</b>					
10	Step type fan regulator	No.	638	638	657	
11	60 – 500 W dimmer	"	797	797	821	
12	1000 W dimmer	"	1524	1524	1570	
	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
13	6A – multi socket 5 pin	No.	240	240	247	
14	6/16A twin socket 3 pin (flushed)	"	332	332	342	
15	6/16A twin socket 3 pin (projected)	"	332	332	342	
16	25A 3 pin socket	"	401	401	413	
17	13A 3 pin socket	"	270	270	278	
18	RJ 11 telephone jack	"	159	159	164	
19	RJ 45 cat.6e computer socket	"	557	557	574	
20	TV socket	"	161	161	166	
	<b>HOSPITALITY RANGE</b>					
21	250V/110V shaver socket	No.	4355	4355	4486	
22	Indicator (DO NOT DISTUURB)	"	180	180	185	
23	LED yellow night lamp	"	560	560	577	
24	LED Blue night lamp	"	560	560	577	
	<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>					
	(White)					
25	1 module front plate	No.	72	72	74	
26	2 module front plate	"	77	77	79	
27	3 module front plate	"	84	84	87	
28	4 module front plate	"	89	89	92	
29	6 module front plate	"	162	162	167	
30	8 module front plate(4+4)	"	217	217	224	
31	8 module front plate (Horizontal)	"	174	174	179	
32	12 module front plate	"	260	260	268	
33	18 module front plate	"	350	350	361	
2.2	<b>Modular Type Switch Socket</b> KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
	<b>Seperate Module for Modular Switch &amp; Socket</b>					
1	1P – 6A/10A 1 way switch	No.	87	87	90	
3	1P – 16A/20A 1 way switch	"	144	144	148	
7	1P – 6A/10A 2 way switch	"	134	134	138	
8	1P – 16A/20A 2 way switch	"	175	175	180	
9	1P – 6A push button	"	134	134	138	
11	1 gang blanking module	"	41	41	42	
12	2 gang blanking module	"	78	78	80	
	<b>FAN REGULATOR / DIMMER</b>					
13	Step type fan regulator	No.	700	700	721	
14	60 – 500 W dimmer	"	597	597	615	
	<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>					
16	6A – multi socket 5 pin	No.	185	185	191	
17	6/16A twin socket 3 pin (flushed)	"	288	288	297	
18	6/16A twin socket 3 pin (projected)	"	288	288	297	
20	13A 3 pin socket	"	185	185	191	
21	RJ 11 telephone jack	"	144	144	148	
22	RJ 45 cat.6e computer socket	"	237	237	244	
23	TV socket	"	144	144	148	
40	1 module front plate	No.	113	113	116	
41	2 module front plate	"	113	113	116	

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
42	3 module front plate	"	148	148	152	
43	4 module front plate	"	165	165	170	
44	6 module front plate	"	227	227	234	
45	8 module front plate(4+4)	"	305	305	314	
46	8 module front plate (Horizontal)	"	313	313	322	
47	12 module front plate	"	363	363	374	
	18 module front plate	"	453	453	467	
	<b>Flush mounting galvanized Metal box for modular type switch &amp; socket</b>					
1	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	52	52	54	
2	2 module " " " =(78x78x45)mm	"	52	52	54	
3	3 gang " " " =(78x100x45)mm	"	56	56	58	
4	4 gang " " " =(78x140x50)mm	"	68	68	70	
5	5 gang " " " =(78x205x50)mm	"	134	134	138	
6	6 gang " " " =(78x205x50)mm	"	136	136	140	
7	8 module metal box (4+4) =(78x230x60)mm	"	181	181	186	
8	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	186	
9	12 module metal box =(135x120x60)mm	"	231	231	238	
10	TV socket metal box	"	52	52	54	
11	Telephone socket metal box	"	52	52	54	
	<b>METAL Junction BOX</b>					
1	4"x4"	गोटा	100	100	103	
2	4"x6"	"	150	150	155	
3	6"x8"	"	237	237	244	
4	8"x10"	"	349	349	359	
5	8"x12"	"	349	349	359	
		"	34	34	35	
	<b>PVC Junction Box</b>					
1	4"x4"	गोटा				
2	4"x6"	"	31	31	32	
3	6"x8"	"	46	46	47	
4	8"x10"	"	67	67	69	
5	8" x12"	"	129	129	133	
	Junction box cover	"	144	144	148	
	<b>PVC Listy Double Lock { 6'length=1 no.(गोटा)}</b>					
1	1/2" breadth	गोटा	31	31	32	
2	3/4"	"	46	46	47	
3	1"	"	67	67	69	
4	1 1/2"	"	129	129	133	
5	2"	"	144	144	148	
	<b>PVC Conduit Pipe</b>					
1	1) 1/2" diameter	र.मी	31	31	32	
2	2) 3/4"	"	46	46	47	
3	3) 1"	"	67	67	69	
	<b>Listy Pipe Accessories</b>					
1	1/2"-2" size Saddle	र.मी	8	8	8	
2	Grips (Denmark)	गोटा	6	6	6	
3	Steel screws	गोटा	2	2	2	
4	PVC Tape	गोटा	15	15	15	
	<b>Distribution board (DB)</b>					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
1	4 way SPN DB Double Cover	सेट	1082	1082	1114	

Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
				आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	2	6 way SPN DB " "	"	1135	1135	1169	
	3	8 way SPN DB " "	"	1416	1416	1458	
	4	12 way SPN DB " "	"	1679	1679	1729	
	5	16 way SPN DB " "	"	1795	1795	1849	
	6	3-4 way TPN DB Double Cover	"	2668	2668	2748	
	7	6 way TPN " " "	"	2998	2998	3088	
	8	8 way TPN " " " Vertical	"	5799	5799	5973	
	9	12 way TPN " " " Vertical	"	7727	7727	7959	
	10	50 Pair Telephone D.B.with crown tag	"	5446	5446	5609	
9		<b>PVC Box for MCB</b>					
	1	1-pole PVC box GPS	सेट	81	81	83	
	2	2-pole PVC " "	"	81	81	83	
	3	3 and 4-pole PVC " "	"	130	130	134	
10	10.1	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	1	6-32 amp MCB SP (single pole)	गोटा	206	206	212	
	2	6-32 amp MCB DP (Double pole)	"	1030	1030	1061	
	3	6-32 amp MCB TP (Triple pole)	"	1710	1710	1761	
	4	32 amp MCB TPN	"	2472	2472	2546	
	5	40-63 amp MCB DP	"	1648	1648	1697	
	6	40-63 amp MCB TP	"	2637	2637	2716	
	7	40-63 amp MCB TPN	"	3157	3157	3252	
10	10.2	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	1	0.5-5 amp MCB SP (single pole)	गोटा	258	258	266	
	2	6-32 amp MCB SP (single pole)	"	165	165	170	
	3	6-32 amp MCB DP (Double pole)	"	618	618	637	
	4	6-32 amp MCB TP (Triple pole)	"	1236	1236	1273	
	5	32 amp MCB TPN	"	1494	1494	1539	
	6	40-63 amp MCB DP	"	979	979	1008	
	7	40-63 amp MCB TP	"	1391	1391	1433	
	8	40-63 amp MCB TPN	"	1854	1854	1910	
12		<b>Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent</b>					
	1	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751	2834	
	2	63A 30mA DP RCCB	"	3278	3278	3376	
	3	63A 100mA DP RCCB	"	3014	3014	3104	
	4	63A 300mA DP RCCB	"	3064	3064	3156	
	5	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377	3478	
	6	63A 30mA Four Pole RCCB	"	3706	3706	3817	
	7	63A 100mA Four Pole RCCB	"	3706	3706	3817	
	8	63A 300mA Four Pole RCCB	"	3706	3706	3817	
n		<b>Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent</b>					
		16AMP- 63AMP TP MCCB 16KA		5,665	5,665	5835	
		80AMP TP MCCB 16KA		5,665	5,665	5835	
		100AMP TP MCCB 16KA		6,386	6,386	6578	
		125AMP TP MCCB 16KA		8,240	8,240	8487	
		160AMP TP MCCB 16KA		9,785	9,785	10079	
		16AMP- 63AMP TP MCCB 25KA		6,386	6,386	6578	
		80AMP TP MCCB 25KA		7,045	7,045	7256	
		100AMP TP MCCB 25KA		7,045	7,045	7256	
		125AMP TP MCCB 25KA		11,330	11,330	11670	

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	160AMP TP MCCB 25KA		13,390	13,390	13792	
	200AMP TP MCCB 25KA(Adjustable)		21,115	21,115	21748	
	200AMP TP MCCB 36KA(Adjustable)		23,175	23,175	23870	
	250AMP TP MCCB 36KA(Adjustable)		27,295	27,295	28114	
	400AMP TP MCCB 50KA(Adjustable)		35,535	35,535	36601	
	630AMP TP MCCB 50KA(Adjustable)		48,410	48,410	49862	
	800AMP TP MCCB 50KA(Adjustable)		63,963	63,963	65882	
14	<b>Manual Changeover Panel Type</b>					
	Make ABB,Siemens,Hager DELTON or Equivalent					
	63 Amp FP	"	11618	11618	11967	
	80 Amp FP	"	12854	12854	13240	
	100 Amp FP	"	18210	18210	18756	
	125 Amp FP	"	19199	19199	19775	
	160 Amp FP	"	25214	25214	25970	
	200 Amp FP	"	26038	26038	26819	
	250 Amp FP	"	27686	27686	28517	
	315 Amp FP	"	35020	35020	36071	
15	<b>Dome light Make Homedec, Decon, Fumagalli OR equivalent</b>					
	i 6" Milky type decorative dome light	सेट	180	180	185	
	ii 6 " Brass base decorative dome light	"	736	736	758	
	iii 8"Milky type decorative dome light	"	227	227	234	
	iv 8 " Brass base decorative dome light	"	876	876	902	
	v 8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1140	
	vi 6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	584	
	vii Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1249	
	viii <b>Wall bracket/spout light/mirror light bulk head</b> ordinary .Make Homedec,Decon,Fumagalli	"	232	232	239	
	ix Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	372	
	x Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	849	
	xi 1 x 11/13 watt CFL <b>DOWN LIGHT</b> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	997	
	xii 1 x 18 watt CFL <b>Down light</b> with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1559	
	xiii Dining lamp.	"	1700	1700	1751	
	xiv <b>Chandlers</b> 6-8 lamp Medium	"	15090	15090	15543	
	xv Chandlers 3-5 lamp Medium	"	10764	10764	11087	
	xvi Mirror Light Euro Light Wipro WRF21111	"	464	464	478	
	xvii Picture light Euro Light POO2	"	670	670	690	
	xviii Wall spot Light E27 60W Euro or eqv.	"	361	361	372	
	xix Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	849	
	<b>Post top Lanterns</b>					
	xx Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2652	
	xxi Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3183	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
xxii	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3580	
xxiii	8" Globe type Post top Lamp complete set	"	1416	1416	1458	
15. xxiv	10" Globe type Post top Lamp complete set	"	2704	2704	2785	
	<b>Roadway light luminaires</b> <b>Wipro, Philips , Legero or Equivalent</b>					
XXV	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2716	
XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complete set	"	3868	3868	3984	
XXVII	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	"	1545	1545	1591	
XXVII I	1000 watt halogen weather proof <b>flood light</b> with glass cover Complete set	"	3090	3090	3183	
XXIV	150 watt <b>HPSV</b> weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9548	
XXVI	250 watt <b>HPSV</b> weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11723	
xxvii	Single Piece deep drawn aluminum POT optics <b>road light luminaires</b> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5411	
xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2339	
xxix	1X125W HPSV <b>street light</b> fixture with acrylic diffuser	"	5119	5119	5273	
xxx	2X60/100W GLS <b>aviation light</b> fixture all complete set	"	5686	5686	5857	
	<b>CEILING FANS &amp; EXHAUST Fans,</b> BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPA CK C/G . Almonard or equivalent					
16 a	36" size ceiling Fan	गोटा	2163	2163	2228	
b	42" size " "	"	2266	2266	2334	
c	48" size " "	"	2318	2318	2388	
d	56" size " "	"	2575	2575	2652	
e	6" Exhaust Fan	"	1494	1494	1539	
f	9" Exhaust Fan	"	1803	1803	1857	
g	16" size wall fan	"	2833	2833	2918	
h	12" size exhaust fan	"	2575	2575	2652	
	<b>BELL INDICATOR</b>					
17 a	4 way bell indicator with plate	सेट	1255	1255	1293	
b	6 way " " " "	"	2049	2049	2110	
c	8 way " " " "	"	2851	2851	2937	
d	12 way " " " "	"	4395	4395	4527	
	<b>Materials For Earthing &amp; Lightening</b> <b>Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>					
18 a	Copper plate	के.जी	917	917	945	
b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1082	1114	
c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1082	1114	
d	Copper Strip (12 x 3)mm	के.जी	1082	1082	1114	
e	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2812	
f	8 SWG bare copper wire	र. मी	144	144	148	
g	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	260	
h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	637	
i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	202	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
k	Funnel with wire mesh	गोटा	361	361	372	
l	Charcoal	ब्याग	309	309	318	
m	Salt	के.जी	12	12	12	
19	<b>STEEL TUBELAR POLE / WOODEN POLE</b>					
	<b>Steel Tubular Poles with welded plate on top and bottom ( medium Gauge non Galvanized with folding System and accessories )</b>					
a	7 Mtr. ( Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057	12057	12419	
b	9 Mtr. ( Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12978	12978	13367	
c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom ( medium Gauge non Galvanized with welded joints )	No	12484	12484	12859	
d	7 mtr.length Wooden Pole	No	4996	4996	5146	
e	9 mtr.length Wooden Pole	No	6798	6798	7002	
20	<b>Modular ceiling Luminaries</b>					
	<b>Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated &amp; powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS, WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent</b>					
a	1x20 watt FTL (Patti fittings)	सेट	464	464	478	
b	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	798	
c	1x20 watt FTL (Mirrolta) WRF 20120	"	876	876	902	
d	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1051	
e	1x40 watt FTL box fittings WIF 14140	"	1159	1159	1194	
f	2x40 watt FTL box fittings WIF 14240	"	1751	1751	1804	
g	1x40 watt FTL Industrial channel WIF 36140	"	1782	1782	1835	
h	2x40 watt FTL Industrial channel WIF 36240	"	2287	2287	2356	
i	1x40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	1854	1854	1910	
j	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3183	
k	4x20 watt FTL, oplite WCF 93418	"	5410	5410	5572	
l	4x20 watt FTL <b>mirror optic</b> , surface/recessed mounting WCF93418	"	5410	5410	5572	
m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3661	
n	2x40 watt FTL <b>mirror optic</b> . surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4456	
o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set WVF20414	सेट	9383	9383	9664	

१० १

१० १

१० १

१० १

१० १

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8492	
20	<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .</b>					
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP32218	"	2678	2678	2758	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	1833	1833	1888	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	2266	2266	2334	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set WVP24236	सेट	6067	6067	6249	
u	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	6824	6824	7029	
v	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		10815	10815	11139	
w	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		14060	14060	14482	
x	Recess Surface mounted LED luminate CRCO10R038HP57		13339	13339	13739	
y	High efficiency circular LED Down Lighter LD71		3245	3245	3342	
z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		14600	14600	15038	
a	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		1082	1082	1114	
b	Circular LED wall/Dome Light suitable for true ceiling LW01		3245	3245	3342	
c	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		3245	3245	3342	
d	Recess mounted indirect and direct luminaires WVP 64236		6129	6129	6313	
e	2x36 Watt CFL Surface Mirror Optic WVP44236		6129	6129	6313	
20.1	<b>Down Light Fiam Make</b>					
1.1	FDL004 SMD7W-WWH Taiwan chip (120*90)		1298	1298	1337	
1.2	FDL004 SMD7W-CW Taiwan chip		1298	1298	1337	
1.3	FDL004 SMD9W-WWH Taiwan chip (145*90)		1857	1857	1913	
1.4	FDL004 SMD9W-CW Taiwan chip		1857	1857	1913	
1.5	FDL004 SMD15W-WWH Taiwan chip (175*90)		2828	2828	2913	
1.6	FDL004 SMD15W-CW Taiwan chip		2828	2828	2913	
1.7	FDL004 SMD30W-WWH Taiwan chip (200MM)		5091	5091	5244	
1.8	FDL004 SMD30W-CW Taiwan chip		5091	5091	5244	
1.9	FDLO12 COB5W-WWH (90MM)		1301	1301	1340	
2	FDLO12 COB5W-CW		1301	1301	1340	
2.1	FDLO12 COB10W-WWH (120MM)		1979	1979	2038	
2.2	FDLO12 COB10W-CW		1979	1979	2038	
2.3	FDLO12 COB15W-WWH Taiwan chip (140MM)		5091	5091	5244	
2.4	FDLO12 COB15W-CW Taiwan chip		5091	5091	5244	
2.5	FDLO12 COB25W-WWH Taiwan chip (175MM)		6787	6787	6991	
2.6	FDLO12 COB25W-CW Taiwan chip		6787	6787	6991	
2.7	FDLO12 COB30W-WWH Taiwan chip (200MM)		8483	8483	8737	
2.8	FDLO12 COB30W-CW Taiwan chip		8483	8483	8737	
2.9	FDLO07 SMD12W-WWH Taiwan chip (130*110)		4184	4184	4310	
3	FDLO07 SMD12W-CW Taiwan chip		4184	4184	4310	
3.1	FDLO07 SMD18W-WWH Taiwan chip (165*145)		6108	6108	6291	
3.2	FDLO07 SMD18W-CW Taiwan chip		6108	6108	6291	
3.3	FDLO07 SMD24W-WWH Taiwan chip (195*175)		7635	7635	7864	
3.4	FDLO07 SMD24W-CW Taiwan chip		7635	7635	7864	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
				आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	3.5	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)		3167	3167	3262	
	3.6	FDLOO1 HP5W FBK-CW Taiwan chip		3167	3167	3262	
	3.7	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)		3167	3167	3262	
	3.8	FDLOO1 HP5W FWH-CW Taiwan chip		1301	1301	1340	
	3.9	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)		1301	1301	1340	
	4	FDLLOO5 SMD7W-CW Taiwan chip		1696	1696	1747	
	4.1	FDLOO5 SMD12W-WWH Taiwan chip (165MM)		1696	1696	1747	
	4.2	FDLOO5 SMD12W-CW Taiwan chip		3111	3111	3204	
	4.3	FDLOO5 SMD20W-WWH Taiwan chip (200MM)		3111	3111	3204	
	4.4	FDLOO5 SMD20W-CW Taiwan chip		6787	6787	6991	
	4.5	FM3161 HP 18W-WWH Cree Led		6787	6787	6991	
	4.6	FM3161 HP 18W-CW Cree Led		2094	2094	2157	
	4.7	HD-5010-13-WWH Osram chip (86*75)		2094	2094	2157	
	4.8	HD-5010-13-CW Osram chip		3167	3167	3262	
	4.9	HD-5010-14-WWH Osram chip (115*105)		3167	3167	3262	
	5	HD-5010-14-CW Osram chip		3959	3959	4078	
	5.1	HD-5010-14-WWH Osram chip (140*125)		3959	3959	4078	
	5.2	HD-5010-14-CW Osram chip		7860	7860	8096	
	5.3	HD-5010-18-WWH Osram chip (215*200)		7860	7860	8096	
	5.4	HD-5010-18-CW Osram chip		2451	2451	2525	
	5.5	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		2451	2451	2525	
	5.6	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		1803	1803	1857	
	5.7	LUCIA WHITE OPAL		1803	1803	1857	
	5.8	LUCIA BLACK OPAL		1803	1803	1857	
	5.9	LUCIA-GD WHITE OPAL		1803	1803	1857	
	6	LUCIA-GD BLACK OPAL		2163	2163	2228	
	6.1	REMI/LUCIA WHITE OPAL		2163	2163	2228	
	6.2	REMI/LUCIA BLACK OPAL		2163	2163	2228	
	6.3	REMI/LUCIA-EL WHITE OPAL		2163	2163	2228	
	6.4	REMI/LUCIA-EL BLACK OPAL		2163	2163	2228	
	6.5	REMI/LUCIA-GD WHITE OPAL		2163	2163	2228	
	6.6	REMI/LUCIA-GD BLACK OPAL		1803	1803	1857	
	6.7	MADDI BULKHEAD WHITE OPAL		1803	1803	1857	
	6.8	MADDI BULKHEAD BLACK OPAL		2524	2524	2600	
	6.9	MADDI-VE BULKHEAD WHITE OPAL		1803	1803	1857	
	7	MADDI-VE BULKHEAD BLACK OPAL		1803	1803	1857	
	7.1	MADDI-HL BULKHEAD WHITE OPAL		1803	1803	1857	
	7.2	MADDI-HL BULKHEAD BLACK OPAL		2163	2163	2228	
	7.3	REMI/MADDI WHITE OPAL		2163	2163	2228	
	7.4	REMI/MADDI BLACK OPAL		2163	2163	2228	
	7.5	REMI/MADDI-VE WHITE OPAL		2163	2163	2228	
	7.6	REMI/MADDI-VE BLACK OPAL		2163	2163	2228	
	7.7	REMI/MADDI-HL WHITE OPAL		2163	2163	2228	
	7.8	REMI/MADDI-HL BLACK OPAL		7210	7210	7426	
	7.9	GABRI/MADDI 1L BLACK OPAL		6489	6489	6684	
	8	MINIGABRI/MADDI 1L BLACK OPAL		6489	6489	6684	
	8.1	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		2884	2884	2971	
	8.2	GELMI WHITE OPAL E27		2884	2884	2971	
	8.3	GELMI BLACK OPAL E27		2884	2884	2971	
	8.4	GELMI-EL WHITE OPAL E27		2884	2884	2971	
	8.5	GELMI-EL BLACK OPAL E27		2884	2884	2971	
	8.6	DANZI WHITE OPAL E27		2884	2884	2971	
	8.7	DANZI BLACK OPAL E27		3245	3245	3342	
	8.8	STUCCHI WHITE OPAL E27		3245	3245	3342	
	8.9	STUCCHI BLACK OPAL E27		3245	3245	3342	
	9	CECCHI WHITE OPAL E27		3245	3245	3342	
	9.1	CECCHI BLACK OPAL E27		3605	3605	3713	
	9.2	BISSO ANNA BLACK WITH OPAL DIFFUSER		3605	3605	3713	

10 19

10/19/77

10/19/77

10/19/77

10/19/77

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक (र.)			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
9.3	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		3605	3605	3713	
9.4	IESSE LANTERN BLACK W/OPAL DIFFUSER		3245	3245	3342	
9.5	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		7210	7210	7426	
20.2	<b>System Sensor Product (Honeywell)</b>					
1	Photo Electric Smoke Detector		1875	1875	1931	
2	Rate of Rise Heat Detector		1875	1875	1931	
3	Fixed temperature Detector		2287	2287	2356	
4	Base		371	371	382	
5	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		1483	1483	1527	
6	Wall mount Horn+Strobe		4120	4120	4244	
7	Ceiling mount Horn+Strobe		4120	4120	4244	
20.3	<b>Exit Light Samcon make</b>					
1	MODEL SLM 18		12360	12360	12731	
2	MODEL ELS 28		12360	12360	12731	
3	MODEL ETL 210H-4LA		12360	12360	12731	
21	<b>LUMINARIES Accessories</b> PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)					
a	500 watt halogen rod	गोटा	232	232	239	
b	1000 watt halogen rod	"	278	278	286	
c	70Watt SON Lamp (Sodium Vapour)	"	834	834	859	
d	150 watt sodium vapour bulb	"	1298	1298	1337	
e	250 watt sodium vapour bulb	"	1700	1700	1751	
f	20-40 watt FTL rod	"	80	80	82	
g	20-40 watt FTL Copper chowk.	"	258	258	266	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	412	424	
i	Acrylye cover for 4x20 FTL	"	989	989	1019	
j	FTL starter	"	19	19	20	
21 k	8 W to 11W, C.F.L. Direct fit	"	232	232	239	
l	13 to 22W, C.F.L. Direct fit	"	299	299	308	
m	15-100 watt bulb. ( ISI )	गोटा	26	26	27	
n	PL-S 9W/86 (CFL)	"	165	165	170	
o	PL-S 11W/86 (CFL)	"	175	175	180	
p	PL-L 36W/86 (CFL)	"	417	417	430	
q	125W HPL-N (Mercury Vapour)	"	371	371	382	
r	250W HPL-N	"	876	876	902	
	<b>Solar LED bulb</b>					
s	12V/2W LED bulb	"	361	361	372	
t	12V/3W LED bulb	"	412	412	424	
u	12V/4W LED bulb	"	464	464	478	
	<b>COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked</b>					
1	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	948	948	976	
2	3/22 " " " "	"	1133	1133	1167	
3	3/20 " " " "	"	1803	1803	1857	
4	7/22 " " " "	"	2524	2524	2600	
22	5 7/20 " " " "	"	4120	4120	4244	
6	7/18 " " " "	"	6489	6489	6684	
7	7/16 " " " "	"	13390	13390	13792	
8	19/18 " " " "	"	18025	18025	18566	
9	19/16 " " " "	"	36050	36050	37132	
10	2 1/20 " " " "	"	1370	1370	1411	
11	2 1/22 " " " "	"	927	927	955	

9/7

9/7

9/7


9/7

9/7

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक (र.)			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>					
1	1.0 mm PVC insulated Copper wire	क्वायल	1030	1030	1061	
2	1.5 mm PVC insulated Copper wire	"	1648	1648	1697	
3	2.5 mm PVC insulated Copper wire	"	2421	2421	2494	
4	4.0 mm PVC insulated Copper wire	"	3914	3914	4031	
5	6.0 mm PVC insulated Copper wire	"	6180	6180	6365	
6	10.0mm PVC insulated Copper wire	"	10300	10300	10609	
<b>23</b>	<b>Concentric cable NS marked Eqv.</b>					
1	4mm size concentric cable	र मी	23	23	24	
2	6mm size " "	र मी	26	26	27	
3	10mm size concentric cable	र मी	39	39	40	
4	16mm size " "	र मी	67	67	69	
5	25mm size " "	र मी	89	89	92	
6	RG6 Coaxial cable	र मी	23	23	24	
7	RG59 Coaxial cable	र मी	26	26	27	
8	UTP cat -5 networking cable	र मी	26	26	27	
<b>24</b>	<b>Telephone Drop wire/pair cable NS marked Eqv.</b>					
1	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	989	989	1019	
2	<sup>2</sup> / <sub>22</sub> " "	क्वायल	670	670	690	
3	2- pair cable wire (2×2×0.45) mm Heavy	र मी	14	14	14	
4	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	21	
5	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	33	
6	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	64	
7	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	94	
8	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	123	
9	1mm drop wire	"	10	10	10	
10	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	7648	7648	7877	
11	2-6 Line EPABX	"	18411	18411	18963	
12	3-8 Line EPABX	"	20538	20538	21154	
13	4-12 Line EPABX	"	36823	36823	37928	
14	6-16 Line EPABX	"	49569	49569	51056	
15	8-24 Line EPABX	"	84975	84975	87524	
16	8-48 Line EPABX	"	90923	90923	93651	
17	8-72 Line EPABX	"	97288	97288	100207	
	<b>Other Accessories</b>					
1	6" size Dome light glass	गोटा	65	65	67	
2	8" size " " "	"	76	76	78	
3	wall bracket glass	"	65	65	67	
4	Fan regulator	"	271	271	279	
	<b>Panel board double door type with locking arrangement with 2 coat of red oxide metal prime &amp; 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB &amp; measuring instrument are not included here .) Ankur metal or Equivalent</b>					
a	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	22056	
b	60/75/100 AMP "12×36"×48" size	"	25493	25493	26258	
c	60/75/100 AMP 9"×48"×60" size	"	35690	35690	36761	
d	60/75/100 AMP 12"×49"×60" size	"	42488	42488	43763	
e	150/200 AMP 9"×38"×52" size	"	23793	23793	24507	
f	150/200 AMP 12"×38"×52" size	"	23793	23793	24507	

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
g	150/200 AMP 9"×42"×56 "size	"	26496	26496	27291	
h	150/200 AMP 12"×42"×56" size	"	28179	28179	29024	
i	250/300AMP 12"×48"×60"size	"	34505	34505	35540	
j	250/300AMP 12"×52"×62" size	"	38626	38626	39785	
k	400 AMP 12"×52"×66" size	"	41118	41118	42352	
<b>29</b>	<b>Panel Board measurement instrument</b>					
a	0-500 volt meter	पिस	1023	1023	1054	
b	60/100 Amp meter .	"	979	979	1008	
c	Panel Indicator	"	237	237	244	
d	2 Amp glass fuse with holder 12 mm size	"	134	134	138	
e	AMP meter selector switch	"	649	649	668	
f	volt meter selector switch	"	711	711	732	
g	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1475	
h	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1835	
i	250-300 AMP " "	"	2421	2421	2494	
j	400/500/600AMP " "	"	3554	3554	3661	
k	Kilo watt hour <b>energy meter</b> single phase	पिस	2271	2271	2339	
l	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10535	



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
30	<b>Trailing Protected Industrial Plug IP44</b>					
	a 16A 3P+E 400V Industrial plug	सेट	541	541	557	
	b 32 A 3p +N+E " Plug	सेट	803	803	827	
	c 32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1591	
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	21218	
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	14322	
33	<b>CABLE SHOE</b>					
	a 16 sq.mm cable shoe	गोटा	64	64	66	
	b 25 sq.mm " "	"	83	83	85	
	c 35 sq.mm " "	"	64	64	66	
	d 50 sq.mm " "	"	75	75	77	
	e 70 sq.mm " "	"	92	92	95	
	f 95 sq.mm " "	"	143	143	147	
	g 150 sq.mm " "	"	215	215	221	
	h 195 sq.mm " "	"	305	305	314	
	i 250 sq.mm " "	"	485	485	500	
34	<b>Copper Conductor Armoured Power Cables NS marked or eqv.</b>					
	<b>a) 2 Core</b>					
	1 1.5 mm2	र मी	103	103	106	
	2 2.5 mm2	"	139	139	143	
	3 4.0 mm2	"	191	191	197	
	4 6.0 mm2	"	247	247	254	
	5 10.0 mm2	"	371	371	382	
	6 16.0 mm2	"	494	494	509	
	7 25.0 mm2	"	721	721	743	
	8 35.0 mm2	"	958	958	987	
	9 50.0 mm2	"	1339	1339	1379	
	<b>b) 3 Core</b>					
	1 1.5 mm2	"	129	129	133	
	2 2.5 mm2	"	180	180	185	
	3 4.0 mm2	"	258	258	266	
	4 6.0 mm2	"	330	330	340	
	5 10.0 mm2	"	494	494	509	
	6 16.0 mm2	"	690	690	711	
	7 25.0 mm2	"	1051	1051	1083	
	8 35.0 mm2	"	1391	1391	1433	
	9 50.0 mm2 Copper Conductor Armoured	"	1906	1906	1963	
	10 70.0 mm2	"	2678	2678	2758	
	11 95.0 mm2	"	3605	3605	3713	
	12 120.0 mm2	"	4532	4532	4668	
	13 150.0 mm2	"	5562	5562	5729	
34	<b>c) 3.5 Core</b>					
	1 25.0 mm2	र मी	1257	1257	1295	
	2 35.0 mm2	"	1597	1597	1645	
	3 50.0 mm2	"	2245	2245	2312	
	4 70.0 mm2	"	3090	3090	3183	
	5 95.0 mm2	"	4120	4120	4244	
	6 120.0 mm2	"	5408	5408	5570	
	7 150.0 mm2	"	6386	6386	6578	
	8 185.0 mm2	"	7931	7931	8169	

10/7

10/7/77

10/7/77



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
10	70 sq.mm	"	2575	2575	2652	
11	95 sq.mm	"	3502	3502	3607	
12	120 sq.mm	"	4429	4429	4562	
13	150 sq.mm	र.मी	5459	5459	5623	
	<b>d) 3.5 core</b>					
1	25 sq.mm	र.मी	1205	1205	1241	
2	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1591	
3	50 sq.mm	"	2163	2163	2228	
4	70 sq.mm	"	3013	3013	3103	
5	95 sq.mm	"	4069	4069	4191	
6	120 sq.mm	"	5356	5356	5517	
7	150 sq.mm	"	6335	6335	6525	
	<b>e) 4-core Copper Conductor Unarmoured</b>					
1	1.5 sq.mm	र.मी	113	113	116	
2	2.5 sq.mm	"	170	170	175	
3	4 sq.mm	"	252	252	260	
4	6 sq.mm	"	350	350	361	
5	10 sq.mm	"	556	556	573	
6	16 sq.mm	"	845	845	870	
7	25 sq.mm	"	1318	1318	1358	
8	35 sq.mm	"	1772	1772	1825	
9	50 sq.mm	"	2472	2472	2546	
10	70 sq.mm	"	3451	3451	3555	
11	95 sq.mm	"	4687	4687	4828	
12	120 sq.mm	"	5923	5923	6101	
13	150 sq.mm	"	7365	7365	7586	
14	185 sq.mm	"	9064	9064	9336	
15	240 Sq. mm	"	12257	12257	12625	
16	300 Sq. mm	"	14832	14832	15277	
17	400 Sq. mm	"	20085	20085	20688	
	<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>					
	<b>a) 2-core</b>					
1	1.5 sq.mm	र.मी	-	-	#VALUE!	
2	2.5 sq.mm	र.मी	93	93	96	
3	4 sq.mm	"	118	118	122	
4	6 sq.mm	"	134	134	138	
5	10 sq.mm	"	160	160	165	
6	16 sq.mm	"	180	180	185	
7	25 sq.mm	"	216	216	222	
8	35 sq.mm	"	247	247	254	
9	50 sq.mm	"	319	319	329	
10	70 sq.mm	"	397	397	409	
11	95 sq.mm	"	505	505	520	
	<b>b) 3-core</b>					
1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	111	
2	4 sq.mm	"	134	134	138	
3	6 sq.mm	"	149	149	153	
4	10 sq.mm	"	180	180	185	
5	16 sq.mm	"	206	206	212	
6	25 sq.mm Aluminum conductor Armoured	"	278	278	286	
7	35 sq.mm	"	335	335	345	
8	50 sq.mm	"	427	427	440	
9	70 sq.mm	"	541	541	557	
10	95 sq.mm	"	494	494	509	
11	120 sq.mm	"	834	834	859	

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
				आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	12	150 sq.mm	"	1004	1004	1034	
	13	185 sq.mm	"	1236	1236	1273	
	14	240 sq.mm	"	1514	1514	1559	
	15	300 sq.mm	"	1854	1854	1910	
	16	400 sq.mm	"	2318	2318	2388	
		<b>c) 3.5 core</b>					
	1	25 sq.mm.	र.मी	319	319	329	
	2	35 sq.mm	"	371	371	382	
	3	50 sq.mm	"	489	489	504	
	4	70 sq.mm	"	628	628	647	
	5	95 sq.mm	"	803	803	827	
	6	120 sq.mm Aluminum conductor Armoured	"	979	979	1008	
	7	150 sq.mm	र.मी	1174	1174	1209	
	8	185 sq.mm	"	1421	1421	1464	
	9	240 sq.mm	"	1772	1772	1825	
	10	300 sq.mm	"	2215	2215	2281	
36	11	400 sq.mm	"	2781	2781	2864	
		<b>d) 4-core</b>					
	1	2.5 sq.mm	र.मी	124	124	128	
	2	4 sq.mm	"	155	155	160	
	3	6 sq.mm	"	180	180	185	
	4	10 sq.mm	"	196	196	202	
	5	16 sq.mm	"	252	252	260	
	6	25 sq.mm	"	340	340	350	
	7	35 sq.mm	"	402	402	414	
	8	50 sq.mm	"	548	548	564	
	9	70 sq.mm	"	700	700	721	
	10	95 sq.mm	"	901	901	928	
	11	120 sq.mm	"	1082	1082	1114	
	12	150 sq.mm	"	1370	1370	1411	
	13	185 sq.mm	"	1627	1627	1676	
	14	240sq.mm	"	2039	2039	2100	
	15	300 sq.mm Aluminum conductor Armoured	"	2524	2524	2600	
	16	400sq.mm	"	3193	3193	3289	
37		<b>Aluminium conductor unarmoured (power) cable NS marked or eqv.</b>					
		<b>a) 1-core</b>					
	1	16 sq.mm	र.मी	52	52	54	
	2	25 sq.mm	"	72	72	74	
	3	35 sq.mm	"	88	88	91	
	4	50 sq.mm	"	113	113	116	
	5	70 sq.mm	"	144	144	148	
	6	95 sq.mm	"	196	196	202	
	7	120 sq.mm	"	237	237	244	
	8	150 sq.mm	"	391	391	403	
	9	185 sq.mm	"	361	361	372	
	10	240 sq.mm	"	443	443	456	
	11	300 sq.mm	"	536	536	552	
		<b>b) 2-core Aluminium conductor unarmoured</b>					
	1	2.5 sq.mm	र.मी	52	52	54	
	2	4 sq.mm	"	62	62	64	
	3	6 sq.mm	र.मी	77	77	79	
	4	10 sq.mm	"	98	98	101	
	5	16 sq.mm	"	103	103	106	
	6	25 sq.mm	"	144	144	148	
	7	35 sq.mm	"	185	185	191	

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	8 50 sq.mm	"	237	237	244	
	9 70 sq.mm	"	299	299	308	
	10 95 sq.mm 2 core	"	402	402	414	
	<b>c) 3-core</b>					
	1 2.5 sq.mm	र.मी	62	62	64	
	2 4 sq.mm	"	72	72	74	
	3 6 sq.mm	"	88	88	91	
	4 10 sq.mm	"	124	124	128	
	5 16 sq.mm	"	144	144	148	
	6 25 sq.mm	"	206	206	212	
	7 35 sq.mm	"	258	258	266	
	8 50 sq.mm	"	340	340	350	
	9 70 sq.mm	"	453	453	467	
	10 95 sq.mm	"	597	597	615	
37	11 120 sq.mm	"	742	742	764	
	12 150 sq.mm	"	886	886	913	
	13 185 sq.mm	"	1112	1112	1145	
	14 240 sq.mm	"	1380	1380	1421	
	15 300 sq.mm Aluminium conductor unarmoured	"	1751	1751	1804	
	<b>d) 3.5-core</b>					
	1 25 sq.mm	र.मी	258	258	266	
	2 35 sq.mm	"	309	309	318	
	3 50 sq.mm	"	412	412	424	
	4 70 sq.mm	"	567	567	584	
	5 95 sq.mm	"	742	742	764	
	6 120 sq.mm	"	927	927	955	
	7 150 sq.mm	"	1112	1112	1145	
	8 185 sq.mm	"	1391	1391	1433	
	9 240 sq.mm	"	1751	1751	1804	
	10 300 sq.mm	"	2163	2163	2228	
	<b>e) 4-core core aluminium unarmoured</b>					
	1 2.5 sq.mm	र.मी	72	72	74	
	2 4 sq.mm	"	82	82	84	
	3 6 sq.mm	"	98	98	101	
	4 10 sq.mm	"	134	134	138	
	5 16 sq.mm	र.मी	196	196	202	
	6 25 sq.mm	"	288	288	297	
	7 35 sq.mm	"	350	350	361	
	8 50 sq.mm	"	484	484	499	
	9 70 sq.mm 4	"	639	639	658	
	10 95 sq.mm	"	845	845	870	
	11 120 sq.mm	"	1030	1030	1061	
	12 150 sq.mm	"	1288	1288	1327	
	13 185 sq.mm	"	1597	1597	1645	
	14 240 sq.mm	"	2009	2009	2069	
	15 300 sq.mm	"	2472	2472	2546	
38	<b>Security Gate System</b>					
a	Metal Detector (ब्लाक स्क्रीपियन कम्पनी)	गोटा	16995	16995	17505	
39	<b>Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv</b>					
i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	#VALUE!	
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	#VALUE!	
	<b>Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company</b>					
i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	#VALUE!	

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
41	ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	#VALUE!
	iii	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	#VALUE!
	iv	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	#VALUE!
		<b>Air Conditioning system, whirlpool or Eqv Company</b>				
	v	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	#VALUE!
	vi	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	#VALUE!
	vii	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	#VALUE!
	viii	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	#VALUE!
42	<b>General Lightig ANCHOR, C/G, Eqv.</b>					
i	1 x 40 W FTL Patti fitting	सेट	252	252	260	
ii	1 x 20 W FTL Patti fitting	सेट	232	232	239	
iii	1 x 40 W FTL Box Fitting	सेट	427	427	440	
iv	1 x 20 W FTL Box fitting	सेट	417	417	430	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355	366	
43	<b>GEWISS /BEC PVC Conduit product of Italy</b>					
	<b>RK Range</b>					
	1	16 mm medium rigid conduit DX 25 316	Mtr.	88	88	91
	2	20 mm medium rigid conduit DX 25 320	"	124	124	128
	3	25 mm medium rigid conduit DX 25 325	"	175	175	180
	4	32 mm medium rigid conduit DX 25 332	"	252	252	260
	5	40 mm medium rigid conduit DX 25 340	"	345	345	355
	6	50 mm medium rigid conduit DX 25 350	"	530	530	546
	7	63 mm medium rigid conduit DX 25 363	"	999	999	1029
	8	16 mm heavy rigid conduit DX 25 716	"	165	165	170
	9	20 mm heavy rigid conduit DX 25 720	"	216	216	222
	10	25 mm heavy rigid conduit DX 25 725	"	288	288	297
	11	32 mm heavy rigid conduit DX 25 732	"	433	433	446
	12	40 mm heavy rigid conduit DX 25 740	"	587	587	605
	13	50 mm heavy rigid conduit DX 25 750	"	793	793	817
	14	63 mm heavy rigid conduit DX 25 763	"	1488	1488	1533
	15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196	202
	16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247	254
	17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376	387
	18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	642
	19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	769
	20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	992
	21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1236
	22	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	32
	23	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	37
	24	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	42
	25	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	64
	26	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	101
	27	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	122
28	16 mm conduit coupler DX 40 016	"	36	36	37	
29	20 mm conduit coupler DX 40 020	"	46	46	47	

Handwritten signatures and initials at the bottom of the page.

सि.नं	सब सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक (र.)			कैफियत
				आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
44	30	25 mm conduit coupler DX 40 025	"	57	57	59	
	31	32 mm conduit coupler DX 40 032	"	103	103	106	
	32	40 mm conduit coupler DX 40 040	"	139	139	143	
	33	50 mm conduit coupler DX 40 050	"	242	242	249	
	34	63 mm conduit coupler DX 40 063	"	458	458	472	
	35	16 mm tight bend DX 40 116	"	57	57	59	
	36	20 mm tight bend DX 40 120	"	82	82	84	
	37	25 mm tight bend DX 40 125	"	129	129	133	
	38	32 mm tight bend DX 40 132	"	237	237	244	
	39	40 mm tight bend DX 40 140	"	335	335	345	
	40	50 mm tight bend DX 40 150	"	603	603	621	
	41	63 mm tight bend DX 40 163	"	2359	2359	2430	
	42	4 way junction box DX 45 004	"	670	670	690	
	43	7 way junction box DX 45 007	"	803	803	827	
	44	10 way junction box DX 45 010	"	1020	1020	1051	
	45	Closing cap for junction box DX 47 000	"	118	118	122	
	46	16 mm inspectionable T bend DX 40216	"	118	118	122	
	47	20 mm inspectionable T bend DX 40220	"	149	149	153	
	48	25 mm inspectionable T bend DX 40225	"	196	196	202	
	49	32 mm inspectionable T bend DX 40232	"	237	237	244	
	50	16 mm inspectionable bend DX 40 316	"	98	98	101	
	51	20 mm inspectionable bend DX 40 320	"	118	118	122	
	52	25 mm inspectionable bend DX 40 325	"	155	155	160	
	53	32 mm inspectionable bend DX 40 332	"	185	185	191	
45		<b>GEWISS/BEC Cable Tray with Cover and Accessories BRN Range</b>					
	1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	844	
	2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	1002	
	3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1209	
	4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1358	
	5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1540	1586	
	6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1710	1761	
	7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2137	2201	
	8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2513	2588	
	9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3090	3183	
	10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3281	3379	
	11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	984	1014	
	12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1179	1214	
	13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1298	1337	
	14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1468	1512	
	15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1663	1713	
	16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1859	1915	
	17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2276	2344	
	18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2657	2737	
46	19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3456	3560	

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3749	3861	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4584	4722	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1313	1352	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2122	2186	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2781	2864	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3852	3968	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4836	4981	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5449	5612	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1494	1539	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2271	2339	
30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	2884	2884	2971	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4151	4276	
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5016	5166	
47	<b>Intrusion Detection System Make Honeywell or equivalent</b>					
	<b>Main Controller</b>	सेट	38851	38851	40017	
	CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP					
	<b>Smoke &amp; Heat Detector</b>		10545	10545	10861	
	Wireless Smoke and Head Detector					
	<b>Door Contact</b>		2678	2678	2758	
	Wireless Door Contact with transmitter					
	<b>Motion Detector</b>		4178	4178	4303	
	Wireless Passive Infrared, Pet Immune Motion Detector					
	<b>Panic Switch</b>		4921	4921	5069	
Wireless Panic Transmitter						
<b>Key</b>	4780	4780	4923			
Wireless Key to Arm and Disarm the System						
<b>Window Contact</b>	2812	2812	2896			
Wired door Contact with transmitter slim						
<b>Earth Quake Detector( JDS Inc, USA)</b>	पियम	3601	3601	3709		
Quake Alarm						
48	<b>Automatic Motor Operator for water motor</b>					
	i Upto 1/2 HP single phase motor	सेट	4120	4120	4244	
	ii Upto 1 HP single phase motor	सेट	5665	5665	5835	
	iii Upto 5 HP three phase motor	सेट	9270	9270	9548	
49	<b>CCTV System</b>					
a	<b>Out door high speed Dome Integrated CAMERA</b> Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	i CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	58350	
	ii CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916	60683	
	b <b>Indoor high speed Dome Integrated CAMERA</b>					

28 7

28 7

28 7

28 7

28 7

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384	56016	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650	58350	
50 c	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450	15914	
d	7" Sphirical Shilded with bracket included chip excluded Camera		8364	8364	8615	
e	i) 8 Channel DVR MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990	35010	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985	52515	
f	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815	11139	
51	<b>Electrical Equipments</b>					
i	Earthing Materials (ISI or other International Standard)					
a	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829	2914	
c	Funneling Mechanism with cover (mild steel)	set	618	618	637	
d	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517	9803	
e	Copper wire (10 SWG)	Mtr.	155	155	160	
ii	Service wire (Al)					
a.	2.5 mm <sup>2</sup>	Mtr.	18	18	19	
b.	4.0 mm <sup>2</sup>	"	22	22	23	
c.	6.0 mm <sup>2</sup>	"	28	28	29	
iii	<b>Lightening Arrestor for 3 Phase .</b>					
a.	0.5 KV	Set	1236	1236	1273	
b.	11 KV	Set	4326	4326	4456	
c.	Cross Arms V Channel.	No	3090	3090	3183	
iv	<b>Stay set with accessories.</b>					
a.	GI wire	No	1182	1182	1217	
b.	GI Plate	"	1185	1185	1221	
c.	Gay Insulator.	"	56	56	58	
d.	Elbow	"	103	103	106	
e.	Elbow	No	445	445	458	
f.	Rod , Nut	"	49	49	50	
v	<b>Overhead Insulators (0.4KV)</b>					
a.	Sackle Insulator	No	31	31	32	
b.	D-Iron	"	93	93	96	
c.	Nut Bolt (3" with 8 mm Ø)	"	15	15	15	
d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23	24	
vi	<b>Overhead Insulators with fixing accessories (11KV)</b>					
a.	Pin Insulator	No	185	185	191	
b.	Disc Insulator	"	989	989	1019	
c.	Cross Arms V Channel.	"	2719	2719	2801	
vii	Sqarrel ACSR conductor 20mm <sup>2</sup>	Rm.	17	17	18	
viii	weasel ACSR conductor 30 mm <sup>2</sup>	"	25	25	26	
ix	Rabbit ACSR conductor 50 mm <sup>2</sup>	"	41	41	42	
x	Dog ACSR conductor 100 mm <sup>2</sup>	"	82	82	84	
xi	Supply of aluminium ABC cable					
	25mm square 4 core ABC cable	Rm.	155	155	160	
	50 mm square 4 core ABC cable	"	258	258	266	
	95 mm square 4 core ABC cable	"	505	505	520	

Handwritten signatures and initials at the bottom of the page, including a large signature on the right and several smaller ones on the left.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
xii	Alternator 3 Phase Brush less with compounded Excitation. (KEL)					
52 C	AMF with ATS pale for DG Ankur metal or Equivalent					
i	5KVA AMF with ATS pale	set	22660	22660	23340	
ii	7.5KVA AMF with ATS pale	"	28840	28840	29705	
iii	10KVA AMF with ATS pale	"	36050	36050	37132	
iv	15KVA AMF with ATS pale	"	46350	46350	47741	
v	20KVA AMF with ATS pale	"	66950	66950	68959	
vi	25KVA AMF with ATS pale	"	77250	77250	79568	
vii	30KVA AMF with ATS pale	"	92700	92700	95481	
53	MCB/ISOLATOR ORIENT or equivalent					
	B CURVE MCB SP 6A-32A	pole	239	239	246	
	B CURVE MCB SP 40A	pole	281	281	289	
	B CURVE MCB SP 50A-63A	pole	281	281	289	
	C CURVE MCB SP 0.5-4A	pole	281	281	289	
	C CURVE MCB SP 6-32A	pole	239	239	246	
	C CURVE MCB SP 40A	pole	446	446	459	
	C CURVE MCB SP 50-63A	pole	446	446	459	
	C CURVE MCB SPN 0.5-4A	pole	479	479	493	
	C CURVE MCB SPN 6-32A	pole	513	513	528	
	C CURVE MCB SPN 40A	pole	561	561	578	
	C CURVE MCB SPN 50-63A	pole	561	561	578	
	C CURVE MCB DP 0.5-4A	pole	617	617	636	
	C CURVE MCB DP 6-32A	pole	564	564	581	
	C CURVE MCB DP 40A	pole	617	617	636	
	C CURVE MCB DP 50-63A	pole	617	617	636	
	C CURVE MCB TP 0.5-4A	pole	925	925	953	
	C CURVE MCB TP 6-32A	pole	847	847	872	
	C CURVE MCB TP 40A	pole	925	925	953	
	C CURVE MCB TP 50-63A	pole	925	925	953	
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1242	
	C CURVE MCB TPN 6-32A	pole	1103	1103	1136	
	C CURVE MCB TPN 40A	pole	1206	1206	1242	
	C CURVE MCB TPN 50-63A	pole	1206	1206	1242	
	C CURVE MCB FP 0.5-4A	pole	1290	1290	1329	
	C CURVE MCB FP 6-32A	pole	1180	1180	1215	
	C CURVE MCB FP 40A	pole	1290	1290	1329	
	C CURVE MCB FP 50-63A	pole	1290	1290	1329	
	ISOLATOR DP 40A	pole	551	551	568	
	ISOLATOR DP 63A	pole	551	551	568	
	ISOLATOR DP 80-100A	pole	576	576	593	
	ISOLATOR DP 125A	pole	611	611	629	
	ISOLATOR FP 40A	pole	902	902	929	
	ISOLATOR FP 63A	pole	902	902	929	
	ISOLATOR FP 80-100A	pole	998	998	1028	
	ISOLATOR FP 125A	pole	998	998	1028	
	RCCB DP 25A 30mA	pole	3547	3547	3653	
	RCCB DP 40A 30mA	pole	3547	3547	3653	
	RCCB DP 63A 30mA	pole	3547	3547	3653	
	RCCB DP 25A 100mA	pole	3345	3345	3445	
	RCCB DP 40A 100mA	pole	3345	3345	3445	
	RCCB DP 63A 100mA	pole	3345	3345	3445	
	RCCB DP 25A 300mA	pole	3345	3345	3445	
	RCCB DP 40A 300mA	pole	3345	3345	3445	
	RCCB DP 63A 300mA	pole	3345	3345	3445	
	RCCB FP 25A 30mA	pole	4155	4155	4280	
	RCCB FP 40A 30mA	pole	4155	4155	4280	
	RCCB FP 63A 30mA	pole	4155	4155	4280	

al 7

तपस

26

सुभास

27/9

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक ( रु. )			कैफियत
			आ.व २०७५/७६	आ.व २०७६/७७	आ.व २०७७/०७८	
	RCCB FP 25A 100mA	pole	4004	4004	4124	
	RCCB FP 40A 100mA	pole	4004	4004	4124	
	RCCB FP 63A 100mA	pole	4004	4004	4124	
	RCCB FP 25A 300mA	pole	4004	4004	4124	
	RCCB FP 40A 300mA	pole	4004	4004	4124	
	RCCB FP 63A 300mA	pole	4004	4004	4124	