



आज मिति २०७८ साल असार २९ गते मंगलबारको दिन काठमाडौं जिल्लाका प्रमुख जिल्ला अधिकारी श्री काली प्रसाद पराजुलीज्यूको अध्यक्षतामा आ.व. ०७८/७९ को लागि जिल्ला दररेट अन्तर्गत निर्माण सामग्री ढुवानी तथा उपकरणको भाडा र श्रमिकहरूको ज्याला दर निर्धारण लगायत विषयमा सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ अनुसार जिल्ला दररेट निर्धारण समितिको बैठक देहायका सदस्यहरूको उपस्थितिमा वसी देहाय वमोजिम निर्णय गरियो ।

#### उपस्थिति

१	अध्यक्ष	श्री काली प्रसाद पराजुली	प्र.जि. अ.	जिल्ला प्रशासन कार्यालय, काठमाडौं
२	सदस्य	श्री पिताम्बर अधिकारी	जि.स.अ.	जिल्ला समन्वय समितिको कार्यालय, काठमाडौं
३	सदस्य	श्री गोकुल वास्तोला	प्र.को.नि.	कोष तथा लेखा नियन्त्रक समन्वय कार्यालय, काठमाडौं
४	सदस्य	श्री उद्धव भण्डारी		जिल्ला समन्वय समितिको कार्यालय, काठमाडौं
५	सदस्य	रोशन दाहाल	प्रतिनिधि	नेपाल निर्माण व्यवसायी महासंघ
६	सदस्य	केदार जोशी	प्रतिनिधि	उद्योग वाणिज्य महासंघ
७	सदस्य	सुजन थापा	नि.का.प्र.	पूर्वाधार विकास कार्यालय, ललितपुर

#### आमन्त्रित

प्र.जि.अ. श्री कल्पना घिमिरे नेपाल, जिल्ला प्रशासन कार्यालय, काठमाडौं

सि.डि.ई. श्री हरि प्रसाद शर्मा, राष्ट्रिय पुनर्निर्माण प्रधिकरण, काठमाडौं

प्र.अ. श्री मान बहादुर बुढा, जिल्ला प्रशासन कार्यालय, काठमाडौं

क.अ. श्री अनिषा कौशिक, जिल्ला प्रशासन कार्यालय, काठमाडौं



## तपसिल

**निर्णय नं. १ :** आ.व. ०७७/०७८ का लागि मिति ०७८/४/१ देखि काठमाडौं जिल्लाभर हुने गरि संलग्न प्रमाणित सूची अनुसारका विभिन्न निर्माण सामग्री मेशीन तथा उपकरणको भाडा र श्रमिकहरूको ज्याला दररेट स्वीकृत गर्ने निर्णय गरियो ।

**निर्णय नं. २ :** श्रमिकहरूको उपलब्धताको आधारमा (श्रमिकको न्यूनतम उमेर १६ वर्ष र दैनिक काम गर्ने अवधि ८ घण्टा) लाई आधार मानी गत आ.व. ०७७/०७८ मा कायम गरिएको ज्याला दरमा नेपाल राष्ट्रबैंकको ज्यालादर सूचाङ्कको मान तथा प्रचलित बजार दरलाई आधार मानेर ५% ले वृद्धि गरी आ.व. ०७८/०७९ को लागि संलग्न सूचीमा उल्लेख भए बमोजिम श्रमिकहरूको ज्याला दर निर्धारण गर्ने निर्णय गरियो ।

**निर्णय नं. ३ :** हालका गाउँपालिका र नगरपालिकाको केन्द्र/बजारबाट आयोजना स्थलसम्म दुरीको आधारमा हुन आउने ढुवानी खर्च सम्बन्धित निकायले दररेट विश्लेषण गर्दा ढुवानी भाडा थप गर्न सक्ने निर्णय गरियो ।

**निर्णय नं. ४ :** यसमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामग्रीहरूको हकमा सम्बन्धित विभागीय नर्म्स, नर्म्स उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको उत्पादक वा आधिकारीक विक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वयन गराउन सक्ने निर्णय गरियो ।

**निर्णय नं. ५ :** पुरातात्विक महत्वका विभिन्न निर्माण कार्यहरूमा विशेष प्रकारको दक्षता र सीप भएका श्रमिकहरूको प्रयोग हुने भएकोले ती श्रमिकहरूको दैनिक ज्याला दररेट पुरातत्व विभागबाट स्वीकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो ।

**निर्णय नं. ६ :** मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।

**निर्णय नं. ७ :** निर्माण कार्य गरिने आयोजनाहरूमा श्रमिक मजदुरहरूको व्यवसाय जन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नका साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बीमा लगायतका अन्य प्रावधान समेत सम्बन्धित ज्याला दर प्रयोग गर्ने निकायले अनिवार्य रूपमा कार्यान्वयन गर्ने निर्णय गरियो ।

**निर्णय नं. ८ :** निर्माण सामग्रीहरूका दररेट नेपाल सरकारका विभिन्न कार्यालय र संस्थान/ निकायबाट लेखि आए बमोजिम केही आइटमहरूमा दररेट बढाउने र केही आइटमहरूमा दररेट समेत घटाउने निर्णय गरियो । संशोधित दररेट अनुसूचीमा संलग्न छन ।

**निर्णय नं. ९ :** प्रस्तुत जिल्ला दररेट निर्धारण गर्दा दररेट बृद्धि भएका अनुसूचिमा संलग्न आइटमहरूमा नेपाल राष्ट्र बैंकबाट प्रकाशित मूल्य सूचाङ्क (Price Index) का आधारमा दररेट बृद्धि गरिएको साथै यस वर्ष नयाँ थप भएका विभिन्न आइटमहरू तथा केहि साविकका आइटमहरूमा नेपाल सरकारका सम्बन्धित कार्यालयहरू /सार्वजनिक निकायहरूबाट प्राप्त सिफारिस दररेटलाई आधार मानेर दररेट कायम गर्ने निर्णय गरियो ।




काठमाण्डौ जिल्लाको ज्याला दर तथा निर्माण सामाग्रीहरुको

स्वीकृत जिल्ला दररेट



आ.व. २०७८/०७९



जिल्ला दररेट निर्धारण समिति

काठमाण्डौ

२०७८ आषाढ २९

विषय सूची



क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआवजा निर्धारण	2
3	फलाम जन्य निर्माण सामग्री	4
4	सडक र पुल सम्बन्धि निर्माण सामग्री	7
5	स्थानीय निर्माण सामग्रीहरु	10
6	प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु	15
7	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	18
8	माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु	22
9	काठ तथा प्लाइवुड संवन्धि निर्माण सामग्री	28
10	Aluminum Doors and Windows	32
11	UPVC Profile for Door/Window	36
12	छाना छाउने निर्माण सामग्री	37
13	Partition Board and Ceiling	42
14	Prefab Panel for wall Partition	46
15	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	50
16	रंगरोगन तथा पुटिका सामानहरु	53
17	Water Proofing Chemicals & Treatment works	59
18	Water Proofing Membrane	64
19	Structural Strengthening & Seismic Retrofitting	65
20	Cement Concrete Block	67
21	Security System	75
22	Non Destructive test for Forensic Engineering	76
23	वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु	78
24	Geocell Technology	82
25	WPS/Fibre, Concrete Prefabricated Doors & Windows	85
26	Flooring & Ceiling	91
27	Slope Stabilization Structures	100



विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
28	Railway	105
29	पाईप तथा फिटिङ्गहरु	106
30	DI पाईप तथा फिटिङ्गहरु	117
31	PE Electro Fusion Fittings and Combination Accessories	131
32	High Pressure Valves & Fittings	135
33	Electrical Accessories-Distribution Box (DB) & Connector Box	138
34	पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु	139
35	यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु	146
36	पि.भि.सि. पाईप तथा फिटिङ्गहरु	149
37	पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु	155
38	सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु	158
39	GRP and HDPE/DWC Pipes	162
40	किचन र बाथरूममा प्रयोग हुने सामानहरु	169
41	CP Accessories	176
42	विभिन्न प्रकारका वाटर टैंक र पम्पहरु	179
43	साधारण हाते औजारहरु	182
44	मेनहोल कभरहरु	184
45	RCC Ring and Boring Work	187
46	Multilayer Composite Pipe	188
47	Rainwater Collection System	193
48	सिचाई संवन्धि कार्य	199
49	Plastic Dustbin, Compost-Bin, Planter & Road Divider	200
50	Sewage Treatment Plant	201
51	Fountain	202
52	Water Storage Tank	205
53	विद्युतिय सामग्रीहरु	208
54	Solar Power	283

Handwritten signatures and initials at the bottom of the page, including a large signature in the center and several smaller ones to the left and right.



श्रमिकको ज्याला दर

सि. नं.	कामदारहरुको विवरण	एकाई	प्रतिदिन रु.		
			आ. व. २०७६/०७७	आ. व. २०७७/०७८	आ. व. २०७८/७९
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	७५०.००	७५०.००	७९०.००
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	१०७०.००	१०७०.००	११२५.००
३	दक्ष (डकमी, सिकमी, नकमी, चित्रकार, बज्रकमी), प्लम्बर, ढुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट,	प्रति दिन	१०३०.००	१०३०.००	१०८०.००
४	अर्धदक्ष (डकमी, सिकमी, नकमी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक, आदी ।	प्रति दिन	८४५.००	८४५.००	८९०.००
५	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी ।	प्रति दिन	७५०.००	७५०.००	७९०.००
६	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, व्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, ब्रेन्डर सहायक, रत्न, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्यूनतम एस.एल.सी वा सो सरह), आदी ।	प्रति दिन	६९०.००	६९०.००	७२५.००
७	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोबी, वन हेरालु, चौकिदार, आदी ।	”	६३०.००	६३०.००	६६०.००
८	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२१.५०	२१.५०	२३.००
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच व्यायलर	प्रति दिन	७६५.००	७६५.००	८०५.००
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने) ।	प्रति दिन	७५०.००	७५०.००	७९०.००
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह ।	प्रति दिन	७८५.००	७८५.००	८२५.००
४	प्याच वर्कर (रात्री समयमा काम गर्ने) ।	प्रति दिन	१०७०.००	१०७०.००	११२५.००
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	११००.००	११००.००	११५५.००
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	७८५.००	७८५.००	८२५.००
७	बोलेरो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	५५००.००	५५००.००	५७७५.००
८	स्करपियो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	६६००.००	६६००.००	६९३०.००
	माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संवन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलब मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।				

Handwritten signatures and initials at the bottom of the page.



## घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआवजा निर्धारण

घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआवजा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको लागत मूल्य निर्धारण गर्दा घरको बनावट हेरी तपशिल बमोजिमका दरका आधारमा निर्धारण गर्ने ।

सि. नं.	घरको बनावट विवरण	इकाइ	आ.व. २०७६/०७७ को दर(रु)	आ.व. २०७७/०७८ को दर(रु)	आ.व. २०७८/०७९ को दर(रु)
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	१३७०.०	१३७०.०	१३७०.००
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	१७६०.०	१७६०.०	१७६०.००
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	१९६०.०	१९६०.०	१९६०.००
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	ब.फु.	२०६०.०	२०६०.०	२०६०.००
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	२०१०.०	२०१०.०	२०१०.००
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	२१८५.०	२१८५.०	२१८५.००
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि. ।	ब.फु.	२२७६.०	२२७६.०	२२७६.००
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	२२०५.०	२२०५.०	२२०५.००
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./आर.सि.सि. ।	ब.फु.	२२८५.०	२२८५.०	२२८५.००
१०	आर.सि.सि.फ्रेम स्टक्चर भवन ।	ब.फु.	२४१०.०	२४१०.०	२४१०.००
११	काठैकाठको भवन भई छाना जस्ता, भिँगटी, टायल, एसवेसटस् सिट ।	ब.फु.	२११०.०	२११०.०	२११०.००

### भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडानको आधारमा वर्गीकरण

- भवनको भित्र Wall Putty गरी इमल्सन पेन्टिङ गरेको ।
- भवनको बाहिर Weather Coat painting/wall cladding/Aluminium composite pannel भएको ।
- लिफ्ट तथा एक्सलेटर जडान भएको ।
- विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।
- प्यासेज, भर्याङ्गमा मार्बल/पार्केटिङ भएको ।
- शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ उच्चस्तरीय प्रयोग भएको ।
- अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।
- वेसमेण्टमा (Basement) पार्किङ सुविधा भएको ।
- Raft/Pile foundation भएको ।



उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ। यस अनुसार वर्गीकृत गरिएको

अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ।

आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ।


इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायर र वायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १० प्रतिशत र जग्गाको हकमा IRR ५ प्रतिशत कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायर र वायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६ प्रतिशत सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३ प्रतिशत कायम गर्ने निर्णय गरियो।

### मुख्य सडकहरू :

- १) मनोहरा पुल (जडीवुटी) देखि कोटेश्वर-सुविधानगर-वानेश्वर-माईतीघर-त्रिपुरेश्वर-कलंकी-थानकोट चेकपोष्ट-नागढुंगासम्मको सडक।
- २) माईतीघर-सिंहदरवार-पुतलीसडक-कमलपोखरी-जय नेपाल हल-नागपोखरी-नक्साल-भाटभटेनी-प्रहरी तालिम केन्द्रसम्मको सडक।
- ३) त्रिपुरेश्वर-सुन्धारा-न्यूरोडगेट-विशालवजार (इनद्रचोक)-न्यूरोड गेट-वीर अस्पताल-जमल-लैनचौर- लाजिम्पाट-टीचिङ्ग अस्पताल-महाराजगंज चोक-बूढानीलकण्ठसम्मको सडक।
- ४) चक्रपथ पुरै।
- ५) शंखमुल पुल -नयाँवानेश्वर-पुरानो वानेश्वर-गौशाला चोकसम्मको सडक।
- ६) सिनामंगल पुरानो वानेश्वर चोक-मैतीदेवी-डिल्लीवजार-वागवजार हुँदै रत्नपार्कसम्मको सडक।
- ७) गौशाला चोक - ज्ञानेश्वर - कमलपोखरी-एकेडेमी भवन-तीनधारा पाठशाला-महेन्द्र शालिकसम्मको सडक।
- ८) चावहिल चोक -बौद्ध - जोरपाटी साँखु वसपार्क सम्मको सडक।
- ९) लैनचौर - नयाँवजार- बालाजु चोक - बालाजु वार्डपास- काठमाडौं र नुवाकोटको सिमानासम्मको सडक।
- १०) कालिमाटी चोक-कुलेश्वर-बल्खुचोक-फर्पिङ्ग दक्षिणकालीको पार्किङ्गस्थलसम्मको सडक।






## कठमाडौं जन्थ निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	८६.००	८६.००	९२.००
	b) 10,12,16,20, mm dia	के.जी	८४.००	८४.००	९१.००
	c) 25 mm dia	के.जी	८५.००	८५.००	९२.००
	c) 28,32 mm dia	के.जी	८५.००	८५.००	९२.००
२	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	८२.००	८२.००	८८.००
	b) 10-25mm TOR steel	के.जी	७९.००	७९.००	८५.००
	c) 28-32mm TOR steel	के.जी	८२.००	८२.००	८८.००
३	TOR kari-4.75, 7 mm dia	के.जी	८६.००	८६.००	९२.००
४	डण्डी बाँध्नेतार	के.जी	९२.००	९२.००	९९.००
५	एम.एस.सोलिड स्वायर रड	के.जी	७०.००	७०.००	७५.००
६	विभिन्न साइजको एम.एस. एङ्गल	के.जी	८१.४२	८१.४२	८७.००
७	विभिन्न साइजको ब्याक पाईप	के.जी	८१.००	८१.००	८७.००
८	विभिन्न साइजको एम.एस. च्यानल	के.जी	८३.१९	८३.१९	८९.००
९	विभिन्न साइजको आइ.विम	के.जी	८२.३०	८२.३०	८८.००
१०	विभिन्न साइजको एम.एस. प्लेट	के.जी	१३९.१०	१३९.१०	१५०.००
११	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१३९.१०	१३९.१०	१५०.००
११	<b>G.I. Wire</b>				
	<b>i) Heavy Zinc coated</b>				
	8 guage	के.जी	१०५.००	१०५.००	११३.००
	10 guage	के.जी	१०५.००	१०५.००	११३.००
	12guage	के.जी	१०५.००	१०५.००	११३.००
	<b>ii) Medium zinc Coated</b>				
	8 guage	के.जी	१००.००	१००.००	१०८.००
	10 guage	के.जी	१००.००	१००.००	१०८.००
	12guage	के.जी	१००.००	१००.००	१०८.००
	<b>iii) Light Zinc Coated/Commercial</b>				
	8 guage	के.जी	९५.००	९५.००	१०२.००
	10 guage	के.जी	९५.००	९५.००	१०२.००
	12guage	के.जी	९५.००	९५.००	१०२.००
१२	मेशिनबाट बनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	२३१.००	२३१.००	२४९.००




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१३	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन बाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	२८०.००	२८०.००	३०२.००
१४	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन बाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	४५७.००	४५७.००	४९३.००
१५	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन बाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	३०२.००	३०२.००	३२६.००
१६	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन बाकस mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.	२७२.००	२७२.००	२९३.००
१७	<b>Barbed Wire (काँडेतार)</b>				
	12 guage commercial, Medium duty	के.जी	९७.३५	९७.३५	१०५.००
	U-hook for barbed wire fencing	गोटा	०.७५	०.७५	०.८१
१८	<b>Fabrication of chain link mesh of size</b>				
	1"x1" 12 guage	बर्ग मी.	६९७.००	६९७.००	७५२.००
	1.5"x1.5" 12 guage	बर्ग मी.	६५२.००	६५२.००	७०४.००
	2"x2" 10 guage	बर्ग मी.	५१७.००	५१७.००	५५८.००
	3"x3" 10 guage	बर्ग मी.	४२३.००	४२३.००	४५६.००
	4"x4" 10 guage	बर्ग मी.	३३७.००	३३७.००	३६३.००
१९	<b>विभिन्न प्रकारको जालीहरू</b>				
	मसिनो खालको Mosquito proof जाली	व.मि.	११६.००	११६.००	१२५.००
	वालुवा चाल्ने जाली	व.मि.	१२१.००	१२१.००	१३०.००
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७४.००	७४.००	७९.००
	ब्रास कसिङ्ग जाली	व.मि.	१८९.००	१८९.००	२०४.००
	स्टील जाली (crossing )	व.मि.	१५२.००	१५२.००	१६४.००
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२६३.००	२६३.००	२८४.००
	<b>फलामबाट निर्मित सामानहरू</b>				
२०	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१३०.००	१३०.००	१४०.००
२१	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२०.००	१२०.००	१२९.००
२२	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५००.००	५४०.००
२३	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३५०.००	३७८.००



## फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२४	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर प्याल भएको	व.फि.	२८०.००	२८०.००	३०२.००
२५	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५००.००	५००.००	५४०.००
२६	१६ गेज पाताबाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	व.फि.	६५०.००	६५०.००	७०२.००
२७	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ध्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ध्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	२८७४.९२	२८७४.९२	३१०४.००
२८	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१२५.००	१२५.००	१३५.००
२९	विभिन्न साइजको किला काटी	के.जी.	११२.००	११२.००	१२०.००
३०	विभिन्न साइजको नट बोल्ट	के.जी.	१६५.००	१६५.००	१७८.००
३१	फलामे सामग्रीको फेब्रिवेशन तथा जडान कार्य	के.जी.	४५.००	४५.००	४८.००
३२	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१५१.००
३३	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	१९४०.००	१९४०.००	२०९५.००
३४	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	१९४.००	१९४.००	२०९.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२४३.००	२४३.००	२६२.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३१०.००	३१०.००	३३४.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	३७६.००	३७६.००	४०६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	५०८.००	५०८.००	५४८.००

  
**सडक र पुल सम्बन्धि निर्माण सामग्री**  
 मन्त्रालय, काठमाण्डु  
 बबरमहल, काठमाण्डु

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	८०/१०० ग्रेडको विटुमीन	के.जी	७८.१०	७८.१०	८४.००
२	CRMB-DIGO 55 Bitumen	के.जी	७५.८२	७५.८२	८१.००
३	छिटो जम्ने (RS 60%)	के.जी	६८.५०	६८.५०	७३.००
४	छिटो जम्ने (RS 65%)	के.जी	७२.५०	७२.५०	७८.००
५	छिटो जम्ने (RS 70%)	के.जी	७६.५०	७६.५०	८२.००
६	मध्यम जम्ने (MS 60%)	के.जी	६९.३५	६९.३५	७४.००
७	मध्यम जम्ने (MS 65%)	के.जी	७३.३५	७३.३५	७९.००
८	ढीलो जम्ने (SS60%)	के.जी	७०.६०	७०.६०	७६.००
९	Slurry Seal with 60% bitumen	के.जी	७५.७०	७५.७०	८१.००
१०	Hi - seal Redymix	के.जी	९८.५२	९८.५२	९८.५२
११	Polymer Bitumen	के.जी	१०९.५२	१०९.५२	१०९.५२
१२	सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	३२२.५०	३२२.५०	३२२.५०
१३	कालोपत्रे सडक Pot hole टालको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३१.५०	३१.५०	३१.५०
१४	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१७३.००	१७३.००	१७३.००
	b) Most Grade	के.जी	१९१.००	१९१.००	१९१.००
	c) Glass beads	के.जी	१५७.००	१५७.००	१५७.००
१५	Elastomeric Bearing Pad				
	Free Type	गोटा	२३१०७.००	२३१०७.००	२३१०७.००
	Fix end Dowel Type	गोटा	४९०३२.००	४९०३२.००	४९०३२.००
१६	Expansion Joint Works				
	Single strip seal	र. मि.	९६५०.००	९६५०.००	९६५०.००
	Slab seal (320*50)	र. मि.	१९२३०.००	१९२३०.००	१९२३०.००
१७	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७५०००.००
१८	मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७५०००.००	१७५०००.००
१९	High density polyethene geo-membrane				
	1.00 mm thickness	व.मि.	६३४.००	६३४.००	६३४.००
	2.00 mm thickness	व.मि.	१२६५.००	१२६५.००	१२६५.००



## पुल सम्बन्धि निर्माण सामग्री


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२०	Needle punched non woven geo-textile				
	weight-120gm/sqm	व.मि.	७२.००	७२.००	७२.००
	weight-150gm/sqm	व.मि.	८०.००	८०.००	८०.००
	weight-200gm/sqm	व.मि.	११७.००	११७.००	११७.००
२१	Tendon sheath	मी.	३६०.००	३६०.००	३६०.००
२२	Tendon wire	टन	१४८८२०.००	१४८८२०.००	१४८८२०.००
२३	Anchorage block with cap	गोटा	९९५०.००	९९५०.००	९९५०.००
२४	Road divider ( polythene )	गोटा	१६५०.००	१६५०.००	१६५०.००
२५	Dust bin ( polythene ) 165 ltr	गोटा	३१३५.००	३१३५.००	३१३५.००
२६	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९००००.००	१९००००.००	१९००००.००
२७	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६०००.००	६०००.००	६०००.००
२८	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०५००.००	१०५००.००	१०५००.००
	<b>भोलुडे पुल सम्बन्धि</b>				
१	Φ 13 mm thimble	गोटा	७४.००	७४.००	७४.००
२	Φ 26 mm thimble	गोटा	३७२.००	३७२.००	३७२.००
३	Φ 32 mm thimble	गोटा	६३७.००	६३७.००	६३७.००
४	Φ 36 mm thimble	गोटा	१२७३.००	१२७३.००	१२७३.००
५	Φ 40 mm thimble	गोटा	१५९१.००	१५९१.००	१५९१.००
६	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	४२४.००	४२४.००	४२४.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	६६९५.००	६६९५.००	६६९५.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	२९०.००	२९०.००	२९०.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	३८०.००	३८०.००	३८०.००
१०	High tensile friction grip nut bolts	के.जी.	३५०.००	३५०.००	३५०.००
११	Hot deep galvinazation	के.जी.	४८.००	४८.००	४८.००




सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१२	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) Equivalent to J.K.S 3D; Type A02-80/1.5-1.6 FEZ , Approx. Wt. 3.0 kg/m <sup>2</sup>	व. मि.			३६४०.००
१३	Binding loops stainless steel type 1.4/100/NIRO, approx wt 6.0 Kg/Bundle	प्रति बण्डल			२१५९०.००

*(Handwritten signatures and initials)*



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	मेशिनबाट उत्पादित ईटा (१-नं.)				
	का.म.न.पा.	प्रति हजार	१६२००.००	१६२००.००	१६२००.००
	दक्षिणकाली न.पा.	प्रति हजार	१६७८०.००	१६७८०.००	१६७८०.००
	किर्तिपुर न.पा.	प्रति हजार	१६६४०.००	१६६४०.००	१६६४०.००
	चन्द्रागिरी न.पा.	प्रति हजार	१६८८०.००	१६८८०.००	१६८८०.००
	नागार्जुन न.पा.	प्रति हजार	१६८८०.००	१६८८०.००	१६८८०.००
	तारकेश्वर न.पा.	प्रति हजार	१६८८०.००	१६८८०.००	१६८८०.००
	टोखा न.पा. न.पा.	प्रति हजार	१६६७०.००	१६६७०.००	१६६७०.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१६७००.००	१६७००.००	१६७००.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१६७४०.००	१६७४०.००	१६७४०.००
	शंखरापुर न.पा.	प्रति हजार	१७०१०.००	१७०१०.००	१७०१०.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१६५४०.००	१६५४०.००	१६५४०.००
२	चिम्नी भट्टाको ईटा				
	का.म.न.पा.	प्रति हजार	१४५४०.००	१४५४०.००	१४५४०.००
	दक्षिणकाली न.पा.	प्रति हजार	१४४२०.००	१४४२०.००	१४४२०.००
	किर्तिपुर न.पा.	प्रति हजार	१४३००.००	१४३००.००	१४३००.००
	चन्द्रागिरी न.पा.	प्रति हजार	१४१९०.००	१४१९०.००	१४१९०.००
	नागार्जुन न.पा.	प्रति हजार	१४३००.००	१४३००.००	१४३००.००
	तारकेश्वर न.पा.	प्रति हजार	१४४७०.००	१४४७०.००	१४४७०.००
	टोखा न.पा. न.पा.	प्रति हजार	१४५४०.००	१४५४०.००	१४५४०.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१४९१०.००	१४९१०.००	१४९१०.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१४७१०.००	१४७१०.००	१४७१०.००
	शंखरापुर न.पा.	प्रति हजार	१५०५०.००	१५०५०.००	१५०५०.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१४७८०.००	१४७८०.००	१४७८०.००
३	तराई को १ नं.ईटा				
	का.म.न.पा.	प्रति हजार	१६५००.००	१६५००.००	१६५००.००
	दक्षिणकाली न.पा.	प्रति हजार	१७१७०.००	१७१७०.००	१७१७०.००
	किर्तिपुर न.पा.	प्रति हजार	१६६९०.००	१६६९०.००	१६६९०.००
	चन्द्रागिरी न.पा.	प्रति हजार	१६५००.००	१६५००.००	१६५००.००
	नागार्जुन न.पा.	प्रति हजार	१६६५०.००	१६६५०.००	१६६५०.००
	तारकेश्वर न.पा.	प्रति हजार	१६७२०.००	१६७२०.००	१६७२०.००
	टोखा न.पा. न.पा.	प्रति हजार	१६६५०.००	१६६५०.००	१६६५०.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१६७६०.००	१६७६०.००	१६७६०.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१६६५०.००	१६६५०.००	१६६५०.००
	शंखरापुर न.पा.	प्रति हजार	१६९६०.००	१६९६०.००	१६९६०.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१६७६०.००	१६७६०.००	१६७६०.००



स्थानीय निर्माण सामग्रीहरूको

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
४	टुक्रा ईटा	घ.मि.	२५००.००	२५००.००	२५००.००
५	सिमेन्टको ईटा				
	BK108N प्रति हजार		१५४५०.००	१५४५०.००	१५४५०.००
	BK118As प्रति हजार		१६२७४.००	१६२७४.००	१६२७४.००
	Concrete block size (40*15*20) cm	गोटा	३७.००	३७.००	३७.००
	Concrete block size (40*10*20) cm	गोटा	३२.००	३२.००	३२.००
	Concrete block size (39*14*19) cm	गोटा	५०.००	५०.००	५०.००
	Cellular light weight concrete(CLC) block -24**8**4"	गोटा	१६२.००	१६२.००	१६२.००
	Cellular light weight concrete(CLC) block-24**8**6"	गोटा	२९९.००	२९९.००	२९९.००
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११४.००	११४.००	११४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७१.००	१७१.००	१७१.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२२८.००	२२८.००	२२८.००
६	<b>Autoclaved Aerated Concrete Blocks(Sand based)</b>				
	Size 2**8**4"	गोटा	१२७.००	१२७.००	१२७.००
	Size 2**8**6"	गोटा	१९०.००	१९०.००	१९०.००
	Size 2**8**8"	गोटा	२५६.००	२५६.००	२५६.००
७	ECO BRICK ( Sada)	गोटा	१८.००	१८.००	१८.००
	ECO BRICK ( Colour)	गोटा	२०.००	२०.००	२०.००
८	खानीको ढुंगा				
	का.म.न.पा.	घ.फि.	६३.००	६३.००	६३.००
	दक्षिणकाली न.पा.	घ.फि.	५९.००	५९.००	५९.००
	किर्तिपुर न.पा.	घ.फि.	६२.००	६२.००	६२.००
	चन्द्रागिरी न.पा.	घ.फि.	७२.००	७२.००	७२.००
	नागार्जुन न.पा.	घ.फि.	७४.००	७४.००	७४.००
	तारकेश्वर न.पा.	घ.फि.	७३.००	७३.००	७३.००
	टोखा न.पा. न.पा.	घ.फि.	७१.००	७१.००	७१.००
	बुढानिलकण्ठ न.पा.	घ.फि.	६७.००	६७.००	६७.००
	गोकर्णेश्वर न.पा.	घ.फि.	६८.००	६८.००	६८.००
	शंखरापुर न.पा.	घ.फि.	७२.००	७२.००	७२.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	७०.००	७०.००	७०.००
९	विभिन्न प्रकारको खानीको बालुवा				
	का.म.न.पा.	घ.फि.	८८.००	८८.००	८८.००
	दक्षिणकाली न.पा.	घ.फि.	९२.००	९२.००	९२.००
	किर्तिपुर न.पा.	घ.फि.	९१.००	९१.००	९१.००
	चन्द्रागिरी न.पा.	घ.फि.	८९.००	८९.००	८९.००
	नागार्जुन न.पा.	घ.फि.	९१.००	९१.००	९१.००
	तारकेश्वर न.पा.	घ.फि.	९१.००	९१.००	९१.००
	टोखा न.पा. न.पा.	घ.फि.	९०.००	९०.००	९०.००



## स्थानीय निर्माण सामग्रीहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बजारमूल्य, मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	बुढानिलकण्ठ न.पा.	घ.फि.	९९.००	९९.००	९९.००
	गोकर्णेश्वर न.पा.	घ.फि.	६६.००	६६.००	६६.००
	शंखरापुर न.पा.	घ.फि.	६६.००	६६.००	६६.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९०.००	९०.००	९०.००
१०	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	८९.००	८९.००	८९.००
	दक्षिणकाली न.पा.	घ.फि.	९९.००	९९.००	९९.००
	किर्तिपुर न.पा.	घ.फि.	९९.००	९९.००	९९.००
	चन्द्रागिरी न.पा.	घ.फि.	९०.००	९०.००	९०.००
	नागार्जुन न.पा.	घ.फि.	९९.००	९९.००	९९.००
	तारकेश्वर न.पा.	घ.फि.	९९.००	९९.००	९९.००
	टोखा न.पा. न.पा.	घ.फि.	९९.००	९९.००	९९.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९२.००	९२.००	९२.००
	गोकर्णेश्वर न.पा.	घ.फि.	८२.००	८२.००	८२.००
	शंखरापुर न.पा.	घ.फि.	८२.००	८२.००	८२.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	८२.००	८२.००	८२.००
११	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	८८.००	८८.००	८८.००
	दक्षिणकाली न.पा.	घ.फि.	९५.००	९५.००	९५.००
	किर्तिपुर न.पा.	घ.फि.	९३.००	९३.००	९३.००
	चन्द्रागिरी न.पा.	घ.फि.	९४.००	९४.००	९४.००
	नागार्जुन न.पा.	घ.फि.	९४.००	९४.००	९४.००
	तारकेश्वर न.पा.	घ.फि.	९५.००	९५.००	९५.००
	टोखा न.पा. न.पा.	घ.फि.	९५.००	९५.००	९५.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९४.००	९४.००	९४.००
	गोकर्णेश्वर न.पा.	घ.फि.	९५.००	९५.००	९५.००
	शंखरापुर न.पा.	घ.फि.	९५.००	९५.००	९५.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९५.००	९५.००	९५.००
१२	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	९४.००	९४.००	९४.००
	दक्षिणकाली न.पा.	घ.फि.	९४.००	९४.००	९४.००
	किर्तिपुर न.पा.	घ.फि.	९५.००	९५.००	९५.००
	चन्द्रागिरी न.पा.	घ.फि.	९५.००	९५.००	९५.००
	नागार्जुन न.पा.	घ.फि.	९५.००	९५.००	९५.००
	तारकेश्वर न.पा.	घ.फि.	९५.००	९५.००	९५.००
	टोखा न.पा. न.पा.	घ.फि.	९६.००	९६.००	९६.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९५.००	९५.००	९५.००

## स्थानीय निर्माण सामग्रीहरू




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ.व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	गोकर्णेश्वर न.पा.	घ.फि.	९४.००	९४.००	९४.००
	शंखरापुर न.पा.	घ.फि.	९९.००	९९.००	९९.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९४.००	९४.००	९४.००
१३	<b>क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि</b>				
	का.म.न.पा.	घ.फि.	८९.००	८९.००	८९.००
	दक्षिणकाली न.पा.	घ.फि.	८२.००	८२.००	८२.००
	किर्तिपुर न.पा.	घ.फि.	८९.००	८९.००	८९.००
	चन्द्रागिरी न.पा.	घ.फि.	८२.००	८२.००	८२.००
	नागार्जुन न.पा.	घ.फि.	८३.००	८३.००	८३.००
	तारकेश्वर न.पा.	घ.फि.	८३.००	८३.००	८३.००
	टोखा न.पा. न.पा.	घ.फि.	८४.००	८४.००	८४.००
	बुढानिलकण्ठ न.पा.	घ.फि.	८४.००	८४.००	८४.००
	गोकर्णेश्वर न.पा.	घ.फि.	८३.००	८३.००	८३.००
	शंखरापुर न.पा.	घ.फि.	८९.००	८९.००	८९.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	८२.००	८२.००	८२.००
१४	<b>Crusher run sub-base material (63mm down)</b>				
	का.म.न.पा.	घ.फि.	७९.००	७९.००	७९.००
	दक्षिणकाली न.पा.	घ.फि.	७६.००	७६.००	७६.००
	किर्तिपुर न.पा.	घ.फि.	७०.००	७०.००	७०.००
	चन्द्रागिरी न.पा.	घ.मि.	७९.००	७९.००	७९.००
	नागार्जुन न.पा.	घ.फि.	७२.००	७२.००	७२.००
	तारकेश्वर न.पा.	घ.फि.	७२.००	७२.००	७२.००
	टोखा न.पा. न.पा.	घ.फि.	७३.००	७३.००	७३.००
	बुढानिलकण्ठ न.पा.	घ.फि.	७६.००	७६.००	७६.००
	गोकर्णेश्वर न.पा.	घ.फि.	७६.००	७६.००	७६.००
	शंखरापुर न.पा.	घ.फि.	७९.००	७९.००	७९.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	७८.००	७८.००	७८.००
१५	<b>40 mm down crushed Base material (Wet)</b>				
	का.म.न.पा.	घ.फि.	८२.००	८२.००	८२.००
	दक्षिणकाली न.पा.	घ.फि.	८३.००	८३.००	८३.००
	किर्तिपुर न.पा.	घ.फि.	८२.००	८२.००	८२.००
	चन्द्रागिरी न.पा.	घ.फि.	८४.००	८४.००	८४.००
	नागार्जुन न.पा.	घ.फि.	८४.००	८४.००	८४.००
	तारकेश्वर न.पा.	घ.फि.	८५.००	८५.००	८५.००
	टोखा न.पा. न.पा.	घ.फि.	८५.००	८५.००	८५.००
	बुढानिलकण्ठ न.पा.	घ.फि.	८४.००	८४.००	८४.००
	गोकर्णेश्वर न.पा.	घ.फि.	८२.००	८२.००	८२.००



## स्थानीय निर्माण सामग्रीहरू


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क.स.स.को दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	शंखरापुर न.पा	घ.फि.	८५.००	८५.००	८५.००
	कागेशवरी मनहरा न.पा.	घ.फि.	८५.००	८५.००	८५.००
१६	छानामा छाउने क्ले टायलहरू				
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१८.००	१८.००
	चिमनी भट्टाको टायल	गोटा	१६.००	१६.००	१६.००
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३२.००	३२.००
	चिमनी भट्टाको धुरी	गोटा	२६.००	२६.००	२६.००
१७	भुईँमा/ कौसीमा छाप्ने क्ले टायलहरू				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००
	चिमनी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००
१८	छाप्ने ढुङ्गा (Flag stone)				
	१" सम्म बाक्लो सर्फेस ट्रेस गरेको छाप्ने ढुङ्गा	व.फि.	७६.००	७६.००	७६.००
	१ १/२" सम्म बाक्लो " "	व.फि.	८८.००	८८.००	८८.००
	२ सम्म बाक्लो ढुङ्गा " "	व.फि.	१०३.००	१०३.००	१०३.००
	२.५ सम्म बाक्लो ढुङ्गा " "	व.फि.	१११.००	१११.००	१११.००
	२.५" - ३" सम्म बाक्लो ढुङ्गा " "	व.फि.	१३८.००	१३८.००	१३८.००
१९	खोलाको बोल्टर कोवल १०० मि.मि. सम्म	घ.फि.	१०५.००	१०५.००	१०५.००
२०	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे वेसि खानी बाहेकको)	घ.फि.	५७.२४	५७.२४	५७.२४
२१	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	६५.००	६५.००	६५.००
२२	भवनको भुईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	४५.३६	४५.३६	४५.३६
२३	ढुगाको धुलो (Stone dust)	घ.फि.	४१.०४	४१.०४	४१.०४
२४	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	३१८.६०	३१८.६०	३१८.६०
२५	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५५०.८०	५५०.८०	५५०.८०
२६	भुस	के.जि.	५.५०	५.५०	५.५०
२७	गोबर	के.जि.	५.००	५.००	५.००
२८	निर्माण कायका लागी पाना				
	३ क.मा. सम्म का दुरामा	लिटर	०.२६	०.२६	०.२६
	३ क.मा. दाख माथाका दुरामा	लिटर	०.३१	०.३१	०.३१
२९	५०० गज प्लाष्टिक सिट	व.मी.	३१.००	३१.००	३१.००
३०	Plastic felt (२०भा. × १भा.)	रोल	२३५५.००	२३५५.००	२३५५.००
३१	१८-२० फिट लामा बास	गोटा	२१०.००	२१०.००	२१०.००

Handwritten signatures and initials at the bottom of the page.



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बोनसको दररेट प्रमाणित		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
१	<b>NP-2 Class Pipes(Plain)</b>				
	150 mm dia.	र.मि	५७०.००	५७०.००	५७०.००
	200 mm dia.	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia.	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia.	र.मि	१२६०.००	१२६०.००	१२६०.००
	350 mm dia.	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia.	र.मि	१५२०.००	१५२०.००	१५२०.००
	400 mm dia.	र.मि	१७५०.००	१७५०.००	१७५०.००
	450 mm dia.	र.मि	१८५२.००	१८५२.००	१८५२.००
	500 mm dia.	र.मि	२०८०.००	२०८०.००	२०८०.००
	600 mm dia.	र.मि	२७४०.००	२७४०.००	२७४०.००
	700 mm dia.	र.मि	३५७५.००	३५७५.००	३५७५.००
	750 mm dia.	र.मि	३८७०.००	३८७०.००	३८७०.००
	800 mm dia.	र.मि	४३२०.००	४३२०.००	४३२०.००
	900 mm dia.	र.मि	५८३५.००	५८३५.००	५८३५.००
	1000 mm dia.	र.मि	६८०५.००	६८०५.००	६८०५.००
	1200 mm dia.	र.मि	८३०९.००	८३०९.००	८३०९.००
	1500 mm dia.	र.मि	१७४५०.००	१७४५०.००	१७४५०.००
२	<b>NP-3 Class Pipes(Plain)</b>				
	150 mm dia.	र.मि	१३९०.००	१३९०.००	१३९०.००
	200 mm dia.	र.मि	१७४५.००	१७४५.००	१७४५.००
	250 mm dia.	र.मि	२१८५.००	२१८५.००	२१८५.००
	300 mm dia.	र.मि	३१४०.००	३१४०.००	३१४०.००
	350 mm dia.	र.मि	३५२०.००	३५२०.००	३५२०.००
	375 mm dia.	र.मि	३७६०.००	३७६०.००	३७६०.००
	400 mm dia.	र.मि	४०९०.००	४०९०.००	४०९०.००
	450 mm dia.	र.मि	४५००.००	४५००.००	४५००.००
	500 mm dia.	र.मि	५०२०.००	५०२०.००	५०२०.००
	600 mm dia.	र.मि	६२००.००	६२००.००	६२००.००
	700 mm dia.	र.मि	७४८५.००	७४८५.००	७४८५.००
	750 mm dia.	र.मि	८६००.००	८६००.००	८६००.००
	800 mm dia.	र.मि	९३८५.००	९३८५.००	९३८५.००
	900 mm dia.	र.मि	१२९७२.००	१२९७२.००	१२९७२.००
	1000 mm dia.	र.मि	१३५२५.००	१३५२५.००	१३५२५.००
	1200 mm dia.	र.मि	१६९००.००	१६९००.००	१६९००.००
	1500 mm dia.	र.मि	२५३००.००	२५३००.००	२५३००.००
३	<b>NP-2 RCC Collar</b>				
	150 mm dia	गोटा	१४५.००	१४५.००	१४५.००



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	200 mm dia	गोटा	१९३.००	१९३.००	१९३.००
	250 mm dia	गोटा	२३९.००	२३९.००	२३९.००
	300 mm dia	गोटा	३२४.००	३२४.००	३२४.००
	350 mm dia	गोटा	३५७.००	३५७.००	३५७.००
	375 mm dia	गोटा	३९२.००	३९२.००	३९२.००
	400 mm dia	गोटा	४५१.००	४५१.००	४५१.००
	450 mm dia	गोटा	४७६.००	४७६.००	४७६.००
	500 mm dia	गोटा	५३५.००	५३५.००	५३५.००
	600 mm dia	गोटा	७०६.००	७०६.००	७०६.००
	700 mm dia	गोटा	९२०.००	९२०.००	९२०.००
	750 mm dia	गोटा	९९५.००	९९५.००	९९५.००
	800 mm dia	गोटा	१११०.००	१११०.००	१११०.००
	900 mm dia	गोटा	१५००.००	१५००.००	१५००.००
	1000 mm dia	गोटा	१७५२.००	१७५२.००	१७५२.००
	1200 mm dia	गोटा	२१३७.००	२१३७.००	२१३७.००
	1500 mm dia	गोटा	४४९२.००	४४९२.००	४४९२.००
४	<b>NP-3 Class Collars</b>				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	५४४.००	५४४.००	५४४.००
	300 mm dia.	गोटा	७८३.००	७८३.००	७८३.००
	350 mm dia.	गोटा	८७९.००	८७९.००	८७९.००
	375 mm dia.	गोटा	९४०.००	९४०.००	९४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२५५.००	१२५५.००	१२५५.००
	600 mm dia.	गोटा	१५५०.००	१५५०.००	१५५०.००
	700 mm dia.	गोटा	१८७१.००	१८७१.००	१८७१.००
	750 mm dia.	गोटा	२१५०.००	२१५०.००	२१५०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३८२.००	३३८२.००	३३८२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	<b>NP-3 Pipes Socket and Spigot</b>				
	150 mm dia.	र.मि	१४८०.००	१४८०.००	१४८०.००
	200 mm dia.	र.मि	२०१०.००	२०१०.००	२०१०.००
	250 mm dia.	र.मि	२५१०.००	२५१०.००	२५१०.००


Handwritten signatures and initials at the bottom of the page.



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	300 mm dia.	र.मि	३६०५.००	३६०५.००	३६०५.००
	400 mm dia.	र.मि	४६१०.००	४६१०.००	४६१०.००
	450 mm dia.	र.मि	५१८०.००	५१८०.००	५१८०.००
	500 mm dia.	र.मि	५७७०.००	५७७०.००	५७७०.००
	600 mm dia.	र.मि	७१३०.००	७१३०.००	७१३०.००
	700 mm dia.	र.मि	८६१०.००	८६१०.००	८६१०.००
	800 mm dia.	र.मि	१०७९०.००	१०७९०.००	१०७९०.००
	900 mm dia.	र.मि	१४०००.००	१४०००.००	१४०००.००
	1000 mm dia.	र.मि	१४८१४.००	१४८१४.००	१४८१४.००
	1200 mm dia.	र.मि	१८६००.००	१८६००.००	१८६००.००
	1400 mm dia.	र.मि	२५७५०.००	२५७५०.००	२५७५०.००
	1600 mm dia.	र.मि	३२६००.००	३२६००.००	३२६००.००
	1800 mm dia.	र.मि	४३६००.००	४३६००.००	४३६००.००

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बालिकको दररेट मन्त्रालय काठमाण्डौ		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	नेपालबाट उत्पादित विभिन्न ओ.पि.सि सिमेन्ट	व्याग	८२५.००	८२५.००	८२५.००
२	नेपालबाट उत्पादित विभिन्न पि.पि.सि सिमेन्ट	व्याग	७२५.००	७२५.००	७२५.००
३	सेतो सिमेन्ट (40kg/bag)	व्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (40kg/bag)	व्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	व्याग	१०.७०	१०.७०	१०.७०
६	Ready Mix Concrete (चक्रपथवाट ३ कि.मि. बाहिर सम्म)				
	M 10 Grade	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15 Grade	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20 Grade	घ. मि	१५२२५.००	१५२२५.००	१५२२५.००
	M 25 Grade	घ. मि	१६२७५.००	१६२७५.००	१६२७५.००
	M 30 Grade	घ. मि	१७११५.००	१७११५.००	१७११५.००
	M 35 Grade	घ. मि	१८३८२.००	१८३८२.००	१८३८२.००
	M 40 Grade	घ. मि	१९९५०.००	१९९५०.००	१९९५०.००
	M 45 Grade	घ. मि			२१४५०.००
७	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२००.००	१२००.००	१२००.००
८	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०५०.००	१०५०.००	१०५०.००
९	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९५०.००	९५०.००	९५०.००
१०	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	४९.००	४९.००	४९.००
	३.५ मी.मी.	व.फि.	५६.००	५६.००	५६.००
	४ मी.मी.	व.फि.	६५.००	६५.००	६५.००
	५ मी.मी.	व.फि.	७५.००	७५.००	७५.००
	६ मी.मी.	व.फि.	१००.००	१००.००	१००.००
	८ मी.मी.	व.फि.	१५०.००	१५०.००	१५०.००
	१० मी.मी.	व.फि.	१९०.००	१९०.००	१९०.००
	१२ मी.मी.	व.फि.	२२०.००	२२०.००	२२०.००
११	बुट्टेदार सिसा				
	३.मी.मी.	व.फि.	४८.४१	४८.४१	४८.४१
	४ मी.मी.	व.फि.	५६.६५	५६.६५	५६.६५
१२	पोलि फाईबर ग्लास				
	६ मी.मी.	व.फि.	१५४.५०	१५४.५०	१५४.५०
१३	कालो रङ्गको सिसा				
	३.मी.मी.	व.फि.	९६.००	९६.००	९६.००

Handwritten signatures and marks at the bottom of the page.




## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	४ मी.मी.	व.फि.	१०३.००	१०३.००	१०३.००
	५ मी.मी.	व.फि.	१२०.००	१२०.००	१२०.००
	६ मी.मी.	व.फि.	१८०.००	१८०.००	१८०.००
	८ मी.मी.	व.फि.	२५०.००	२५०.००	२५०.००
	१० मी.मी.	व.फि.	३५०.००	३५०.००	३५०.००
	१२ मी.मी.	व.फि.	४००.००	४००.००	४००.००
१४	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	११६.००	११६.००	११६.००
१५	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६२००.००	६२००.००	६२००.००
१६	विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मी मोटो	व.फि.	१८४.००	१८४.००	१८४.००
१७	Readymade Plaster of Parish cornice and molding				
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००
	Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००
	Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००
	Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००
१८	Plaster of paris	कि.ग्रा.	२३.००	२३.००	२३.००
१९	Wall putty-Normal	कि.ग्रा.	३५.००	३५.००	३५.००
२०	Wall putty-water proof	कि.ग्रा.	६०.००	६०.००	६०.००
२१	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१६८.००	१६८.००	१६८.००
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	१८४.००	१८४.००	१८४.००
२२	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	२६२.००	२६२.००	२६२.००
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	३५२.००	३५२.००	३५२.००
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	३९५.००	३९५.००	३९५.००
२३	कोटा स्टोन				
	1" thick	व.फि.	१५०.००	१५०.००	१५०.००
	3/4" thick	व.फि.	१३७.००	१३७.००	१३७.००
२४	Porcelain Glazed Tiles (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	व.फि.	१२६.००	१२६.००	१२६.००
	floor tile	व.फि.	८५.००	८५.००	८५.००
	Ordinary Floor and Wall tiles	व.फि.	५४.००	५४.००	५४.००
	Border Tile - 2"x8"	र.फि.	४३.००	४३.००	४३.००
	Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१८०.००	१८०.००
	Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५०.००	१५०.००
	24" x 24" GVT	व.फि.	१६५.००	१६५.००	१६५.००



## भवन निर्माणमा प्रयोग हुने निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	24" x 24" GRES Vitrified ( Digital Floor)	व.फि.	१४४.००	१४४.००	१४४.००
	12" x 12" GRES homogenous Verified parking Tile	व.फि.	१०६.००	१०६.००	१०६.००
	24" x 24" Vitrified	व.फि.	१११.००	१११.००	१११.००
	Floor tiles-				
	16"X16"	व.फि.	९८.००	९८.००	९८.००
	12"x12"	व.फि.	८८.००	८८.००	८८.००
	12"X12" (White / Ivory)	व.फि.	७७.००	७७.००	७७.००
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१२९.००
	12"x24" (Walls)	व.फि.	१३४.००	१३४.००	१३४.००
	12"x18"(wall)	व.फि.	१०३.००	१०३.००	१०३.००
२५	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	६२३.००	६२३.००	६२३.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७५.००	७५.००	७५.००
२६	Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि.	८७.००	८७.००	८७.००
	Heritage flakes	व.फि.	१०७.००	१०७.००	१०७.००
	Heritage granite finish	व.फि.	८७.००	८७.००	८७.००
	Heritage Top coat (plastic lamination)	व.फि.	२२.००	२२.००	२२.००
२७	Plastic Sheet 500 guage	व.मि.	३८.००	३८.००	३८.००
	Plastic Tripal 500 guage	व.मि.	४१.००	४१.००	४१.००
२८.०	Sandwitch/EPS Non burn Panel				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि.	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि.	२५२.००	२५२.००	२५२.००
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि.	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि.	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि.	२७६.००	२७६.००	२७६.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि.	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि.	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि.	३३६.००	३३६.००	३३६.००
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि.	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि.	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि.	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि.	२५२.००	२५२.००	२५२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि.	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि.	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१५२७४.३४	१५२७४.३४	१५२७४.३४

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Steel Door (1000*2100) 80 T	गोटा	१६१५९.२९	१६१५९.२९	१६१५९.२९
२८.७	ABS Door (900*2100) 80 T	गोटा	१३५०४.४२	१३५०४.४२	१३५०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.५१	११७३४.५१	११७३४.५१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
२९	<b>CLADDING</b>				
१	MCM Brick Cladding	व.मी			३८०.००
२	MCM Slate Stone Cladding	व.मी			४५०.००
३	MCM Oasis Stone Cladding	व.मी			४९०.००
४	MCM Wood Cladding	व.मी			५६०.००
५	MCM Travertine Stone Cladding	व.मी			६९०.००
३०	<b>Laminates</b>				
१	Liner 0.7mm	per sheet (8'X4')			१०५०.००
२	0.8 mm SUD				१५००.००
३	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8 mm				१७००.००
४	PGL 0.8 mm				१७००.००
५	Marker Grade MGD 0.8 mm				१८००.००
६	SUD 0.8 mm				१५००.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm				१७००.००
८	gloss PRG 0.8 mm				१७००.००
९	marker grade MGD 0.8 mm				१८००.००
१०	metal ZRL 0.8 mm				५५००.००
११	Plain 1mm				२५००.००
१२	Texture 1mm				३०००.००
१३	SUD 1mm				२६००.००
१४	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM				३५००.००
१५	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm				४०००.००
१६	HDG 1mm			४५००.००	
१७	Unicore 1mm			७५००.००	
१८	Metal 1mm			७५००.००	
	<b>EXTERIOR FAÇADE</b>				
	Clads Solids 6mm	व.फि			६५०.००
	Clads Wood Grains 6mm	व.फि			७२५.००

Handwritten signatures and initials at the bottom of the page.




माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुक्ति कार बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	मठमन्दिरमा प्रयोग हुने ढुङ्गाका विभिन्न सामग्रीहरू				
१	कालो ढुंगाको बूटा सहितको थाम ६" X ९" X ६०"	प्रति गोटा	७००००.००	७००००.००	७००००.००
२	कालो ढुंगाको बूटा सहितको थाम ६" X ९" X ६.६"	प्रति गोटा	१०५०००.००	१०५०००.००	१०५०००.००
३	कालो ढुंगाको बूटा सहितको थाम १२" X १२" X ७.६"	प्रति गोटा	२४००००.००	२४००००.००	२४००००.००
४	४" बाक्लो पेट्टी ढुंगा (१०" X ४")	फिट	८००.००	८००.००	८००.००
५	४" बाक्लो नागोल ढुंगा (१०" X ४")	फिट	९००.००	९००.००	९००.००
६	४" बाक्लो बुटेदारी कसिमो, कार्नेस र फ्यो (१०" X ४")	फिट	३७००.००	३७००.००	३७००.००
७	कालो साइडल ढुंगा (इल्हो) (३०" X ३०" X १८")	प्रति गोटा	४००००.००	४००००.००	४००००.००
८	Peti kuna Dhunga(19.9"*9"*18")	प्रति गोटा	२७२०.००	२७२०.००	२७२०.००
९	Peti kuna Dhunga(10"*10"*14")	प्रति गोटा	१९००.००	१९००.००	१९००.००
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९५०.००	९५०.००
११	Dhungey dhara	प्रति गोटा	१३६०.००	१३६०.००	१३६०.००
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२४५०.००	२४५०.००
१३	Peti Dhunga 5"	मिटर	२९९०.००	२९९०.००	२९९०.००
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१३६०.००	१३६०.००
१५	ढुङ्गेघारा	गोटा	११५५.००	११५५.००	११५५.००
	माटो बाट निर्मित परम्परागत निर्माण सामग्रीहरू				
१	Daachi Appa	गोटा	२५.००	२५.००	२५.००
२	Daachi kuna	गोटा	३५.००	३५.००	३५.००
२	Twa Aapa	गोटा	२७.००	२७.००	२७.००
३	Gol Aapa	गोटा	२७.००	२७.००	२७.००
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३२०.००	३२०.००
५	Kalash(4"x6")	गोटा	५३.००	५३.००	५३.००
६	Kalash(9"x12")	गोटा	१५८.००	१५८.००	१५८.००
७	Nagol	गोटा	२७.००	२७.००	२७.००
८	Nagol kuna	गोटा	४०.००	४०.००	४०.००
९	Kashimo	गोटा	२७.००	२७.००	२७.००
१०	Kashimo Kuna	गोटा	४०.००	४०.००	४०.००
११	Sakuli	गोटा	२७.००	२७.००	२७.००
१२	Sakuli Kuna	गोटा	४०.००	४०.००	४०.००
१३	Paan butta	गोटा	२७.००	२७.००	२७.००
१४	Paan butta Kuna	गोटा	४०.००	४०.००	४०.००
१५	Sano Fa butta	गोटा	२७.००	२७.००	२७.००
१६	Sano Fa butta Kuna	गोटा	४०.००	४०.००	४०.००
१७	Thulo Fa butta	गोटा	२७.००	२७.००	२७.००
१८	Thulo Fa butta kuna	गोटा	४०.००	४०.००	४०.००
१९	Naya fa butta	गोटा	२७.००	२७.००	२७.००
२०	Naya fa butta Kuna	गोटा	४०.००	४०.००	४०.००
२१	Sano ga butta	गोटा	२७.००	२७.००	२७.००
२२	Sano ga butta Kuna	गोटा	४०.००	४०.००	४०.००

Handwritten signatures and marks at the bottom of the page.

## माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहिरको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२३	Thulo Ga butta	गोटा	२७.००	२७.००	२७.००
२४	Thulo Ga butta Kuna	गोटा	४०.००	४०.००	४०.००
२५	Pumha buta	गोटा	२७.००	२७.००	२७.००
२६	Pumha buta Kuna	गोटा	४०.००	४०.००	४०.००
२७	Tinkune swa	गोटा	२७.००	२७.००	२७.००
२८	Tinkune swa Kuna	गोटा	४०.००	४०.००	४०.००
२९	Tinkune Pali	गोटा	२७.००	२७.००	२७.००
३०	Tinkune Pali kuna	गोटा	४०.००	४०.००	४०.००
३१	Sano swa butta	गोटा	२७.००	२७.००	२७.००
३२	Sano swa butta Kuna	गोटा	४०.००	४०.००	४०.००
३३	Thulo swa Butta	गोटा	२७.००	२७.००	२७.००
३४	Thulo swa Butta Kuna	गोटा	४०.००	४०.००	४०.००
३५	Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००
३६	Nag Ghati R/L	गोटा	७०.००	७०.००	७०.००
३७	Nag Jiu	गोटा	२७.००	२७.००	२७.००
३८	Kuna	गोटा	४०.००	४०.००	४०.००
३९	Thulo Nag tauko R/L	गोटा	१३२.००	१३२.००	१३२.००
४०	Nag Ghati	गोटा	७०.००	७०.००	७०.००
४१	Thulo Nag Jiu	गोटा	२७.००	२७.००	२७.००
४२	Thulo Nag Jiu Kuna	गोटा	४०.००	४०.००	४०.००
४३	Nag Male/Female	गोटा	५३०.००	५३०.००	५३०.००
४४	Khal Nagol	गोटा	२७.००	२७.००	२७.००
४५	Khal Nagol Kuna	गोटा	४०.००	४०.००	४०.००
४६	Khal Fyo	गोटा	२७.००	२७.००	२७.००
४७	Khal Fyo Kuna	गोटा	४०.००	४०.००	४०.००
४८	Lahara butta	गोटा	२७.००	२७.००	२७.००
४९	Lahara butta Kuna	गोटा	४०.००	४०.००	४०.००
५०	Nagbeli	गोटा	२७.००	२७.००	२७.००
५१	Nagbeli kuna	गोटा	४०.००	४०.००	४०.००
५२	Mikhafushi mathi R/L	गोटा	३२.००	३२.००	३२.००
५३	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३२.००	३२.००
५४	Mikhafushi mathi Bitch	गोटा	३२.००	३२.००	३२.००
५५	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३२.००	३२.००
५६	Mikhafushi Tal R/L	गोटा	३२.००	३२.००	३२.००
५७	Mikhafushi Tal Bitch	गोटा	३२.००	३२.००	३२.००
५८	Palifo R/L	गोटा	२७.००	२७.००	२७.००
५९	Palifo R/L Kuna	गोटा	४०.००	४०.००	४०.००
६०	Palifo Bitch	गोटा	४०.००	४०.००	४०.००
६१	Naya Palifo	गोटा	२७.००	२७.००	२७.००
६२	Naya Palifo Kuna	गोटा	४०.००	४०.००	४०.००
६३	Shida Palifo	गोटा	२७.००	२७.००	२७.००



## माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
६४	Shida Palifo kuna	गोटा	४०.००	४०.००	४०.००
६५	Thulo Palifo R/L	गोटा	२७.००	२७.००	२७.००
६६	Thulo Palifo R/L Kuna	गोटा	४०.००	४०.००	४०.००
६७	Thulo Palifo Bitch	गोटा	२७.००	२७.००	२७.००
६८	2" Singh	गोटा	३२.००	३२.००	३२.००
६९	2" Garud	गोटा	३२.००	३२.००	३२.००
७०	Dhalimo	गोटा	३२.००	३२.००	३२.००
७१	3" Singh	गोटा	४२.००	४२.००	४२.००
७२	3" Garud	गोटा	४२.००	४२.००	४२.००
७३	3" singh full Jodiyako	गोटा	५३.००	५३.००	५३.००
७४	3" Astmangal	गोटा	४२.००	४२.००	४२.००
७५	3" Garud full	गोटा	५३.००	५३.००	५३.००
७६	4" Singh	गोटा	५३.००	५३.००	५३.००
७७	4" Garud	गोटा	५३.००	५३.००	५३.००
७८	Twa fyo	गोटा	२७.००	२७.००	२७.००
७९	Twa fyo Kuna	गोटा	४०.००	४०.००	४०.००
८०	4" Astmangal	गोटा	५३.००	५३.००	५३.००
८१	6" Singh	गोटा	१०५.००	१०५.००	१०५.००
८२	6" Garud	गोटा	१०५.००	१०५.००	१०५.००
८३	Chaal butta	गोटा	२७.००	२७.००	२७.००
८४	Chaal butta Kuna	गोटा	४०.००	४०.००	४०.००
८५	2" fyo	गोटा	२७.००	२७.००	२७.००
८६	2" fyo Kuna	गोटा	४०.००	४०.००	४०.००
८७	4" fyo	गोटा	२७.००	२७.००	२७.००
८८	4" fyo Kuna	गोटा	४०.००	४०.००	४०.००
८९	Tara Butta Puralo	गोटा	२७.००	२७.००	२७.००
९०	Tara Butta Puralo Kuna	गोटा	४०.००	४०.००	४०.००
९१	Naya tara butta	गोटा	२७.००	२७.००	२७.००
९२	Naya tara butta Kuna	गोटा	४०.००	४०.००	४०.००
९३	Swafa tara	गोटा	२७.००	२७.००	२७.००
९४	Swafa tara Kuna	गोटा	४०.००	४०.००	४०.००
९५	Sikri butta	गोटा	२७.००	२७.००	२७.००
९६	Sikri butta Kuna	गोटा	४०.००	४०.००	४०.००
९७	Na Sikri	गोटा	२७.००	२७.००	२७.००
९८	Na Sikri Kuna	गोटा	४०.००	४०.००	४०.००
९९	Nhaya butta sano	गोटा	२७.००	२७.००	२७.००
१००	Na Sikri Kuna	गोटा	४०.००	४०.००	४०.००
१०१	Nhaya butta Thulo	गोटा	२७.००	२७.००	२७.००
१०२	Nhaya butta Thulo Kuna	गोटा	४०.००	४०.००	४०.००
१०३	Gol Nagol	गोटा	२७.००	२७.००	२७.००
१०४	Gol Nagol kuna	गोटा	४०.००	४०.००	४०.००

Handwritten signatures and initials are present below the table, including a large signature in the center and several smaller ones to the right.



## माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामग्रीहरूको

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१०५	Ga swa butta	गोटा	२७.००	२७.००	२७.००
१०६	Ga swa butta Kuna	गोटा	४०.००	४०.००	४०.००
१०७	Chandrama butta	गोटा	२७.००	२७.००	२७.००
१०८	Chandrama butta kuna	गोटा	४०.००	४०.००	४०.००
१०९	Ga tha butta	गोटा	२७.००	२७.००	२७.००
११०	Ga tha butta Kuna	गोटा	४०.००	४०.००	४०.००
१११	Bajra lahara	गोटा	२७.००	२७.००	२७.००
११२	Bajra lahara Kuna	गोटा	४०.००	४०.००	४०.००
११३	Simakacha	गोटा	२७.००	२७.००	२७.००
११४	Simakacha Kuna	गोटा	४०.००	४०.००	४०.००
११५	Methpau	गोटा	२७.००	२७.००	२७.००
११६	Chir butta	गोटा	२७.००	२७.००	२७.००
११७	Chir butta Kuna	गोटा	४०.००	४०.००	४०.००
११८	Thi butta	गोटा	२७.००	२७.००	२७.००
११९	Thi butta Kuna	गोटा	४०.००	४०.००	४०.००
१२०	32 No. swa	गोटा	२७.००	२७.००	२७.००
१२१	32 No. swa Kuna	गोटा	४०.००	४०.००	४०.००
१२२	Sano Ribbon	गोटा	२७.००	२७.००	२७.००
१२३	Sano Ribbon Kuna	गोटा	४०.००	४०.००	४०.००
१२४	Thulo Ribbon	गोटा	२७.००	२७.००	२७.००
१२५	Thulo Ribbon Kuna	गोटा	४०.००	४०.००	४०.००
१२६	Bajra tara butta	गोटा	२७.००	२७.००	२७.००
१२७	Bajra tara butta Kuna	गोटा	४०.००	४०.००	४०.००
१२८	fa paliha swa	गोटा	६०.००	६०.००	६०.००
१२९	2" Tham	गोटा	५३.००	५३.००	५३.००
१३०	3" Tham	गोटा	६९.००	६९.००	६९.००
१३१	4" Tam	गोटा	१०५.००	१०५.००	१०५.००
१३२	Ga tara butta	गोटा	२७.००	२७.००	२७.००
१३३	Ga tara butta Kuna	गोटा	४०.००	४०.००	४०.००
१३४	Full tara butta	गोटा	२७.००	२७.००	२७.००
१३५	Full tara butta Kuna	गोटा	४०.००	४०.००	४०.००
१३६	Meth	गोटा	५००.००	५००.००	५००.००
१३७	12" Tham Set	गोटा	१८९६.००	१८९६.००	१८९६.००
१३८	6"x6" teliya/ 6"x6 tinkune	गोटा	२२.००	२२.००	२२.००
१३९	8"x8 teliya	गोटा	३५.००	३५.००	३५.००
१४०	Teliya nagol	गोटा	२५.००	२५.००	२५.००
१४१	Teliya nagol kuna	गोटा	३७.००	३७.००	३७.००
१४२	Khoshi Kerafo	गोटा	२७.००	२७.००	२७.००
१४३	Khoshi Kerafo Kuna	गोटा	४०.००	४०.००	४०.००
१४४	teliya skating	गोटा	३७.००	३७.००	३७.००
१४५	Naya lahara butta	गोटा	२७.००	२७.००	२७.००



माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१४६	Naya lahara butta Kuna	गोटा	४०.००	४०.००	४०.००
१४७	kamal lahara	गोटा	२७.००	२७.००	२७.००
१४८	kamal lahara Kuna	गोटा	४०.००	४०.००	४०.००
१४९	Sano kera Fo	गोटा	२७.००	२७.००	२७.००
१५०	Sano kera Fo Kuna	गोटा	४०.००	४०.००	४०.००
१५१	Thulo kera fo	गोटा	२७.००	२७.००	२७.००
१५२	Thulo kera fo Kuna	गोटा	४०.००	४०.००	४०.००
१५३	Dhalimo	गोटा	३२.००	३२.००	३२.००
१५४	Dhalimo Kuna	गोटा	४०.००	४०.००	४०.००
१५५	Illa butta	गोटा	२७.००	२७.००	२७.००
१५६	Illa butta Kuna	गोटा	४०.००	४०.००	४०.००
१५७	Parda Butta Sano R/L	गोटा	२७.००	२७.००	२७.००
१५८	Parda Butta Sano R/L Kuna	गोटा	४०.००	४०.००	४०.००
१५९	Parda Butta Sano Bitch	गोटा	४०.००	४०.००	४०.००
१६०	Parda butta Thulo R/L	गोटा	२७.००	२७.००	२७.००
१६१	Parda butta Thulo R/L Kuna	गोटा	४०.००	४०.००	४०.००
१६२	Parda butta Thulo bitch	गोटा	४०.००	४०.००	४०.००
१६३	Pu pali butta	गोटा	६३.००	६३.००	६३.००
१६४	Thulo Singal Palifo	गोटा	६३.००	६३.००	६३.००
१६५	Kalash jhalar	गोटा	६३.००	६३.००	६३.००
१६६	ganesh Gajur Pali	गोटा	६३.००	६३.००	६३.००
१६७	ganesh Gajur Pali Kuna	गोटा	१०५.००	१०५.००	१०५.००
१६८	60 No. khwabutta	गोटा	२७.००	२७.००	२७.००
१६९	60 No. khwabutta Kuna	गोटा	४०.००	४०.००	४०.००
१७०	Tiki jhaya	गोटा	२७.००	२७.००	२७.००
१७१	bhyafyo apa	गोटा	६९.००	६९.००	६९.००
१७२	Naya Jhalar	गोटा	२७.००	२७.००	२७.००
१७३	Naya Jhalar Kuna	गोटा	४०.००	४०.००	४०.००
१७४	nyakucha	गोटा	२७.००	२७.००	२७.००
१७५	Jingati	गोटा	१०.००	१०.००	१०.००
१७६	Lock Dhuri	गोटा	७५.००	७५.००	७५.००
१७७	Dhuku	गोटा	७५.००	७५.००	७५.००
१७८	मा आपा	गोटा	१९.००	१९.००	१९.००
१७९	त्वा आपा	गोटा	२५.००	२५.००	२५.००
१८०	फ्या अपा	गोटा	२७.००	२७.००	२७.००
१८१	दची कुला	गोटा	३५.००	३५.००	३५.००
१८२	गोंगचा सानो	गोटा	१५०.००	१५०.००	१५०.००
१८३	गोंगचा फुमैला	गोटा	२५०.००	२५०.००	२५०.००
१८४	गोंगचा ठूलो	गोटा	३००.००	३००.००	३००.००
१८५	न्याकुचा	गोटा	२२.००	२२.००	२२.००
१८६	श्री गणेश	गोटा	११५५.००	११५५.००	११५५.००

Handwritten signatures and initials at the bottom of the page.



माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१८७	कुमार	गोटा	११५५.००	११५५.००	११५५.००
१८८	४" X ४" भैरव	गोटा	२०००.००	२०००.००	२०००.००
१८९	५" X ५" भैरव	गोटा	३०००.००	३०००.००	३०००.००
१९०	ठुलो कलश	गोटा	१७३.००	१७३.००	१७३.००
१९१	मसीनो सूर्कि	के.जी.	१४.००	१४.००	१४.००
१९२	खस्रो सुर्कि	के.जी.	८.००	८.००	८.००
१९३	गड्डा चुन	के.जि.	२३.००	२३.००	२३.००
१९४	तामा पाता.	के.जी.	१३५०.००	१३५०.००	१३५०.००
१९५	पिस्तल पाता	के.जी.	१०२५.००	१०२५.००	१०२५.००
१९६	पारो	तोला	३००.००	३००.००	३००.००
१९७	सूर्कि इटा कुटि धुलो बनाएको	टन	१३८६.००	१३८६.००	१३८६.००
१९८	हवा घण्टी ४"	गोटा	४७६.००	४७६.००	४७६.००

Handwritten signatures and marks below the table.




काठ तथा प्लाइउड संबन्धि निर्माण सामग्री




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दर		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
१	६' सम्मको सालकाठ	घ. फि	५६००.००	५६००.००	५६००.००
२	६' देखि ८' सम्मको सालकाठ	घ. फि	५८००.००	५८००.००	५८००.००
३	८' देखि १२' सम्मको सालकाठ	घ. फि	६२५०.००	६२५०.००	६२५०.००
४	१२ फिट देखि माथिको साल काठ	घ. फि	६६००.००	६६००.००	६६००.००
५	साज काठ	घ. फि	३३५०.००	३३५०.००	३३५०.००
६	जामुन काठ	घ. फि	२१५०.००	२१५०.००	२१५०.००
७	सल्लाको काठ	घ. फि	१५५०.००	१५५०.००	१५५०.००
८	सिसौ काठ	घ. फि	३५००.००	३५००.००	३५००.००
९	जंगली सिसौ काठ ,,	घ. फि	५२७०.००	५२७०.००	५२७०.००
१०	उतीस को काठ	घ. फि	६२५.००	६२५.००	६२५.००
११	काठ दाउरा	के.जी	१८.००	१८.००	१८.००
१२	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेड मेसिनमेड वाटरपुफ, बोरेर फि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	२३५.००	२३५.००	२३५.००
	Ordinary-one side teak water proof	व.फि	२८०.००	२८०.००	२८०.००
	Both side teak water Proof	व.फि	३२५.००	३२५.००	३२५.००
	वाटर पुफ गरिएको				
	Plain	व.फि	२४५.००	२४५.००	२४५.००
	One side teak	व.फि	२८८.००	२८८.००	२८८.००
	Both side teak	व.फि	३३३.००	३३३.००	३३३.००
१३	कुदिएको काठको काम तयारी				
	भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०८०.००	१०८०.००	१०८०.००
	भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१२६०.००	१२६०.००	१२६०.००
	भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	६८०.००	६८०.००
	भन्याङ्गको रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोला हेण्ड रेल (3"x4")	गोटा	२२५०.००	२२५०.००	२२५०.००
	देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुंडाल बनाउने काम	गोटा	१३५००.००	१३५००.००	१३५००.००
	देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुंडाल बनाउने काम	गोटा	२२५००.००	२२५००.००	२२५००.००
	विभिन्न बूडा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म )	व.फि.	३१५०.००	३१५०.००	३१५०.००

Handwritten signatures and stamps at the bottom of the page.

## काठ तथा प्लाइउड संबन्धि निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी दुँडाल बनाउने काम ।	गोटा	७२८०.००	७२८०.००	७२८०.००
	सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३५०.००	१३५०.००	१३५०.००
	मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१६२०.००	१६२०.००	१६२०.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	२२५०.००	२२५०.००	२२५०.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	१९८०.००	१९८०.००	१९८०.००
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	र.फि.	१६२०.००	१६२०.००	१६२०.००
	४"X ५"को साल काठको नाग बुट्टा कुँद तयारी गरी जडान गर्ने कार्य	र.फि.	१७१०.००	१७१०.००	१७१०.००
१४	<b>Wooden Parquet Flooring</b>				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
	Wall panelling ( with wood frame) sisam wood. (75mm*16mm)	व.फि.	५६०.००	५६०.००	५६०.००
१५	<b>विभिन्न मोटाईको प्लाइउडहरू</b>				
	<b>साधारण प्लाइउड</b>				
	३ मी.मी	व.फि.	३६.००	३६.००	३६.००
	३.५ मी.मी.	व.फि.	२६.००	२६.००	२६.००
	४ मी.मी	व.फि.	२६.००	२६.००	२६.००
	६ मी.मी	व.फि.	५३.००	५३.००	५३.००
	८ मी.मी	व.फि.	५७.००	५७.००	५७.००
	१२ मी.मी	व.फि.	८०.००	८०.००	८०.००
	१९ मी.मी B/B	व.फि.	१०७.००	१०७.००	१०७.००
	१८ मी.मी PLY	व.फि.	११०.००	११०.००	११०.००
१६	<b>वाटर पुफ प्लाइउड</b>				
	४ मी.मी	व.फि.	५२.००	५२.००	५२.००
	६ मी.मी	व.फि.	६७.००	६७.००	६७.००
	८ मी.मी.	व.फि.	६३.००	६३.००	६३.००
	९ मी.मी.	व.फि.	८९.००	८९.००	८९.००
	१२ मी.मी	व.फि.	९९.००	९९.००	९९.००
	१५ मी.मी PLY	व.फि.	११३.००	११३.००	११३.००




काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	१८ मी.मी B/B	व.फि	१३९.००	१३९.००	१३९.००
१७	<b>Natural Teak Plywood</b>				
	३ मी .मी	व.फि	४८.००	४८.००	४८.००
	४ मी. मी (Group Match of in 5 pcs)	व.फि	६९.००	६९.००	६९.००
	४ मी. मी (Regular)	व.फि	६०.००	६०.००	६०.००
	४ मी. मी (Crown)	व.फि	४३.००	४३.००	४३.००
	४ मी. मी (Beri)	व.फि	४९.००	४९.००	४९.००
	४ मी. मी (Whitest line)	व.फि	३९.००	३९.००	३९.००
	४ मी. मी (Beach)	व.फि	४६.००	४६.००	४६.००
	४ मी. मी (Recon 18 No.)	व.फि	३७.००	३७.००	३७.००
१८	<b>सनमाईका तथा फरमाईका</b>				
	सनमाईका (4' x 8')	व.फि	१७.००	१७.००	१७.००
	फोरमाईका	व.फि	७५.००	७५.००	७५.००
	हार्डबोर्ड (Hard board) 12 mm thick	व.फि	४४.००	४४.००	४४.००
१९	<b>DECORATIVE (THICKER)</b>				
	6 OST	व.फि	१२६.००	१२६.००	१२६.००
	6 BST	व.फि	१६०.००	१६०.००	१६०.००
	9 OST	व.फि	१४०.००	१४०.००	१४०.००
	9 BST	व.फि	१७३.००	१७३.००	१७३.००
	12 OST	व.फि	१५३.००	१५३.००	१५३.००
	12 BST	व.फि	१८७.००	१८७.००	१८७.००
	19 B/B OST	व.फि	१६५.००	१६५.००	१६५.००
	19 B/B BST	व.फि	२००.००	२००.००	२००.००
	18 OST	व.फि	१८७.००	१८७.००	१८७.००
	18 BST	व.फि	२२१.००	२२१.००	२२१.००
२०	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated ) (excluding the cost of fitting, transportation, Painting)</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७४.००	१७४.००	१७४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३७.००	२३७.००	२३७.००
	<b>Oneside water proof ply fitting</b>				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१९९.००	१९९.००	१९९.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२६८.००	२६८.००	२६८.००
२१	<b>काठको लिष्टि</b>				
	1/2" wide	र.फि.	१४.००	१४.००	१४.००
	3/4" wide	र.फि.	१६.००	१६.००	१६.००
	1.5" wide	र.फि.	२७.००	२७.००	२७.००
	Decorative	र.फि.	३८.००	३८.००	३८.००

Handwritten signatures and stamps at the bottom of the page.

## काठ तथा प्लाइउड संबन्धि निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
२२	<b>Infill Material</b>				
	Frame C - Studs( 0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	३८०.००
	Frame U - Studs( 0.55mm*0.75mm*3m)	गोटा	३८०.००	३८०.००	३८०.००
	Board 9 mm	गोटा	२२२७.००	२२२७.००	२२२७.००
	Fiber mess tape (for 90mm/roll)	गोटा	३००.००	३००.००	३००.००
	PU sasuage rod	गोटा	१८००.००	१८००.००	१८००.००
२३	<b>Parquet(sisam,saaj &amp; Teak)</b>				
	1"x3"x6mm thickness	व.फि	२००.००	२००.००	२००.००
	1"x6"x8mm thickness	व.फि	३००.००	३००.००	३००.००
	2"x10"x10mm thickness	व.फि	४००.००	४००.००	४००.००
	3"x14"x12mm thickness	व.फि	५५०.००	५५०.००	५५०.००
	3"x18"x14mm thickness	व.फि	६५०.००	६५०.००	६५०.००
२४	<b>Tounge &amp; Groove(T.G.)Flooring</b>	व.फि			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि	७००.००	७००.००	७००.००
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि	६५०.००	६५०.००	६५०.००
२५	<b>Wall panelling</b>	व.फि			
	pine	व.फि	५००.००	५००.००	५००.००
	saaj,Teak	व.फि	६००.००	६००.००	६००.००
	Sisam	व.फि	७००.००	७००.००	७००.००
	<b>3"Skirting</b>				
	pine	र.फि.	१५०.००	१५०.००	१५०.००
	saaj,Teak	र.फि.	२००.००	२००.००	२००.००
	Sisam	र.फि.	३००.००	३००.००	३००.००
	<b>4"Skirting</b>	र.फि.			
	pine	र.फि.	२००.००	२००.००	२००.००
	saaj,Teak	र.फि.	२५०.००	२५०.००	२५०.००
	Sisam	र.फि.	३५०.००	३५०.००	३५०.००
	<b>5"Skirting</b>	र.फि.			
	pine	र.फि.	२५०.००	२५०.००	२५०.००
	saaj,Teak	गोटा	३००.००	३००.००	३००.००
	Sisam	गोटा	४००.००	४००.००	४००.००




## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	<b>102 SERIES WINDOWS</b>				
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६५७.००	६५७.००	६५७.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७२३.००	७२३.००	७२३.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३६.००	८३६.००	८३६.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९२०.००	९२०.००
५	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns), available in 6 standard shades. All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket. shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure. Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractors has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : TOSTEM/RAYNAERS/CORTIZO.	Sq.m			१४००.००
	<b>90 SERIES WINDOWS</b>				
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color. Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५२९.००	५२९.००	५२९.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color. Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६०४.००	६०४.००	६०४.००



## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५७१.००	५७१.००	५७१.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६५८.००	६५८.००	६५८.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२८.००	४२८.००	४२८.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४९२.००	४९२.००	४९२.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	१८८.००	१८८.००
<b>102 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५१९.००	५१९.००	५१९.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५६३.००	५६३.००	५६३.००
<b>64 SERIES PARTITION</b>					
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64×38×1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९०.००	३९०.००	३९०.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64×38×1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४७८.००	४७८.००	४७८.००
<b>ACOUSTIC PARTITION</b>					
१	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.			४५०००.००
<b>STRUCTURAL GLAZING</b>					
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60×50+13×1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५४८.००	५४८.००	५४८.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60×75+13×1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६३६.००	६३६.००



## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहिरको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	७७३.००	७७३.००
<b>GLASS DOOR &amp; PARTITION</b>					
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	१२५९.००	१२५९.००	१२५९.००
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	८१७.००	८१७.००	८१७.००
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१३५४.००	१३५४.००
<b>Aluminium Composite Panel (ACP).</b>					
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३३.००	३३३.००	३३३.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४७.००	४४७.००	४४७.००
<b>FABRIC LINED ACOUSTIC PANEL</b>					
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m			२५०००.००
<b>ALUMINIUM DOOR &amp; WINDOW</b>					
१	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaord coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : TOSTEM/RAYNAERS/CORTIZO	Sq.m.			१५१०.२२

## Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK ( CASEMENT- NC 65 HDS ): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m			१०००००.००
<b>Steel Door &amp; Windows</b>					
१	Steel Door (a set with frame)				
	900x2100	set			२१०००.००
	1000x2100	set			२२०००.००
२	ABS Door				
	900x2100	set			१८०००.००
३	Panel Door				
	900x2100	set			१४०००.००
४	Window				
	115mm	set			८७५.००



UPVC Profile for Door/Window



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर (विहित कृषि र वन विभाग)		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover. etc.				
<b>A</b>	<b>Single glazing</b>				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	७२१५.००	७२१५.००	७२१५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	६६६४.००	६६६४.००	६६६४.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७४९३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७४९३.००	७४९३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८२१४.००	८२१४.००	८२१४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८३२८.००	८३२८.००	८३२८.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	८८८४.००
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८८८४.००	८८८४.००	८८८४.००
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	८६०६.००	८६०६.००	८६०६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	९९९९.००	९९९९.००	९९९९.००
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि	८६२६.००	८६२६.००	८६२६.००
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि	९७९६.००	९७९६.००	९७९६.००
१२	UPVC 110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	१०३५३.००	१०३५३.००	१०३५३.००
१२	UPVC 60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१०७१७.००	१०७१७.००	१०७१७.००
१३	UPVC 60x60mm white colour swing door with 5mm glass pannel	व.मि	६७२७.००	६७२७.००	६७२७.००
<b>B</b>	<b>Double glazing</b>				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	९४३५.००	९४३५.००	९४३५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	८९३५.००	८९३५.००	८९३५.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	९७१८.००	९७१८.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	९७१८.००	९७१८.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०४३९.००	१०४३९.००	१०४३९.००
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	१०५४७.००	१०५४७.००	१०५४७.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१११०३.००	१११०३.००	१११०३.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१०८२५.००	१०८२५.००	१०८२५.००
९	Supply & fixing of 80*50 mm white colour casement window	व.मि	९६९९.००	९६९९.००	९६९९.००



छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुख्य कार बाहिरको दररेट		
			आ.व. २०७६/७७	२०७७/७८	आ.व. २०७८/७९
१	ग्याल्भनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७०८	४७०८	४७०८
	0.22 mm (30 guage Medium)	बण्डल	५१४२	५१४२	५१४२
	0.24 mm (30 guage Heavy)	बण्डल	५५२२	५५२२	५५२२
	0.26 mm (28 guage light)	बण्डल	५८४१	५८४१	५८४१
	0.28 mm (28 guage Medium)	बण्डल	६१८६	६१८६	६१८६
	0.31 mm (28 guage Heavy)	बण्डल	६७३५	६७३५	६७३५
	0.35 mm (26 guage light)	बण्डल	७४६०	७४६०	७४६०
	0.37 mm (26 guage Medium)	बण्डल	८०९७	८०९७	८०९७
	0.41 mm (26 guage Heavy)	बण्डल	८६१९	८६१९	८६१९
	0.45 mm (24 guage light)	बण्डल	९४०७	९४०७	९४०७
	0.50 mm (24 guage Medium)	बण्डल	१०३९८	१०३९८	१०३९८
	0.52 mm (24 guage Heavy)	बण्डल	११३३६	११३३६	११३३६
	0.75 mm	बण्डल	१५४१६	१५४१६	१५४१६
२	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	५८५८	५८५८	५८५८
	0.22 mm (30 guage Medium)	बण्डल	६२६५	६२६५	६२६५
	0.24 mm (30 guage Heavy)	बण्डल	६७०८	६७०८	६७०८
	0.26 mm (28 guage light)	बण्डल	७०६२	७०६२	७०६२
	0.28 mm (28 guage Medium)	बण्डल	७४३४	७४३४	७४३४
	0.31 mm (28 guage Heavy)	बण्डल	७९८२	७९८२	७९८२
	0.35 mm (26 guage light)	बण्डल	८८३२	८८३२	८८३२
	0.37 mm (26 guage Medium)	बण्डल	९४५१	९४५१	९४५१
	0.41 mm (26 guage Heavy)	बण्डल	१००८०	१००८०	१००८०
	0.45 mm (24 guage light)	बण्डल	१०९२९	१०९२९	१०९२९
	0.50 mm (24 guage Medium)	बण्डल	११९३८	११९३८	११९३८
	0.52 mm (24 guage Heavy)	बण्डल	१२३८१	१२३८१	१२३८१
	0.55 mm (24 guage Medium)	बण्डल	१२९६५	१२९६५	१२९६५
	0.75 mm	बण्डल	१७४१६	१७४१६	१७४१६
३	ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७०८	४७०८	४७०८
	0.22 mm (30 guage Medium)	बण्डल	५१०६	५१०६	५१०६
	0.24 mm (30 guage Heavy)	बण्डल	५४८७	५४८७	५४८७
	0.26 mm (28 guage light)	बण्डल	५८०५	५८०५	५८०५
	0.28 mm (28 guage Medium)	बण्डल	६१४२	६१४२	६१४२
	0.31 mm (28 guage Heavy)	बण्डल	६६८१	६६८१	६६८१
	0.35 mm (26 guage light)	बण्डल	७४०७	७४०७	७४०७
	0.37 mm (26 guage Medium)	बण्डल	८०३५	८०३५	८०३५
	0.41 mm (26 guage Heavy)	बण्डल	८५६६	८५६६	८५६६
	0.45 mm (24 guage light)	बण्डल	९३६३	९३६३	९३६३
	0.50 mm (24 guage Medium)	बण्डल	१०३४५	१०३४५	१०३४५

Handwritten signatures and marks at the bottom of the page.



## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ. कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	0.52 mm (24 guage Heavy)	बण्डल	१०७१७	१०७१७	१०७१७
	0.75 mm	बण्डल	१५४१६	१५४१६	१५४१६
४	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	१६०२	१६०२	१६०२
	0.22 mm base metal	बण्डल	१७४३	१७४३	१७४३
	0.24 mm base metal	बण्डल	१८६७	१८६७	१८६७
	0.26 mm base metal	बण्डल	१९७३	१९७३	१९७३
	0.28 mm base metal	बण्डल	२०८८	२०८८	२०८८
	0.31 mm base metal	बण्डल	२२६५	२२६५	२२६५
	0.35 mm base metal	बण्डल	२५१३	२५१३	२५१३
	0.38 mm base metal	बण्डल	२७१७	२७१७	२७१७
	0.41 mm base metal	बण्डल	२८९४	२८९४	२८९४
५	४ फिट x ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	३२६५	३२६५	३२६५
	0.90 mm base metal	पिस	२६९९	२६९९	२६९९
	0.80 mm base metal	पिस	२४३४	२४३४	२४३४
	0.75 mm base metal	पिस	२२८३	२२८३	२२८३
	0.70 mm base metal	पिस	२१३३	२१३३	२१३३
	0.62 mm base metal	पिस	१९१२	१९१२	१९१२
	0.55 mm base metal	पिस	१७०८	१७०८	१७०८
	0.50 mm base metal	पिस	१५५८	१५५८	१५५८
	0.48 mm base metal	पिस	१४९६	१४९६	१४९६
	0.45 mm base metal	पिस	१४१६	१४१६	१४१६
	0.42 mm base metal	पिस	१३२७	१३२७	१३२७
	0.40 mm base metal	पिस	१२६५	१२६५	१२६५
	0.37 mm base metal	पिस	११७७	११७७	११७७
	0.35 mm base metal	पिस	११३३	११३३	११३३
	0.30 mm base metal	पिस	९९१	९९१	९९१
	0.28 mm base metal	पिस	९२९	९२९	९२९
६	४ x ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	२९८२	२९८२	२९८२
	0.80 mm base metal	पिस	२७०८	२७०८	२७०८
	0.75 mm base metal	पिस	२५४०	२५४०	२५४०
	0.70 mm base metal	पिस	२४३४	२४३४	२४३४
	0.62 mm base metal	पिस	२१७७	२१७७	२१७७
	0.55 mm base metal	पिस	१९५६	१९५६	१९५६
	0.50 mm base metal	पिस	१७८८	१७८८	१७८८
	0.48 mm base metal	पिस	१७१७	१७१७	१७१७
	0.45 mm base metal	पिस	१६१९	१६१९	१६१९
	0.42 mm base metal	पिस	१५१३	१५१३	१५१३
	0.40 mm base metal	पिस	१४८७	१४८७	१४८७

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



### छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	वर्द्धमान आ.व. २०७८/७९
	0.37 mm base metal	पिस	१३८९	१३८९	१३८९
	0.35 mm base metal	पिस	१३२७	१३२७	१३२७
	0.30 mm base metal	पिस	११७७	११७७	११७७
	0.28 mm base metal	पिस	१११५	१११५	१११५
७	<b>GI Expanded metal Mesh</b>				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१५९	१५९	१५९
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	२१२	२१२	२१२
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३३	१३३	१३३
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१७७	१७७	१७७
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१२४	१२४	१२४
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५९	१५९	१५९
८	<b>UPVC Roofing Sheet (3mm thick)</b>				
	PMMA coating & Mesh ( Regular )	व.मि.	१५०६.००	१५०६.००	१५०६.००
	Stone coated (18 inch* 4 feet)	व.मि.	१२००.००	१२००.००	१२००.००
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००
	UPVC Clip	गोटा	२६.००	२६.००	२६.००
	self tapping screw 3"	गोटा	३०.००	३०.००	३०.००
	self tapping screw 2.2"	गोटा	२०.००	२०.००	२०.००
	self tapping screw 2"	गोटा	११.००	११.००	११.००
	self tapping screw 1.5"	गोटा	८.५०	८.५०	८.५०
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.			१४५२.६०
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.			१२९१.२०
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.			११२९.८०
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.			१४००.००
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.			१३००.००
९	<b>Eco-UPVC Roofing Sheet (Ultra Modern Technology)</b>				
	Corrugated sheets(2mm)	व.फि.	६६.३७	६६.३७	६६.३७
	Corrugated ridge (2mm) (3'*1.4')	गोटा	७४५.१३	७४५.१३	७४५.१३
	Corrugated ridge side(2mm)(3'*1.4')	गोटा	४४७.७९	४४७.७९	४४७.७९
	Spanish tile without fiber mesh(3mm)	व.फि.	१०१.७७	१०१.७७	१०१.७७
	Spanish tile with fiber mesh(3mm)	व.फि.	११०.६२	११०.६२	११०.६२
	Spanish ridge(3mm)(3'*1.4')	गोटा	१३४३.३६	१३४३.३६	१३४३.३६
	Spanish ridge side(3mm)	गोटा	७४५.१३	७४५.१३	७४५.१३
	Spanish tile tripod(3mm)	गोटा	९९६.४६	९९६.४६	९९६.४६
	Clip Set	गोटा	८.८५	८.८५	८.८५
१०	<b>एल्युमिनियम प्लेन सिट</b>				
	(क) २६ गेज	व.फि.	२९.००	२९.००	२९.००
	(ख) ३० गेज	व.फि.	२७.००	२७.००	२७.००
११	<b>Corrugated/Plain Fiber Glass Sheet</b>				
	०.८ मी. मी. मोटो प्लेन	व.फि.	११५.००	११५.००	११५.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.



## छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१२७.००	१२७.००	१२७.००
	१.२ मी.मी. मोटो प्लेन	व.फि.	१२७.००	१२७.००	१२७.००
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	१४६.००	१४६.००	१४६.००
	२ मी.मी. मोटो प्लेन	व.फि.	२१६.००	२१६.००	२१६.००
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	२५५.००	२५५.००	२५५.००
	३ मी. मी. मोटो प्लेन	व.फि.	२९३.००	२९३.००	२९३.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	३८२.००	३८२.००	३८२.००
१२	<b>ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft)</b>				
	Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm)	व.मिटर	१०७६.००	१०७६.००	१०७६.००
	Ridge Cover corrugated	र.मिटर	१५५०.००	१५५०.००	१५५०.००
	Self tapping screw 75mm with clip set	गोटा	२०.००	२०.००	२०.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर			१६००.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर			१६००.००
	Self tapping screw 3" with clip set	गोटा			३०.००
	Self tapping screw 2.2" with clip set	गोटा			२५.००
१३	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	६७.००	६७.००	६७.००
१४	Fiber Glass छानाको लागि Ribet nut	गोटा	७.००	७.००	७.००
१५	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१३७.००	१३७.००	१३७.००
१६	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.००
१७	३" साइज रुफिङ्ग नेल्स	गोटा	१०.००	१०.००	१०.००
१८	<b>Roofing Material</b>				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर			४०००.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर			३०००.००
१९	<b>Fiber Plain Sheet</b>				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.			१००.००
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.			१२०.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.			१४५.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.			१५५.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.			१९५.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.			२४०.००
२०	<b>Fiber Corrugated Sheet</b>				
	Fiber S span Thickness 2mm, width 42"	र.फि.			६४०.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र.फि.			१२५.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र.फि.			१७०.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र.फि.			४८५.००

छाना छाउने निर्माण सामग्री



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अर्थ विभागको दररेट		
			आ.व. २०७६/७७	ब.व. २०७७/७८	आ.व. २०७८/७९
	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	व.मी.			२९६०.००
	IKO Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	व.मी.			४००.००
	Providing and installing 12mm thick Cement Fiber Board (Thailand) complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	व.मी.			१५६०.००
२१	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm				४५६.००
	75mm				४६३.००
	100mm				५१२.००
	125mm				६०८.००
	150mm				६५२.००
२२	Blue & Orange Color Roofing Panel				
	50mm				३९८.००
	75mm				४४७.००
	100mm				५३६.००
	125mm				५४५.००
	150mm				५९३.००

## Partition Board and Ceiling



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	<b>Plain Particle Board (Exteriors Grade)</b>				
	९ मी .मी	व.फि	३८.००	३८.००	३८.००
	१२ मी .मी	व.फि	४३.००	४३.००	४३.००
	१८ मी .मी	व.फि	५५.००	५५.००	५५.००
	२५ मी .मी	व.फि	७४.००	७४.००	७४.००
२	<b>PPB One side lamination Melaminated faced (Exterior Grade)</b>				
	९ मी .मी	व.फि	७७.००	७७.००	७७.००
	१२ मी .मी	व.फि	८६.००	८६.००	८६.००
	१८ मी .मी	व.फि	१०२.००	१०२.००	१०२.००
	२५ मी .मी	व.फि	१३२.००	१३२.००	१३२.००
३	<b>PPB Both side lamination Melaminated faced (Exteriors Grade)</b>				
	९ मी .मी	व.फि	८६.००	८६.००	८६.००
	१२ मी .मी	व.फि	९९.००	९९.००	९९.००
	१८ मी .मी	व.फि	११४.००	११४.००	११४.००
	२५ मी .मी	व.फि	१४५.००	१४५.००	१४५.००
४	<b>Plain Particle Board (Interiors Grade)</b>				
	९ मी .मी	व.फि	२८.००	२८.००	२८.००
	१२ मी .मी	व.फि	३२.००	३२.००	३२.००
	१८ मी .मी	व.फि	४८.००	४८.००	४८.००
	२५ मी .मी	व.फि	६९.००	६९.००	६९.००
५	<b>PPB One side lamination Melaminated faced (Interior Grade)</b>				
	३ मी .मी	व.फि	४२.००	४२.००	४२.००
	६ मी .मी	व.फि	५९.००	५९.००	५९.००
	९ मी .मी	व.फि	६८.००	६८.००	६८.००
	१२ मी .मी	व.फि	७७.००	७७.००	७७.००
	१८ मी .मी	व.फि	८९.००	८९.००	८९.००
	२५ मी .मी	व.फि	११९.००	११९.००	११९.००
६	<b>PPB Both side lamination Melaminated faced (Interiors Grade)</b>				
	३ मी .मी	व.फि	४८.००	४८.००	४८.००
	६ मी .मी	व.फि	६४.००	६४.००	६४.००
	९ मी .मी	व.फि	७७.००	७७.००	७७.००
७	<b>PPB One side lamination Melaminated faced (Interior Grade)</b>				
	३ मी .मी	व.फि	४८.००	४८.००	४८.००
	४ मी .मी	व.फि	५५.००	५५.००	५५.००
	६ मी .मी	व.फि	६८.००	६८.००	६८.००
	९ मी .मी	व.फि	८८.००	८८.००	८८.००
	१२ मी .मी	व.फि	९९.००	९९.००	९९.००
	१८ मी .मी	व.फि	१२७.००	१२७.००	१२७.००
	२५ मी .मी	व.फि	१७६.००	१७६.००	१७६.००

## Partition Board and Ceiling




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कि.र. बाहेकको दररेट		
			आ.व. २०७६/७७	२०७७/७८	आ.व. २०७८/७९
८	PPB Both side lamination Melaminated faced -Alstone Hybrid Board (WPC Board), (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	३ मी .मी	व.फि	५५.००	५५.००	५५.००
	४ मी .मी	व.फि	६१.००	६१.००	६१.००
	६ मी .मी	व.फि	७६.००	७६.००	७६.००
	९ मी .मी	व.फि	९५.००	९५.००	९५.००
	१२ मी .मी	व.फि	१०५.००	१०५.००	१०५.००
	१८ मी .मी	व.फि	१३३.००	१३३.००	१३३.००
	२५ मी .मी	व.फि	१८०.००	१८०.००	१८०.००
९	Alstone Hybrid Board (WPC Board)				
	६ मी .मी (१२२० X २४४०)	व.फि	१७५.००	१७५.००	१७५.००
	१२ मी .मी	व.फि	२८०.००	२८०.००	२८०.००
	१८ मी .मी	व.फि	४२३.००	४२३.००	४२३.००
१०	Alstone Hybrid Board				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	८४.००	८४.००	८४.००
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	१२०.००	१२०.००	१२०.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	२२१.००	२२१.००	२२१.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	३०५.००	३०५.००	३०५.००
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	३७०.००	३७०.००	३७०.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	५५३.००	५५३.००	५५३.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	७१३.००	७१३.००	७१३.००
	WPC door framme 100*50 mm upto ht 7 ft	व.फि	३८०.००	३८०.००	३८०.००
	WPC door shutter 30 mm th. (7*3) size	व.फि	५४०.००	५४०.००	५४०.००
	18 mm th. WPC OLIGO (colour)	व.फि	५७५.००	५७५.००	५७५.००
११	Alstone Hybrid Board (WPC Board), (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	६ मी .मी size ( 1220*2440) mm	व.फि	१६८.००	१६८.००	१६८.००
	१२ मी .मी size ( 1221*2440) mm	व.फि	३१९.००	३१९.००	३१९.००
	१८ मी .मी size ( 1222*2440) mm	व.फि	४४४.००	४४४.००	४४४.००
१२	Supplying and fixing of Thai gypsum board				
	Wall partition	व.फि	१२४.००	१२४.००	१२४.००
	Wall paneling	व.फि	८२.००	८२.००	८२.००
	12.5mm thick Gypsum Board False ceiling	व.फि	८३.००	८३.००	८३.००
१३	Fiber cement board (Wall)				
	3.2 MM (2'x2')	व.फि	२६.००	२६.००	२६.००
	3.2 MM (4'x8')	व.फि	२८.००	२८.००	२८.००
	3.5 MM (4'x8')	व.फि	३२.००	३२.००	३२.००
	4MM (4'x8')	व.फि	३३.००	३३.००	३३.००
	6MM (4'x8')	व.फि	४७.००	४७.००	४७.००
	8MM (4'x8')	व.फि	६३.००	६३.००	६३.००
	9MM (4'x8')	व.फि	७१.००	७१.००	७१.००



## Partition Board and Ceiling



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	10MM (4'x8')	व.फि.	८०.००	८०.००	८०.००
	12MM (4'x8')	व.फि.	८९.००	८९.००	८९.००
	<b>Fiber cement board (Floor)</b>				
	15MM (4'x8')	व.फि.			१३४.४५
	18MM (4'x8')	व.फि.			१६०.७७
	20MM (4'x8')	व.फि.			१८०.३२
	<b>Fiber cement board (Cassiano)</b>				
	8MM (4'x8')	व.फि.			८८.२०
१४	<b>Fiber Cement Board (Planck)</b>				
	8MM (3"x9'-10") 9'-10"Rft	व.फि.	३२.००	३२.००	३२.००
	8MM (6"x9'-10") 9'-10"Rft	व.फि.	५०.००	५०.००	५०.००
	8MM (8"x9'-10") 9'-10"Rft	व.फि.	६८.००	६८.००	६८.००
	8MM Coloured Teak Texture Walnut (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
	8MM Coloured Teak Texture GST (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
	8MM Coloured Teak Texture Cherry Red (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
	8MM Coloured Teak Texture Afromosia -Brown (6"x9'-10") 9'-10"Rft	व.फि.			६४.८६
१५	Infill wall Partition using 6mm Board on 74mm Stud	व.मि			४९९७.२४
	Infill wall Partition using 10mm Board on 74mm Stud		६३७०.००	६३७०.००	५९६३.५८
	Infill wall Partition using 6mm Board on 50mm Stud				४०५६.५२
	Dry wall Partition using 10mm Board on 74mm Stud				५०१३.६६
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९०.००	९०.००	९०.००
१७	<b>Material for Wall</b>				
	<b>Mural Wall:</b> 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed. curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	व.मि			१५०००.००
१८	<b>Ivory Color Flat Wall Panel</b>				
	50mm				३४२.५०
	75mm				३५०.००
	100mm				३९८.००
	125mm				४९६.००
	150mm				५४५.००
१९	<b>Gray Color RP Wall Panel</b>				
	50mm				३७५.००
	75mm				३८२.००
	100mm				४३१.००
	125mm				५२८.००
	150mm				५७७.५०



## Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
२०	Wooden Color Siding Wall Panel				
	50mm				
	75mm				४६३.००
	100mm				५१२.००
	125mm				५६८.००
	150mm				६१०.००



## Prefab Panel for wall Partition

जिल्ला प्रशासन कार्यालय  
काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Supply and erection of different mm th. cement base prefabricated everest solid wall panel (RAPION) non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	३०२.००	३०२.००	३०२.००
	b) 50 mm thick	व.फि	२३९.००	२३९.००	२३९.००
१	<b>False Ceiling/Partition/External cladding (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	९३.००	९३.००	९३.००
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with fibre cemnet board	व.फि	२७९.००	२७९.००	२७९.००
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with fibre cemnet board	व.फि	२४४.००	२४४.००	२४४.००
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with fibre cemnet board	व.फि	३११.००	३११.००	३११.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	व.फि	२७४.००	२७४.००	२७४.००
	Supplying, making, fixing of 50mm thick full height of partirion with RAPICON wall panels	व.फि	२१७.००	२१७.००	२१७.००
	Supplying, making, fixing of 75mm thick full height of partirion with RAPICON wall panels	व.फि	२८८.००	२८८.००	२८८.००
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	३५.००	३५.००	३५.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा			२८००.००
	150X300 Tile	गोटा			३५००.००
	300X300 Tile	गोटा			४०००.००
३	<b>Cement board Aerocon C Board</b>				
	6 mm thick	व.फि	३४.००	३४.००	३४.००
	8 mm thick	व.फि	४२.००	४२.००	४२.००
	10 mm thick	व.फि	५३.००	५३.००	५३.००
	12 mm thick	व.फि	६४.००	६४.००	६४.००
४	<b>Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire</b>				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	३९३.००	३९३.००	३९३.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४२४.००	४२४.००	४२४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	५२४.००	५२४.००	५२४.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	व.फि	११२.००	११२.००	११२.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	व.फि	२६३.००	२६३.००	२६३.००
	75 mm thick	व.फि	३४७.००	३४७.००	३४७.००



## Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.करं बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	२८२.००	२८२.००	२८२.००
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२८६.००	२८६.००	२८६.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२५०.००	२५०.००	२५०.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior conforming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	३१९.००	३१९.००	३१९.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) conforming to IS 14862 : 2000	व.फि	३५९.००	३५९.००	३५९.००
५	EPS ( Expanded Polystyrene) and Cement Base Light Weight Sandwitch Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos ) as face board on both sides (Size 2270*610mm)- excluding installation				
	50mm thickness	व.फि	२१०.००	१८०.००	१८०.००
	60mm thickness	व.फि	२७५.००	२७५.००	२७५.००
	75mm thickness	व.फि	३३०.००	३३०.००	३३०.००
	90mm thickness	व.फि	३८५.००	३८५.००	३८५.००
	120mm thickness	व.फि	४६५.००	४६५.००	४६५.००
	Installation charge	व.फि	२५.००	२५.००	२५.००
	Other Accessories	व.फि	४५.००	४५.००	४५.००
६	<b>Precast boundary wall, Precast slab, Precast Beam</b>				
	H-beam	र.फि	१८५.००	१८५.००	१८५.००
	50 mm wall slab	व.फि	१६०.००	१६०.००	१६०.००
	120 mm floor slab (with installation)	व.फि	३५०.००	३५०.००	३५०.००
	Color Block	व.फि	१३५.००	१३५.००	१३५.००
	Non Color Block	व.फि	१२०.००	१२०.००	१२०.००
७	स्याण्डविच पफ रुफिङ्ग प्यानल(चौडाई ९५० मि.मि.)				
	३० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,किम	व.फि	२३०.००	२३०.००	२३०.००
	४० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,किम	व.फि	२५०.००	२५०.००	२५०.००
	५० मि.मि.मोटाई,रङ्ग रातो, निलो, हरियो,किम	व.फि	२७५.००	२७५.००	२७५.००
८	स्याण्डविच पफ वाल प्यानल (चौडाई ९५०मि.मि)				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	२३५.००	२३५.००	२३५.००
	५० मि.मि.मोटाई,रङ्ग किम	व.फि	२५५.००	२५५.००	२५५.००
	७५ मि.मि.मोटाई,रङ्ग किम	व.फि		३३०.००	३३०.००
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि		४१५.००	४१५.००
	१२५ मि.मि.मोटाई,रङ्ग किम	व.फि			५०५.००
	१५० मि.मि.मोटाई,रङ्ग किम	व.फि		४९०.००	४९०.००
९	स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि )				
	४० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इटा)	व.फि		२८०.००	२८०.००
	५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इटा)	व.फि		३००.००	३००.००
	७५ मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इटा)	व.फि		३७५.००	३७५.००

## Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	१०० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिकाइष्टा)	व.फि		४६०.००	४६०.००
	१५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिकाइष्टा)	व.फि		५३५.००	५३५.००
10	स्याण्डविच पफ ब्रिक वाल प्यानल (चौडाई ९५०मि.मि )				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्टा) अर्का तर्फ क्रिम	व.फि		२५५.००	२५५.००
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्टा) अर्का तर्फ क्रिम	व.फि		२७५.००	२७५.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्टा) अर्का तर्फ क्रिम	व.फि		३५०.००	३५०.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्टा) अर्का तर्फ क्रिम	व.फि		४३५.००	४३५.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिकाइष्टा) अर्का तर्फ क्रिम	व.फि		५१५.००	५१५.००
11	पोलिकारबोनेट रुफिङ सिट				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई ०.८ मि.मि चौडाई ३२ इन्च	व.फि		११९.००	११९.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि		१४९.००	१४९.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १.२ मि.मि चौडाई ४२ इन्च	व.फि		१७७.००	१७७.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १.५ मि.मि चौडाई ४३ इन्च	व.फि		२२४.००	२२४.००
	पोलिकारबोनेट प्लेन तथा क्रिस्टल सिट				
	नर्मल तथा क्रिस्टल सिट मोटाई १.५ मि.मि चौडाई ३२ इन्च	व.फि		१८५.००	१८५.००
	नर्मल तथा क्रिस्टल सिट मोटाई २ मि.मि चौडाई ३२ इन्च	व.फि		२४७.००	२४७.००
	नर्मल तथा क्रिस्टल सिट मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि		१५५.००	१५५.००
	टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाई ०.५ मि.मि चौडाई ३२ इन्च	व.फि		१२०.००	१२०.००
	सि एण्ड जेड पर्लिन				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाई १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१४९.००	१४९.००
	सि एण्ड जेड पर्लिन(३२० मि.मि. सिट),मोटाई २ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१४७.००	१४७.००
	सि एण्ड जेड पर्लिन(३६० मि.मि. सिट),मोटाई २ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१४६.००	१४६.००
	सि एण्ड जेड पर्लिन(४१० मि.मि. सिट),मोटाई २ मि.मि ग्याल्भनाइज्ड	प्रति केजी		१५८.००	१५८.००
	अल्मुनियम				
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.६ मि.मि	प्रति वण्डल		१८५००.००	१८५००.००
	पेन्टेड अल्मुनियम एस स्पान सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल		१४५००.००	१४५००.००
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.५ मि.मि	प्रति वण्डल		१६५००.००	१६५००.००
	पेन्टेड अल्मुनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल		१२५००.००	१२५००.००
	<b>Metal Tile Roofing Sheet</b>				
	0.5 Thickness - (Red, Green, Blue)	बन्डल			२२१५०.००
	0.5 Thickness - (Chocolate)	बन्डल			२४५५०.००
	Ridge Cap(0.4 Thickness)	र.फिट			२००.००
	<b>Gutter</b>				
	0.50 mm Thickness (Size- 12")	र.फिट			९५.००
	0.50 mm Thickness (Size- 18")	र.फिट			१६५.००
	0.40 mm Thickness (Size- 12")	र.फिट			११५.००
	0.40 mm Thickness (Size- 12")	र.फिट			१६५.००
	<b>Polycarbonate Corrugated Sheet</b>				
	1 mm Thickness	व.फि			१००.००

## Prefab Panel for wall Partition



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.वि.सं.सहा.के.को.दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	1.25mm Thickness	व.फि			१२०.००
	1.5 mm Thickness	व.फि			१४५.००
	1.75mm Thickness	व.फि			१६५.००
	2mm Thickness	व.फि			१९०.००
	2.5 mm Thickness	व.फि			२३०.००
	<b>Polycarbonate Plain Sheet</b>				
	1 mm Thickness	व.फि			८५.००
	1.5 mm Thickness	व.फि			१३०.००
	2 mm Thickness	व.फि			१७५.००
	2.5 mm Thickness	व.फि			२१५.००
	3 mm Thickness	व.फि			२६०.००
	4 mm Thickness	व.फि			३५०.००
	5 mm Thickness	व.फि			४३५.००
	6 mm Thickness	व.फि			५२५.००
	8 mm Thickness	व.फि			७००.००
	10 mm Thickness	व.फि			८८०.००
	12 mm Thickness	व.फि			१०५५.००

## भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बिलिकको दररेट (रु.मा)		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	फलामको कब्जा				
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज	गोटा	२८.००	२८.००	२८.००
	(ग) ५" साइज	गोटा	४३.००	४३.००	४३.००
	(घ) ६" साइज	गोटा	५६.००	५६.००	५६.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२६०.००	२६०.००	२६०.००
	225 mm	गोटा	२२७.००	२२७.००	२२७.००
	150 mm	गोटा	१९५.००	१९५.००	१९५.००
३	Aluminum Towerbolt (ढेस्कीनी)				
	(क) ३" लामो	गोटा	२०.००	२०.००	२०.००
	(ख) ४" लामो	गोटा	४०.००	४०.००	४०.००
	(ग) ६" लामो	गोटा	६७.००	६७.००	६७.००
	(घ) ८" लामो	गोटा	८०.००	८०.००	८०.००
	(ङ) १०" लामो	गोटा	९४.००	९४.००	९४.००
	(च) १२" लामो	गोटा	१०७.००	१०७.००	१०७.००
४	Aluminum Handle (हतकल)				
	Ordinary	गोटा	३२.००	३२.००	३२.००
	Special	गोटा	४७.००	४७.००	४७.००
५	ब्रासको कब्जा				
	2" x 1/2"	गोटा	६३.००	६३.००	६३.००
	2 1/2 x 3/4"	गोटा	७१.००	७१.००	७१.००
	3" x 3/4"	गोटा	८७.००	८७.००	८७.००
	2" x 3/4"	गोटा	७१.००	७१.००	७१.००
	2 1/2" x 3/4"	गोटा	७९.००	७९.००	७९.००
	3" x 3/4"	गोटा	८७.००	८७.००	८७.००
	3" x 1"	गोटा	१८९.००	१८९.००	१८९.००
	4" x 1"	गोटा	२८४.००	२८४.००	२८४.००
	5" x 1"	गोटा	३७९.००	३७९.००	३७९.००
	6" x 1"	गोटा	४५८.००	४५८.००	४५८.००
६	Brass Towerbolt (ढेस्कीनी)				
	(क) ३" लामो	गोटा	१४२.००	१४२.००	१४२.००
	(ख) ४" लामो	गोटा	१८९.००	१८९.००	१८९.००
	(ग) ६" लामो	गोटा	२८४.००	२८४.००	२८४.००
	(घ) ८" लामो	गोटा	३७९.००	३७९.००	३७९.००
	(ङ) १०" लामो	गोटा	४७३.००	४७३.००	४७३.००
	(च) १२" लामो	गोटा	५६८.००	५६८.००	५६८.००
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा	१५०.००	१५०.००	१५०.००
	8" Brass handle	गोटा	४५८.००	४५८.००	४५८.००


## भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर/सुद्वेकको दररेट		
			आ.व. २०७६/७७	सुद्वेक २०७७/७८	आ.व. २०७८/७९
	10" Brass handle	गोटा	९४७.००	९४७.००	९४७.००
८	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	९४७.००	९४७.००	९४७.००
	(ख) १०" लामो	गोटा	१५६२.००	१५६२.००	१५६२.००
	(ग) १२" लामो	गोटा	१७३५.००	१७३५.००	१७३५.००
	Special Fittings				
९	एल ड्रप				
	८" लामो	गोटा	१०६२.००	१०६२.००	१०६२.००
	१०" लामो	गोटा	११९९.००	११९९.००	११९९.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१२४९.००
१०	ह्याण्डल ८" लामो	गोटा	१२४९.००	१२४९.००	१२४९.००
११	टावर बोल्ट				
	६" लामो	गोटा	२२५.००	२२५.००	२२५.००
	८" लामो	गोटा	३००.००	३००.००	३००.००
	१०" लामो	गोटा	३७५.००	३७५.००	३७५.००
१२	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	८९२.००	८९२.००	८९२.००
	१०" लामो	गोटा	११३०.००	११३०.००	११३०.००
	१२" लामो	गोटा	१२४९.००	१२४९.००	१२४९.००
	ह्याण्डल				
	६" लामो	गोटा	२५०.००	२५०.००	२५०.००
	८" लामो	गोटा	३७५.००	३७५.००	३७५.००
	मोर्टिस लक				
	Ordinary	गोटा	६२५.००	६२५.००	६२५.००
	Chinese	गोटा	४१६.००	४१६.००	४१६.००
	Indian Godrej Company	गोटा	२५५७.००	२५५७.००	२५५७.००
	Brass		११३०.००	११३०.००	११३०.००
१३	Door Spring (Door Closer)				
	Ordinary	गोटा	१७८.००	१७८.००	१७८.००
	hydraulic	गोटा	१८७४.००	१८७४.००	१८७४.००
	Window I-hook	गोटा	१८.००	१८.००	१८.००
१४	Gate Hook				
	4" Gate hook	गोटा	३१.००	३१.००	३१.००
	5" Gate hook	गोटा	३५.००	३५.००	३५.००
	6" Gate hook	गोटा	४२.००	४२.००	४२.००
	Brass Gate hook	गोटा	७५.००	७५.००	७५.००
१५	Door stopper				
	Butterfly	गोटा	१४८.००	१४८.००	१४८.००
	Bell catch 2" size	गोटा	१९६.००	१९६.००	१९६.००
	C.P. handle	गोटा	४२५.००	४२५.००	४२५.००



भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बाहिरको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Power coated handle	गोटा	४०६.००	४०६.००	४०६.००
	Brass coated handle	गोटा	८७४.००	८७४.००	८७४.००
	Door stopper, single brass stopper	गोटा	१००.००	१००.००	१००.००
	Door stopper double brass stopper	गोटा	१७८.००	१७८.००	१७८.००
१६	<b>Screw Brass</b>				
	20mm	गोटा	१.९२	१.९२	१.९२
	25mm	गोटा	२.६७	२.६७	२.६७
	35mm	गोटा	४.११	४.११	४.११
	50mm	गोटा	१२.०६	१२.०६	१२.०६
	75mm	गोटा	१५.०८	१५.०८	१५.०८
१७	<b>Screw Steel</b>				
	20mm	गोटा	१.१७	१.१७	१.१७
	25mm	गोटा	१.९२	१.९२	१.९२
	35mm	गोटा	२.३३	२.३३	२.३३
	50mm	गोटा	७.२०	७.२०	७.२०
	75mm	गोटा	७.५४	७.५४	७.५४
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९२.७०	९२.७०	९२.७०
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९७.८५	९७.८५	९७.८५

Handwritten signatures and initials in Nepali script, including names like 'Rajendra', 'Sushil', and 'Rajendra'.

## रंगरोगन तथा पुटिका सामानहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	सिमेन्ट पेन्ट	के.जि.	६५.००	६५.००	६५.००
२	सिमेन्ट प्राइमर सेतो	के.जि.	२७१.००	२७१.००	२७१.००
३	उड प्राइमर	लिट्र	३६५.००	३६५.००	३६५.००
४	सेन्थेटिक इनामेल पेन्ट	लिट्र	५०९.००	५०९.००	५०९.००
५	नेपाल रेडको म्याट फिनिसिङ	लिट्र	४९९.००	४९९.००	४९९.००
६	कोरुगेटेड रुफ पेन्ट	लिट्र	४६२.००	४६२.००	४६२.००
७	तयारी अल्मुनियम पेन्ट	लिट्र	५३०.००	५३०.००	५३०.००
८	तयारी वार्नेस	लिट्र	४२७.००	४२७.००	४२७.००
९	तयारी वार्नेस सेन्थेटिक	लिट्र	३३०.००	३३०.००	३३०.००
१०	भारतीय थिनर	लिट्र	२२४.००	२२४.००	२२४.००
११	उड एण्ड ग्लास पुटिन	के.जी	१२८.००	१२८.००	१२८.००
१२	मेटल पुटिन	के.जी	१५९.००	१५९.००	१५९.००
१३	चुना पेन्ट गर्न राख्ने गम	के.जी	१९७.००	१९७.००	१९७.००
१४	नेपाली थिनर	लिट्र	२९९.००	२९९.००	२९९.००
१५	तारपिन तेल	लिट्र	२०८.००	२०८.००	२०८.००
१६	रेड अकसाइड पेन्ट	लिट्र	२५४.००	२५४.००	२५४.००
१७	उड प्रिजरभेटिभ पेन्ट	लिट्र	२२२.००	२२२.००	२२२.००
१८	व्याक जापान	लिट्र	४६६.००	४६६.००	४६६.००
१९	राम तिलक	के.जि.	५४.००	५४.००	५४.००
२०	गेहूँ रंग	के.जि.	१३३.००	१३३.००	१३३.००
२१	चप्रा	के.जि.	१२८०.००	१२८०.००	१२८०.००
२२	स्पीट	लिट्र	८७.००	८७.००	८७.००
२३	तयारी वासेबल डिस्टेम्पर	लिट्र	२९७.००	२९७.००	२९७.००
२४	तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लिट्र	५९९.००	५९९.००	५९९.००
२५	तयारी वेदरकोट पेन्ट (exterior)	लिट्र	६९२.००	६९२.००	६९२.००
२६	प्लास्टिक ईमल्सन पेन्ट	लिट्र	६५०.००	६५०.००	६५०.००
२७	एक्सटेरियर वेदर कोट	लिट्र	६८३.००	६८३.००	६८३.००
२८	रोड मार्कीङ थमोप्लास्टिक पेन्ट	लिट्र	५६२.००	५६२.००	५६२.००
२९	लिनसिड आयल	लिट्र	१९९.००	१९९.००	१९९.००
३०	स्थानीय स्पीट	लिट्र	१९४.००	१९४.००	१९४.००
३१	मोविकल/फेविकल	के.जि.	२५५.००	२५५.००	२५५.००
३२	मैन पालिस	के.जि.	३४५.००	३४५.००	३४५.००
३३	अकजालिक एसिड	के.जि.	१९८.००	१९८.००	१९८.००
३४	१" चौडा पेन्ट ब्रस	गोटा	७०.००	७०.००	७०.००
३५	२" चौडा पेन्ट ब्रस	गोटा	१४०.००	१४०.००	१४०.००
३६	३" चौडा पेन्ट ब्रस	गोटा	२१०.००	२१०.००	२१०.००
३७	४" चौडा पेन्ट ब्रस	गोटा	२८०.००	२८०.००	२८०.००
३८	रंग लगाउने रोलर	गोटा	४००.००	४००.००	४००.००
३९	Sand paper	गोटा	६.००	६.००	६.००
४०	Wall putty plain	के.जि.	३६.००	३६.००	३६.००
४१	Wall putty- water Proof		६०.००	६०.००	६०.००
४२	Plaster of Parish (POP)	के.जि.	२२.००	२२.००	२२.००
४३	Redoxide zink cromate primer For Bridge	लिट्र	४५०.००	४५०.००	४५०.००
४४	Silk Breathless easy	लिट्र	१२३८.००	१२३८.००	१२३८.००
४५	Epoxy Paint for Operation theater	लिट्र	११७०६.००	११७०६.००	११७०६.००




## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	प्र.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.क.मन्त्रालय २०७७/७८	आ.व. २०७८/७९
४६	SPC CemTec Exterior Primer	लिट्र			२३३.२४
४७	SPC CemTec Interior Primer	लिट्र			१६८.५६
४८	SPC SynTec Enamel Paints	लिट्र			५०१.७६
४९	SPC WoodTec Primer	लिट्र			३०६.७४
५०	SPC Tetrox Red Oxide	लिट्र			२७०.४८
५१	SPC WalTec Wall Putty	के.जि.			३५.२८
	<b>Decorative Painting Material</b>				
<b>A</b>	<b>Specialized paints</b>				
१	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	१०९९.००	१०९९.००	१०९९.००
२	Acro Ellastocrab (Anti carbonisation paint)	लिट्र	७६२.००	७६२.००	७६२.००
३	Dr. wallz CeraInsul (Heat Reflecting Energy Saving Insulation Paint)	लिट्र			११३०.००
४	Dr. Wallz Firegard (Instumescent weather resistant chlorinated rubber fire resistant retardant coating)	लिट्र			११३८.००
५	Dr. Wallz Renustu	के.जि.			९७.३५
६	Health -Guard Silver Ion higeinic Coating Paint	लिट्र			९५०.००
७	Health Pro Self Sanitizing Silver Ion Higienic Coating	लिट्र			९५०.००
<b>B</b>	<b>Texture paints</b>				
१	Mediterrano	के.जि.	१७६.००	१७६.००	१७६.००
२	Stucco Veneziano	के.जि.	१६३९.००	१६३९.००	१२७०.००
३	Velvetino	के.जि.	४३०५.००	४३०५.००	४३०५.००
४	Travertino	के.जि.	४१२.००	४१२.००	३४६.००
५	Gtone plaster	के.जि.	१२१.००	१२१.००	१२१.००
६	Colorato (Multi color)	के.जि.	९२१.००	९२१.००	९२१.००
७	Pearl skin texture	के.जि.	१४९.००	१४९.००	१४९.००
८	TS 52 Spray white	के.जि.	१९९.००	१९९.००	१९९.००
९	Rustic	के.जि.	१९९.००	१९९.००	१९७.००
१०	Rockart	लिट्र	१९९.००	१९९.००	१८७.००
११	Manhattan	के.जि.	२३८.००	२३८.००	२३८.००
१२	Sabbia	के.जि.	२३८.००	२३८.००	२३८.००
१३	Sandy Stone	के.जि.	१७४.००	१७४.००	१७४.००
१४	Insulplast	के.जि.	२३७.००	२३७.००	२३७.००
१५	Poly Under White	के.जि.	२६४.००	२६४.००	२६४.००
१६	Antica(Top coat)	के.जि.	१२६७.००	१२६७.००	१२६७.००
१७	T.C 100(Top coat)	के.जि.	७२८.००	७२८.००	७२८.००
१८	Dekorica White	के.जि.	२६३१.००	२६३१.००	२६३१.००
१९	Poly Plaster	के.जि.	१०७.००	१०७.००	१०७.००
२०	Granite tone	के.जि.	१६५.००	१६५.००	१६५.००
२१	Graffiato	के.जि.	१५९.००	१५९.००	१५९.००
२२	Elligance stone	के.जि.	१८९.००	१८९.००	१८९.००
२३	Marmorino Base	के.जि.	४१२.००	४१२.००	४१२.००
२४	Acro fine	के.जि.	१८१.००	१८१.००	१८१.००
२५	Marmocastro base	के.जि.	१३९.००	१३९.००	१३९.००
२६	Selva Granite	के.जि.	२१५.००	२१५.००	२१५.००
२७	Romart	के.जि.	२३९.००	२३९.००	२३९.००

## रंगरोगन तथा पुटिका सामानहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	सु. अ. कर बाहेकको दररेट		
			आ. व. २०७६/७७	पु. व. २०७७/७८	आ. व. २०७८/७९
२८	Renstu plaster putty	के.जि.			८६.७०
२९	Hyperion base putty	के.जि.			५०७.००
३०	Cementzio base putty	के.जि.			२३०.००
३१	Helios base putty	के.जि.			४९७.००
३२	Cratere base putty	के.जि.			४८८.००
३३	Cerrotta base putty	के.जि.			४८८.००
३४	Coppotto Di cemento	के.जि.			१७०८.००
३५	Muroplast putty	के.जि.			७१.००
३६	Acro pure ( PU top coat)	के.जि.			११४५.००
३७	Satenatto emulsion	लिटर			६००.००
३८	StuccoPlaster	लिटर			२८२.६४
३९	Elegantile	के.जि.			१९०.००
४०	Multi Granite	के.जि.			१९०.००
४१	Hermes Base	के.जि.			२३५.००
४२	Botticelli Base	के.जि.			२८२.००
४३	Granito Wall	के.जि.			१४६.००
<b>C</b>	<b>Weather coat paints</b>				
१	Guard	लिटर	५०३.००	५०३.००	५०३.००
२	Guard -3x	लिटर	५८८.००	५८८.००	५८८.००
३	Shield	लिटर	३२२.००	३२२.००	३२२.००
४	Acrotex matt	लिटर	५१०.००	५१०.००	५१०.००
५	Ext wall Primer	लिटर	२३८.००	२३८.००	२३८.००
६	SPC ExterShield Premium	लिटर			५७६.२४
७	SPC ExterShield Smooth	लिटर			४९२.९४
८	SPC ExterShield Standard	लिटर			३१५.५६
<b>D</b>	<b>Emulsion Paints/Distemper</b>				
१	silk Emulsion paints	लिटर	५२२.००	५२२.००	५२२.००
२	Aqualin Int.Emulsion	लिटर	२८०.००	२८०.००	२८०.००
३	pearl Emulsion paints	लिटर	७७२.००	७७२.००	७७२.००
४	int. wall Primer	लिटर	१७२.००	१७२.००	१७२.००
५	Acrylic Washable Distemper	लिटर	१४२.००	१४२.००	१४२.००
६	Acro gold Enamel	लिटर	५१२.००	५१२.००	५१२.००
७	Universal primer ( wood primer)	लिटर	३१३.००	३१३.००	३१३.००
८	Red oxide metal primer	लिटर	२७६.००	२७६.००	२७६.००
९	Construction Chemical / waterproof coating system				
	crack sill	लिटर	३८७.००	३८७.००	३८७.००
	crack fill A+B	लिटर	१७०.००	१७०.००	१७०.००
१०	Silicon Bases water repellent impregnation				
	Acropreg	लिटर	४६६.००	४६६.००	४६६.००
	Acropreg W	लिटर	६१९.००	६१९.००	६१९.००
	Wall putty	के.जि.	३९.००	३९.००	३९.००
११	SPC InnraCare Premium Emulsion	लिटर			७०७.५६
१२	SPC InnraCare Smooth Emulsion	लिटर			५११.५६
१३	SPC InnraCare Standard Emulsion	लिटर			२७४.४०
१४	SPC EvtinVigil Washable Distemper	के.जि.			१३९.१६



## रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Acro Texture ISO certified 9001-2008 ( Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
<b>A</b>	<b>Acro Spanezia maestro finishes texture</b>				
१	Mediterrano texture	व.फि.	१२८.००	१२८.००	१२८.००
२	Travertino texture	व.फि.	१९५.००	१९५.००	१९५.००
३	Velvetino texture	व.फि.	१६७.००	१६७.००	१६७.००
४	Gtone plaster and Colorato texture(Multicolour texture)	व.फि.	१३३.००	१३३.००	१३३.००
५	Stucco veneziano texture	व.फि.	१४०.००	१४०.००	१४०.००
६	Pearl skin texture	व.फि.	१२०.००	१२०.००	१२०.००
७	Marmorino texture	व.फि.	१५६.००	१५६.००	१५६.००
८	Mediterrano and Colorato texture(Multi color texture)	व.फि.			१५९.००
<b>B</b>	<b>Acro texture</b>				
१	Acro spray flat/Acro spray dews texture	व.फि.	६५.००	६५.००	६५.००
२	Featherglow/Royal touch/Superfine/Ceratex texture	व.फि.	७४.००	७४.००	७४.००
३	Rustic texture	व.फि.	९९.००	९९.००	९९.००
४	Rockart texture	व.फि.	९३.००	९३.००	९३.००
५	Graffiato texture	व.फि.	१०३.००	१०३.००	१०३.००
६	Marmocastro texture	व.फि.	९०.००	९०.००	९०.००
७	Marmoplast texture	व.फि.	९०.००	९०.००	९०.००
८	Sabbia texture	व.फि.	११२.००	११२.००	११२.००
९	Manhattan texture	व.फि.	११२.००	११२.००	११२.००
१०	Sandy stone texture	व.फि.	१५४.००	१५४.००	१५४.००
११	Selva Granite texture	व.फि.	११६.००	११६.००	११६.००
१२	Elligance stone texture	व.फि.	१०७.००	१०७.००	१०७.००
१३	Granite tone texture	व.फि.	९८.००	९८.००	९८.००
१४	Romaart texture	व.फि.	१२४.००	१२४.००	१२४.००
२१	Insulplast texture	व.फि.	१३५.००	१३५.००	१३५.००
२२	Lastrafiniture texture	व.फि.	२३४.२७	२३४.२७	२३४.२७
२३	Fossa finiture texture	व.फि.	२५३.८७	२५३.८७	२५३.८७
२४	PierreDe Beaton texture	व.फि.	२१५.२२	२१५.२२	२१५.२२
२५	Maglia texture	व.फि.	२४४.००	२४४.००	२४४.००
२६	Pietra texture	व.फि.	२५१.१४	२५१.१४	२५१.१४
२७	Muro fussa texture	व.फि.	२९७.५३	२९७.५३	२९७.५३
२८	Cattelo Di Cemento texture	व.फि.	२१४.३४	२१४.३४	२१४.३४
२९	Cratere texture	व.फि.	२५४.९१	२५४.९१	२५४.९१
३०	Cerrotta texture	व.फि.	१३४.६३	१३४.६३	१३४.६३
३१	Cementizio texture	व.फि.	१२१.९१	१२१.९१	१२१.९१
३२	Riverstire De Pennelli texture	व.फि.	२४२.८४	२४२.८४	२४२.८४
३३	Acro Bio-guard (Hospital Paint)	व.फि.	५४.००	५४.००	४८.६९
३४	Acro Ellastocarb(anti carbonisation paint)	व.फि.	३८.००	३८.००	४८.५५
३५	Acro fire guard (fire retardent paint)	व.फि.	३४.००	३४.००	३४.००
३६	Health Guard Silver Ion hygienic Coating Paint	व.फि.			४३.७९
३७	Health Pro self Sanitizing Silver ion Hygienic Coating	व.फि.			४४.५८

## रंगरोगन तथा पुटिका सामानहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.करे ब्राहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
३८	Acro Cerainsu (Heat Reflecting Energy Saving Insulation Paint)	व.फि.			४३.००
३९	Elegantile	व.फि.			१३०.००
४०	Multi Granite	व.फि.			१२९.००
४१	Harmesh	व.फि.			२०८.००
४२	Botticelli	व.फि.			१७३.००
४३	Granito Wall	व.फि.			१४२.००
४४	Cratere texture with marmocatello and acro pure	व.फि.			२२८.००
४५	Cratere texture with marmocatello and elastocarb	व.फि.			२२७.००
४६	Stucco Plaster Texture	व.फि.			२४९.००
<b>C</b>	<b>EXTERIOR SURFACE PAINTS</b>				
	ACROGUARD 3X	व.फि.	२३.००	२३.००	२३.००
	ACROGUARD	व.फि.	२९.००	२९.००	२९.००
	ACROSHIELD	व.फि.	१७.००	१७.००	१७.००
	ACROTEX MATT	व.फि.	३९.००	३९.००	३९.००
<b>D</b>	<b>INTERIOR SURFACE EMULSION PAINTS</b>				
	ACROPEARL EMULSION PAINTS	व.फि.	२४.००	२४.००	२४.००
	ACROSILK EMULSION PAINTS	व.फि.	२०.००	२०.००	२०.००
	AQUALIN EMULSION PAINTS	व.फि.	१६.००	१६.००	१६.००
	AQUALIN ACRYLIC WASHABLE DISTEMPER	व.फि.	११.००	११.००	११.००
	ACRO GOLD ENAMEL PAINTS	व.फि.	१८.००	१८.००	१८.००
<b>E</b>	<b>Wall Paper</b>				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००
	Fittings for wall paper	व.फि.	७.००	७.००	७.००
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००
<b>F</b>	<b>Pro Plaster Material</b>	के.जी	३२.४३	३२.४३	३२.४३
	<b>Environment Friendly Paints</b>				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L			२०८८०.००
		10 L			११४४०.००
		4 L			४५८०.००
		1 L			११५०.००
2	Environmentally Friendly Natural Exterior Paint	20 L			
		10 L			१३८००.००
		4 L			७१००.००
		1 L			२९८०.००
					८२०.००
3	Environmentally Friendly Constant Color Exterior Paint	20 L			
		10 L			१०८८०.००
		4 L			५९४०.००
		1 L			२५८०.००
					६५०.००
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L			
		10 L			११८००.००
		4 L			६४००.००
		1 L			२७६०.००
					७००.००
5	Eco - Friendly High glossy Interior Wall Paint	20 L			

## रंगरोगन तथा पुटिका सामानहरु

मिति



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. केर. बाहेकको दररेट		
			आ. व. २०७६/७७	* आ. व. २०७७/७८	आ. व. २०७८/७९
		10 L			१८८००.००
		4 L			९९००.००
		1 L			३९६०.००
					९९०.००
6	Environmentally Friendly Natural Interior Wall paint	20 L			
		10 L			१२८००.००
		4 L			६६००.००
		1 L			२७६०.००
					७२०.००
7	Environmentally Friendly Constant Interior wall Paint	20 L			
		10 L			९८००.००
		4 L			५१००.००
		1 L			२१६०.००
					५८०.००
8	Eco Friendly Interior Wall Paint	20 L			
		10 L			५९००.००
		4 L			३१५०.००
		1 L			१३८०.००
					४००.००
9	Environmentally Efficient Exterior Wall Primer	20 L			
		10 L			१०८००.००
		4 L			६६००.००
		1 L			३९६०.००
					१२४०.००
10	Environmentally Friendly Alkali Resistant wall primer interior	20 L			
		10 L			८४००.००
		4 L			५२००.००
		1 L			२५६०.००
					१०८०.००
11	Eco Friendly Primer	20 L			
		10 L			६४००.००
		4 L			४३००.००
		1 L			२२००.००
					८८०.००
12	Granite texture Spray / Imitation Stone Paint	1 sq ft			
					१४५.००
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg			५८२०.००
	Intermediate Coating Paint	7 Kg			७०००.००
	Granite Surface Paint	9 kg			१५०००.००
	Dust proof Surface Paint	3 kg			४९८०.००

## Water Proofing Chemicals &amp; Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व.व २०७८/७९
<b>A</b>	<b>CONCRETE ADMIXTURES (Chemical)</b>				
१	Form Oil	लिट्र	१००.००	१००.००	१००.००
२	Polymer for M35, M 40 or higher concrete	लिट्र	३५०.००	३५०.००	३५०.००
३	Epoxy Bonding agent for old and new construction	लिट्र	२०००.००	२०००.००	२०००.००
४	डैम्प प्रूफ तथा हार्डनिङ कम्पाउण्ड सेफ माईट	लिट्र	२३५.००	२३५.००	२३५.००
५	(Damp proof, Anti Termite, Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३५०.००	३५०.००	३५०.००
	Waterproof Coating with Polymer	के.जी.	४५०.००	४५०.००	४५०.००
१	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] ASTM C 494 -( Type A,B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५०.००	१५०.००
२	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Naphthalene Formldehyde Based] ASTM C 494 -( Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२५०.००	२५०.००
३	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] ASTM C 494 -( Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४५०.००	४५०.००
४	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 ( Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३००.००	३००.००
५	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१०००.००	१०००.००	१०००.००
६	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	१०००.००	१०००.००	१०००.००
७	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१२५०.००	१२५०.००	१२५०.००
८	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part 5	के.जी.	१८०.००	१८०.००	१८०.००
९	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	के.जी.	२५०.००	२५०.००	२५०.००
१०	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	के.जी.	३५०.००	३५०.००	३५०.००
११	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३५०.००	३५०.००
१२	Retarding Superplasticizer for Concrete [ Napthalene Based] ASTM C 494-1981 ( TYPE G/D), IS 9103-2007	के.जी.	२५०.००	२५०.००	२५०.००
१३	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] ASTM C 494-1981 ( Type G )	के.जी.	४५०.००	४५०.००	४५०.००
<b>B</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३३०.००	३३०.००	३३०.००
२	Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS 15388-2003.	के.जी.	११०.००	११०.००	११०.००
३	Processed FA Based Mineral Additives	के.जी.	८५.००	८५.००	८५.००
<b>C</b>	<b>FOR JOINT SEALANTS &amp; SYSTEMS</b>				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८००.००	१८००.००
२	Two Component Pour Grade Polysulphide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८००.००	१८००.००
३	One Component Low Viscosity Primer For Polysulphide Sealant	के.जी.	३०००.००	३०००.००	३०००.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२०००.००	२०००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३०००.००	३०००.००
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२००.००	१२००.००
७	HOT APPLIED Bituminous Sealing Compound Sealant [TYPE A]	के.जी.	३५०.००	३५०.००	३५०.००



## Water Proofing Chemicals &amp; Treatment works



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेको दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
८	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	४५०.००	४५०.००	४५०.००
९	Butyl Tape for various Applications	र. मि.	१२५.००	१२५.००	१२५.००
१०	Waterproofing Joint Tape [ 120 mm]	र. मि.	५५०.००	५५०.००	५५०.००
११	Waterproofing Joint Tape [ 200 mm]	र. मि.	७५०.००	७५०.००	७५०.००
१२	NBR based Waterproofing Joint Tape [ 200 mm]	र. मि.	४०००.००	४०००.००	४०००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३०००.००	३०००.००
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२७५.००	२७५.००
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५००.००	१५००.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२७००.००	२७००.००
१७	Construction Joint Tape [ 100 mm]	र. मि.	६००.००	६००.००	६००.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२४५०.००	२४५०.००	२४५०.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	४८५०.००	४८५०.००	४८५०.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	६००.००	६००.००	६००.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५००.००	१५००.००	१५००.००
२२	Compressible Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	२५००.००	२५००.००	२५००.००
२३	Compressible Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	३५००.००	३५००.००	३५००.००
२४	Compressible Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	४५००.००	४५००.००	४५००.००
<b>D</b>	<b>INDUSTRIAL FLOORING SOLUTIONS</b>				
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	के.जी.	१२०.००	१२०.००	१२०.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४५०.००	४५०.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.			७००.००
४	Anti Bacterial Wall Coating [ Polyurethane] Walgard WBA	के.जी.			१०४५.००
५	Anti bacterial Wall Coating Clearseal	के.जी.			७८५.००
६	Self Levelling Flooring System [ Epoxy] Florgard SL	के.जी.			१३०५.००
७	Flooring System [ Polyurethane] Florthane	के.जी.			१३०५.००
८	Anti Bacterial Floor & Wall Coating [ Epoxy]	के.जी.	२५००.००	२५००.००	२५००.००
९	Anti Bacterial Floor & Wall Coating [ Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
१०	Anti bacterial Floor & Wall Coating [ Acrylic]	के.जी.	२०००.००	२०००.००	२०००.००
११	Self Levelling Flooring System [ Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००
१२	Self Levelling Flooring System [ Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
१३	Self Levelling Cementitious Flooring System	के.जी.	५००.००	५००.००	५००.००
<b>E</b>	<b>ENGINEERING GROUTS</b>				
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	के.जी.	११०.००	११०.००	११०.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१२५.००	१२५.००
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१६०.००	१६०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०००.००	१०००.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५००.००	५००.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२५००.००	२५००.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 MI Cartridge]	मिलि लिटर	४५००.००	४५००.००	४५००.००

## Water Proofing Chemicals &amp; Treatment works


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बहिष्को दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७५००.००	७५००.००
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१२५००.००	१२५००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८५००.००	८५००.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४०००.००	१४०००.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९५००.००	९५००.००
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३०.००	१३०.००
१४	Cement Capsule(32*300mm)	पिस	६०.००	६०.००	६०.००
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२५०.००	२५०.००
१६	Durasport (Sport court coating)				१३०५.००
१७	Eposeal (for water storage tanks)				१३०५.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)				६९६.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)				६९६.००
२०	K10 Sovacryl (Waterproofs external surfaces)				१०४५.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)				७८५.००
२२	Coal tar Epoxy ( Excellent resistance to water and alkali in steel surface)				३९२.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)				७८५.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)				६९६.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)				६९६.००
२६	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)				३४८.००
<b>F</b>	<b>BONDING ADHESIVES FOR CONCRETE &amp; MORTAR (Polymer &amp; Epoxy Resin)</b>				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७५०.००	७५०.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	९५०.००	९५०.००
३	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२००.००	१२००.००
४	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	के.जी.	१८००.००	१८००.००	१८००.००
<b>G</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२००.००	१२००.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५००.००	१५००.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२०००.००	२०००.००
४	Loose steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००
५	Glued Steel Fibers	के.जी.	३५०.००	३५०.००	३५०.००
६	Crimped Steel Fibers	के.जी.	२५०.००	२५०.००	२५०.००
<b>H</b>	<b>SURFACE TREATMENT</b>				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२००.००	१२००.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१३५०.००	१३५०.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४५००.००	४५००.००
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५००.००	१५००.००
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८००.००	१८००.००
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५००.००	१५००.००

## Water Proofing Chemicals &amp; Treatment works


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बहिर्को दरः		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
७	High Performance Water Repellent Paint	लिट्र	९००.००	९००.००	९००.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५००.००
९	Ready to use Chemical Mould Release Agent	लिट्र	५००.००	५००.००	५००.००
१०	Concrete Curing Aid	के.जी.	४५०.००	४५०.००	४५०.००
<b>I</b>	<b>CONCRETE REPAIRS</b>				
१	Rust Remover & Passivator	लिट्र	१०००.००	१०००.००	१०००.००
२	Corrosion Inhibitor	के.जी.	१२००.००	१२००.००	१२००.००
३	Micro Concrete [ M60] for Permanant Repairs	के.जी.	१४०.००	१४०.००	१४०.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१७५.००	१७५.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२५०.००	२५०.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२००.००	२००.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२००.००	१२००.००
<b>J</b>	<b>PREPACKED MORTARS</b>				
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	८५.००	८५.००
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३५०.००	३५०.००
३	Coarse and water resistant Readymix plastering Mortar	के.जी.	८५.००	८५.००	८५.००
४	High Performanance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	८५.००	८५.००
५	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	के.जी.	९०.००	९०.००	९०.००
<b>K</b>	<b>WATERPROOFING SYSTEMS</b>				
	<b>INTEGRAL</b>				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२७५.००	२७५.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७५००.००	७५००.००
<b>L</b>	<b>LIQUID APPLIED</b>				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७००.००	७००.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५००.००	५००.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७५०.००	७५०.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	८५०.००	८५०.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७५०.००	७५०.००
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३५०.००	३५०.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४००.००	४००.००
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१६५०.००	१६५०.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१२५०.००	१२५०.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६००.००	६००.००
<b>M</b>	<b>PREFORMED</b>				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८००.००	१८००.००	१८००.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२०००.००	२०००.००	२०००.००
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	१०५०.००	१०५०.००

## Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
४	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	ब. मि.	१५००.००	१५००.००	१५००.००
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	१५००.००	१५००.००	१५००.००
६	1.2 mm High Polymer PVC Membranes	ब. मि.	२०००.००	२०००.००	२०००.००
७	PVC Adhesive	के.जी.	२५००.००	२५००.००	२५००.००
८	1.2 mm EPDM Membranes	ब. मि.	२५००.००	२५००.००	२५००.००
९	EPDM Adhesive	के.जी.	२५००.००	२५००.००	२५००.००
१०	EPDM Primer	के.जी.	३०००.००	३०००.००	३०००.००
११	2mm TPO Membranes	ब. मि.	३५००.००	३५००.००	३५००.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	८००.००	८००.००	८००.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४५००.००	४५००.००
<b>N</b>	<b>SPECIALTY</b>				
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५५०.००	५५०.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२२५.००	२२५.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५२५.००	५२५.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६५०.००	६५०.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१२५०.००	१२५०.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०००.००	१०००.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७५०.००	७५०.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०००.००	१०००.००
९	Anti Termite [ Imidacloprid 30.5% ]	के.जी.	१२०००.००	१२०००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	७५००.००	७५००.००	७५००.००
१२	Swellable WATERSTOP	र. मि.	२५००.००	२५००.००	२५००.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२५००.००	२५००.००
१४	Nodular Drain with Geotextile Roof Garden	ब. मि.	२५००.००	२५००.००	२५००.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	११०.००	११०.००	११०.००
१६	XPS - Extruded Polystyrene Boards [ 25 mm]	ब. मि.	२८००.००	२८००.००	२८००.००
१७	XPS - Extruded Polystyrene Boards [ 50 mm]	ब. मि.	३५००.००	३५००.००	३५००.००




**WATER PROOFING MEMBRANE**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/०७८	आ.व. २०७८/७९
१	1.2 mm thick flexible waterproofing membranc consisting HDPE Carrier sheet	व.मि.		४४००.००	४४००.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.		३८००.००	३८००.००
३	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.		१२००.००	१२००.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.		४२००.००	४२००.००
५	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system-Integritank @ 2mm thick( No protection required)	व.मि.		२८००.००	२८००.००
६	Providing and Applying polymer modified arcylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the ( ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.			१०२५.००
७	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-1C that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.			५९०.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.			१६५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.			९९०.००
१०	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.			३९५.००
	20 cm	र.मि.			५७५.००

*(Handwritten signatures and marks)*

## STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दर		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
<b>A</b>	<b>STRUCTURAL STRENGTHENING</b>				
१	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८५००.००	८५००.००
२	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००
३	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८०००.००	८०००.००	८०००.००
४	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००
५	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६०००.००	१६०००.००	१६०००.००
६	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२०००.००	१२०००.००	१२०००.००
७	EPOXY PRIMER	के.जी.	३५००.००	३५००.००	३५००.००
८	SATURANT	के.जी.	३५००.००	३५००.००	३५००.००
९	LAMINATE ADHESIVE	के.जी.	२५००.००	२५००.००	२५००.००
१०	EPOXY TOPCOAT	के.जी.	३५००.००	३५००.००	३५००.००
११	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४५००.००	४५००.००
१२	Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२५००.००	२५००.००
१३	Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३५००.००	३५००.००
१४	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१००००.००	१००००.००
१५	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२०००.००	१२०००.००
<b>B</b>	<b>Horizontal Expansion Joint for Slab</b>				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०४९०.००	१०४९०.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२४६०.००	१२४६०.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१४७६०.००	१४७६०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	१९६८०.००	१९६८०.००
<b>C</b>	<b>Expansion Joint for Basement</b>				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८०४०.००	१८०४०.००
<b>D</b>	<b>Expansion Joint for Roof</b>				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१२५८०.००	१२५८०.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१४९५५.००	१४९५५.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७१०.००	१७७१०.००	१७७१०.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६१५.००	२३६१५.००	२३६१५.००
<b>E</b>	<b>Inside Vertical Expansion Joint</b>				
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६५६०.००	६५६०.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८२००.००	८२००.००
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	९८४०.००	९८४०.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३१२०.००	१३१२०.००	१३१२०.००
<b>F</b>	<b>Outside Vertical Expansion Joint</b>				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७५४०.००	७५४०.००



**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकका		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९४३०.००	९४३०.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११३१०.००	११३१०.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५०८०.००	१५०८०.००


## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व. कर/बोहेकको दररेट		
			आ.व. २०७६/७७	पुनःसंशोधन २०७७/७८	आ.व. २०७८/७९
१	<b>Interlocking Cement Concrete Block ( Not less than M20 concrete)</b>				
	Curb stone-Not less than M20 concrete	र.मि.	१०५१.००	१०५१.००	१०५१.००
	<b>25 mm thick C.C. Tile (Grey color)-Burfi , Round , Bobby Checker</b>	व.फि	४०.००	४०.००	४०.००
	<b>25 mm thick C.C. Tile (Red color)-Burfi , Round , Bobby Checker</b>	व.फि	४२.००	४२.००	४२.००
	<b>50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock</b>	व.फि	४८.००	४८.००	४८.००
	<b>50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock</b>	व.फि	४९.००	४९.००	४९.००
	<b>60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock</b>	व.फि	५०.००	५०.००	५०.००
	<b>60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock</b>	व.फि	५२.००	५२.००	५२.००
	<b>70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock</b>	व.फि	५९.००	५९.००	५९.००
२	<b>60 mm thick CC Block ( Ocm or equivalent )</b>				
	Brick type (23*11*6cm)non colour	गोटा	१०.००	१०.००	१०.००
	Hexagon (22*22 cm) non colour	गोटा	२२.००	२२.००	२२.००
	Hexagon (22*22 cm) colour	गोटा	२४.००	२४.००	२४.००
	Squire paver (30*30*4.5cm)non colour	गोटा	३०.००	३०.००	३०.००
	Squire paver (30*30*4.5cm)colour	गोटा	३३.००	३३.००	३३.००
	inter block(24*13*6cm)	गोटा	१५.००	१५.००	१५.००
	lsave paver (20*16*6cm)	गोटा	१६.००	१६.००	१६.००
३	<b>Concrete Block different items</b>				
	Hollow Block ( 16"*8"*6")	गोटा	७५.००	७५.००	७५.००
	Hollow Block ( 16"*8"*4")	गोटा	६६.००	६६.००	६६.००
	Corner Hollow Block ( 16"*8"*6")	गोटा	८४.००	८४.००	८४.००
	Lintel Block ( 16"*8"*6")	गोटा	८४.००	८४.००	८४.००
	Pavers Block ( fish or other shape ) 60mm thick	गोटा	१९.००	१९.००	१९.००
	concrete Brick ( 9"*4"*2.5")	गोटा	१२.००	१२.००	१२.००
५	<b>Concrete block</b>				
	Concrete block size (40*15*20 ) cm	गोटा	३८.००	३८.००	३८.००
	Concrete block size ( 40*10*20 ) cm	गोटा	३३.००	३३.००	३३.००
	Concrete block size ( 39*14*19 ) cm	गोटा	५२.००	५२.००	५२.००
६	<b>Cellular light weight concrete(CLC) block</b>				
	Cellular light weight concrete(CLC) block -24"*8"*4"	गोटा	१६७.००	१६७.००	१६७.००
	Cellular light weight concrete(CLC) block-24"*8"*6"	गोटा	३०८.००	३०८.००	३०८.००
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११७.००	११७.००	११७.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७६.००	१७६.००	१७६.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२३५.००	२३५.००	२३५.००
७	<b>Interlock Concrete Paving Blocks</b>				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	२२७८.००	२२७८.००	२२७८.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	२८२७.००	२८२७.००	२८२७.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	३४६६.००	३४६६.००	३४६६.००



## Cement Concrete Block





सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१६८४.००	१६८४.००	१६८४.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२११८.००	२११८.००	२११८.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२५७३.००	२५७३.००	२५७३.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१८२९.००	१८२९.००	१८२९.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२३२३.००	२३२३.००	२३२३.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२८१८.००	२८१८.००	२८१८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	१५८९.००	१५८९.००	१५८९.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	१८५२.००	१८५२.००	१८५२.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१०८२.००	१०८२.००	१०८२.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१२९८.००	१२९८.००	१२९८.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१६८४.००	१६८४.००	१६८४.००
८	<b>CONCRETE PAVING BLOCKS</b>				
१	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	१९८१.३४	१९८१.३४	१९८१.३४
२	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२४१९.५२	२२१५.११	२२१५.११
३	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२८६७.२२	२३१२.८४	२३१२.८४
४	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	व.मी.			१९८१.३४
५	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	व.मी.			२२१५.११
६	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	व.मी.			२३१२.८४
७	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	२०३७.७१	१७६०.८३	१७६०.८३
८	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	२७१६.९५	१९१८.५२	१९१८.५२
९	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	३२४८.५२	१९९७.३६	१९९७.३६
१०	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 60MM Thickness Dimension: 226mmx200mmx60mm	व.मी.	१४४७.९०	१२६१.४९	१२६१.४९
११	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 60MM Thickness Dimension: 226mmx200mmx60mm	व.मी.	१८१९.४०	१४१९.१८	१४१९.१८

## Cement Concrete Block

जिल्ला विकास  
गृह मन्त्रालय  
मु. अ. कर बाहिरको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहिरको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१२	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 60MM Thickness Dimension: 226mmx200mmx60mm	व.मी.	२१९०.९०	१४९८.०२	१४९८.०२
१३	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm (NS Standard)	व.मी.	१२७३.५७	१०२४.९६	१०२४.९६
१४	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm (NS Standard)	व.मी.	१६९८.०९	१२३५.२१	१२३५.२१
१५	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	२१२२.६१	१३१४.०५	१३१४.०५
१६	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	व.मी.			१७६०.८३
१७	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	व.मी.			१९९८.५१
१८	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	व.मी.			१९९७.३६
१९	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	व.मी.			१९५७.५२
२०	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	व.मी.			२२३७.१६
२१	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	व.मी.			२३४२.०३
२२	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	व.मी.			३५८७.३३
२३	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	व.मी.			३८५८.८९
२४	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	व.मी.			४१२६.२२
२५	Rectangular Interlock Paver (Grey Color) with Compressive Strength M35 or Above. 60MM Thickness Dimension: 200mmx100mmx60mm	व.मी.	१८२८.९३	१६९९.३८	१६९९.३८
२६	Rectangular Interlock Paver (Single Color) with Compressive Strength M35 or Above. 60MM Thickness Dimension: 200mmx100mmx60mm	व.मी.	२१९०.९०	२१६६.९६	२१६६.९५
२७	Rectangular Interlock Paver (Multi Color) with Compressive Strength M35 or Above. 60MM Thickness Dimension: 200mmx100mmx60mm	व.मी.	२५५२.८८	२५५२.८८	२६८०.५२
२८	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	व.मी.			३७३४.८३
२९	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	व.मी.			४०९२.५८
३०	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	व.मी.			४३९८.५८






## Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. व. काठमाण्डौं		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
३१	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१५८६.४२	१५४१.०३	१५४१.०३
३२	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१८८१.५६	१६९७.७५	१६९७.७५
३३	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	२०९१.५८	१७४९.९९	१७४९.९८
३४	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	व.मी.			१५४१.०३
३५	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	व.मी.			१६९७.७५
३६	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	व.मी.			१७४९.९८
३७	Uni-Pavers (Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 240mmx120mmx60mm	व.मी.	१४६२.६५	१४१०.४२	१४१०.४२
३८	Uni-pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 240mmx120mmx60mm	व.मी.	१८०३.९४	१६२५.०५	१६२५.०५
३९	Uni-pavers (Multi blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 240mmx120mmx60mm	व.मी.	२०४७.७२	१७७७.०३	१७७७.०३
४०	Square Pavers (Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm (NS Standard)	व.मी.	१७८१.३०	१६६६.०७	१६६६.०७
४१	Square Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm (NS Standard)	व.मी.	२०२८.९६	१९६२.२६	१९६२.२६
४२	Square Pavers (Multiblended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm (NS Standard)	व.मी.	२२६०.८४	२२२१.५०	२२२१.५०
४३	Cobble Pavers (Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 100mmx100mmx60mm (NS Standard)	व.मी.	१७६४.०६	१६२९.२६	१६२९.२६
४४	Cobble Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 100mmx100mmx60mm	व.मी.	२०४४.०७	१९२५.७३	१९२५.७३
४५	Cobble Pavers (Multiblended Color) with compressive strength M35 or above 60mm Thickness Dimension: 100mmx100mmx60mm	व.मी.	२३२४.०८	२२२२.२०	२२२२.२०
४६	Interlock Pavers (Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm	व.मी.	१७५४.४४	१५३३.७३	१५३३.७३
४७	Interlock Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm	व.मी.	२०५३.०७	१६९८.९०	१६९८.९०
४८	Interlock Pavers (Multiblended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm	व.मी.	२२३९.७२	१७६९.६९	१७६९.६९
४९	Interlock with Cobbles Pavers (Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm	व.मी.	१७८४.६८	१५०४.१५	१५०४.१५

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. प्र. तालिकाको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
५०	Interlock with Cobbles Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm	व.मी.	२०२९.६४	१६५८.९९	१६५८.९९
५१	Interlock with Cobbles Pavers (Multiblended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx200mmx60mm	व.मी.	२२०४.६०	१७४७.४७	१७४७.४७
<b>CONCRETE PAVING TILES</b>					
५२	Matrix Slab (Grey Color) with Compressive Strength M35 or Above. 40MM Thickness Dimension: 400mmx400mmx40mm	व.मी.	१३८१.२२	१२९६.४०	१२९६.४०
५३	Matrix Slab (Single Color) with Compressive Strength M35 or Above. 40MM Thickness Dimension: 400mmx400mmx40mm	व.मी.	१५१४.५८	१४३५.२६	१४३५.२६
५४	Matrix Slab (Multi Blended Color) with Compressive Strength M35 or Above. 40MM Thickness Dimension: 400mmx400mmx40mm	व.मी.	१६८६.०४	१६२०.४८	१६२०.४८
<b>CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS</b>					
५५	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२०.३५	१९.६८	१९.६८
५६	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२३.०१	२१.४५	२१.४५
५७	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१४३.३६	१४३.३६	१४३.३६
५८	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा		१६९.५०	१६९.५०
५९	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	१२२.१२	१०२.५०	१०२.५०
६०	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा		११७.५०	११७.५०
६१	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	१०७.०८	८७.००	८७.००
६२	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा		९८.००	९८.००
६३	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		१७.३५	१७.३५
६४	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		१८.२४	१८.२४
<b>CONCRETE PAVING BLOCKS</b>					
६५	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१४७१.७४	१४७१.७४



## Cement Concrete Block


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहिरको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
६६	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१६५५.७१	१६५५.७१
६७	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१७३४.५५	१७३४.५५
६८	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१२७०.४३	१२७०.४३
६९	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१५१४.७५	१५१४.७५
७०	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१५९६.१८	१५९६.१८
७१	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१९५७.५२	१९५७.५२
७२	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२२३७.१७	२२३७.१७
७३	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२३४२.०३	२३४२.०३
७४	Nostalgic Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) (NS Standard)	व.मी.		२३८२.०६	२३८२.०६
७५	Nostalgic Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) (NS Standard)	व.मी.		२६३७.२८	२६३७.२८
७६	Nostalgic Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:1140x960x60mm/ Pallet, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) (NS Standard)	व.मी.		२७२२.३५	२७२२.३५

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ. कर कुट्टिको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
७७	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१६५८.२८	१६५८.२८
७८	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	व.मी.			१६५८.२८
<b>CONCRETE PAVING TILES</b>					
७९	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१४९९.३३	१४९९.३३
८०	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१५४९.५७	१५४९.५७
८१	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१७१७.९८	१७१७.९८
<b>CONCRETE KERB-STONES</b>					
८२	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३५३.९०	३२९.२०	३२९.२०
८३	Half Battered Kerb Stone with Compressive Strength M20. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३८०.५३	३४०.७१	३४०.७१
८४	Half Battered Kerb Stone with Compressive Strength M25. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३९८.२३	३७६.९९	३७६.९९
८५	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.		२६९.०६	२६९.०६
८६	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.		२७८.७६	२७८.७६
८७	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३०९.७३	३०९.७३
८८	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३२९.२०	३२९.२०
८९	Half battered Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३४०.७१	३४०.७१
९०	Half battered Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३७६.९९	३७६.९९
९१	Half battered Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.			४२९.४३
९२	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	र.फि.			४३६.९६
९३	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	र.फि.			४८९.४८

## Cement Concrete Block



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
९४	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.			३९९.४०
९५	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	र.फि.			४१९.६९
९६	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	र.फि.			४४७.९९
९७	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३६७.२६	३६७.२६
९८	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.		३९३.८१	३९३.८१
९९	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.		४२०.३५	४२०.३५
१००	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.			१६९९.९९

## Security System



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु. अ. वि. को वित्त विभाग		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
१	<b>Steel Security Gate</b>				
	Metal detector (black Scorpion Company)	गोटा	१६९९५.००	१६९९५.००	१६९९५.००
	Access Controller (Taiwanese)	गोटा	२८८४०.००	२८८४०.००	२८८४०.००
	Access Controller (Chainese)	गोटा	१३९०५.००	१३९०५.००	१३९०५.००
२	<b>Steel Security Door</b>		०.००	०.००	०.००
	Single leaf :- 50 mm, 70 mm, 100mm	व. मि.	८६८३.००	८६८३.००	८६८३.००
	Half leaf :- 50 mm, 70 mm, 100mm	व. मि.	९९३०.००	९९३०.००	९९३०.००
	Double leaf :- 50 mm, 70 mm, 100mm	व. मि.	१०४१९.००	१०४१९.००	१०४१९.००
३	<b>Security System</b>				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००
४	<b>CCTV System</b>				
	<b>Out door high speed Dome Integrated CAMERA Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.</b>				
	Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००
	Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९१६.००	५८९१६.००	५८९१६.००
५	<b>Indoor high speed Dome Integrated CAMERA</b>				
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४.००	५४३८४.००	५४३८४.००
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०.००	५६६५०.००	५६६५०.००
	<b>VISTA Box camera with adopter, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance: auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC: ON/OFF</b>	सेट	१५४५०.००	१५४५०.००	१५४५०.००
	7" Spherical Shilded with bracket included chip excluded Camera		८३६४.००	८३६४.००	८३६४.००
	<b>8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc &gt; 200G, Multi-Record ,Motion Detector Function , Remote Control</b>	सेट	३३९९०.००	३३९९०.००	३३९९०.००
	6 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५.००	५०९८५.००	५०९८५.००
	17" LCD Monitor	सेट	१०८१५.००	१०८१५.००	१०८१५.००

Handwritten signatures and initials at the bottom of the page.





NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

मु. अ. कर बाहिकको क्षेत्र  
प्रशासन कार्यालय, काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहिकको क्षेत्र		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
१	Surface Hardness	Element	१०००.००	१०००.००	१०००.००
२	Cover Survey/ Rebar Orientation	Element	४०००.००	४०००.००	४०००.००
३	Homogeneity	Element	५०००.००	५०००.००	५०००.००
४	Crack Depth Measurement	Element	५०००.००	५०००.००	५०००.००
५	E-Modulus Calculation Test	Element	५०००.००	५०००.००	५०००.००
६	Resistivity	Element	२५००.००	२५००.००	२५००.००
७	Curing Efficiency Test	Element	२५००.००	२५००.००	२५००.००
८	Corrosion Mapping	Element	१५०००.००	१५०००.००	१५०००.००
९	Half Cell Potential	Element	७०००.००	७०००.००	७०००.००
१०	Sonic Echo/ Void Detection Test	Element	१००००.००	१००००.००	१००००.००
११	Pulloff Test/ Bond Test	Element	७०००.००	७०००.००	७०००.००
१२	Concrete Tensile Strength Test	Element	७०००.००	७०००.००	७०००.००
१३	Moisture Content	Element	४५००.००	४५००.००	४५००.००
१४	Core Extraction				
	32 mm Dia	Element	७५००.००	७५००.००	७५००.००
	52 mm Dia	Element	८०००.००	८०००.००	८०००.००
	75 mm Dia	Element	८५००.००	८५००.००	८५००.००
	100 mm Dia	Element	१०००.००	१०००.००	१०००.००
	150 mm Dia	Element	१२५००.००	१२५००.००	१२५००.००
	200 mm Dia	Element	१५०००.००	१५०००.००	१५०००.००
	250 mm Dia	Element	१७५००.००	१७५००.००	१७५००.००
	300 mm Dia	Element	२००००.००	२००००.००	२००००.००
	350 mm Dia	Element	२५०००.००	२५०००.००	२५०००.००
१५	Rapid Chloride Penetration Test	Element	१५०००.००	१५०००.००	१५०००.००
१६	Anchor Pullout Test	Element	२००००.००	२००००.००	२००००.००
१७	Infrared Thermography	Element	३५००.००	३५००.००	३५००.००
१८	Low Strain Pile Integrity Test	Element	११०००.००	११०००.००	११०००.००
१९	High Strain Dynamic Pile Load Test	Element	५०००००.००	५०००००.००	५०००००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.००	४०००.००	४०००.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.००	३५००.००	३५००.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.००	३५००.००	३५००.००
२३	Cross Hole Sonic Logging	Element	१२५००.००	१२५००.००	१२५००.००
२४	Impulse Echo	Element	१००००.००	१००००.००	१००००.००
२५	Maturity Meter Test	Element	३५०००.००	३५०००.००	३५०००.००
२६	Chloride Profile	Element	१२५००.००	१२५००.००	१२५००.००
२७	Carbonation Depth Detection Test	Element	२५००.००	२५००.००	२५००.००
२८	Boroscope	Element	३५०००.००	३५०००.००	३५०००.००
२९	Videoscope	Element	८५०००.००	८५०००.००	८५०००.००
३०	Ground Penetrating Radar	Element	५००००.००	५००००.००	५००००.००
३१	CAPO Test	Element	१२५००.००	१२५००.००	१२५००.००
३२	Permeability Test	Element			
	Air		३००००.००	३००००.००	३००००.००
	Water		४००००.००	४००००.००	४००००.००
३३	Concrete Cutting Services	R. M.	३००००.००	३००००.००	३००००.००
३४	Wall Cutting Services	R. M.	५००००.००	५००००.००	५००००.००
३५	Impact Echo	Element	१००००.००	१००००.००	१००००.००
३६	Mortar Strength Test (Penetrometer)	Element	५०००.००	५०००.००	५०००.००
३७	ASR Detection Test	Element	१००००.००	१००००.००	१००००.००
३८	Moisture Content Test				

Page 76

*(Handwritten signatures and marks)*



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

नेपाल सरकार  
गृह मन्त्रालय  
काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेटको बाला		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Concrete	Element	२०००.००	२०००.००	२०००.००
	Brick	Element	२०००.००	२०००.००	२०००.००
	Masonry	Element	२०००.००	२०००.००	२०००.००
	Wood	Element	२५००.००	२५००.००	२५००.००

*(Handwritten signatures and marks)*




वनजंगल संग सम्बन्धित विउ तथा विरुवाहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेक दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	हेज न इन्च पोली	गोटा	५५.००	५५.००	५५.००
२	कार्पेट दुबो	व.फि	३३.००	३३.००	३३.००
३	कार्पेट दुबोको लागि टाप्ने कार्य ज्याला	व.फि	२२.००	२२.००	२२.००
४	निगालो (जरा सहित)	गोटा	१२.००	१२.००	१२.००
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	११.००	११.००	११.००
६	गोठे मल तयारी	के.जी.	४.००	४.००	६.००
७	लेयर्स कुखुराको मल	के.जी.			७.००
८	ब्रोईलर कुखुराको मल	के.जी.			५.००
९	तोरीको पिना	के.जी.			४५.००
१०	डाले घाँसको विरुवा	गोटा	११.००	११.००	११.००
११	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
१२	नरिवल डोरी	के.जी.	१३२.००	१३२.००	१४२.००
१३	नाइलन डोरी	के.जी.	२७५.००	२७५.००	२७५.००
१४	लौड सल्ला नेपाली	गोटा	८५.००	८५.००	८५.००
१५	लौठ सल्ला अमेरिकन	गोटा	१३२.००	१३२.००	१३२.००
१६	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२२०.००	२२०.००	२२०.००
	वन कार्यालयबाट सम्पादन गरिने कार्यहरू				
१	पोलिथीन टयुब ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	३८५.००	३८५.००	३८५.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१४०.००	१४०.००	१४०.००
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा	१५५.००	१५५.००	१५५.००
४	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा	२४०.००	२४०.००	२४०.००
५	गोलिया काठ लोड	क्यू.फि.	३०.००	३०.००	३०.००
६	गोलिया काठ अनलोन	क्यू.फि.	२०.००	२०.००	२०.००
७	दाउरा संकलन, हुवानी चट्टा निर्माण (२० फि.* ५ फि. ५ फि.)	चट्टा			
८	दाउरा लोड	चट्टा	४०००.००	४०००.००	४०००.००
९	दाउरा अनलोड	चट्टा	२०००.००	२०००.००	२०००.००
१०	संकलन कटान, मुछान	चट्टा	४५००.००	४५००.००	४५००.००
१२	अनलोडिङ	चट्टा	१४०.००	१४०.००	१४०.००
१३	चट्टा निर्माण	चट्टा	२०००.००	२०००.००	२०००.००
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	२८.००	२८.००	२८.००
१५	वन सुपारी	प्रति विरुवा	३०.००	३०.००	३०.००
	शहरी वृक्षारोपणकार्य				
१	४ फिट सम्मको विरुवा	प्रति विरुवा	८८०.००	८८०.००	८८०.००
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१२५०.००	१२५०.००	१२५०.००
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१५४०.००	१५४०.००	१५४०.००
४	८ फिट सम्मको विरुवा	प्रति विरुवा	१८७०.००	१८७०.००	१८७०.००
५	४ फिट ४ फिट उचाईको	प्रति विरुवा			४०००.००
६	५ फिट ५ फिट उचाईको	प्रति विरुवा			४८००.००
	४ फिट सम्मको विरुवाको मुल्य				
१	कपूर	प्रति विरुवा	७७०.००	७७०.००	१६००.००
२	रुद्राक्ष	प्रति विरुवा	९५०.००	९५०.००	१९००.००
३	कल्की बोटल ब्रस	प्रति विरुवा	६६०.००	६६०.००	१३५०.००

*(Handwritten signatures)*

*(Handwritten signatures)*

वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
४	ज्याकारण्डा गोल्लमोहोर	प्रति विरुवा	६६०.००	६६०.००	१३५०.००
५	असारे	प्रति विरुवा	६६०.००	६६०.००	१३५०.००
६	अमला	प्रति विरुवा			७८०.००
७	करबिर फुल	प्रति विरुवा			९७०.००
८	चाप	प्रति विरुवा			१७००.००
९	देवदार	प्रति विरुवा			२६५०.००
११	पैयू	प्रति विरुवा	४४०.००	४४०.००	७५०.००
१२	लप्सी	प्रति विरुवा	४४०.००	४४०.००	७५०.००
१३	धूपी	प्रति विरुवा	४९५.००	४९५.००	१३५०.००
१५	काइयो	प्रति विरुवा	६६०.००	६६०.००	१३५०.००
१६	रक्तकमल	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००
१७	समी	प्रति विरुवा	११००.००	११००.००	११००.००
१८	बर	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००
१९	पिपल	प्रति विरुवा	१३२०.००	१३२०.००	१३२०.००
२०	५ फिट सम्मको करबिर विरुवा	प्रति विरुवा	१२००.००	१२००.००	१२००.००
२१	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	१२००.००	१२००.००	१२००.००
२२	५ फिट सम्मको चापको विरुवा	प्रति विरुवा	१३००.००	१३००.००	१३००.००
	४ फिट देखि ५ फिट सम्मको विरुवाको मुल्य				
१	हेवि सकस	प्रति विरुवा			१००.००
२	एजेलिया	प्रति विरुवा			१८००.००
३	क्यामेलिया	प्रति विरुवा			१८००.००
४	ग्राउण्ड कमर	प्रति विरुवा			३००.००
	स्थानीय प्रजाति २ फिट देखि ४ फिट सम्मको विरुवाको मुल्य				
१	मालती	प्रति विरुवा			५००.००
२	बगमवेली	प्रति विरुवा			६००.००
३	वेली	प्रति विरुवा			६००.००
४	पेशन फ्लावर	प्रति विरुवा			७००.००
५	मान्डोमिल्ला	प्रति विरुवा			१२००.००
६	फाइक्स पुमिला	प्रति विरुवा			२००.००
७	आइम प्लाण्ट	प्रति विरुवा			३००.००
८	क्रिसमस	प्रति विरुवा			३०००.००
९	गोल्डेन धुपि	प्रति विरुवा			२४००.००
१०	शिरिष	प्रति विरुवा			७५०.००
११	तेजपात	प्रति विरुवा			१०००.००
१२	हर्रो	प्रति विरुवा			८५०.००
१३	बरो	प्रति विरुवा			८५०.००
१४	बकाइनो	प्रति विरुवा			८५०.००
१५	ईन्द्रकमल	प्रति विरुवा			१८००.००
१६	लाली गुरांस	प्रति विरुवा			१६५०.००
१७	स्यालफुसे	प्रति विरुवा			१६५०.००
१८	पुवाले	प्रति विरुवा			१६५०.००

Page 79

*(Handwritten signatures and marks)*




वनजंगल संग सम्बन्धित विउ तथा विरुवाहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर विधिको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१९	गुन्सी	प्रति विरुवा			१९५०.००
२०	अन्य	प्रति विरुवा			१६५०.००
	स्थानीय बास्नादार प्रजाति ४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	पारिजात	प्रति विरुवा			१४००.००
२	चमेली	प्रति विरुवा			१२००.००
३	जाई	प्रति विरुवा			९५०.००
४	देलपत्र	प्रति विरुवा			९५०.००
	४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	तिकोमा	प्रति विरुवा			१७००.००
	पाल्मका प्रजाति				
१	फिस्टेल पाल्म	प्रति विरुवा			१५००.००
२	रोयल पाल्म	प्रति विरुवा			१८००.००
३	बोटल पाल्म	प्रति विरुवा			९५०.००
४	कि पाल्म	प्रति विरुवा			१८००.००
५	हवाई पाल्म	प्रति विरुवा			२४००.००
	होचो हुने प्रजाति १ देखि २ फिट सम्म				
१	साइकस पाल्म	प्रति विरुवा			१२००.००
२	स्याविस पाल्म	प्रति विरुवा			९५०.००
३	रेक्सोन पाल्म	प्रति विरुवा			१२००.००
४	फोनक्स पाल्म	प्रति विरुवा			७००.००
५	च्यामडोरा पाल्म	प्रति विरुवा			७००.००
६	सिपेरिया पाल्म	प्रति विरुवा			५००.००
७	फयान पाल्म	प्रति विरुवा			७५०.००
८	एरिका पाल्म	प्रति विरुवा			७५०.००
	वायो ईन्जिनियरिङ सम्बन्धि काम				
	घासको विउ				
१	जई	कि.ग्रा	७५.००	७५.००	७५.००
२	भेच	कि.ग्रा	१५०.००	१५०.००	१५०.००
३	नेपीयर	सेट	३.००	३.००	३.००
४	वर्सिम	कि.ग्रा	१७५.००	१७५.००	१७५.००
५	घाँसको विउ र औषधि जिल्ला भित्र दुवानी गर्दा	कि.ग्रा	०.५०	०.५०	०.५०
६	घाँसको विउ जिल्ला बाहिरबाट दुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००
७	माटो भने खाली बोरा	गोटा	१२.००	१२.००	१२.००
८	बास काटेको सिंगो घाना	घाना	३५०.००	३५०.००	३५०.००
९	बाँसको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	५५.००	५५.००	५५.००
	<b>Vegetation/Shrubs Cuttings/Slip/Plants/etc.</b>				
१	अभ्रिसो(राइजोम)	प्रति विरुवा	७.००	७.००	७.००
२	अलैची गानो	प्रति विरुवा	११.००	११.००	११.००
३	अलैची विरुवा	प्रति विरुवा	८.००	८.००	८.००

*(Handwritten signatures)*

*(Handwritten signatures)*




वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर (सुदूरपश्चिम प्रदेश) २०७८/७९ को दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति विरुवा	५.००	५.००	५.००
५	नेपियर कटिङ्गस्	प्रति विरुवा	२.००	२.००	२.००
६	NB <sub>21</sub> घाँस	प्रति विरुवा	२.००	२.००	२.००
७	निगालो राईजोम	प्रति विरुवा	५०.००	५०.००	५०.००
८	बासको बेर्ना (कटीग राईजोम)	प्रति विरुवा	४००.००	४००.००	४००.००
९	बाबियो ताइवानी दुबो	प्रति विरुवा	३.००	३.००	३.००
१०	सिजनल फुल ८ इन्च पोली	गोटा	२५.००	२५.००	२५.००
११	गुलाफ फुल ८ इन्च पोली	गोटा	१५०.००	१५०.००	१५०.००
१२	हेज ८ इन्च पोली	गोटा	३०.००	३०.००	३०.००
१३	कार्पेट दुबो	व.फी.	३०.००	३०.००	३०.००
१४	कार्पेट दुबो को लागी छान्ने कार्यको ज्याला	व.फी.	२०.००	२०.००	२०.००
१५	निगालो (जरा सहीत)	गोटा	१२.००	१२.००	१२.००
१६	स्थानीय स्तरमा उत्पादीत विरुवा फलफुल बाहेक	गोटा	५.००	५.००	५.००
१८	डाले घासको विरुवा	गोटा	६.००	६.००	६.००
१९	मोलाटो विरवा	गोटा	२.००	२.००	२.००
२०	लौठ सल्ला नेपाली	गोटा	७०.००	७०.००	७०.००
२१	लौठ सल्ला अमेरिकन	गोटा	१२०.००	१२०.००	१२०.००
२२	खर	गोटा	४.००	४.००	४.००
२३	अम्वा	प्रति विरुवा	४५०	४५०	४५०
२४	उतिस ,धयेरो,असुरो,वकाइनो,निम आदी	गोटा	४९०	४९०	४९०
२५	भुजेत्रो	के.जी.	१५५०	१५५०	१५५०
२६	खर,फुकेँ सिटो आदिको विउ	के.जी.	१४५०	१४५०	१४५०
२७	जुट नेट	व.मी.	४८५	४८५	४८५
द टिम्बर कपरेशनबाट सम्पादन गरिने कार्यहरु					
१	चिरान उत्पादन(बाकल,भुष,फाल्ने कस कटिंग समेत)	क्यू.फि.	६५	६५	६५
२	चिरान लोड	क्यू.फि.	१७	१७	१७
३	चिरान पाइलिंग	क्यू.फि.	८	८	८
४	चिरान अनलोड	क्यू.फि.	९	९	९
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	११	११	११
६	भाडाको स:मिलबाट गोलिया चिरान ज्याला (गोलियामा)	क्यू.फि.	९०	९०	९०
७	दाउरा लोड	क्वीन्टल	५०	५०	५०
८	दाउरा अनलोड	क्वीन्टल	१७	१७	१७
९	पोल लोड	प्रति गोटा	६०	६०	६०
१०	पोल अनलोड	प्रति गोटा	३०	३०	३०

Handwritten signatures and initials at the bottom of the page.


## Geocell Technology



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	सवर्णमहल आ.व. २०७८/७९
	Geocell Technology प्रयोग गरि Slope protection, Earth retention, channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मी		६३०.००	६३०.००
	cell height-75 mm	व.मी		९००.००	९००.००
	cell height-100 mm	व.मी		१२००.००	१२००.००
	cell height-120 mm	व.मी		१५००.००	१५००.००
	cell height-150 mm	व.मी		१७५०.००	१७५०.००
	cell height-200 mm	व.मी		२४२५.००	२४२५.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मी		६५०.००	६५०.००
	cell height-75 mm	व.मी		९२५.००	९२५.००
	cell height-100 mm	व.मी		१२५०.००	१२५०.००
	cell height-120 mm	व.मी		१५५०.००	१५५०.००
	cell height-150 mm	व.मी		१८००.००	१८००.००
	cell height-200 mm	व.मी		२५००.००	२५००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मी		९५०.००	९५०.००
	cell height-75 mm	व.मी		१३५०.००	१३५०.००
	cell height-100 mm	व.मी		१८००.००	१८००.००
	cell height-120 mm	व.मी		२३००.००	२३००.००
	cell height-150 mm	व.मी		२६००.००	२६००.००
	cell height-200 mm	व.मी		३६५०.००	३६५०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मी		६००.००	६००.००
	cell height-75 mm	व.मी		८५०.००	८५०.००
	cell height-100 mm	व.मी		११५०.००	११५०.००
	cell height-120 mm	व.मी		१४५०.००	१४५०.००
	cell height-150 mm	व.मी		१६७५.००	१६७५.००
	cell height-200 mm	व.मी		२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मी		६००.००	६००.००
	cell height-75 mm	व.मी		८५०.००	८५०.००
	cell height-100 mm	व.मी		१२००.००	१२००.००
	cell height-120 mm	व.मी		१५००.००	१५००.००
	cell height-150 mm	व.मी		१७००.००	१७००.००
	cell height-200 mm	व.मी		२४००.००	२४००.००
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मी		९००.००	९००.००
	cell height-75 mm	व.मी		१२५०.००	१२५०.००
	cell height-100 mm	व.मी		१७००.००	१७००.००
	cell height-120 mm	व.मी		२१५०.००	२१५०.००

## Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	व.अ.व. २०७८/७९
	cell height-150 mm	व.मी		२५००.००	२५००.००
	cell height-200 mm	व.मी		३४५०.००	३४५०.००
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मी		५२५.००	५२५.००
	cell height-75 mm	व.मी		७५०.००	७५०.००
	cell height-100 mm	व.मी		१०००.००	१०००.००
	cell height-120 mm	व.मी		१२७५.००	१२७५.००
	cell height-150 mm	व.मी		१४७५.००	१४७५.००
	cell height-200 mm	व.मी		२०५०.००	२०५०.००
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मी		५५०.००	५५०.००
	cell height-75 mm	व.मी		७७५.००	७७५.००
	cell height-100 mm	व.मी		१०५०.००	१०५०.००
	cell height-120 mm	व.मी		१३००.००	१३००.००
	cell height-150 mm	व.मी		१५००.००	१५००.००
	cell height-200 mm	व.मी		२१००.००	२१००.००
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मी		८००.००	८००.००
	cell height-75 mm	व.मी		११००.००	११००.००
	cell height-100 mm	व.मी		१५००.००	१५००.००
	cell height-120 mm	व.मी		१९५०.००	१९५०.००
	cell height-150 mm	व.मी		२२००.००	२२००.००
	cell height-200 mm	व.मी		३१००.००	३१००.००
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मी		३६५.००	३६५.००
	cell height-75 mm	व.मी		५२५.००	५२५.००
	cell height-100 mm	व.मी		७२५.००	७२५.००
	cell height-120 mm	व.मी		९००.००	९००.००
	cell height-150 mm	व.मी		१०००.००	१०००.००
	cell height-200 mm	व.मी		१४००.००	१४००.००
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मी		३७५.००	३७५.००
	cell height-75 mm	व.मी		५५०.००	५५०.००
	cell height-100 mm	व.मी		७२५.००	७२५.००
	cell height-120 mm	व.मी		९००.००	९००.००
	cell height-150 mm	व.मी		१०५०.००	१०५०.००
	cell height-200 mm	व.मी		१४५०.००	१४५०.००
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मी		५५०.००	५५०.००
	cell height-75 mm	व.मी		८००.००	८००.००
	cell height-100 mm	व.मी		१०५०.००	१०५०.००
	cell height-120 mm	व.मी		१३२५.००	१३२५.००






## Geocell Technology

जिल्ला प्रशासन कार्यालय काठमाण्डु

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	cell height-150 mm	व.मी		१५५०.००	१५५०.००
	cell height-200 mm	व.मी		२१००.००	२१००.००
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मी		२९०.००	२९०.००
	cell height-75 mm	व.मी		४२५.००	४२५.००
	cell height-100 mm	व.मी		५९०.००	५९०.००
	cell height-120 mm	व.मी		७६०.००	७६०.००
	cell height-150 mm	व.मी		८६५.००	८६५.००
	cell height-200 mm	व.मी		१२००.००	१२००.००
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मी		३००.००	३००.००
	cell height-75 mm	व.मी		४५०.००	४५०.००
	cell height-100 mm	व.मी		६००.००	६००.००
	cell height-120 mm	व.मी		७५०.००	७५०.००
	cell height-150 mm	व.मी		९००.००	९००.००
	cell height-200 mm	व.मी		१२५०.००	१२५०.००
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मी		४५०.००	४५०.००
	cell height-75 mm	व.मी		६२५.००	६२५.००
	cell height-100 mm	व.मी		९००.००	९००.००
	cell height-120 mm	व.मी		११००.००	११००.००
	cell height-150 mm	व.मी		१३००.००	१३००.००
	cell height-200 mm	व.मी		१८००.००	१८००.००



**WPS/Fibre, Concrete Prefabricated Doors & Windows**


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.सं. बाहेकको दररेट	
			आ.व. २०७६/७७	आ.व. २०७७/७८ र २०७८/७९
	<b>WPC/Fibre Doors and Windows</b>			
१	<b>WPC Single Toilet Hollow Door Board</b> (Size up to 14 sq. ft.) (32 mm)			
	Embossing Without Film	व.फि		६६०.००
	With Hot-stamping Film	व.फि		७६५.००
	With Hot-stamping Film and Grooving	व.फि		८१०.००
२	<b>WPC Single Room Hollow Door Board</b> (Size from 15 sq. ft. to 18 sq. ft.) (32 mm)			
	Embossing Without Film	व.फि		६६०.००
	With Hot-stamping Film	व.फि		७६५.००
	With Hot-stamping Film and Grooving	व.फि		८१०.००
३	<b>WPC Double Hollow Door Board (Small)</b> (Size from 19 sq. ft. to 22 sq. ft.)(32 mm)			
	Embossing Without Film	व.फि		६६०.००
	With Hot-stamping Film	व.फि		७६५.००
	With Hot-stamping Film and Grooving	व.फि		८१०.००
४	<b>WPC Double Hollow Door Board (Medium)</b> (Size from 23 sq. ft. to 26 sq. ft.) (32 mm)			
	Embossing Without Film	व.फि		६६०.००
	With Hot-stamping Film	व.फि		७६५.००
	With Hot-stamping Film and Grooving	व.फि		८१०.००
५	<b>WPC Double Hollow Door Board (Big)</b> (Size from 27 sq. ft. to 32 sq. ft.) (32 mm)			
	Embossing Without Film	व.फि		६६०.००
	With Hot-stamping Film	व.फि		७६५.००
	With Hot-stamping Film and Grooving	व.फि		८१०.००
६	<b>Fiber Door-Single</b>			
	Single (Model : Khapa, Galaxy, Namaste D and Four Square)	व.फि		१०९०.००
	Single (Model: Kalash, New Flower and Peacock)	व.फि		१३१५.००
	Double (Model : Glass Art)	व.फि		१६३५.००
	Double (Model : Old Murti)	व.फि		१८५०.००
	Double (Model : New Murti)	व.फि		२०५०.००
७	<b>Fiber Door Frame</b>			
	Thickness : 100 and 110 mm	रनिङ्ग फिट		४३५.००
८	<b>Fiber Window or Ventilation Frame</b>			
	Thickness : 110 mm	रनिङ्ग फिट		४५५.००
९	<b>Fiber Window Net Panel</b>			
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	प्रति गोटा		४५००.००
१०	<b>Fiber Window Panel</b>			
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रति गोटा		४७४०.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रति गोटा		४५३०.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	प्रति गोटा		४९८०.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	प्रति गोटा		४७४०.००



**WPS/Fibre, Concrete Prefabricated Doors & Windows**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. वाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
११	<b>Fiber Ventilation Panel</b>				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	प्रति गोटा			३५४०.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	प्रति गोटा			३३६०.००
१२	<b>Fiber Ventilation Net Panel</b>				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	प्रति गोटा			३३६०.००
१३	WPC Wall Panel: (Thickness:9mm) , Width: 30/40/60 cm, Length: 2.80 m/3.00m/3.60m/5.8m or customized as per need	व.मी			१८०.००
१४	Homogenous Flooring: (Thickness: 2mm), Single Roll consisting of 2m x 20 m.	व.मी			२२५.००
१५	<b>ALUMINIUM DOORS</b>				
	Proving and fixing non fire Aluminum door a BB 4330, 5 Knuckle, 2 Ball bearing butt hinges size 4" x 3" x 3mm, in SS 304 and in SSS finish, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle Pure 8906 / 8100 /8998 Lever Handle on Roses & escutcheons 7122. Including 271 Sash lock with 78mm CTC, Mortice shaft dead bolt with key with BS 57mm and 25mm Sq forend with escutheions in SSS, 55mm Backset 20mm Square for end, floor stop half dome with 45mm dia The above work complete in all respect as per approved drawings and to the satisfaction of Architect /Engineer-in-Charge . Equivalent Brand : Dormakaba / Navair / Acodor.	व.मी			९९६८.००
१६	<b>NON-FIRE RATED WOODEN DOORS</b>				
	Proving and fixing non fire rated wooden door a BB 4330, 5 Knuckle, 2 Ball bearing butt hinges size 4" x 3" x 3mm, in SS 304 and in SSS finish, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle Pure 8906 / 8100 /8998 Lever Handle on Roses & escutcheons 7122. Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, floor stop half dome with 45mm dia door will be 40 mm thick Single leaf solid core and resin bound FLUSH DOOR SHUTTERS, confirming to IS . 1659 - 1960 and 2202 part I - 1962 as modified unto date BOTH SIDE TEAK veneering factory pressed teakwood lipping as per specification & design around the shutters and fixed to existing frame and as specified including cost of all materials. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Navair / Acodor.	व.मी			१६९४०.००
१७	<b>120 MIN FIRE RATED METAL DOORS WITH FRAME</b>				
	Providing and fixing 120 Min Fire Rated Single Action Metal Door along with Fire Rated Antimicrobial Hardware's 3090F, 5 Knuckle, 2 bearing butt hinges size 4" x 3" x 3mm, in SS 304, As per EN 1935, CE Marked, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle, Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, rack and pinion door closer TS 71 EN size 3/4, with std. arm, Full plastic cover. Silver finish. As per EN 1154, metal door of 46mm thick along with 200X400 Vision Panel tested as per BS:476 Part- 20 & 22 & IS 3614 Part-2 for stability, integrity having insulating properties steel fire rated door of 120 minutes fire rating fabricated with 2 nos. 18guage thick galvanized sheet with infill of fire rated proprietary insulation filler both faces of sheet with lock seam joints at stile edges and internal reinforcement at top, bottom and stile edges for fire rating. The door frames are manufactured from 16 guage thick galvanized steel sheet pressed form to Double rebate profile of size 143x57mm ( nominal in powder coating and contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	व.मी			२८०००.००


Handwritten signatures and initials at the bottom of the page.



**WPS/Fibre, Concrete Prefabricated Doors & Windows**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सु.अ.क.प.प्राधिकारको दररेटको आधारमा		
			आ.व. २०७६/७७	आ.व.कवरमदले २०७७/७८	आ.व. २०७८/७९
१८	<b>120 MIN FIRE RATED WOODEN DOOR</b>				
	Providing and fixing 120 Min Fire Rated Single Action Wooden Door along with Fire Rated Antimicrobial Hardware's 3090F, 5 Knuckle, 2 bearing butt hinges size 4" x 3" x 3mm, in SS 304,As per EN 1935, CE Marked, Pure 8100 Type 3 Package with Pair of Antimicrobial Pure series lever handle, Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, rack and pinion door closer TS 71 EN size 3/4, with std. arm and with two independent closing valves and latching speed adjustable by arm. Full plastic cover. Silver finish. As per EN 1154, Fully Insulated Non Metallic Wooden Fire door at all levels from ISO 9001:2015 certified Manufacturer . All Fire doors must satisfy the requirement of latest NBC 2016 Part 4 for Fire & Life Safety guidelines for 120 minutes Fire Rating, Wooden fire door should carry 120 minutes Insulation properties. The Prototype offered wooden Fire door must carry a prior test evidence as per IS 3614 part-2 / BS 476 Part 20 & 22, CBRI / NABL ISO/IEC 17011 and accredits labs as per ISO/IEC 17025 for testing and calibration scopes shall be eligible, FR/0378 or equivalent for 52mm thick Wooden fire doors with batch sticker Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand. Dormakaba / Navair	व.मी			३४५००.००
१९	<b>GLASS PARTITION WITH DOOR</b>				
	Supply and fixing of Slim Glass partition with glass door of 10mm Saint Gobain Clear Toughened Glass using Alterra System-27 Frames to a height of maximum 3mtr or as per drawing. The Fixed glass to be fixed using alterra ALT 27 slim frame Profiles at Top & Bottom & ALT27 OHP at sides. The profile size to be 27x30MM to be fixed on to the floor/wall/ ceiling as per the architect design. H Junction profile to be used at all Glass to Glass vertical joints, 90 Deg L Junction Profiles and T Junction profiles necessary as per design.In case of Glass overall panel Alexa MP45 & BP45 Overpanel Profile to be used.In case of Open glass edges EP45 End Profile to be used with Sound Reduction Upto 30 dB, Internal Wind Load to Consider (relative to Max system height) 200 N/M2, Max Glass Deflection to Consider (relative to Max system height) L/200 The alterra profiles shall be suitable for Glass thickness of 10mm.The Profile shall be matt natural anodized, the Profile Manufacturer to supply all the necessary clips, seals and fixing accessories for the system. All Profiles to be with 2 mm Gauge thickness Excluding 20 Micron of Anodizing. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.	व.मी			२०४४४.००
२०	<b>FRAMELESS GLASS DOOR</b>				
	Providing & installation of frameless glass Door without over panel sidelight using 12mm Clear toughened glass make die cast patch fitting with stainless steel cover PT 10,PT 20 , PT 24 ,US-10, pull Handle Antimicrobial coated Pull Handle as per ISO 22196 - TGDI-H 450 back to back with 350mm CTC, adjustable fixing for glass, wood and metal doors in satin stainless steel. The pull handles should have supporting washer with raised beveling on the outer surface. Length =450mm, 25mm dia, -SS304, Crown Series floor spring BTS 75 V with std. spindle and cover plate. As per DIN EN 1154 (500,000 cyle tested ) , Finish: Satin stainless steel floor stop half dome with 45mm dia with fixing accessories, in satin Chrome. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.	व.मी			२५०००.००

Handwritten signatures and initials are present below the table, including a large signature on the right side.



**WPS/Fibre, Concrete Prefabricated Doors & Windows**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर वाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२१	<b>ACOUSTIC MOVABLE WALL</b>				
	Providing & fixing of Acoustic Hueppe Operable movable Wall consisting of 85 mm thick individually movable elements with sound insulation of 45 dB tested in a third-party laboratory as per EN Standards, suspended from a top track only, without floor guides. Each panel to have top and bottom operable pressure seals operated by a crank handle to ensure optimum contact pressure of up to 800N. Fixed sweep seal are not allowed on the panel. The elements must be inter-connected by means of a positive locking concave/convex trapezoidal aluminum profile integrated with Magnetic Profile having a linear attraction of not less than 40N/m. Each element must be suspended on the track as per the specification of the manufacturer. Elements must be constructed of a non-deflecting steel tube frame and aluminum profiles, bolted together. The frame must be clad either side with single Clad 16mm MDF panels hung in acoustic free suspension from the panel frame. The fascia panels must also be easily removable without requiring to dismantle the movable wall element for service/maintenance purpose. The panel must be filled with high density rock wool in accordance with the specified sound insulation requirements. The Telescopic Element must open and close 120mm and must be operated by a single mechanism for both the top and bottom seals and the travel of the telescopic sleeve. The telescopic element must maintain all the same quality criteria as the other elements. The Acoustic Movable Wall partition should have test certificate produced by a third party carried out in the test laboratory, accredited to DAP. The weighted sound reduction index Rw (dB) is determined in accordance with EN 20140 – 3. Equivalent Brand : Dormakaba/Newsing/Lotus.	व.मी			६२४०८.००
२२	<b>AUTOMATIC GLASS SLIDING DOOR</b>				
	Providing and fixing Automatic Sliding door operator, crown series ES 200 drive heavy duty Automatic operator , compliant with future European standards and produced according to the guidelines for power-operated windows, doors and gates, BGR 232, the UVV and the VDE regulations. TÜV design tested,, fulfils DIN 18650 standards, modular design including internal cover and with 12 mm Clear Toughened glass for 2 Nos sliding door panels and 2 Nos fixed panels, both sliding & fixed panels. Operator & Frame Finish should be Silver Anodised E6/C0, with operator dimensions (H x D) · 100 x 180 mm and of length as required to suit the opening size given below with Clear Passage Height: 2100 upto 3200mm, Transit Width LW 800- 2000MM The track profile should be separate from the main profile for enabling reduction in vibration insulation. Microprocessor-controlled control unit, Self-learning, with adjustable parameters for opening and closing speed, hold-open time and opening and closing force, reversing when obstruction is encountered, Class of protection IP 20. Activators- Prosecure Opti Combi, Light barriers, comprising receiver and transmitter, Electro-mechanical locking, Equivalent Brand :	व.मी			२८००००.००
२३	<b>GLASS RAILLING</b>				
	providing and fixing of Modular ( weld free, component base) System. 50.8 mm dia x 1.6mm thick handrail fixed to Balustrade of 50 .8 mm dia x 1.6 mm thick with top adapter( neck) type fixed (Dorma Art no. 9180205) with 2nos of M4x10mm Allen CSk Screw). The balustrade fixed to Top of the floor, straight or staircase with base plate by 3/2 m12x120mm long anchor fastener. The balustrade C/C is 900 to 1000mm.The Ht. of the handrail 1000mm from FFL. glass infill of 10 mm thick toughened (monolithic) is fixed to the Balustrade with Glass link (Dorma Art no. 9180073) by M8 x 25mm Allen cap screw (two per balustrade) . Complete with all End cap ). All the material of handrail, balustrade and components should be of SS 304 grade satin finish., Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab	व.मी			४५०००.००

Handwritten signatures and initials are present below the table, including a large signature on the right side.



**WPS/Fibre, Concrete Prefabricated Doors & Windows**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुख्य कार बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२४	<b>FRONT GLASS FAÇADE SPIDER</b>				
	Design, supply of frameless glazed façade and steel supports as stabilizers, used at each vertical joint to provide lateral stiffness against wind loading. Deflections and other specified loads expected including frame work wherever necessary and hardware all other accessories in the glazing with all extrusions, fittings, suspension brackets, spider fittings of RSF make with 4, 2 points spiders & RSF stainless steel bolts as per design. The RSF fin/spider non-fin fitting shall have a stream line design for high strength performance and better aesthetics. The RSF bolts for facade glass shall be of SS 316 Grade with all necessary accessories. The spiders shall be manufactured by investment casting process of grade SS 316 as per EN norms. All screws, all weather elements such as flashing, coping, approved silicone sealants, etc to make the system completely waterproof. All spider fittings should be designed to support the weight of the glass by direct bearing on the bolts wherein the structure should be designed as per the relevant codes and should be able to withstand the relevant thermal movements. Design calculations for the facade to be furnished for approval by client / consultant. Double leaf glass door with patch fittings such as PT series, pull handle 450 x 25 mm and crown series BTS 75V floor spring conforming to DIN EN 1154 in long-time test 500,000 operating cycles). Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. Equivalent Brand : Dormakaba / Union / Mab.	व.मी			४८४९९.००
२५	<b>Concrete Prefabricated Frames</b>				
	<b>Door</b>				
१	७ फिट x ४ फिट				
२	६ फिट ६ इन्च x ४ फिट				
३	७ फिट x ३ फिट ६ इन्च				
४	६ फिट ६ इन्च x ३ फिट ६ इन्च				
५	७ फिट x ३ फिट				
६	७ फिट x ३ फिट भन्टीलेसन समेत	रनिङ फुट			१९९.१२
७	७ फिट x २ फिट ६ इन्च				
८	७ फिट x २ फिट ६ इन्च भन्टीलेसन				
९	६ फिट x ३ फिट				
१०	६ फिट x २ फिट ६ इन्च				
११	५ फिट ६ इन्च x २ फिट ६ इन्च				
	<b>Window</b>				
१	५ फिट उचाइका १ देखि ४ पल्ला (चाँडाइ २० इन्च देखि ६ फुट ६ इन्च सम्म)				
२	४ फुट ६ इन्च उचाइका १ देखि ४ पल्ला				
३	४ फुट ६ इन्च x ६ फुट भन्टीलेसन भएको				
४	४ फुट ६ इन्च x ६ फुट ६ इन्च (रड)				
५	४ फिट उचाइका १ देखि ४ पल्ला	रनिङ फुट			१९९.१२
६	३ फुट ६ इन्च उचाइका १ देखि ४ पल्ला				
७	३ फुट ६ इन्च उचाइ x २ फुट (२ पल्ला)				
८	३ फिट उचाइका २ पल्ला				
	<b>Ventilation</b>				
१	भयाँडा मा राख्ने रनिङ भन्टीलेसन ५ फुट x ३ फुट				

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Large handwritten signature]*

**WPS/Fibre, Concrete Prefabricated Doors & Window**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. नं. कर बाहेकको दररेट		
			बा.व. २०७६/७७	आ.व.गह २०७७/७८	नयाको.व.काठमाण्डु २०७८/७९
२	भयाड मा राख्ने रनिङ भन्टीलेसन ५ फुट x ३ फुट ६ इन्च	रनिङ फुट			
३	१५ इन्च उचाइका १ देखि २ पल्ला				
४	२० इन्च उचाइका १ देखि ३ पल्ला				
५	१८ इन्च उचाइका १ देखि २ पल्ला				
६	३० इन्च उचाइ x ४२ इन्च चौडाइ				
				१९९.९२	

Handwritten signatures and initials are present below the table, including a large signature on the right and several smaller ones on the left and center.

**FLOORING AND CEILING**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	<b>Vinyl Flooring</b>				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m <sup>2</sup> , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m <sup>3</sup> ).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot	व.मी			४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m <sup>2</sup> , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m <sup>3</sup> ).Phthalate Free.Direction in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी			३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m <sup>2</sup> ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100µg/m <sup>3</sup> ). The laid flooring should be included of Self leveling base course all complete as per the specification	व.मी			३३००.००
४	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cfls1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m <sup>2</sup> K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The homogeneous backing creating a cushion effect	व.मी			६२००.००


Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogeneous Acoustic PVC Vinyl Phthalate free, flooring Tarkett/Mohawk/Polyflor or equivalent brand, total weight is 3250g/m <sup>2</sup> , PUR, No wax no polish for life (, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%, impact sound reduction approx +19db with accoustic improvement <65Db class A, Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m <sup>3</sup> ) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी			५०००.००
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches.Thermal resistance Approx. 0.01m <sup>2</sup> K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी			५६००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m <sup>2</sup> (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m <sup>2</sup> in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. As Carbon coated on the top of the floor it will prevent any kind of electric shock. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with surface treatment new IQ PUR. Flooring follows excellent dry buffing system which always give new looks to the floor. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m <sup>2</sup> K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of	व.मी			५६००.००

FLOORING AND CEILING




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	<b>False Ceiling</b>				
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2. Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			२१५२.००
2	Providing and fixing mineral fiber false ceiling classic-lite board, size 600 X 600 MM & 16 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.55 , Humidity Resistance (RH) of 99%, Light Reflectance-85%, Thermal conductivity k = 0.052 - 0.057 w/m K, Weight 3.1kgs/m2. Fire Performance as per BS 476 pt - 6 & 7 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of silhouette. The tile shall be laid on Silhouette 15 mm wide, having 6mm black color reveal section on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 90 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			४७५०.००
3	Providing & Fixing Soft Fiber optra ceiling Acoustical Suspended Ceiling System with beveled Tegular Edge board in white Color. The board should have Humidity Resistance (RH) of 95%, NRC 0.9 - 0.95, Light Reflectance ≥85%, Color White, weight 1.8kgs/m2. Fire Performance UK Class 0 / Class 1 (BS 476 pt - 6 &7) in module size of 600 x 600 x 15mm thick, T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of Suprafine. The tile shall be laid on Suprafine 32 with 15 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			४८४२.००
4	Providing and fixing metal finish false ceiling board at all heights of size 600 X 600 MM of approved texture, design and pattern. The tiles should have durable, electrostatic factory applied polyester coil or power coated finish to meet or exceed EN 13964 and TIAM standards. The tile should have standard color i.e. Global white(12% gloss), Light Reflectance min. 80%, Weight 3.1 - 4.3 kgs/m2, Fire Performance as per (BS 476 pt - 6 & 7) standard in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of the tile shall be laid on Armstrong Suprafine channel 32 with 15 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			४६२६.००

Handwritten signatures and initials at the bottom of the page.

## FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
5	Providing and fixing mineral fiber false ceiling tiles having anti-microbial performance. The tiles should have Noise Reduction Coefficient (NRC value) = 0.70, weight 3.3kgs/m <sup>2</sup> , Humidity Resistance (RH) of 99%, Light Reflectance- 87%, Thermal conductivity k = 0.052 – 0.057 w/m K, Fire Performance as per (BS 476 pt – 6 & 7) in true horizontal level suspended on interlocking T-Grid of hot dipped all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of main T runners of 15x32 MM of length 3000 MM, cross T of size 15x32 MM of length 1200 MM and secondary intermediate cross T of size 15x32 MM of length 600 MM to form grid module of size 600x600 MM suspended on Suprafine 32 with 15 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead	व.मी			४६२६.००
6	Providing & installing Woodwork false ceiling RG6011 (RG6) perforations with approved laminate (Portland Maple, Sea Beech, Siam Wood & Mystique Walnut) finish would have an NRC of 0.55, Weight 13kgs/m <sup>2</sup> , Humidity Resistance (RH) of 70% in module size of 600mm x 600mm x 18mm and density of 725 Kgs/M <sup>3</sup> . The tile shall be laid on Armstrong Silhouette 45 with 15 mm wide T - section flanges color black having rotary stitching on all T sections i.e. 3000mm the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			११८३६.००
7	Providing and Fixing Channeled Woodworks G13/21 perforated ceiling panels of width 192mm, thickness of 15mm and length 2400 mm or as required by the Architect/ approving engineer, made of a high density fibre board with minimum 725 Kg/M <sup>3</sup> density substrate with a laminated facing as per the approved shade & finish and a melamine balancing layer on the reverse side. The boards shall have a special perforation pattern where the visible surface has a "Helmholtz" fluted perforation of 3mm width and 21mm of visible panel each. The edges of the ceiling panels shall be "tongue-and-grooved" to receive special clips for installation. The back of the perforated panel shall have sound absorbing non-woven acoustical fleece having NRC of 0.52. The ceiling panels shall be mounted on special aluminium splines using clips provided by Armstrong and approved by the Architect/ Engineer-in-Charge. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			१२३७४.००
8	Providing and supplying 'Opra Acoustical Wall Paneling' with square edges made of fibre glass substrate 25mm thick and wrapped on the front side with an acoustically transparent and classified for Fire reaction Class B-s1, d1 as per EN13501, fabric with various colors having size 600X1200 mm providing a minimum sound absorption level of 0.90 NRC to be affixed to wall using Wall panel impalers supplied by M/s Armstrong Industries India Pvt. Ltd and construction adhesives as per the instructions laid down by the manufacturer. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी			१२९१२.००
<b>Levelling Compund for Vinyl Flooring</b>					
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for Vinyl flooring.	व.मी			५९२.००
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी			२९५.००

**FLOORING AND CEILING**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
<b>WPC Items</b>					
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa. Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58. Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी			९४६९.००
2	Providing and installing WPC Wall panel cladding in pre- painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa. Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी			६५१०.००
<b>Ceiling</b>					
1	Supply & Fixing of <b>U-Baffle Ceiling System</b> using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005 carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement shall be demountable torsion spring based panels.	व.मी			१४५२६.००

Handwritten signatures and initials at the bottom of the page.


FLOORING AND CEILING



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु. अ. कर बाहेकको दररेट		
		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
2	<p>Providing and fixing Green Pro Certified, <b>300C Linear Slat Ceiling</b>, manufactured out of 0.7mm thick coil coated Aluminium Alloy AA 3105 Perforated with 2.0 mm diameter 5mm centre to centre with Non-Woven Acoustical textile of approved colour. Panel size 300mm X 29 mm deep with panel length up to 6 mtr, Coil Coated on a Continuous Paint Line, and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The coated coil is passed thru ARKU SIX Hi configuration roller levelling process to ensure the flatness of the coil. Double baked and roll formed from enamelled corrosion resistance Aluminium alloy AA 3105 (Al. Mg) for higher strength and good roll forming characteristics. Panel shall be clipped to a baked enamelled aluminium panel carrier of 41.5mm wide x 62mm deep x 0.95 mm thick in standard length of 3 to 5 mtrs made of double baked stove enamelled aluminium magnesium alloy AA3005 black with cut outs to hold the panels. The Carrier shall be suspended by means of G.I. suspension rod 6mm diameter, and a Galvanised suspension spring clip at a distance of 1.2mtrs centre to centre. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certification compliant with in house testing facility and should have their own manufacturing plant in India.</p>	व.मी		११८३६.००
4	<p>Providing and fixing <b>Linear Multi B Slat Ceiling 30B/80B/130B/180B</b>, manufactured out of 5mm/0.5mm/0.5mm/0.6mm thick coil coated Aluminium Alloy AA 3105 of approve color. Panel size 30mm/80mm/130mm/180mm wide X 15 mm deep with Perforation of 2 mm diameter diagonal pattern, 5 mm center to center apertures, 16 % openness, panel length up to 6 meter, coil coated on a continuous paint line, and shall be stove enamelled in a continuous coil coating process with the approved color on the exposed side and the reverse side with polyester primer. The coated coil is passed thru a multistage high precision customized roll forming line to achieve the desired profile. Double baked and roll formed from enamelled corrosion resistance Aluminium alloy AA 3105 (Al. Mg) for higher strength and good roll forming characteristics. Panel shall be clipped to a aaked enamelled customized Aluminium panel carrier manufactured in PLC controlled roll forming machine. The Carrier is of 60mm width x 30mm height and 0.90mm thick in standard length of 5 meter in Aluminium alloy AA 3005 (Al. Mg) black with cut outs to hold the panels in a module of <u>50/100/150/200 mm</u>. 20mm gap between the panels is filled with recessed "V" join profile. The Carrier shall be suspended by means of G.I. suspension rod 6mm diameter, and a Galvanized suspension spring clip at a distance of 1.2mtrs center to center. The Linear Aluminium ceiling system should meet the required standards for Green ro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have</p>	व.मी		११३००.००

Handwritten signatures and initials at the bottom of the page.

FLOORING AND CEILING



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकीकृत	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
5	Supply & Fixing of <b>Miniwave Cladding System</b> including 50*25*1.5mm aluminium sub frame box section, comprising of Miniwave of 270mm Width, Length in linear Mtr as per the site requirement (Max length 6Mtrs for Coil coated and 4Mtrs for Powder coated) , 0.7 - 0.8mm thk. Aluminium Alloy 3003, Plain or Perforated with 2.5mm dia. at 5.5mm centre to centre pitch. The Miniwave Panel shall be Manufactured in CAD/CAM equipment having several stages of Roll forming process achieved thru ARKU SIX Hi configuration roller levelling process to ensure the flatness of the coil. Any steel sub-structure required shall be measured and paid extra under structural steel system. The Miniwave Panels shall be Exterior powder coated / PVDF in approved Colour. The Miniwave system manufacturer should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certification compliant with in house testing facility and should have their own manufacturing plant in India.	व.मी			१८८३०.००
<b>Epoxy Flooring</b>					
1	Driveways & parking areas - Providing and applying 1mm thick CPS 10 E system 2 components solvent free high performance glossy floor finish coating by mixing using mechanical means, spreading the mixed from Ardex Endura R 35 CE having the Bond Strength > 1.5 MPa and water abrasion mill by using R 35 CE, sandwiched between the 2 coats of high gloss coating consists of Antislip aggregates from Ardex Endura R 130 C - and allowed to dry completely. removing the loosely bonded Antislip aggregates by brushing or by vacuuming. applying second coat of high gloss epoxy and allowed to dry completely, after cleaning the substrate to make them free from the contaminants, etc. and complete as per manufacturer's specification. The glossy floor finish should have Compressive strength > 30 N/mm <sup>2</sup> , Flexural strength > 20 N/mm <sup>2</sup> .	व.मी			१९९५.००
2	Providing and applying 1.5 to 2 mm thick CPS 20 ID system having the good crack bridging properties and excellent resistance to abrasion and chemical attack 2 components modified urethane coating and applied by mixing using mechanical means, spreading the mixed from Ardex Endura R 50 CP sandwiched between the 2 coats urethane coating consists of Antislip aggregates from Ardex Endura R 130 C and allow it to dry completely, removing the loosely bonded Antislip aggregates by brushing or by vacuuming and then applying the final coat of urethane coating and allowed to dry completely, after cleaning the substrate to make them free from the contaminants, etc and complete as per manufacturer's specification from Ardex Endura R 50 CP. The urethane coating should have the Compressive Strength at 7 days > 20 N/mm <sup>2</sup> , Tensile Strength @ 7 days > 7 N/mm <sup>2</sup> with using R 50 CP which is 2 components modified urethane coating and applied by mixing using mechanical means, spreading the mixed R 50 CP and seeding the wet surface of R 50 CP .	व.मी			३७९०.००

Handwritten signatures and initials at the bottom of the page.


**FLOORING AND CEILING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
3	Providing and installing seamless epoxy floor topping of 1 mm thickness having 4 components high glossy self smoothing chemical resistant epoxy resin floor finished from Ardex Endura R 21 CE or equivalent applied by mixing 4 components by mechanical means, spreading and applying that mix above 2mm thick self smoothing epoxy resin floor underlay from Ardex Endura R 24 CE or equivalent which is done over two or more coats of solvent free .low viscosity ,two component epoxy primer from Ardex Endura R 2 CE or equivalent after cleaning the substrate to make them free from contaminants. The properties of top coating should have Compressive strength >60 N/mm <sup>2</sup> ,Flexural strength >33 N/mm <sup>2</sup> ,Tensile strength >20 N/mm <sup>2</sup> ,Shore D Hardness > 70 ; the properties of epoxy uderlay should have Compressive Strength of > 80 N/mm <sup>2</sup> after 7 days , Flexural Strength of >33 N/mm <sup>2</sup> after 7 days ,Tensile strength of > 12 N /mm <sup>2</sup> and bonding strength>1.5 N/mm <sup>2</sup>	व.मी			३६९०.००
4	Providing and installing 3 mm thick seamless high gloss, self-smoothing epoxy floor finish from Ardex Endura R 25 CE , over two coat of Primer which is a solvent-free, two-component moisture tolerant epoxy primer fom Ardex Endura R 3 E for use on concrete and cementitious surfaces that have damp surfaces (e.g. from water spillages or rain) prior to installing polyurethane and epoxy floor systems after cleaning the substrate to make them clean from contaminants. The properties of the epoxy flooring should have the Compressive Strength of 70 N/mm <sup>2</sup> after 28 days , Flexural Strength of >30N/mm <sup>2</sup> after 28 days ,Tensile strength of 20N /mm <sup>2</sup> and Shore hardness > 70. Brand Name: Ardex -Endura or equivalent	व.मी			४७९०.००
5	Providing and installing seamless epoxy coving at required size and shape from 3 component outstanding wearing properties epoxy coving render, mixing 3 components by mechanical means. spreading and finishing the mixed from Ardex Endura R 33 CE over completely tacky dried primer applied in one or more coat from Ardex Endura R 3 E primer including grinding, cleaning, making termination grooves, etc and complete as per manufacturer's specification. The properties of the coving should have the Compressive strength 70 N/mm <sup>2</sup> , Flexural strength 23 N/mm <sup>2</sup> .	र.मी			७९०.००
6	Providing and applying seamless 3 component, antistatic conductive epoxy flooring system from Ardex Endura R 625 CE 2 over two or more coats of dried 2 component epoxy primer from Ardex Endura R 3 E solvent free, by mixing using mechanical means, applying the first coat of R 3 E and allowing it to dry, installing copper strips (peel & stick, 12-20mm wide and 70-100 micron thick) at the periphery of the primed surfaces and also to form grid pattern at required size, applying the second coat of R 3 E (total thickness of primer shall be 175-200 micron) and allowing it to dry, applying the top coat .The top coat should have the Flexural Strength > 39.00 N/mm <sup>2</sup> , Compressive Strength > 50.00 N/mm <sup>2</sup> 2 components conductive range of 10 <sup>4</sup> - 10 <sup>6</sup> Ω epoxy floor, by mixing all components by mechanical means, spreading at 1.5-2mm thickness using notch trowel or depth set rake trowel, rolling the surface using spike roller and finishing, allowing it to dry completely, including grinding, cleaning etc and complete as per manufacturer's specification	व.मी			५९७५.००

**FLOORING AND CEILING**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
7	Providing and applying the anti carbonation facade coating in two coats of extremely weather resistant water based acrylic from Ardex Endura AC 20 anti carbonation protective coating having the tensile strength =4-5 kg/cm <sup>2</sup> , pull of strength >1N/mm <sup>2</sup> , permeability of CO <sub>2</sub> > 50 M with the primer WPM 209 as per technical specifications and site engineer and manufacturers specification.	व.मी			१२९०.००
8	Bonded Screed installation :- Providing and installing screed by mixing A3, screed concentrate having compression testing > 30 N/mm <sup>2</sup> at 28 days, flexural strength >3.0 N/mm <sup>2</sup> at 28 days and the pull of testing >202 mpa the made up of high quality additives and superior polymer, to Grey OPC 53 Grade cement and screed sand with water by mechanical means, including installing level buttons, spreading the screed using straight edge, compacting at required thickness over the wet bonding slurry, continuing the day end joints or joints due to delay by applying bonding slurry, etc and complete as per manufacturer's specification.	व.मी			१२९०.००
9	Providing and applying impregnating tile and stone sealer for use on unglazed floor tiles, porous tiles such as terracotta, clay tiles and stone to reduce water permeability of the surface, reduces stains, seals with a glossy finish enhancing the colour of tiles providing a breathable surface on interior & exterior tiled surfaces, bricks & stones, having voc content 3.16g/l.	व.मी			५९०.००
<b>Hard wood flooring</b>					
1	<b>OAK HERRINGBONE: 14 X 138X 690MM</b> Supplying and laying of BKB 3-layer 14mm engineered hardwood flooring products with European-style parquet with 3-layer construction, engineered with real hardwood on the top and supported by Hevea hardwood or Pine or plywood in the middle and softwood veneer as the back. The natural wood source originates from Europe, Canada, Australia, peninsular Malaysia, etc. There are various type of wood species for selection to suit every taste and lifestyle wonderfully rustic charm is enhanced by broad variations in grain, color and distinctive knots with two choices of profile such as Tongue & Groove and 5G Valinge Click System. The latter utilizes a patented 5G-C system from Sweden. Apply 7-layers UV coating system exclusively from BONA, a world leader and specialist in wooden floor treatments with lifetime support with scratch resistance, gloss, chemical resistance, friction and recoatability with excellent bond strength that capable of meeting formaldehyde emission E1 and E0 standards, which has been duly tested in accordance to the European standard EN 717-1:2004 and JAS:2008 (F4 star), also certified to MS ISO9001:2015, MS ISO 14001:2015 and offers Green Environment certification such as FSC, PEFC, F4 Star, Singapore Green Label and along with full installation cost of labor & materials required for installation purpose for different areas, according to drawing and specification and instruction of site engineer as all complete.	व.मी			५९२०.००
<b>Flooring Material</b>					
1	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting				२७००.००





## Slope Stabilization Structures

गणतन्त्र नेपाल  
जिल्ला प्रशासन कार्यालय काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.कर बाहेकको दररेट		
		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm   70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.			
	Upto 5 Height (in Metre)	व.मी		१७५९९.४३
	10 Height (in Metre)	व.मी		२२१४३.४०
	15 Height (in Metre)	व.मी		२६८६९.५९
	20 Height (in Metre)	व.मी		३४५६२.४४
	25 Height (in Metre)	व.मी		४७१०४.९७
	30 Height (in Metre)	व.मी		६००५६.७९
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm   70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.			
	10 Height (in meter)	व.मी		२७९३१.९९
	20 Height (in meter)	व.मी		३८०६४.१३
	30 Height (in meter)	व.मी		५५७३८.१३
३	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm   70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.			
	10 Height (in meter)	व.मी		३४९५४.५९

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## Slope Stabilization Structures



सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.कर बाहेकको दररेट		
		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
४	Geo-composite Drainage with mini pipes			
i	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९२६.४४
ii	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९२९९.२६
iii	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		९४५९.४४
iv	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी		२०८८.३०



## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.कर बाहेकको दररेट		
		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
५	Rockfall Protection Barrier			
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm <sup>2</sup> , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.			
	Capacity 500 KJ and height 3.5m	र.मी.		१४६९२७.००
	Capacity 1000 KJ and height 5m	र.मी.		२९३६५१.००
	Capacity 1500 KJ and height 5m	र.मी.		३४२३१०.००
	Capacity 2000 KJ and height 5m	र.मी.		४२३९५५.००
	Capacity 3000 KJ and height 5m	र.मी.		४९९४७६.००
	Capacity 5000 KJ and height 7m	र.मी.		९११९७३.००
६	High Tensile Wire mesh (wire strength $\geq 1770$ N/mm <sup>2</sup> )			
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength $\geq 1770$ N/mm <sup>2</sup> ) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m <sup>2</sup> coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी		१३१७१.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)			
i	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी		२०८८.३०

## Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
ii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी			९०१८.५३
iii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी			२६८९.९७
iv	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm ( $\pm 1$ mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal	व.मी			११६९७.७०
८	Fabric formed erosion and scour protection concrete mattresses				
i	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD ) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी			५८२६.६०

## Slope Stabilization Structures



सि.नं.	निर्माण सामग्रीहरूको विवरण	अ. व. कर बाहेकको दररेट		
		आ. व. २०७७/७८	आ. व. २०७८/७९	आ. व. २०७९/८०
ii	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी		६७८२.९०
iii	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD   TD ) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी		३७३३.६०
iv	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD   TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी		४०६९.००
v	Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा		८०८७.३०
vi	Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा		९९९३७.३०

Handwritten signatures and initials are present below the table, including a large signature on the right and several smaller ones on the left and center.

# Railway




जिल्ला प्रशासन कार्यालय काठमाण्डु  
नेपाल सरकार  
म. अ. क. बाहेकको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा			७९८०.००
२	Spherical bearing = >2250 KN Fixed type	गोटा			१३०७५७.००
३	Spherical bearing =>2250 KN Free type	गोटा			१४५६९८.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि			१५१०४.००
५	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा			१३९७९.००
६	Ultra sonic cross-hole test Machine hire	गोटा			२२३०.००
७	Sheath tube, D75mm (Mild steel )	र.मि			३५०.००
८	Carrying out Dynamic pile load test	गोटा			२८८६९२.००
९	Earthing cable(GV70)	र.मि			५७५.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा			४२२०.००
११	Unbonded Pre stressed concrete strand	के.जी.			१५१.००

*(Handwritten signatures and marks)*

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व. २०७८/७९ को दररेट		
			आ. व. ०७६।७७	आ. व. ०७७।७८	आ. व. ०७८।७९
१	High Density Polythene Pipe NS-40	के. जी.	२५५.००	२५५.००	२७०.००
२	<b>G.I Pipe threaded - Light class</b>				
	15mm	र.मी	१४८.००	१४८.००	१४८.००
	20mm	र.मी	२०२.००	२०२.००	२०२.००
	25mm	र.मी	२८०.००	२८०.००	२८०.००
	32mm	र.मी	३५८.००	३५८.००	३५८.००
	40mm	र.मी	४४२.००	४४२.००	४४२.००
	50mm	र.मी	५५८.००	५५८.००	५५८.००
	65mm	र.मी	७७०.००	७७०.००	७७०.००
	80mm	र.मी	९०३.००	९०३.००	९०३.००
	100mm	र.मी	१२९२.००	१२९२.००	१२९२.००
	125mm	र.मी	२०६७.००	२०६७.००	२०६७.००
	150mm	र.मी	२४५५.००	२४५५.००	२४५५.००
	200mm	र.मी	३५२३.००	३५२३.००	३५२३.००
3	<b>MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106</b>	"			
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४५२.००	४५२.००	४५२.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	५४२.००	५४२.००	५४२.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	६८०.००	६८०.००	६८०.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	८३९.००	८३९.००	८३९.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	९६०.००	९६०.००	९६०.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१२३३.००	१२३३.००	१२३३.००
	73mm OD 3" SCH.40, 5.16 .mm thickness	र.मी	१८९५.००	१८९५.००	१८९५.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२४८१.००	२४८१.००	२०००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३२०५.००	३२०५.००	२८८०.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	३५३१.००	३५३१.००	३५३१.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	४७८२.००	४७८२.००	४७८२.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	६२०७.००	६२०७.००	६२०७.००
	65 mm ID SCH.40	र.मी			१९००.००
	80 mm ID SCH.40	र.मी			२३००.००
	125 mm ID SCH.40	र.मी			३८००.००
	150 mm ID SCH.40	र.मी			४४३०.००
	200 mm ID SCH.40	र.मी			५५२०.००
	250mm ID SCH.40	र.मी			७१३०.००
	300 mm ID SCH.40	र.मी			९७८०.००
	350 mm ID SCH.40	र.मी			१८४००.००
	400 mm ID SCH.40	र.मी			२४०००.००
	450 mm ID SCH.40	र.मी			३०३३०.००
	500 mm ID SCH.40	र.मी			३५७००.००
४	<b>G.I Pipe threaded -Medium class</b>				
	15mm	र.मी	१७२.००	१७२.००	१५७.७७


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बाहेकको दररेट		
			विवरणहरू, आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	20mm	र.मी	२२०.००	२२०.००	१९६.३५
	25mm	र.मी	३२८.००	३२८.००	२९९.१५
	32mm	र.मी	४२७.००	४२७.००	३८९.२४
	40mm	र.मी	४९०.००	४९०.००	४४६.९९
	50mm	र.मी	६७०.००	६७०.००	६१४.४६
	65mm	र.मी	८५५.००	८५५.००	७८४.२५
	80mm	र.मी	१०६०.००	१०६०.००	९७५.९८
	100mm	र.मी	१५७३.००	१५७३.००	१४६१.०८
	125mm	र.मी	२१८०.००	२१८०.००	१९१०.३७
	150mm	र.मी	२६३३.००	२६३३.००	२३१०.००
	200mm	र.मी	४००३.००	४००३.००	३९९७.००
५	<b>G.I Pipe threaded - Heavy duty</b>				
	15mm	र.मी	२०३.००	२०३.००	१८४.८०
	20mm	र.मी	२५७.००	२५७.००	२३१.००
	25mm	र.मी	३८३.००	३८३.००	३४४.९७
	32mm	र.मी	४९०.००	४९०.००	४०७.४०
	40mm	र.मी	५६५.००	५६५.००	५१६.२९
	50mm	र.मी	८२३.००	८२३.००	७५८.८४
	65mm	र.मी	१०३२.००	१०३२.००	८६३.१०
	80mm	र.मी	१२१५.००	१२१५.००	१११८.०४
	100mm	र.मी	१८८३.००	१८८३.००	१९२०.८०
	125mm	र.मी	२४४०.००	२४४०.००	२१७७.१८
	150mm	र.मी	२७६७.००	२७६७.००	२४६३.६२
	200mm	र.मी	४२४३.००	४२४३.००	४४२०.००
६	<b>G.M. Gate valve</b>				
	15mm	र.मी	९६२.००	९६२.००	९६२.००
	20mm	र.मी	११९८.००	११९८.००	११९८.००
	25mm	र.मी	१९३०.००	१९३०.००	१९३०.००
	32mm	र.मी	२७५३.००	२७५३.००	२७५३.००
	40mm	र.मी	३४६७.००	३४६७.००	३४६७.००
	50mm	र.मी	५५१९.००	५५१९.००	५५१९.००
	65mm	र.मी	११४११.००	११४११.००	११४११.००
	80mm	र.मी	१४१८८.००	१४१८८.००	१४१८८.००
	100mm	र.मी	२३२३८.००	२३२३८.००	२३२३८.००
७	<b>G.M Check valve</b>				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	आ. व. क बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०९.००	१९३०९.००	१९३०९.००
८	<b>G.I. Elbow</b>				
	15mm	गोटा	५२.००	५२.००	४५.००
	20mm	गोटा	९४.००	९४.००	७९.००
	25mm	गोटा	१४५.००	१४५.००	११३.००
	32mm	गोटा	२२०.००	२२०.००	१७६.००
	40mm	गोटा	३०८.००	३०८.००	२४२.००
	50mm	गोटा	४६४.००	४६४.००	३६८.००
	65mm	गोटा	८०५.००	८०५.००	६८५.००
	80mm	गोटा	१२५३.००	१२५३.००	९७८.००
	100mm	गोटा	२१५९.००	२१५९.००	१७५३.००
	125mm	गोटा			२१०३.६०
	150mm	गोटा			२५२४.३२
९	<b>G.I. Tee</b>				
	15mm	गोटा	८०.००	८०.००	७०.००
	20mm	गोटा	१२७.००	१२७.००	११०.००
	25mm	गोटा	१८५.००	१८५.००	१५०.००
	32mm	गोटा	२९६.००	२९६.००	२४०.००
	40mm	गोटा	४१०.००	४१०.००	२९५.००
	50mm	गोटा	६७१.००	६७१.००	४६०.००
	65mm	गोटा	१०५४.००	१०५४.००	९०५.००
	80mm	गोटा	१४२४.००	१४२४.००	१२०५.००
	100mm	गोटा	२५८७.००	२५८७.००	२०५३.००
	125mm	गोटा			२४६५.००
	150mm	गोटा			२९६०.००
१०	<b>G.I Union</b>				
	15mm	गोटा	१६९.००	१६९.००	१२४.००
	20mm	गोटा	२३८.००	२३८.००	१७३.००
	25mm	गोटा	३४९.००	३४९.००	२३०.००
	32mm	गोटा	४८०.००	४८०.००	३४५.००
	40mm	गोटा	५९४.००	५९४.००	४५५.००
	50mm	गोटा	८८४.००	८८४.००	६३०.००
	65mm	गोटा	१८०८.००	१८०८.००	१२३०.००
	80mm	गोटा	२४३६.००	२४३६.००	१६८०.००
	100mm	गोटा	३२१०.००	३२१०.००	२३०८.००
	125mm	गोटा			२७७०.००
	150mm	गोटा			३३२४.००
११	<b>G.I. Socket</b>				
	15mm	गोटा	४७.००	४७.००	४१.००
	20mm	गोटा	७३.००	७३.००	६४.००
	25mm	गोटा	१००.००	१००.००	८२.००


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. ज. कि. बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	32mm	गोटा	१५४.००	१५४.००	१२९.००
	40mm	गोटा	२०८.००	२०८.००	१७३.००
	50mm	गोटा	३०६.००	३०६.००	२६८.००
	65mm	गोटा	५५४.००	५५४.००	३७५.००
	80mm	गोटा	८१७.००	८१७.००	६००.००
	100mm	गोटा	१४१५.००	१४१५.००	९५०.००
	125mm	गोटा			११४०.००
	150mm	गोटा			१३६८.००
१२	<b>C.I. Plug</b>				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
१३	<b>Hex Nipple</b>				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	<b>Reducing Tee</b>				
	20mm	गोटा	१३९.००	१३९.००	१२०.००
	25mm	गोटा	२०४.००	२०४.००	१६२.००
	32mm	गोटा	३२५.००	३२५.००	१४८.००
	40mm	गोटा	४५१.००	४५१.००	३२५.००
	50mm	गोटा	७३७.००	७३७.००	५१७.००
	65mm	गोटा	११६०.००	११६०.००	९१८.००
	80mm	गोटा	१५६८.००	१५६८.००	१४५०.००
	100mm	गोटा	२८६६.००	२८६६.००	२७५०.००
	125mm	गोटा			३३००.००
	150mm	गोटा			३९६०.००
१५	<b>Reducing Elbow</b>				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००

Handwritten signatures and initials at the bottom of the page.

पाईप तथा फिटिङहरू



नेपाल सरकार  
मन्त्रालय  
जिल्ला प्रशासन कार्यालय  
काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	जिल्ला प्रशासन कार्यालय काठमाण्डौको दररेट		
			बबरमहल आ.व.०७६।७७	आ.व.०७७।७८	आ.व.०७८।७९
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	<b>Reducing socket</b>				
	15mm(1/2")	गोटा			५०.००
	20mm(3/4")	गोटा	८०.००	८०.००	८०.००
	25mm(1")	गोटा	१०८.००	१०८.००	१००.००
	32mm(1-1/4")	गोटा	१६८.००	१६८.००	१५०.००
	40mm(1-1/2")	गोटा	२२६.००	२२६.००	२१०.००
	50mm(2")	गोटा	३३७.००	३३७.००	३२०.००
	65mm(2-1/2")	गोटा	६०२.००	६०२.००	४५०.००
	80mm(3")	गोटा	८६०.००	८६०.००	७२०.००
	100mm(4")	गोटा	१५५२.००	१५५२.००	११४०.००
	125mm(5")	गोटा	४४३६.००	४४३६.००	१३६८.००
	150mm(6")	गोटा	५२१६.००	५२१६.००	१४८२.००
१७	<b>Short bend</b>				
	15mm	गोटा	१३९.००	१३९.००	१३०.००
	20mm	गोटा	२१४.००	२१४.००	१५०.००
	25mm	गोटा	३२८.००	३२८.००	१९०.००
	32mm	गोटा	६३०.००	६३०.००	२९०.००
	40mm	गोटा	९५२.००	९५२.००	४००.००
	50mm	गोटा	१३९३.००	१३९३.००	५९०.००
	65mm	गोटा	३५७६.००	३५७६.००	३५७६.००
	80mm	गोटा	५५४४.००	५५४४.००	५५४४.००
	100mm	गोटा	७८५५.००	७८५५.००	७८५५.००
१८	<b>Cross Tee</b>				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	<b>Tank Nipple</b>				
	15mm	गोटा	१५४.००	१५४.००	१५४.००


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	<b>G.I. Nipple Medium Class - 2" Long</b>				
	15mm	गोटा	२५.००	२५.००	२२.००
	20mm	गोटा	३७.००	३७.००	३४.००
	25mm	गोटा	५०.००	५०.००	४४.००
	32mm	गोटा	६८.००	६८.००	५७.००
	40mm	गोटा	८३.००	८३.००	७१.००
२१	<b>G.I. Nipple Medium Class - 3" Long</b>				
	15mm	गोटा	३७.००	३७.००	३४.००
	20mm	गोटा	५६.००	५६.००	४७.००
	25mm	गोटा	७६.००	७६.००	६६.००
	32mm	गोटा	१०२.००	१०२.००	८५.००
	40mm	गोटा	१२६.००	१२६.००	१०६.००
	50mm	गोटा	१८८.००	१८८.००	१३४.००
	65mm	गोटा	२५९.००	२५९.००	१८६.००
	80mm	गोटा	३७८.००	३७८.००	२२०.००
२२	<b>G.I. Nipple Medium Class - 4" Long</b>				
	15mm	गोटा	५०.००	५०.००	४५.००
	20mm	गोटा	७४.००	७४.००	६३.००
	25mm	गोटा	१०१.००	१०१.००	८८.००
	32mm	गोटा	१३६.००	१३६.००	११३.००
	40mm	गोटा	१६६.००	१६६.००	१४२.००
	50mm	गोटा	२५३.००	२५३.००	१७९.००
	65mm	गोटा	३४७.००	३४७.००	२४८.००
	80mm	गोटा	५०५.००	५०५.००	२०५.००
	100mm	गोटा	६४९.००	६४९.००	४२२.००
	125mm	गोटा			६४३.००
	150mm	गोटा			७६३.००
२३	<b>G.I. Nipple Medium Class - 6" Long</b>				
	15mm	गोटा	७६.००	७६.००	६८.००
	20mm	गोटा	११३.००	११३.००	९४.००
	25mm	गोटा	१५१.००	१५१.००	१३२.००
	32mm	गोटा	२०५.००	२०५.००	१७०.००
	40mm	गोटा	२५३.००	२५३.००	१२२.००
	50mm	गोटा	३७९.००	३७९.००	२६९.००

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.का. बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	65mm	गोटा	५१८.००	५१८.००	३७३.००
	80mm	गोटा	७४२.००	७४२.००	४३९.००
	100mm	गोटा	९१७.००	९१७.००	६३३.००
	125mm	गोटा			९६५.००
	150mm	गोटा			११४६.००
२४	<b>G.I. Nipple Medium Class -9" Long</b>				
	15mm	गोटा	११३.००	११३.००	१०२.००
	20mm	गोटा	१६७.००	१६७.००	१४२.००
	25mm	गोटा	२०२.००	२०२.००	१९९.००
	32mm	गोटा	३०७.००	३०७.००	२५५.००
	40mm	गोटा	४१३.००	४१३.००	३१९.००
	50mm	गोटा	५६९.००	५६९.००	४०३.००
	65mm	गोटा	७६८.००	७६८.००	५६०.००
	80mm	गोटा	११३६.००	११३६.००	६५८.००
	100mm	गोटा	४८७.००	४८७.००	९४९.००
	125mm	गोटा			१४४८.००
	150mm	गोटा			१७१९.००
२५	<b>G.I. Nipple Medium Class -12" Long</b>				
	15mm	गोटा	१५१.००	१५१.००	१३६.००
	20mm	गोटा	२२१.००	२२१.००	१८९.००
	25mm	गोटा	२५१.००	२५१.००	२६५.००
	32mm	गोटा	४१०.००	४१०.००	३४०.००
	40mm	गोटा	५०५.००	५०५.००	४२५.००
	50mm	गोटा	७५७.००	७५७.००	५३७.००
	65mm	गोटा	१०२२.००	१०२२.००	७४६.००
	80mm	गोटा	१५१४.००	१५१४.००	८७७.००
	100mm	गोटा	१८०८.००	१८०८.००	१२६६.००
	125mm	गोटा			१९३१.००
	150mm	गोटा			२२९१.००
२६	<b>G.I. Nipple Medium Class -18" Long</b>				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
	<b>GI End Cap</b>				
	15mm	गोटा			२५.००
	20mm	गोटा			४०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	25mm	गोटा			६५.००
	32mm	गोटा			८०.००
	40mm	गोटा			१७५.००
	50mm	गोटा			२५०.००
२७	<b>G.I./G.I. Flange</b>				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
	<b>G.I./ Flange Set</b>				
	32mm(1-1/4")	गोटा			६६०.००
	40mm(1-1/2")	गोटा			८८०.००
	50mm(2")	गोटा			१३७५.००
	65mm(2-1/2")	गोटा			१७७५.००
	80mm(3")	गोटा			२३५०.००
	100mm(4")	गोटा			२७२०.००
	125mm(5")	गोटा			२९९२.००
	150mm(6")	गोटा			३२९९.००
	200mm(8")	गोटा			३६२०.००
२८	<b>G.I./HDP Flange</b>				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	<b>GI/HDPE Flange set with adaptor</b>				
	50mm(2")	गोटा			१२८०.००
	65mm(2-1/2")	गोटा			१९८०.००
	80mm(3")	गोटा			२४२०.००
	100mm(4")	गोटा			२७७५.००
	125mm(5")	गोटा			३०५३.००
	150mm(6")	गोटा			३३५८.००
	200mm(8")	गोटा			३६९४.००
२९	<b>HDP/HDP Flange set with adaptor</b>				


Handwritten signatures and marks at the bottom of the page.

## पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेटमूल्य, काठमाडौं		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३८१४.००	३८१४.००	३८१४.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	<b>Brass Compression Fittings</b>				
	15mm	गोटा			२१०.००
	20mm	गोटा			३२०.००
	25mm	गोटा			८१०.००
	32mm	गोटा			१३८०.००
	40mm	गोटा			१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा			३८०.००
	1/2" (25-50mm dia) HDPE Saddle	गोटा			१८०.००
३०	<b>Brass tap - 1/2"</b>				
	15mm 400 gm heavy	गोटा	९०६.००	९०६.००	९०६.००
	Ordinary	गोटा	२०५.००	२०५.००	२०५.००
३१	<b>Globe Valve (GM)</b>				
	15mm	गोटा	९२४.००	९२४.००	९२४.००
	20mm	गोटा	१५०५.००	१५०५.००	१५०५.००
	25mm	गोटा	१८५९.००	१८५९.००	१८५९.००
	32mm	गोटा	२९५३.००	२९५३.००	२९५३.००
	40mm	गोटा	३७९६.००	३७९६.००	३७९६.००
	50mm	गोटा	४६४०.००	४६४०.००	४६४०.००
	65mm	गोटा	९११४.००	९११४.००	९११४.००
	80mm	गोटा	१५०६०.००	१५०६०.००	१५०६०.००
	100mm	गोटा	२४३५०.००	२४३५०.००	२४३५०.००
३२	<b>Float Valve</b>				
	15mm	गोटा	११३४.००	११३४.००	११३४.००
	20mm	गोटा	१२८३.००	१२८३.००	१२८३.००
	25mm	गोटा	१५५६.००	१५५६.००	१५५६.००
	32mm	गोटा	२६९०.००	२६९०.००	२६९०.००
	40mm	गोटा	४०४२.००	४०४२.००	४०४२.००
	50mm	गोटा	५३८१.००	५३८१.००	५३८१.००
३३	<b>C.I. Air valve (Heavy)</b>				
	15mm	गोटा	३७५६.००	३७५६.००	३७५६.००
	20mm	गोटा	५१८२.००	५१८२.००	५१८२.००
	25mm	गोटा	५७४६.००	५७४६.००	५७४६.००
३४	<b>Brass Union with Adopter</b>				

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	15mm	गोटा	२४५.००	२४५.००	२४५.००
	20mm	गोटा	३७७.००	३७७.००	३७७.००
	25mm	गोटा	५७०.००	५७०.००	५७०.००
	32mm	गोटा	७४२.००	७४२.००	७४२.००
	40mm	गोटा	९३२२.००	९३२२.००	९३२२.००
	50mm	गोटा	९९६९.००	९९६९.००	९९६९.००
३५	<b>Saddle Ferrule</b>				
	40mm	गोटा	३५४.००	३५४.००	३५४.००
	50mm	गोटा	४६८.००	४६८.००	४६८.००
	65mm	गोटा	९३०६.००	९३०६.००	९३०६.००
	80mm	गोटा	९७२७.००	९७२७.००	९७२७.००
	100mm	गोटा	२४६२.००	२४६२.००	२४६२.००
३६	<b>Flow Regulating Valve (G.M.)</b>				
	15mm	गोटा	९३२२.००	९३२२.००	९३२२.००
३७	<b>C.I Sluice Valve</b>				
	40mm	गोटा	६८४६.००	६८४६.००	६८४६.००
	50mm	गोटा	९९३२.००	९९३२.००	९९३२.००
	65mm	गोटा	९९४०६.००	९९४०६.००	९९४०६.००
	80mm	गोटा	९३६९९.००	९३६९९.००	९३६९९.००
	100mm	गोटा	९८२५०.००	९८२५०.००	९८२५०.००
	125mm	गोटा	२७७३७.००	२७७३७.००	२७७३७.००
	10mm	गोटा	३३२८८.००	३३२८८.००	३३२८८.००
	200mm	गोटा	४६६०३.००	४६६०३.००	४६६०३.००
३८	<b>Brass Ferrule Cock</b>				
	15mm	गोटा	९५०५.००	९५०५.००	९५०५.००
	20mm	गोटा	९९६९.००	९९६९.००	९९६९.००
	25mm	गोटा	२८७९.००	२८७९.००	२८७९.००
३९	<b>Ball valve</b>				
	15mm	गोटा	५९४.००	५९४.००	५९४.००
	20mm	गोटा	६५०.००	६५०.००	६५०.००
	25mm	गोटा	८७२.००	८७२.००	८७२.००
	32mm	गोटा	९०५९.००	९०५९.००	९०५९.००
	40mm	गोटा	२०३५.००	२०३५.००	२०३५.००
	50mm	गोटा	३३४९.००	३३४९.००	३३४९.००
४०	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>				
	Single Socket (R/R)	गोटा	४५९.००	४५९.००	४५९.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	९९६४.००	९९६४.००	९९६४.००
	Single Socket Self Fit	गोटा	९४२३.००	९४२३.००	९४२३.००
	Single Socket Self Fit	गोटा	९९५६.००	९९५६.००	९९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००


Handwritten signatures and marks at the bottom of the page.



### पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. आ. व. २०७८/७९ को दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९१.००	११९१.००	११९१.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३१२.००	१३१२.००	१३१२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६१.००	५३६१.००	५३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी			२१९०.००
	DN150 C40	र.मी			३०१०.००
	DN200 C40	र.मी			४१४०.००
	DN250 C40	र.मी			५७६०.००
	DN300 C40	र.मी			७८०.००
	DN350 C40	र.मी			८३९०.००
	DN400 C30	र.मी			९९९०.००
	DN450 C30	र.मी			११७७०.००
	DN500 C30	र.मी			१३९१०.००
	DN600 C30	र.मी			१८८५०.००
	DN700 C25	र.मी			२४०५०.००
	DN800 C25	र.मी			३०८८०.००
	DN900 C25	र.मी			४०७००.००
	DN1000 C25	र.मी			४९०१०.००
	DI pipes with flanged end				
	Dia 1000mm C25	र.मी			६६६१०.००
	Dia 900mm C25	र.मी			६४६३०.००
	Dia 800mm C25	र.मी			५३४१०.००
	Dia 700mm C25	र.मी			४२५५०.००
	Dia 600mm C30	र.मी			३४८४०.००
	Dia 500mm C30	र.मी			२५७४०.००
	Dia 450mm C30	र.मी			२१६००.००
	Dia400mm C30	र.मी			१८०१०.००
	Dia 350mm C30	र.मी			१४९२०.००
	Dia 300mm C30	र.मी			११७७०.००
	Dia250mm C40	र.मी			९३५०.००
	Dia200mm C40	र.मी			६९९०.००
	Dia150mm C40	र.मी			५१८०.००
	Dia100mm C40	र.मी			३८२०.००
	Dia80mm C40	र.मी			३३१०.००
	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

DI पाईप तथा फिटिङहरू

जिल्ला निर्माण विभागको कार्यालय काठमाण्डौ  
 मु. अ. क. बाहिरीको दररेट  
 आ. व. २०७८/७९

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहिरीको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	<b>DI double socket bends</b>				
	90 deg bend				
	Dia 700mm	गोटा			१०५६००.००
	Dia 600mm	गोटा			७३०१०.००
	Dia 500mm	गोटा			४६९३०.००
	Dia 450mm	गोटा			४१७६०.००
	Dia 300mm	गोटा			१६९३०.००
	Dia250mm	गोटा			१२४१०.००
	Dia200mm	गोटा			८५३०.००
	Dia150mm	गोटा			५२८०.००
	Dia100mm	गोटा			२९७०.००
	45 deg bend				
	Dia 1000mm	गोटा			१८३१८०.००
	Dia 700mm	गोटा			८२२१०.००
	Dia 600mm	गोटा			६०२९०.००
	Dia 500mm	गोटा			३८९७०.००
	Dia 450mm	गोटा			३१६७०.००
	Dia400mm	गोटा			२४६६०.००
	Dia 350mm	गोटा			१८५७०.००
	Dia 300mm	गोटा			१४३१०.००
	Dia250mm	गोटा			१०४३०.००
	Dia200mm	गोटा			७३९०.००
	Dia150mm	गोटा			४७४०.००
	22.5 deg bend				
	Dia 1000mm	गोटा			१३८०५०.००
	Dia 900mm	गोटा			१०७८००.००
	Dia 700mm	गोटा			५९५४०.००
	Dia 600mm	गोटा			४०३७०.००
	Dia 500mm	गोटा			२९६३०.००
	Dia 450mm	गोटा			२३२४०.००
	Dia400mm	गोटा			१८०१०.००
	Dia 350mm	गोटा			१४५२०.००
	Dia 300mm	गोटा			११६२०.००
	Dia250mm	गोटा			८७३०.००
	Dia200mm	गोटा			६३३०.००
	Dia150mm	गोटा			४१६०.००


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	11.25 deg bend				
	Dia 1000mm	गोटा			११७४७०.००
	Dia 900mm	गोटा			९२१६०.००
	Dia 800mm	गोटा			६९९१०.००
	Dia 700mm	गोटा			५३०६०.००
	Dia 600mm	गोटा			३४७५०.००
	Dia 300mm	गोटा			१०६४०.००
	Dia250mm	गोटा			८०१०.००
	Dia200mm	गोटा			५८४०.००
	Dia150mm	गोटा			४३६०.००
	<b>DI double flanged bends</b>				
	90 deg bend				
	Dia 900mm	गोटा			२१०२००.००
	Dia 600mm	गोटा			८९०१०.००
	Dia 300mm	गोटा			१८९२०.००
	Dia250mm	गोटा			९५००.००
	Dia200mm	गोटा			८४३०.००
	Dia150mm	गोटा			५५२०.००
	Dia100mm	गोटा			३२७०.००
	45 deg bend				
	Dia 900mm	गोटा			१६१५२०.००
	Dia 800mm	गोटा			१२५३४०.००
	Dia 600mm	गोटा			७४७००.००
	Dia 300mm	गोटा			२०६३०.००
	Dia250mm	गोटा			१५४७०.००
	Dia200mm	गोटा			१०३१०.००
	Dia150mm	गोटा			५१५०.००
	Dia100mm	गोटा			३१३०.००
	22.5 deg bend				
	Dia 900mm	गोटा			१६५६४०.००
	Dia 700mm	गोटा			९३०१०.००
	Dia 300mm	गोटा			२१०७०.००
	Dia200mm	गोटा			७७२०.००
	Dia150mm	गोटा			५२८०.००
	11.25 deg bend				
	Dia 900mm	गोटा			१६३८००.००
	Dia 600mm	गोटा			७४३७०.००
	Dia 500mm	गोटा			४९७१०.००
	Dia 300mm	गोटा			२११४०.००
	Dia200mm	गोटा			७९००.००
	Dia150mm	गोटा			५३६०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	<b>DI mechanical joint bends</b>				
	90 deg bend				
	Dia 600mm	गोटा			७९६४०.००
	Dia400mm	गोटा			४००१०.००
	Dia 350mm	गोटा			३२०८०.००
	Dia 300mm	गोटा			२५१८०.००
	Dia250mm	गोटा			१८०७०.००
	Dia200mm	गोटा			१३५००.००
	Dia150mm	गोटा			९८६०.००
	Dia100mm	गोटा			६१५०.००
	Dia80mm	गोटा			५२५०.००
	<b>DI Duck Foot 90 deg Bend</b>				
	Dia 80mm	गोटा			३८००.००
	Dia100mm	गोटा			४७५०.००
	Dia150mm	गोटा			७०००.००
	Dia200mm	गोटा			९९१०.००
	Dia250mm	गोटा			१५१५५.००
	Dia300mm	गोटा			२०४००.००
	<b>DI long radius bend</b>				
	Dia 100mm	गोटा			४७५०.००
	Dia 150mm	गोटा			८०२०.००
	Dia 200mm	गोटा			१२०६०.००
	Dia 250mm	गोटा			१७७९०.००
	<b>DI double socket reducer</b>				
	Dia 1000mmX900mm	गोटा			९७६५०.००
	Dia 900mmx800mm	गोटा			७८८३०.००
	Dia 800mmx700mm	गोटा			६१४९०.००
	Dia 300mmx200mm	गोटा			१०२८०.००
	Dia 200mmx150mm	गोटा			५५१०.००
	<b>DI double flanged reducer</b>				
	Dia 900mmx700mm	गोटा			१०३८३०.००
	Dia 700mmx600mm	गोटा			६९०८०.००
	Dia 700mmx400mm	गोटा			५९९९०.००
	Dia 600mmx500mm	गोटा			५५९४०.००
	Dia 600mmx400mm	गोटा			५११२०.००
	Dia 500mmx400mm	गोटा			३६५७०.००
	Dia 400x350mm	गोटा			१८६१०.००
	Dia 400mmx300mm	गोटा			२३८४०.००
	Dia 400mmx250mm	गोटा			२२६८०.००
	Dia 300mmx250mm	गोटा			११४८०.००
	Dia 300mmx200mm	गोटा			१४४१०.००

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	Dia300mmx150mm	गोटा			४४९०.००
	Dia250mmx200mm	गोटा			८५९०.००
	Dia250mmx150mm	गोटा			११०२०.००
	Dia 200mmx150mm	गोटा			६०४०.००
	Dia 200mmx100mm	गोटा			७४००.००
	Dia 150mmx100mm	गोटा			४२४०.००
	Dia150mmx80mm	गोटा			४३९०.००
	Dia150mmx65mm	गोटा			४४००.००
	<b>DI Blank flange</b>				
	Dia 1000mm	गोटा			११२४१०.००
	Dia 900mm	गोटा			८३८१०.००
	Dia 800mm	गोटा			६३२८०.००
	Dia 700mm	गोटा			४५८६०.००
	Dia 600mm	गोटा			३५३८०.००
	Dia 500mm	गोटा			२२५१०.००
	Dia 450mm	गोटा			१७६९०.००
	Dia400mm	गोटा			१३०७०.००
	Dia 350mm	गोटा			९६८०.००
	Dia 300mm	गोटा			६६४०.००
	Dia250mm	गोटा			४९८०.००
	Dia200mm	गोटा			३१६०.००
	Dia150mm	गोटा			२१४०.००
	Dia100mm	गोटा			१२७०.००
	Dia80mm	गोटा			११३०.००
	<b>Double Socket Tee with Flanged Branch</b>				
	Dia 900mmx150mm	गोटा			१०२७००.००
	Dia 800mmx600mm	गोटा			१६१०६०.००
	Dia 800mmx400mm	गोटा			१०७९२०.००
	Dia 700mmx150mm	गोटा			६५३३०.००
	Dia 600mmx150mm	गोटा			४५३७०.००
	Dia 600mmx100mm	गोटा			४०२७०.००
	Dia 500mmx100mm	गोटा			३००३०.००
	Dia 400mmx150mm	गोटा			२७६९०.००
	Dia 300mmx100mm	गोटा			१४२९०.००
	Dia 300mmx80mm	गोटा			१४०५०.००
	Dia300mmx65mm	गोटा			१३९८०.००
	Dia250mmx250mm	गोटा			१७६४०.००
	Dia250mmx150mm	गोटा			१४७३०.००
	Dia 250mmx100mm	गोटा			११५९०.००
	Dia 250mmx80mm	गोटा			११३९०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Dia 250mmx65mm	गोटा			११४४०.००
	Dia 200mmx150mm	गोटा			१०३६०.००
	Dia 200mmx100mm	गोटा			८८७०.००
	Dia 200mmx80mm	गोटा			८०००.००
	Dia 200mmx65mm	गोटा			८३४०.००
	Dia 150mmx150mm	गोटा			७८३०.००
	Dia 150mmx100mm	गोटा			६४६०.००
	Dia 150mmx80mm	गोटा			६०२०.००
	Dia 150mmx65mm	गोटा			६०६०.००
	<b>Mechanical joint Tee with flanged branch</b>				
	Dia 600mmx600mm	गोटा			१०३२००.००
	Dia 500mmx500mm	गोटा			७३७००.००
	Dia 400mmx400mm	गोटा			४९५७०.००
	Dia 350mmx350mm	गोटा			३९६००.००
	Dia 300mmx300mm	गोटा			३०८८०.००
	Dia 250mmx250mm	गोटा			२२६७०.००
	Dia 200mmx200mm	गोटा			१६५२०.००
	Dia 150mmx150mm	गोटा			१२०२०.००
	Dia 100mmx100mm	गोटा			७५६०.००
	Dia 80mmx80mm	गोटा			६५१०.००
	<b>All Socket Tee</b>				
	Dia 300mmx200mm	गोटा			१८४५०.००
	Dia 300mmx150mm	गोटा			१७५७०.००
	Dia 250mmx200mm	गोटा			१५३९०.००
	Dia 250mmx150mm	गोटा			१४१००.००
	Dia 200mmx200mm	गोटा			११९३०.००
	Dia 200mmx150mm	गोटा			९६९०.००
	Dia 150mmx150mm	गोटा			७२८०.००
	<b>All Flanged Tee</b>				
	Dia 900mmx900mm	गोटा			२६१५३०.००
	Dia 700mmx300mm	गोटा			९९४७०.००
	Dia 600mmx500mm	गोटा			११६३२०.००
	Dia 600mmx400mm	गोटा			१०७३८०.००
	Dia 600mmx300mm	गोटा			१०३४९०.००
	Dia 500mmx300mm	गोटा			७२३२०.००
	Dia 500mmx200mm	गोटा			६५४८०.००
	Dia 450mmx150mm	गोटा			५११७०.००
	Dia 400mmx400mm	गोटा			५२६५०.००
	Dia 400mmx300mm	गोटा			४७५८०.००
	Dia 400mmx150mm	गोटा			४५३८०.००

## DI पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सि. अ. क. न. ०७८/७९	
			मा. व. ०७८/७९	व. व. ०७८/७९
	Dia 350mmx350mm	गोटा		४२६४०.००
	Dia 350mmx300mm	गोटा		४१७३०.००
	Dia 300mmx300mm	गोटा		३३५००.००
	Dia 300mmx250mm	गोटा		२९२००.००
	Dia 300mmx200mm	गोटा		२७०००.००
	Dia 300mmx150mm	गोटा		२६०००.००
	Dia 300mmx100mm	गोटा		२४५६०.००
	Dia 300mmx80mm	गोटा		२३९८०.००
	Dia250mmx250mm	गोटा		२२५४०.००
	Dia250mmx200mm	गोटा		२०६३०.००
	Dia250mmx150mm	गोटा		२००४०.००
	Dia250mmx100mm	गोटा		१८३७०.००
	Dia250mmx80mm	गोटा		१८०९०.००
	Dia250mmx65mm	गोटा		१५३३०.००
	Dia200mmx200mm	गोटा		१३४००.००
	Dia200mmx150mm	गोटा		१२३९०.००
	Dia200mmx100mm	गोटा		११४००.००
	Dia200mmx80mm	गोटा		११२३०.००
	Dia150mmx150mm	गोटा		८९००.००
	Dia150mmx100mm	गोटा		८०६०.००
	Dia150mmx80mm	गोटा		७८८०.००
	Dia150mmx65mm	गोटा		७७६०.००
	Dia125mmx125mm	गोटा		८५५०.००
	Dia125mmx100mm	गोटा		८०१०.००
	Dia125mmx80mm	गोटा		७६८०.००
	Dia125mmx65mm	गोटा		७३५०.००
	Dia100mmx100mm	गोटा		६६००.००
	Dia100mmx80mm	गोटा		६४५०.००
	Dia100mmx65mm	गोटा		६२००.००
	<b>Level invert/ Tangential socket Tee with flanged branch</b>			
	Dia 1000mmx200mm	गोटा		१४४१८०.००
	Dia 900mmx150mm	गोटा		११८१२०.००
	Dia 700mmx150mm	गोटा		७३०२०.००
	Dia 600mmx100mm	गोटा		४२९७०.००
	Dia 500mmx100mm	गोटा		३३१७०.००
	Dia 400mmx80mm	गोटा		२४२५०.००
	Dia 300mmx80mm	गोटा		१५४५०.००
	Dia 250mm x 80mm	गोटा		१२२९०.००
	Dia 200mmx80mm	गोटा		९५७०.००



DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरको दररेट		
			आ.ब. ०७६/७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
	Dia 150mmx80mm	गोटा			९५३०.००
	<b>DI Flanged Socket (FS)</b>				
	Dia 1400mm	गोटा			३४८३७०.००
	Dia 1200mm	गोटा			२५१०४०.००
	Dia 1100mm	गोटा			३२५३७०.००
	Dia 1000mm	गोटा			१६६१५०.००
	Dia 900mm	गोटा			१२९८६०.००
	Dia 800mm	गोटा			१०६०००.००
	Dia 700mm	गोटा			७९९९०.००
	Dia 600mm	गोटा			७१७९०.००
	Dia 500mm	गोटा			४७२२०.००
	Dia400mm	गोटा			३३२५०.००
	Dia 350mm	गोटा			३०१८०.००
	Dia 300mm	गोटा			२१४८०.००
	Dia250mm	गोटा			१६०१०.००
	Dia200mm	गोटा			१०४३०.००
	Dia150mm	गोटा			८७५०.००
	Dia100mm	गोटा			६५४०.००
	<b>DI Single Flanged Tail Piece (SFTP)</b>				
	1400mmdia	गोटा			३५२७०.००
	1200mmdia	गोटा			३६२८२०.००
	1100mmdia	गोटा			३२९२८०.००
	1000mmdia	गोटा			१७८६६०.००
	900mmdia	गोटा			१४३८००.००
	800mmdia	गोटा			११८९१०.००
	700mmdia	गोटा			९०४८०.००
	600mmdia	गोटा			६८४५०.००
	500mmdia	गोटा			४७९९०.००
	450mmdia	गोटा			३९६८०.००
	400mmdia	गोटा			३००६०.००
	350mmdia	गोटा			२२४८०.००
	300mmdia	गोटा			१७९५०.००
	250mmdia	गोटा			१३०५०.००
	200mmdia	गोटा			९३५०.००
	150mmdia	गोटा			६६००.००
	100mmdia	गोटा			३९२०.००
	80mmdia	गोटा			३१७०.००
	<b>DI Double Flanged Tail Piece (DFTP-1m)</b>				
	1400mmdia	गोटा			४०६७०.००
	1200mmdia	गोटा			२०७६९०.००
	1000mmdia	गोटा			१६२३३०.००


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट, काठमाण्डौ		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	900mmdia	गोटा			१३२५००.००
	800mmdia	गोटा			९९९९०.००
	700mmdia	गोटा			८९७४०.००
	600mmdia	गोटा			५९०३०.००
	500mmdia	गोटा			४९५६०.००
	400mmdia	गोटा			३७७३०.००
	300mmdia	गोटा			२६८५०.००
	250mmdia	गोटा			२००९०.००
	200mmdia	गोटा			१३०४०.००
	150mmdia	गोटा			९०९४०.००
	100mmdia	गोटा			८९८०.००
	80mmdia	गोटा			६८७०.००
	<b>DI all Flanged cross</b>				
	Dia 900mm	गोटा			२९४८५०.००
	Dia 800mm	गोटा			२३२७९०.००
	Dia 700mm	गोटा			१८४९४०.००
	Dia 600mm	गोटा			१५३३९०.००
	Dia 500mm	गोटा			१००५९०.००
	Dia400mm	गोटा			६७४७०.००
	Dia 300mm	गोटा			४०३४०.००
	Dia250mm	गोटा			२९५९०.००
	Dia200mm	गोटा			१७५३०.००
	Dia150mm	गोटा			११७३०.००
	<b>DI all socket cross</b>				
	Dia 900mm	गोटा			३९८७८०.००
	Dia 800mm	गोटा			२३८७९०.००
	Dia 700mm	गोटा			१७७७२०.००
	Dia 600mm	गोटा			१०७९६०.००
	Dia 500mm	गोटा			७२३७०.००
	Dia400mm	गोटा			४७०५०.००
	Dia 300mm	गोटा			२६९७०.००
	Dia250mm	गोटा			१९४२०.००
	Dia200mm	गोटा			१३८९०.००
	Dia150mm	गोटा			९९००.००
	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा			१०९५८०.००
	Dia 900mm	गोटा			८९५५०.००
	Dia 800mm	गोटा			६६४३०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरको कन्ट्रोल		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	Dia 700mm	गोटा			५३९१०.००
	Dia 600mm	गोटा			४९१८०.००
	Dia 500mm	गोटा			३९६३०.००
	Dia 450mm	गोटा			२५७००.००
	Dia 400mm	गोटा			२९४२०.००
	Dia 350mm	गोटा			९६९१०.००
	Dia 300mm	गोटा			९२५९०.००
	Dia 250mm	गोटा			९००४०.००
	Dia 200mm	गोटा			७३१०.००
	Dia 150mm	गोटा			५३६०.००
	Dia 100mm	गोटा			३३००.००
	Dia 80mm	गोटा			३०३०.००
	Dia 65mm	गोटा			२९००.००
	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा			२६९३५०.००
	Dia 900mm	गोटा			२०४३६०.००
	Dia 800mm	गोटा			९५९६९०.००
	Dia 700mm	गोटा			९३४४५०.००
	Dia 600mm	गोटा			९०६८९०.००
	Dia 500mm	गोटा			८३३७०.००
	Dia 450mm	गोटा			६४५००.००
	Dia 400mm	गोटा			५२४७०.००
	Dia 350mm	गोटा			४०९९०.००
	Dia 300mm	गोटा			३९१८०.००
	Dia 250mm	गोटा			२३२००.००
	Dia 200mm	गोटा			९६७४०.००
	Dia 150mm	गोटा			९३९००.००
	Dia 100mm	गोटा			७७२०.००
	Dia 80mm	गोटा			६७००.००
	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा			४८६८०.००
	Dia 700mm	गोटा			३९९८०.००
	Dia 600mm	गोटा			२०३३०.००
	Dia 500mm	गोटा			९६३३०.००
	Dia 450mm	गोटा			९४९४०.००

DI पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बा. नं. ०७६/७७		
			बा. नं. ०७६/७७	बा. नं. ०७७/७८	बा. नं. ०७८/७९
	Dia 400mm	गोटा			१३८२०.००
	Dia 350mm	गोटा			१०७९०.००
	Dia 300mm	गोटा			७६००.००
	Dia 250mm	गोटा			६१४०.००
	Dia 200mm	गोटा			४३६०.००
	Dia 150mm	गोटा			३४९०.००
	Dia 100mm	गोटा			२१६०.००
	Dia 80mm	गोटा			१९६०.००
	Dia 65mm	गोटा			१९६०.००
	DI basket type strainer (FE xFE) with all compelte nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा			१६३७०.००
	Dia 350mm	गोटा			१२३६७०.००
	Dia 300mm	गोटा			६७३३०.००
	Dia 250mm	गोटा			४५१२०.००
	Dia 200mm	गोटा			२८१२०.००
	Dia 150mm	गोटा			१६२३०.००
	Dia 100mm	गोटा			७९६०.००
	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा			७३२७०.००
	900 mm dia	गोटा			७१०९०.००
	800 mm dia	गोटा			५८७५०.००
	700 mm dia	गोटा			४६८१०.००
	600 mm dia	गोटा			३८३२०.००
	500 mm dia	गोटा			२८३९०.००
	450 mm dia	गोटा			२३७६०.००
	400 mm dia	गोटा			१९८१०.००
	350 mm dia	गोटा			१६४१०.००
	300 mm dia	गोटा			१२९५०.००
	250 mm dia	गोटा			१०२९०.००
	200 mm dia	गोटा			७६९०.००
	150 mm dia	गोटा			५७००.००
	100 mm dia	गोटा			४२००.००
	80 mm dia	गोटा			३६४०.००
	DI Flange Bell Mouth				
	Dia 700mm	गोटा			७३६२०.००
	Dia 600mm	गोटा			५३२८०.००
	Dia 500mm	गोटा			३७०७०.००


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

DI पाईप तथा फिटिङहरू



सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क बाहेकको दररेट		कुल मूल्य
			आ. व. ०७६/७७	आ. व. ०७७/७८	
	Dia 450mm	गोटा			१६९७०.००
	Dia 400mm	गोटा			१६५८०.००
	Dia 350mm	गोटा			१२९५०.००
	Dia 300mm	गोटा			९१२०.००
	Dia 250mm	गोटा			७३७०.००
	Dia 200mm	गोटा			५२३०.००
	Dia 150mm	गोटा			४१९०.००
	Dia 100mm	गोटा			२५९०.००
	Dia 80mm	गोटा			२३५०.००
	Dia 65mm	गोटा			२३५०.००
	<b>DI Strainer</b>				
	1200 mm dia	गोटा			३६३४६०.००
	1100 mm dia	गोटा			२८६२८०.००
	1000 mm dia	गोटा			२०९०९०.००
	900 mm dia	गोटा			१५७०३०.००
	Supply of double flanged butterfly valve PN16 as per specification all complete				
	Dia 1000mm	गोटा			७२७६००.००
	Dia 900mm	गोटा			५८०९५०.००
	Dia 800mm	गोटा			४९६३२०.००
	Dia 700mm	गोटा			३३७०४०.००
	Dia 600mm	गोटा			२२५६९०.००
	Dia 500mm	गोटा			१७०४२०.००
	Dia 450mm	गोटा			१२७५९०.००
	Dia 400mm	गोटा			१०१६८०.००
	Dia 350mm	गोटा			७३९२०.००
	Dia 300mm	गोटा			६०६७०.००
	Dia 250mm	गोटा			४७७६०.००
	Dia 200mm	गोटा			३९२६०.००
	Dia 150mm	गोटा			१५४१०.००
	Supply of double flanged DI Sluice/ Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा			५९६७५०.००
	Dia 500mm	गोटा			२८५६७०.००
	Dia 450mm	गोटा			१९७८१०.००
	Dia 400mm	गोटा			१३९४४०.००
	Dia 350mm	गोटा			१०२१८०.००
	Dia 300mm	गोटा			६२२२०.००
	Dia 250mm	गोटा			४६३४०.००
	Dia 350mm	गोटा			९२२७०.००
	Dia 300mm	गोटा			५६५६०.००
	Dia 250mm	गोटा			४३२७०.००


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

DI पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट काठमाण्डु		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	Dia 200mm	गोटा			२५८२०.००
	Dia 150mm	गोटा			१९८५०.००
	Dia 125mm	गोटा			१६५००.००
	Dia 100mm	गोटा			१७८५०.००
	Dia 80mm	गोटा			१२८६६.००
	Dia 65mm	गोटा			९६७०.००
	Dia 50mm	गोटा			८६५२.००
	<b>Fire Hydrant</b>				
	Dia 80mm	गोटा			११४७०.००
	Dia 100mm	गोटा			२३०४०.००
	<b>160mm dia CI ROAD SURFACE BOX</b>	गोटा			३१५०.००
	<b>Ball Valve</b>				
	15mm	गोटा			१८०.००
	25mm	गोटा			३२०.००
	32mm	गोटा			८५०.००
	40mm	गोटा			१३४०.००
	50mm	गोटा			२२००.००
	<b>Check valve (Horizontal Flow)</b>				
	15mm	गोटा			५२०.००
	20mm	गोटा			८२०.००
	25mm	गोटा			१४१०.००
	<b>Check valve (vertical Flow)</b>				
	15mm	गोटा			३२०.००
	20mm	गोटा			४१०.००
	25mm	गोटा			४५०.००
	<b>Check valve</b>				
	150mm	गोटा			१७९७०.००
	200mm	गोटा			२६९५०.००
	250mm	गोटा			४०४३०.००
	300mm	गोटा			६०६५०.००
	<b>Pressure Gauge (Pressure up to) including Fitting &amp; accessories</b>				
	PN10	गोटा			२४५०.००
	PN15	गोटा			३२००.००
	PN30	गोटा			४६००.००
	PN45	गोटा			५५००.००
	<b>Bulk Water Meter</b>				
	300mm	गोटा			१५३६४०.००
	200mm	गोटा			१०२४३०.००
	150mm	गोटा			७५७४०.००
	100mm	गोटा			४३७००.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. बाहिरीको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	80mm	गोटा			२९१३०.००
	65mm	गोटा			१९४२०.००
	15mm	गोटा			१५००.००
	<b>Supply of water meter volumetric type including fittings and accessories</b>				
	15mm	गोटा			१६१०.००
	20mm	गोटा			२२९०.००
	25mm	गोटा			५९४०.००
	<b>Float Valve</b>				
	15mm	गोटा			७३०.००
	20mm	गोटा			१४१०.००
	25mm	गोटा			२३२०.००
	<b>GM Gate/ Globe Valve</b>				
	15mm	गोटा			७७०.००
	20mm	गोटा			१०९०.००
	25mm	गोटा			१६८०.००
	32mm	गोटा			२२३०.००
	40mm	गोटा			२५८०.००
	50mm	गोटा			४२७५.००
	65mm	गोटा			८६९०.००
	80mm	गोटा			११६००.००
	100mm	गोटा			१६४००.००
	<b>DI Sluice Valve</b>				
	65mm(2-1/2")	गोटा			१२७३०.००
	80mm(3")	गोटा			१७७३०.००
	100mm(4")	गोटा			२५०००.००
	125mm(5")	गोटा			३०४५०.००
	150mm(6")	गोटा			३७५००.००

Handwritten signatures and initials are present below the table, including several illegible signatures and a large signature on the right side.

**PE Electro Fusion Fittings and Combination Accessories**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दरसमेत		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
१	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	गोटा			९९.००
	25mm	गोटा			१२३.००
	32mm	गोटा			१३२.००
	40mm	गोटा			२५७.००
	50mm	गोटा			२४५.००
	63mm	गोटा			२५३.००
	75mm	गोटा			३९०.००
	90mm	गोटा			४५५.००
	110mm	गोटा			६१२.००
	125mm	गोटा			८२३.००
	140mm	गोटा			१२७३.००
	160mm	गोटा			१४३३.००
	180mm	गोटा			२१५०.००
	200mm	गोटा			२५४७.००
	225mm	गोटा			३५०३.००
	250mm	गोटा			५५७२.००
	280mm	गोटा			६६८६.००
	Electrofusion Reducer				
	50mm × 40mm	गोटा			२०९.००
	63mm × 50mm	गोटा			२४४.००
	75mm × 63mm	गोटा			४८५.००
	90mm × 75mm	गोटा			६०३.००
	90mm × 63mm	गोटा			६६९.००
	90mm × 50mm	गोटा			९०५.००
	110mm × 63mm	गोटा			७९६.००
	110mm × 75mm	गोटा			१४६३.००
	110mm × 90mm	गोटा			८६९.००
	125mm × 63mm	गोटा			१०२८.००
	125mm × 75mm	गोटा			१७१०.००
	125mm × 90mm	गोटा			११०७.००
	125mm × 110mm	गोटा			८६६.००
	140mm × 90mm	गोटा			३४२७.००
	140mm × 110mm	गोटा			४०१३.००
	140mm × 125mm	गोटा			४४६३.००
	160mm × 90mm	गोटा			४३६९.००
	160mm × 110mm	गोटा			४६२९.००

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*



**PE Electro Fusion Fittings and Combination Accessories**



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिरको दररेट	
			आ.व. ०७६/७७	आ.व. ०७७/७८
	160mm x 125mm	गोटा		५१५९.००
	160mm x 140mm	गोटा		५८४५.००
	180mm x 90mm	गोटा		६१८६.००
	180mm x 125mm	गोटा		६४५३.००
	180mm x 140mm	गोटा		७३२१.००
	180mm x 160mm	गोटा		८१२७.००
	200mm x 110mm	गोटा		६७३३.००
	200mm x 140mm	गोटा		८६६८.००
	200mm x 160mm	गोटा		९१०९.००
	200mm x 180mm	गोटा		१०६४०.००
	225mm x 90mm	गोटा		९७९६.००
	225mm x 110mm	गोटा		९५४७.००
	225mm x 225mm	गोटा		१५०१४.००
	225mm x 160mm	गोटा		११२८८.००
	225mm x 180mm	गोटा		१३०८२.००
	225mm x 200mm	गोटा		१४३८४.००
	250mm x 160mm	गोटा		१४४१५.००
	225mm x 180mm	गोटा		१६६६५.००
	225mm x 200mm	गोटा		१७५६६.००
	225mm x 225mm	गोटा		२०२७५.००
	280mm x 180mm	गोटा		१९८७१.००
	280mm x 200mm	गोटा		२१२२५.००
	280mm x 225mm	गोटा		२३२०३.००
	280mm x 250mm	गोटा		२८१०१.००
	<b>Electrofusion Elbow 45°</b>			
	50mm	गोटा		३०४.००
	63mm	गोटा		४४७.००
	75mm	गोटा		११७०.००
	90mm	गोटा		१००७.००
	110mm	गोटा		३०१३.००
	125mm	गोटा		४१६०.००
	140mm	गोटा		५६२३.००
	160mm	गोटा		७२४६.००
	180mm	गोटा		१०३९६.००
	200mm	गोटा		१३०८९.००
	225mm	गोटा		१७८७८.००

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

**PE Electro Fusion Fittings and Combination Accessories**




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाह्रकैकी दररेट काठमाण्डौ ववरुद्धन काठमाण्डौ		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	250mm	गोटा			२५७४६.००
	280mm	गोटा			३३९९१.००
	90				
	50mm	गोटा			२५३.००
	63mm	गोटा			४०३.००
	75mm	गोटा			५३१.००
	90mm	गोटा			१०२५.००
	110mm	गोटा			१३७२.००
	125mm	गोटा			१७३१.००
	140mm	गोटा			६४५२.००
	160mm	गोटा			८१९५.००
	180mm	गोटा			११९४७.००
	200mm	गोटा			१५९११.००
	225mm	गोटा			२०४२२.००
	250mm	गोटा			३००१०.००
	280mm	गोटा			४२८३३.००
	<b>Electrofusion End Cap</b>				
	50mm	गोटा			३३६.००
	63mm	गोटा			४१७.००
	75mm	गोटा			५९४.००
	90mm	गोटा			७६२.००
	110mm	गोटा			१३६५.००
	125mm	गोटा			११७५.००
	140mm	गोटा			२३९५.००
	160mm	गोटा			३४७०.००
	180mm	गोटा			४९७२.००
	200mm	गोटा			६५०८.००
	225mm	गोटा			८४३२.००
	250mm	गोटा			११९७.००
	280mm	गोटा			१५४७७.००
	<b>Electrofusion Equal Tee</b>				
	50mm	गोटा			३३५.००
	63mm	गोटा			४८१.००
	75mm	गोटा			७५९.००
	90mm	गोटा			११९८.००
	110mm	गोटा			१५४३.००
	125mm	गोटा			१९०९.००
	140mm	गोटा			७६२०.००
	160mm	गोटा			१०४७७.००


Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

**PE Electro Fusion Fittings and Combination Accessories**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	180mm	गोटा			१४८२४.००
	200mm	गोटा			१८७४८.००
	225mm	गोटा			२५५१५.००
	250mm	गोटा			३६९६५.००
	280mm	गोटा			५२५५५.००
	<b>Electrofusion Saddle Clamp</b>				
	50mm×40mm	गोटा			७२८.००
	75-225mm×50mm	गोटा			९५२.००
	<b>HDPE Adopter PN 16</b>				
	50mm	गोटा			२७०.००
	63mm	गोटा			३४०.००
	75mm	गोटा			४८०.००
	90mm	गोटा			६२०.००
	110mm	गोटा			८६०.००
	125mm	गोटा			९५०.००
	140mm	गोटा			१३००.००
	160mm	गोटा			१८७०.००
	180mm	गोटा			२६८०.००
	200mm	गोटा			२९३०.००
	225mm	गोटा			३८००.००
	250mm	गोटा			५०४०.००
	280mm	गोटा			६९७०.००



## High Pressure Valves & Fittings



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. काठमाण्डौ		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
१	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm <sup>2</sup> , Seat 55 kg/cm <sup>2</sup> , including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा			२१२८०.००
	DN 50	गोटा			२८७५०.००
	DN 65	गोटा			३४५००.००
	DN 80	गोटा			४०२५०.००
	DN 100	गोटा			४६०००.००
	DN 125	गोटा			५७५००.००
	DN 150	गोटा			७४७५०.००
	DN 200	गोटा			१०३५००.००
	DN 250	गोटा			१४९५००.००
	DN 300	गोटा			२०१२५०.००
	DN 350	गोटा			३१६२५०.००
	Cast Steel Non Return Valve (NRV), Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm <sup>2</sup> , Seat 55 kg/cm <sup>2</sup> , including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा			२३०००.००
	DN 50	गोटा			३०४८०.००
	DN 65	गोटा			३६२३०.००
	DN 80	गोटा			४१९८०.००
	DN 100	गोटा			४७७३०.००
	DN 125	गोटा			५९२३०.००
	DN 150	गोटा			७६४८०.००
	DN 200	गोटा			१०५२३०.००
	DN 250	गोटा			१५१२३०.००
	DN 300	गोटा			२०२९८०.००
	DN 350	गोटा			३१७९८०.००
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा			४००.००
	DN 50	गोटा			४३०.००
	DN 65	गोटा			५८०.००
	DN 80	गोटा			६३०.००
	DN 100	गोटा			६५०.००
	DN 150	गोटा			७५०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

२२

## High Pressure Valves & Fittings



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क.को दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	DN 125	गोटा			८८०.००
	DN 200	गोटा			१४४०.००
	DN 250	गोटा			२१६०.००
	DN 300	गोटा			२५९०.००
	DN 350	गोटा			३५७०.००
	<b>MS Blind Flange, ISOD 16mm thick</b>				
	DN 40	गोटा			५२०.००
	DN 50	गोटा			५६०.००
	DN 65	गोटा			७५०.००
	DN 80	गोटा			८२०.००
	DN 100	गोटा			८५०.००
	DN 125	गोटा			९७०.००
	DN 150	गोटा			११५०.००
	DN 200	गोटा			१८७०.००
	DN 250	गोटा			२८१०.००
	DN 300	गोटा			३३६०.००
	DN 350	गोटा			४६३०.००
	<b>MS Flange, ISOD 22mm thick</b>				
	DN 40	गोटा			९२०.००
	DN 50	गोटा			९९०.००
	DN 65	गोटा			१२७०.००
	DN 80	गोटा			१४४०.००
	DN 100	गोटा			१७३०.००
	DN 125	गोटा			२०७०.००
	DN 150	गोटा			२६५०.००
	DN 200	गोटा			४३३०.००
	DN 250	गोटा			५६५०.००
	DN 300	गोटा			८३२०.००
	DN 350	गोटा			९३२०.००
	<b>MS Blind Flange, ISOD 32mm thick</b>				
	DN 40	गोटा			१२००.००
	DN 50	गोटा			१२९०.००
	DN 65	गोटा			१६४०.००
	DN 80	गोटा			१८७०.००

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## High Pressure Valves & Fittings



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट काठमाडौं		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
	DN 100	गोटा			२२४०.००
	DN 125	गोटा			२६९०.००
	DN 150	गोटा			३४४०.००
	DN 200	गोटा			५६४०.००
	DN 250	गोटा			७३६०.००
	DN 300	गोटा			१०८१०.००
	DN 350	गोटा			१२११०.००
	<b>Seamless (90°-22°) CARBON STEEL BEND, size dia</b>				
	2"	गोटा			३३०.००
	2 1/2"	गोटा			५८०.००
	3"	गोटा			८३०.००
	4"	गोटा			१३८०.००
	5"	गोटा			२५३०.००
	6"	गोटा			३५१०.००
	8"	गोटा			६५६०.००
	10"	गोटा			१२८८०.००
	12"	गोटा			१७८३०.००
	14"	गोटा			२०१३०.००
	<b>Seamless REDUCER ASTM-40, (size dia larger dia.)</b>				
	2"	गोटा			२६०.००
	2 1/2"	गोटा			४६०.००
	3"	गोटा			६७०.००
	4"	गोटा			११००.००
	5"	गोटा			२०२०.००
	6"	गोटा			२८१०.००
	8"	गोटा			५२४०.००
	10"	गोटा			१०३००.००
	12"	गोटा			१४२६०.००
	14"	गोटा			१६१००.००
	<b>Nut &amp; Bolt (FORZED, Size, set/kg)</b>	गोटा			३००.००
	<b>3 mm thick Gasket liner</b>	गोटा			२५६०.००

Handwritten signatures and initials at the bottom of the page.

## Electrical Accessories-Distribution Box (DB) & Connector Box

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
१	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 10/15 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 25A FP Change Over switch Incoming, 50A, 4 pole Conector, 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			२२०००.००
२	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 60/70 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 100A FP Change Over switch Incoming, 200A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			५१३००.००
३	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 30/40/50 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 75A FP Change Over switch Incoming, 150A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			६५५००.००
४	700mm x 600mm x 200mm Size Main Distribution Panel Board for upto 60/70 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Moun ted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 100A FP Change Over switch Incoming, 200A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			९०२००.००

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## Electrical Accessories-Distribution Box (DB) & Connector Box


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
५	1300mm x 1100mm x 300mm Size Main Distribution Panel Board for upto 75/100 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 300A FP Change Over switch Incoming, 400A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			१२१०००.००
६	1400mm x 1200mm x 400mm Size Main Distribution Panel Board for upto 150/180/250 HP Pump Fabricated out of 16 swg m/s sheet metal, Separate compartment for Incoming and outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type with TPNE Copper Bus bar and Internal wiring, Angle Stand with 600A FP Change Over switch Incoming, 800A TPNE Copper Bus bar , 3 set of Volt/Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe	सेट			१६४५१५.००






## पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.भ.क बाहेकको दररेट		
			आ.व.०७६।०७७	आ.व.०७७।७८	आ.व.०७८।७९
१	<b>PP-R Pipe (PN-10)</b>				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	५१.३३	५१.३३	५१.३३
	25mm " 2.3 mm thick 0.164kg/m	र.मि	७८.७६	७८.७६	७८.७६
	32mm 2.9 mm thick 0.26kg/m	र.मि	१२४.७८	१२४.७८	१२४.७८
	40mm 3.7 mm thick 0.412kg/m	र.मि	१९७.३५	१९७.३५	१९७.३५
	50mm 4.6 mm thick 0.638kg/m	र.मि	३०६.१९	३०६.१९	३०६.१९
	63 mm 8.6 mm thick 0.638kg/m	र.मि	४८४.९६	४८४.९६	४८४.९६
	75 mm	र.मि	६७६.११	६७६.११	६७६.११
	90 mm	र.मि	९७३.४५	९७३.४५	९७३.४५
	110 mm	र.मि	१४४४.२५	१४४४.२५	१४४४.२५
२	<b>PP-R Pipe (PN-16)</b>				
	20mm 2.80 mm thick 0.148kg/m	र.मि	६९.०३	६९.०३	६९.०३
	25mm 3.50 mm thick 0.26kg/m	र.मि	१०७.९६	१०७.९६	१०७.९६
	32mm 3.7 mm thick 0.230kg/m	र.मि	१७१.६८	१७१.६८	१७१.६८
	40mm 5.50 mm thick 0.575kg/m	र.मि	२७६.११	२७६.११	२७६.११
	50mm 6.90 mm thick 0.896kg/m	र.मि	४३०.०९	४३०.०९	४३०.०९
	63 mm 4.6 mm thick 0.638kg/m	र.मि	६७६.११	६७६.११	६७६.११
	75 mm	र.मि	९६४.६०	९६४.६०	९६४.६०
	90 mm	र.मि	१३७६.९९	१३७६.९९	१३७६.९९
	110 mm	र.मि	२०६२.८३	२०६२.८३	२०६२.८३
३	<b>PP-R Pipe (PN-20)</b>				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	८२.३०	८२.३०	८२.३०
	25mm 4.20 mm thick 0.266kg/m	र.मि	१२७.४३	१२७.४३	१२७.४३
	32mm 5.40 mm thick 0.434kg/m	र.मि	२०७.९६	२०७.९६	२०७.९६
	40mm 6.70 mm thick 0.671kg/m	र.मि	३२२.१२	३२२.१२	३२२.१२
	50mm 8.30 mm thick 1.04kg/m	र.मि	४९९.१२	४९९.१२	४९९.१२
	63mm 8.6mm thick 1.04kg/m	र.मि	७९१.१५	७९१.१५	७९१.१५
	75 mm	र.मि	११२२.१२	११२२.१२	११२२.१२
	90 mm	र.मि	१६११.५०	१६११.५०	१६११.५०
	110 mm	र.मि	२४०३.५४	२४०३.५४	२४०३.५४
४	<b>PP-R Pipe Accessories</b>				
	<b>Elbow ( 90° )</b>				
	20mm	गोटा	१०.६२	१०.६२	१०.६२
	25mm	गोटा	२०.३५	२०.३५	२०.३५
	32mm	गोटा	३५.४०	३५.४०	३५.४०
	40mm	गोटा	७३.४५	७३.४५	७३.४५
	50mm	गोटा	१२३.०१	१२३.०१	१२३.०१
	63 mm	गोटा	२१६.८१	२१६.८१	२१६.८१
	75 mm	गोटा	४०६.१९	४०६.१९	४०६.१९



पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट/शासन कार्यालय काठमाण्डु		
			आ.व.०७६/०७७	आ.व.०७७/७८	ववर्षको आ.व.०७८/७९
	90 mm	गोटा	६८५.८४	६८५.८४	६८५.८४
	110 mm	गोटा	९२७७.८८	९२७७.८८	९२७७.८८
५	<b>Equal Tee</b>				
	20mm	गोटा	९४.९६	९४.९६	९४.९६
	25mm	गोटा	२४.७८	२४.७८	२४.७८
	32mm	गोटा	४३.३६	४३.३६	४३.३६
	40mm	गोटा	८४.०७	८४.०७	८४.०७
	50mm	गोटा	९४३.३६	९४३.३६	९४३.३६
	63mm	गोटा	२६०.९८	२६०.९८	२६०.९८
	75 mm	गोटा	४५९.३३	४५९.३३	४५९.३३
	90 mm	गोटा	८२६.५५	८२६.५५	८२६.५५
	110 mm	गोटा	९४३५.४०	९४३५.४०	९४३५.४०
६	<b>Coupler</b>				
	20mm	गोटा	८.८५	८.८५	८.८५
	25mm	गोटा	९०.६२	९०.६२	९०.६२
	32mm	गोटा	२०.३५	२०.३५	२०.३५
	40mm	गोटा	३९.८२	३९.८२	३९.८२
	50mm	गोटा	६६.३७	६६.३७	६६.३७
	63 mm	गोटा	९९६.८९	९९६.८९	९९६.८९
	75 mm	गोटा	२२५.६६	२२५.६६	२२५.६६
	90 mm	गोटा	३३३.६३	३३३.६३	३३३.६३
	110 mm	गोटा	६०९.७३	६०९.७३	६०९.७३
७	<b>45 Degree Elbow</b>				
	20 mm	गोटा	९४.९६	९४.९६	९४.९६
	25 mm	गोटा	२३.०९	२३.०९	२३.०९
	32 mm	गोटा	३५.४०	३५.४०	३५.४०
	40 mm	गोटा	६६.३७	६६.३७	६६.३७
	50 mm	गोटा	९९९.५०	९९९.५०	९९९.५०
	63 mm	गोटा	९८४.०७	९८४.०७	९८४.०७
	75 mm	गोटा	३६९.०६	३६९.०६	३६९.०६
	90 mm	गोटा	६०९.७३	६०९.७३	६०९.७३
	110 mm	गोटा	९०६४.६०	९०६४.६०	९०६४.६०
८	<b>Union (Plastic)</b>				
	20mm	गोटा	५३.९८	५३.९८	५३.९८
	25mm	गोटा	९२.०४	९२.०४	९२.०४
	32mm	गोटा	९४८.६७	९४८.६७	९४८.६७
	40mm	गोटा	२२४.७८	२२४.७८	२२४.७८
	50mm	गोटा	३५२.२९	३५२.२९	३५२.२९
	63mm	गोटा	४२०.३५	४२०.३५	४२०.३५

Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

जिल्ला प्रशासन कार्यालय काठमाण्डौ

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/०७७	आ.व.०७७/७८	आ.व.०७८/७९
९	<b>Reducing Coupler</b>				
	25mm*20mm	गोटा	१५.०४	१५.०४	१५.०४
	32mm*20mm	गोटा	१८.५८	१८.५८	१८.५८
	32mm*25mm	गोटा	२१.२४	२१.२४	२१.२४
	40mm*20mm	गोटा	३०.९७	३०.९७	३०.९७
	40mm*25mm	गोटा	३१.८६	३१.८६	३१.८६
	40mm*32mm	गोटा	४३.३६	४३.३६	४३.३६
	50mm*20mm	गोटा	५८.४१	५८.४१	५८.४१
	50mm*25mm	गोटा	५५.७५	५५.७५	५५.७५
	50mm*32mm	गोटा	६३.७२	६३.७२	६३.७२
	50mm*40mm	गोटा	६६.३७	६६.३७	६६.३७
	63mm*20mm		९१.१५	९१.१५	९१.१५
	63mm*25mm		११२.३९	११२.३९	११२.३९
	63mm*32mm	गोटा	११३.२७	११३.२७	११३.२७
	63mm*40mm	गोटा	११३.२७	११३.२७	११३.२७
	63mm*50mm	गोटा	११३.२७	११३.२७	११३.२७
	75mm*40mm	गोटा	२२५.६६	२२५.६६	२२५.६६
	75mm*50mm	गोटा	२३०.०९	२३०.०९	२३०.०९
	75mm*63mm	गोटा	२३२.७४	२३२.७४	२३२.७४
	90mm*50mm	गोटा	४२९.२०	४२९.२०	४२९.२०
	90mm*63mm	गोटा	४६०.१८	४६०.१८	४६०.१८
	90mm*75mm	गोटा	५४१.५९	५४१.५९	५४१.५९
	110mm*75mm	गोटा	७५८.४१	७५८.४१	७५८.४१
	110mm*90mm	गोटा	८४४.२५	८४४.२५	८४४.२५
१०	<b>Reducing Tee</b>				
	25*20*25 mm	गोटा	२६.५५	२६.५५	२६.५५
	32*20*32 mm	गोटा	४०.७१	४०.७१	४०.७१
	32*25*32 mm	गोटा	४३.३६	४३.३६	४३.३६
	40*20*40 mm	गोटा	५८.४१	५८.४१	५८.४१
	40*25*40 mm	गोटा	६५.४९	६५.४९	६५.४९
	40*32*40 mm	गोटा	६९.९१	६९.९१	६९.९१
	50*20*50 mm	गोटा	११८.५८	११८.५८	११८.५८
	50*25*50 mm	गोटा	१२२.१२	१२२.१२	१२२.१२
	50*32*50 mm	गोटा	१३०.९७	१३०.९७	१३०.९७
	50*40*50 mm	गोटा	१३५.४०	१३५.४०	१३५.४०
	63*20*63 mm		१७६.९९	१७६.९९	१७६.९९
	63*25*63 mm		१९६.४६	१९६.४६	१९६.४६
	63*32*63 mm	गोटा	२०३.५४	२०३.५४	२०३.५४
	63*40*63 mm	गोटा	२०७.०८	२०७.०८	२०७.०८
	63*50*63 mm	गोटा	२१४.१६	२१४.१६	२१४.१६
	75*50*75 mm	गोटा	५१९.४७	५१९.४७	५१९.४७
	75*63*75 mm	गोटा	५२१.२४	५२१.२४	५२१.२४
	90*63*90 mm	गोटा	८५७.५२	८५७.५२	८५७.५२
	90*75*90 mm	गोटा	९४७.७९	९४७.७९	९४७.७९
	110*75*110 mm	गोटा	१५३४.५१	१५३४.५१	१५३४.५१

Handwritten signatures and marks at the bottom of the page.

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।०७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	110*90*110 mm	गोटा	१५.७९.६५	१५.७९.६५	१५.७९.६५
११	<b>Reducing Elbow</b>				
	25mm*20mm	गोटा	२०.३५	२०.३५	२०.३५
	32mm*20mm	गोटा	३७.१७	३७.१७	३७.१७
	32mm*25mm	गोटा	४६.०२	४६.०२	४६.०२
१२	<b>High Footed Pipe Clip</b>				
	20mm	गोटा	११.५०	११.५०	११.५०
	25mm	गोटा	१३.२७	१३.२७	१३.२७
	32mm	गोटा	२०.३५	२०.३५	२०.३५
	40mm	गोटा	२३.०१	२३.०१	२३.०१
	50mm	गोटा	२४.७८	२४.७८	२४.७८
	63 mm	गोटा	३३.६३	३३.६३	३३.६३
१३	<b>Low Footed Pipe Clip</b>				
	20mm	गोटा	६.१९	६.१९	६.१९
	25mm	गोटा	७.०८	७.०८	७.०८
	32mm	गोटा	१३.२७	१३.२७	१३.२७
	40mm	गोटा	१८.५८	१८.५८	१८.५८
	50mm	गोटा	२८.३२	२८.३२	२८.३२
	63 mm	गोटा	३६.२८	३६.२८	३६.२८
१४	<b>"Y" type Pipe Clip</b>				
	20mm	गोटा	१८.५८	१८.५८	१८.५८
	25mm	गोटा	२१.२४	२१.२४	२१.२४
	32mm	गोटा	२५.६६	२५.६६	२५.६६
	40 mm	गोटा	५०.००	५०.००	५०.००
१५	<b>End Plug (short)</b>				
	20mm	गोटा	६.१९	६.१९	६.१९
	25mm	गोटा	९.७३	९.७३	९.७३
	32mm	गोटा	१२.३९	१२.३९	१२.३९
१६	<b>End Plug with Ring</b>				
	20mm	गोटा	२०.३५	२०.३५	२०.३५
१७	<b>End Plug (long)</b>				
	20mm	गोटा	९.७३	९.७३	९.७३
१८	<b>End Cap</b>				
	20mm	गोटा	११.५०	११.५०	११.५०
	25mm	गोटा	१८.५८	१८.५८	१८.५८
	32mm	गोटा	२७.४३	२७.४३	२७.४३
	40mm	गोटा	४०.७१	४०.७१	४०.७१
	50mm	गोटा	७१.६८	७१.६८	७१.६८
	63 mm	गोटा	१३८.०५	१३८.०५	१३८.०५


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	75 mm	गोटा	२२१.२४	२२१.२४	२२१.२४
१९	<b>Cross Tee</b>				
	20mm	गोटा	२३.८९	२३.८९	२३.८९
	25mm	गोटा	३५.४०	३५.४०	३५.४०
	32mm	गोटा	६१.९५	६१.९५	६१.९५
२०	<b>Short Passover</b>				
	20mm	गोटा	६९.०३	६९.०३	६९.०३
	25mm	गोटा	९९.१२	९९.१२	९९.१२
	32mm	गोटा	१५३.९८	१५३.९८	१५३.९८
२१	<b>Long Bypass</b>				
	20mm	गोटा	७८.७६	७८.७६	७८.७६
	25mm	गोटा	१३०.९७	१३०.९७	१३०.९७
	32mm	गोटा	१९२.०४	१९२.०४	१९२.०४
२२	<b>Male Tee</b>				
	20mmx1/2"	गोटा	१३०.९७	१३०.९७	१३०.९७
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१३८.०५
	25mmx3/4"	गोटा	१६४.६०	१६४.६०	१६४.६०
	32mmx1/2"	गोटा	१४०.७१	१४०.७१	१४०.७१
	32mmx3/4"	गोटा	२०७.०८	२०७.०८	२०७.०८
	32mmx1"	गोटा	३६०.१८	३६०.१८	३६०.१८
२३	<b>Female Tee</b>				
	20mmx1/2"	गोटा	१०६.१९	१०६.१९	१०६.१९
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१३८.०५
	25mmx3/4"	गोटा	१६०.१८	१६०.१८	१६०.१८
	32mmx1/2"	गोटा	१५७.५२	१५७.५२	१५७.५२
	32mmx3/4"	गोटा	१८४.९६	१८४.९६	१८४.९६
	32mmx1"	गोटा	३११.५०	३११.५०	३११.५०
२४	<b>Male elbow</b>				
	20mmx1/2"	गोटा	१२५.६६	१२५.६६	१२५.६६
	25mmx1/2"	गोटा	१३८.०५	१३८.०५	१३८.०५
	25mmx3/4"	गोटा	१६९.०३	१६९.०३	१६९.०३
	32mmx1/2"	गोटा	२८४.०७	२८४.०७	२८४.०७
	32mmx3/4"	गोटा	२२५.६६	२२५.६६	२२५.६६
	32mmx1"	गोटा	३७४.३४	३७४.३४	३७४.३४
२५	<b>Female elbow</b>				
	20mmx1/2"	गोटा	१०३.५४	१०३.५४	१०३.५४
	25mmx1/2"	गोटा	१६८.१४	१६८.१४	१६८.१४
	25mmx3/4"	गोटा	१३८.०५	१३८.०५	१३८.०५
	32mmx1/2"	गोटा	१८४.०७	१८४.०७	१८४.०७
	32mmx3/4"	गोटा	२१६.८१	२१६.८१	२१६.८१

Handwritten signatures and stamps at the bottom of the page.

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/०७७	आ.व.०७७/७८	आ.व.०७८/७९
	32mmx1"	गोटा	३०३.५४	३०३.५४	३०३.५४
२६	<b>Male Coupling</b>				
	20mmx1/2"	गोटा	१२२.१२	१२२.१२	१२२.१२
	20mmx3/4"	गोटा	१२९.२०	१२९.२०	१२९.२०
	25mmx1/2"	गोटा	१४८.६७	१४८.६७	१४८.६७
	25mmx3/4"	गोटा	१७०.८०	१७०.८०	१७०.८०
	32mmx1/2"	गोटा	१५३.९८	१५३.९८	१५३.९८
	32mmx3/4"	गोटा	१६४.६०	१६४.६०	१६४.६०
	32mmx1"	गोटा	३३०.०९	३३०.०९	३३०.०९
	40mmx1-1/4"	गोटा	५५८.४१	५५८.४१	५५८.४१
	50mmx1-1/2"	गोटा	८४१.५९	८४१.५९	८४१.५९
	63mmx2"	गोटा	१११०.६२	१११०.६२	१११०.६२
	75mmx2-1/2"	गोटा	२७६१.०६	२७६१.०६	२७६१.०६
२७	<b>Female Coupling</b>				
	20mmx1/2"	गोटा	९९.१२	९९.१२	९९.१२
	20mmx3/4"	गोटा	११६.८१	११६.८१	११६.८१
	25mmx1/2"	गोटा	१३०.९७	१३०.९७	१३०.९७
	25mmx3/4"	गोटा	१३२.७४	१३२.७४	१३२.७४
	32mmx1/2"	गोटा	११२.३९	११२.३९	११२.३९
	32mmx3/4"	गोटा	१२०.३५	१२०.३५	१२०.३५
	32mmx1"	गोटा	२८३.१९	२८३.१९	२८३.१९
	40mmx1-1/4"	गोटा	४९०.२७	४९०.२७	४९०.२७
	50mmx1-1/2"	गोटा	६३५.४०	६३५.४०	६३५.४०
	63mmx2"	गोटा	८५१.३३	८५१.३३	८५१.३३
	75mmx2-1/2"	गोटा	२५२६.५५	२५२६.५५	२५२६.५५
२८	<b>Male Union</b>				
	20mmx1/2"	गोटा	२७५.२२	२७५.२२	२७५.२२
	25mmx3/4"	गोटा	३९५.५८	३९५.५८	३९५.५८
	32mmx1"	गोटा	५८१.४२	५८१.४२	५८१.४२
	40mmx1 1/4"	गोटा	१०४६.९०	१०४६.९०	१०४६.९०
	50mmx1/2"	गोटा	१३९९.१२	१३९९.१२	१३९९.१२
	63mmx2"	गोटा	३६०९.७३	३६०९.७३	३६०९.७३
२९	<b>Female Union</b>				
	20mmx1/2"	गोटा	२६५.४९	२६५.४९	२६५.४९
	25mmx3/4"	गोटा	३४४.२५	३४४.२५	३४४.२५
	32mmx1"	गोटा	५५५.७५	५५५.७५	५५५.७५
	40mmx1 1/4"	गोटा	७६७.२६	७६७.२६	७६७.२६
	50mmx1/2"	गोटा	१३१०.६२	१३१०.६२	१३१०.६२
	63mmx2"	गोटा	२३९१.१५	२३९१.१५	२३९१.१५
३०	<b>Stop Valve</b>				
	a) 20 mm	गोटा	३१७.७०	३१७.७०	३१७.७०

*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६।०७७	आ.व.०७७।७८	आ.व.०७८।७९
	b) 25 mm	गोटा	४१८.५८	४१८.५८	४१८.५८
	c) 32 mm	गोटा	५०५.३१	५०५.३१	५०५.३१
	d) 40mm	गोटा	५४१.५९	५४१.५९	५४१.५९
	e)50 mm	गोटा	९०२.६५	९०२.६५	९०२.६५
	f) 63 mm	गोटा	१३५५.७५	१३५५.७५	१३५५.७५
३१	<b>Male base elbow</b>				
	20mm x 1/2"	गोटा	१४२.४८	१४२.४८	१४२.४८
	25mm x 1/2"	गोटा	१७६.११	१७६.११	१७६.११
	25mm x 3/4"	गोटा	१७६.११	१७६.११	१७६.११
३२	<b>Female base elbow</b>	गोटा			
	20mm x 1/2"	गोटा	१३९.८२	१३९.८२	१३९.८२
	25mm x 1/2"	गोटा	१७१.६८	१७१.६८	१७१.६८
	25mm x 3/4"	गोटा	१६९.०३	१६९.०३	१६९.०३
३३	<b>Metal Ball valve (double)</b>				
	20mmx1/2"	गोटा	५८६.७३	५८६.७३	५८६.७३
	25mmx3/4"	गोटा	८५९.२९	८५९.२९	८५९.२९
	32mmx1"	गोटा	१०६१.०६	१०६१.०६	१०६१.०६
	40mmx1-1/4"	गोटा	३०२१.२४	३०२१.२४	३०२१.२४
	50mmx1-1/2"	गोटा	४१५१.३३	४१५१.३३	४१५१.३३
३४	<b>Metal Ball valve (Single)</b>				
	20mmx1/2"	गोटा	५४१.५९	५४१.५९	५४१.५९
	25mmx3/4"	गोटा	७०५.३१	७०५.३१	७०५.३१
	32mmx1"	गोटा	११९५.५८	११९५.५८	११९५.५८
३५	<b>Conceal Valve (Lux)</b>				
	20mm	गोटा	१०१२.३९	१०१२.३९	१०१२.३९
३६	<b>Conceal Valve (Nor)</b>				
	20mm	गोटा	८५२.२१	८५२.२१	८५२.२१
३७	<b>Ball Valve (Plastic)</b>				
	20mm	गोटा	८५.८४	८५.८४	८५.८४
	25mm	गोटा	११६.८१	११६.८१	११६.८१
	32mm	गोटा	१९९.१२	१९९.१२	१९९.१२
	40mm	गोटा	४३२.७४	४३२.७४	४३२.७४
	50mm	गोटा	६२७.४३	६२७.४३	६२७.४३
	63 mm	गोटा	१०६१.०६	१०६१.०६	१०६१.०६
३८	<b>Ball Valve (Brass)</b>				
	20mm	गोटा	३११.५०	३११.५०	३११.५०
	25mm	गोटा	३८४.०७	३८४.०७	३८४.०७
	32mm	गोटा	५२१.२४	५२१.२४	५२१.२४
	40mm	गोटा	८६१.९५	८६१.९५	८६१.९५

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६/०७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
<b>A</b>	<b>UPVC Pipes</b>				
१	<b>UPVC Pipe NS 206/046 - 2.5 kg /cm<sup>2</sup> Pressure</b>				
	90 mm	र.मी	१४३.८५	१५१.०४	१५१.०४
	110 mm	र.मी	२१४.२०	२२४.९१	२२४.९१
	125 mm	र.मी	२७३.००	२८६.६५	२८६.६५
	140 mm	र.मी	३३७.०५	३५३.९०	३५३.९०
	160 mm	र.मी	४३९.९५	४६१.९५	४६१.९५
	180 mm	र.मी	५६३.८५	५९२.०४	५९२.०४
	200 mm	र.मी	६८९.८५	७२४.३४	७२४.३४
२	<b>UPVC Pipe NS 206/046 - 4 kg /cm<sup>2</sup> Pressure</b>				
	63mm	र.मी	११४.४५	१२०.१७	१२०.१७
	75mm	र.मी	१५७.५०	१६५.३८	१६५.३८
	90 mm	र.मी	२२५.७५	२३७.०४	२३७.०४
	110 mm	र.मी	३०९.७५	३२५.२४	३२५.२४
	125 mm	र.मी	४२६.३०	४४७.६२	४४७.६२
	140 mm	र.मी	५४९.८०	५६८.८९	५६८.८९
	160 mm	र.मी	७००.३५	७३५.३७	७३५.३७
	180 mm	र.मी	९००.९०	९४५.९५	९४५.९५
	200 mm	र.मी	१०९३.०५	११४७.७०	११४७.७०
३	<b>UPVC Pipe NS 206/046 - 6 kg /cm<sup>2</sup> Pressure</b>				
	40mm	र.मी	६७.२०	७०.५६	७०.५६
	50mm	र.मी	१०९.८५	१०६.९४	१०६.९४
	63mm	र.मी	१६३.८०	१७१.९९	१७१.९९
	75mm	र.मी	२२७.८५	२३९.२४	२३९.२४
	90 mm	र.मी	३२७.६०	३४३.९८	३४३.९८
	110 mm	र.मी	४७४.६०	४९८.३३	४९८.३३
	125 mm	र.मी	६३२.१०	६६३.७१	६६३.७१
	140 mm	र.मी	७८७.५०	८२६.८८	८२६.८८
	160 mm	र.मी	१००८.००	१०५८.४०	१०५८.४०
	180 mm	र.मी	१२८६.२५	१३५०.५६	१३५०.५६
	200 mm	र.मी	१५७५.००	१६५३.७५	१६५३.७५
४	<b>UPVC Pipe NS 206/046 - 10 kg /cm<sup>2</sup> Pressure</b>				
	20 mm	र.मी	२६.२५	२७.५६	२७.५६
	25 mm	र.मी	४०.९५	४३.००	४३.००
	32mm	र.मी	६७.२०	७०.५६	७०.५६
	40mm	र.मी	१००.८०	१०५.८४	१०५.८४
	50mm	र.मी	१५८.५५	१६६.४८	१६६.४८
	63mm	र.मी	२५३.०५	२६५.७०	२६५.७०
	75mm	र.मी	३६०.१५	३७८.१६	३७८.१६
	90 mm	र.मी	५१३.४५	५३९.१२	५३९.१२
	110 mm	र.मी	७६२.३०	८००.४२	८००.४२

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Large handwritten signature]*



यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	125 mm	र.मी	९७५.४५	१०२४.२२	१०२४.२२
	140 mm	र.मी	१२३१.६५	१२९३.२३	१२९३.२३
	160 mm	र.मी	१५८४.४५	१६६३.६७	१६६३.६७
	180 mm	र.मी	२०१९.१५	२१२०.११	२१२०.११
	200 mm	र.मी	२४९६.९०	२६२१.७५	२६२१.७५
<b>B</b>	<b>UPVC fittings</b>				
<b>१</b>	<b>Coupler</b>				
	50 mm	गोटा	३२.५५	३४.१८	३४.१८
	75 mm	गोटा	७८.७५	८२.६९	८२.६९
	110 mm	गोटा	१३४.४०	१४१.१२	१४१.१२
<b>२</b>	<b>Bend 87.5 degree</b>				
	50 mm	गोटा	४८.३०	५०.७२	५०.७२
	75 mm	गोटा	११३.४०	११९.०७	११९.०७
	110 mm	गोटा	२१०.००	२२०.५०	२२०.५०
<b>३</b>	<b>Bend 45 degree</b>				
	50 mm	गोटा	४७.२५	४९.६१	४९.६१
	75 mm	गोटा	९२.४०	९७.०२	९७.०२
	110 mm	गोटा	१६५.९०	१७४.२०	१७४.२०
<b>४</b>	<b>Single Tee</b>				
	50 mm	गोटा	७१.४०	७४.९७	७४.९७
	75 mm	गोटा	१५४.३५	१६२.०७	१६२.०७
	110 mm	गोटा	२९२.९५	३०७.६०	३०७.६०
<b>५</b>	<b>Pipe clip</b>				
	50 mm	गोटा	१४.७०	१५.४४	१५.४४
	75 mm	गोटा	२९.४०	३०.८७	३०.८७
	110 mm	गोटा	३८.८५	४०.७९	४०.७९
<b>६</b>	<b>Bend 87.5 degree with door</b>				
	75 mm	गोटा	१४५.९५	१५३.२५	१५३.२५
	110 mm	गोटा	२५४.१०	२६६.८१	२६६.८१
<b>७</b>	<b>Single Tee with door</b>				
	75 mm	गोटा	२०७.९०	२१८.३०	२१८.३०
	110 mm	गोटा	३८७.४५	४०६.८२	४०६.८२
<b>८</b>	<b>Double Tee</b>				
	75 mm	गोटा	३३८.१०	३५५.०१	३५५.०१
	110 mm	गोटा	५३५.५०	५६२.२८	५६२.२८
<b>९</b>	<b>Double Tee with door</b>				
	75 mm	गोटा	४४८.३५	४७०.७७	४७०.७७
	110 mm	गोटा	६९५.१०	७२९.८६	७२९.८६
<b>१०</b>	<b>Vent cowl</b>				
	75 mm	गोटा	४५.६५	४८.४३	४८.४३
	110 mm	गोटा	९१.३५	९५.९२	९५.९२

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

यु.पि.भि.सि. पाईप तथा फिटिङहरू



नेपाल सरकार  
गृह मन्त्रालय  
प्रशासन कार्यालय काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुल्यका, काठको दररेट		
			आ.ब.०७६/०७७	आ.ब.०७७/७८	आ.ब.०७८/७९
११	Socket plug				
	75 mm	गोटा	६९.३०	७२.७७	७२.७७
	110 mm	गोटा	११३.४०	११९.०७	११९.०७
१२	Single "Y"		०.००	०.००	०.००
	75 mm	गोटा	१७६.४०	१८५.२२	१८५.२२
	110 mm	गोटा	३८१.१५	४००.२१	४००.२१
१३	Single "Y" with door				
	75 mm	गोटा	२४१.५०	२५३.५८	२५३.५८
	110 mm	गोटा	४५९.९०	४८२.९०	४८२.९०
१४	Double "Y"				
	75 mm	गोटा	२६५.६५	२७८.९३	२७८.९३
	110 mm	गोटा	५२३.९५	५५०.१५	५५०.१५
१५	Double "Y" with door				
	75 mm	गोटा	३४१.२५	३५८.३१	३५८.३१
	110 mm	गोटा	५४९.१५	५७६.६१	५७६.६१
१६	Cleaning pipe				
	75 mm	गोटा	१५४.३५	१६२.०७	१६२.०७
	110 mm	गोटा	२९८.२०	३१३.५७	३१३.५७
१७	Reducer				
	110x 75 mm	गोटा	१३७.५५	१४४.४३	१४४.४३
	75x50 mm	गोटा	७२.४५	७६.०७	७६.०७
१८	P-Trap				
	125mmx110mm	गोटा	५६५.९५	५९४.२५	५९४.२५
	110mmx110mm	गोटा	५३०.२५	५५६.७६	५५६.७६
	75mmx75mm	गोटा	२०२.६५	२१२.७८	२१२.७८
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	२९४.००	३०८.७०	३०८.७०
२०	Nahani-Trap				
	110mmx75mm	गोटा	२६७.७५	२८१.१४	२८१.१४
२२	W.C. Connector (bent type)	गोटा	२७४.०५	२८७.७५	२८७.७५
२३	Square tile with jali	गोटा	८८.२०	९२.६१	९२.६१
२४	Round jali	गोटा	३९.९०	४१.९०	४१.९०
२५	End cap 50mm	गोटा	२६.२५	२७.५६	२७.५६

Handwritten signatures and initials at the bottom of the page.

पि.भि.सि. पाईप तथा फिटिङहरू



जिल्ला पाईप तथा फिटिङको दररेट काठमाण्डौ  
नेपाल सरकार  
मू. अ. व. २०७८/७९ को दररेट  
बबरमहल, काठमाण्डौ

सि.नं.	सामग्रीहरूको विवरण	एकाई	मू. अ. व. २०७८/७९ को दररेट		
			आ. व. ०७६१०७७	आ. व. ०७७१०७८	आ. व. ०७८१०७९
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	1/2" dia. (42.19 Kg/cm2)	र.मि	११४.००	११४.००	११४.००
	3/4" dia. (33.75 Kg/cm2)	र.मि	१४७.००	१४७.००	१४७.००
	1" dia. (31.64 Kg/cm2)	र.मि	२२६.००	२२६.००	२२६.००
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	२७९.००	२७९.००	२७९.००
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	३४२.००	३४२.००	३४२.००
	2" dia. (19.69 Kg/cm2)	र.मि	४८५.००	४८५.००	४८५.००
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	६७८.००	६७८.००	६७८.००
	3" dia. (18.28 Kg/cm2)	र.मि	८५६.००	८५६.००	८५६.००
	4" dia. (15.47 Kg/cm2)	र.मि	१२५६.००	१२५६.००	१२५६.००
	6" dia. (12.66 Kg/cm2)	र.मि	२६१६.००	२६१६.००	२६१६.००
	<b>PVC FITTINGS as per ASTM D 2466</b>				
	<b>PVC Tee - Soc</b>				
	1/2"	गोटा	३२.००	३२.००	३२.००
	3/4"	गोटा	४४.००	४४.००	४४.००
	1"	गोटा	६९.००	६९.००	६९.००
	1-1/4"	गोटा	१०९.००	१०९.००	१०९.००
	1-1/2"	गोटा	१४३.००	१४३.००	१४३.००
	2"	गोटा	२२१.००	२२१.००	२२१.००
	2-1/2"	गोटा	६३३.००	६३३.००	६३३.००
	3"	गोटा	८३१.००	८३१.००	८३१.००
	4"	गोटा	१५०३.००	१५०३.००	१५०३.००
	6"	गोटा	८३३६.००	८३३६.००	८३३६.००
	<b>PVC Reducer Tee - Soc</b>				
	3/4 x 1/2	गोटा	६३.००	६३.००	६३.००
	1 x 1/2	गोटा	९७.००	९७.००	९७.००
	1 x 3/4	गोटा	९७.००	९७.००	९७.००
	1-1/2 X 1/2	गोटा	३२९.००	३२९.००	३२९.००
	1-1/2 X 3/4	गोटा	३२९.००	३२९.००	३२९.००
	1-1/2 X 1	गोटा	३२९.००	३२९.००	३२९.००
	1-1/2 X 1-1/4	गोटा	३२९.००	३२९.००	३२९.००
	2 X 1/2	गोटा	४०६.००	४०६.००	४०६.००
	2 X 3/4	गोटा	४०६.००	४०६.००	४०६.००
	2 X 1	गोटा	४०६.००	४०६.००	४०६.००
	2 X 1-1/4	गोटा	४०६.००	४०६.००	४०६.००
	2 X 1-1/2	गोटा	४०६.००	४०६.००	४०६.००
	2-1/2 X 1/2	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 3/4	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 1	गोटा	१०४३.००	१०४३.००	१०४३.००

Handwritten signatures and initials at the bottom of the page.


पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2 X 1-1/4	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 1-1/2	गोटा	१०४३.००	१०४३.००	१०४३.००
	2-1/2 X 2	गोटा	१०४३.००	१०४३.००	१०४३.००
	3 X 1/2	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 3/4	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 1	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 1-1/4	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 1-1/2	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 2	गोटा	१५२३.००	१५२३.००	१५२३.००
	3 X 2-1/2	गोटा	१५२३.००	१५२३.००	१५२३.००
	6 X 1-1/4	गोटा	८००७.००	८००७.००	८००७.००
	6 X 1-1/2	गोटा	८००७.००	८००७.००	८००७.००
	6 X 2	गोटा	८००७.००	८००७.००	८००७.००
	6 X 2-1/2	गोटा	८००७.००	८००७.००	८००७.००
	6 X 3	गोटा	८००७.००	८००७.००	८००७.००
	6 X 4	गोटा	८००७.००	८००७.००	८००७.००
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	गोटा	१६१.००	१६१.००	१६१.००
	3/4"	गोटा	२९२.००	२९२.००	२९२.००
	3/4" X 1/2"	गोटा	२३७.००	२३७.००	२३७.००
	1" X 1/2"	गोटा	४२०.००	४२०.००	४२०.००
	PVC 90° Elbow - Soc				
	1/2"	गोटा	२६.००	२६.००	२६.००
	3/4"	गोटा	३०.००	३०.००	३०.००
	1"	गोटा	५३.००	५३.००	५३.००
	1-1/4"	गोटा	९३.००	९३.००	९३.००
	1-1/2"	गोटा	१०९.००	१०९.००	१०९.००
	2"	गोटा	१६७.००	१६७.००	१६७.००
	2-1/2"	गोटा	४९६.००	४९६.००	४९६.००
	3"	गोटा	५९४.००	५९४.००	५९४.००
	4"	गोटा	१२९६.००	१२९६.००	१२९६.००
	6"	गोटा	५९२९.००	५९२९.००	५९२९.००
	PVC Brass 90° Elbow Soc x Fipt SCH 80				
	1/2"	गोटा	१७३.००	१७३.००	१७३.००
	3/4"	गोटा	२४२.००	२४२.००	२४२.००
	3/4" X 1/2"	गोटा	२५०.००	२५०.००	२५०.००
	PVC 45° Elbow - Soc				
	1/2"	गोटा	५५.००	५५.००	५५.००

Handwritten signatures and marks at the bottom of the page.

पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मुख्य बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/०७८	आ.व. ०७८/०७९
	<b>"LEAD FREE" PVC PIPES as per ASTM D 1785</b>				
	3/4"	गोटा	८६.००	८६.००	८६.००
	1"	गोटा	१०२.००	१०२.००	१०२.००
	1-1/4"	गोटा	१४३.००	१४३.००	१४३.००
	1-1/2"	गोटा	१८०.००	१८०.००	१८०.००
	2"	गोटा	२३४.००	२३४.००	२३४.००
	2-1/2"	गोटा	६६९.००	६६९.००	६६९.००
	3"	गोटा	१०४०.००	१०४०.००	१०४०.००
	4"	गोटा	१८६६.००	१८६६.००	१८६६.००
	6"	गोटा	५१३५.००	५१३५.००	५१३५.००
	<b>PVC Coupling - Soc</b>				
	1/2"	गोटा	१७.००	१७.००	१७.००
	3/4"	गोटा	२६.००	२६.००	२६.००
	1"	गोटा	४१.००	४१.००	४१.००
	1-1/4"	गोटा	५६.००	५६.००	५६.००
	1-1/2"	गोटा	७६.००	७६.००	७६.००
	2"	गोटा	११७.००	११७.००	११७.००
	2-1/2"	गोटा	२४७.००	२४७.००	२४७.००
	3"	गोटा	३८६.००	३८६.००	३८६.००
	4"	गोटा	६०४.००	६०४.००	६०४.००
	6"	गोटा	२४२०.००	२४२०.००	२४२०.००
	<b>PVC Reducer Coupling - Soc</b>				
	3/4 X 1/2	गोटा	४२.००	४२.००	४२.००
	1 X 3/4	गोटा	७३.००	७३.००	७३.००
	1-1/2 X 1-1/4	गोटा	१३१.००	१३१.००	१३१.००
	2 X 1-1/2	गोटा	२०८.००	२०८.००	२०८.००
	4 X 2	गोटा	१३९२.००	१३९२.००	१३९२.००
	4 X 3	गोटा	१३९२.००	१३९२.००	१३९२.००
	6 X 4	गोटा	२८९५.००	२८९५.००	२८९५.००
	<b>PVC Reducer Bushing - (Flush Style)</b>				
	3/4 X 1/2	गोटा	३५.००	३५.००	३५.००
	1 X 1/2	गोटा	५०.००	५०.००	५०.००
	1 X 3/4	गोटा	५०.००	५०.००	५०.००
	1-1/4 X 1/2	गोटा	८६.००	८६.००	८६.००
	1-1/4 X 3/4	गोटा	८६.००	८६.००	८६.००
	1-1/4 X 1	गोटा	८६.००	८६.००	८६.००
	1-1/2 X 1/2	गोटा	९०.००	९०.००	९०.००
	1-1/2 X 3/4	गोटा	९०.००	९०.००	९०.००
	1-1/2 X 1	गोटा	९०.००	९०.००	९०.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहिकको दररेट		
			भा.व. ०७६।०७७	भा.व. ०७७।७८	भा.व. ०७८।७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1-1/2 X 1-1/4	गोटा	९०.००	९०.००	९०.००
	2 X 1/2	गोटा	१६५.००	१६५.००	१६५.००
	2 X 3/4	गोटा	१६५.००	१६५.००	१६५.००
	2 X 1	गोटा	१६५.००	१६५.००	१६५.००
	2 X 1-1/4	गोटा	१६५.००	१६५.००	१६५.००
	2 X 1-1/2	गोटा	१६५.००	१६५.००	१६५.००
	2-1/2 X 1-1/4	गोटा	२३२.००	२३२.००	२३२.००
	2-1/2 X 1-1/2	गोटा	२३२.००	२३२.००	२३२.००
	2-1/2 X 2	गोटा	२३२.००	२३२.००	२३२.००
	3 X 1-1/2	गोटा	३४४.००	३४४.००	३४४.००
	3 X 2	गोटा	३४४.००	३४४.००	३४४.००
	3 X 2-1/2	गोटा	३४४.००	३४४.००	३४४.००
	4 X 2	गोटा	६७६.००	६७६.००	६७६.००
	4 X 3	गोटा	६७६.००	६७६.००	६७६.००
	6 X 2	गोटा	२२७१.००	२२७१.००	२२७१.००
	6 X 3	गोटा	२२७१.००	२२७१.००	२२७१.००
	6 X 4	गोटा	२२७१.००	२२७१.००	२२७१.००
	PVC Cap - Soc				
	1/2"	गोटा	२४.००	२४.००	२४.००
	3/4"	गोटा	३०.००	३०.००	३०.००
	1"	गोटा	४२.००	४२.००	४२.००
	1-1/4"	गोटा	६०.००	६०.००	६०.००
	1-1/2"	गोटा	६६.००	६६.००	६६.००
	2"	गोटा	७९.००	७९.००	७९.००
	2-1/2"	गोटा	२५४.००	२५४.००	२५४.००
	3"	गोटा	२७८.००	२७८.००	२७८.००
	4"	गोटा	६३३.००	६३३.००	६३३.००
	6"	गोटा	२४९८.००	२४९८.००	२४९८.००
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	गोटा	२५४.००	२५४.००	२५४.००
	3/4"	गोटा	२९९.००	२९९.००	२९९.००
	1"	गोटा	२९८.००	२९८.००	२९८.००
	1-1/4"	गोटा	९६०.००	९६०.००	९६०.००
	1-1/2"	गोटा	१००९.००	१००९.००	१००९.००
	2"	गोटा	१३५०.००	१३५०.००	१३५०.००
	2-1/2"	गोटा	१८८९.००	१८८९.००	१८८९.००
	3"	गोटा	३०९८.००	३०९८.००	३०९८.००
	4"	गोटा	४९७८.००	४९७८.००	४९७८.००

*Handwritten signature*

*Handwritten signature*


*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

*Handwritten signature*

पि.भि.सि. पाईप तथा फिटिङ्गहरु




सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. अ. क. काठमाण्डौ नगरपालिका			
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९	
	"LEAD FREE" PVC PIPES as per ASTM D 1785					
	PVC Male Adaptor - Soc x MBSP					
		1/2"	गोटा	४६.००	४६.००	४६.००
		3/4"	गोटा	५४.००	५४.००	५४.००
		1"	गोटा	७१.००	७१.००	७१.००
		1-1/4"	गोटा	८७.००	८७.००	८७.००
		1-1/2"	गोटा	१२१.००	१२१.००	१२१.००
		2"	गोटा	१५६.००	१५६.००	१५६.००
		2-1/2"	गोटा	२४५.००	२४५.००	२४५.००
		3"	गोटा	६४८.००	६४८.००	६४८.००
		4"	गोटा	१०२५.००	१०२५.००	१०२५.००
		6"	गोटा	२३५९.००	२३५९.००	२३५९.००
	PVC Brass Male Adapter - Soc x Mipt SCH 80					
		1/2"	गोटा	२६२.००	२६२.००	२६२.००
		3/4"	गोटा	३५०.००	३५०.००	३५०.००
		1"	गोटा	५२७.००	५२७.००	५२७.००
	PVC Female Adaptor - Soc x FBSP					
		1/2"	गोटा	५९.००	५९.००	५९.००
		3/4"	गोटा	६१.००	६१.००	६१.००
		1"	गोटा	६४.००	६४.००	६४.००
		1-1/4"	गोटा	१६७.००	१६७.००	१६७.००
		1-1/2"	गोटा	२४५.००	२४५.००	२४५.००
		2"	गोटा	२३८.००	२३८.००	२३८.००
	PVC Brass Female Adapter - Soc x Fipt SCH 80					
		1/2"	गोटा	२२०.००	२२०.००	२२०.००
		3/4"	गोटा	३११.००	३११.००	३११.००
		1"	गोटा	३९९.००	३९९.००	३९९.००
	PVC Ball Valve - Soc					
		1/2"	गोटा	८८१.००	८८१.००	८८१.००
		3/4"	गोटा	१०४८.००	१०४८.००	१०४८.००
		1"	गोटा	१४६६.००	१४६६.००	१४६६.००
		1-1/4"	गोटा	१९८५.००	१९८५.००	१९८५.००
		1-1/2"	गोटा	३०२७.००	३०२७.००	३०२७.००
		2"	गोटा	३८२८.००	३८२८.००	३८२८.००
		2-1/2"	गोटा	६३२३.००	६३२३.००	६३२३.००
		3"	गोटा	१००१८.००	१००१८.००	१००१८.००
		4"	गोटा	१६५५६.००	१६५५६.००	१६५५६.००
		6"	गोटा	३५९६१.००	३५९६१.००	३५९६१.००

Handwritten signatures and initials at the bottom of the page.

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML	गोटा	३०६.००	३०६.००	३०६.००
	237ML	गोटा	४३९.००	४३९.००	४३९.००
	473ML	गोटा	७९५.००	७९५.००	७९५.००
	946ML	गोटा	१३०८.००	१३०८.००	१३०८.००
	PVC Adhesive Solution (Heavy Bonded 717)				
	118ML	गोटा	४९२.००	४९२.००	४९२.००
	237ML	गोटा	६४९.००	६४९.००	६४९.००
	473ML	गोटा	११३८.००	११३८.००	११३८.००
	946ML	गोटा	१९६९.००	१९६९.००	१९६९.००






पि.भि.सि.ओ. पाईप तथा फिटिङहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
1	<b>Class 500 PVC-O pipes-PN 12.5</b>				
	90 mm	र.मि		६५०.०३	६५०.०३
	110 mm	र.मि		९१७.३६	९१७.३६
	125 mm	र.मि		१२९८.७८	१२९८.७८
	140 mm	र.मि		१६३०.०५	१६३०.०५
	160 mm	र.मि		२१२६.५०	२१२६.५०
	200 mm	र.मि		३३१६.८८	३३१६.८८
	225 mm	र.मि		४००६.९५	४००६.९५
	250 mm	र.मि		४९३०.७५	४९३०.७५
	315 mm	र.मि		८२००.०३	८२००.०३
	355 mm	र.मि		९९३८.३८	९९३८.३८
	400 mm	र.मि		१२२६७.४१	१२२६७.४१
	450 mm	र.मि		१७०६९.३४	१७०६९.३४
	500 mm	र.मि		२१०४२.९८	२१०४२.९८
	630 mm	र.मि		३३२५२.७०	३३२५२.७०
	800 mm	र.मि		५३६०६.००	५३६०६.००
2	<b>Class 500 PVC-O pipes-PN 16</b>				
	90 mm	र.मि		७८५.५७	७८५.५७
	110 mm	र.मि		११६१.२४	११६१.२४
	125 mm	र.मि		१५०३.७६	१५०३.७६
	140 mm	र.मि		१८८१.८३	१८८१.८३
	160 mm	र.मि		२४६६.१२	२४६६.१२
	200 mm	र.मि		३८३९.८६	३८३९.८६
	225 mm	र.मि		४८५५.२२	४८५५.२२
	250 mm	र.मि		५९९०.३८	५९९०.३८
	315 mm	र.मि		९४९१.१९	९४९१.१९
	355 mm	र.मि		१२०४२.००	१२०४२.००
	400 mm	र.मि		१३४८६.३५	१३४८६.३५
	450 mm	र.मि		१७९२३.०२	१७९२३.०२
	500 mm	र.मि		२१८९३.७८	२१८९३.७८
	630 mm	र.मि		३४१९८.७४	३४१९८.७४
	800 mm	र.मि		५३३८२.१३	५३३८२.१३
3	<b>Class 500 PVC-O pipes-PN 25</b>				
	90 mm	र.मि		१६५०.००	१६५०.००
	110 mm	र.मि		२४५०.००	२४५०.००
	125 mm	र.मि		२५५०.००	२५५०.००
	140 mm	र.मि		२९००.००	२९००.००
	160 mm	र.मि		३५५०.००	३५५०.००
	200 mm	र.मि		४७६०.००	४७६०.००
	250 mm	र.मि		६७८०.००	६७८०.००
	315 mm	र.मि		९७००.००	९७००.००
	355 mm	र.मि		१२५००.००	१२५००.००

Handwritten signatures and initials are present at the bottom of the page, including several large, stylized signatures and smaller initials.


पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेको दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	400 mm	र.मि		१७२९०.००	१७२९०.००
	450 mm	र.मि		२२८८५.९५	२२८८५.९५
	500 mm	र.मि		२७८२७.३५	२७८२७.३५
	630 mm	र.मि		४२८९४.५३	४२८९४.५३
	PVC-O Fittings				
	Elbow 11.25* (PN 16)				
	110	गोटा		६१४६.३४	६१४६.३४
	160	गोटा		१३३५१.८९	१३३५१.८९
	200	गोटा		२४५२३.९३	२४५२३.९३
	250	गोटा		३७३४२.५६	३७३४२.५६
	315	गोटा		७१५७९.३२	७१५७९.३२
	400	गोटा		१३३६१०.८९	१३३६१०.८९
	Elbow 22.5* (PN 16)				
	110	गोटा		६३९२.१९	६३९२.१९
	160	गोटा		१४०९३.९७	१४०९३.९७
	200	गोटा		२५५०४.८९	२५५०४.८९
	250	गोटा		३८८३६.२६	३८८३६.२६
	315	गोटा		७४४४२.४९	७४४४२.४९
	400	गोटा		१३८९५५.३३	१३८९५५.३३
	Elbow 45* (PN 16)				
	110	गोटा		७०७०.९४	७०७०.९४
	160	गोटा		१५४७५.४१	१५४७५.४१
	200	गोटा		२८०४८.१९	२८०४८.१९
	250	गोटा		४६००३.०३	४६००३.०३
	315	गोटा		८१६२५.२३	८१६२५.२३
	400	गोटा		१५८११९.९३	१५८११९.९३
	Elbow 90* (PN 16)				
	110	गोटा		१००४१.४५	१००४१.४५
	160	गोटा		२०११८.८४	२०११८.८४
	200	गोटा		३६१८१.१७	३६१८१.१७
	250	गोटा		६०२६४.६८	६०२६४.६८
	315	गोटा		९३८६६.६१	९३८६६.६१
	400	गोटा		१८८१६४.४३	१८८१६४.४३
	COUPLER (PN 16)				
	110	गोटा		६१३२.६७	६१३२.६७
	160	गोटा		१०९३५.८०	१०९३५.८०
	200	गोटा		१५८०६.८०	१५८०६.८०
	250	गोटा		२९५८५.३५	२९५८५.३५
	315	गोटा		५६०८०.४१	५६०८०.४१
	400	गोटा		११२४२९.८३	११२४२९.८३
	SLIDING COUPLER (PN 16)				
	110	गोटा		६१३२.६७	६१३२.६७

Handwritten signatures and marks are present at the bottom of the page, including several illegible signatures and a large stylized mark on the right side.


पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिरीको दररेट		
			आ.व. २०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	160	गोटा		१०९३५.८०	१०९३५.८०
	200	गोटा		१५८०६.८०	१५८०६.८०
	250	गोटा		२९५८५.३५	२९५८५.३५
	315	गोटा		५६०८०.४१	५६०८०.४१
	400	गोटा		१२४२९८.३३	१२४२९८.३३
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा		७६६१.८६	७६६१.८६
	160 to 110	गोटा		१२५७६.७७	१२५७६.७७
	200 to 160	गोटा		१२६१२.७०	१२६१२.७०
	250 to 200	गोटा		२१७५५.८१	२१७५५.८१
	315 to 250	गोटा		४८५९४.२४	४८५९४.२४
	400 to 315	गोटा		१००८६९.६८	१००८६९.६८


Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones to the right.

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट रु		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm<sup>2</sup>)-ASTM F-493 2846</b>				
	1/2" dia	र.मि	११५.००	११५.००	११५.००
	3/4" dia	र.मि	१६०.००	१६०.००	१६०.००
	1" dia	र.मि	२१०.००	२१०.००	२१०.००
	1-1/4" dia	र.मि	२६१.००	२६१.००	२६१.००
	1-1/2" dia	र.मि	३६६.००	३६६.००	३६६.००
	2" dia	र.मि	५५९.००	५५९.००	५५९.००
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm<sup>2</sup>)-ASTM F-493 2846</b>				
	1/2" dia	र.मि	१३३.००	१३३.००	१३१.००
	3/4" dia	र.मि	१७८.००	१७८.००	१७८.००
	1" dia	र.मि	२४८.००	२४८.००	२४८.००
	1-1/4" dia	र.मि	३००.००	३००.००	३००.००
	1-1/2" dia	र.मि	४१८.००	४१८.००	४१८.००
	2" dia	र.मि	६७७.००	६७७.००	६७७.००
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2"	र.मि	३६५.००	३६५.००	२२१.००
	3/4"	र.मि	४८६.००	४८६.००	३४१.००
	1"	र.मि	५८८.००	५८८.००	५६०.००
	1-1/4"	र.मि	१३७१.००	१३७१.००	९९४.००
	1-1/2"	र.मि	१६४३.००	१६४३.००	१६४३.००
	2"	र.मि	२११७.००	२११७.००	२११७.००
	<b>CPVC Reducer Brass Coupling</b>				
	3/4" X 1/2"	गोटा	१३८.००	१३८.००	१३८.००
	1" X 1/2"	गोटा	१८१.००	१८१.००	१८१.००
	<b>CPVC Tee</b>				
	1/2"	गोटा	३६.००	३६.००	३६.००
	3/4"	गोटा	७७.००	७७.००	७७.००
	1"	गोटा	११७.००	११७.००	११७.००
	1-1/4"	गोटा	२२०.००	२२०.००	२२०.००
	1-1/2"	गोटा	३२०.००	३२०.००	३२०.००
	2"	गोटा	६८७.००	६८७.००	६८७.००
	<b>CPVC Reducer Tee</b>				
	1/2" x 1/2" x 3/4"	गोटा	७०.००	७०.००	७०.००
	3/4" x 3/4" x 1/2"	गोटा	१०७.००	१०७.००	१०७.००
	3/4" x 1/2" x 3/4"	गोटा	१३४.००	१३४.००	१३४.००
	3/4" x 1/2" x 1/2"	गोटा	१५३.००	१५३.००	१५३.००
	1" x 1" x 3/4"	गोटा	१६१.००	१६१.००	१६१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२५१.००	२५१.००	२५१.००
	2" x 2" x 1"	गोटा	४३६.००	४३६.००	४३६.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१४२.००	१४२.००	१४२.००

## सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	1-1/4" x 1-1/4" x 1"	गोटा	१५३.००	१५३.००	१५३.००
	2" x 2" x 1/2"	गोटा	४२८.००	४२८.००	४२८.००
	1" x 1" x 1/2"	गोटा	१००.००	१००.००	१००.००
	<b>CPVC Brass FPT Tee</b>				
	1/2" x 1/2" x 1/2"	गोटा	१२०.००	१२०.००	१२०.००
	3/4" x 3/4" x 1/2"	गोटा	१२५.००	१२५.००	१२५.००
	1" x 1" x 1/2"	गोटा	१३९.००	१३९.००	१३९.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५०१.००	५०१.००	५०१.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२७२.००	२७२.००	२७२.००
	<b>CPVC Elbow 90°</b>				
	1/2"	गोटा	२५.००	२५.००	१७.००
	3/4"	गोटा	५२.००	५२.००	३१.००
	1"	गोटा	९५.००	९५.००	५८.००
	1-1/4"	गोटा	१७९.००	१७९.००	११७.००
	1-1/2"	गोटा	२६७.००	२६७.००	१६९.००
	2"	गोटा	५७२.००	५७२.००	३७२.००
	<b>CPVC Reducer Elbow 90°</b>				
	3/4" X 1/2"	गोटा	५३.००	५३.००	५३.००
	<b>CPVC Brass FPT Elbow 90°</b>				
	1/2" x 1/2"	गोटा	२२५.००	२२५.००	२२५.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२७०.००	२७०.००	२७०.००
	1" X 1/2"	गोटा	३९८.००	३९८.००	३९८.००
	1" X 1"	गोटा	४७१.००	४७१.००	४७१.००
	1-1/4" x 1-1/4"	गोटा	८६२.००	८६२.००	८६२.००
	<b>CPVC Elbow 45°</b>				
	1/2"	गोटा	३०.००	३०.००	३०.००
	3/4"	गोटा	५४.००	५४.००	५४.००
	1"	गोटा	७७.००	७७.००	७७.००
	1-1/4"	गोटा	१३६.००	१३६.००	१३६.००
	1-1/2"	गोटा	१९७.००	१९७.००	१९७.००
	2"	गोटा	४२७.००	४२७.००	४२७.००
	<b>CPVC Male Adapter (CPVC Threads)</b>				
	1/2"	गोटा	२२.००	२२.००	२२.००
	3/4"	गोटा	३९.००	३९.००	३९.००
	1"	गोटा	५९.००	५९.००	५९.००
	1-1/4"	गोटा	१०६.००	१०६.००	१०६.००
	1-1/2"	गोटा	१४९.००	१४९.००	१४९.००
	2"	गोटा	२९०.००	२९०.००	२९०.००
	<b>CPVC Reducing Male Adapter (CPVC Threads)</b>				


सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	3/4" x 1/2"	गोटा	४९.००	४९.००	४९.००
	<b>CPVC Male Adapters (Brass Threads)</b>	गोटा			
	1/2"	गोटा	२०६.००	२०६.००	२०६.००
	3/4"	गोटा	२६७.००	२६७.००	२६७.००
	1"	गोटा	४२९.००	४२९.००	४२९.००
	1-1/4"	गोटा	९२६.००	९२६.००	९२६.००
	1-1/2"	गोटा	१०८०.००	१०८०.००	१०८०.००
	2"	गोटा	२२२४.००	२२२४.००	२२२४.००
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>				
	3/4" x 1/2"	गोटा	२२९.००	२२९.००	२२९.००
	<b>CPVC Female Adapter (CPVC Threads)</b>				
	1/2"	गोटा	३९.००	३९.००	३९.००
	3/4"	गोटा	५९.००	५९.००	५९.००
	1"	गोटा	७७.००	७७.००	७७.००
	<b>CPVC Female Adapters Brass Threads</b>				
	1/2"	गोटा	१९८.००	१९८.००	१९८.००
	3/4"	गोटा	२६९.००	२६९.००	२६९.००
	1"	गोटा	३४९.००	३४९.००	३४९.००
	1-1/4"	गोटा	९९७.००	९९७.००	९९७.००
	1-1/2"	गोटा	१०२०.००	१०२०.००	१०२०.००
	2"	गोटा	१९९४.००	१९९४.००	१९९४.००
	<b>CPVC Caps</b>				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	२५.००	२५.००	२५.००
	1"	गोटा	३७.००	३७.००	३७.००
	1-1/4"	गोटा	७२.००	७२.००	७२.००
	1-1/2"	गोटा	१०६.००	१०६.००	१०६.००
	2"	गोटा	२२५.००	२२५.००	२२५.००
	<b>CPVC Union</b>				
	1/2"	गोटा	२७०.००	२७०.००	२७०.००
	3/4"	गोटा	३९८.००	३९८.००	३९८.००
	1"	गोटा	४७९.००	४७९.००	४७९.००
	1-1/4"	गोटा	८६२.००	८६२.००	८६२.००
	1-1/2"	गोटा	९४२.००	९४२.००	९४२.००
	2"	गोटा	१३५२.००	१३५२.००	१३५२.००
	<b>CPVC Cross Tee</b>				
	1/2"	गोटा	४९.००	४९.००	४९.००
	3/4"	गोटा	१०६.००	१०६.००	१०६.००
	<b>CPVC Step Over Bend</b>				
	1/2"	गोटा	६३.००	६३.००	६३.००
	3/4"	गोटा	१०४.००	१०४.००	१०४.००


Handwritten signatures and marks at the bottom of the page.

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६/७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
	<b>CPVC Ball Valve (CTS Sockets)</b>				
	1/2"	गोटा	६६९.००	६६९.००	६६९.००
	3/4"	गोटा	८०५.००	८०५.००	८०५.००
	1"	गोटा	९२९.००	९२९.००	९२९.००
	1-1/4"	गोटा	१८७९.००	१८७९.००	१८७९.००
	1-1/2"	गोटा	२३९९.००	२३९९.००	२३९९.००
	2"	गोटा	३०७५.००	३०७५.००	३०७५.००
	<b>CPVC Solvent Cement</b>				
	50ML	गोटा	१९९.००	१९९.००	१९९.००
	118ML	गोटा	३२९.००	३२९.००	३२९.००
	237ML	गोटा	५३३.००	५३३.००	५३३.००
	473ML	गोटा	८३८.००	८३८.००	८३८.००
	946ML	गोटा	१४७९.००	१४७९.००	१४७९.००
	<b>Plastic Strap</b>				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१८.००	१८.००	१८.००
	<b>Metal Strap</b>				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१६.००	१६.००	१६.००
	1"	गोटा	२१.००	२१.००	२१.००
	1-1/4"	गोटा	२५.००	२५.००	२५.००
	1-1/2"	गोटा	२७.००	२७.००	२७.००
	2"	गोटा	२९.००	२९.००	२९.००
	<b>Tee Holder</b>				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००
	<b>Elbow Holder</b>				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	<b>Snap Fix Repair Coupling</b>				
	1/2"	गोटा	२२९.००	२२९.००	२२९.००
	3/4"	गोटा	२४८.००	२४८.००	२४८.००
	<b>End plug threaded 1/2"</b>	गोटा	११.००	११.००	११.००

Handwritten signatures and initials at the bottom of the page.



### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६/७६	आ.ब. ०७७/७७	आ.ब. ०७८/७९
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
<b>A)</b>	<b>PN-3, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५०६४.००	५०६४.००	५०६४.००
	350 mm dia	मिटर	५८३३.००	५८३३.००	५८३३.००
	400 mm dia	मिटर	७८६८.००	७८६८.००	७८६८.००
	450 mm dia	मिटर	९३२७.००	९३२७.००	९३२७.००
	500 mm dia	मिटर	११४५३.००	११४५३.००	११४५३.००
	600 mm dia	मिटर	१३५३६.००	१३५३६.००	१३५३६.००
	700 mm dia	मिटर	१९६९५.००	१९६९५.००	१९६९५.००
	800 mm dia	मिटर	२५६७८.००	२५६७८.००	२५६७८.००
	900 mm dia	मिटर	२७३७१.००	२७३७१.००	२७३७१.००
	1000 mm dia	मिटर	३३०२३.००	३३०२३.००	३३०२३.००
	1100 mm dia	मिटर	४४६५४.००	४४६५४.००	४४६५४.००
	1200 mm dia	मिटर	५२४४६.००	५२४४६.००	५२४४६.००
	1300 mm dia	मिटर	६४३७६.००	६४३७६.००	६४३७६.००
	1400 mm dia	मिटर	६९२४७.००	६९२४७.००	६९२४७.००
	1500 mm dia	मिटर	७८७०२.००	७८७०२.००	७८७०२.००
	1600 mm dia	मिटर	८५४०३.००	८५४०३.००	८५४०३.००
	1700 mm dia	मिटर	९६२८४.००	९६२८४.००	९६२८४.००
	1800 mm dia	मिटर	१०७०५१.००	१०७०५१.००	१०७०५१.००
	1900 mm dia	मिटर	११७९३१.००	११७९३१.००	११७९३१.००
	2000 mm dia	मिटर	१२८८१२.००	१२८८१२.००	१२८८१२.००
	2100 mm dia	मिटर	१४३६६९.००	१४३६६९.००	१४३६६९.००
	2200 mm dia	मिटर	१५८५२५.००	१५८५२५.००	१५८५२५.००
	2300 mm dia	मिटर	१७३४४८.००	१७३४४८.००	१७३४४८.००
	2400 mm dia	मिटर	१८८३७०.००	१८८३७०.००	१८८३७०.००
<b>B)</b>	<b>PN-6, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५४४५.००	५४४५.००	५४४५.००
	350 mm dia	मिटर	६२७२.००	६२७२.००	६२७२.००
	400 mm dia	मिटर	८४६१.००	८४६१.००	८४६१.००
	450 mm dia	मिटर	१००२९.००	१००२९.००	१००२९.००
	500 mm dia	मिटर	१२३१५.००	१२३१५.००	१२३१५.००
	600 mm dia	मिटर	१४५५५.००	१४५५५.००	१४५५५.००
	700 mm dia	मिटर	२११७८.००	२११७८.००	२११७८.००
	800 mm dia	मिटर	२७६११.००	२७६११.००	२७६११.००
	900 mm dia	मिटर	२९४३२.००	२९४३२.००	२९४३२.००
	1000 mm dia	मिटर	३५५०९.००	३५५०९.००	३५५०९.००
	1100 mm dia	मिटर	४८०१५.००	४८०१५.००	४८०१५.००
	1200 mm dia	मिटर	५६३९४.००	५६३९४.००	५६३९४.००
	1300 mm dia	मिटर	६९२२१.००	६९२२१.००	६९२२१.००
	1400 mm dia	मिटर	७४४५९.००	७४४५९.००	७४४५९.००
	1500 mm dia	मिटर	८४६२६.००	८४६२६.००	८४६२६.००
	1600 mm dia	मिटर	९१८३२.००	९१८३२.००	९१८३२.००
	1700 mm dia	मिटर	१०३५३१.००	१०३५३१.००	१०३५३१.००

Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.



### GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६।७६	आ.ब. ०७७।७७	आ.ब. ०७८।७९
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1800 mm dia	मिटर	११५१०८.००	११५१०८.००	११५१०८.००
	1900 mm dia	मिटर	१२६८०८.००	१२६८०८.००	१२६८०८.००
	2000 mm dia	मिटर	१३८५०७.००	१३८५०७.००	१३८५०७.००
	2100 mm dia	मिटर	१५४४८२.००	१५४४८२.००	१५४४८२.००
	2200 mm dia	मिटर	१७०४५७.००	१७०४५७.००	१७०४५७.००
	2300 mm dia	मिटर	१८६५०३.००	१८६५०३.००	१८६५०३.००
	2400 mm dia	मिटर	२०२५४९.००	२०२५४९.००	२०२५४९.००
	<b>PN-9, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	५८८१.००	५८८१.००	५८८१.००
	350 mm dia	मिटर	६७७४.००	६७७४.००	६७७४.००
	400 mm dia	मिटर	९१३८.००	९१३८.००	९१३८.००
	450 mm dia	मिटर	१०८३१.००	१०८३१.००	१०८३१.००
	500 mm dia	मिटर	१३३००.००	१३३००.००	१३३००.००
	600 mm dia	मिटर	१५७१९.००	१५७१९.००	१५७१९.००
	700 mm dia	मिटर	२२८७२.००	२२८७२.००	२२८७२.००
	800 mm dia	मिटर	२९८२०.००	२९८२०.००	२९८२०.००
	900 mm dia	मिटर	३१७८६.००	३१७८६.००	३१७८६.००
	1000 mm dia	मिटर	३८३४९.००	३८३४९.००	३८३४९.००
	1100 mm dia	मिटर	५१८५६.००	५१८५६.००	५१८५६.००
	1200 mm dia	मिटर	६०९०५.००	६०९०५.००	६०९०५.००
	1300 mm dia	मिटर	७४७५९.००	७४७५९.००	७४७५९.००
	1400 mm dia	मिटर	८०४१६.००	८०४१६.००	८०४१६.००
	1500 mm dia	मिटर	९१३९६.००	९१३९६.००	९१३९६.००
	1600 mm dia	मिटर	९९१७८.००	९९१७८.००	९९१७८.००
	1700 mm dia	मिटर	१११८१३.००	१११८१३.००	१११८१३.००
	1800 mm dia	मिटर	१२४३१७.००	१२४३१७.००	१२४३१७.००
	1900 mm dia	मिटर	१३६९५२.००	१३६९५२.००	१३६९५२.००
	2000 mm dia	मिटर	१४९५८८.००	१४९५८८.००	१४९५८८.००
	2100 mm dia	मिटर	१६६८४१.००	१६६८४१.००	१६६८४१.००
	2200 mm dia	मिटर	१८४०९४.००	१८४०९४.००	१८४०९४.००
	2300 mm dia	मिटर	२०१४२३.००	२०१४२३.००	२०१४२३.००
	2400 mm dia	मिटर	२१८७५३.००	२१८७५३.००	२१८७५३.००
	<b>D) PN-12, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	६४१०.००	६४१०.००	६४१०.००
	350 mm dia	मिटर	७३८४.००	७३८४.००	७३८४.००
	400 mm dia	मिटर	९९६०.००	९९६०.००	९९६०.००
	450 mm dia	मिटर	११८०६.००	११८०६.००	११८०६.००
	500 mm dia	मिटर	१४४९७.००	१४४९७.००	१४४९७.००
	600 mm dia	मिटर	१७१३४.००	१७१३४.००	१७१३४.००
	700 mm dia	मिटर	२४९३०.००	२४९३०.००	२४९३०.००
	800 mm dia	मिटर	३२५०३.००	३२५०३.००	३२५०३.००




GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट प्रशासन		
			आ.ब. ०७६/७६	आ.ब. ०७७/७८	आ.ब. ०७८/७९
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	900 mm dia	मिटर	३४६४७.००	३४६४७.००	३४६४७.००
	1000 mm dia	मिटर	४१८०१.००	४१८०१.००	४१८०१.००
	1100 mm dia	मिटर	५६५२४.००	५६५२४.००	५६५२४.००
	1200 mm dia	मिटर	६६३८७.००	६६३८७.००	६६३८७.००
	1300 mm dia	मिटर	८१४८८.००	८१४८८.००	८१४८८.००
	1400 mm dia	मिटर	८७६५३.००	८७६५३.००	८७६५३.००
	1500 mm dia	मिटर	९९६२२.००	९९६२२.००	९९६२२.००
	1600 mm dia	मिटर	१०८१०४.००	१०८१०४.००	१०८१०४.००
	1700 mm dia	मिटर	१२१८७७.००	१२१८७७.००	१२१८७७.००
	1800 mm dia	मिटर	१३५५०६.००	१३५५०६.००	१३५५०६.००
	1900 mm dia	मिटर	१४९२७८.००	१४९२७८.००	१४९२७८.००
	2000 mm dia	मिटर	१६३०५१.००	१६३०५१.००	१६३०५१.००
	2100 mm dia	मिटर	१८१८५७.००	१८१८५७.००	१८१८५७.००
	2200 mm dia	मिटर	२००६६२.००	२००६६२.००	२००६६२.००
	2300 mm dia	मिटर	२१९५५१.००	२१९५५१.००	२१९५५१.००
	2400 mm dia	मिटर	२३८४४०.००	२३८४४०.००	२३८४४०.००
<b>E)</b>	<b>PN-15, SN-2500 (124 Kpa)</b>				
	300 mm dia	मिटर	७०५१.००	७०५१.००	७०५१.००
	350 mm dia	मिटर	८१२२.००	८१२२.००	८१२२.००
	400 mm dia	मिटर	१०९५६.००	१०९५६.००	१०९५६.००
	450 mm dia	मिटर	१२९८७.००	१२९८७.००	१२९८७.००
	500 mm dia	मिटर	१५९४७.००	१५९४७.००	१५९४७.००
	600 mm dia	मिटर	१८८४८.००	१८८४८.००	१८८४८.००
	700 mm dia	मिटर	२७४२३.००	२७४२३.००	२७४२३.००
	800 mm dia	मिटर	३५७५४.००	३५७५४.००	३५७५४.००
	900 mm dia	मिटर	३८११२.००	३८११२.००	३८११२.००
	1000 mm dia	मिटर	४५९८१.००	४५९८१.००	४५९८१.००
	1100 mm dia	मिटर	६२१७६.००	६२१७६.००	६२१७६.००
	1200 mm dia	मिटर	७३०२६.००	७३०२६.००	७३०२६.००
	1300 mm dia	मिटर	८९६३६.००	८९६३६.००	८९६३६.००
	1400 mm dia	मिटर	९६४१८.००	९६४१८.००	९६४१८.००
	1500 mm dia	मिटर	१०९५८४.००	१०९५८४.००	१०९५८४.००
	1600 mm dia	मिटर	११८९१५.००	११८९१५.००	११८९१५.००
	1700 mm dia	मिटर	१३४०६४.००	१३४०६४.००	१३४०६४.००
	1800 mm dia	मिटर	१४९०५६.००	१४९०५६.००	१४९०५६.००
	1900 mm dia	मिटर	१६४२०६.००	१६४२०६.००	१६४२०६.००
	2000 mm dia	मिटर	१७९३५६.००	१७९३५६.००	१७९३५६.००
	2100 mm dia	मिटर	२०००४२.००	२०००४२.००	२०००४२.००
	2200 mm dia	मिटर	२२०७२९.००	२२०७२९.००	२२०७२९.००
	2300 mm dia	मिटर	२४१५०७.००	२४१५०७.००	२४१५०७.००
	2400 mm dia	मिटर	२६२२८५.००	२६२२८५.००	२६२२८५.००

Handwritten signatures and marks at the bottom of the page.


### GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७६	आ.व. ०७७/७७	आ.व. ०७८/७९
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
<b>F)</b>	<b>PN-3, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	६५९३.००	६५९३.००	६५९३.००
	350 mm dia	मिटर	७५९५.००	७५९५.००	७५९५.००
	400 mm dia	मिटर	१०२४५.००	१०२४५.००	१०२४५.००
	450 mm dia	मिटर	१२१४३.००	१२१४३.००	१२१४३.००
	500 mm dia	मिटर	१४९१२.००	१४९१२.००	१४९१२.००
	600 mm dia	मिटर	१७६२४.००	१७६२४.००	१७६२४.००
	700 mm dia	मिटर	२५६४३.००	२५६४३.००	२५६४३.००
	800 mm dia	मिटर	३३४३३.००	३३४३३.००	३३४३३.००
	900 mm dia	मिटर	३५६३६.००	३५६३६.००	३५६३६.००
	1000 mm dia	मिटर	४२९९६.००	४२९९६.००	४२९९६.००
	1100 mm dia	मिटर	५६१४०.००	५६१४०.००	५६१४०.००
	1200 mm dia	मिटर	६६२६५.००	६६२६५.००	६६२६५.००
	1300 mm dia	मिटर	६३६१६.००	६३६१६.००	६३६१६.००
	1400 mm dia	मिटर	९०१५९.००	९०१५९.००	९०१५९.००
	1500 mm dia	मिटर	१०२४७०.००	१०२४७०.००	१०२४७०.००
	1600 mm dia	मिटर	११११९५.००	११११९५.००	११११९५.००
	1700 mm dia	मिटर	१२५३६१.००	१२५३६१.००	१२५३६१.००
	1800 mm dia	मिटर	१३९३६०.००	१३९३६०.००	१३९३६०.००
	1900 mm dia	मिटर	१५३५४६.००	१५३५४६.००	१५३५४६.००
	2000 mm dia	मिटर	१६७७३३.००	१६७७३३.००	१६७७३३.००
	2100 mm dia	मिटर	१६७०५६.००	१६७०५६.००	१६७०५६.००
	2200 mm dia	मिटर	२०६४००.००	२०६४००.००	२०६४००.००
	2300 mm dia	मिटर	२२५६२९.००	२२५६२९.००	२२५६२९.००
	2400 mm dia	मिटर	२४५२५६.००	२४५२५६.००	२४५२५६.००
<b>G)</b>	<b>PN-6, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	७६२३.००	७६२३.००	७६२३.००
	350 mm dia	मिटर	६७६१.००	६७६१.००	६७६१.००
	400 mm dia	मिटर	११६४५.००	११६४५.००	११६४५.००
	450 mm dia	मिटर	१४०४०.००	१४०४०.००	१४०४०.००
	500 mm dia	मिटर	१७२४१.००	१७२४१.००	१७२४१.००
	600 mm dia	मिटर	२०३७७.००	२०३७७.००	२०३७७.००
	700 mm dia	मिटर	२९६४९.००	२९६४९.००	२९६४९.००
	800 mm dia	मिटर	३६६५५.००	३६६५५.००	३६६५५.००
	900 mm dia	मिटर	४१२०४.००	४१२०४.००	४१२०४.००
	1000 mm dia	मिटर	४९७१२.००	४९७१२.००	४९७१२.००
	1100 mm dia	मिटर	६७२२१.००	६७२२१.००	६७२२१.००
	1200 mm dia	मिटर	७६९५१.००	७६९५१.००	७६९५१.००
	1300 mm dia	मिटर	९६९१०.००	९६९१०.००	९६९१०.००
	1400 mm dia	मिटर	१०४२४३.००	१०४२४३.००	१०४२४३.००
	1500 mm dia	मिटर	११६४७७.००	११६४७७.००	११६४७७.००

१२६

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६।७६	आ.व. ०७७।७८	आ.व. ०७८।७९
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	1600 mm dia	मिटर	१२८५६४.००	१२८५६४.००	१२८५६४.००
	1700 mm dia	मिटर	१४४९४३.००	१४४९४३.००	१४४९४३.००
	1800 mm dia	मिटर	१६११५२.००	१६११५२.००	१६११५२.००
	1900 mm dia	मिटर	१७७५३१.००	१७७५३१.००	१७७५३१.००
	2000 mm dia	मिटर	१९३९१०.००	१९३९१०.००	१९३९१०.००
	2100 mm dia	मिटर	२१६२७५.००	२१६२७५.००	२१६२७५.००
	2200 mm dia	मिटर	२३८६४०.००	२३८६४०.००	२३८६४०.००
	2300 mm dia	मिटर	२६११०४.००	२६११०४.००	२६११०४.००
	2400 mm dia	मिटर	२८३५६८.००	२८३५६८.००	२८३५६८.००
<b>H)</b>	<b>PN-9, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	८८९२.००	८८९२.००	८८९२.००
	350 mm dia	मिटर	१०२४२.००	१०२४२.००	१०२४२.००
	400 mm dia	मिटर	१३८१६.००	१३८१६.००	१३८१६.००
	450 mm dia	मिटर	१६३७७.००	१६३७७.००	१६३७७.००
	500 mm dia	मिटर	२०११०.००	२०११०.००	२०११०.००
	600 mm dia	मिटर	२३७६८.००	२३७६८.००	२३७६८.००
	700 mm dia	मिटर	३४५८२.००	३४५८२.००	३४५८२.००
	800 mm dia	मिटर	४५०८७.००	४५०८७.००	४५०८७.००
	900 mm dia	मिटर	४८०६१.००	४८०६१.००	४८०६१.००
	1000 mm dia	मिटर	५७९८४.००	५७९८४.००	५७९८४.००
	1100 mm dia	मिटर	७८४०७.००	७८४०७.००	७८४०७.००
	1200 mm dia	मिटर	९२०८९.००	९२०८९.००	९२०८९.००
	1300 mm dia	मिटर	११३०३६.००	११३०३६.००	११३०३६.००
	1400 mm dia	मिटर	१२१५८८.००	१२१५८८.००	१२१५८८.००
	1500 mm dia	मिटर	१३८१९१.००	१३८१९१.००	१३८१९१.००
	1600 mm dia	मिटर	१४९९५७.००	१४९९५७.००	१४९९५७.००
	1700 mm dia	मिटर	१६९०६२.००	१६९०६२.००	१६९०६२.००
	1800 mm dia	मिटर	१८७९६७.००	१८७९६७.००	१८७९६७.००
	1900 mm dia	मिटर	२०७०७२.००	२०७०७२.००	२०७०७२.००
	2000 mm dia	मिटर	२२६१७७.००	२२६१७७.००	२२६१७७.००
	2100 mm dia	मिटर	२४२२६३.००	२४२२६३.००	२४२२६३.००
	2200 mm dia	मिटर	२७८३५०.००	२७८३५०.००	२७८३५०.००
	2300 mm dia	मिटर	३०४५५२.००	३०४५५२.००	३०४५५२.००
	2400 mm dia	मिटर	३३०७५४.००	३३०७५४.००	३३०७५४.००
<b>I)</b>	<b>PN-12, SN-5000 (248 Kpa)</b>				
	300 mm dia	मिटर	९६९२.००	९६९२.००	९६९२.००
	350 mm dia	मिटर	१११६४.००	१११६४.००	१११६४.००
	400 mm dia	मिटर	१५०५९.००	१५०५९.००	१५०५९.००
	450 mm dia	मिटर	१७८५१.००	१७८५१.००	१७८५१.००
	500 mm dia	मिटर	२१९२०.००	२१९२०.००	२१९२०.००
	600 mm dia	मिटर	२५९०७.००	२५९०७.००	२५९०७.००

Handwritten signatures and marks at the bottom of the page, including a large signature on the right and several smaller ones on the left.


GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७६	आ.व. ०७७/७८	आ.व. ०७८/७९
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	700 mm dia	मिटर	३७६९५.००	३७६९५.००	३७६९५.००
	800 mm dia	मिटर	४९१४५.००	४९१४५.००	४९१४५.००
	900 mm dia	मिटर	५२३८६.००	५२३८६.००	५२३८६.००
	1000 mm dia	मिटर	६३२०३.००	६३२०३.००	६३२०३.००
	1100 mm dia	मिटर	८५४६४.००	८५४६४.००	८५४६४.००
	1200 mm dia	मिटर	१००३७७.००	१००३७७.००	१००३७७.००
	1300 mm dia	मिटर	१२३२०९.००	१२३२०९.००	१२३२०९.००
	1400 mm dia	मिटर	१३२५३१.००	१३२५३१.००	१३२५३१.००
	1500 mm dia	मिटर	१५०६२८.००	१५०६२८.००	१५०६२८.००
	1600 mm dia	मिटर	१६३४५४.००	१६३४५४.००	१६३४५४.००
	1700 mm dia	मिटर	१८४२७७.००	१८४२७७.००	१८४२७७.००
	1800 mm dia	मिटर	२०४८८५.००	२०४८८५.००	२०४८८५.००
	1900 mm dia	मिटर	२२५७०८.००	२२५७०८.००	२२५७०८.००
	2000 mm dia	मिटर	२४६५३२.००	२४६५३२.००	२४६५३२.००
	2100 mm dia	मिटर	२७४९६७.००	२७४९६७.००	२७४९६७.००
	2200 mm dia	मिटर	३०३४०२.००	३०३४०२.००	३०३४०२.००
	2300 mm dia	मिटर	३३१९६२.००	३३१९६२.००	३३१९६२.००
	2400 mm dia	मिटर	३६०५२२.००	३६०५२२.००	३६०५२२.००
<b>J) PN-15, SN-5000 (248 Kpa)</b>					
	300 mm dia	मिटर	१०६६१.००	१०६६१.००	१०६६१.००
	350 mm dia	मिटर	१२२८१.००	१२२८१.००	१२२८१.००
	400 mm dia	मिटर	१६५६५.००	१६५६५.००	१६५६५.००
	450 mm dia	मिटर	१९६३६.००	१९६३६.००	१९६३६.००
	500 mm dia	मिटर	२४११२.००	२४११२.००	२४११२.००
	600 mm dia	मिटर	२८४९८.००	२८४९८.००	२८४९८.००
	700 mm dia	मिटर	४१४६४.००	४१४६४.००	४१४६४.००
	800 mm dia	मिटर	५४०६०.००	५४०६०.००	५४०६०.००
	900 mm dia	मिटर	५७६२५.००	५७६२५.००	५७६२५.००
	1000 mm dia	मिटर	६९५२३.००	६९५२३.००	६९५२३.००
	1100 mm dia	मिटर	९४०१०.००	९४०१०.००	९४०१०.००
	1200 mm dia	मिटर	११०४१५.००	११०४१५.००	११०४१५.००
	1300 mm dia	मिटर	१३५५३०.००	१३५५३०.००	१३५५३०.००
	1400 mm dia	मिटर	१४५७८५.००	१४५७८५.००	१४५७८५.००
	1500 mm dia	मिटर	१६५६९१.००	१६५६९१.००	१६५६९१.००
	1600 mm dia	मिटर	१७९७९९.००	१७९७९९.००	१७९७९९.००
	1700 mm dia	मिटर	२०२७०५.००	२०२७०५.००	२०२७०५.००
	1800 mm dia	मिटर	२२५३७३.००	२२५३७३.००	२२५३७३.००
	1900 mm dia	मिटर	२४८२७९.००	२४८२७९.००	२४८२७९.००
	2000 mm dia	मिटर	२७११८६.००	२७११८६.००	२७११८६.००
	2100 mm dia	मिटर	३०२४६४.००	३०२४६४.००	३०२४६४.००
	2200 mm dia	मिटर	३३३७४२.००	३३३७४२.००	३३३७४२.००

Handwritten signatures and marks at the bottom of the page.

### GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७६	आ.व. ०७७/७७	आ.व. ०७८/७८
<b>1. GRP PIPES AS PER IS:12709:1994</b>					
	2300 mm dia	मिटर	३६५१५.००	३६५१५.००	३६५१५.००
	2400 mm dia	मिटर	३९६५७४.००	३९६५७४.००	३९६५७४.००
<b>2. HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8)</b>					
1	100mm dia.	मिटर	५००.००	५००.००	५००.००
2	150mm dia.	मिटर	१०००.००	१०००.००	१०००.००
3	200mm dia.	मिटर	१५००.००	१५००.००	१५००.००
4	250mm dia.	मिटर	१९००.००	१९००.००	१९००.००
5	300mm dia.	मिटर	३१६०.००	३१६०.००	३१६०.००
6	400mm dia.	मिटर	४०७०.००	४०७०.००	४०७०.००
7	500mm dia.	मिटर	४८६०.००	४८६०.००	४८६०.००
8	600mm dia.	मिटर	८३७०.००	८३७०.००	८३७०.००
9	800mm dia.	मिटर	१३८७५.००	१३८७५.००	१३३७५.००
10	1000mm dia.	मिटर	२०९००.००	२०९००.००	१७२००.००

Handwritten signatures and initials are present below the table, including a large signature on the right and several smaller ones on the left.

## किचन र बाथरूममा प्रयोग हुने सामानहरूको



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहिरको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	<b>Porcelain Clay Sanitaryware</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
१	<b>White glazed porcelain pan</b>				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२७४१.००	२७४१.००	२७४१.००
	580 mm size orrisa Pan	सेट	३३७१.००	३३७१.००	३३७१.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	<b>Porcelain Clay Cistern</b>				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	<b>Commode</b>				
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover Model (C2530300-1MA21+ CL6104M-6D), Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. all complete set with testing and ready for operations. Make: (American Standard or Equivalent).	सेट			२५८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover Model (CCAS3105-4W20410A0 + CCASC105-0200410A0), Size: (365x560x352mm) with concealed cistern Model (FK303D01-AAS11) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd all complete set with testing and ready for operations. Make: (American Standard or Equivalent).	सेट			२७९००.००
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover Model( CCAS3207-3W20410F0 +CCASC128-0200410A0), Size: ( 368x540x400mm) made of sanitary ceramics with concealed cistern (FK303D01-AAS11) and Flush Plate (FA0325A0-CH) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			२६१५०.००
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's' \ p trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००

## किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
४	<b>Bidet set</b>				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	<b>Urinal set</b>				
	Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००
	Porcelain clay small Urinal (46.5x35.5x26.5) cm size )	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९१.००	१००२९१.००	१००२९१.००
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, Model (CCAS6401-3100410F0), Size: (L355xP320xH615mm ) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) , Model (FFAS8604-000500BF0) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			३१८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal (CCAS6605-3100420F0), Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) , Model (FFAS8604-000500BF0) manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			६०५३०.००
५	<b>Porcelain Clay Urinal Squatting Plate</b>				
	white glaze squatting plate Small Size (45x35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९१५.००	९१५.००	९१५.००
६	<b>Wash basin</b>				
	Porcelain clay white glaze wash basin (500x400) cm size regular.	सेट	१०९५.००	१०९५.००	१०९५.००
	Porcelain clay white glaze wash basin (50x40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45x32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,(Duravit, Grohe, American Standard,Thai or eqv) complete.	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay O-counter wash basin,(63x50)cm(Duravit, Grohe, American Standard,Thai or eqv)	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, Model (CL221611-1MA00), Size: (380x550x175mm ) made of sanitary ceramics with simplicity square single lever basin mixer (FFAST501-151500BF0), pipe connector, bottle trap, and waste coupling manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			१७२७५.००



## किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Supplying of white vitreous Winston Wall hung Basin, Model (CL097911-1MA00), Size: (506x460x194mm) with full basin pedestal ( CL900PI1-1MA00) made of sanitary ceramics with with simplicity square single lever basin mixer (FFAST501-151500BF0), pipe connector, bottle trap, and waste coupling manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			२०६७५.००
	Supplying of white vitreous Flexio Counter Top Basin, Model (CL061311-1MA00), Size: (499x449x181mm) made of sanitary ceramics with simplicity square single lever basin mixer (FFAST501-151500BF0), pipe connector, bottle trap, and waste coupling manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			१९२५५.००
	Supplying of white vitreous Acacia E semi recessed Basin, Model (CLO5191-6DACTLS), Size: ( W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer (FFAST501-151500BF0), pipe connector, bottle trap, and waste coupling manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd. Make: (American Standard or Equivalent).	सेट			२३१५०.००
७	<b>Pedestal:</b>				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००
	White glazed Porcelain clay half pedestal complete set.	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
८	<b>Urinal Partition</b>	सेट			
	White glaze porcelain clay (68*30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
९	<b>Lab sink</b>				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००
	Porcelain clay white glaze small size	सेट	१६५३.००	१६५३.००	१६५३.००
	Porcelain clay janitor sink 58*71*43.5 size	सेट	२७५३.००	२७५३.००	२७५३.००
१०	<b>Super lab sink</b>	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
११	<b>Kitchen sink</b>				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Soap dish	सेट	६६९.००	६६९.००	६६९.००
	iv) White glaze foot rest	सेट	४१९.००	४१९.००	४१९.००
	v) White glaze Toilet paper holder	सेट	११५७.००	११५७.००	११५७.००
१२	<b>Super kitchen sink</b>				
	super kitchen sink large size	गोटा	७४६५.००	७४६५.००	७४६५.००
	super kitchen sink small size	गोटा	६७५६.००	६७५६.००	६७५६.००
१३	<b>PVC Cistern Set</b>				
	single flush	सेट	१९७३.००	१९७३.००	१९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००

## किचन र बाथरूममा प्रयोग हुने सामान

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अन्नबानबजारको दररेट		
			आ.व. ०७८/७९	आ.व. ०७८/७९	आ.व. ०७८/७९
	Dual flush 6/3 lit. cistern complete set.	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set.( Viega, Geberit, American standard or equivalent)	सेट	१६८६२.००	१६८६२.००	१६८६२.००
	32 mm pvc bottle trap set.	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector sel.	पिस	१४३.००	१४३.००	१४३.००
	Bakelite toilet seat cover set.	पिस	२७६.००	२७६.००	२७६.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflushing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट			१००००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possibility after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galvanized Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern.,Cutting and making good the walls wherever required.	सेट			१६०००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possibility after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern.,Cutting and making good the walls wherever required.	सेट			१८०००.००

किचन र बाथरूममा प्रयोग हुने सामानहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. काठमाडौंको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt(Article Code-792688) Alpine White (Article Code-792695) and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट			२५००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt(Article Code-792701) Alpine White (Article Code-792718) and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट			२५००.००
१४	<b>Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.</b>				
	Stainless steel Deep sink 45*45*30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever )with hand shower( Grohe, Hansgrohe, American standard or equivalent)	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	पिस	२५७६४.००	२५७६४.००	२५७६४.००
	Wall mixer (single control) bath faucet with hand shower(conceal system)( Grohe, Hansgrohe, American standard or equivalent)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve( Grohe, Hansgrohe, American standard or equivalent)	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"x16" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 36" * 18 "size	पिस	१३९१७.००	१३९१७.००	१३९१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture( Jaquar, Somany, HR Johnson,Essel or equivalent)	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet( HR Johnson,Jaquar, Somany, Essel or equivalent)	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture(HR Johnson, Jaquar, Somany, Essel or equivalent)	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe( connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer( single control)(Grohe, hansgrohe, American standard or equivalent)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin( HR Johnson,Jaquar, Somany, Essel or equivalent)	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००

Handwritten signatures and initials at the bottom of the page.




## किचन र बाथरूममा प्रयोग हुने सामानहरूको

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाथरूमको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Stainless steel Sink table top 1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३९.००	३३९.००	३३९.००
	110 mm dia	पिस	४४९.००	४४९.००	४४९.००
	160 mm dia	पिस	७७९.००	७७९.००	७७९.००
	Stainless steel telephonic shower( HR Johnson, Jaquare, Somy, Essel or equivalent)	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar(HR Johnson, Jaquare, Somy, Essel or equivalent)	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap ( Viega, Schell, Jaquar or equivalent)	गोटा	६४७.००	६४७.००	६४७.००
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , Model (FFAST521-659500BF0) with concealed body and Shower Head with arm (FFAS9036-000500BC0) and Bath Spout (FF1-CN521X00000480) ,manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd with easy clean, eco start, twist free and Water Saving features. Make: (American Standard or Equivalent).				१८०५५.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer , Model ( FFAS0711-651500BA0 ) with iColor Chrome Hand Shower & Hose , Model (F40015-CHADY ) complete as required, ,manufactured by Lixil AS Sanitary Fittings Manufacturing Co. Ltd with easy clean, eco start, twist free and Water Saving features. Make: (American Standard or Equivalent).				२०५३०.००
१५	Modern Sanitaryware: -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Hand dryer Germany	गोटा	१९३९७.००	१९३९७.००	१९३९७.००
	Hand Dryer Chinese	गोटा	७६४.००	७६४.००	७६४.००
	Indian Mark Brand Flush valve	गोटा	५७३९.००	५७३९.००	५७३९.००
	Auto sensor for basin	गोटा	३५२६७.००	३५२६७.००	३५२६७.००
	European pattern liquid soap container stainless steel	गोटा	६०६२.००	६०६२.००	६०६२.००
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	१४५९.००	१४५९.००	१४५९.००
	Supplying of C.P. brass Angle valve connection 1/2" plastic handle marking , Model (F54400-CHACT ) complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा			७५०.००
	Supplying of Hygiene Spray with hose and flexible pipe , Model (CLTP405-CHZZ) complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा			२९२५.००
	Supplying of Winston Wall Bib Tap (Cross Handle), Model (FFAST702-000500BF0) complete as required with easy clean, eco start, twist free and Water Saving features.	गोटा			२४८०.००
	Supplying of High Speed automatic Hand Dryer, Model (FFAS8017-000090) complete as required, ready for operation.	गोटा			३७७०.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap, Model (WF-6581.908.50) complete as required, ready for operation.	गोटा			३४००.००

## किचन र बाथरूममा प्रयोग हुने सामानहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	आ. व. २०७८/७९ को दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	Supplying of Chrome plated Seva Soap Dish, Model ( FFAS6582-908500BF0) complete as required, ready for operation.	गोटा			२८३०.००
	Supplying of Chrome plated Seva Robe Hook, Model (WF-6581.908.50 ) complete as required, ready for operation.	गोटा			२१२५.००
	Supplying of Chrome plated Seva Towel Rod, Model (FFAS6588-908500BF0 ) complete as required, ready for operation.	गोटा			३७००.००
	Supplying of Chrome plated Seva Glass Holder, Model (FFAS6583-908500BF0 ) complete as required, ready for operation.	गोटा			२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar Model (FABBL-A109GS), size (580x220mm), OD: 32mm Make	गोटा			६६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा			३०००.००
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा			५०००.००
१६	<b>Electric &amp; Solar Geyser</b>				
	i) 10 lit. cap. electric water heater	गोटा	१०९१४.००	१०९१४.००	१०९१४.००
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap electric water heater	गोटा	२०९१९.००	२०९१९.००	२०९१९.००
	iv) 50 lit cap electric water heater	गोटा	२५०११.००	२५०११.००	२५०११.००
	iv) Gas water heater with cylinder	गोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा			१५०००.००
१७	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००



## CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६।७७	आ.व. ०७७।७८	आ.व. ०७८।७९
	<b>Chrome plated Accessories - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	१०४२.००	१०४२.००	१०४२.००
३	3) Towel rod ½"×18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P. 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३६	C.P. Angle Cock				



### CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००
३७	<b>C.P. Conceal Stop Cock</b>				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३८	<b>C.P. Basin Mixer</b>				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९१.००	३८९१.००	३८९१.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२१.००	२०२१.००	२०२१.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand Shower With 1.50 m. PVC Tube	गोटा	१७९१.००	१७९१.००	१७९१.००
	15 mm Telephonic Hand Shower With 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
३९	<b>Deep Scrub Sink</b>	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५१५.००	१५१५.००	१५१५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

CP Accessories




सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	संशोधन कार्यहरूको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	२०४८९.००	२०४८९.००	२०४८९.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	९६२२९.००	९६२२९.००	९६२२९.००
	Sensor valve for Urinal	गोटा	९०६५९.००	९०६५९.००	९०६५९.००
	Basin cock Sensor	गोटा	९४४९८.००	९४४९८.००	९४४९८.००
	15mm U shaped sink cock	गोटा	९७९२.००	९७९२.००	९७९२.००
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२९७९.००	२९७९.००	२९७९.००
४०	<b>European Pattern C.P. Grab Bar for disable</b>				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६९३.००	५६९३.००	५६९३.००
	c) 60 cm long bend type	गोटा	७९८८.००	७९८८.००	७९८८.००

Handwritten signatures and initials are present below the table, including a large signature on the right and several smaller ones on the left.




विभिन्न प्रकारका वाटर टैंक र पम्पहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	सु.अ.के. बृहत्काली दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
1	<b>G.I. Water Tank (17 Gauge)</b>				
	100 gls	गोटा	८०७५.००	८०७५.००	८०७५.००
	200 gls	गोटा	१२६८५.००	१२६८५.००	१२६८५.००
	300 gls	गोटा	१५९५५.००	१५९५५.००	१५९५५.००
	400 gls	गोटा	१९१५५.००	१९१५५.००	१९१५५.००
	500 gls	गोटा	२२३६५.००	२२३६५.००	२२३६५.००
2	<b>Roof Top PVC Water Tank</b>				
	200 lit – 5000 lit cap.	लीटर	१०.३०	१०.३०	१०.३०
	5000 lit – 10,000 lit cap	लीटर	१०.६०	१०.६०	१०.६०
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
3	<b>Stainless steel water tank with accessories</b>				
	Capacity 500 ltr	गोटा	१२६१०.००	१२६१०.००	१२६१०.००
	Capacity 1000 ltr	गोटा	१८५८०.००	१८५८०.००	१८५८०.००
	Capacity 1500 ltr	गोटा	२८५४०.००	२८५४०.००	२८५४०.००
	Capacity 2000 ltr	गोटा	३४५१०.००	३४५१०.००	३४५१०.००
	Capacity 3000 ltr	गोटा	४१७७०.००	४१७७०.००	४१७७०.००
	Capacity 4000 ltr	गोटा	६९०३०.००	६९०३०.००	६९०३०.००
	Capacity 5000 ltr	गोटा	९०७१०.००	९०७१०.००	९०७१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा			११३००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा			१४५००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा			२२०००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा			३३५००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा			४१०००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा			६७०००.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा			१०४०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा			२६०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा			३७५००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा			४६०००.००

Handwritten signatures and marks at the bottom of the page, including a signature on the left and several scribbles on the right.



विभिन्न प्रकारका वाटर टैंक र पम्पहरु


सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. अ. क. ७७६/७७		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा			७३०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा			११४०००.००
4	<b>Plastic Water Tank   प्लास्टिक वाटर ट्यांक</b>				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	गोटा			१३.५०
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	गोटा			१३.५०
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	गोटा			१३.५०
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	गोटा			११.५०
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	गोटा			१२.५०
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	गोटा			१२.५०
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा			१२५००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres). Brand: Hilltake	गोटा			१८५००.००
5	<b>Water Pumps/Hand Pumps</b>				
	Indian Mark-III , Deep Well Hand Pump	गोटा	१२३६०.००	१२३६०.००	१२३६०.००
	6 No. hand pump	गोटा	१५८२.००	१५८२.००	१५८२.००
	<b>Water Pump :</b>				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	१०८८५.००	१०८८५.००	१०८८५.००
	ii) ½ H.P. Water Pump mono block type	सेट	६२५८.००	६२५८.००	६२५८.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४२५८.००	१४२५८.००	१४२५८.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९४६५.००	९४६५.००	९४६५.००
	v) 2.0 H.P. water pump	सेट	२२५८७.००	२२५८७.००	२२५८७.००
	vi) 2.0 H.P. 3 phase water pump	सेट	२३८४७.००	२३८४७.००	२३८४७.००
	vii) 5.0 HP 3 phase water pump	सेट	२८६५६.००	२८६५६.००	२८६५६.००
	<b>Jet Water Pump</b>				
	i) 1.10 H.P.	सेट	२१६३०.००	२१६३०.००	२१६३०.००
	ii) Double Stage jet 1.10 H.P.	सेट	२५९५६.००	२५९५६.००	२५९५६.००
	ii) 1.5 H.P.	सेट	२९२०१.००	२९२०१.००	२९२०१.००
	<b>Super Sunction</b>				
	i) 0.50 H.P	सेट	८९२२.००	८९२२.००	८९२२.००
	ii) 0.75 H.P.	सेट	८३२८.००	८३२८.००	८३२८.००
	iii) 1.0 H.P.	सेट	१४२७६.००	१४२७६.००	१४२७६.००
	<b>Water Pump (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				

*(Handwritten signatures)*

*(Handwritten signature)*

*(Handwritten signatures)*

विभिन्न प्रकारका वाटर टैंक र पम्पहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. अ. क. बसिमाकोम दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८२०२.००	१८२०२.००	१८२०२.००
	2 H.P. single pump set single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	२९२३३.००	२९२३३.००	२९२३३.००
	<b>Submersible Pump (Italian)</b>				
	i) 1.0 H.P.	सेट	२६०८९.००	२६०८९.००	२६०८९.००
	ii) 2.0 H.P.	सेट	४८३९७.००	४८३९७.००	४८३९७.००
	<b>Electric Water Pump (Chinese)</b>				
	i) ½ H.P.	सेट	१७०३.००	१७०३.००	१७०३.००
	ii) ¾ H.P.	सेट	२२१९.००	२२१९.००	२२१९.००
	iii) 1.0 H.P.	सेट	३२७०.००	३२७०.००	३२७०.००
	<b>Submersible Pump Indian</b>				
	i) ½ H.P open well type	सेट	१६६५५.००	१६६५५.००	१६६५५.००
	ii) 1.1 H.P open well type	सेट	२४३६८.००	२४३६८.००	२४३६८.००
	iii) 1.5 H.P open well type	सेट	२९७४९.००	२९७४९.००	२९७४९.००
	<b>Vertical Submersible Pump</b>	सेट			
	i) 1.1 H.P	सेट	२७२५४.००	२७२५४.००	२७२५४.००
	iii) 1.5 H.P	सेट	३२९३२.००	३२९३२.००	३२९३२.००

Handwritten signatures and initials are present below the table, including a large signature in the center and several smaller ones to the left and right.

## साधारण हाते औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	स. अ. क. बाहेकको दररेट			
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९	
1	Adjustable spanner					
		10"	गोटा	२५५.००	२५५.००	२५५.००
		12"	गोटा	४८२.००	४८२.००	४८२.००
		15"	गोटा	९३८.००	९३८.००	९३८.००
		18"	गोटा	९६४३.००	९६४३.००	९६४३.००
2	Blow Torch					
		1/2 pint	गोटा	९४३४.००	९४३४.००	९४३४.००
		1 pint	गोटा	९७६७.००	९७६७.००	९७६७.००
3	Building Trowel	गोटा	७९.००	७९.००	७९.००	
4	Chain Pipe wrench					
		50mm	गोटा	९६४३.००	९६४३.००	९६४३.००
		75mm	गोटा	९९५५.००	९९५५.००	९९५५.००
		100mm	गोटा	२२९५.००	२२९५.००	२२९५.००
		150mm	गोटा	३२२९.००	३२२९.००	३२२९.००
		200mm	गोटा	५४९५.००	५४९५.००	५४९५.००
5	Chain Pulley in Ton					
		3 ton	गोटा	९७५६२.००	९७५६२.००	९७५६२.००
		5 ton	गोटा	२९००५.००	२९००५.००	२९००५.००
6	Stone Chisel 1"x12"	गोटा	३६९.००	३६९.००	३६९.००	
7	Die teeth oil with cane (250 ml size)	गोटा	२८३.००	२८३.००	२८३.००	
8	Smooth steel file half round					
		8"	गोटा	५३९.००	५३९.००	५३९.००
		10"	गोटा	९०३९.००	९०३९.००	९०३९.००
		Flat file 10"	गोटा	५३९.००	५३९.००	५३९.००
9	Hacksaw Blade					
		Single	गोटा	४.००	४.००	४.००
		double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	९९३.००	९९३.००	९९३.००	
11	Handle die set					
		25 mm	गोटा	३२०९.००	३२०९.००	३२०९.००
		50 mm	गोटा	३६२६.००	३६२६.००	३६२६.००
		60 mm	गोटा	९६३९.००	९६३९.००	९६३९.००
12	Heating Plate					
		80 mm	गोटा	९६३.००	९६३.००	९६३.००
		100 mm	गोटा	९९०५.००	९९०५.००	९९०५.००
		125 mm	गोटा	९४९६.००	९४९६.००	९४९६.००
		150 mm	गोटा	९६८८.००	९६८८.००	९६८८.००
		200 mm	गोटा	२७३९.००	२७३९.००	२७३९.००
		250 mm	गोटा	३३०८.००	३३०८.००	३३०८.००
		300 mm	गोटा	३८६४.००	३८६४.००	३८६४.००
13	Iron Brush 12"	गोटा	७४.००	७४.००	७४.००	
14	Iron Pan (medium)	गोटा	२६९.००	२६९.००	२६९.००	
15	Pick Axe 1.7 Kg.	गोटा	४३९.००	४३९.००	४३९.००	
16	Pipe Cutter					
		15-50 mm	गोटा	२०३९.००	२०३९.००	२०३९.००
		65-80 mm	गोटा	३९७२.००	३९७२.००	३९७२.००
		100 mm	गोटा	५०९९.००	५०९९.००	५०९९.००
		125 mm	गोटा	५६६५.००	५६६५.००	५६६५.००

साधारण हाते औजारहरु


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	150 mm	गोटा	१००८४.००	१००८४.००	१००८४.००
17	Pipe Jack Machine (Heavy)	गोटा	३२२९१.००	३२२९१.००	३२२९१.००
18	Pipe Vice				
	2"	गोटा	२४९३.००	२४९३.००	२४९३.००
	3"	गोटा	३६२६.००	३६२६.००	३६२६.००
	4"	गोटा	५४६७.००	५४६७.००	५४६७.००
	5"	गोटा	१०१४०.००	१०१४०.००	१०१४०.००
19	Pipe Wrench				
	10"	गोटा	३१७.००	३१७.००	३१७.००
	12"	गोटा	५८९.००	५८९.००	५८९.००
	14"	गोटा	७०२.००	७०२.००	७०२.००
	18"	गोटा	१११७.००	१११७.००	१११७.००
	24"	गोटा	१५४१.००	१५४१.००	१५४१.००
	36"	गोटा	५४३८.००	५४३८.००	५४३८.००
	48"	गोटा	९६३१.००	९६३१.००	९६३१.००
20	Plumb Bob Line	गोटा	९१.००	९१.००	९१.००
21	Ratchet Die Set				
	1/2"-1"	गोटा	४३०५.००	४३०५.००	४३०५.००
	1 1/4" -2"	गोटा	८०४४.००	८०४४.००	८०४४.००
	2 1/2" -3"	गोटा	१७५६२.००	१७५६२.००	१७५६२.००
22	Round File 10"	गोटा	३६९.००	३६९.००	३६९.००
23	Screw Driver 12"	गोटा	२०४.००	२०४.००	२०४.००
24	Shovel 1.5 Kg	गोटा	३६९.००	३६९.००	३६९.००
25	Slide wrench				
	10"	गोटा	३६३.००	३६३.००	३६३.००
	12"	गोटा	४८७.००	४८७.००	४८७.००
	15"	गोटा	१४२२.००	१४२२.००	१४२२.००
26	Spade	गोटा	४४२.००	४४२.००	४४२.००
27	Spare Die Teeth				
	15 mm	गोटा	५८९.००	५८९.००	५८९.००
	20 mm	गोटा	५८९.००	५८९.००	५८९.००
	25 mm	गोटा	५८९.००	५८९.००	५८९.००
	32 mm	गोटा	९३५.००	९३५.००	९३५.००
	40 mm	गोटा	१५९८.००	१५९८.००	१५९८.००
	50 mm	गोटा	१६१५.००	१६१५.००	१६१५.००
	65 mm	गोटा	१८६९.००	१८६९.००	१८६९.००
	80 mm	गोटा	२०९६.००	२०९६.००	२०९६.००
28	Telflon Cover				
	5'x5'	गोटा	३१२.००	३१२.००	३१२.००
	7'x7'	गोटा	४२५.००	४२५.००	४२५.००
29	Telflon Cloth	र.मि	३४२८.००	३४२८.००	३४२८.००
30	Telflon Tape 10 mm	रोल	१८.००	१८.००	१८.००
31	Thermochrome Crayon				
	Indian	गोटा	७६५.००	७६५.००	७६५.००
32	Tool Box (14"x8"x22")	गोटा	२१०२.००	२१०२.००	२१०२.००

मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	जिल्ला एकाई	मु.अ.क बाहेकको दररेट		
			बबस्ती: ०७६१०७७,	आ.व.०७७/७८	आ.व.०७८/७९
	<b>C.I. Manhole Cover including frame.</b>				
१	<b>Square Frame Medium Duty</b>				
	i) 10" x 10" (4 Kg.)	सेट	६२६	६२६	६२६
	ii) 12" x 12" (5 Kg.)	सेट	७७४	७७४	७७४
	iii) 14" x 14" (7 Kg.)	सेट	११५६	११५६	११५६
	v) 16" x 16" (10 Kg.)	सेट	१५४९	१५४९	१५४९
	vi) 18" x 18" (14 Kg.)	सेट	२४०८	२४०८	२४०८
	viii) 20" x 20" (16 Kg.)	सेट	२७९६	२७९६	२७९६
	ix) 22" x 22" (20 Kg.)	सेट	३१०८	३१०८	३१०८
	x) 24" x 24" (24 Kg.)	सेट	४३९८	४३९८	४३९८
	xi) 27" x 27" (31 Kg.)	सेट	५४४२	५४४२	५४४२
२	<b>Square Frame Heavy Duty</b>				
	iii) 14" x 14" (14 Kg.)	सेट	२३५५	२३५५	२३५५
	viii) 20" x 20" (16 Kg.)		३८४०	३८४०	३८४०
	ix) 22" x 22" (22 Kg.)	सेट	५२५१	५२५१	५२५१
	xi) 27" x 27" (45 Kg.)	सेट	७५११	७५११	७५११
३	<b>Rounded Manhole Cover</b>				
	Round Manhole cover medium 450mm(22")		४१५९	४१५९	४१५९
	Round Manhole cover Heavy 450mm(22")		८२०१	८२०१	८२०१
	Round Manhole cover medium 500 mm(24")		६५४६	६५४६	६५४६
	Round Manhole cover Heavy 500 mm(24")		९७९२	९७९२	९७९२
	<b>Rounded Manhole Cover with square frame</b>				
	i) 18" dia. with square frame (60 Kg.)	सेट	९३१५	९३१५	९३१५
	ii) 20" dia. with square frame (70 Kg.)	..	१०८६४	१०८६४	१०८६४
	iii) 20" dia. with square frame (100 Kg.)	..	१५५२१	१५५२१	१५५२१
	iv) 22" dia. Medium class. (125 Kg.)	..	१९४९९	१९४९९	१९४९९
	v) 22" dia. Heavy class. (208Kg.)	..	३२३४७	३२३४७	३२३४७
	vi) 24" dia. Medium class. (70 Kg.)	..	१११७१	१११७१	१११७१
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	..	१३४८४	१३४८४	१३४८४
	viii) 24" with square frame (IS:1726 ) (70 Kg.)	..	१०९१७	१०९१७	१०९१७
	ix) 26"with square frame (IS:1726 ) (85 Kg.)	..	१३२६१	१३२६१	१३२६१
	xi) 28" with square frame (IS:1726 ) (116 Kg.)	..	१८३०१	१८३०१	१८३०१
	x) 30" with square frame (IS:1726 ) (100 Kg.)		१५५९५	१५५९५	१५५९५
	xi) 30" with square frame (IS:1726 ) (116 Kg.)		१८३०१	१८३०१	१८३०१
	xi) 32" with square frame (IS:1726 ) (208Kg.)		३२३४७	३२३४७	३२३४७
४	<b>C.I. Tank Cover Locking Types- Round</b>				
	18" (8 Kg.)	सेट	१७९३	१७९३	१७९३

## मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			भा.नं. ०७६।०७७,	बा.नं. ०७७।०७८	भा.नं. ०७८।०७९
	20" (12 Kg.)	"	२६३०	२६३०	२६३०
	22" (14 Kg.)	"	२९८७	२९८७	२९८७
	24" (16 Kg.)	"	३५८५	३५८५	३५८५
	28" (24 Kg.)	"	५३७८	५३७८	५३७८
५	<b>C.I. Tank Cover Locking Types- Rectangular</b>				
	18" x 18" (13 Kg.)	सेट	२९८७	२९८७	२९८७
	24" x 24" (50 Kg.)	सेट	१०७५५	१०७५५	१०७५५
	18" x 24" (27 Kg.)	सेट	५९७६	५९७६	५९७६
६	<b>C.I. Gully Gratings &amp; Jali strip-Medium Duty</b>				
	4"	सेट	१०७	१०७	१०७
	5"	सेट	१४३	१४३	१४३
	6"	सेट	१९१	१९१	१९१
	10"	सेट	६५७	६५७	६५७
७	<b>C.I. Gully Gratings &amp; Jali Strip- Medium Duty</b>				
	4" x 4"	सेट	९५	९५	९५
	5" x 5"	सेट	१२०	१२०	१२०
	6" x 6"	सेट	१४३	१४३	१४३
	9" x 9"	सेट	४१८	४१८	४१८
	10" x 10"	सेट	५३८	५३८	५३८
	12" x 12"	सेट	७७७	७७७	७७७
८	<b>C.I. Gully Gratings</b>				
	i) 15" x 18" Medium (18 Kg.)	सेट	३९४४	३९४४	३९४४
	ii) 15" x 18" Heavy (25 Kg.)	सेट	५३७८	५३७८	५३७८
९	<b>Grit Cover</b> - फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१७४	१७४	१७४
१०	<b>Aluminum Grating 4" dia.</b>	गोटा	४५	४५	४५
११	<b>SMC Manhole Cover</b>				
	Frame 880mm,cover 700mm,Round,50 Tons Frame 90 mm th.cover 60 mm th	गोटा	२५२२१	२५२२१	२५२२१
	Frame 725mm,cover 600mm,Round,40 Tons Frame 90 mm th.cover 60 mm th	गोटा	१७२५७	१७२५७	१७२५७
	Frame 725mm,cover 600mm,Round,10 Tons Frame 90 mm th.cover 60 mm th	गोटा			१८३००
	Frame 670mm,cover 570mm,Round,30 Tons Frame 45 mm th.cover 25 mm th	गोटा	९२९२	९२९२	९२९२
	Frame 670mm,cover 570mm,Square, Jali, 5 Tons Frame 45 mm th.cover 25 mm th	गोटा			१२२७०
	Frame 670mm,cover 625mm,Square,Overlapping 50 Tons Capacity	गोटा			२००००
	Frame 570mm,cover 475mm,Square, 5 Tons Capacity	गोटा			७८५०

मेनहोल कभरहरु



नेपाल सरकार  
जिल्ला प्रशासन कार्यालय  
काठमाण्डु

सि.नं.	सामग्रीहरुको विवरण	एकाई	बाहिर्को दररेट		
			आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७८/७९
	Frame 570mm,cover 475mm,Square, 2 Tons Capacity	गोटा			६७३०
	Frame 570mm,cover 475mm,Square, 15 Tons Capacity	गोटा			१२०००
	Frame 400mm,cover 300mm,Square,7.5 Tons Frame 60 mm th.cover 40 mm th	गोटा	४७७९	४७७९	४७७९
	Frame 400mm,cover 300mm,Square,5 Tons Frame 40 mm th.cover 20 mm th	गोटा	२४७८	२४७८	२४७८
	Frame 670mm,cover 625mm,Square,50 Tons Frame 45mm th.cover 40 mm th	गोटा	१७६९९	१७६९९	१७६९९
	Frame 670mm,cover 620mm,Square Net,5 Tons Frame 45mm th.cover 28 mm th	गोटा	९२०४	९२०४	९२०४
	Frame 580mm,cover 460mm,Square,5 Tons Frame 40 mm th.cover 22 mm th	गोटा	५७५२	५७५२	५७५२

*[Signature]*

*[Signature]*


*[Signature]*

*[Signature]*

*[Signature]*




## RCC Ring and Boring Work



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु. अ. क. मन्त्रालय जिल्ला माहसुल कार्यालय, काठमाण्डौ		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
१	<b>RCC Ring for well and Toilets</b>				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६१५.००	६१५.००	६१५.००
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	७६२.००	७६२.००	७६२.००
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	८८६.००	८८६.००	८८६.००
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	११७३.००	११७३.००	११७३.००
२	<b>RCC cover</b>				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१८५८.००	१८५८.००	१८५८.००
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२४६०.००	२४६०.००	२४६०.००
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	२६९९.००	२६९९.००	२६९९.००
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	३२२४.००	३२२४.००	३२२४.००
४	<b>Drilling of tube well by DTH Method</b>				
	Drilling of holecin all formation (6 inch)	मी.	५६२३.००	५६२३.००	५६२३.००
	Drilling of holecin all formation (8 inch)	मी.	६५७८.००	६५७८.००	६५७८.००

## Multilayer Composite Pipe



सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	आ. व. २०७८/७९ को दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
१	<b>Cold Water Pipe (White)</b>				
	12-16 mm ½"	र.मि	१०१.००	१०१.००	१०१.००
	14-18 mm ½"	र.मि	१११.००	१११.००	१११.००
	16-20 mm ½"	र.मि	११९.००	११९.००	११९.००
	20-25 mm ¾"	र.मि	१८०.००	१८०.००	१८०.००
	26-32 mm 1"	र.मि	२८१.००	२८१.००	२८१.००
	32-40 mm 1¼"	र.मि	४४६.००	४४६.००	४४६.००
	41-50 mm 1½"	र.मि	६५३.००	६५३.००	६५३.००
२	<b>Hot Water Pipe (Orange)</b>				
	12-16 mm ½"	र.मि	१११.००	१११.००	१११.००
	14-18 mm ½"	र.मि	१२३.००	१२३.००	१२३.००
	16-20 mm ½"	र.मि	१४१.००	१४१.००	१४१.००
	20-25 mm ¾"	र.मि	२०८.००	२०८.००	२०८.००
	26-32 mm 1"	र.मि	३०२.००	३०२.००	३०२.००
	32-40 mm 1¼"	र.मि	४६५.००	४६५.००	४६५.००
३	<b>Gas Lines Pipe (Yellow)</b>				
	12-16 mm ½"	र.मि	८७.००	८७.००	८७.००
	14-18 mm ½"	र.मि	८७.००	८७.००	८७.००
४	<b>MULTILAYER COMPOSITE Fittings</b>				
	<b>a. Equal Straight Union</b>				
	½"ø (16mm ø)	गोटा	१३३.००	१३३.००	१३३.००
	½"ø (18mm ø)	गोटा	१४०.००	१४०.००	१४०.००
	½"ø (20mm ø)	गोटा	१५४.००	१५४.००	१५४.००
	¾"ø (25 mm ø)	गोटा	२२५.००	२२५.००	२२५.००
	1"ø (32 mm ø)	गोटा	३५१.००	३५१.००	३५१.००
	1¼"ø (40 mm ø)	गोटा	१२९६.००	१२९६.००	१२९६.००
	1½"ø (50 mm ø)	गोटा	१९५८.००	१९५८.००	१९५८.००
	<b>b. Unequal Straight Union</b>				
	25 - 16 mm ø	गोटा	२५२.००	२५२.००	२५२.००
	25 - 18 mm ø	गोटा	२६१.००	२६१.००	२६१.००
	25 - 20 mm ø	गोटा	२७५.००	२७५.००	२७५.००
	32 - 16 mm ø	गोटा	३३८.००	३३८.००	३३८.००
	32 - 18 mm ø	गोटा	३५६.००	३५६.००	३५६.००
	32 - 20 mm ø	गोटा	३८३.००	३८३.००	३८३.००
	32 - 25 mm ø	गोटा	४१०.००	४१०.००	४१०.००
	40 - 32 mm ø	गोटा	११२१.००	११२१.००	११२१.००
	50 - 20 mm ø	गोटा	१६३४.००	१६३४.००	१६३४.००
	50 - 32 mm ø	गोटा	१९५८.००	१९५८.००	१९५८.००
	50 - 40 mm ø	गोटा	१८४५.००	१८४५.००	१८४५.००
	<b>c. Male Union</b>				
	16mm x ½"M	गोटा	९५.००	९५.००	९५.००
	18mm x ½"M	गोटा	११०.००	११०.००	११०.००
	20mm x ½"M	गोटा	१२६.००	१२६.००	१२६.००

Page 188

## Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	25mm x 1/2"M	गोटा	१५३.००	१५३.००	१५३.००
	25mm x 3/4"M	गोटा	१९४.००	१९४.००	१९४.००
	25mm x 1"M	गोटा	२४८.००	२४८.००	२४८.००
	32mm x 3/4"M	गोटा	२८४.००	२८४.००	२८४.००
	32mm x 1"M	गोटा	३११.००	३११.००	३११.००
	32mm x 1 1/2"M	गोटा	३१५.००	३१५.००	३१५.००
	40mm x 1"M	गोटा	९९५.००	९९५.००	९९५.००
	40mm x 1 1/2"M	गोटा	१०३०.००	१०३०.००	१०३०.००
	50mm x 1"M	गोटा	१५६३.००	१५६३.००	१५६३.००
	50mm x 1 1/4"M	गोटा	१५९०.००	१५९०.००	१५९०.००
	50mm x 1 1/2"M	गोटा	२१६०.००	२१६०.००	२१६०.००
	50mm x 2"M	गोटा	१६२३.००	१६२३.००	१६२३.००
<b>d. Female Straight Union</b>					
	16mm x 1/2"F	गोटा	१०४.००	१०४.००	१०४.००
	18mm x 1/2"F	गोटा	११३.००	११३.००	११३.००
	20mm x 1/2"F	गोटा	१२२.००	१२२.००	१२२.००
	25mm x 1/2"F	गोटा	१६२.००	१६२.००	१६२.००
	25mm x 3/4"F	गोटा	१९४.००	१९४.००	१९४.००
	25mm x 1"F	गोटा	१९८.००	१९८.००	१९८.००
	32mm x 1/2"F	गोटा	२०३.००	२०३.००	२०३.००
	32mm x 3/4"F	गोटा	२०७.००	२०७.००	२०७.००
	32mm x 1"F	गोटा	२९३.००	२९३.००	२९३.००
	40mm x 1 1/2"F	गोटा	११६८.००	११६८.००	११६८.००
	50mm x 1 1/4"F	गोटा	१५७५.००	१५७५.००	१५७५.००
	50mm x 1 1/2"F	गोटा	२१६०.००	२१६०.००	२१६०.००
	50mm x 2"F	गोटा	१६३८.००	१६३८.००	१६३८.००
<b>e. Equal Elbow</b>					
	1/2"Ø (16mm Ø)	गोटा	१२६.००	१२६.००	१२६.००
	1/2"Ø (18mm Ø)	गोटा	१५३.००	१५३.००	१५३.००
	1/2"Ø (20mm Ø)	गोटा	२०७.००	२०७.००	२०७.००
	3/4"Ø (25mm Ø)	गोटा	३१५.००	३१५.००	३१५.००
	1"Ø (32mm Ø)	गोटा	५०९.००	५०९.००	५०९.००
	1 1/2"Ø (40mm Ø)	गोटा	१६५६.००	१६५६.००	१६५६.००
	1 1/2"Ø (50mm Ø)	गोटा	२५६५.००	२५६५.००	२५६५.००
<b>f. Unequal Elbow</b>					
	40 - 32 mm Ø	गोटा	१८३६.००	१८३६.००	१८३६.००
	50 - 20 mm Ø	गोटा	२११५.००	२११५.००	२११५.००
	50 - 40 mm Ø	गोटा	२१५६.००	२१५६.००	२१५६.००
<b>g. Female Elbow</b>					
	16mm x 1/2"F	गोटा	१६७.००	१६७.००	१६७.००
	18mm x 1/2"F	गोटा	१८५.००	१८५.००	१८५.००
	20mm x 1/2"F	गोटा	२०३.००	२०३.००	२०३.००
	25mm x 1/2"F	गोटा	२२५.००	२२५.००	२२५.००
	25mm x 3/4"F	गोटा	२७९.००	२७९.००	२७९.००

## Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. स्तहिकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	25mm x 1"F	गोटा	३०६.००	३०६.००	३०६.००
	32mm x ¾"F	गोटा	३२९.००	३२९.००	३२९.००
	32mm x 1"F	गोटा	४१०.००	४१०.००	४१०.००
	50mm x 1½"F	गोटा	२११५.००	२११५.००	२११५.००
<b>h. Male Elbow</b>					
	25mm x ¾"M	गोटा	२२५.००	२२५.००	२२५.००
	25mm x 1"M	गोटा	२९३.००	२९३.००	२९३.००
	32mm x ¾"M	गोटा	२२९.००	२२९.००	२२९.००
	32mm x 1"M	गोटा	३७४.००	३७४.००	३७४.००
	40mm x 1"M	गोटा	१२१५.००	१२१५.००	१२१५.००
	50mm x 1"M	गोटा	१७३२.००	१७३२.००	१७३२.००
<b>i. Equal Tee</b>					
	½"Ø (16mm Ø)	गोटा	२२५.००	२२५.००	२२५.००
	½"Ø (18mm Ø)	गोटा	२५२.००	२५२.००	२५२.००
	½"Ø (20mm Ø)	गोटा	३१५.००	३१५.००	३१५.००
	¾" Ø (25 mm Ø)	गोटा	४५५.००	४५५.००	४५५.००
	1" Ø (32 mm Ø)	गोटा	७११.००	७११.००	७११.००
	1½" Ø (40 mm Ø)	गोटा	२६५८.००	२६५८.००	२६५८.००
	1½" Ø (50 mm Ø)	गोटा	३८८४.००	३८८४.००	३८८४.००
<b>j. Unequal Tee</b>					
	20 mm x 16 mm x 20 mm	गोटा	२०३.००	२०३.००	२०३.००
	20 mm x 18 mm x 20 mm	गोटा	२२५.००	२२५.००	२२५.००
	25 mm x 16 mm x 25 mm	गोटा	३३८.००	३३८.००	३३८.००
	25 mm x 18 mm x 25 mm	गोटा	३८३.००	३८३.००	३८३.००
	25 mm x 20 mm x 25 mm	गोटा	३९६.००	३९६.००	३९६.००
	32 mm x 16 mm x 32 mm	गोटा	६५३.००	६५३.००	६५३.००
	32 mm x 18 mm x 32 mm	गोटा	६७५.००	६७५.००	६७५.००
	32 mm x 20 mm x 32 mm	गोटा	७०२.००	७०२.००	७०२.००
	32 mm x 25 mm x 32 mm	गोटा	७२०.००	७२०.००	७२०.००
	40 mm x 32 mm x 32 mm	गोटा	१९६७.००	१९६७.००	१९६७.००
	40 mm x 32 mm x 40 mm	गोटा	२२७८.००	२२७८.००	२२७८.००
	50 mm x 20 mm x 50 mm	गोटा	३१०५.००	३१०५.००	३१०५.००
	50 mm x 32 mm x 32 mm	गोटा	२०४७.००	२०४७.००	२०४७.००
	50 mm x 32 mm x 50 mm	गोटा	३१३७.००	३१३७.००	३१३७.००
	50 mm x 40 mm x 40 mm	गोटा	३१४७.००	३१४७.००	३१४७.००
	50 mm x 40 mm x 50 mm	गोटा	३५९५.००	३५९५.००	३५९५.००
<b>k. Female Tee</b>					
	16mm x ½"F x 16mm	गोटा	२२५.००	२२५.००	२२५.००
	18mm x ½"F x 18mm	गोटा	२३४.००	२३४.००	२३४.००
	20mm x ½"F x 20mm	गोटा	२५२.००	२५२.००	२५२.००
	25mm x ½"F x 25mm	गोटा	२३७.००	२३७.००	२३७.००
	25mm x ¾"F x 25mm	गोटा	२६९.००	२६९.००	२६९.००
	25mm x 1"F x 25mm	गोटा	३३८.००	३३८.००	३३८.००

## Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	बाहेकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	32mm x 1/2"F x 32mm	गोटा	३६५.००	३६५.००	३६५.००
	32mm x 3/4"F x 32mm	गोटा	३७४.००	३७४.००	३७४.००
	32mm x 1"F x 32mm	गोटा	५०७.००	५०७.००	५०७.००
	40mm x 3/4"F x 32mm	गोटा	१४९६.००	१४९६.००	१४९६.००
	50mm x 3/4"F x 40mm	गोटा	२२१९.००	२२१९.००	२२१९.००
<b>i. Equal Ball Valve Union</b>					
	1/2"Ø (16mm Ø)	गोटा	२६२.००	२६२.००	२६२.००
	1/2"Ø (18mm Ø)	गोटा	२९१.००	२९१.००	२९१.००
	1/2"Ø (20mm Ø)	गोटा	३८३.००	३८३.००	३८३.००
	3/4" Ø (25 mm Ø)	गोटा	६३५.००	६३५.००	६३५.००
	1" Ø (32 mm Ø)	गोटा	८८२.००	८८२.००	८८२.००
	1 1/4" Ø (40 mm Ø)	गोटा	२८८२.००	२८८२.००	२८८२.००
	1 1/2" Ø (50 mm Ø)	गोटा	४१५९.००	४१५९.००	४१५९.००
<b>m. Female Ball Valve Union</b>					
	16mm x 1/2"F	गोटा	२४४.००	२४४.००	२४४.००
	18mm x 1/2"F	गोटा	२८०.००	२८०.००	२८०.००
	20mm x 1/2"F	गोटा	३१३.००	३१३.००	३१३.००
	20mm x 3/4"F	गोटा	३५१.००	३५१.००	३५१.००
	25mm x 3/4"F	गोटा	६५३.००	६५३.००	६५३.००
	25mm x 1"F	गोटा	६६६.००	६६६.००	६६६.००
	32mm x 1"F	गोटा	७०२.००	७०२.००	७०२.००
<b>n. Plug</b>					
	1 1/4" Ø (40 mm Ø)	गोटा	१४४०.००	१४४०.००	१४४०.००
	1 1/2" Ø (50 mm Ø)	गोटा	१९८०.००	१९८०.००	१९८०.००
<b>p. Wall Plated Female Elbow</b>					
	16mm x 1/2"F	गोटा	१८९.००	१८९.००	१८९.००
	18mm x 1/2"F	गोटा	२०७.००	२०७.००	२०७.००
	20mm x 1/2"F	गोटा	२२५.००	२२५.००	२२५.००
<b>Nipple</b>					
	N 1/2F*1/2F	गोटा	४९.००	४९.००	४९.००
	N 1/2M*1/2M	गोटा	४९.००	४९.००	४९.००
	N 3/4F*1/2F	गोटा	६८.००	६८.००	६८.००
	N 1F*1/2F	गोटा	७७.००	७७.००	७७.००
	N 1F*3/4F	गोटा	८७.००	८७.००	८७.००
	N 3/4M*1/2M	गोटा	६८.००	६८.००	६८.००
	N 1M*1/2M	गोटा	७७.००	७७.००	७७.००
	N 1M*3/4M	गोटा	८७.००	८७.००	८७.००
	N 1/2F*1/2M	गोटा	५९.००	५९.००	५९.००
	N 1/2F*3/4M	गोटा	६८.००	६८.००	६८.००
	N 1/2F*1M	गोटा	१०७.००	१०७.००	१०७.००
	N 1/2M*3/4F	गोटा	६८.००	६८.००	६८.००
	N 1/2M*1F	गोटा	११२.००	११२.००	११२.००
	N 3/4F*3/4M	गोटा	८७.००	८७.००	८७.००
	N 3/4F*1M	गोटा	९६.००	९६.००	९६.००

### Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क्र. बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
	N 3/4M*1F	गोटा	१२७.००	१२७.००	१२७.००


*[Handwritten signature]*

*[Handwritten signatures and initials]*

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सामग्रीको दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
१	<b>140 mm Dia.</b>				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	१५९.००	१५९.००	१५९.००
	JOINT BRACKET To connect two lengths of roof water	गोटा	२५७.००	२५७.००	२५७.००
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	३५२.००	३५२.००	३५२.००
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°. normally at the corners.	गोटा	४३२.००	४३२.००	४३२.००
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°. and also provide an outlet for water which is connected with down line pipe.	गोटा	४३२.००	४३२.००	४३२.००
	SHORT STOP END To close the end of roof water pipe line.	गोटा	९५.००	९५.००	९५.००
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	३०५.००	३०५.००	३०५.००
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	७७.००	७७.००	७७.००
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	५०.००	५०.००	५०.००
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	३२.००	३२.००	३२.००
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	७७.००	७७.००	७७.००
	RUBBER GASKET To provide leak proof joints.	गोटा	३०.००	३०.००	३०.००
२	<b>75 mm dia.</b>				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६३.००	६३.००	६३.००
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	३८.००	३८.००	३८.००
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	१२६.००	१२६.००	१२६.००
	<b>180 mm dia.</b>				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	३०२.००	३०२.००	३०२.००

## Rainwater Collection System



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सुख, समृद्धि, बाहेकको दररेट		
			आ.व.०७६/०७७	आ.व.०७७/७८	आ.व.०७८/७९
	<b>JOINT BRACKET</b> To connect two lengths of roof water	गोटा	३५८.००	३५८.००	३५८.००
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	५१८.००	५१८.००	५१८.००
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	५९२.००	५९२.००	५९२.००
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	५९२.००	५९२.००	५९२.००
	<b>SHORT STOP END</b> To close the end of roof water pipe line.	गोटा	१४०.००	१४०.००	१४०.००
	<b>STOP END OUTLET</b> To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	४२४.००	४२४.००	४२४.००
	<b>SUPPORT BRACKET</b> To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	१०८.००	१०८.००	१०८.००
	<b>TOP BRACKET</b> To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	९१.००	९१.००	९१.००
	<b>CLAMP</b> To ensure perfect fixing between pipe and fittings.	गोटा	५१.००	५१.००	५१.००
	<b>RAFTER BRACKETS (TOP/SIDE)</b> To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	११०.००	११०.००	११०.००
	<b>RUBBER GASKET</b> To provide leak proof joints.	गोटा	४१.००	४१.००	४१.००
३	<b>110 mm dia.</b>				
	<b>PIPE CLIP</b> To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	६८.००	६८.००	६८.००
	<b>RUBBER SEALS</b> To ensure, leak proof joint of single socket elbow.	गोटा	४४.००	४४.००	४४.००
	<b>SINGLE SOCKET ELBOW</b> To join the roof water outlet with down line pipe.	गोटा	२४३.००	२४३.००	२४३.००
४	<b>250 mm dia.</b>				
	<b>ROOF WATER PIPES (HALF ROUND)</b> To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	५८५.००	५८५.००	५८५.००
	<b>JOINT BRACKET</b> To connect two lengths of roof water	गोटा	६१४.००	६१४.००	६१४.००



## Rainwater Collection System



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	बाहेकको दररेट		
			आ. व. ०७७/७८	आ. व. ०७८/७९	आ. व. ०७९/८०
	<b>RUNNING OUTLET</b> To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	९६५.००	९६५.००	९६५.००
	<b>90° ELBOW (without outlet)</b> To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	१३८७.००	१३८७.००	१३८७.००
	<b>90° ELBOW (with outlet)</b> To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	१३८७.००	१३८७.००	१३८७.००
	<b>SHORT STOP END</b> To close the end of roof water pipe line.	गोटा	३०२.००	३०२.००	३०२.००
	<b>STOP END OUTLET</b> To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	८०२.००	८०२.००	८०२.००
	<b>SUPPORT BRACKET</b> To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	३००.००	३००.००	३००.००
	<b>TOP BRACKET</b> To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	१६४.००	१६४.००	१६४.००
	<b>CLAMP</b> To ensure perfect fixing between pipe and fittings.	गोटा	१२२.००	१२२.००	१२२.००
	<b>RAFTER BRACKETS (TOP/SIDE)</b> To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	३१८.००	३१८.००	३१८.००
	<b>RUBBER GASKET</b> To provide leak proof joints.	गोटा	१६६.००	१६६.००	१६६.००
५	<b>160 mm dia.</b>				
	<b>PIPE CLIP</b> To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	८२.००	८२.००	८२.००
	<b>RUBBER SEALS</b> To ensure, leak proof joint of single socket elbow.	गोटा	१९९.००	१९९.००	१९९.००
	<b>SINGLE SOCKET ELBOW</b> To join the roof water outlet with down line pipe.	गोटा	४३७.००	४३७.००	४३७.००
	<b>ASTRAL "DWV" UPVC DRAIN, WASTE &amp; VENT SYSTEM and Ashirvad SWR Systems</b>				
	<b>ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY</b>				
	<b>FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm</b>	र.मि	२४७.००	२४७.००	२४७.००
	<b>FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8</b>	र.मि	४३८.००	४३८.००	४३८.००
	<b>FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4</b>	र.मि	२६२.००	२६२.००	२६२.००


## Rainwater Collection System



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सुदूरपश्चिम प्रदेश सरकार काठमाण्डौ सुदूरपश्चिम प्रदेशको दररेट		
			आ.व. ०७६/०७७	आ.व. ०७७/७८	आ.व. ०७८/७९
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	४७०.००	४७०.००	४७०.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	४४७.००	४४७.००	४४७.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६७३.००	६७३.००	६७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	४७३.००	४७३.००	४७३.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	६९६.००	६९६.००	६९६.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	९५९.००	९५९.००	९५९.००
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	११९६.००	११९६.००	११९६.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	१०२२.००	१०२२.००	१०२२.००
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	१३५०.००	१३५०.००	१३५०.००
	<b>ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY</b>				
	DWV Bend 45 Degree 75 mm size	गोटा	१४०.००	१४०.००	१४०.००
	DWV Bend 87.5 Degree	गोटा	१७७.००	१७७.००	१७७.००
	DWV Bend 87.5 Degree with Door	गोटा	८१.००	८१.००	८१.००
	DWV Socket Plug	गोटा	१८९.००	१८९.००	१८९.००
	DWV Cleansing Pipe	गोटा	११४.००	११४.००	११४.००
	DWV Coupler	गोटा	२०२.००	२०२.००	२०२.००
	DWV Single Tee	गोटा	२२२.००	२२२.००	२२२.००
	DWV Single Tee with Door	गोटा	३४९.००	३४९.००	३४९.००
	DWV Cross Tee	गोटा	४९१.००	४९१.००	४९१.००
	DWV Cross Tee with Door	गोटा	३६१.००	३६१.००	३६१.००
	DWV Double 'Y'	गोटा	४८१.००	४८१.००	४८१.००
	DWV Double 'Y' with Door	गोटा	२२६.००	२२६.००	२२६.००
	DWV Single 'Y'	गोटा	२८८.००	२८८.००	२८८.००
	DWV Single 'Y' with Door	गोटा	१२.००	१२.००	१२.००
	DWV Pipe Clip	गोटा	२५.००	२५.००	२५.००
	DWV Vent Cowel	गोटा	२३०.००	२३०.००	२३०.००
	DWV Bend 45 Degree 110mm size	गोटा	२८२.००	२८२.००	२८२.००
	DWV Bend 87.5 Degree	गोटा	३२३.००	३२३.००	३२३.००
	DWV Bend 87.5 Degree with Door	गोटा	१०३.००	१०३.००	१०३.००
	DWV Socket Plug	गोटा	३७०.००	३७०.००	३७०.००
	DWV Cleansing Pipe	गोटा	२०६.००	२०६.००	२०६.००
	DWV Coupler	गोटा	६८४.००	६८४.००	६८४.००
	DWV Double 'Y'	गोटा	८०८.००	८०८.००	८०८.००
	DWV Double 'Y' with Door	गोटा	५६६.००	५६६.००	५६६.००
	DWV Cross Tee	गोटा	६४२.००	६४२.००	६४२.००
	DWV Cross Tee with Door	गोटा	३७०.००	३७०.००	३७०.००

Page 196

## Rainwater Collection System



सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	वबरमहल मु. अ. क बाहेकको दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	DWV Single Tee	गोटा	४३७.००	४३७.००	४३७.००
	DWV Single Tee with Door	गोटा	४५३.००	४५३.००	४५३.००
	DWV Single 'Y'	गोटा	४७५.००	४७५.००	४७५.००
	DWV Single 'Y' with Door	गोटा	४७.००	४७.००	४७.००
	DWV Vent Cowel	गोटा	१६१.००	१६१.००	१६१.००
	DWV Reducer 110*75 mm	गोटा	३६.००	३६.००	३६.००
	DWV Pipe Clip 110mm size	गोटा	४३६.००	४३६.००	४३६.००
	DWV W.C. Connectore (Straight type)	गोटा	३४८.००	३४८.००	३४८.००
	DWV W.C. Connectore (Bend type)	गोटा	१७४.००	१७४.००	१७४.००
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	२४.००	२४.००	२४.००
	DWV Nahani Trap Jali	गोटा	५३९.००	५३९.००	५३९.००
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	७७३.००	७७३.००	७७३.००
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	२३२.००	२३२.००	२३२.००
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	४७०.००	४७०.००	४७०.००
	DWV Reducer 60*110 mm	गोटा	४४९.००	४४९.००	४४९.००
	DWV Coupler 160mm size	गोटा	१०७७.००	१०७७.००	१०७७.००
	DWV Single Tee	गोटा	११५७.००	११५७.००	११५७.००
	DWV Single Tee with Door	गोटा	२०१६.००	२०१६.००	२०१६.००
	DWV Single 'Y'	गोटा	२११८.००	२११८.००	२११८.००
	DWV Single 'Y' with Door	गोटा	७४२.००	७४२.००	७४२.००
	DWV Bend 87.5 Degree	गोटा	९८८.००	९८८.००	९८८.००
	DWV Bend 87.5 Degree with Door	गोटा	८६४.००	८६४.००	८६४.००
६	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	५८४.००	५८४.००	५८४.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	६०६.००	६०६.००	६०६.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	६३०.००	६३०.००	६३०.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	५९३.००	५९३.००	५९३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	६०४.००	६०४.००	६०४.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	१०७८.००	१०७८.००	१०७८.००
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	११२०.००	११२०.००	११२०.००
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	११६३.००	११६३.००	११६३.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१०९६.००	१०९६.००	१०९६.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१११६.००	१११६.००	१११६.००
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	१६८८.००	१६८८.००	१६८८.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१७१८.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	१७४६.००	१७४६.००	१७४६.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२८०१.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२८४९.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	२८९९.००	२८९९.००	२८९९.००
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	३७०९.००	३७०९.००	३७०९.००

Page 197

## Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व. ०७८/७९ को दररेट		
			आ. व. ०७६/०७७	आ. व. ०७७/७८	आ. व. ०७८/७९
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३७७३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	३८३८.००
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४५८३.००
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४६६३.००
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४७४३.००
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	५८३.००	५८३.००	५८३.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	५९८.००	५९८.००	५९८.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	६१३.००	६१३.००	६१३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	५९४.००	५९४.००	५९४.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	६०५.००	६०५.००	६०५.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१०७७.००	१०७७.००	१०७७.००
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	११०९.००	११०९.००	११०९.००
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	११३९.००	११३९.००	११३९.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१०९७.००	१०९७.००	१०९७.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१११६.००	१११६.००	१११६.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	१६८८.००	१६८८.००	१६८८.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	१७१८.००	१७१८.००	१७१८.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	१७४७.००	१७४७.००	१७४७.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	२८०१.००	२८०१.००	२८०१.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	२८४९.००	२८४९.००	२८४९.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	२८९८.००	२८९८.००	२८९८.००
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	३७०९.००	३७०९.००	३७०९.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	३७७३.००	३७७३.००	३७७३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	३८३८.००	३८३८.००	३८३८.००
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	४५८३.००	४५८३.००	४५८३.००
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	४६६३.००	४६६३.००	४६६३.००
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	४७४३.००	४७४३.००	४७४३.००
७	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>				
	DWV Coupler SN-8 110mm	गोटा	२९४.००	२९४.००	२९४.००
	DWV Coupler SN-4 160 mm	गोटा	७०८.००	७०८.००	७०८.००
	DWV Coupler SN-4 200 mm	गोटा	१४४७.००	१४४७.००	१४४७.००
	DWV Coupler SN-4 250 mm	गोटा	२६९७.००	२६९७.००	२६९७.००
	DWV Coupler SN-2 315mm	गोटा	४३३८.००	४३३८.००	४३३८.००
	DWV Coupler SN-4 315 mm	गोटा	४७३६.००	४७३६.००	४७३६.००
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	१००१.००	१००१.००	१००१.००
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	२७८७.००	२७८७.००	२७८७.००
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	५२०५.००	५२०५.००	५२०५.००
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	११६६८.००	११६६८.००	११६६८.००
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	२७७०५.००	२७७०५.००	२७७०५.००

सिचाई संबन्धि कार्य

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकैडरको दररेट			
		आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९	
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५०.००	१५०.००	१५०.००
२	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to 7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३०.००	३०.००	३०.००
३	<b>SPRINKLERS &amp; ACCESSORIES</b>				
	Unispray	गोटा	६६०.००	६६०.००	६६०.००
	Providing of Pop up spray head having and two piece stem ratchet ( 0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	१२००.००	१२००.००	१२००.००
	Providing of Shrub spray head having variable adjustable arc ( 0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	१२००.००	१२००.००	१२००.००
	Gear rotors 5004	गोटा	३१००.००	३१००.००	३१००.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2 The fittings shall be made of UV resistant thermo plastic.SA Series	गोटा	३९०.००	३९०.००	३९०.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic SA	गोटा	४८०.००	४८०.००	४८०.००
	Providing and fixing of HDPE service saddle of varying size	गोटा	८५०.००	८५०.००	८५०.००
४	<b>VALVES &amp; ACCESSORIES</b>				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३८००.००	३८००.००	३८००.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२१००.००	२१००.००	२१००.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७५००.००	७५००.००	७५००.००
	6"Round box.	गोटा	१२५०.००	१२५०.००	१२५०.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१३५००.००	१३५००.००	१३५००.००
	Key threads into top of QCV to provide water access 33DK	गोटा	९७५०.००	९७५०.००	९७५०.००


**Plastic Dustbin, Compost-Bin, Planter & Road-Divider**

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	वेक्टर प्रमत्त अ. व. बाहिकको दररेट		
			आ. व. ०७६/७७	आ. व. ०७७/७८	आ. व. ०७८/७९
१	LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा			३०००.००
२	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा			४०००.००
३	LLDPE PLASTIC LARGE WHEEL DUSTBIN (परागावाला चार्ज डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा			७०००.००
४	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (परागावाला एक्स्ट्रा चार्ज डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा			८०००.००
५	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा			६०००.००
६	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा			८०००.००
७	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित) BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा			४०००.००
८	LLDPE ROAD-DIVIDER - SMALL ( रोड डिभाइडर , सानो साइज ) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा			३०००.००
९	LLDPE ROAD-DIVIDER - LARGE ( रोड डिभाइडर, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा			१६५००.००
१०	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP , WITH HOLES FOR DRAINAGE AT BASE.	गोटा			५५००.००

## Sewage Treatment Plant

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गृह मन्त्र. मु.अ.क बाहेकको दररेट		
			गौरीगंगा नगरपालिका	आ.व.०७७७८	आ.व.०७८०९
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified	गोटा			१,२०,७३६.००
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height ) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO certified	गोटा			१,६९,३९२.००
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height ) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified	गोटा			२,९५,६००.००
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height ) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा			२,७२,२७२.००
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified	गोटा			३,२९,५५२.००
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified	गोटा			३,७५,७६०.००
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height ) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा			४,४९,६८०.००
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height ) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified	गोटा			४,८६,६४०.००


# Fountain



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
१	<p><b>AirFlo 1.5 kW with white Light:</b> "AirFlo sets new standards in the field of lake aeration and decoration : The axial propeller technology ensures impressive and unequalled water flow rates of up to 295,000 l/h for an optimal supply of oxygen to the lake. Product characteristics at a glance . ""Floating aerator for oxygen supply through powerful water patterns for water surfaces up to 15,000 m2,</p> <p>Axial propeller technology for water flow rates up to 295,000 l/h, Maximum oxygen supply for the body of water ,Easy installation and maintenance through bayonet technology"" "</p>	गोटा			१२७४९००.००
२	<p><b>Pondjet Eco with White Light :</b> Ready to connect complete aggregate , consisting of pump , float element , and pondjet nozzle with 1 " thread . Clearly structured fountain height and spray diameter of 3 m. Minimum water depth in clear water is 1 m: for a muddy pond floor the minimum depth is 1.5 m</p>	गोटा			४८३१५३.००
३	<p><b>Water Jet Lightning :</b> Luminous , Coloured , Water arches for a special charm in the garden. Variations of jet lengths , jet height , and RGB Colours can be displayed using the pre- set programs , The programs can be selected via remote control from a distance up to 80 m , the water jet angle can be individually adjusted , Easily set your favourite colour for the water arch , High quality Stainless steel base , can be bolted onto different substrates , Maximum jet length 1.8 m , maximum jet height 0.9 m , can be connected to a timer , Plug ' n Spray ' principle enables easy installation , Low Maintenance and low energy included in the scope of delivery : 2 unit set water jet lightning , pump (1500l/h , 17 W), external control unit transformer and cable . Technical Data: Net Weight kg 12.10 . Light Colour RGB , Energy efficiency class light fixture A , Weighted energy consumption per light fixture kWh/1000h 3 ,Cable Length 12 V device (with power unit ) m 1.50 (power unit)- 8.00 ,Parabolic height , Max m 0.90 , Energy efficiency class light fixture A ,Weighted energy consumption per light fixture kWh/1000h 3 ,Cable Length 12 V device (with power unit ) m 1.50 (power unit)- 8.00 , Parabolic height , Max m 0.90 ,Parabolic Width , max. M 1.80 , Jet Dimensions control unit (L X W X H ) mm 215 X 180 X 305 , Power consumption W 41 , Rated Voltage , Prim , (Control system ) V 12 , Hand - Held transmitter / range max. M 80.00 , Dimension Transformer : (L X M X H ) mm 160 X 100 X 100 , "Rated Voltage (primary , secondary ) 230V / 50 Hz , 12 V / DC" , Item Number : 50191 , EAN : 4010052501918 , <a href="https://www.oase-livingwater.com/en_EN/water-garden/products/f/water-quintet-creative.1000170368.html">https://www.oase-livingwater.com/en_EN/water-garden/products/f/water-quintet-creative.1000170368.html</a></p>	गोटा			२६११८०.००



# Fountain



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. न. का. सं. हे. कु. सं. दररेट		
			आ. व. ०७८/७९	आ. व. ०७८/७९	आ. व. ०७८/७९
४	<p><b>The Water Quintet:</b> It is a high quality water feature with five varying fountains, including LED lighting. User-friendly design allows for ease of connection, use, and maintenance.</p> <p>Using pre-programmed effects, this linear water feature creates varying fountain heights (12-55 in.) and light intensities. Effects can be conveniently selected via remote control from a distance of up to 250 ft. without obstruction.</p> <p>For greater convenience, the Water Quintet features memory settings and the ability to be connected to a timer. Setup on a wide variety of substrates promises flexibility and guaranteed fit with any aesthetic. The robust floor plate protects against damage, ensuring durability. Safe, energy-efficient 12V technology minimizes environmental impact. Compact and easy to conceal, the included external control system can be easily connected and includes a transformer and a ground stake. The individually controllable, illuminated nozzles each have 6 easily aligned LED lights. The nozzles of the Water Quintet are height adjustable, so that the water level can vary by 8 in. The ideal minimum diameter for a Water Quintet basin is at least 10 ft. The basin can be created with OASE's EPDM pond liner. The Water Quintet is a great addition for ponds with or without fish. Cord management system keeps individually labeled power cords from getting tangled.</p>	गोटा			२९९०९५.००
५	<p><b>Water Starlet:</b> Compact, floating fountain with 5 fountain nozzles. Plug 'n Spray« principle enables easy installation Can be implemented as a floating unit or it can be set up on the ground. Protected LED rings provide constant illuminated water jets . Different water patterns can be displayed on a permanent loop .Safe, energy-efficient 12 V technology Can even be used in swim ponds .Low maintenance</p> <p>Included in the scope of delivery: Fountain (incl. 5 pumps, 5 illuminated rings, each with 6 LEDs), transformer and cable. For Video links : <a href="https://youtu.be/5fNbwBFVokw">https://youtu.be/5fNbwBFVokw</a></p>	गोटा			८३८९०.००

# Fountain



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व. नम्बरको दररेट		
			आ. व. ०७६।७७	आ. व. ०७७।७८	आ. व. ०७८।७९
६	<p><b>Water Quintet:</b> It is a high quality water feature with five varying fountains, including LED lighting. User-friendly design allows for ease of connection, use, and maintenance. Using pre-programmed effects, this linear water feature creates varying fountain heights (12-55 in.) and light intensities. Effects can be conveniently selected via remote control from a distance of up to 250 ft. without obstruction. For greater convenience, the Water Quintet features memory settings and the ability to be connected to a timer. Setup on a wide variety of substrates promises flexibility and guaranteed fit with any aesthetic. The robust floor plate protects against damage, ensuring durability. Safe, energy-efficient 12V technology minimizes environmental impact. Compact and easy to conceal, the included external control system can be easily connected and includes a transformer and a ground stake. The individually controllable, illuminated nozzles each have 6 easily aligned LED lights. The nozzles of the Water Quintet are height adjustable, so that the water level can vary by 8 in. The ideal minimum diameter for a Water Quintet basin is at least 10 ft. The basin can be created with OASE's EPDM pond liner. The Water Quintet is a great addition for ponds with or without fish. Cord management system keeps individually labeled power cords from getting tangled.</p>	गोटा			२२६९०५.००
७	<p><b>7 nozzle Varionaut 90 matrix fountain :</b> 7 Varionaut 90 pumps with Comet 10-12 nozzle with sleeve pre installed , 7 ProfiPlane LED L RGB Spot/DMX/02 , Underwater power supplies, DMX cables , connection cable &amp; accessories , Complete Control Panel consisting of WECS II 512 controller , dry running protection, all inlets and outlets, Pre wired and pre programmed. Programming of 3 sequence . <a href="https://youtu.be/shJa6kW4spc">https://youtu.be/shJa6kW4spc</a></p>	गोटा			६४६८०००.००

Handwritten signatures and initials in black ink, including a large signature on the left and several smaller ones on the right.

# Water Storage Tank



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ.ब.०७६/७७	आ.ब.०७७/७८	आ.ब.०७८/७९
१	<p><b>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Fire Hydrant System:</b> Tank should be bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell should be original Zinalume® Steel manufactured, in multiple layers when required for structural strength.</p> <p>Capacity : Minimum 25,000 Ltrs. Size : Dia 3,884 mm x 2.2 M height, " It should contains :</p> <ul style="list-style-type: none"> <li>- Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch.                             <ul style="list-style-type: none"> <li>- Dust cum vernim proof tape between the roof and tank wall.</li> <li>- One 50 mm scour side drain assembly through floor of tank.</li> </ul> </li> <li>- M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape.</li> <li>- Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759.                             <ul style="list-style-type: none"> <li>- Mechanical Anchor Fasteners.</li> <li>- One common external/internal ladder - hot dipped galvanized.</li> </ul> </li> <li>- Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified.                             <ul style="list-style-type: none"> <li>- External float and board type level indicator.</li> </ul> </li> <li>- Geosynthetic fabric on the base of the tank below the liner.                             <ul style="list-style-type: none"> <li>- HDG Flanged Assembly 100 (E Table) : 1 No.</li> <li>- HDG Flanged Assembly 50 (E Table) : 1 No.</li> <li>- HDG Antivortex 100 mm (E Table) : 1 No."</li> </ul> </li> </ul>	गोटा			१०७५०००.००
२	<p><b>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:</b>Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength.</p> <p>Capacity : Minimum 104,250 Ltrs. Size : 7.7 M dia x 2.2 M height". It contains :</p> <ul style="list-style-type: none"> <li>- Heavy dury corrugated galvalume flat roof with HDG roof trusses and lockable access hatch.                             <ul style="list-style-type: none"> <li>- Dust cum vernim proof tape between the roof and tank wall.</li> <li>- One 50 mm scour side drain assembly through floor of tank.</li> </ul> </li> <li>- M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape.</li> <li>- Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759.                             <ul style="list-style-type: none"> <li>- Mechanical Anchor Fasteners.</li> <li>- One common external/internal ladder - hot dipped galvanized.</li> </ul> </li> <li>- Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified.                             <ul style="list-style-type: none"> <li>- External float and board type level indicator.</li> </ul> </li> <li>- Geosynthetic fabric on the base of the tank below the liner."</li> </ul>	गोटा			2,375,000.00

# Water Storage Tank



नेपाल सरकार  
महानिरीक्षण विभाग  
काठमाण्डौ  
जिल्ला प्रशासन कार्यालय काठमाण्डौ  
आ. व. ०७८/७९  
आ. व. ०७९/७८  
आ. व. ०७८/७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	जिल्ला प्रशासन कार्यालय काठमाण्डौ		
			आ. व. ०७८/७९	आ. व. ०७९/७८	आ. व. ०७८/७९
३	<p><b>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:</b>"Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength. Capacity : Minimum 197097 Ltrs. Size : 10.681 M dia x 2.2 M height". "It contains :</p> <ul style="list-style-type: none"> <li>- Heavy duty corrugated galvalume flat roof with HDG roof trusses and lockable access hatch.</li> <li>- Dust cum vernim proof tape between the roof and tank wall.</li> <li>- One 50 mm scour side drain assembly through floor of tank.</li> <li>- M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape.</li> <li>- Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759.</li> <li>- Mechanical Anchor Fasteners.</li> <li>- One common external/internal ladder - hot dipped galvanized.</li> <li>- Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified.</li> <li>- External float and board type level indicator.</li> <li>- Geosynthetic fabric on the base of the tank below the liner."</li> </ul>	गोटा			3,995,000.00
४	<p><b>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:</b>Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zinalume® Steel, in multiple layers when required for structural strength. Capacity : Minimum 79816lts Size : 6.797 M dia x 2.2 M height". " It contains :</p> <ul style="list-style-type: none"> <li>- Heavy duty corrugated galvalume flat roof with HDG roof trusses and lockable access hatch.</li> <li>- Dust cum vernim proof tape between the roof and tank wall.</li> <li>- One 50 mm scour side drain assembly through floor of tank.</li> <li>- M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape.</li> <li>- Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759.</li> <li>- Mechanical Anchor Fasteners.</li> <li>- One common external/internal ladder - hot dipped galvanized.</li> <li>- Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified.</li> <li>- External float and board type level indicator.</li> <li>- Geosynthetic fabric on the base of the tank below the liner."</li> </ul>	गोटा			२१२५०००.००

# Water Storage Tank



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकक	आ.क. नं.	आहेको दररेट	आ.नं.
५	<p><b>Supply, Delivery, Erection, Installation, Testing and Commissioning of Water Storage Tank for Raw Water/Treated Water:</b>"Tank is made of bolted-panel / inner liner design pre-fabricated, site-assembled tanks. Outer Shell is made of original Zincalume® Steel, in multiple layers when required for structural strength. Capacity : Minimum 77299 Ltrs. Size :5.826 M dia x 2.9m height</p> <p>M height". ""It contains :</p> <ul style="list-style-type: none"> <li>- Heavy duty corrugated galvalume flat roof with HDG roof trusses and lockable access hatch.</li> <li>- Dust cum vernim proof tape between the roof and tank wall.</li> <li>- One 50 mm scour side drain assembly through floor of tank.</li> <li>- M12 HDG Nuts and bolts (Grade 4.8 or 8.8) covered internally with re-inforced tape.</li> <li>- Trusses, Ladders, Nozzles and Hot dip Galvanized to minium 610 gsm as per IS 2629, 2633, 6745 and 4759.                             <ul style="list-style-type: none"> <li>- Mechanical Anchor Fasteners.</li> </ul> </li> <li>- One common external/internal ladder - hot dipped galvanized.</li> <li>- Re-inforced 5-layered PE liner with METALLOCENE contact layer, ANSI/NSFG - 61 certified.                             <ul style="list-style-type: none"> <li>- External float and board type level indicator.</li> </ul> </li> <li>- Geosynthetic fabric on the base of the tank below the liner."</li> </ul>	गोटा		२२७५०००.००	आ.नं.०७८/७९


Handwritten signatures and initials at the bottom of the page.



विद्युतिय सामग्रीहरू

गोठमाडौं


सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	SWITCH SOCKET- (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	५८.००	५८.००	५८.००
	One Gang two way switch	सेट	६९.००	६९.००	६९.००
	One way bell switch	सेट	७२.००	७२.००	७२.००
	Two gang one way switch	सेट	९६.००	९६.००	९६.००
	Two gang one way switch with one bell push	सेट	१०५.००	१०५.००	१०५.००
	Two gang Full two way switch	सेट	१०७.००	१०७.००	१०७.००
	Three Gang one way switch	सेट	१२७.००	१२७.००	१२७.००
	Four gang one way switch	सेट	१६१.००	१६१.००	१६१.००
	Six gang one way switch ( 3x5 )	सेट	२५३.००	२५३.००	२५३.००
	Eight gang one way switch	सेट	३०४.००	३०४.००	३०४.००
	Dimmer single 300 watt	सेट	३०९.००	३०९.००	३०९.००
	Dimmer single 750 watt	सेट	४५९.००	४५९.००	४५९.००
	5 Step humming free dimmer	सेट	४०७.००	४०७.००	४०७.००
	16Amp 3 Pin Plug Top	सेट	१२१.००	१२१.००	१२१.००
	1 switch with dimmer	सेट	३६८.००	३६८.००	३६८.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५१.००	१५१.००	१५१.००
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१६९.००	१६९.००	१६९.००
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७१.००	३७१.००	३७१.००
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	२०६.००	२०६.००	२०६.००
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११.००	६११.००	६११.००
	Blanking plate single	सेट	४०.००	४०.००	४०.००
	Telephone socket single	सेट	११८.००	११८.००	११८.००
	Telephone socket Double	सेट	१६९.००	१६९.००	१६९.००
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००
	Ceiling Rose	सेट	३५.००	३५.००	३५.००
	Buzzer	सेट	९७.००	९७.००	९७.००
	Musical bell	सेट	२२२.००	२२२.००	२२२.००
	T.V. antena single Socket	सेट	८२.००	८२.००	८२.००
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८.००	१२८.००	१२८.००
	RJ 45 Computer Socket for modem	सेट	२३४.००	२३४.००	२३४.००
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३.००	६३.००	६३.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	सेट	९८.००	९८.००	९८.००
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	८३.००	८३.००	८३.००
	10A 2gang 1way Switch	सेट	१६३.००	१६३.००	१६३.००
	10A 3gang 1way Switch	सेट	२१६.००	२१६.००	२१६.००
	10A 4gang 1way Switch	सेट	३५०.००	३५०.००	३५०.००



## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.सं.सं. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	10A 5gang 1way Switch	सेट	३७१.००	३७१.००	३७१.००
	10A 6gang 1way Switch	सेट	६१७.००	६१७.००	६१७.००
	10A 1gang 2way Switch	सेट	१४४.००	१४४.००	१४४.००
	10A 2gang 2way Switch	सेट	२७८.००	२७८.००	२७८.००
	10A 3gang 2way Switch	सेट	४०७.००	४०७.००	४०७.००
	10A 4gang 2way Switch	सेट	६१३.००	६१३.००	६१३.००
	T V Socket outlet	सेट	२९९.००	२९९.००	२९९.००
	Telephone Socket	सेट	२६८.००	२६८.००	२६८.००
	13A Universal socket outlet	सेट	४६४.००	४६४.००	४६४.००
	13A Socket	सेट	२७३.००	२७३.००	२७३.००
	15A switched Socket outlet	सेट	४४३.००	४४३.००	४४३.००
	5A Socket	सेट	३४०.००	३४०.००	३४०.००
	RJ 45 8way Computer Socket	सेट	८२४.००	८२४.००	८२४.००
	TV and Telephone Socket	सेट	५९२.००	५९२.००	५९२.००
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९२७.००	९२७.००
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५७७.००	५७७.००
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७८३.००	७८३.००
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५०५.००	५०५.००
	Bell Press	सेट	२३७.००	२३७.००	२३७.००
	Blank Plate	सेट	९३.००	९३.००	९३.००
	400W Light Dimmer W/ Switch	सेट	९०६.००	९०६.००	९०६.००
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९१७.००	९१७.००
	5 Step Fan Controller	सेट	८९६.००	८९६.००	८९६.००
	2 Pin Socket W/ Switch	सेट	४५३.००	४५३.००	४५३.००
	13A Twin Socket	सेट	६८०.००	६८०.००	६८०.००
३	MODULAR SWITCH PLATES -संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त।				
	<b>WHITE PLATE</b>				
	1 MODULAR PLATE	सेट			१४८.००
	2 MODULAR PLATE	सेट			१४८.००
	3 MODULAR PLATE	सेट			१९२.००
	4 MODULAR PLATE	सेट			२२९.००
	6 MODULAR PLATE	सेट			३०१.००
	8 MODULAR PLATE	सेट			३५४.००
	12 MODULAR PLATE	सेट			४८२.००
	16 MODULAR PLATE	सेट			५६२.००
	18 MODULAR PLATE	सेट			५९३.००
	<b>GREY PLATE</b>				
	1 MODULAR PLATE	सेट			२६५.००
	2 MODULAR PLATE	सेट			२६५.००
	3 MODULAR PLATE	सेट			३४२.००
	4 MODULAR PLATE	सेट			३९४.००

## विद्युतिय सामाग्रीहरु




सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	आ. व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	6 MODULAR PLATE	सेट			५३५.००
	8 MODULAR PLATE	सेट			६२४.००
	12 MODULAR PLATE	सेट			८५४.००
	16 MODULAR PLATE	सेट			१०००.००
	18 MODULAR PLATE	सेट			१०५८.००
४	<b>SWITCHES</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	<b>WHITE</b>				
	10A 1 WAY SWITCH	सेट			१२०.००
	10A 2 WAY SWITCH	सेट			२३९.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट			२८३.००
	16A 1 WAY SWITCH	सेट			२५२.००
	20A DP SWITCH WITH INDICATOR	सेट			५४६.००
	32A DP SWITCH WITH INDICATOR	सेट			६५५.००
	10A BELL PUSH	सेट			२५२.००
	10A 2 MODULAR BELL PUSH	सेट			३७२.००
	25A MOTOR STATER	सेट			११६२.००
	400W 1 MODULAR DIMMER	सेट			६७३.००
	100W 2 MODULAR DIMMER	सेट			१३१३.००
	STEP REGULATOR 4 STEP DIMMER	सेट			६९०.००
	20A 2 WAY SWITCH 1M	सेट			३९६.००
	20A 1 WAY SWITCH WITH IND 1M	सेट			४८०.००
	<b>GREY</b>				
	10A 1 WAY SWITCH	सेट			१५९.००
	10A 2 WAY SWITCH	सेट			३२३.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट			४५६.००
	16A 1 WAY SWITCH	सेट			३७६.००
	20A DP SWITCH WITH INDICATOR	सेट			७३०.००
	32A DP SWITCH WITH INDICATOR	सेट			८७६.००
	10A BELL PUSH	सेट			३३६.००
	10A 2 MODULAR BELL PUSH	सेट			५००.००
	25A MOTOR STATER	सेट			१५५३.००
	400W 1 MODULAR DIMMER	सेट			१०९३.००
	100W 2 MODULAR DIMMER	सेट			१७५७.००
	STEP REGULATOR 4 STEP DIMMER	सेट			९८४.००
	20A 2 WAY SWITCH 1M	सेट			०.००
	20A 1 WAY SWITCH WITH IND 1M	सेट			०.००
५	<b>SOCKETS</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	<b>WHITE</b>				
	6A 2 PIN SOCKET	सेट			२१२.००
	13A UNIVERSAL SOCKET	सेट			२७९.००
	6/16A 3 PIN SOCKET	सेट			४२९.००
	RJ11 SOCKET	सेट			२८२.००

210



विद्युतिय सामग्रीहरु




सि.नं	निर्माण सामग्रीहरुको विवरण	जिल्ला एकाई	बाहेकको दररेट		
			ब.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	TV SOCKET	सेट			२२६.००
	USB CHARGER	सेट			२१५५.००
	BUZZER OFF	सेट			५३६.००
	BLANK OFF	सेट			५०.००
	LED FOOT LIGHT 2M	सेट			१०८५.००
	LED PHASE INDICATOR	सेट			२८५.००
	RJ 45 SOCKET	सेट			८१९.००
	CALL BELL INDICATOR	सेट			२०३१.००
	MOVEMENT SENSOR	सेट			७२३०.००
	<b>GREY</b>				
	6A 2 PIN SOCKET	सेट			२९६.००
	13A UNIVERSAL SOCKET	सेट			५८४.००
	6/16A 3 PIN SOCKET	सेट			५९३.००
	RJ11 SOCKET	सेट			३४५.००
	TV SOCKET	सेट			३३२.००
	USB CHARGER	सेट			३०६६.००
	BUZZER OFF	सेट			८०१.००
	BLANK OFF	सेट			७१.००
	LED FOOT LIGHT 2M	सेट			१६१५.००
	LED PHASE INDICATOR	सेट			
	RJ 45 SOCKET	सेट			१२२१.००
	CALL BELL INDICATOR	सेट			२५४०.००
	MOVEMENT SENSOR	सेट			९०३५.००
६	<b>HOSPITALITY</b>				
	<b>WHITE</b>				
	SAVER SOCKET 4M	सेट			६२९६.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट			१५००.००
	DND MMR INSIDE ROOM UNIT	सेट			१३०१.००
	DND MMR OUTSIDE ROOM UNIT	सेट			९२५.००
	<b>GREY</b>				
	SAVER SOCKET 4M	सेट			७८६७.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट			१९०३.००
	DND MMR INSIDE ROOM UNIT	सेट			१३१०.००
	DND MMR OUTSIDE ROOM UNIT	सेट			९२९.००
७	<b>MODULAR SWITCH IN GANG MODULE WHITE</b>				
	1 GANG ONE WAY SWITCH	सेट			२७८.००
	2 GANG ONE WAY SWITCH	सेट			४०८.००
	3 GANG ONE WAY SWITCH	सेट			५८२.००
	4 GANG ONE WAY SWITCH	सेट			७४१.००
	6 GANG ONE WAY SWITCH	सेट			१०८१.००
	8 GANG ONE WAY SWITCH	सेट			१३९४.००
	12 GANG ONE WAY SWITCH	सेट			२०४२.००

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	16 GANG ONE WAY SWITCH	सेट			२६४२.००
	18 GANG ONE WAY SWITCH	सेट			२९३३.००
	1 GANG TWO WAY SWITCH	सेट			३८७.००
	16A POWER SOCKET SET	सेट			८७३.००
	13A UNIVERSAL SOCKET SET	सेट			७२३.००
	400W DIMMER SET	सेट			८२९.००
	1000W DIMMER SET	सेट			९४६४.००
	RJ45 SOCKET SET	सेट			९६७.००
	RJ11 SOCKET SET	सेट			४३०.००
	BLANK PLATE	सेट			५०.००
	TV SOCKET SET	सेट			३७४.००
	BELL PUSH SET	सेट			४००.००
	20A DP SWITCH WITH INDICATOR SET	सेट			६९४.००
	32A D.P SWITCH WITH INDICATOR SET	सेट			८०३.००
८	<b>GI METAL BOX RATES</b>				
	GI METAL BOX 1/2 MODULE 3*3	सेट			९०३.००
	GI METAL BOX 3 MODULE 3*4	सेट			९२८.००
	GI METAL BOX 4 MODULE 3*5	सेट			९४९.००
	GI METAL BOX 6 MODULE 3*8	सेट			२९०.००
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट			२६७.००
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट			२६७.००
	GI METAL BOX 12/16 MODULE 6*8	सेट			४०५.००
	GI METAL BOX 18 MODULE 8*8	सेट			४६२.००
९	<b>NON MODULAR SWITCHES LOCAL BRAND</b>				
	16A MULTI POWER SOCKET	सेट			३२५.००
	16A POWER MULTI SOCKET + USB	सेट			८००.००
	16A DOUBLE MULTI POWER SOCKET	सेट			६६५.००
	2 GANG + SOCKET SWITCH	सेट			३२०.००
	4 GANG + SOCKET SWITCH	सेट			५२५.००
	6 GANG + SOCKET SWITCH	सेट			६४०.००
	1 GANG SWITCH	सेट			९३५.००
	2 GANG SWITCH	सेट			२००.००
	3 GANG SWITCH	सेट			२६७.००
	4 GANG SWITCH	सेट			३५०.००
	6 GANG SWITCH	सेट			५२५.००
	8 GANG SWITCH	सेट			६५५.००
	10 GANG SWITCH	सेट			८००.००
	DIMMER KNOB	सेट			४४५.००
	2 PIN SOCKET KNOB	सेट			९००.००
	2 WAY SWITCH KNOB	सेट			९४.००
	DOOR BELL KNOB	सेट			९४.००
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट			९७५.००

## विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	जिल्ला प्रशासन कार्यालय काठमाण्डौं		
			वर्षावधि २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	20A D.P SWITCH	सेट			४४५.००
	45A D.P SWITCH	सेट			६६०.००
	TV SOCKET	सेट			२०६.००
	TELEPHONE SOCKET	सेट			२०६.००
	RJ45 SOCKET KNOB	सेट			२९०.००
	TV+ TELEPHONE SOCKET	सेट			२७५.००
	1 GANG PLATE	सेट			९४.००
	2 GANG PLATE	सेट			९४.००
	3X3 WOODEN PLATE	सेट			१२५.००
	3X5 WOODEN PLATE	सेट			१६५.००
१०	<b>LOCAL BRAND LIGHTS</b>				
	3W CONCEAL PANEL LIGHT RD WHITE	गोटा			२८०.००
	3W CONCEAL PANEL LIGHT RD WW	गोटा			२८०.००
	6W CONCEAL PANEL LIGHT RD WHITE	गोटा			३७५.००
	6W CONCEAL PANEL LIGHT RD WW	गोटा			३७५.००
	12W CONCEAL PANEL LIGHT RD WHITE	गोटा			५५५.००
	9W CONCEAL PANEL LIGHT RD WHITE	गोटा			५३०.००
	6W CONCEAL PANEL LIGHT RD RGB+ WH	गोटा			७२०.००
	6W SURFACE PANEL LIGHT ROUND WHITE	गोटा			४५५.००
	12W SURFACE PANEL LIGHT ROUND WHITE	गोटा			६९०.००
	6+3W SURFACE PANEL LIGHT RD RGB+ WH	गोटा			८५५.००
	12W SURFACE PANEL LIGHT RD RGB+WH	गोटा			११४५.००
	48W 600*600 LED PANEL LIGHT	गोटा			४६३०.००
	5W COB SURFACE	गोटा			८९०.००
११	<b>LOCAL BRAND BULBS</b>				
	3W B22 WHITE	गोटा			१२०.००
	3W B22 WARM	गोटा			१३०.००
	5W B22 WHITE	गोटा			१४०.००
	5W B22 WARM	गोटा			१५०.००
	7W B22 WHITE	गोटा			१७०.००
	7W B22 WARM	गोटा			१८०.००
	9W B22 WHITE	गोटा			२०५.००
	12W B22 WHITE	गोटा			२४०.००
	12W B22 WARM	गोटा			२५०.००
	15W B22 WHITE	गोटा			३२०.००
	3W E27 WHITE	गोटा			१२०.००
	3W E27 WARM	गोटा			१३०.००
	5W E27 WHITE	गोटा			१४०.००
	5W E27 WARM	गोटा			१५०.००
	7W E27 WHITE	गोटा			१७०.००
	7W E27 WARM	गोटा			१८०.००
	9W E27 WHITE	गोटा			२०५.००



विद्युतिय सामग्रीहरू

प्रशासन क्रियालय काठमाण्डौ  
वि. व. मन्त्रालय काठमाण्डौ

सि.नं	निर्माण सामग्रीहरूको विवरण	वि. व. मन्त्रालय काठमाण्डौ	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	12W E27 WARM	गोटा			२४०.००
	12W E27 WHITE	गोटा			२४०.००
	15W E27 WHITE	गोटा			३२०.००
	18W B22 WHITE	गोटा			३६५.००
	24W B22 WHITE	गोटा			८५०.००
	40 W B22 WHITE	गोटा			११०५.००
	18W E27 WHITE	गोटा			३६५.००
	24W E27 WHITE	गोटा			८५०.००
	40 W E27 WHITE	गोटा			११०५.००
	5W E14 WHITE	गोटा			१७५.००
	5W E14 WARM	गोटा			१८५.००
	24W B22 WARM	गोटा			८७०.००
	4W E14 TAIL WARM	गोटा			२५०.००
	4W E14 NON TAIL WARM	गोटा			२३०.००
१२	<b>WATER HEATER RATES</b>				
	15 LTRS ABS WATER HEATER	सेट			२०१००.००
	25 LTRS ABS WATER HEATER	सेट			२२३००.००
	15 LTRS METAL WATER HEATER	सेट			१७९००.००
	25 LTRS METAL WATER HEATER	सेट			१९७००.००
	3 LTR ABS INSTANT	सेट			७५२५.००
	6 LTR GAS	सेट			११७२५.००
१३	<b>White Plate series modular type(polycarbonate) SWITCH SOCKET (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	One Gang one way switch	सेट	१००.००	१००.००	१००.००
	One Gang two way switch	सेट	११२.००	११२.००	११२.००
	One way bell switch	सेट	११२.००	११२.००	११२.००
	Two gang one way switch	सेट	१३३.००	१३३.००	१३३.००
	Two gang one way switch with one bell push	सेट	१४६.००	१४६.००	१४६.००
	Two gang Full two way switch	सेट	१५८.००	१५८.००	१५८.००
	Three Gang one way switch	सेट	१६७.००	१६७.००	१६७.००
	Four gang one way switch	सेट	२०२.००	२०२.००	२०२.००
	Six gang one way switch	सेट	३०७.००	३०७.००	३०७.००
	Eight gang one way switch	सेट	३७४.००	३७४.००	३७४.००
	Dimmer single 400 watt	सेट	४८६.००	४८६.००	४८६.००
	1 switch with dimmer	सेट	४९९.००	४९९.००	४९९.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	२६०.००	२६०.००	२६०.००
	6/13 Amp , Power sockets with switch , indicator	सेट	२६३.००	२६३.००	२६३.००
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३५४.००	३५४.००	३५४.००
	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	३९१.००	३९१.००	३९१.००
	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	सेट	४७४.००	४७४.००	४७४.००
	Blanking plate single	सेट	६२.००	६२.००	६२.००
	Telephone socket single	सेट	१५२.००	१५२.००	१५२.००

## विद्युतिय सामग्रीहरुको



म. अ. क. बाहेकको दररेट

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	म. अ. क. बाहेकको दररेट		
			२०७६/७७	२०७७/७८	२०७८/७९
	Telephone socket Double	सेट	२४९.००	२४९.००	२४९.००
	T.V. antenna single Socket	सेट	१४२.००	१४२.००	१४२.००
	RJ 45 Computer Socket for modem	सेट	२०६.००	२०६.००	२०६.००
	CAT-6 Computer Socket for modem	सेट	३२१.००	३२१.००	३२१.००
१४	Modular Type Switch Socket set (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				०.००
	1P – 6A/10A 1 way switch	गोटा	१३९.००	१३९.००	१३९.००
	1P – 16A/20A 1 way switch	गोटा	२२३.००	२२३.००	२२३.००
	1P – 25A 1 way switch	गोटा	३२६.००	३२६.००	३२६.००
	1P – 6A/10A 2 way switch	गोटा	१६७.००	१६७.००	१६७.००
	1P – 16A/20A 2 way switch	गोटा	२५३.००	२५३.००	२५३.००
	1P – 6A push button	गोटा	१८४.००	१८४.००	१८४.००
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००
	2 gang blanking module	गोटा	८६.००	८६.००	८६.००
१५	FAN REGULATOR / DIMMER				०.००
	Step type fan regulator	गोटा	६३८.००	६३८.००	६३८.००
	60 – 500 W dimmer	गोटा	७९७.००	७९७.००	७९७.००
	1000 W dimmer	गोटा	१५२४.००	१५२४.००	१५२४.००
१६	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	२४०.००	२४०.००	२४०.००
	6/16A twin socket 3 pin (flushed)	गोटा	३३२.००	३३२.००	३३२.००
	6/16A twin socket 3 pin (projected)	गोटा	३३२.००	३३२.००	३३२.००
	25A 3 pin socket	गोटा	४०१.००	४०१.००	४०१.००
	13A 3 pin socket	गोटा	२७०.००	२७०.००	२७०.००
	RJ 11 telephone jack	गोटा	१५९.००	१५९.००	१५९.००
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५५७.००	५५७.००
	TV socket	गोटा	१६१.००	१६१.००	१६१.००
	HOSPITALITY RANGE				
	250V/110V shaver socket	गोटा	४३५.००	४३५.००	४३५.००
	Indicator (DO NOT DISTURB)	गोटा	१८०.००	१८०.००	१८०.००
	LED yellow night lamp	गोटा	५६०.००	५६०.००	५६०.००
	LED Blue night lamp	गोटा	५६०.००	५६०.००	५६०.००
१७	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा			
	1 module front plate	गोटा	७२.००	७२.००	७२.००
	2 module front plate	गोटा	७७.००	७७.००	७७.००
	3 module front plate	गोटा	८४.००	८४.००	८४.००
	4 module front plate	गोटा	८९.००	८९.००	८९.००
	6 module front plate	गोटा	१६२.००	१६२.००	१६२.००
	8 module front plate(4+4)	गोटा	२१७.००	२१७.००	२१७.००
	8 module front plate (Horizontal)	गोटा	१७४.००	१७४.००	१७४.००
	12 module front plate	गोटा	२६०.००	२६०.००	२६०.००
	18 module front plate	गोटा	३५०.००	३५०.००	३५०.००

215

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१८	Modular Type Switch Socket (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	<b>Seperate Module for Modular Switch &amp; Socket</b>				
	1P – 6A/10A 1 way switch	गोटा	८७.००	८७.००	८७.००
	1P – 16A/20A 1 way switch	गोटा	१४४.००	१४४.००	१४४.००
	1P – 6A/10A 2 way switch	गोटा	१३४.००	१३४.००	१३४.००
	1P – 16A/20A 2 way switch	गोटा	१७५.००	१७५.००	१७५.००
	1P – 6A push button	गोटा	१३४.००	१३४.००	१३४.००
	1 gang blanking module	गोटा	४१.००	४१.००	४१.००
	2 gang blanking module	गोटा	७८.००	७८.००	७८.००
	<b>Modular Switch, Sockets, Plates</b>				
	6A SWITCH 1W 1 MODULE	गोटा			१५७.००
	6A SWITCH 2W 1 MODULE	गोटा			२७२.००
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा			२७८.००
	6A SWITCH 1W 1MODULE WITH LIGHT MARKING	गोटा			२६२.००
	6W SWITCH 1W 1 MODULE WITH FAN MARKING	गोटा			२६२.००
	10A SWITCH 1W 2 MODULE	गोटा			३३६.००
	10A SWITCH 2W 2 MODULE	गोटा			३९४.००
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा			२२२७.००
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा			४३२.००
	16A SWITCH 1W 1 MODULE	गोटा			३०४.००
	16A SWITCH 2W 1 MODULE	गोटा			३८७.००
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा			४०३.००
	20A SWITCH 1W 1 MODULE	गोटा			४६४.००
	20A DP SWITCH 1W 2 MODULE	गोटा			६७५.००
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा			६८५.००
	20A SWITCH 2W 2 MODULE	गोटा			७६८.००
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा			४८०.००
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा			९९८.००
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा			५०२.००
	MULTISTANDARD SOCKET6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा			५१८.००
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा			३९७.००
	6/16 A SOCKET 3 MODULE	गोटा			६९८.००
	6/16 A SOCKET 2 MODULE	गोटा			५२५.००
	6/16A EURO SOCKET 2 MODULE	गोटा			५३४.००
	25A SOCKET 2 MODULE	गोटा			५२५.००
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा			९२८.००
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा			११९४.००
	LED SKIRTING LIGHT 3 MODULE	गोटा			७७४.००
	BUZZER 230 V 1 MODULE	गोटा			१०२७.००
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा			५६९९.००

## विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			प्रशासनिक	गैर-प्रशासनिक	आ. व.
			२०७८/७९	२०७८/७९	२०७८/७९
	REMOTE CONTROL HAND UNIT	गोटा			८७०.००
	16A KEY CARD SWITCH 2 MODULE	गोटा			४९७९.००
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा			५४४.००
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा			४५९.००
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा			३७८९.००
	TV COAXIAL SOCKET 1 MODULE	गोटा			२७८.००
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा			७३९.००
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा			९०३४.००
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा			२९९२.००
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा			२५८२.००
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा			२५८२.००
	VOLUME CONTROLLER 2 MODULE	गोटा			९६६४.००
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा			९४८५.००
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा			३८६६.००
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा			९८६२.००
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा			४४५८.००
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा			४९९२.००
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा			७३६०.००
	ROTARY LED DIMMER 50 W	गोटा			३७८९.००
	CABLE OUTLET 8 mm 1 MODULE	गोटा			२५९.००
	BLANKING PLATE 1 MODULE	गोटा			६९.००
	PLATE + FRAME 1M	गोटा			२९८.००
	PLATE + FRAME 2M	गोटा			२९८.००
	PLATE + FRAME 3M	गोटा			२९४.००
	PLATE + FRAME 4M	गोटा			३०७.००
	PLATE + FRAME 6M	गोटा			३९०.००
	PLATE + FRAME 8M(H)	गोटा			५२५.००
	PLATE + FRAME 2 X 4 M	गोटा			५२५.००
	PLATE + FRAME 12M	गोटा			७३९.००
	PLATE + FRAME 16M	गोटा			८४५.००
	PLATE + FRAME 18M	गोटा			९९५८.००
१९	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	७००.००	७००.००	७००.००
	60 - 500 W dimmer	गोटा	५९७.००	५९७.००	५९७.००
	FAN STEP REGULATOR 100W 1 MODULE	गोटा			८५८.००
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा			९०५०.००
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा			९२००.००
	FAN STEP REGULATOR 70W 2 MODULE	गोटा			९९५८.००
२०	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A - multi socket 5 pin	गोटा	९८५.००	९८५.००	९८५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	बाहेकको दररेट		
			२०७८/७९	२०७९/८०	आ. व. २०७८/७९
	6/16A twin socket 3 pin (flushed)	गोटा	२८८.००	२८८.००	२८८.००
	6/16A twin socket 3 pin (projected)	गोटा	२८८.००	२८८.००	२८८.००
	13A 3 pin socket	गोटा	१८५.००	१८५.००	१८५.००
	RJ 11 telephone jack	गोटा	१४४.००	१४४.००	१४४.००
	RJ 45 cat.6e computer socket	गोटा	२३७.००	२३७.००	२३७.००
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा			२६६.००
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा			४५४.००
२१	<b>TV socket</b>	गोटा	१४४.००	१४४.००	१४४.००
	1 module front plate	गोटा	११३.००	११३.००	११३.००
	2 module front plate	गोटा	११३.००	११३.००	११३.००
	3 module front plate	गोटा	१४८.००	१४८.००	१४८.००
	4 module front plate	गोटा	१६५.००	१६५.००	१६५.००
	6 module front plate	गोटा	२२७.००	२२७.००	२२७.००
	8 module front plate(4+4)	गोटा	३०५.००	३०५.००	३०५.००
	8 module front plate (Horizontal)	गोटा	३१३.००	३१३.००	३१३.००
	12 module front plate	गोटा	३६३.००	३६३.००	३६३.००
	18 module front plate	गोटा	४५३.००	४५३.००	४५३.००
२२	<b>Flush mounting galvanized Metal box for modular type switch &amp; socket-(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५२.००	५२.००	५२.००
	2 module " " = (78x78x45)mm	सेट	५२.००	५२.००	५२.००
	3 gang " " " =(78x100x45)mm	सेट	५६.००	५६.००	५६.००
	4 gang " " =(78x140x50)mm	सेट	६८.००	६८.००	६८.००
	5 gang " " =(78x205x50)mm	सेट	१३४.००	१३४.००	१३४.००
	6 gang " " =(78x205x50)mm	सेट	१३६.००	१३६.००	१३६.००
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१.००	१८१.००	१८१.००
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१.००	१८१.००	१८१.००
	12 module metal box =(135x120x60)mm	सेट	२३१.००	२३१.००	२३१.००
	TV socket metal box	सेट	५२.००	५२.००	५२.००
	Telephone socket metal box	सेट	५२.००	५२.००	५२.००
२३	<b>METAL Junction BOX</b>				
	4"x4"	सेट	१००.००	१००.००	१००.००
	4"x6"	सेट	१५०.००	१५०.००	१५०.००
	6"x8"	सेट	२३७.००	२३७.००	२३७.००
	8"x10"	सेट	३४९.००	३४९.००	३४९.००
	8"x12"	सेट	३४९.००	३४९.००	३४९.००
२४	<b>PVC Junction Box</b>	सेट	३४.००	३४.००	३४.००
	4"x4"	सेट			
	4"x6"	सेट	३१.००	३१.००	३१.००
	6"x8"	सेट	४६.००	४६.००	४६.००
	8"x10"	सेट	६७.००	६७.००	६७.००
	8" x12"	सेट	१२९.००	१२९.००	१२९.००



विद्युतिय सामग्रीहरू

काठमाण्डु, बाहेकको दररेट

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	बा.व.		
			२०७६/७७	२०७७/७८	२०७८/७९
	PVC Junction box cover	सेट	१४४.००	१४४.००	१४४.००
२५	Junction Box				
	The Junction Box shall be insulated and made out of Polypropylene or polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant), halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are certified in accordance with the new international standard IEC 60670-22, Burning behavior: glow wire test in accordance with IEC 60695-2-11: 750 deg. Cent. Flame retardant and self-extinguishing. The JB should have rear side cable entry possibility, quarter turn polycarbonate screws for quick opening and closing, multi-level metric knockouts for cable glands in different sizes, external brackets for wall fixing. Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 07 ( 2 Joule).				
	Dimensions (mm)				
	93 x 93 x 62	सेट			९७४.४०
	104 x 104 x 70	सेट			१०१९.२०
	104 x 104 x 70	सेट			११०८.८०
	130 x 130 x 77	सेट			१८१४.४०
	130 x 130 x 77	सेट			२१९५.२०
	130 x 180 x 77	सेट			२५४२.४०
	130 x 180 x 77	सेट			२८६७.२०
	155 x 210 x 92	सेट			४४१२.८०
	155 x 210 x 92	सेट			५४८८.००
	205 x 255 x 112	सेट			२८७०५.६०
	225 x 295 x 122	सेट			२५५५८.४०
	255 x 355 x 122	सेट			८४६७.२०
	255 x 355 x 122	सेट			२९८८९.६०
	The Junction Box shall be insulated and made out of PC-GFS Polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant), halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66/IP67/IP69 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. The Polycarbonate enclosures shall be fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 09(10Jule).				
	Dimensions(mm)				
	93 x 93 x 62	सेट			१३६६.४०
	104 x 104 x 70	सेट			१६१२.८०
	104 x 104 x 70	सेट			१६८०.००
	130 x 130 x 77	सेट			२१९५.२०
	130 x 130 x 77	सेट			३०५७.६०
	130 x 180 x 77	सेट			३५७२.८०
	130 x 180 x 77	सेट			३९२०.००
	155 x 210 x 92	सेट			४५५८.४०
	155 x 210 x 92	सेट			५१०७.२०
	205 x 255 x 112	सेट			२७४२८.८०
	225 x 295 x 122	सेट			२८८१७.६०
	255 x 355 x 122	सेट			८०१९.२०

Handwritten signatures and initials at the bottom of the page.

## विद्युतिय सामग्रीहरु


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	IP 68 Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for outdoor installation and use in harsh environmental conditions with risk of condensation and ingress of water. The junction box shall also be suitable for installation in the ground ( underground – buried applications) without traffic loads. The sealing of the cable junction boxes shall be made with a sealing compound which should prevent the ingress of water and formation of condensation completely. There should be a provision to test/ measure continuity and power through the sealing compound via probes after removing the lid. The sealing compound shall be insulated & made of resin which shall be suitable as per the volume of the junction box supplied. In case of re-installation or testing, the sealing compound shall be removed easily. The installation under water, if required, shall be upto a depth of 1 meter without chemical additives. The sealing compound shall have a durability to processing of 12 months with a storage temperature of 35 deg C ( max). The junction box shall fulfill the following standards: IEC 60670-22 : Particular requirements for connecting boxes and enclosures. IEC 60695 – 2 – 11 : Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. IEC 60529 : IP 68 degree of protection. DIN VDE V 0606 – 22 – 100 : Cable junction boxes for encapsulating				
	Dimensions(mm)				
	93 x 93 x 62	सेट			९६४३.२०
	104 x 104 x 70	सेट			११५८०.८०
	104 x 104 x 70	सेट			११६९२.८०
	130 x 130 x 77	सेट			१५००८.००
	130 x 130 x 77	सेट			१५४५६.००
	130 x 180 x 77	सेट			१८३९०.४०
	130 x 180 x 77	सेट			१९६२२.४०
	ISO-FILL BRW two components Gel, suitable for Low voltage. The Gel is halogen & silicon free, having self life of 2 years. Gel should be re-enterable cold curing 2-component non-urethane encapsulating type. The gel can also be used in telecommunication & sealing of electronic parts especially where no mechanical stress is allowed (even at very low temperature, i.e < -50°C). The Gel should have dielectric strength of 10kv/mm and should withstand temperature of 1000c ( long time)-1400c ( short time).				
	Volume(ml)				
	350 ml				८७२४.८०
	500 ml				१०५०५.६०
	850 ml				१३९३२.८०
	1200 ml				१६०८३.२०
	2000 ml				१४४०३.२०
	5000 ml				३२५४७.२०
	10000 ml				६३६३८.४०
	Supply, installation and testing of Dew Guard (Passive Solution for Condensation) for preventing condensation in panels and DB's. The Dew Guard shall be made from thin sheet made from synthetic rubber and a super absorbent polymer and covered by a non-woven fabric. The polymer shall absorbs excess moisture to ensure that the relative humidity inside and enclosure remains between 60-70%. The dew guard shall work between a large temperature range of -30 deg C to +90 deg C and shall be halogen silicon free. It shall be Environment friendly and can be disposed of in regular trash.				
	Dimensions(mm)				
	50 x 75	सेट			५८२.४०
	75 x 100	सेट			१०७५.२०
	100 x 150	सेट			२०७२.००
	150 x 150	सेट			३०८०.००
	Combinable enclosure system for self-assembly of distribution boards for load upto 250 A,intended to be operated by ordinary persons according to IEC 61439-3 .Distribution board should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 ( 5 Joule) in accordance with IEC 62262. Highly adaptable and well suited to harsh conditions in industrial applications. DEGREE OF INGRESS PROTECTION IP 66 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane.The DB should passed glow wire test 960oC in accordance with 60695-2-11[ flame retardant and self-extinguishing]				
	Dimensions(mm)				
	276 x 186 x 186	सेट			११३९०.४०

## विद्युतिय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. बाहेकको दररेट		
			काठमाण्डु	बा. व.	बा. व.
			२०७६/७७	२०७७/७८	२०७८/७९
	276 x 366 x 186	सेट			१४८२८.८०
	276 x 546 x 186	सेट			१९६२२.४०
	366 x 546 x 186	सेट			२१७२८.००
	Thermoplastics PS Polystyrene MCB DB in accordance with IEC 60670-24, should be IP65 protected in accordance with IEC 60529, corrosion proof, suitable for 1-54 MCB modules with new FIXCONNECT plug-in terminal technology for PE/N ,captive lid screws made of stainless steel V2A, internally embedded polyurethane gasket for lid and enclosures, metric knockouts/elastic membranes for cable entry from top and bottom and possibility to attach similar DB on either side. DB should be able to adapt any make of MCB or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 08(5Joule).				
	No. of Modules ( 1 Module= 1 SP MCB)				
	3 Modules	सेट			३७९६.८०
	4 Modules	सेट			४७९३.६०
	6 Modules	सेट			५४८८.००
	9 Modules	सेट			६८५४.४०
	12 Modules	सेट			९१३५६.८०
	18 Modules	सेट			१३५६३.२०
	24 Modules	सेट			१६९२८.००
	2 row 36 Modules	सेट			२०८३२.००
	3 row 36 Modules	सेट			२०२३८.४०
	4 row 48 Modules	सेट			२६३४२.४०
	3 row 54 Modules	सेट			२९९९८.४०
	Thermoplastics polycarbonate hinged door meter box in accordance with IEC 60670-24, should be IP66 protected in accordance with IEC 60529, corrosion proof, suitable for single phase energy meter, internally embedded polyurethane gasket for lid , metric size knock outs for cable entry from top and bottom . Meter box should be able to adapt any make of Meter or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035.				
	Dimensions(mm)				
	136 x 253 x 115	सेट			४०३२.००
	168 x 253 x 115	सेट			४२३३.६०
	217 x 253 x 115	सेट			४५४७.२०
	300 x 150 x 170	सेट			५५७७.६०
	300 x 300 x 170	सेट			८८३६.८०
	300 x 450 x 170	सेट			१०४७२.००
	300 x 600 x 170	सेट			१२८५७.६०
	The board/panel shall be made of modular POLYCARBONATE THERMOPLASTIC ENCLOSURES which should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 ( 5 Joule) in accordance with IEC 62262. The manufacturer of board/panel shall submit a copy of CPRI TEST REPORT OF DEGREE OF INGRESS PROTECTION IP 65/ IP54 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane. The manufacturer of board / panel SHALL submit a copy of TYPE TEST REPORT of a board made out of Polycarbonate thermoplastic panel in accordance with IEC 60439-1. The CPRI report shall have mention of following tests performed and passed out satisfactorily:				
	Dimensions(mm)				
	300 x 150 x 170	सेट			६६७५.२०
	300 x 300 x 170	सेट			९६३२.००
	300 x 450 x 170	सेट			१२६७८.४०
	300 x 600 x 170	सेट			१५७२४.८०




सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	450 x 600 x 170	सेट			२७५९६.८०
	600 x 600 x 170	सेट			३४८०९.६०
	300 x 300 x 214	सेट			१०३४८.८०
	300 x 450 x 214	सेट			१३७७६.००
	300 x 600 x 214	सेट			१७९९२.००
	300 x 300 x 180	सेट			११९७७.६०
IP 68 Cable Glands Made from Polyamide Material					
Metric Thread					
	M 12 x 1.5	सेट			७३.९२
	M 16 x 1.5	सेट			७६.९६
	M 20 x 1.5	सेट			१०३.०४
	M 25 x 1.5	सेट			१७९.२०
	M 32 x 1.5	सेट			२४४.९६
	M 40 x 1.5	सेट			५०८.४८
	M 50 x 1.5	सेट			७८८.४८
	M 63 x 1.5	सेट			१२३४.२४
Locknuts for IP 68 Cable Glands Made from Polyamide Material					
Metric Thread					
	M 12 x 1.5	सेट			१७.९२
	M 16 x 1.5	सेट			१७.९२
	M 20 x 1.5	सेट			२२.४०
	M 25 x 1.5	सेट			३५.८४
	M 32 x 1.5	सेट			४७.०४
	M 40 x 1.5	सेट			७८.४०
	M 50 x 1.5	सेट			१७६.९६
	M 63 x 1.5	सेट			२४४.९६
IP67 CEE Type Insulated Plug & Socket, made of high quality Polyamide P-6 body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.					
Amp and No. of Pin					
	16/20 Amp 3 Pin Socket	सेट			३६८४.८०
	16/20 Amp 4 Pin Socket	सेट			४०४३.२०
	16/20 Amp 5 Pin Socket	सेट			४०४३.२०
	32 Amp 3 Pin Socket	सेट			४९८८.८०
	32 Amp 4 Pin Socket	सेट			४७०४.००
	32 Amp 5 Pin Socket	सेट			४७०४.००
	63 Amp 3 Pin Socket	सेट			१०७५२.००
	63 Amp 4 Pin Socket	सेट			९८००.००
	63 Amp 5 Pin Socket	सेट			९८००.००
Amp and No. of Pin					
	16/20 Amp 3 Pin Plug	सेट			१८५९.२०
	16/20 Amp 4 Pin Plug	सेट			२५९८.४०
	16/20 Amp 5 Pin Plug	सेट			२५७२.८०
	32 Amp 3 Pin Plug	सेट			३२०३.२०



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	मू.क. बाहेकको दररेट		
		एकाई	आ.व. २०७६/७७	आ.व. २०७७/७८
	32 Amp 4 Pin Plug	सेट		३२७०.४०
	32 Amp 5 Pin Plug	सेट		२६७६.८०
	63 Amp 3 Pin Plug	सेट		९६६५.६०
	63 Amp 4 Pin Plug	सेट		७७५०.४०
	63 Amp 5 Pin Plug	सेट		६७८७.२०
	IP 66 Degree of Protection, Waterproof Wall Sockets with Din Channels made of Thermoplastic Polycarbonate body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.			
	Amp and No.of Pin			
	16/20 Amp 3 Pin	सेट		६६९९.२०
	16/20 Amp 4 Pin	सेट		६९४४.००
	16/20 Amp 5 Pin	सेट		६८७६.८०
	32 Amp 3 Pin	सेट		७८४०.००
	32 Amp 4 Pin	सेट		७७२८.००
	32 Amp 5 Pin	सेट		७७२८.००
	IP 44 made of special hard synthetic rubber,UV & Chemical resistant, insulated & sock proof, suitable for cable assemblies upto 6 sqmm, suitable to accommodate upto 32A 5pin CEE Sockets and having sturdy and lightweight handle, handle for easy rotation,can be equipped with RCCB/MCBs and lined transparent cover easy access to breakers,trolly arrangement for easy transportation The cable drum shall be used for construction sites / shut down / maintenance and therefore shall be intended for use in both indoors and outdoors, i.e. temporary places of work to which the public do not generally have access and where building construction, installation, repairs, alteration or demolition of property (buildings) or civil engineering (public works) or excavation or any other similar operations are carried out. The complete unit shall be portable / transportable (semi-fixed) or mobile assemblies with enclosure. The assembly shall conform to IEC 604139 - 4; while the sockets shall conform to IEC 60309 - 1 for general requirements & IEC 60309 -2 for requirements of Earth Pin Position. IEC 60309-2 connectors shall be so designed that a plug of one type can only be inserted into a socket of the same type.			
	Dimension ( mm dia )			
	Empty Cable Drum 235 mm dia	सेट		१०६५१.२०
	Empty Cable Drum 310 mm dia	सेट		१६५२०.००
	Empty Cable Drum 380 mm dia	सेट		३६७८०.८०
	Empty Cable Drum 450 mm dia	सेट		४२७१६.८०
२६	PVC Listy Double Lock { 6'length =1 no.(गोटा)}			
	½ " breadth	सेट	३१.००	३१.००
	¾"	सेट	४६.००	४६.००
	1"	सेट	६७.००	६७.००
	1 1/2"	सेट	१२९.००	१२९.००
	2"	सेट	१४४.००	१४४.००
२७	PVC Conduit Pipe			
	1) ½ " diameter	र.मी	३१.००	३१.००
	2) ¾"	र.मी	४६.००	४६.००
	3) 1"	र.मी	६७.००	६७.००
२८	Listy Pipe Accessories			
	½"-2" size Saddle	र.मी	८.००	८.००
	Grips (Denmark)	गोटा	६.००	६.००
	Steel screws	गोटा	२.००	२.००
	PVC Tape	गोटा	१५.००	१५.००

Handwritten signatures and initials at the bottom of the page.



सि.नं	निर्माण सामग्रीहरूको विवरण	काठमाण्डु एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२९	Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.				
	4 way SPN DB Double Cover	सेट	१०८२.००	१०८२.००	१०८२.००
	6 way SPN DB " "	सेट	११३५.००	११३५.००	११३५.००
	8 way SPN DB " "	सेट	१४१६.००	१४१६.००	१४१६.००
	12 way SPN DB " "	सेट	१६७९.००	१६७९.००	१६७९.००
	16 way SPN DB " "	सेट	१७९५.००	१७९५.००	१७९५.००
	3-4 way TPN DB Double Cover	सेट	२६६८.००	२६६८.००	२६६८.००
	6 way TPN " " "	सेट	२९९८.००	२९९८.००	२९९८.००
	8 way TPN " " " Vertical	सेट	५७९९.००	५७९९.००	५७९९.००
	12 way TPN " " " Vertical	सेट	७७२७.००	७७२७.००	७७२७.००
	50 Pair Telephone D.B.with crown tag	सेट	५४४६.००	५४४६.००	५४४६.००
	PVC Box for MCB				
	1-pole PVC box GPS	सेट	८१.००	८१.००	८१.००
	2- pole PVC " "	सेट	८१.००	८१.००	८१.००
	3 and 4-pole PVC " "	सेट	१३०.००	१३०.००	१३०.००
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट			३००२.००
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट			३७०६.००
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट			४४५४.००
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट			५६५१.००
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट			५७७९.००
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट			७०११.००
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट			२२५६.००
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट			२७५२.००
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट			३२५४.००
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट			३९७४.००
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट			७३३४.००
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट			९१३३.००
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट			१०९५४.००
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट			१६४०६.००
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट			२०३३९.००
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट			२८४७४.००
	2 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			९३९८.००
	3 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			११२८६.००
	4 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			१२२९४.००
	3 ROW OF 14M FLEXY DB +MCCB (DOUBLE DOOR)	सेट			१२२९१.००
	4WAY DPX3 160+12 VTPN DB'S (DOUBLE DOOR)	सेट			२२००३.००
	6WAY DPX3 160+18 VTPN DB'S (DOUBLE DOOR)	सेट			२४९९८.००


Handwritten signatures and initials at the bottom of the page.

विद्युतिय सामग्रीहरू



सि.नं	निर्माण सामग्रीहरूको विवरण	मु.अ.क. बाहेकको दररेट	आ.व.	
			२०७७/७८	२०७८/७९
	8WAY DPX3 160+24 VTPN DB'S (DOUBLE DOOR)	सेट		२७५१४.००
	12WAY DPX3 160+36 VTPN DB'S (DOUBLE DOOR)	सेट		३७५१०.००
	4WAY DPX3 160+12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		२६४१३.००
	4WAY DPX3 160+12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३०२३४.००
	4WAY DPX3 160+12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३४९५७.००
	4WAY DPX3 160+12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट		३९४२७.००
	DPX3 160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		६५२८.००
	DPX3 250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		११५९४.००
	DRX100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट		३४८८.००
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट		११६२.००
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट		११६२.००
३०	Miniature Circuits Breaker (MCB) , (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)			
	Single Pole			
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२०६.००
	40A SP 10 KA MCB	गोटा		७४९.००
	63A SP 10 KA MCB	गोटा		८१७.००
	Double Pole			
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०३०.००
	40A DP 10 KA MCB	गोटा		१६००.००
	63A DP 10 KA MCB	गोटा		१८००.००
	Three Pole			
	6-32 amp MCB TP (Triple pole)	गोटा	१७१०.००	१७१०.००
	40A TP 10 KA MCB	गोटा		२४५०.००
	63A TP 10 KA MCB	गोटा		२५९०.००
	Four Pole			
	10-32 amp MCB FP (Four pole)	गोटा		२१४०.००
	40A FP 10 KA MCB	गोटा		३१३०.००
	63A FP 10 KA MCB	गोटा		३२००.००
३१	Miniature Circuits Breaker (MCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)			
	0.5-5 amp MCB SP (single pole)	गोटा	२५.००	२५.००
	6-32 amp MCB SP (single pole)	गोटा	१६५.००	१६५.००
	6-32 amp MCB DP (Double pole)	गोटा	६१८.००	६१८.००
	6-32 amp MCB TP (Triple pole)	गोटा	१२३६.००	१२३६.००
	32 amp MCB TPN	गोटा	१४९४.००	१४९४.००
	40-63 amp MCB DP	गोटा	९७९.००	९७९.००
	40-63 amp MCB TP	गोटा	१३९१.००	१३९१.००
	40-63 amp MCB TPN	गोटा	१८५४.००	१८५४.००
३२	Residual Current Circuit Breaker (RCCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)			

Handwritten signatures and initials at the bottom of the page.



विद्युतिय सामग्रीहरु  
 प्रा.स. वि. बन्जारा  
 काठमाण्डौ

सि.नं	निर्माण सामग्रीहरुको विवरण	मु.अ.क. बाहेकको दररेट		
		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	<b>Two Pole</b>			
	25A 30mA 2 POLE RCCB	गोटा	२७५१.००	२७५१.००
	25A 100mA 2 POLE RCCB	गोटा		३७२५.००
	25A 300mA DP RCCB	गोटा		३७२५.००
	40A 30mA DP RCCB	गोटा		४०२५.००
	40A 100mA DP RCCB	गोटा		४२६०.००
	40A 300mA DP RCCB	गोटा		४२६०.००
	63A 30mA DP RCCB	गोटा		५०१५.००
	63A 300mA DP RCCB	गोटा		५१४०.००
	<b>Four Pole</b>			
	25A 30mA Four Pole RCCB	गोटा		४७१०.००
	25A 100mA Four Pole RCCB	गोटा		४८८०.००
	25A 300mA Four Pole RCCB	गोटा		४८८०.००
	40A 30mA Four Pole RCCB	गोटा		४७३०.००
	40A 100mA Four Pole RCCB	गोटा		४९५५.००
	40A 300mA Four Pole RCCB	गोटा		४९५५.००
	63A 30mA Four Pole RCCB	गोटा		५४२५.००
	63A 100mA Four Pole RCCB	गोटा		५६९५.००
	63A 300mA Four Pole RCCB	गोटा		५६९५.००
	100A 300mA Four Pole RCCB	गोटा		९५५०.००
३३	<b>Moulded Case Circuit Breaker (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>			
	16A-63A 3P MCCB 10 KA FTFM	गोटा		३३८५.००
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा		३९४०.००
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा		५५८५.००
	125A 3P MCCB 18 KA TM 9 PIN	गोटा		१२२००.००
	20A-63A 3P MCCB 25 KA	गोटा		९२३०.००
	80A 3P MCCB 25 KA	गोटा		९६८०.००
	100A 3P MCCB 25 KA	गोटा		९६८०.००
	125A 3P MCCB 25 KA	गोटा		१३१४०.००
	160A 3P MCCB 25 KA	गोटा		२०२००.००
	200A 3P MCCB 25 KA	गोटा		२७५००.००
	250A 3P MCCB 25 KA	गोटा		२९३८०.००
	125A 3P MCCB 36 KA	गोटा		१८१६५.००
	160A 3P MCCB 36 KA	गोटा		२४१४५.००
	200A 3P MCCB 36 KA	गोटा		२८७१०.००
	250A 3P MCCB 36 KA	गोटा		३२३१०.००
	320A 3P MCCB 36 KA	गोटा		३७४७५.००
	400A 3P MCCB 36 KA	गोटा		३७५०८.००
	500A 3P MCCB 36 KA	गोटा		४३३१०.००
	630A 3P MCCB 36 KA	गोटा		४९१००.००


Handwritten signatures and initials at the bottom of the page.



विद्युत्तिय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकक/मात्रा	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	125A 3P MCCB 50 KA	गोटा			२३५७०.००
	160A 3P MCCB 50 KA	गोटा			२९६७५.००
	200A 3P MCCB 50 KA	गोटा			२७९३०.००
	250A 3P MCCB 50 KA	गोटा			३०७३२.००
	320A 3P MCCB 50 KA	गोटा			३५९६९.००
	400A 3P MCCB 50 KA	गोटा			३६०८०.००
	500A 3P MCCB 50 KA	गोटा			४२८६०.००
	630A 3P MCCB 50 KA	गोटा			५५५००.००
	800A 3P MCCB 50 KA	गोटा			८६९३०.००
	1000A 3P MCCB 50 KA	गोटा			९३६६३७.००
	1250A 3P MCCB 50 KA	गोटा			९६७९८५.००
	20A 4P MCCB 25 KA	गोटा			९२९०५.००
	25A 4P MCCB 25 KA	गोटा			९२९०५.००
	32A 4P MCCB 25 KA	गोटा			९२९०५.००
	40A 4P MCCB 25 KA	गोटा			९२९०५.००
	50A 4P MCCB 25 KA	गोटा			९५४३५.००
	80A 4P MCCB 25 KA	गोटा			९५४३५.००
	100A 4P MCCB 25 KA	गोटा			९५७३५.००
	125A 4P MCCB 25 KA	गोटा			९९५२०.००
	160A 4P MCCB 25 KA	गोटा			२५०५०.००
	200A 4P MCCB 25 KA	गोटा			३४९५०.००
	250A 4P MCCB 25 KA	गोटा			३६८४५.००
	125A 4P MCCB 36 KA	गोटा			२२५५५.००
	160A 4P MCCB 36 KA	गोटा			२८६८०.००
	200A 4P MCCB 36 KA	गोटा			३५३२०.००
	250A 4P MCCB 36 KA	गोटा			३९४७०.००
	320A 4P MCCB 36 KA	गोटा			४६८००.००
	400A 4P MCCB 36 KA	गोटा			४७५७५.००
	500A 4P MCCB 36 KA	गोटा			५९०९५.००
	630A 4P MCCB 36 KA	गोटा			६५४००.००
	125A 4P MCCB 50 KA	गोटा			२६४३०.००
	200A 4P MCCB 50 KA	गोटा			३४९९५.००
	250A 4P MCCB 50 KA	गोटा			३७७०४.००
	320A 4P MCCB 50 KA	गोटा			४४४४२.००
	400A 4P MCCB 50 KA	गोटा			४५०५७.००
	500A 4P MCCB 50 KA	गोटा			५४९२४.००
	600A 4P MCCB 50 KA	गोटा			५७६९८.००
	800A 4P MCCB 50 KA	गोटा			९८२००.००
	1000A 4P MCCB 50 KA	गोटा			९९०४९५.००
	1250A 4P MCCB 50 KA	गोटा			२४०५००.००
३४	Manual Change over Panel Type - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				

विद्युतिय सामग्रीहरु




सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	63 Amp FP	गोटा	११६१८.००	११६१८.००	११६१८.००
	80 Amp FP	गोटा	१२८५४.००	१२८५४.००	१२८५४.००
	100 Amp FP	गोटा	१८२१०.००	१८२१०.००	१८२१०.००
	125 Amp FP	गोटा	१९१९९.००	१९१९९.००	१९१९९.००
	160 Amp FP	गोटा	२५२१४.००	२५२१४.००	२५२१४.००
	200 Amp FP	गोटा	२६०३८.००	२६०३८.००	२६०३८.००
	250 Amp FP	गोटा	२७६८६.००	२७६८६.००	२७६८६.००
	315 Amp FP	गोटा	३५०२०.००	३५०२०.००	३५०२०.००
	<b>OPEN EXECUTION</b>				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा			९६००.००
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा			१२६५५.००
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	गोटा			१९२४५.००
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	गोटा			२०८००.००
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	गोटा			२५२६०.००
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	गोटा			३७७६५.००
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	गोटा			३९१४०.००
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	गोटा			५७६९०.००
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	गोटा			६८०००.००
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	गोटा			९८५००.००
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	गोटा			१७६५००.००
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा			२३४५००.००
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा			२७७५००.००
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा			३७७९००.००
	<b>Sheet Steel Enclosure</b>				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा			१३९३५.००
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा			१७७७५.००
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा			२५९००.००
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा			२८९१०.००
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा			३३४३०.००
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा			४७२५५.००
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा			४९५३०.००
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा			७२९८०.००
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा			८६०००.००
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा			१२९९९०.००
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा			२२८५००.००
	<b>DOOM LIGHT</b>				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा			२८५०.००
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा			२८५०.००
	20W DOOM LIGHT LIPER RD 2700K	गोटा			१७५०.००
	20W DOOM LIGHT LIPER RD 6500K	गोटा			१७५०.००
	30W DOOM LIGHT LIPER RD 2700K	गोटा			२२००.००
	30W DOOM LIGHT LIPER RD 6500K	गोटा			२२००.००
	20W BALLKIT 6500K	गोटा			१८५०.००
३५	<b>Dome light (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	6" Milky type decorative dome light	सेट	१८०.००	१८०.००	१८०.००
	6" Brass base decorative dome light	सेट	७३६.००	७३६.००	७३६.००
	8"Milky type decorative dome light	सेट	२२७.००	२२७.००	२२७.००
	8" Brass base decorative dome light	सेट	८७६.००	८७६.००	८७६.००

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left and center.

## विद्युतिय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	8" Silver cast Milky base Decorative Dome Light	सेट	११०७.००	११०७.००	११०७.००
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५६७.००	५६७.००
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	१२१३.००	१२१३.००	१२१३.००
३६	<b>Wall bracket/spout light/mirror light bulk head ordinary</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)	सेट	२३२.००	२३२.००	२३२.००
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६१.००	३६१.००	३६१.००
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८२४.००	८२४.००
	1 x 11/13 watt CFL <b>DOWN LIGHT</b> with reflector & diffuser (conceal light) Complete Set	सेट	९६८.००	९६८.००	९६८.००
	1 x 18 watt CFL <b>Down light</b> with reflector & diffuser (conceal light) Complete Set	सेट	१५१४.००	१५१४.००	१५१४.००
	Dining lamp.	सेट	१७००.००	१७००.००	१७००.००
	<b>Chandlers</b> 6-8 lamp Medium	सेट	१५०९०.००	१५०९०.००	१५०९०.००
	Chandlers 3-5 lamp Medium	सेट	१०७६४.००	१०७६४.००	१०७६४.००
	Mirror Light Euro Light	सेट	४६४.००	४६४.००	४६४.००
	Picture light Euro Light POO2	सेट	६७०.००	६७०.००	६७०.००
	Wall spot Light E27 60W Euro or eqv.	सेट	३६१.००	३६१.००	३६१.००
	Exit Light safety sign(8.24)W	सेट	८२४.००	८२४.००	८२४.००
३७	<b>Post top Lanterns</b>				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	२५७५.००	२५७५.००	२५७५.००
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३०९०.००	३०९०.००
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३४७६.००	३४७६.००
	8" Globe type Post top Lamp complete set	सेट	१४१६.००	१४१६.००	१४१६.००
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७०४.००	२७०४.००
३८	<b>Roadway light</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	30W STREET LIGHT SENSOR	सेट			५५००.००
	50W STREET LIGHT SENSOR	सेट			६५००.००
	1 x 36 W FTL <b>street light</b> fixture with acrylic diffuser complete set	सेट	२६३७.००	२६३७.००	२६३७.००
	2 x 36 W FTL <b>street light</b> fixture with acrylic diffuser complet set	सेट	३८६८.००	३८६८.००	३८६८.००
	300/500 watt halogen weather proof <b>FLOOD LIGHT</b> with glass cover Complete set	सेट	१५४५.००	१५४५.००	१५४५.००
	1000 watt halogen weather proof <b>flood light</b> with glass cover Complete set	सेट	३०९०.००	३०९०.००	३०९०.००
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९२७०.००	९२७०.००
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	१०८१.५०	१०८१.५०	१०८१.५०
	Single Piece deep drawn aluminum POT optics <b>road light luminaries</b> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	सेट	५२५३.००	५२५३.००	५२५३.००
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१.००	२२७१.००	२२७१.००
	1X125W HPSV <b>street light</b> fixture with acrylic diffuser	सेट	५११९.००	५११९.००	५११९.००
	2X60/100W GLS <b>aviation light</b> fixture all complete set	सेट	५६८६.००	५६८६.००	५६८६.००


229





सि.नं	निर्माण सामग्रीहरूको विवरण	कोठामाउँ एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
३९	TABLE FAN, CEILING FANS & EXHAUST Fans, (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	36" size ceiling Fan	गोटा	२१६३.००	२१६३.००	२१६३.००
	42" size " "	गोटा	२२६६.००	२२६६.००	२२६६.००
	48" size " "	गोटा	२३१८.००	२३१८.००	२०६०.००
	56" size " "	गोटा	२५७५.००	२५७५.००	२५७५.००
	6" Exhaust Fan	गोटा	१४९४.००	१४९४.००	१४९४.००
	8" EXHAUST FAN PLASTIC WHITE	गोटा			१९००.००
	9" Exhaust Fan	गोटा	१८०३.००	१८०३.००	२२६५.००
	10" EXHAUST FAN PLASTIC WHITE	गोटा			२०६०.००
	16" size wall fan	गोटा	२८३३.००	२८३३.००	२८३३.००
	12" size exhaust fan	गोटा	२५७५.००	२५७५.००	२६२०.००
	16" TABLE FAN	गोटा			२६३०.००
	18" TABLE FAN GOLD	गोटा			२८८५.००
	16" WALL FAN	गोटा			२२३५.००
	18" STAND FAN GOLD	गोटा			३३००.००
	16" STAND FAN	गोटा			२६६०.००
	16" STAND FAN 3 BLADES	गोटा			२२७५.००
	18" WALL FAN REMOTE	गोटा			३१६०.००
	<b>Decorative Fans</b>				
	48" Ceiling Fan -Zypher	गोटा			५२००.००
	48" Ceiling Fan - Clover	गोटा			४२५०.००
	48" Ceiling Fan -Max Air Deco	गोटा			३४२५.००
	48" Ceiling Fan -Max Air Deco	गोटा			३४२५.००
	48" Ceiling Fan - Max Air Deco -Metallic	गोटा			३७५०.००
	48" Ceiling Fan - Eirwen	गोटा			३९००.००
	48" Underlight Ceiling Fan -Arty	गोटा			७३५०.००
	48" Decorative Fan - Airfurl	गोटा			५३७५.००
	48" Decorative Fan - Cool Whizz	गोटा			४७५०.००
	48" Decorative Fan - Wind Stellar	गोटा			४९००.००
	48" Decorative Fan - Apus	गोटा			४२२५.००
	48" Decorative Fan - Ruppel	गोटा			५९००.००
	48" Decorative Fan - Voyage	गोटा			४०००.००
	48" Decorative Fan - Skyward	गोटा			५४२५.००
	48" Decorative Fan -Aviah	गोटा			४२७५.००
	48" Decorative Fan -Wind Acer	गोटा			५४००.००
	48" Decorative Fan -Aeon	गोटा			५९५०.००
	48" Decorative Fan -Aeon Prime	गोटा			५९५०.००
	48" Decorative Fan -Dasher	गोटा			५०७५.००
	48" Decorative Fan -Fiesta	गोटा			४९००.००
	48" BLDC Fan - Vyana	गोटा			७४५०.००
	56" Ceiling Fan - Max Air Deco	गोटा			३९७५.००

Handwritten signatures and the number 230 at the bottom of the page.



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	<b>Economy Plain Fans</b>				
	56" Ceiling Fan - Max Air	गोटा			३७००.००
	48" Power Saver Ceiling Fan -Eco -50 W	गोटा			३८००.००
	48" Power Saver Ceiling Fan -Fisaga- 50W	गोटा			४४००.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan- Max Air-Antidust	गोटा			२७५०.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan - Halito	गोटा			२६००.००
	36" Ceiling Fan - Max Air	गोटा			२९००.००
	24" Ceiling Fan - Max Air (High Speed)	गोटा			२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा			२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा			२८००.००
	<b>Table / Pedestal / Wall Fans</b>				
	16" Farata Fan - Whirlmax	गोटा			५८००.००
	18" Farata Fan - Whirlmax Plus	गोटा			६९००.००
	20"Farata Fan -Whirl Max Pro	गोटा			७४८०.००
	16" High Speed Pedestal Fan -Impello Supreme	गोटा			५५००.००
	16" Pedestal Fan -Impello	गोटा			५१५०.००
	16" High Speed Table Fan- Brisa Max	गोटा			४५००.००
	16" Table Fan-Brisa	गोटा			४०००.००
	16" High Speed Wall Fan-Kaizen Plus	गोटा			४५००.००
	16" Wall Fan -Kaizen	गोटा			४२००.००
	16" Pedestal Fan -Ordain	गोटा			५४००.००
	16" High Speed Pedestal Fan -Ordain Supreme	गोटा			५८००.००
	16" Table Fan-Twirl Pro	गोटा			३९००.००
	16" High Speed Table Fan- Swift Pro	गोटा			४५००.००
	16" Wall Fan -Aerodome	गोटा			४२००.००
	16" High Speed Wall Fan-Aerodome +	गोटा			४७००.००
	<b>Ventilation / Exhaust Fans</b>				
	6" Ventilation Exhaust Fan-Aerospin	गोटा			२०००.००
	8" Ventilation Exhaust Fan-Aerobrisk	गोटा			२०९०.००
	10" Ventilation Exhaust Fan-Aerocrisp	गोटा			२४७५.००
	4" Moduler Ventilation Exhaust - Aerospin	गोटा			२२००.००
	6" Moduler Ventilation Exhaust - Aerospin	गोटा			२४७५.००
	4" Moduler Ventilation Exhaust - Aerofresh	गोटा			२५२५.००
	6" Moduler Ventilation Exhaust - Aerofresh	गोटा			२९५०.००
	9"Open Metal Exhaust - Aeroplus	गोटा			२९७५.००
	12"Open Metal Exhaust - Aeromax	गोटा			३४७५.००
	<b>Exclusive &amp; Underlight Fans</b>				
	ESC-304	गोटा			२७०००.००
	ESC-305	गोटा			२००००.००

Handwritten signatures and initials at the bottom of the page.



सि.नं	निर्माण सामग्रीहरूको विवरण	एककाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	ESC-314YY - Umber	गोटा			३०५००.००
	ESC-C193 - Breeze	गोटा			२८४००.००
	ESC-322-Y - Sparkle	गोटा			२७२००.००
	ESC-339	गोटा			४६४००.००
	ESC-001-D -Allure	गोटा			२९६००.००
	ESC-001-E -Aerial	गोटा			२२७००.००
	ESC-400	गोटा			२५८००.००
	ESC-402YY - Tiara	गोटा			२२६००.००
<b>४०</b>	<b>BELL INDICATOR</b>				
	4 way bell indicator with plate	सेट	१२५५.००	१२५५.००	१२५५.००
	6 way " " " "	सेट	२०४९.००	२०४९.००	२०४९.००
	8 way " " " "	सेट	२८५९.००	२८५९.००	२८५९.००
	12 way " " " "	सेट	४३९५.००	४३९५.००	४३९५.००
	6A PUSH BUTTON SP 1 MODULE	सेट			२२९.००
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट			३९४.००
	6A BELL PUSH 1 MODULE	सेट			२८५.००
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट			३४२.००
	6A BELL PUSH 2 MODULE	सेट			३८४.००
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट			५७०.००
	BELL CALL INDICATOR 240V 1 MODULE	सेट			१५३०.००
<b>४१</b>	<b>Materials For Earthing &amp; Lightening Protection (sp.gr. copper =8930kg/m<sup>3</sup>)</b>				
	Copper plate	के.जी	९९७.००	९९७.००	९९७.००
	Copper Strip (25 x 3)mm (Approx 60"=1kg)	के.जी	१०८२.००	१०८२.००	१०८२.००
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	१०८२.००	१०८२.००
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	१०८२.००	१०८२.००
	Lightning rod copper conductor Air termination set	गोटा	२७३०.००	२७३०.००	२७३०.००
	8 SWG bare copper wire	र. मी	१४४.००	१४४.००	१४४.००
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५२.००	२५२.००
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६९८.००	६९८.००	६९८.००
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९६.००	१९६.००
	Funnel with wire mesh	गोटा	३६९.००	३६९.००	३६९.००
	Charcoal	ब्याग	३०९.००	३०९.००	३०९.००
	Salt	के.जी	१२.००	१२.००	१२.००
<b>४२</b>	<b>STEEL TUBELAR POLE / WOODEN POLE</b>				
	Steel Tubular Poles with welded plate on top and bottom ( medium Gauge non Galvanized with folding System and accessories )				
	7 Mtr. ( Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	गोटा	१२०५७.००	१२०५७.००	१२०५७.००

Handwritten signatures and initials at the bottom of the page.

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	मु.अ.क.	बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	9 Mtr. ( Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	गोटा	१२९७८.००	१२९७८.००	१२९७८.००
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom ( medium Gauge non Galvanized with welded joints )	गोटा	१२४८४.००	१२४८४.००	१२४८४.००
	7 mtr.length Wooden Pole	गोटा	४९९६.००	४९९६.००	४९९६.००
	9 mtr.length Wooden Pole	गोटा	६७९८.००	६७९८.००	६७९८.००
४३	<b>Smart Poles With Luminaries:</b>				
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा			३९४४०००.००
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा			३४०००००.००
	7 Meter Smart Poles with Decorative Lights and Smart Sensors	गोटा			२८५६०००.००
	Gobo Projector	गोटा			१९९६४८०.००
४४	<b>Decorative Poles With Luminaries:</b>				
	16 Arm Smart Decorative Butterfly Poles	गोटा			२४३४४००.००
	12 Arm Smart Decorative Butterfly Poles	गोटा			२०५३६००.००
४५	<b>Smart Automation and Control System:</b>				
	Smart PIR Sensor Ceiling Mount Type	गोटा			२०४००.००
	Smart PIR Sensor Surface Mount Type	गोटा			२१४८८.००
	Smart PIR Sensors Recessed Mount Type	गोटा			४२१६.००
	6 Button Keypad	गोटा			६१२००.००
	4 Button Keypad	गोटा			५०३२०.००
	3 Channel Relay Dali Controller	गोटा			१७५९८४.००
	4 Channel Relay Controller	गोटा			८१०५६.००
	15 V DC 1.5 Amps regulated power supply	गोटा			५९८४०.००
	TCP/IP Protocol network gateway	गोटा			१२९२००.००
	PDTS Networked Touch Screen intelligent control	गोटा			५३६६५६.००
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा			१७५४४००.००
४६	<b>Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated &amp; powder coated CRCA steel all complete accessories pre wired upto a terminal block . (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1×20 watt FTL (Patti fittings)	सेट	४६४.००	४६४.००	४६४.००
	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५.००	७७५.००	७७५.००
	1×20 watt FTL (Mirrolta) WRF 20120	सेट	८७६.००	८७६.००	८७६.००
	1×40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०२०.००	१०२०.००	१०२०.००
	1×40 watt FTL box fittings	सेट	११५९.००	११५९.००	११५९.००
	2×40 watt FTL box fittings	सेट	१७५९.००	१७५९.००	१७५९.००
	1×40 watt FTL Industrial channel	सेट	१७८२.००	१७८२.००	१७८२.००
	2×40 watt FTL Industrial channel	सेट	२२८७.००	२२८७.००	२२८७.००

## विद्युतिय सामग्रीहरु


सि.नं	निर्माण सामग्रीहरुको विवरण	एकिक	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	1x40 watt FTL, opalite with opal Arcylic dissuser .	सेट	१८५४.००	१८५४.००	१८५४.००
	2x40 watt FTL, oplite with opal Arcylic dissuser	सेट	३०९०.००	३०९०.००	३०९०.००
	4x20 watt FTL, oplite WCF 93418	सेट	५४९०.००	५४९०.००	५४९०.००
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting	सेट	५४९०.००	५४९०.००	५४९०.००
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	३५५४.००	३५५४.००	३५५४.००
	2x40 watt FTL <u>mirror optic</u> . surface/recessed mounting with electronic choke	सेट	४३२६.००	४३२६.००	४३२६.००
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set	सेट	९३८३.००	९३८३.००	९३८३.००
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	८२४५.००	८२४५.००	८२४५.००
४७	<b>LED WEATHER PROOF INDUSTRIAL BATTEN</b>				
	18W/36W @100lm/watt IP65 AC90-300v,50/60Hz Thermo-plastic+Polycarbonate cover 3000k-6500k LED weatherproof batten	गोटा			५०००.००
४८	<b>LED UFO HIGH-BAY LIGHT</b>				
	100W/150W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा			३२०००.००
	200W/240W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा			४५०००.००
४९	<b>HIGHBAY LIGHT</b>				
	<b>GreenPerform Prime:</b> GreenPerform Prime is a new age highbay range that offers an industry leading efficacy of 150lm/W specially designed to deliver unmatched performance in adverse industrial environments with its robust housing design and cater to diverse applications with multiple options of beam angles.CCT Options of 5700K and 4000K at the same MRP. Beam Angles Available: NB 60° - 10000 lm, 15000 lm,20000 lm & 25000 lm   WB 110° - 10000 lm & 15000 lm   ENB 30° - 25000 lm				
	100W	गोटा			२०८००.००
	150w	गोटा			२४०००.००
	200w	गोटा			२७२००.००
	250w	गोटा			३५२००.००
	<b>DuraLED Highbay:</b> IP66 & IK08 protected LED Highbay solution with PDC housing, toughened & shattered proof glass available in both Narrow & Wide beam optics.				
	100W	गोटा			१९२००.००
	130W	गोटा			२३२००.००
	160w	गोटा			२७२००.००
	195w	गोटा			३५२००.००
५०	<b>COB</b>				



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकक/विवरण	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	3W, >240lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			१३००.००
	6W, >420lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			१६००.००
	9W, >720lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			२१६०.००
	12W, >960lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			२६७०.००
	16W, >1280lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			३०७०.००
	24W, >1920lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			४०७०.००
	30W, >2400lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60° swivel	गोटा			४७००.००
	<b>Astraspot COB,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k</b>				
	2W LED RGB/WW/CDL/NW	गोटा			७२५.००
	3W	गोटा			१६७०.००
	7W	गोटा			२२८५.००
	12W	गोटा			२९६०.००
	18W	गोटा			५३६५.००
	20W	गोटा			६३४५.००
५१	<b>Compact Fluorescent Lamp (CFL) based Luminaries set all complete . (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	२६७८.००	२६७८.००	२६७८.००
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	१८३३.००	१८३३.००	१८३३.००
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	२२६६.००	२२६६.००	२२६६.००
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	६०६७.००	६०६७.००	६०६७.००
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	६८२४.००	६८२४.००	६८२४.००
	Recess mounting Direct Indirect LED luninare	सेट	१०८१५.००	१०८१५.००	१०८१५.००
	Recess mounting Direct Indirect LED luninare	सेट	१४०६०.००	१४०६०.००	१४०६०.००
	Recess Surface mounted LED luminate	सेट	१३३३९.००	१३३३९.००	१३३३९.००
	Hight efficiency circular LED Down Lighter	सेट	३२४५.००	३२४५.००	३२४५.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	१४६००.००	१४६००.००	१४६००.००
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	१०८२.००	१०८२.००	१०८२.००
	Circular LED wall/Dome Light suitable for true ceiling	सेट	३२४५.००	३२४५.००	३२४५.००
	Square LED Wall/Dome light suitable for true ceiling	सेट	३२४५.००	३२४५.००	३२४५.००
	Recess mounted indirect and direct luminaires	सेट	६१२९.००	६१२९.००	६१२९.००
	2x36 Watt CFL Surface Mirror Optic	सेट	६१२९.००	६१२९.००	६१२९.००
५२.०	<b>Down Light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				

235




क्रियात्मक सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८.००	१२९८.००	१२९८.००
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८.००	१२९८.००	१२९८.००
	FDL004 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७.००	१८५७.००	१८५७.००
	FDL004 SMD9W-CW Taiwan chip	सेट	१८५७.००	१८५७.००	१८५७.००
	FDL004 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८.००	२८२८.००	२८२८.००
	FDL004 SMD15W-CW Taiwan chip	सेट	२८२८.००	२८२८.००	२८२८.००
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५०९९.००	५०९९.००	५०९९.००
	FDL004 SMD30W-CW Taiwan chip	सेट	५०९९.००	५०९९.००	५०९९.००
	FDLO12 COB5W-WWH (90MM)	सेट	१३०९.००	१३०९.००	१३०९.००
	FDLO12 COB5W-CW	सेट	१३०९.००	१३०९.००	१३०९.००
	FDLO12 COB10W-WWH (120MM)	सेट	१९७९.००	१९७९.००	१९७९.००
	FDLO12 COB10W-CW	सेट	१९७९.००	१९७९.००	१९७९.००
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	५०९९.००	५०९९.००	५०९९.००
	FDLO12 COB15W-CW Taiwan chip	सेट	५०९९.००	५०९९.००	५०९९.००
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७.००	६७८७.००	६७८७.००
	FDLO12 COB25W-CW Taiwan chip	सेट	६७८७.००	६७८७.००	६७८७.००
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३.००	८४८३.००	८४८३.००
	FDLO12 COB30W-CW Taiwan chip	सेट	८४८३.००	८४८३.००	८४८३.००
	FDL007 SMD12W-WWH Taiwan chip (130*110)	सेट	४९८४.००	४९८४.००	४९८४.००
	FDL007 SMD12W-CW Taiwan chip	सेट	४९८४.००	४९८४.००	४९८४.००
	FDL007 SMD18W-WWH Taiwan chip (165*145)	सेट	६९०८.००	६९०८.००	६९०८.००
	FDL007 SMD18W-CW Taiwan chip	सेट	६९०८.००	६९०८.००	६९०८.००
	FDL007 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५.००	७६३५.००	७६३५.००
	FDL007 SMD24W-CW Taiwan chip	सेट	७६३५.००	७६३५.००	७६३५.००
	FDL001 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३९६७.००	३९६७.००	३९६७.००
	FDL001 HP5W FBK-CW Taiwan chip	सेट	३९६७.००	३९६७.००	३९६७.००
	FDL001 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३९६७.००	३९६७.००	३९६७.००
	FDL001 HP5W FWH-CW Taiwan chip	सेट	३९६७.००	३९६७.००	३९६७.००
	FDL005 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०९.००	१३०९.००	१३०९.००
	FDL005 SMD7W-CW Taiwan chip	सेट	१३०९.००	१३०९.००	१३०९.००
	FDL005 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६.००	१६९६.००	१६९६.००
	FDL005 SMD12W-CW Taiwan chip	सेट	१६९६.००	१६९६.००	१६९६.००
	FDL005 SMD20W-WWH Taiwan chip (200MM)	सेट	३९९९.००	३९९९.००	३९९९.००
	FDL005 SMD20W-CW Taiwan chip	सेट	३९९९.००	३९९९.००	३९९९.००
	FM3161 HP 18W-WWH Cree Led	सेट	६७८७.००	६७८७.००	६७८७.००
	FM3161 HP 18W-CW Cree Led	सेट	६७८७.००	६७८७.००	६७८७.००
	HD-5010-13-WWH Osram chip (86*75)	सेट	२०९४.००	२०९४.००	२०९४.००
	HD-5010-13-CW Osram chip	सेट	२०९४.००	२०९४.००	२०९४.००
	HD-5010-14-WWH Osram chip (115*105)	सेट	३९६७.००	३९६७.००	३९६७.००
	HD-5010-14-CW Osram chip	सेट	३९६७.००	३९६७.००	३९६७.००
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९.००	३९५९.००	३९५९.००
	HD-5010-14-CW Osram chip	सेट	३९५९.००	३९५९.००	३९५९.००

Handwritten signatures and marks at the bottom of the page.

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०.००	७८६०.००	७८६०.००
	HD-5010-18-CW Osram chip	सेट	७८६०.००	७८६०.००	७८६०.००
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५१.००	२४५१.००	२४५१.००
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५१.००	२४५१.००	२४५१.००
	LUCIA WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	LUCIA BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	LUCIA-GD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	LUCIA-GD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	REMI/LUCIA WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/LUCIA BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/LUCIA-EL WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/LUCIA-EL BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/LUCIA-GD WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/LUCIA-GD BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	MADDI BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	MADDI BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४.००	२५२४.००	२५२४.००
	MADDI-VE BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	MADDI-HL BULKHEAD WHITE OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	MADDI-HL BULKHEAD BLACK OPAL	सेट	१८०३.००	१८०३.००	१८०३.००
	REMI/MADDI WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/MADDI BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/MADDI-VE WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/MADDI-VE BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/MADDI-HL WHITE OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	REMI/MADDI-HL BLACK OPAL	सेट	२१६३.००	२१६३.००	२१६३.००
	GABRI/MADDI 1L BLACK OPAL	सेट	७२१०.००	७२१०.००	७२१०.००
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९.००	६४८९.००	६४८९.००
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९.००	६४८९.००	६४८९.००
	GELMI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	GELMI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	GELMI-EL WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	GELMI-EL BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	DANZI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	DANZI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	STUCCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	STUCCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	CECCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	CECCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३६०५.००
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३६०५.००
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५.००	३२४५.००	३२४५.००


  
 237

विक्रिय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०.००	७२१०.००	७२१०.००
	<b>Deep Recessed Downlight Luminaires:</b>				
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED6S-6500 PSU WH Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED10S-6500 PSU WH Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED15S-6500 PSU WH-Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED20S-6500 PSU WH-Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED6S-6500 PSD WH Wide / Medium Angle Beam	गोटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED10S-6500 PSD WH Wide / Medium Angle Beam	गोटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED15S-6500 PSD WH-Wide / Medium Angle Beam	गोटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED20S-6500 PSD WH-Wide / Medium Angle Beam	गोटा			२०४००.००
	<b>Cylindrical Downlight Luminaires:</b>				
	Cylindrical Downlight Luminaires: SP320P LED6S-6500 PSU	गोटा			१११५२.००
	Cylindrical Downlight Luminaires: SP320P LED10S-6500 PSU	गोटा			११६९६.००
	Cylindrical Downlight Luminaires: SP320P LED15S-6500 PSU	गोटा			१२५१२.००
	Cylindrical Downlight Luminaires: SP320P LED20S-6500 PSU	गोटा			१३०५६.००
	<b>prime plus recessed downlight with 100lm/watt,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k</b>				
	3W	गोटा			९२५.००
	5W	गोटा			१०३५.००
	10W	गोटा			१४२०.००
	15W	गोटा			१७२०.००
	22W	गोटा			३८७०.००
	<b>star surface downlight ,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k</b>				
	7W	गोटा			१८५५.००
	12W	गोटा			२३९५.००
	18W	गोटा			३३६०.००
	22W	गोटा			५९९५.००
५३.०	<b>Smart Light:</b>				
	Exterior Rated RGB Linear Lights - 4Ft	गोटा			२६६५६०.००

Handwritten signatures and marks at the bottom of the page, including a page number 238.

## विद्युतिय सामग्रीहरु

सि. नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Exterior Rated RGB Linear Lights - 2Ft	गोटा			१७५४४०.००
	DMX Controller	सेट			६८००००.००
	DMX Amplifier	सेट			२०४०००.००
	Testing and commissioning of ultra-compact comissioning	सेट			१२२४०००.००
५४.०	<b>Outdoor Street Luminaries:</b>				
	Outdoor Street Luminaries 10-12 Watt	गोटा			६२५६.००
	Outdoor Street Luminaries 23-25 Watt	गोटा			१२२४०.००
	Outdoor Street Luminaries 28-30 Watt	गोटा			१३६००.००
	Outdoor Street Luminaries 36 Watt	गोटा			१४४१६.००
	Outdoor Street Luminaries 40 Watt	गोटा			१४९६०.००
	Outdoor Street Luminaries 45 Watt	गोटा			१५३६८.००
	Outdoor Street Luminaries 48 Watt	गोटा			१५७७६.००
	Outdoor Street Luminaries 60 Watt	गोटा			१६३२०.००
	Outdoor Street Luminaries 70 Watt	गोटा			२१७६०.००
	Outdoor Street Luminaries 90 Watt	गोटा			२५५६८.००
	Outdoor Street Luminaries 105 Watt	गोटा			२७७४४.००
	Outdoor Street Luminaries 120 Watt	गोटा			३००८०.००
	Outdoor Street Luminaries 140 Watt	गोटा			४३५२०.००
	Outdoor Street Luminaries 160 Watt	गोटा			४८२६०.००
५५.०	<b>Batten Lights - Residential Application:</b>				
	Almunium Extruded 4 Feet Linear Batten	गोटा			२३१२.००
	Almunium Extruded 4 Feet Linear Batten	गोटा			४०७७.२८
	Almunium Extruded 2 Feet Linear Batten	गोटा			१५५०.४०
	<b>Astraline essential LED batten ,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k</b>				
	1Foot size batten	गोटा			६४५.००
	2 feet size batten	गोटा			८९५.००
	4 feet size batten	गोटा			११७५.००
५६.०	<b>Batten Lights - Industrial Application:</b>				
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा			२३१२.००
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा			१०३३६.००
	Batten 4 ftLED luminaire- 18 Watt	गोटा			५३०४.००
	Batten 4 ftLED luminaire-34 Watt	गोटा			८७०४.००
	Batten 4 ftLED luminaire-47Watt	गोटा			११९६८.००
	Batten 4 ftLED luminaire- 18 Watt with PIR Sensors	गोटा			८०२४.००
	Batten 4 ftLED luminaire-34 Watt with PIR Sensors	गोटा			११४२४.००
	Batten 4 ftLED luminaire-47Watt with PIR Sensors	गोटा			१४६८८.००
५७.०	<b>INDUSTRIAL T-LED BOX TYPE PATTI</b>				


## विद्युत सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	1X4 box type patti T-Led 1x20w				१७२०.००
	1X4 box type patti T-Led 2x20w				१८८०.००
५८.०	<b>Industrial Reflector</b>				२१५०.००
	20W T-Led Stellar bright 4Ft	गोटा			८८०.००
५९.०	<b>Linear Suspended Luminaries:</b>				
	Suspended 4 Feet Linear Luminaires- Non Dimmable	गोटा			१६३२०.००
	Suspended -4 Feet Linear Luminaires- Non Dimmable	गोटा			१७६८०.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१४९६०.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१६३२०.००
	Surface- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१४९६०.००
	Suspended- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१८४७१.५२
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा			३७४८७.०४
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा			३७४८७.०४
	Suspended- 2 Feet Continous Linear Luminaires- Non Dimmable	गोटा			१२३७३.२८
६०.०	<b>2 * 2 Square Luminaires:</b>				
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED36S-6500-PSU	गोटा			१३०५६.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSU	गोटा			१०८८०.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSU	गोटा			१४१४४.००
	Recessed 2x2 Dimmable Luminaires: RC380B LED36S-6500-PSD	गोटा			२८५६०.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED25S-6500-PSD	गोटा			२७२००.००
	Recessed 2x2 Non Dimmable Luminaires: RC380B LED42S-6500-PSD	गोटा			३२६४०.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED36S-6500-PSU	गोटा			८७०४.००
	Recessed 2x2 Non Dimmable Luminaires: RC360B LED30S-6500-PSU	गोटा			८१६०.००
६१.०	<b>2 X 2 Luminaires - Indirect Lights:</b>				
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 30S 6500 PSU	गोटा			१६३२०.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSU	गोटा			१७६८०.००
	Indirect Lighting Recessed 2x2 Dimmable Luminaires: RC 420B M LED 30S 6500 PSD	गोटा			१९०४०.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSD	गोटा			२०४००.००
६२.०	<b>2 X 2 Luminaries - Smart Decorative Lights (Suspended, Recessed):</b>				
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED30S-PSU	गोटा			३६७२०.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED25S-PSU	गोटा			३९४४०.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED36S-PSU	गोटा			४२१६०.००

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED25S-PSD	गोटा			५९६८०.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED30S-PSD	गोटा			५४४००.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED36S-PSD	गोटा			५७९२०.००
६३	<b>System Sensor Product</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Photo Electric Smoke Detector	सेट	९८७५.००	९८७५.००	९८७५.००
	Rate of Rise Heat Detector	सेट	९८७५.००	९८७५.००	९८७५.००
	Fixed temperature Detector	सेट	२२८७.००	२२८७.००	२२८७.००
	Base	सेट	३७९.००	३७९.००	३७९.००
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	९४८३.००	९४८३.००	९४८३.००
	Wall mount Horn+Strobe	सेट	४९२०.००	४९२०.००	४९२०.००
	Ceiling mount Horn+Strobe	सेट	४९२०.००	४९२०.००	४९२०.००
६४	<b>Exit Light</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	MODEL SLM 18	सेट	९२३६०.००	९२३६०.००	९२३६०.००
	MODEL ELS 28	सेट	९२३६०.००	९२३६०.००	९२३६०.००
	MODEL ETL 210H-4LA	सेट	९२३६०.००	९२३६०.००	९२३६०.००
६५	<b>LUMINARIES Accessories</b> -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	500 watt halogen rod	गोटा	२३२.००	२३२.००	२३२.००
	1000 watt halogen rod	गोटा	२७८.००	२७८.००	२७८.००
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४.००	८३४.००	८३४.००
	150 watt sodium vapour bulb	गोटा	९२९.००	९२९.००	९२९.००
	250 watt sodium vapour bulb	गोटा	९७०.००	९७०.००	९७०.००
	20-40 watt FTL rod	गोटा	८०.००	८०.००	८०.००
	20-40 watt FTL Copper chowk.	गोटा	२५.००	२५.००	२५.००
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४९२.००	४९२.००	४९२.००
	Acryle cover for 4x20 FTL	गोटा	९८९.००	९८९.००	९८९.००
	FTL starter	गोटा	९९.००	९९.००	९९.००
	8 W to11W, C.F.L.Direct fit	गोटा	२३२.००	२३२.००	२३२.००
	13 to 22W, C.F.L.Direct fit	गोटा	२९९.००	२९९.००	२९९.००
	15-100 watt bulb.( ISI )	गोटा	२६.००	२६.००	२६.००
	PL-S 9W/86 (CFL)	गोटा	९६५.००	९६५.००	९६५.००
	PL-S 11W/86 (CFL)	गोटा	९७५.००	९७५.००	९७५.००
	PL-L 36W/86 (CFL)	गोटा	४९७.००	४९७.००	४९७.००
	125W HPL-N (Mercury Vapour)	गोटा	३७९.००	३७९.००	३७९.००
	250W HPL-N	गोटा	८७६.००	८७६.००	८७६.००
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	३६९.००	३६९.००	३६९.००
	12V/3W LED bulb	गोटा	४९२.००	४९२.००	४९२.००
	12V/4W LED bulb	गोटा	४६४.००	४६४.००	४६४.००

241



## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
६६	<b>COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked</b>				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८.००	९४८.००	९४८.००
	3/22 " " " "	क्वायल	११३३.००	११३३.००	११३३.००
	3/20 " " " "	क्वायल	१८०३.००	१८०३.००	१८०३.००
	7/22 " " " "	क्वायल	२५२४.००	२५२४.००	२५२४.००
	7/20 " " " "	क्वायल	४१२०.००	४१२०.००	४१२०.००
	7/18 " " " "	क्वायल	६४८९.००	६४८९.००	६४८९.००
	7/16 " " " "	क्वायल	१३३९०.००	१३३९०.००	१३३९०.००
	19/18 " " " "	क्वायल	१८०२५.००	१८०२५.००	१८०२५.००
	19/16 " " " "	क्वायल	३६०५०.००	३६०५०.००	३६०५०.००
	2/20 " " " "	क्वायल	१३७०.००	१३७०.००	१३७०.००
	2/22 " " " "	क्वायल	९२७.००	९२७.००	९२७.००
६७	<b>FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010</b>				
	Size 1 C *0.75 SQMM	र.मी	२२.००	२२.००	२२.००
	Size 1 C *1 SQMM	र.मी	३०.००	३०.००	३०.००
	Size 1 C *1.5 SQMM	र.मी	४४.००	४४.००	४४.००
	Size 1 C *2.5SQMM	र.मी	७२.००	७२.००	७२.००
	Size 1 C *4SQMM	र.मी	१०५.००	१०५.००	१०५.००
	Size 1 C *6SQMM	र.मी	१५९.००	१५९.००	१५९.००
६८	<b>FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010</b>				
	Size 1 C *0.75 SQMM	र.मी	२४.००	२४.००	२४.००
	Size 1 C *1 SQMM	र.मी	३२.००	३२.००	३२.००
	Size 1 C *1.5 SQMM	र.मी	४७.००	४७.००	४७.००
	Size 1 C *2.5SQMM	र.मी	७६.००	७६.००	७६.००
	Size 1 C *4SQMM	र.मी	११२.००	११२.००	११२.००
	Size 1 C *6SQMM	र.मी	१६८.००	१६८.००	१६८.००
६९	<b>Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv.</b>				
	1.0 mm PVC Insulated Copper wire	क्वायल	१०३०.००	१०३०.००	१०३०.००
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८.००	१६४८.००	१६४८.००
	2.5 mm PVC insulated Copper wire	क्वायल	२४२१.००	२४२१.००	२४२१.००
	4.0 mm PVC insulated Copper wire	क्वायल	३९१४.००	३९१४.००	३९१४.००
	6.0 mm PVC insulated Copper wire	क्वायल	६१८०.००	६१८०.००	६१८०.००
	10.0mm PVC insulated Copper wire	क्वायल	१०३००.००	१०३००.००	१०३००.००
७०	<b>Concentric cable NS marked Eqv.</b>				
	4mm size concentric cable	र.मी	२३.००	२३.००	२३.००
	6mm size " "	र.मी	२६.००	२६.००	२६.००



विद्युतीय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	10mm size concentric cable	र.मी	३९.००	३९.००	३९.००
	16mm size " "	र.मी	६७.००	६७.००	६७.००
	25mm size " "	र.मी	८९.००	८९.००	८९.००
	RG6 Coaxial cable	र.मी	२३.००	२३.००	२३.००
	RG59 Coaxial cable	र.मी	२६.००	२६.००	२६.००
	UTP cat -5 networking cable	र.मी	२६.००	२६.००	२६.००
७१	<b>Telephone Drop wire/pair cable NS marked Eqv.</b>				
	<sup>2</sup> / <sub>20</sub> Telephone drop wire	क्वायल	९८९.००	९८९.००	९८९.००
	<sup>2</sup> / <sub>22</sub> " "	क्वायल	६७०.००	६७०.००	६७०.००
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३२.००	३२.००	३२.००
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६२.००	६२.००	६२.००
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९१.००	९१.००	९१.००
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	११९.००	११९.००	११९.००
	1mm drop wire	र.मी	१०.००	१०.००	१०.००
७२	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	७६४८.००	७६४८.००	७६४८.००
	2-6 Line EPABX	"	१८४११.००	१८४११.००	१८४११.००
	3-8 Line EPABX	"	२०५३८.००	२०५३८.००	२०५३८.००
	4-12 Line EPABX	"	३६८२३.००	३६८२३.००	३६८२३.००
	6-16 Line EPABX	"	४९५६९.००	४९५६९.००	४९५६९.००
	8-24 Line EPABX	"	८४९७५.००	८४९७५.००	८४९७५.००
	8-48 Line EPABX	"	९०९२३.००	९०९२३.००	९०९२३.००
	8-72 Line EPABX	"	९७२८८.००	९७२८८.००	९७२८८.००
	<b>Other Accessories</b>		०.००	०.००	०.००
	6" size Dome light glass	गोटा	६५.००	६५.००	६५.००
	8" size " " "	गोटा	७६.००	७६.००	७६.००
	wall bracket glass	गोटा	६५.००	६५.००	६५.००
	Fan regulator	गोटा	२७१.००	२७१.००	२७१.००
७३	<b>Panel board</b> -double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of of MCCB / MCB & measuring instrument				
	60/75/100 AMP, 9"×36"×48" size	सेट	२१४१४.००	२१४१४.००	२१४१४.००
	60/75/100 AMP "12×36"×48" size	सेट	२५४९३.००	२५४९३.००	२५४९३.००
	60/75/100 AMP 9"×48"×60" size	सेट	३५६९०.००	३५६९०.००	३५६९०.००
	60/75/100 AMP 12"×49"×60" size	सेट	४२४८८.००	४२४८८.००	४२४८८.००
	150/200 AMP 9"×38"×52" size	सेट	२३७९३.००	२३७९३.००	२३७९३.००
	150/200 AMP 12"×38"×52" size	सेट	२३७९३.००	२३७९३.००	२३७९३.००
	150/200 AMP 9"×42"×56" size	सेट	२६४९६.००	२६४९६.००	२६४९६.००
	150/200 AMP 12"×42"×56" size	सेट	२८१७९.००	२८१७९.००	२८१७९.००

243

विद्युत् सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	250/300AMP 12"x48"x60"size	सेट	३४५०५.००	३४५०५.००	३४५०५.००
	250/300AMP 12"x52"x62" size	सेट	३८६२६.००	३८६२६.००	३८६२६.००
	400 AMP 12"x52"x66" size	सेट	४१११८.००	४१११८.००	४१११८.००
<b>७४</b>	<b>Panel Board measurement instrument</b>				
	0-500 volt meter	पिस	१०२३.००	१०२३.००	१०२३.००
	60/100 Amp meter	पिस	९७९.००	९७९.००	९७९.००
	Panel Indicator	पिस	२३७.००	२३७.००	२३७.००
	2 Amp glass fuse with holder 12 mm size	पिस	१३४.००	१३४.००	१३४.००
	AMP meter selector switch	पिस	६४९.००	६४९.००	६४९.००
	volt meter selector switch	पिस	७११.००	७११.००	७११.००
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२.००	१४३२.००	१४३२.००
	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२.००	१७८२.००	१७८२.००
	250-300 AMP .. ..	गोटा	२४२१.००	२४२१.००	२४२१.००
	400/500/600AMP .. ..	गोटा	३५५४.००	३५५४.००	३५५४.००
	Kilo watt hour energy meter single phase	पिस	२२७१.००	२२७१.००	२२७१.००
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८.००	१०२२८.००	१०२२८.००
<b>७५</b>	<b>Trailing Protected Industrial Plug IP44</b>				
	16A 3P+E 400V Industrial plug	सेट	५४१.००	५४१.००	५४१.००
	32 A 3p +N+E " Plug	सेट	८०३.००	८०३.००	८०३.००
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५.००	१५४५.००	१५४५.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००.००	२०६००.००	२०६००.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५.००	१३९०५.००	१३९०५.००
<b>७६</b>	<b>CABLE SHOE</b>				
	16 sq.mm cable shoe	गोटा	६४.००	६४.००	६४.००
	25 sq.mm " "	गोटा	८३.००	८३.००	८३.००
	35 sq.mm " "	गोटा	६४.००	६४.००	६४.००
	50 sq.mm " "	गोटा	७५.००	७५.००	७५.००
	70 sq.mm " "	गोटा	९२.००	९२.००	९२.००
	95 sq.mm " "	गोटा	१४३.००	१४३.००	१४३.००
	150 sq.mm " "	गोटा	२१५.००	२१५.००	२१५.००
	195 sq.mm " "	गोटा	३०५.००	३०५.००	३०५.००
	250 sq.mm " "	गोटा	४८५.००	४८५.००	४८५.००
<b>७७</b>	<b>Copper Conductor Armoured Power Cables NS marked or equivalent</b>				
	a) 2 Core				
	1.5 mm <sup>2</sup>	र.मी	१०३.००	१०३.००	१०३.००
	2.5 mm <sup>2</sup>	र.मी	१३९.००	१३९.००	१३९.००

Handwritten signatures and marks at the bottom of the page.



विद्युतियोजना सामग्रीहरु

प्रशासन कार्यालय  
कवरमहल, काठमाण्डु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	4.0 mm <sup>2</sup>	र.मी	१९१.००	१९१.००	१९१.००
	6.0 mm <sup>2</sup>	र.मी	२४७.००	२४७.००	२४७.००
	10.0 mm <sup>2</sup>	र.मी	३७१.००	३७१.००	३७१.००
	16.0 mm <sup>2</sup>	र.मी	४९४.००	४९४.००	४९४.००
	25.0 mm <sup>2</sup>	र.मी	७२१.००	७२१.००	७२१.००
	35.0 mm <sup>2</sup>	र.मी	९५८.००	९५८.००	९५८.००
	50.0 mm <sup>2</sup>	र.मी	१३३९.००	१३३९.००	१३३९.००
	<b>b) 3 Core</b>				
	1.5 mm <sup>2</sup>	र.मी	१२९.००	१२९.००	१२९.००
	2.5 mm <sup>2</sup>	र.मी	१८०.००	१८०.००	१८०.००
	4.0 mm <sup>2</sup>	र.मी	२५८.००	२५८.००	२५८.००
	6.0 mm <sup>2</sup>	र.मी	३३०.००	३३०.००	३३०.००
	10.0 mm <sup>2</sup>	र.मी	४९४.००	४९४.००	४९४.००
	16.0 mm <sup>2</sup>	र.मी	६९०.००	६९०.००	६९०.००
	25.0 mm <sup>2</sup>	र.मी	१०५१.००	१०५१.००	१०५१.००
	35.0 mm <sup>2</sup>	र.मी	१३९१.००	१३९१.००	१३९१.००
	50.0 mm <sup>2</sup> Copper Conductor Armoured	र.मी	१९०६.००	१९०६.००	१९०६.००
	70.0 mm <sup>2</sup>	र.मी	२६७८.००	२६७८.००	२६७८.००
	95.0 mm <sup>2</sup>	र.मी	३६०५.००	३६०५.००	३६०५.००
	120.0 mm <sup>2</sup>	र.मी	४५३२.००	४५३२.००	४५३२.००
	150.0 mm <sup>2</sup>	र.मी	५५६२.००	५५६२.००	५५६२.००
	<b>c) 3.5 Core</b>				
	25.0 mm <sup>2</sup>	र.मी	१२५७.००	१२५७.००	१२५७.००
	35.0 mm <sup>2</sup>	र.मी	१५९७.००	१५९७.००	१५९७.००
	50.0 mm <sup>2</sup>	र.मी	२२४५.००	२२४५.००	२२४५.००
	70.0 mm <sup>2</sup>	र.मी	३०९०.००	३०९०.००	३०९०.००
	95.0 mm <sup>2</sup>	र.मी	४१२०.००	४१२०.००	४१२०.००
	120.0 mm <sup>2</sup>	र.मी	५४०८.००	५४०८.००	५४०८.००
	150.0 mm <sup>2</sup>	र.मी	६३८६.००	६३८६.००	६३८६.००
	185.0 mm <sup>2</sup>	र.मी	७९३१.००	७९३१.००	७९३१.००
	240.0 mm <sup>2</sup>	र.मी	१०४०३.००	१०४०३.००	१०४०३.००
	300.0 mm <sup>2</sup>	र.मी	१३१८४.००	१३१८४.००	१३१८४.००
	400.0 mm <sup>2</sup>	र.मी	१७३०४.००	१७३०४.००	१७३०४.००
	<b>d) 4 Core</b>				
	1.5 mm <sup>2</sup>	र.मी	१५५.००	१५५.००	१५५.००
	2.5 mm <sup>2</sup>	र.मी	२२१.००	२२१.००	२२१.००
	4.0 mm <sup>2</sup>	र.मी	३१९.००	३१९.००	३१९.००
	6.0 mm <sup>2</sup>	र.मी	४१२.००	४१२.००	४१२.००
	10.0 mm <sup>2</sup>	र.मी	६१८.००	६१८.००	६१८.००
	16.0 mm <sup>2</sup>	र.मी	९०१.००	९०१.००	९०१.००
	25.0 mm <sup>2</sup>	र.मी	१३३९.००	१३३९.००	१३३९.००

Handwritten signatures and initials at the bottom of the page.




सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	35.0 mm <sup>2</sup>	र.मी	१८०३.००	१८०३.००	१८०३.००
	50.0 mm <sup>2</sup>	र.मी	२५७५.००	२५७५.००	२५७५.००
	70.0 mm <sup>2</sup>	र.मी	३५०२.००	३५०२.००	३५०२.००
	95.0 mm <sup>2</sup> Copper Conductor Armoured	र.मी	४७३८.००	४७३८.००	४७३८.००
	120.0 mm <sup>2</sup>	र.मी	५९७४.००	५९७४.००	५९७४.००
	150.0 mm <sup>2</sup>	र.मी	७४९६.००	७४९६.००	७४९६.००
	185.0 mm <sup>2</sup>	र.मी	९०६४.००	९०६४.००	९०६४.००
	240.0 mm <sup>2</sup>	र.मी	१२३६०.००	१२३६०.००	१२३६०.००
	300.0 mm <sup>2</sup>	र.मी	१४८३२.००	१४८३२.००	१४८३२.००
	400.0 mm <sup>2</sup>	र.मी	२००८५.००	२००८५.००	२००८५.००
७८	Copper Conductor Unarmoured Power Cables NS marked or equivalent				
	a) 1-core				
	10 sq. mm.	र.मी	४३.००	४३.००	४३.००
	16 sq. mm.	र.मी	६५.००	६५.००	६५.००
	25 sq. mm.	र.मी	७६.००	७६.००	७६.००
	35 sq. mm.	र.मी	९९.००	९९.००	९९.००
	50 sq. mm.	र.मी	१२९.००	१२९.००	१२९.००
	70 sq. mm.	र.मी	१५८.००	१५८.००	१५८.००
	95 sq. mm.	र.मी	२१४.००	२१४.००	२१४.००
	120 sq. mm.	र.मी	२६०.००	२६०.००	२६०.००
	150 sq. mm.	र.मी	३०८.००	३०८.००	३०८.००
	b) 2-core				
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७२.००	७२.००	७२.००
	2.5 sq.mm	र.मी	१०३.००	१०३.००	१०३.००
	4 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	6 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	10 sq.mm	र.मी	३०९.००	३०९.००	३०९.००
	16 sq.mm	र.मी	४२७.००	४२७.००	४२७.००
	25 sq.mm	र.मी	६५९.००	६५९.००	६५९.००
	35 sq.mm	र.मी	८९६.००	८९६.००	८९६.००
	50 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००
	70 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००
	95 sq.mm	र.मी	२३९८.००	२३९८.००	२३९८.००
	120 sq.mm	र.मी	३०३९.००	३०३९.००	३०३९.००
	150 sq.mm	र.मी	३८९९.००	३८९९.००	३८९९.००
	c) 3-core				
	1.5 sq.mm. 3- core copper conductor	र.मी	९३.००	९३.००	९३.००
	2.5 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	4 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	6 sq.mm	र.मी	२७८.००	२७८.००	२७८.००
	10 sq.mm	र.मी	४३८.००	४३८.००	४३८.००
	16 sq.mm	र.मी	६३९.००	६३९.००	६३९.००

Handwritten signatures and marks at the bottom of the page.

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	25 sq.mm	र.मी	९७९.००	९७९.००	९७९.००
	35 sq.mm	र.मी	१३१८.००	१३१८.००	१३१८.००
	50 sq.mm	र.मी	१८५४.००	१८५४.००	१८५४.००
	70 sq.mm	र.मी	२५७५.००	२५७५.००	२५७५.००
	95 sq.mm	र.मी	३५०२.००	३५०२.००	३५०२.००
	120 sq.mm	र.मी	४४२९.००	४४२९.००	४४२९.००
	150 sq.mm	र.मी	५४५९.००	५४५९.००	५४५९.००
	<b>d) 3.5 core</b>				
	25 sq.mm	र.मी	१२०५.००	१२०५.००	१२०५.००
	35 sq.mm Copper Conductor Unarmoured	र.मी	१५४५.००	१५४५.००	१५४५.००
	50 sq.mm	र.मी	२१६३.००	२१६३.००	२१६३.००
	70 sq.mm	र.मी	३०१३.००	३०१३.००	३०१३.००
	95 sq.mm	र.मी	४०६९.००	४०६९.००	४०६९.००
	120 sq.mm	र.मी	५३५६.००	५३५६.००	५३५६.००
	150 sq.mm	र.मी	६३३५.००	६३३५.००	६३३५.००
	<b>e) 4-core Copper Conductor Unarmoured</b>				
	1.5 sq.mm	र.मी	११३.००	११३.००	११३.००
	2.5 sq.mm	र.मी	१७०.००	१७०.००	१७०.००
	4 sq.mm	र.मी	२५२.००	२५२.००	२५२.००
	6 sq.mm	र.मी	३५०.००	३५०.००	३५०.००
	10 sq.mm	र.मी	५५६.००	५५६.००	५५६.००
	16 sq.mm	र.मी	८४५.००	८४५.००	८४५.००
	25 sq.mm	र.मी	१३१८.००	१३१८.००	१३१८.००
	35 sq.mm	र.मी	१७७२.००	१७७२.००	१७७२.००
	50 sq.mm	र.मी	२४७२.००	२४७२.००	२४७२.००
	70 sq.mm	र.मी	३४५९.००	३४५९.००	३४५९.००
	95 sq.mm	र.मी	४६८७.००	४६८७.००	४६८७.००
	120 sq.mm	र.मी	५९२३.००	५९२३.००	५९२३.००
	150 sq.mm	र.मी	७३६५.००	७३६५.००	७३६५.००
	185 sq.mm	र.मी	९०६४.००	९०६४.००	९०६४.००
	240 Sq. mm	र.मी	१२२५७.००	१२२५७.००	१२२५७.००
	300 Sq. mm	र.मी	१४८३२.००	१४८३२.००	१४८३२.००
	400 Sq. mm	र.मी	२००८५.००	२००८५.००	२००८५.००
७९	<b>Aluminum conductor Armoured (Power) cable NS marked or eqv.</b>				
	<b>a) 2-core</b>				
	1.5 sq.mm	र.मी			
	2.5 sq.mm	र.मी	९३.००	९३.००	९३.००
	4 sq.mm	र.मी	११८.००	११८.००	११८.००
	6 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	10 sq.mm	र.मी	१६०.००	१६०.००	१६०.००

विद्युत्तिय सामग्रीहरू




सि.नं	निर्माण सामग्रीहरूको विवरण	एकीकृत	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	16 sq.mm	र.मी	१८०.००	१८०.००	१८०.००
	25 sq.mm	र.मी	२१६.००	२१६.००	२१६.००
	35 sq.mm	र.मी	२४७.००	२४७.००	२४७.००
	50 sq.mm	र.मी	३१९.००	३१९.००	३१९.००
	70 sq.mm	र.मी	३९७.००	३९७.००	३९७.००
	95 sq.mm	र.मी	५०५.००	५०५.००	५०५.००
<b>b) 3-core</b>					
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८.००	१०८.००	१०८.००
	4 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	6 sq.mm	र.मी	१४९.००	१४९.००	१४९.००
	10 sq.mm	र.मी	१८०.००	१८०.००	१८०.००
	16 sq.mm	र.मी	२०६.००	२०६.००	२०६.००
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८.००	२७८.००	२७८.००
	35 sq.mm	र.मी	३३५.००	३३५.००	३३५.००
	50 sq.mm	र.मी	४२७.००	४२७.००	४२७.००
	70 sq.mm	र.मी	५४१.००	५४१.००	५४१.००
	95 sq.mm	र.मी	४९४.००	४९४.००	४९४.००
	120 sq.mm	र.मी	८३४.००	८३४.००	८३४.००
	150 sq.mm	र.मी	१००४.००	१००४.००	१००४.००
	185 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००
	240 sq.mm	र.मी	१५१४.००	१५१४.००	१५१४.००
	300 sq.mm	र.मी	१८५४.००	१८५४.००	१८५४.००
	400 sq.mm	र.मी	२३१८.००	२३१८.००	२३१८.००
<b>c) 3.5 core</b>					
	25 sq.mm.	र.मी	३१९.००	३१९.००	३१९.००
	35 sq.mm	र.मी	३७१.००	३७१.००	३७१.००
	50 sq.mm	र.मी	४८९.००	४८९.००	४८९.००
	70 sq.mm	र.मी	६२८.००	६२८.००	६२८.००
	95 sq.mm	र.मी	८०३.००	८०३.००	८०३.००
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९.००	९७९.००	९७९.००
	150 sq.mm	र.मी	११७४.००	११७४.००	११७४.००
	185 sq.mm	र.मी	१४२१.००	१४२१.००	१४२१.००
	240 sq.mm	र.मी	१७७२.००	१७७२.००	१७७२.००
	300 sq.mm	र.मी	२२१५.००	२२१५.००	२२१५.००
	400 sq.mm	र.मी	२७८१.००	२७८१.००	२७८१.००
<b>d) 4-core</b>					
	2.5 sq.mm	र.मी	१२४.००	१२४.००	१२४.००
	4 sq.mm	र.मी	१५५.००	१५५.००	१५५.००
	6 sq.mm	र.मी	१८०.००	१८०.००	१८०.००
	10 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	16 sq.mm	र.मी	२५२.००	२५२.००	२५२.००
	25 sq.mm	र.मी	३४०.००	३४०.००	३४०.००

Handwritten signatures and marks at the bottom of the page.

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	35 sq.mm	र.मी	४०२.००	४०२.००	४०२.००
	50 sq.mm	र.मी	५४८.००	५४८.००	५४८.००
	70 sq.mm	र.मी	७००.००	७००.००	७००.००
	95 sq.mm	र.मी	९०१.००	९०१.००	९०१.००
	120 sq.mm	र.मी	१०८२.००	१०८२.००	१०८२.००
	150 sq.mm	र.मी	१३७०.००	१३७०.००	१३७०.००
	185 sq.mm	र.मी	१६२७.००	१६२७.००	१६२७.००
	240sq.mm	र.मी	२०३९.००	२०३९.००	२०३९.००
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४.००	२५२४.००	२५२४.००
	400sq.mm	र.मी	३१९३.००	३१९३.००	३१९३.००
८०	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
	a) 1-core				
	16 sq.mm	र.मी	५२.००	५२.००	५२.००
	25 sq.mm	र.मी	७२.००	७२.००	७२.००
	35 sq.mm	र.मी	८८.००	८८.००	८८.००
	50 sq.mm	र.मी	११३.००	११३.००	११३.००
	70 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	95 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	120 sq.mm	र.मी	२३७.००	२३७.००	२३७.००
	150 sq.mm	र.मी	३११.००	३११.००	३११.००
	185 sq.mm	र.मी	३६१.००	३६१.००	३६१.००
	240 sq.mm	र.मी	४४३.००	४४३.००	४४३.००
	300 sq.mm	र.मी	५३६.००	५३६.००	५३६.००
	b) 2-core Aluminium conductor unarmoured				
	2.5 sq.mm	र.मी	५२.००	५२.००	५२.००
	4 sq.mm	र.मी	६२.००	६२.००	६२.००
	6 sq.mm	र.मी	७७.००	७७.००	७७.००
	10 sq.mm	र.मी	९८.००	९८.००	९८.००
	16 sq.mm	र.मी	१०३.००	१०३.००	१०३.००
	25 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	35 sq.mm	र.मी	१८५.००	१८५.००	१८५.००
	50 sq.mm	र.मी	२३७.००	२३७.००	२३७.००
	70 sq.mm	र.मी	२९९.००	२९९.००	२९९.००
	95 sq.mm 2 core	र.मी	४०२.००	४०२.००	४०२.००
	c) 3-core				
	2.5 sq.mm	र.मी	६२.००	६२.००	६२.००
	4 sq.mm	र.मी	७२.००	७२.००	७२.००
	6 sq.mm	र.मी	८८.००	८८.००	८८.००
	10 sq.mm	र.मी	१२४.००	१२४.००	१२४.००
	16 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	25 sq.mm	र.मी	२०६.००	२०६.००	२०६.००
	35 sq.mm	र.मी	२५८.००	२५८.००	२५८.००

249




## विद्युतिय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	विवरणको एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	50 sq.mm	र.मी	३४०.००	३४०.००	३४०.००
	70 sq.mm	र.मी	४५३.००	४५३.००	४५३.००
	95 sq.mm	र.मी	५९७.००	५९७.००	५९७.००
	120 sq.mm	र.मी	७४२.००	७४२.००	७४२.००
	150 sq.mm	र.मी	८८६.००	८८६.००	८८६.००
	185 sq.mm	र.मी	१११२.००	१११२.००	१११२.००
	240 sq.mm	र.मी	१३८०.००	१३८०.००	१३८०.००
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१.००	१७५१.००	१७५१.००
	<b>d) 3.5-core</b>				
	25 sq.mm	र.मी	२५८.००	२५८.००	२५८.००
	35 sq.mm	र.मी	३०९.००	३०९.००	३०९.००
	50 sq.mm	र.मी	४१२.००	४१२.००	४१२.००
	70 sq.mm	र.मी	५६७.००	५६७.००	५६७.००
	95 sq.mm	र.मी	७४२.००	७४२.००	७४२.००
	120 sq.mm	र.मी	९२७.००	९२७.००	९२७.००
	150 sq.mm	र.मी	१११२.००	१११२.००	१११२.००
	185 sq.mm	र.मी	१३९१.००	१३९१.००	१३९१.००
	240 sq.mm	र.मी	१७५१.००	१७५१.००	१७५१.००
	300 sq.mm	र.मी	२१६३.००	२१६३.००	२१६३.००
	<b>e) 4-core core aluminium unarmoured</b>				
	2.5 sq.mm	र.मी	७२.००	७२.००	७२.००
	4 sq.mm	र.मी	८२.००	८२.००	८२.००
	6 sq.mm	र.मी	९८.००	९८.००	९८.००
	10 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	16 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	25 sq.mm	र.मी	२८८.००	२८८.००	२८८.००
	35 sq.mm	र.मी	३५०.००	३५०.००	३५०.००
	50 sq mm	र.मी	४८४.००	४८४.००	४८४.००
	70 sq.mm 4	र.मी	६३९.००	६३९.००	६३९.००
	95 sq.mm	र.मी	८४५.००	८४५.००	८४५.००
	120 sq.mm	र.मी	१०३०.००	१०३०.००	१०३०.००
	150 sq.mm	र.मी	१२८८.००	१२८८.००	१२८८.००
	185 sq.mm	र.मी	१५९७.००	१५९७.००	१५९७.००
	240 sq.mm	र.मी	२००९.००	२००९.००	२००९.००
	300 sq.mm	र.मी	२४७२.००	२४७२.००	२४७२.००
	<b>८१ General Lightig (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	1 x 40 W FTL Patti fitting	सेट	२५२.००	२५२.००	२५२.००
	1 x 20 W FTL Patti fitting	सेट	२३२.००	२३२.००	२३२.००
	1 x 40 W FTL Box Fitting	सेट	४२७.००	४२७.००	४२७.००
	1 x 20 W FTL Box fitting	सेट	४१७.००	४१७.००	४१७.००
	9/11W Mini mirror light with electronic Blast		३५५.००	३५५.००	३५५.००



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	मु.अ.क. बाहेकको दररेट	आ.व.		
			२०७६/७७	२०७७/७८	२०७८/७९
८२	GEWISS /BEC PVC Conduit product of Italy				
	RK Range				
	16 mm medium rigid conduit DX 25 316	र.मी	८८.००	८८.००	८८.००
	20 mm medium rigid conduit DX 25 320	र.मी	१२४.००	१२४.००	१२४.००
	25 mm medium rigid conduit DX 25 325	र.मी	१७५.००	१७५.००	१७५.००
	32 mm medium rigid conduit DX 25 332	र.मी	२५२.००	२५२.००	२५२.००
	40 mm medium rigid conduit DX 25 340	र.मी	३४५.००	३४५.००	३४५.००
	50 mm medium rigid conduit DX 25 350	र.मी	५३०.००	५३०.००	५३०.००
	63 mm medium rigid conduit DX 25 363	र.मी	९९९.००	९९९.००	९९९.००
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५.००	१६५.००	१६५.००
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६.००	२१६.००	२१६.००
	25 mm heavy rigid conduit DX 25 725	र.मी	२८८.००	२८८.००	२८८.००
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३.००	४३३.००	४३३.००
	40 mm heavy rigid conduit DX 25 740	र.मी	५८७.००	५८७.००	५८७.००
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३.००	७९३.००	७९३.००
	63 mm heavy rigid conduit DX 25 763	र.मी	१४८८.००	१४८८.००	१४८८.००
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६.००	१९६.००	१९६.००
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७.००	२४७.००	२४७.००
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६.००	३७६.००	३७६.००
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३.००	६२३.००	६२३.००
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७.००	७४७.००	७४७.००
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३.००	९६३.००	९६३.००
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००.००	१२००.००	१२००.००
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३१.००	३१.००	३१.००
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६.००	३६.००	३६.००
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४१.००	४१.००	४१.००
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२.००	६२.००	६२.००
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८.००	९८.००	९८.००
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८.००	११८.००	११८.००
	16 mm conduit coupler DX 40 016	र.मी	३६.००	३६.००	३६.००
	20 mm conduit coupler DX 40 020	र.मी	४६.००	४६.००	४६.००
	25 mm conduit coupler DX 40 025	र.मी	५७.००	५७.००	५७.००
	32 mm conduit coupler DX 40 032	र.मी	१०३.००	१०३.००	१०३.००
	40 mm conduit coupler DX 40 040	र.मी	१३९.००	१३९.००	१३९.००
	50 mm conduit coupler DX 40 050	र.मी	२४२.००	२४२.००	२४२.००
	63 mm conduit coupler DX 40 063	र.मी	४५८.००	४५८.००	४५८.००
	16 mm tight bend DX 40 116	र.मी	५७.००	५७.००	५७.००
	20 mm tight bend DX 40 120	र.मी	८२.००	८२.००	८२.००
	25 mm tight bend DX 40 125	र.मी	१२९.००	१२९.००	१२९.००
	32 mm tight bend DX 40 132	र.मी	२३७.००	२३७.००	२३७.००
	40 mm tight bend DX 40 140	र.मी	३३५.००	३३५.००	३३५.००



विद्युतिय सामग्रीहरूको दररेट

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	50 mm tight bend DX 40 150	र.मी	६०३.००	६०३.००	६०३.००
	63 mm tight bend DX 40 163	र.मी	२३५९.००	२३५९.००	२३५९.००
	4 way junction box DX 45 004	र.मी	६७०.००	६७०.००	६७०.००
	7 way junction box DX 45 007	र.मी	८०३.००	८०३.००	८०३.००
	10 way junction box DX 45 010	र.मी	१०२०.००	१०२०.००	१०२०.००
	Closing cap for junction box DX 47 000	र.मी	११८.००	११८.००	११८.००
	16 mm inspectionable T bend DX 40216	र.मी	११८.००	११८.००	११८.००
	20 mm inspectionable T bend DX 40220	र.मी	१४९.००	१४९.००	१४९.००
	25 mm inspectionable T bend DX 40225	र.मी	१९६.००	१९६.००	१९६.००
	32 mm inspectionable T bend DX 40232	र.मी	२३७.००	२३७.००	२३७.००
	16 mm inspectionable bend DX 40 316	र.मी	९८.००	९८.००	९८.००
	20 mm inspectionable bend DX 40 320	र.मी	११८.००	११८.००	११८.००
	25 mm inspectionable bend DX 40 325	र.मी	१५५.००	१५५.००	१५५.००
	32 mm inspectionable bend DX 40 332	र.मी	१८५.००	१८५.००	१८५.००
८३	<b>GEWISS/BEC Cable Tray with Cover and Accessories BRN Range</b>				
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९.००	८१९.००	८१९.००
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३.००	९७३.००	९७३.००
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४.००	११७४.००	११७४.००
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८.००	१३१८.००	१३१८.००
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०.००	१५४०.००	१५४०.००
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७९०.००	१७९०.००	१७९०.००
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७.००	२१३७.००	२१३७.००
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३.००	२५१३.००	२५१३.००
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०.००	३०९०.००	३०९०.००
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१.००	३२८१.००	३२८१.००
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४.००	९८४.००	९८४.००
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९.००	११७९.००	११७९.००
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८.००	१२९८.००	१२९८.००
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८.००	१४६८.००	१४६८.००
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३.००	१६६३.००	१६६३.००
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९.००	१८५९.००	१८५९.००
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७६.००	२२७६.००	२२७६.००
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७.००	२६५७.००	२६५७.००
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६.००	३४५६.००	३४५६.००
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७४९.००	३७४९.००	३७४९.००
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८४.००	४५८४.००	४५८४.००
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३.००	१३१३.००	१३१३.००
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२.००	२१२२.००	२१२२.००
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१.००	२७८१.००	२७८१.००
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३८५२.००	३८५२.००	३८५२.००
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	४८३६.००	४८३६.००	४८३६.००


Handwritten signatures and marks at the bottom of the page.

## विद्युतिय सामग्रीहरू



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	गृह मन्त्रालय, काठमाण्डुको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	605X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९.००	५४४९.००	५४४९.००
	125X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 162	र.मी	१४९४.००	१४९४.००	१४९४.००
	215X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 165	र.मी	२२७१.००	२२७१.००	२२७१.००
	305X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 168	र.मी	२८८४.००	२८८४.००	२८८४.००
	395X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१.००	४१५१.००	४१५१.००
	515X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 175	र.मी	५०९६.००	५०९६.००	५०९६.००
८४	<b>Intrusion Detection System (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	Main Controller-CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	३८८५१.००	३८८५१.००	३८८५१.००
	Smoke & Heat Detector-Wireless Smoke and Head Detector	सेट	१०५४५.००	१०५४५.००	१०५४५.००
	Door Contact-Wireless Door Contact with transmitter	सेट	२६७८.००	२६७८.००	२६७८.००
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	४१७८.००	४१७८.००	४१७८.००
	Panic Switch-Wireless Panic Transmitter	सेट	४९२१.००	४९२१.००	४९२१.००
	Key -Wireless Key to Arm and Disarm the System	सेट	४७८०.००	४७८०.००	४७८०.००
	Window Contact- Wired door Contact with transmitter slim	सेट	२८१२.००	२८१२.००	२८१२.००
	Earth Quake Detector( JDS Inc, USA)-Quake Alarm	पिस	३६०१.००	३६०१.००	३६०१.००
८५	<b>Automatic Motor Operator for water motor</b>				
	Upto 1/2 HP single phase motor	सेट	४१२०.००	४१२०.००	४१२०.००
	Upto 1 HP single phase motor	सेट	५६६५.००	५६६५.००	५६६५.००
	Upto 5 HP three phase motor	सेट	९२७०.००	९२७०.००	९२७०.००
८६	<b>Earthing Materials (ISI or other International Standard)</b>				
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२८२९.००	२८२९.००	२८२९.००
	Funnelling Mechanism with cover (mild steel)	सेट	६१८.००	६१८.००	६१८.००
	3.2 mm thick 600mm× 600 mm Copper Plate	गोटा	९५१७.००	९५१७.००	९५१७.००
	Copper wire (10 SWG)	र.मी.	१५५.००	१५५.००	१५५.००
८७	<b>Service wire (Al)</b>				
	2.5 mm <sup>2</sup>	र.मी.	१८.००	१८.००	१८.००
	4.0 mm <sup>2</sup>	र.मी.	२२.००	२२.००	२२.००
	6.0 mm <sup>2</sup>	र.मी.	२८.००	२८.००	२८.००
८८	<b>Lightening Arrestor for 3 Phase .</b>				
	0.5 KV	सेट	१२३६.००	१२३६.००	१२३६.००
	11 KV	सेट	४३२६.००	४३२६.००	४३२६.००
	Cross Arms V Channel.	गोटा	३०९०.००	३०९०.००	३०९०.००
	Stay set with accessories.				
	GI wire	गोटा	११८२.००	११८२.००	११८२.००
	GI Plate	गोटा	११८५.००	११८५.००	११८५.००
	Gay Insulator.	गोटा	५६.००	५६.००	५६.००
	Elbow	गोटा	१०३.००	१०३.००	१०३.००
	Rod , Nut	गोटा	४४५.००	४४५.००	४४५.००
	Grip	गोटा	४९.००	४९.००	४९.००
८९	<b>Overhead Insulators (0.4KV)</b>	गोटा			

## विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	स.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Sackle Insulator	गोटा	३१.००	३१.००	३१.००
	D-Iron	गोटा	९३.००	९३.००	९३.००
	Nut Bolt (3" with 8 mm Ø)	गोटा	१५.००	१५.००	१५.००
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२३.००	२३.००	२३.००
९०	<b>Overhead Insulators with fixing accessories (11KV)</b>				
	Pin Insulator	गोटा	१८५.००	१८५.००	१८५.००
	Disc Insulator	गोटा	९८९.००	९८९.००	९८९.००
	Cross Arms V Channel.	गोटा	२७९९.००	२७९९.००	२७९९.००
	Sqarrel ACSR conductor 20mm <sup>2</sup>	र.मी.	१७.००	१७.००	१७.००
	weasel ACSR conductor 30 mm <sup>2</sup>	र.मी.	२५.००	२५.००	२५.००
	Rabbit ACSR conductor 50 mm <sup>2</sup>	र.मी.	४१.००	४१.००	४१.००
	Dog ACSR conductor 100 mm <sup>2</sup>	र.मी.	८२.००	८२.००	८२.००
९१	<b>Supply of aluminium ABC cable</b>	र.मी.			
	25mm square 4 core ABC cable	र.मी.	१५५.००	१५५.००	१५५.००
	50 mm square 4 core ABC cable	र.मी.	२५८.००	२५८.००	२५८.००
	95 mm square 4 core ABC cable	र.मी.	५०५.००	५०५.००	५०५.००
९२	<b>Alternator 3 Phase Brush less with compounded Excitation.</b>				
	<b>AMF with ATS palel for DG (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	5KVA AMF with ATS palel	सेट	२२६६०.००	२२६६०.००	२२६६०.००
	7.5KVA AMF with ATS palel	सेट	२८८४०.००	२८८४०.००	२८८४०.००
	10KVA AMF with ATS palel	सेट	३६०५०.००	३६०५०.००	३६०५०.००
	15KVA AMF with ATS palel	सेट	४६३५०.००	४६३५०.००	४६३५०.००
	20KVA AMF with ATS palel	सेट	६६९५०.००	६६९५०.००	६६९५०.००
	25KVA AMF with ATS palel	सेट	७७२५०.००	७७२५०.००	७७२५०.००
	30KVA AMF with ATS palel	सेट	९२७००.००	९२७००.००	९२७००.००
९३	<b>MCB/ISOLATOR (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	B CURVE MCB SP 6A-32A	पोल	२३९.००	२३९.००	२३९.००
	B CURVE MCB SP 40A	पोल	२८१.००	२८१.००	२८१.००
	B CURVE MCB SP 50A-63A	पोल	२८१.००	२८१.००	२८१.००
	C CURVE MCB SP 0.5-4A	पोल	२८१.००	२८१.००	२८१.००
	C CURVE MCB SP 6-32A	पोल	२३९.००	२३९.००	२३९.००
	C CURVE MCB SP 40A	पोल	४४६.००	४४६.००	४४६.००
	C CURVE MCB SP 50-63A	पोल	४४६.००	४४६.००	४४६.००
	C CURVE MCB SPN 0.5-4A	पोल	४७९.००	४७९.००	४७९.००
	C CURVE MCB SPN 6-32A	पोल	५१३.००	५१३.००	५१३.००
	C CURVE MCB SPN 40A	पोल	५६९.००	५६९.००	५६९.००
	C CURVE MCB SPN 50-63A	पोल	५६९.००	५६९.००	५६९.००
	C CURVE MCB DP 0.5-4A	पोल	६९७.००	६९७.००	६९७.००
	C CURVE MCB DP 6-32A	पोल	५६४.००	५६४.००	५६४.००
	C CURVE MCB DP 40A	पोल	६९७.००	६९७.००	६९७.००
	C CURVE MCB DP 50-63A	पोल	६९७.००	६९७.००	६९७.००
	C CURVE MCB TP 0.5-4A	पोल	९२५.००	९२५.००	९२५.००
	C CURVE MCB TP 6-32A	पोल	८४७.००	८४७.००	८४७.००
	C CURVE MCB TP 40A	पोल	९२५.००	९२५.००	९२५.००
	C CURVE MCB TP 50-63A	पोल	९२५.००	९२५.००	९२५.००

*[Handwritten signature]*


*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

## विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. इ. का. ह. क. को दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	C CURVE MCB TPN 0.5-4A	पोल	१२०६.००	१२०६.००	१२०६.००
	C CURVE MCB TPN 6-32A	पोल	११०३.००	११०३.००	११०३.००
	C CURVE MCB TPN 40A	पोल	१२०६.००	१२०६.००	१२०६.००
	C CURVE MCB TPN 50-63A	पोल	१२०६.००	१२०६.००	१२०६.००
	C CURVE MCB FP 0.5-4A	पोल	१२९०.००	१२९०.००	१२९०.००
	C CURVE MCB FP 6-32A	पोल	११८०.००	११८०.००	११८०.००
	C CURVE MCB FP 40A	पोल	१२९०.००	१२९०.००	१२९०.००
	C CURVE MCB FP 50-63A	पोल	१२९०.००	१२९०.००	१२९०.००
	ISOLATOR DP 40A	पोल	५५१.००	५५१.००	५५१.००
	ISOLATOR DP 63A	पोल	५५१.००	५५१.००	५५१.००
	ISOLATOR DP 80-100A	पोल	५७६.००	५७६.००	५७६.००
	ISOLATOR DP 125A	पोल	६११.००	६११.००	६११.००
	ISOLATOR FP 40A	पोल	९०२.००	९०२.००	९०२.००
	ISOLATOR FP 63A	पोल	९०२.००	९०२.००	९०२.००
	ISOLATOR FP 80-100A	पोल	९९८.००	९९८.००	९९८.००
	ISOLATOR FP 125A	पोल	९९८.००	९९८.००	९९८.००
	RCCB DP 25A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००
	RCCB DP 40A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००
	RCCB DP 63A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००
	RCCB DP 25A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 40A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 63A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 25A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 40A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 63A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB FP 25A 30mA	पोल	४१५५.००	४१५५.००	४१५५.००
	RCCB FP 40A 30mA	पोल	४१५५.००	४१५५.००	४१५५.००
	RCCB FP 63A 30mA	पोल	४१५५.००	४१५५.००	४१५५.००
	RCCB FP 25A 100mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 40A 100mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 63A 100mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 25A 300mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 40A 300mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 63A 300mA	पोल	४००४.००	४००४.००	४००४.००
	MCB RX3(C) 6-32A (SINGLE POLE)	सेट			३१०.००
	MCB DX3 6-32A (SINGLE POLE)	सेट			५१५.००
	MCB DX3 40A (SINGLE POLE)	सेट			११३९.००
	MCB DX3 63A (SINGLE POLE)	सेट			११३९.००
	MCB DX3 6-32A (DOUBLE POLE)	सेट			१५८४.००
	MCB DX3 40A(DOUBLE POLE)	सेट			२५५०.००
	MCB DX3 63A(DOUBLE POLE)	सेट			२५५०.००
	MCB DX3 6-32A(TRIPPLE POLE)	सेट			३५८६.००
	MCB DX3 40A(TRIPPLE POLE)	सेट			३९४९.००
	MCB DX3 63A(TRIPPLE POLE)	सेट			३९४९.००
	MCB DX3 6-32A(FOUR POLE)	सेट			३४९१.००
	MCB DX3 40A (FOUR POLE)	सेट			५०३४.००
	MCB DX3 63A (FOUR POLE)	सेट			५०३४.००
	ISOLATOR DX3 32A 240V(DOUBLE POLE)	सेट			८६१.००
	ISOLATOR DX3 40A 240v(DOUBLE POLE)	सेट			९५०.००
	ISOLATOR DX3 63A 240v(DOUBLE POLE)	सेट			१२५४.००
	ISOLATOR DX3 32A 415v(TRIPPLE POLE)	सेट			१५४२.००
	ISOLATOR DX3 40A 415v(TRIPPLE POLE)	सेट			१६५१.००
	ISOLATOR DX3 63A 415v(TRIPPLE POLE)	सेट			१९५५.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क्र. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	ISOLATOR DX3 32A 415v (FOUR POLE)	सेट			१६९३.००
	ISOLATOR DX3 40A 415v (FOUR POLE)	सेट			२१०२.००
	ISOLATOR DX3 63A 415v (FOUR POLE)	सेट			२३०४.००
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	सेट			८३८४.००
	RCBO 16A 30mA 4M(DOUBLE POLE)	सेट			६५७६.००
	RCBO 25A 30mA 4M(DOUBLE POLE)	सेट			६५७६.००
	RCBO 32A 30MA 4M(DOUBLE POLE)	सेट			७२००.००
	RCBO 40A 30MA 4M(DOUBLE POLE)	सेट			८५६३.००
	RCBO 16A 30mA 7M (FOUR POLE)	सेट			९२७०.००
	RCBO 25A 30mA 7M (FOUR POLE)	सेट			९२७०.००
	RCBO 32A 30MA 7M (FOUR POLE)	सेट			९५६२.००
	RCBO 40A 30MA 7M (FOUR POLE)	सेट			९७०६.००
	RCBO 63A 30MA 7M (FOUR POLE)	सेट			११४९४.००
	RCCB 25A 30MA 2M (DOUBLE POLE)	सेट			५६०३.००
	RCCB 40A 30MA 2M (DOUBLE POLE)	सेट			६५६०.००
	RCCB 63A 30MA 2M (DOUBLE POLE)	सेट			७८४०.००
	RCCB 25A 30MA 240v 4M (FOUR POLE)	सेट			७७१८.००
	RCCB 40A 30MA 240v 4M (FOUR POLE)	सेट			७६२२.००
	RCCB 63A 30MA 240v 4M (FOUR POLE)	सेट			८८४५.००
९४	<b>LED AC Street light</b> (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	LED AC Street light 24 W with auto on-off switch and auto dimming opetion including all accesories and exluding installation	गोटा	७०००.००	७०००.००	७०००.००
	LED AC Street light 50W with auto on-off switch and auto dimming opetion including all accesories and excluding installation	गोटा	९०००.००	९०००.००	९०००.००
	LED AC Street light 100 W with auto on-off switch and auto dimming opetion including all accesories and excluding installation	गोटा	१६०००.००	१६०००.००	१६०००.००
	smartbright LED street light Up-to 70% energy saving,Polycarbonate cover with high impact resistance,Robust PDC housing LM6 alloy with IP66 protection,Long life of as compared to MH/SON streetlights,System power consumption / Light output 50W/5500lm,1 to 1 replacement for 1x150W SON streetlights				
	15W	गोटा			४०००.००
	25W	गोटा			१०१००.००
	35W	गोटा			१२१००.००
	70W	गोटा			२१४००.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			३७००.००
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			४५५०.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			५३५०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			६८५०.००
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			९३००.००
९५	<b>LED BULBS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
	LED Bulb(Wh,R,BI,Or,G,Y) 0.5W B22	गोटा	६३.००	६३.००	६३.००
	LED Bulb 3W B22/E27 2700K/6500K	गोटा	१२४.००	१२४.००	१२४.००
	LED Bulb 5W B22/E27 2700K/6500K	गोटा	१३९.००	१३९.००	१३९.००
	LED Bulb 8.3W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	LED Bulb 9W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	LED Bulb 11W B22/E27 2700K/6500K	गोटा	२७०.००	२७०.००	२७०.००
	LED Bulb 14W B22/E27 2700K/6500K	गोटा	३४२.००	३४२.००	३४२.००
	High Power LED 20W E27 2700K/6500K	गोटा	५२२.००	५२२.००	५२२.००
	High Power LED 28W E27 2700K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	High Power LED 40W E27 2700K/6500K	गोटा	१००७.००	१००७.००	१००७.००
	High Power LED 50W E27 2700K/6500K	गोटा	१२६२.००	१२६२.००	१२६२.००
	1W 30lm AC 90-300v,50/60Hz 270° Beam angle,IP44 B22 white/yellow/Red/Blue/Green/Orange/Pink LED Bulb	गोटा			८५.००
	3W/5W/7W/9W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा			२४०.००
	12W/15W/18W/20W @100lm/watt with 220° Beam Angle 3000k-6500k, IP44 B22/E27Aluminium+ ThermoPlastic LED Bulb	गोटा			७८५.००
	25W/35W/40W @120lm/Watt with 180° Beam Angle 3000k-6500k,IP44 B22/E27 Aluminuim+Thermoplastic+Polycarbonate LED Bulb	गोटा			२२७५.००
	40W/60W @95lm/Watt with 120° beam angle E27 6500k eco friendly,long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा			७७००.००
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा			४५५.००
९६	<b>LED BULKHEAD</b>				
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead	गोटा			२८५०.००
	EnduraLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for verstile applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries.High ingress protection-IP66,Impact resistant-IK09,Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm,Pressure diecast housing with robust polycarbonate cover,Long lifetime: 50000 Hrs.				
	6W	गोटा			४०९०.००
	10W	गोटा			५५००.००
९७	<b>WALL LIGHT</b>				

विद्युतिय सामग्रीहरु

मु. अ. प्र. के. वि. क. काठमाण्डौ  
२०७८/७९

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. प्र. के. वि. क. काठमाण्डौ २०७८/७९		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	UNO wall light	गोटा			१०६०.००
	NOVA wall light	गोटा			१३१०.००
	COMET wall light	गोटा			१३१०.००
	OMEGA wall light	गोटा			१६७०.००
९८	<b>LED STEP/FOOT LIGHT</b>				
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light	गोटा			१५००.००
९९	<b>FOOT LIGHT/STEP LIGHT</b>				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation,Durable aluminium housing, with IP20/IP44 protection from dust and water,3000k/6500k				
	2W Step/Foot light Indoor	गोटा			२२००.००
	3W Step/Foot light Indoor	गोटा			२८५०.००
	2W Step/Foot light Outdoor	गोटा			२४२०.००
	3W Step/Foot light Outdoor	गोटा			३२२५.००
१००	<b>LED STRIP LIGHTS</b>				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा			५७०.००
	Power adaptor 2A/5A	गोटा			२१००.००
१०१	<b>STRIP/COVE/ROPE LIGHT</b>				
	LED cove lighting with 6W/mtr with high efficient led chips.warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र मी.			५३८.००
	2A LED driver for strip light	गोटा			१२७५.००
	Marathon Rope light IP 66 400lm/watt LED Rope light	र.मी.			४८०.००
	IP 66 driver for marathon rope light	गोटा			६७५.००
१०२	<b>GARDEN SPIKE LIGHT</b>				
	Anthracite COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा			३७९०.००
	12W	गोटा			५७८०.००
१०३	<b>LED TRACK LIGHTS</b>				
	3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			१४५०.००
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			१९५०.००
	9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			२६५०.००
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			४४००.००

*[Handwritten signature]*


*[Handwritten signature]*  
258

*[Handwritten signature]*

*[Handwritten signature]*



## विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			५३५०.००
	30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			६३५०.००
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			८६५०.००
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			९३००.००
	Stick 1MTR for Track light	गोटा			१५००.००
१०४	<b>SURFACE MOUNTING DOWNLIGHT</b>				
	Downlight Square 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००
	Downlight Square 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००
	Downlight Square 18W 3000K/6500K	गोटा	७७९.००	७७९.००	७७९.००
	Downlight Round 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००
	Downlight Round 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००
	Downlight Round 18W 3000K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	<b>Surface Mount Sownlight Luminaries:</b>				
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED7S- 6500 PSU	गोटा			२९९२.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED12S- 6500 PSU WH	गोटा			३२६४.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED16S- 6500 PSU WH	गोटा			४७६०.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED20S- 6500 PSU WH	गोटा			५३०४.००
	<b>RECESS MOUNTING DOWNLIGHT</b>				
	Downlight Square 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००
	Downlight Square 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००
	Downlight Square 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००
	Downlight Round 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००
	Downlight Round 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००
	Downlight Round 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००
	LED Panel Light (Slim) 2'X2' 38W 4000K/6500K	गोटा	३९७८.००	३९७८.००	३९७८.००
	LED Panel Cover (Surface/Recess)2'X2'	गोटा	७४६.००	७४६.००	७४६.००
	<b>Recessed Circular Downlight Luminaries:</b>				
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा			३८०८.००
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा			४२९६.००
	Circular Downlight Non Dimmable - DN295B LED10S-6500 PSU	गोटा			४६२४.००
	Circular Downlight Non Dimmable - DN296B LED12S-6500 PSU	गोटा			५७९२.००
	Circular Downlight Non Dimmable - DN296B LED15S-6500 PSU	गोटा			६८००.००
	Circular Downlight Non Dimmable - DN296B LED20S-6500 PSU	गोटा			८९६०.००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. व. ब. व. काठमाण्डौ		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा			९५२०.००
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा			१०८८०.००
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा			१३०५६.००
१०५	<b>LED TUBELIGHTS</b>				
	8W T5 TUBE SET 2700K FIX	गोटा			७५०.००
	16W T5 TUBE SET 2700K FIX	गोटा			९५०.००
	20W LED TUBE SET FIX	गोटा			१२५०.००
	10W LED TUBE ONLY T8	गोटा			९५०.००
	10W LED TUBE PATTI T8	गोटा			५५०.००
	20W LED TUBE ONLY T8	गोटा			१०००.००
	20W LED TUBE PATTI T8	गोटा			६५०.००
	40W DOUBLE LED TUBE PATTI T8	गोटा			१७५०.००
	16W LED TUBE SET FIX 6500K	गोटा			१२५०.००
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा			२५००.००
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा			७६०.००
	LED Tubelight 18W 6500K	गोटा	२६८.००	२६८.००	२६८.००
	LED Tubelight With Holder 18W 6500K	गोटा	४२३.००	४२३.००	४२३.००
१०६	<b>FLOODLIGHTS</b>				
	Flood Lights 20W 6500K	गोटा	१३१२.००	१३१२.००	१३१२.००
	Flood Lights 30W 6500K	गोटा	१५७३.००	१५७३.००	१५७३.००
	Flood Lights 50W 6500K	गोटा	२२८७.००	२२८७.००	२२८७.००
	Flood Lights 70W 6500K	गोटा	३५४३.००	३५४३.००	३५४३.००
	20W 6500 LED + MULTIPLUG	गोटा			९६९०.००
	30W FLOOD LIGHT + CHARGEABLE	गोटा			१२२४५.००
	10W FLOOD LIGHT 6500K	गोटा			१७८०.००
	20W FLOOD LIGHT 6500K	गोटा			३१७०.००
	30W FLOOD LIGHT 6500K	गोटा			३७२०.००
	50W FLOOD LIGHT 6500K	गोटा			६०३०.००
	30W FLOOD LIGHT 2700K	गोटा			३९५०.००
	50W FLOOD LIGHT 2700K	गोटा			६२५०.००
	150W FLOOD LIGHT 6500K	गोटा			१६२३०.००
	100W FLOOD LIGHT 6500K	गोटा			१०६४०.००
	200W FLOOD LIGHT 6500K	गोटा			२७३३५.००
	400W FLOOD LIGHT 6500K	गोटा			४०५००.००
	10W FLOOD LIGHT SENSOR 6500K	गोटा			२३५०.००
	20W FLOOD LIGHT SENSOR 6500K	गोटा			३८५०.००
	30W FLOOD LIGHT SENSOR 6500K	गोटा			४२५०.००
	50W FLOOD LIGHT SENSOR 6500K	गोटा			४९००.००
	50W POLE LIGHT 6500K	गोटा			८९४५.००
	100W POLE LIGHT 6500K	गोटा			१४७५०.००

260

## विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. व. २०७८/७९ को दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	50W HIGH BAY LIGHT	गोटा			८५००.००
	100W HIGH BAY LIGHT	गोटा			१०५००.००
	20W TRACK LIGHT 6500/2700 K	गोटा			४६२०.००
	1 METER TRACK STICK	गोटा			१०२०.००
	Exterior Rated Flood Lights - Low Power	गोटा			१८४९६०.००
	Exterior Rated Flood Lights - High Power	गोटा			५०३२००.००
	Exterior Rated Flood Lights - Extra High Power	गोटा			७३९८४०.००
	<b>LED FLOOD LIGHT</b>				
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५५०.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			२६००.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			४९००.००
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			५७००.००
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			९६५०.००
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			११०००.००
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५०००.००
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१९७००.००
	<b>Smartbright LED flood light having 30000 burning hours,Polycarbonate cover enhances impact strength (IK07 rated),Pressure die-cast housing offers excellent corrosion resistance,4KV surge protection, IP65 certified,Overheating protection,Pressure die-cast housing</b>				
	10w	गोटा			३३५०.००
	20W	गोटा			४४००.००
	30W	गोटा			६२५०.००
	50W	गोटा			१४५००.००
	70W	गोटा			१९०००.००
	105W Tempo Flood light	गोटा			८५०००.००
	300w Tango Flood Light	गोटा			१२००००.००
१०७	<b>PANEL LIGHT</b>				
	3W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा			६७५.००
	6W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा			८२५.००
	8W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा			११००.००
	12W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा			१४००.००
	18W RD CONCEAL PANEL LIGHT (WW/WH)	गोटा			१८७५.००
	20W RD CONCEAL PANEL LIGHT WH	गोटा			२२७५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा			२९२५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा			३०००.००
	3W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा			६७५.००
	6W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा			८२५.००
	12W SQ CONCEAL PANEL LIGHT (WW/WH)	गोटा			१४००.००


२०७८/७९

२५१



## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	24W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			३६००.००
	6W RD SURFACE PANEL LIGHT (WWW/WH)	गोटा			११७५.००
	12W RD SURFACE PANEL LIGHT (WWW/WH)	गोटा			१७७५.००
	12W SQ SURFACE PANEL LIGHT (WWW/WH) PC + AL	गोटा			१५५०.००
	18W SQ SURFACE PANEL LIGHT (WWW/WH) PC + AL	गोटा			२५९०.००
	18W SQ SURFACE PANEL LIGHT	गोटा			१६५०.००
	24W SQ SURFACE PANEL LIGHT	गोटा			३८५०.००
	3W COB CONCEAL LIGHT (WWW/WH)	गोटा			८७०.००
	5W COB CONCEAL LIGHT (WWW/WH)	गोटा			९९०.००
	7W COB CONCEAL LIGHT (WWW/WH)	गोटा			९७५.००
	8W COB CONCEAL LIGHT WH	गोटा			९७५.००
	10W COB CONCEAL LIGHT WH	गोटा			१०५०.००
	12W COB CONCEAL LIGHT WH	गोटा			१६९०.००
	15W COB CONCEAL LIGHT WH	गोटा			१३७५.००
	30W COB CONCEAL LIGHT WH	गोटा			२६५०.००
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा			६७८०.००
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा			५५००.००
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा			५५००.००
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा			९५००.००
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा			१८५००.००
	1x1, 24W 2160lm AC 90-300v,50Hz,Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा			४७००.००
	2x2, 36W 3600lm AC 90-300v,50Hz, Armstrong,surface,Recessed,suspended MS sheet Panel light	गोटा			५७००.००
	1x4, 36W 3600lm AC 90-300v,50Hz, Armstrong,,Recessed,suspended sheet Aluminium Panel light	गोटा			१०७००.००
	<b>LED SURFACE/RECESSED PANEL LIGHT</b>				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			७२०.००
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१०२०.००
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१२३५.००
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१४०५.००
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१७५०.००
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१९००.००
	<b>LED PANEL LIGHTS</b>				
	2 x 2 ,24W ,@120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा			८९६०.००



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेककी दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	वर्तमान आ.व. २०७८/७९
	1 x 1, 15W, @120lm/watt with long life, CRCA housing, Low glare, reduced flicker and no blue light hazard, Wide voltage protection 160-360V, Surge protection 2.5kV, Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC375B CORELINE 15W LED 30S RECESS)	गोटा			५९९५.००
	<b>Stellar Bright/Ace saver energy saving bulbs IP44</b> with low glare, reduced flicker, no blue light hazard, wide voltage protection				
	2.7W/4W/7W	गोटा			३१०.००
	10.5W/12W/14W	गोटा			६८०.००
	17W/20W	गोटा			९३५.००
	40W/50W	गोटा			२९६०.००
१०८	<b>Transformer &amp; Eleceric Pole (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)</b>				
क	<b>Copper wound Distribution Outdoor Transformer with first filling of oil</b>				
	11/0.4kv 15 KVA 3 phase, 50 Hz ONAN	गोटा	१९९०००	१९९०००	१९९०००
	11/0.4kv 25 KVA 3 phase, 50 Hz ONAN	गोटा	२६१४००	२६१४००	२६१४००
	11/0.4kv 50 KVA 3 phase, 50 Hz ONAN	गोटा	३७३०००	३७३०००	३७३०००
	11/0.4kv 75 KVA 3 phase, 50 Hz ONAN	गोटा	४८१०००	४८१०००	४८१०००
	11/0.4kv 100 KVA 3 phase, 50 Hz ONAN	गोटा	५९०६००	५९०६००	५९०६००
	11/0.4kv 125 KVA 3 phase, 50 Hz ONAN	गोटा	७०००००	७०००००	७०००००
	11/0.4kv 150 KVA 3 phase, 50 Hz ONAN	गोटा	८०००००	८०००००	८०००००
	11/0.4kv 200 KVA 3 phase, 50 Hz ONAN	गोटा	१०२३९००	१०२३९००	१०२३९००
	11/0.4kv 250 KVA 3 phase, 50 Hz ONAN	गोटा	१०९७४००	१०९७४००	१०९७४००
	11/0.4kv 300 KVA 3 phase, 50 Hz ONAN	गोटा	११७०९००	११७०९००	११७०९००
ख	<b>Low Loss Transformer</b>				
	No Load-75, Load loss 460(25 KVA)	गोटा	२२००००	२२००००	२२००००
	No Load-120, Load loss 750(50 KVA)	गोटा	३२००००	३२००००	३२००००
	No Load-220, Load loss 1210(100 KVA)	गोटा	४२००००	४२००००	४२००००
ग	<b>ACSR Conductor Wire</b>				
	0.02 sq Inch	र.मी	२०.३	२०.३	२०.३
	0.03 sq Inch	र.मी	२९.८	२९.८	२९.८
	0.05 sq Inch	र.मी	५०.५	५०.५	५०.५
घ	<b>LT/HT Accessories</b>				
	11 kv Disc insulator with grapher(3 Bolt)	सेट	१४५०	१४५०	१४५०
	11kv Pin insulator with spindel	सेट	२५५	२५५	२५५
	11 KVA Drop out fuse	सेट	१२०७५	१२०७५	१२०७५
	D-iron det with shakle insulator	सेट	१५०	१५०	१५०
	Stay Assembly Complete Set	सेट	१४५०	१४५०	१४५०
	Stay wirw (NS 7/12 guage)	केजी	१०२	१०२	१०२
	Lighting Arrester	सेट	६३२५	६३२५	६३२५
	Earthing Set	सेट	२८००	२८००	२८००
	H T Tape	थान	१७०	१७०	१७०

Handwritten signatures and initials at the bottom of the page, including a page number 263.

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (बाहेकको) दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
ड	स्टे वायर ७/१२	केजी	१२०	१२०	१२०
	स्टे एसेमली सेट १२*१२,६ मीमी मोटो	सेट	१६००	१६००	१६००
च	विद्युत पोल				
	क) .पि.एस.सी. As per NEA Specification,				
	८ मीटर	प्रति पोल	६७००	६७००	६७००
	९ मीटर	प्रति पोल	७७००	७७००	७७००
	११ मीटर	प्रति पोल	१६५००	१६५००	१६५००
	ख) .स्टील टयुबलर				
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-53 with nut,bolt &washer(178kg)	प्रति पोल	१९५५०	१९५५०	१९५५०
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-43 with nut,bolt &washer(165kg)	प्रति पोल	१८१७०	१८१७०	१८१७०
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-31 with nut,bolt &washer(147kg)	प्रति पोल	१६२१५	१६२१५	१६२१५
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-13 with nut,bolt &washer(105kg)	प्रति पोल	११६१५	११६१५	११६१५
१०९	Smart Lighting Fixtures:				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४४८०
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			३९२०
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२०२०
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४९००
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२१००
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा			२४५०
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा			१९६०



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.			७७०
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा			४१३०
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.			५३२
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.			४०६
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा			१७५०
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.			१०८५
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा			९७०६
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.			६६५
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा			१३३०००
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा			१८२००
	Central Distribution Box: Suitable with modules	सेट			३५०००
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट			२५२०००
	Software: PPS Programming software, we can also program and customize as per client request	सेट			३९२०००
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा			९८०००
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switich, as per the confirmed technical details	गोटा			८६८००
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा			७१४००
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा			५८८००
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा			३२२००
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा			२५२००
	Distribution Box 1: Suitable with modules	सेट			६३०००
	Ceiling Light: Suitable with modules	गोटा			११९०००
	<b>275 gsm Pregalvanized Cable Tray &amp; Raceways</b>				
११०	<b>CABLE SUPPORT SYSTEM - FINISH - (275GSM)</b>				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी			८००
	Rung sloted "C CHANEL" - Pre Galvanized (PG 275)	र.मी			५२५
	Punched Flate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी			७५०
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा			५५०
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा			५७५
	M8-Threaded rod Electroplated,1000 mm long	र.मी			१९०
	M10-Threaded rod Electroplated,1000 mm long	र.मी			२९०
	Rod coupler, M-8,Electroplated	गोटा			९५
	Rod coupler, M-10,Electroplated	गोटा			१०५
	WDJ Coupler 100,150 & 200 mm	गोटा			५७५

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	275 gsm Pregalvanized Junction Box	गोटा			२५००
	Coupler for BRT 900,750,450,300 & 150MM	गोटा			२५०
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा			२७५
	Bottle Bracket for BRT 100 X50MM	गोटा			२५०
	Bottle Bracket for BRT 150 X50MM	गोटा			४००
	Bottle Bracket for PCT 200 X50MM	गोटा			५५०
	METAL GRIP/FASTNER	गोटा			९०
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा			५०००
	BRT Hardware/PCT Hardware	गोटा			३०
१११	<b>LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)</b>				
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			३२२५
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			२५००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१८५०
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१६५०
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१४५०
११२	<b>Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts --2500MM Long</b>				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी			२५७५
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी			३२५०
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र.मी			३५००
११३	<b>Perforated Cable Tray 2mm Thick--2500mm Long,Pre Galvanized (275 Gsm)</b>				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी			११७५
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी			१४५०
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी			१७७५
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी			२०५०
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी			३१६०
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी			४०३०
११४	<b>Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long</b>				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	र.मी			१९७६
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	र.मी			४०५०



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहिकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	र.मी			६२५०
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
११५	<b>MEDIUM/HEAVY MECHANICAL STRESS(MMS)</b>				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१११
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१३९
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			२६१
	Precision Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा			९०
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा			१००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा			२१४
११६	<b>DEEP TYPE</b>				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा			१४५
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा			१७२
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा			२२५
११७	<b>SADDLE, COUPLER, BEND, ELBOW, TEE, BUSH ADAPTOR</b>				
	20/25MM Round U Clip/Space Bar saddle	गोटा			४२
	20/25MM Coupler	गोटा			२५
	20/25 mm slip type Bend	गोटा			८९
	20/25mm Round Elbow	गोटा			४४
	20/25mm Round Tee	गोटा			६१
	20/25mm Male/female Bush Adaptor	गोटा			४०
११८	<b>POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE</b>				
	16/20/25 MM Flexiable conduits pipe	र.मी			९१
	32/40mm flexiable conduits pipe	र.मी			१७६
११९	<b>FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS</b>				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी			१२०
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी			२०५
१२०	<b>FLEXIABLE PIPE GLAND</b>				
	16/20/25MM PVC GLAND	गोटा			७५
	32/40MM PVC GLAND	गोटा			१०७

## विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. शा. त. म. क. वि. ल. सि. दु.		
			आ. व. २०७६/७७	व. व. २०७७/७८	आ. व. २०७८/७९
१२१	<b>PROFILE(LISTY)</b> made with unplastides polyvinyl chloride with fast installation, easy maintenance, secure and elegant look, durable and impact resistance, fire retardant, corrosion free, thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी			४५
	25x15mm	र.मी			५८
	50x50mm	र.मी			४८०
	50x100mm	र.मी			१८६०
१२२	<b>Suspended-Surface Mounted Luminaires</b>				
	PureLine Slim Surface & Suspended 60mm/75mm Width Suspended 60mm/75mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from. Type				
	SP780 P LED52S-6500 PSU W6L224 OD SI	गोटा			४५१७६
	SP780 P LED26S-6500 PSU W6L112 OD S	गोटा			२२५८८
	SP781 X LED46S-6500 PSU W7L224 OD SI	गोटा			५६४७०
	SP781 X LED22S-6500 PSU W6L112 OD SI	गोटा			२६३५२
	End Plate SP780 EP60 GREY	गोटा			५२५
	ZPH780 N2000	गोटा			९५०
	ZPH780 1MTR 5C 0.75sq mm Transparent cable	गोटा			९००
१२३	<b>Pureline Slim Connector 60mm</b>				
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L, +, T, Y etc. Type	गोटा			
	SP781 X LED44S-6K PSU W6 SI L CONN 22X2	गोटा			९५००
	CCT options: 4000K, 5700K, 6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU) MRP	गोटा			६९००
१२४	<b>Pureline Taper</b>				
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60mm & top width of 50mm), it also has option of designer end caps which provide design inspiration through geometric patterns. Multiple option of light distribution, run lengths, color options & lumen pack for different application available. Type				
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा			२८२३५
	SP810P LED26S-6500 PSU W6L120 OD SI	गोटा			२३५३०
	SP811P LED66S-6500 PSU W6L240 OD SI	गोटा			५६४७०
	SP810P LED52S-6500 PSU W6L240 OD S	गोटा			४६९९७
१२५	<b>PureLine Slim Connectors &amp; Decorative Shapes 50mm</b>				
	PureLine Slim Connectors & Decorative Shapes 50mm Recessed Mounted 50mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.के. बाहेकको दररेट	
			आ. व. २०७८/७९	आ. व. २०७८/७९
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा		५०८२३
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा		३६२३५
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा		३०११७
	SP780X LED48S-6500 PSU W5 OD WH + CONN	गोटा		४६११७
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा		२७८५८
	SP780X LED36S-6500 PSU W5 OD WH T CONN	गोटा		१७३१७
	SP780X LED24S-6500 PSU W5 OD WH L CONN	गोटा		१८८२३
१२६	<b>PureLine</b>			
	PureLine Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths			
	SP680P LED39S 6500 PSU WH L120 S1	गोटा		१६३७६
	SP680P LED78S 6500 PSU WH L240 S1	गोटा		३२०००
	SP680X1 LED34S 6500 PSU WH L120 S1	गोटा		३२०००
	SP680P LED68S 6500 PSU WH L240 S1	गोटा		३०११७
१२७	<b>SmartBrite Linear</b>			
	SmartBrite Linear SmartBright Linear provides an extremely durable and high efficacy yet cost effective linear solution surface mounted and suspended applications like offices, retail stores, metro stations, etc			
	SP095V LED40S 865 W7L120 PSU WH	गोटा		११२९५
	SP095V LED26S 865 W7L120 PSU WH	गोटा		१०३५३
१२८	<b>SmartBrite Surface</b>			
	SmartBrite Surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.			
	SM270C LED 30S 6500 PSU WH	गोटा		१०३५२
१२९	<b>Cirrus Surface</b>			
	Cirrus Surface Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser. Type			
	SM365C LED32-6500 PSU OD GR	गोटा		१०३५२
१३०	<b>Cirrus Mini Pro</b>			
	Cirrus Mini Pro Cirrus Mini Pro is a general lighting application luminaire (with a dimension of 312mm X 312mm), a perfect solution for all surface mount indoor general lighting application. Type			
	SM200C LED16S 6500 PSU OD WH	गोटा		५८३५
१३१	<b>DaySpace Suspended</b>			
	DaySpace Suspended DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design			
	SP740B LED25S/865 W60L60 PSU WH	गोटा		३२०००

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहिरको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	SP740B LED30S/865 W60L60 PSU WH	गोटा			३५७६५
	SP740B LED36S/865 W60L60 PSU WH	गोटा			४१४११
	SP740B LED25S/865 W60L60 PSD WH	गोटा			४३२९५
	SP740B LED30S/865 W60L60 PSD WH	गोटा			४५१७६
	SP740B LED36S/865 W60L60 PSD WH	गोटा			४७६०
१३२	<b>DaSpace Recessed Mounted</b>				
	DaySpace Recessed DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design.				
	RC740B LED25S/865 W60L60 PSU WH	गोटा			२५४११
	RC740B LED36S/865 W60L60 PSD WH	गोटा			३९५३०
१३३	<b>PowerBalance</b>				
	PowerBalance Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling				
	RC600B M LED30S-6500 PSU W30L120 WH	गोटा			२२५८८
	RC600B M LED30S-6500 PSD W60L60 WH	गोटा			२९१७६
१३४	<b>WingLine</b>				
	WingLine Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	RC480B LED25S/865 W60L60 PSU WH	गोटा			९४११
१३५	<b>CoreView</b>				
	CoreView A unique recessed mounted 2'X2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort				
	RC 420B M LED 30S 6500 PSU WH	गोटा			११२९४
	RC 420B M LED 30S 6500 PSD WH	गोटा			१४११७
१३६	<b>PureLine TechZone G2</b>				
	PureLine TechZone G2 Pureline Techzone is offered in two versions suitable for 150mm & 100mm technical zones. Sturdy extruded Aluminum housing with Sliding PC diffuser offering uniform lighting distribution. CRCA end Caps and external gear for ease of maintenance				
	RC810B LED26S 6500 PSU W10L120 OD WH	गोटा			१४८७०
	RC810B LED26S 6500 PSU W10L240 OD WH	गोटा			२९७४१
	RC810B LED26S 6500 PSU W15L120 OD WH	गोटा			१७१२९
	RC810X LED40S 6500 PSU W15L240 OD WH	गोटा			३४८२३
	RC810 W10 ENDPLATE	गोटा			६६०
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा			९५०
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा			१०३५
१३७	<b>PureLine Slim Recessed 60mm/ 75mm</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	म. अ. क. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	PureLine Slim Recessed 60mm/ 75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	RC780B LED52S-6500 PSU W7L240 OD SI	गोटा			४३२९४
	RC780B LED26S-6500 PSU W7L120 OD SI	गोटा			२२०२३
१३८	<b>PureLine Slim Recessed 50mm</b>				
	PureLine Slim Recessed 50mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from.				
	RC780B LED52S-6500 PSU W5L226 OD WH	गोटा			२८२३५
	RC780X LED12S-6500 PSU W5L56 OD WH	गोटा			९०३६
	RC780X LED52S-6500 PSU W5L226 OD WH	गोटा			२७६७०
१३९	<b>PureLine TechZone</b>				
	PureLine TechZone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling. Type				
	RC820B LED 26S 6500 PSU W15L120 OD SI	गोटा			१५०५९
	RC820B LED 52S 4000 PSU W15L240 OD SI	गोटा			३०११७
१४०	<b>FullGlow 1'x4'</b>				
	FullGlow 1'x4' Fully diffused recessed mounted 1'X4' LED luminaire with high transmittive diffuser suitable for indoor spaces				
	RC380B LED30S-6500 G5 L3W12 PSU OD	गोटा			१२२३५
	RC380B LED43S-6500 G5 L3W12 PSU OD	गोटा			१६०००
	RC380B LED36S-6500 G5 L3W12 PSU OD	गोटा			१४११७
१४१	<b>GreenSquare</b>				
	GreenSquare General purpose recessed mounted 2'X2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.				
	RC140B LED30S-6500 PSU WH OD	गोटा			८२८२
	RC140B LED30S-4000 PSD WH OD	गोटा			१०१६४
१४२	<b>Cirrus</b>				
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	LED33-6500 PSU OD WH	गोटा			९०३५
	RC366B LED33-6500 PSU OD WH	गोटा			९०३५
१४३	<b>SmartBright</b>				
	SmartBright Extruded Aluminium batten available in 2ft & 4ft run length with multiple lumen packages and suitable for Surface, Wall & Conduit mounting (with accessories)				
	BN 021 LED40S- 6500 PSU GR (4 ft)	गोटा			२८२१

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अंक, बाहिरीको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
१४४	<b>Downlighters &amp; Spot Lights</b>				
	GreenSpace Flex GreenSpace Flex is a modular range of downlighters, with extremely low glare (UGR)The range is available in Narrow (15°), Medium (24°) & Wide Beam (38°) optics, suitable for different applications & ceiling heights				
	RS378Z M102 D150 R-R AJU	गोटा			८४७०
	RS378Z M87 D130 R-R AJ	गोटा			६७७६
	RS378Z M55 D75 R-U AJ	गोटा			२८२३
	RS378Z M55 D75 R-R AJ Trim	गोटा			३२००
	RS378Z M55 D75 R-R FX PH WP	गोटा			२८२३
	RS378B P6 927 PSU-E MB M55	गोटा			५६४७
	RS378B P6 927 PSU-E WB M55	गोटा			९०३५
	RS378B P6 930 PSU-E WB M55	गोटा			१६९४१
१४५	<b>LuxSpace Pro</b>				
	LuxSpace Pro LuxSpace Pro is a deep recessed downlighter range with extremely low glare (UGR) & high quality faceted reflector for superior lighting and aesthetics. The range is available in Medium (32°) & Wide Beam (65°) optics for both standard and high ceiling applications				
	DN590B M LED6S-6500 PSU WH WB	गोटा			९०३५
	DN590B M LED10S-6500 PSU WH MB	गोटा			९०३५
	DN590B M LED20S-6500 PSU WH MB	गोटा			९०३५
१४६	<b>GreenPerform Sleek</b>				
	GreenPerform Sleek GreenPerform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace. Robust PDC housing ensures long system. Narrow rim renders a pleasing aesthetic look				
	DN295B LED6S-6500 PSU WH	गोटा			२६३५
	DN295B LED10S-6500 PSU WH	गोटा			३२००
	DN296B LED12S-6500 PSU WH	गोटा			३९५२
	DN296B LED15S-6500 PSU WH	गोटा			४७०५
	DN296B LED20S-6500 PSU WH	गोटा			५६४७
१४७	<b>Sleek Surface Downlight</b>				
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen				
	SM250C LED7S- 6500 PSU WH	गोटा			२०७०
	SM250C LED12S- 6500 PSU WH	गोटा			२२५९
	SM251C LED16S- 6500 PSU WH	गोटा			३२००
	SM250C LED12S- 6500 PSU WH	गोटा			२२५८
	SM251C LED20S- 6500 PSU WH	गोटा			३६७०
१४८	<b>ArchSpace</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	ArchSpace ArchSpace is the perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail, Offices, Hotels, Lobbies and School/ Universities etc. With its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height*, uniform lighting distribution and superior features of Driver make ArchSpace an undisputed winner when it comes to the surface/ cylindrical downlight category.				
	SP320P LED6S-6500 PSU DIA 100 WH	गोटा			७७१७
	SP320P LED6S-6500 PSU DIA80 WH	गोटा			८६५८
१४९	<b>GreenLED Ultima Square</b>				
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile				
	DN096B LED6S-6500 PSU WH	गोटा			२९७४
	DN097B LED10S-6500 PSU WH	गोटा			३७२७
१५०	<b>GreenLED Ultima Round</b>				
	GreenLED Ultima Round Ultra sleek recessed downlight for low height false ceiling in round profile				
	DN091B LED6S-6500 PSU WH	गोटा			२९७४
	DN092B LED10S-6500 PSU WH	गोटा			३७२७
१५१	<b>SkySpot COB</b>				
	SkySpot COB • New series of LED Spot fixtures specially designed for commercial use • Ideal for retail showrooms, hospitality, offices • Elegant fixed spot with a focused 36 degree beam angle • Long life with 30,000 burning hours with CRI>80 • Wide choice: Available in 7/12/18/22W, Round, 3000K & 6500				
	7W Sky Spot COB (WW)	गोटा			२६६३
	12W Sky Spot COB (CW)	गोटा			३३२२
	18W Sky Spot COB (CW)	गोटा			४९४९
	22W Sky Spot COB (CW)	गोटा			४९४९
१५२	<b>Green LED I</b>				
	Green LED I • High performance LED Downlights for commercial applications • 100 lumen / watt efficacy • Efficient heat sink (die cast) with Steel clips • Integrated driver control (for easy installation)				
	DN191B LED6S-6500 PSU WH S2	गोटा			२६६३
	DN192B LED10S-6500 PSU WH S2	गोटा			३३२२
	DN193B LED12S-6500 PSU WH S2	गोटा			४९४९
	DN194B LED16S-6500 PSU WH S2	गोटा			५९७६
	DN195B LED20S-6500 PSU WH S2	गोटा			६२९९
१५३	<b>Essential Smart Bright Track Lights</b>				
	Essential Smart Bright Track Lights Essential SmartBright Track Light range is a high performance, hassle free solution for up to 5 years of use. Range has high efficacy of up to 100 lm/W, and Aluminum housing for better thermal management. Available in black & white color housing.				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	ST030T LED8/830 8W 220-240V I MB WH	गोटा			४०००
	ST030T LED12/830 14W 220-240V I NB W	गोटा			४५००
	ST030T LED20/830 23W 220-240V I NB WH	गोटा			५५००
	ST030T LED30/830 35W 220-240V I NB WH	गोटा			६५००
	TRACK LIGHT STICK BK 1-MTR	गोटा			२८००
१५४	<b>EcoAccent</b>				
	EcoAccent Recessed mounted Accent Lighting luminaire with diecast aluminum heat sink and sand grain finishing reflector, available in two lumen packs with option of DALI dimmable driver				
	RS271B LED20/830 PSU-E NB WH	गोटा			११२९४
	RS271B LED20/850 PSD MB WH	गोटा			१४११७
	RS271B LED40/850 PSD MB WH	गोटा			१५०५८
१५५	<b>Optimus LED Trunking</b>				
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	LL199X 1XDLED40-6500 PSE OD WH S1	गोटा			८४७०
	LL199X 1XDLED57-6500 PSE OD WH	गोटा			११६७०
	TTX199/01 LED HANGING KIT	गोटा			१८८२
१५६	<b>Waterproof LED Luminaires</b>				
	Smartbright Waterproof IP65, Dust and Waterproof LED luminaire with Polycarbonate Housing suitable for wall & ceiling mount applications				
	WT201C LED44S-6500 PSU L120	गोटा			७५२९
	WT201C LED24S-6500 PSU L120	गोटा			५६४७
१५७	<b>Waterproof LED Luminaire</b>				
	Waterproof LED Luminaire Surface/Suspended Mounted waterproof (IP65) luminaire suitable for single and twin T8 TLED lamps				
	TCW450 P 1XTLED 19W P3397	गोटा			४१४१
	TCW450 P 2XTLED 19W P3397	गोटा			४७०५
१५८	<b>PureSpace Clean Room Range</b>				
	PureSpace Clean Room Range PureSpace is a comprehensive Cleanroom luminaires range with options for bottom opening, top opening, 2'x2' as well 1'x4'				
	CR652B LED60S-6500 PSU CA TO W30L120 WH	गोटा			३३८८२
	CR652B LED36S-6500 PSU CA TO W60L60 WH	गोटा			२४४७०
	CR652B LED80S-6500 PSU CA TO W60L60 WH	गोटा			३३८८२
१५९	<b>Skyline Street Light</b>				



## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code				
	BRP 340 LED 150 CW HO SLC S2 PSU GR	गोटा			२६३५२
	BRP 340 LED 175 CW HO SLC S2 PSU GR	गोटा			३०९९७
	BRP 340 LED 200 CW HO SLC S2 PSU GR	गोटा			३३८८२
१६०	<b>Skyline Xtra Street Light</b>				
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts. (170W -235W). Pole Dia: 48-60mm				
	BRP360 LED 213 CW HO SLC S1 PSU GR	गोटा			४५९७६
	BRP360 LED 240 CW HO SLC S1 PSU GR	गोटा			५०८२३
	BRP360 LED 265 CW HO SLC S1 PSU GR	गोटा			५४५८८
	BRP360 LED 295 CW HO SLC S1 PSU GR	गोटा			६२९९७
१६१	<b>GreenLine V2 Street Light</b>				
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system. Suitable for A1 and A2 category roads. Pole Dia : 48-60mm Type				
	BRP409 LED115 CW SLC FG PSU GR V2	गोटा			९७६९४
	BRP409 LED130 CW SLA FG PSU GR V2	गोटा			९९२००
१६२	<b>SmartBright Essential</b>				
	SmartBright Essential SmartBright Essential is a street lighting luminaire with PDC housing and street light optics to ensure uniform distribution.				
	BRP042 P LED25 CW SLE PSU GR DX	गोटा			५६५७
	BRP030 LED35 CW MR PSU GR DX	गोटा			६५८८
	BRP031 LED45 CW MR PSU GR DX	गोटा			९४९९
	BRP032 LED70 CW MR PSU GR DX	गोटा			९३९७६
	BRP046 LED 30 CW MR S1 PSU GR	गोटा			८४७०
	BRP046 LED 36 CW MR S1 PSU GR	गोटा			९४५०
	BRP046 LED 39 CW MR S1 PSU GR	गोटा			९९७५
१६३	<b>Tango XL LED</b>				

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical intgration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWB,FLNB,NB) to ensure uniform distribution and maintenance free system, ideal for Reacreational sports lighting, area lighting and high mast lighting.				
	BVP485 LED370 CW AWB PSU SPD GR	गोटा			१०७६७०
	BVP485 LED427 CW NB PSU SPD GR	गोटा			११७४५८
	BVP485 LED540 CW AWB PSU SPD GR	गोटा			१४६८३२
	BVP485 LED560 CW AWB PSU SPD GR	गोटा			१४६२३५
१६४	<b>Tempo Mini</b>				
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics( NB) to ensure uniform distribution				
	BVP180 LED50 CW PC WB 50W 120-270 PSU	गोटा			९५००
	BVP181 LED62 CW PC WB 70W 120-270 PSU	गोटा			१३५००
	BVP182 LED100 CW FG WB 100W 120-270 PSU	गोटा			१९०००
१६५	<b>SmartBright Essential</b>				
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type				
	BVP183 LED140 CW FG WB 150W PSU	गोटा			२६३५२
	BVP184 LED196 CW FG WB 200W PSU	गोटा			३३८८२
१६६	<b>Landscape Lighting</b>				
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK10 Post Top lantern with symmetric Light distribution				
	BGP300 LED28 757 PSU PC IN S1	गोटा			३३८८२
	BGP300 LED40 757 PSU PC IN S1	गोटा			३५७६४
	BGP300 LED50 757 PSU PC IN S1	गोटा			३७६४७
	LED Post Top Reliable and aesthetic designed IP65 post top lantern with symmetric light distribution and limited upward light component. Type H				
	BGP161 LED2500/NW PSU 220-240V 7043 IN	गोटा			३७६४७
१६७	<b>CityCube Bollard P</b>				
	CityCube Bollard is a robustly designed IP65/IK10 bollard and is easy to install with base plate.	गोटा			
१६८	<b>CityCube Bollard T</b>				
	BCP400 LED09 T CW PSU GR S1	गोटा			३२०००
१६९	<b>CityCube Bollard D</b>				
	BCP400 LED09 D CW PSU GR S1	गोटा			२९६४७
१७०	<b>LED Bollard</b>				
	BCP151 LED150/WW PSU 220-240V 7043	गोटा			२२५८८
१७१	<b>LED Step Light</b>				
	BWG150 LED50/WW PSU 220-240V IP67 7043	गोटा			१३१७६

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१७२	<b>UNIIn-ground: LED Marker</b>				
	UNIIn-ground Range UniIn Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	BBP210 LED50/WW 1W 12V 30D	गोटा			२२५८
	BBP211 LED90/WW 2W 12V 30D	गोटा			३०११
	Driver & accessories price extra for 12 V.	गोटा			२२५८
१७३	<b>UNIIn-ground: LED Ground Guide</b>				
	Multiple lighting emission windows to make space out.	गोटा			
	BBP212 LED45/WW 3W 100-240V	गोटा			४१४१
	BBP213 LED110/WW 6W 100-240V	गोटा			६०२३
१७४	<b>UNIIn-ground: Ground Burial</b>				
	UNIIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	BBP340 LED220/WW 3W 20D 100-240V	गोटा			९४११
	BBP341 LED540/WW 6W 20D 100-240V	गोटा			१३५५२
	BBP342 LED1200/WW 12W 20D 100-240V	गोटा			२५४११
	BBP343 LED1800/WW 18W 20D 100-240V	गोटा			२७२९४
	BBP344 LED3600/WW 36W 20D 100-240V	गोटा			२८२३५
	BBP343 LED RGB 18W 20D 24V	गोटा			३०११७
	BBP343 LED R 18W 20D 100-240V	गोटा			२१६४७
१७५	<b>UNIIn-ground: Linelite</b>				
	UNIIn-ground: Linelite UniInground Linear makes space distinctive with more safety and convenience of installation				
	BBP403 LED50/WW 2W 24V L300	गोटा			१३१७६
	BBP403 LED RGB 9W 24V L300 GM	गोटा			१७८८२
	BBP412 LED200/WW 7W 24V L1200	गोटा			२५४११
	BBP412 LED RGB 36W 24V L1200 GM	गोटा			३२९४१
१७६	<b>Tunnel Lights</b>				
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	BWP352 LED69/NW 60W 220-240V DM2 MP1	गोटा			७५९५
	BWP352 LED137/NW 120W 220-240V DM2 MP1	गोटा			१३१७६५
	BWP352 LED206/NW 180W 220-240V DM2 MP1	गोटा			१६९४११
	BWP352 LED274/NW 240W 220-240V DM2 MP1	गोटा			२३५२९५
१७७	<b>UNI Urban</b>				
	BDP461 LED33 WW 110-277V TS	गोटा			७५२९४
	BDP461 LED65 WW 110-277V TS	गोटा			९४११७
	BDP461 LED100 WW 110-277V TS	गोटा			१३१७६४

## विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१७८	<b>Jargeua - Post Top</b>				
	Jargeua - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics, Aluminium Die cast housing having IP65/IK08 protection.				
	Jargeua -Post Top	गोटा			७५२९४
१७९	<b>Architectural Lights color kinetics</b>				
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories				
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, UL/Ce	गोटा			१६९४११
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels				
	ColorGraze Intellihue Powercore, 1ft, 9 Degree	गोटा			१४११७६
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.				
	ColorReach Powercore, GEN2, RGBW, 100-277V, UL/CE	गोटा			२८२३५२
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.				
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount	गोटा			९४११७
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers—illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rock-solid reliability.				
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/CQC	गोटा			४७०५८८
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.				
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4ft), Clear Flat Lens	गोटा			१५०५८८
	Archipoint ArchiPoint iColor Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications				
	Archipoint Icolor Powercore, Clear Flat Lens, 100-240V, UL/CE	गोटा			३७६४७
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants				
	iColor MR G3, 30 Degree	गोटा			१५०५८

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the right and several smaller ones on the left. The page number 278 is visible at the bottom center.



## विद्युतिय सामग्रीहरु




सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. क. बहिष्को दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
	TMC 501 P 1xT-LED 22W P3241	गोटा			१८८२
	TMC 501 P 2xT-LED 22W P3242	गोटा			३०११
१८३	<b>Highbays</b>				
	BY515P LED100S 5700 NB PSU GR	गोटा			२४४७०
	BY515P LED150S 5700 NB PSU GR	गोटा			२८२३५
	BY515P LED250S 5700 NB PSU GR	गोटा			४१४९९
१८४	<b>Upvc Conduit Pipe</b>				
	Upvc Conduit Pipe (Light Stress)				
	20mm	र.मी			१२८
	25mm	र.मी			१६५
	32mm	र.मी			२२५
	Upvc Conduit Pipe (Medium Stress)				
	20mm	र.मी			१८८
	25mm	र.मी			२२५
	32mm	र.मी			२८५
	Upvc Conduit Pipe (Heavy Stress)				
	20mm	र.मी			३९२
	25mm	र.मी			४५०
	32mm	र.मी			५२५
१८५	<b>Upvc Elec. Conduit Fittings</b>				
	Circular Box - Terminal (1 way)				
	20mm	गोटा			४६
	25mm	गोटा			५७
	Circular Box - Angle (2 way)				
	20mm	गोटा			५५
	25mm	गोटा			६२
	Circular Box - Through (2 way)				
	20mm	गोटा			५७
	25mm	गोटा			६२
	Circular Box - Tee (3 way)				
	20mm	गोटा			६२
	25mm	गोटा			६९
	Circular Box - Intersection (4 way)				
	20mm	गोटा			६९
	25mm	गोटा			७४
	Deep Circular Box - Terminal (1 way)				
	20mm	गोटा			८९
	25mm	गोटा			१०९
	32mm	गोटा			१२५
	Deep Circular Box - Angle (2 way)				
	20mm	गोटा			९८
	25mm	गोटा			११४
	32mm	गोटा			१३६

## विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Deep Circular Box - Through (2 way)				
	20mm	गोटा			११४
	25mm	गोटा			१२५
	32mm	गोटा			१२६
	Deep Circular Box - Tee (3 way)				
	20mm	गोटा			१०३
	25mm	गोटा			१२०
	32mm	गोटा			१४७
	Deep Circular Box - Intersection (4 way)				
	20mm	गोटा			१०९
	25mm	गोटा			१२५
	32mm	गोटा			१५८
	Slip Type Bend - Long				
	20mm	गोटा			४४
	25mm	गोटा			५७
	Slip Type Bend - Normal				
	20mm	गोटा			२६
	25mm	गोटा			३७
	32mm	गोटा			९५
	Coupler				
	20mm	गोटा			१३
	25mm	गोटा			१९
	32mm	गोटा			३६
	Reducer Coupler 25 x 20				
	25mm	गोटा			२२
	Space Bar Saddle				
	20mm	गोटा			२४
	25mm	गोटा			३०
	32mm	गोटा			४२
	Elbow				
	20mm	गोटा			२३
	25mm	गोटा			३२
	Tee				
	20mm	गोटा			३६
	25mm	गोटा			४५
	Fan Box without Rod 20mm X				
	25mm	गोटा			१७०
	Fan Box with Rod 20mm X				
	25mm	गोटा			५७५
	Inspection Elbow				
	20mm	गोटा			१०५
	25mm	गोटा			१३५

## विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Inspection Tee				
		20mm	गोटा		८०
		25mm	गोटा		११०
	Circular Extension Ring				
		20mm	गोटा		३०
		25mm	गोटा		३७
	Female Bush Adaptor				
		20mm	गोटा		२९
		25mm	गोटा		३७
	Bending Spring				
		20mm	गोटा		११५०
		25mm	गोटा		१२५०
	Metal Strap Power Coated				





## Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७५/७६	आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	Solar PV Module	प्रति.वाट	९०.००	९०.००	९०.००	९०.००
२	Solar Tubular Battery ( 200Ah@c20,12v)	गोटा	३२१००.००	३२१००.००	३२१००.००	३२१००.००
३	Solar Tubular Battery ( 150 Ah@c20,12v)	गोटा	२४५००.००	२४५००.००	२४५००.००	२४५००.००
४	Solar Tubular Battery ( 100 Ah@c20,12v)	गोटा	१७०००.००	१७०००.००	१७०००.००	१७०००.००
५	Solar Tubular Battery ( 80 Ah@c20,12v)	गोटा	१६९००.००	१६९००.००	१६९००.००	१६९००.००
६	Solar Tubular Battery ( 60 Ah@c20,12v)	गोटा	१२२००.००	१२२००.००	१२२००.००	१२२००.००
७	Solar Tubular Battery ( 40 Ah@c20,12v)	गोटा	८०००.००	८०००.००	८०००.००	८०००.००
८	Solar Gel Battery ( 200 Ah@c20,12v)	गोटा	६६७००.००	६६७००.००	६६७००.००	६६७००.००
९	Solar Gel Battery ( 150 Ah@c20,12v)	गोटा	५०२००.००	५०२००.००	५०२००.००	५०२००.००
१०	Solar Gel Battery ( 100 Ah@c20,12v)	गोटा	३६९००.००	३६९००.००	३६९००.००	३६९००.००
११	Solar Gel Battery ( 80 Ah@c20,12v)	गोटा	३११००.००	३११००.००	३११००.००	३११००.००
१२	Solar Gel Battery ( 75 Ah@c20,12v)	गोटा	२७६००.००	२७६००.००	२७६००.००	२७६००.००
१३	Solar Gel Battery ( 40 Ah@c20,12v)	गोटा	१५८००.००	१५८००.००	१५८००.००	१५८००.००
१४	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३६७००.००	३६७००.००	३६७००.००	३६७००.००
१५	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३२६००.००	३२६००.००	३२६००.००	३२६००.००
१६	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१८७००.००	१८७००.००	१८७००.००	१८७००.००
१७	Charge controller (60A/24-48V)	गोटा	३२५००.००	३२५००.००	३२५००.००	३२५००.००
१८	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२३९००.००	२३९००.००	२३९००.००
१९	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	१९८००.००	१९८००.००	१९८००.००
२०	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१४८००.००	१४८००.००	१४८००.००
२१	Charge controller 20a/12-24 V	गोटा	६०००.००	६०००.००	६०००.००	६०००.००
२२	Charge controller 15a/12-24 V	गोटा	४९००.००	४९००.००	४९००.००	४९००.००
२३	Charge controller 10a/12-24 V	गोटा	२७००.००	२७००.००	२७००.००	२७००.००
२४	Charge controller 5a/12-24 V	गोटा	१६००.००	१६००.००	१६००.००	१६००.००
२५	Solar dusk to down controller 20A/12Vwith driver curcuit	गोटा	४५००.००	४५००.००	४५००.००	४५००.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	३१६००.००	३१६००.००	३१६००.००	३१६००.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३००.००	२४३००.००	२४३००.००	२४३००.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५३००.००	१५३००.००	१५३००.००
२९	Solar street light 100W	गोटा	४२३००.००	४२३००.००	४२३००.००	४२३००.००
३०	Solar street light 80W	गोटा	३५८००.००	३५८००.००	३५८००.००	३५८००.००
३१	Solar street light 60W	गोटा	२६८००.००	२६८००.००	२६८००.००	२६८००.००
३२	Solar street light 40W	गोटा	१५१००.००	१५१००.००	१५१००.००	१५१००.००
३३	Solar street light 30W	गोटा	१२०००.००	१२०००.००	१२०००.००	१२०००.००
३४	Solar street light 20W	गोटा	८६००.००	८६००.००	८६००.००	८६००.००
३५	Solar street light 12W	गोटा	५६००.००	५६००.००	५६००.००	५६००.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	गोटा	१७४००.००	१७४००.००	१७४००.००	१७४००.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for bottom 4m 6" for top 3 m	गोटा	१९२००.००	१९२००.००	१९२००.००	१९२००.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for bottom 5m 6" for top 3 m	गोटा	२१४००.००	२१४००.००	२१४००.००	२१४००.००
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for bottom 6 m 6" for top 3 m	गोटा	२१७००.००	२१७००.००	२१७००.००	२१७००.००
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	२१४००.००	२१४००.००	२१४००.००	२१४००.००
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and 3" for top 1.75 m	गोटा	२४७००.००	२४७००.००	२४७००.००	२४७००.००
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and 3" for top 2m	गोटा	२६९००.००	२६९००.००	२६९००.००	२६९००.००

## Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७५/७६	आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and 3" for top 2.4m	गोटा	२९१००.००	२९१००.००	२९१००.००	२९१००.००
४४	Pure sine wave inverter 250 VA /12 V	गोटा	७२००.००	७२००.००	७२००.००	७२००.००
४५	Pure sine wave inverter 400 VA /12 V	गोटा	१३५००.००	१३५००.००	१३५००.००	१३५००.००
४६	Pure sine wave inverter 850 VA /12 V	गोटा	१६५००.००	१६५००.००	१६५००.००	१६५००.००
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२२९००.००	२२९००.००	२२९००.००	२२९००.००
४८	pure sine wave inverter 1400 VA	गोटा	२४३००.००	२४३००.००	२४३००.००	२४३००.००
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०२००.००	२०२००.००	२०२००.००	२०२००.००
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४२००.००	२४२००.००	२४२००.००	२४२००.००
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७१५००.००	७१५००.००	७१५००.००	७१५००.००
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	१४३०००.००	१४३०००.००	१४३०००.००	१४३०००.००
५३	Ms light Arms	सेट	२२००.००	२२००.००	२२००.००	२२००.००
५४	SPV mounting frame	सेट	५८००.००	५८००.००	५८००.००	५८००.००
५५	Battery box	सेट	४५००.००	४५००.००	४५००.००	४५००.००
५६	Battery stand	सेट	४५००.००	४५००.००	४५००.००	४५००.००
५७	12W SENSOR SOLAR POLE LIGHT	सेट				१६५७५.००
५८	18W SENSOR SOLAR POLE LIGHT	सेट				१९७३०.००
५९	Solar Lights:					
	All in one solar street light - 2000 Lumens	गोटा				२३१२००.००
	All in one solar street light - 3000 Lumens	गोटा				२५८४००.००
	All in one solar street light - 4500 Lumens	गोटा				३१२८००.००
	Solar Poles with Post Top Luminaries - 2500 Lumens	गोटा				५३०४००.००
	Solar Poles with street lights luminaries 6000 Lumens	गोटा				६३९२००.००
	All in One solar Street Light - 5000 Lumens	गोटा				२८५६००.००
	All in one solar street light - 8500 Lumens	गोटा				३४८१६०.००
	All in one solar street light - 12000 lumens	गोटा				३८६२४०.००