




जिल्ला दर(रेट) निर्धारण समिति

भक्तपुर



ज्याला, ढुवानी तथा निर्माण सामग्रीहरुको दर(रेट)


आ.ब.०७८।०७९

स्वीकृत मिति २०७८।०३।३१

Handwritten signatures and marks at the bottom of the page.

निर्णय नं. १ : श्रमिकको ज्यालादर सम्बन्धी श्रमिकहरुको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला पक्षहरुसँगको परामर्श, नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, श्रमिकहरुको उपलब्धता र समयसापेक्षताको आधारमा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार मानी चालु आ.व. ०७८।०७९ का लागि भक्तपुर जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरुको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।

सि.नं.	श्रमिकहरुको विवरण	एकाई	०७६।७७	०७७।७८	०७८।७९	कैफियत
१	अदक्ष श्रमिक (ज्यामी)	जवान	८१०	८२०	८२०	
२	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदी)	"	११००	१२००	१२००	
३	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी) चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदी)	"	९१०	१०००	१०००	
४	इन्जिनियर सुपरभाइजर	"	१२७०	१३९०	१३९०	
५	सब इन्जिनियर, (ड्राफ्ट मेन, अमिन, इलेक्ट्रीसियन, सर्भेयर आदी)	"	१०६५	११७०	११७०	
६	सिनियर टाईपिष्ट/कम्प्युटर अपरेटर, अवाल आदी)	"	१०३५	११३५	११३५	
७	ल्याव टेक्सिसियन, जुनियर टाईपिष्ट/कम्प्युटर अपरेटर, सिनियर सुपरभाइजर, ढल सफा गर्ने कामदार आदी)	"	९४०	१०३०	१०३०	
८	असिष्टेण्ट सब इन्जिनियर, ड्राफ्टमेन, अमिन आदि	"	८८०	९६५	९६५	
९	हेभी इक्विपमेन्ट डोजर, एक्सक्याभेटर, रोलर, ग्रेडर अपरेटर आदि	"	११८०	१२९५	१२९५	
१०	मेकानिक्स, हेभी भेहिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेसिन अपरेटर ल्याव असिस्टेन्ट आदि	"	८४५	९३०	९३०	
११	भरिया (४० के.जी. तौल सम्म)	"	८१०	८९०	८९०	
१२	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार) आदी	"	७९०	८६५	८६५	
१३	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लास्टर, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.ई. ई. उत्तीर्ण वा सो सरह) आदी	"	७४०	८१०	८१०	
१४	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेराल, चौकिदार आदी	"	६७५	७४०	७४०	
१५	काठ ढुङ्गा झिगटि लगायत परम्परागत कार्य गर्ने कालिगढ मिस्त्री	"		१८००	१८००	
१६	जोखिम जन्य क्षेत्रमा कार्य कार्य गर्नु पर्ने लेबर	"		१५००	१५००	



 नेपाल सरकार
 गृह मन्त्रालय
 भक्तपुर जिल्ला प्रशासन कार्यालय
 भक्तपुर

[Handwritten signatures and initials]


सि.नं.	श्रमिकहरुको विवरण	एकाई				कैफियत
			०७६।७७	०७७।७८	०७८।७९	
	सडकको कामको लागि					
१५	पिच स्प्रेयर, पिच ब्वायलर	"	८३०	९१०	९१०	
१६	प्याच वर्कर (दिउँसो को समयमा काम गर्ने)	"	८१०	८९०	८९०	
१७	प्याच वर्कर (दिउँसो को समयमा काम गर्ने) सुपरभाइजर सरह	"	८५०	९३५	९३५	
१८	प्याच वर्कर (रात्री समयमा काम गर्ने)	"	१०७५	११८०	११८०	
१९	प्याच वर्कर (रात्री समयमा काम गर्ने) सुपरभाइजर सरह	"	१११०	१२२०	१२२०	

नोट :-


सिनियर- : S.E.E. वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविणता प्रमाणतह उतिर्ण ।

जुनियर :- S.E.E. वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा अनुभव प्राप्त ।

माथि निर्णय नं. १ मा उल्लेख नभएको श्रमिकको ज्याला दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।



निर्णय नं. २ ढुवानी सम्बन्धी : यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोत साधनलाई आधार मानी चालु आ.ब.०७८।०७९ का लागि निम्न अनुसारको दर निर्धारण गर्ने निर्णय गरियो ।						
सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७६।७७	०७७।७८	०७८।७९	
१.०	सजिलो सामान (जस्तै: सिमेन्ट, बालुवा, रोडा, दाउरा, रासायनिक मल, खाद्यान्न, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३३.६०	३३.६०	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४६.८३	४६.८३	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३७.४९	३७.४९	३७.४९	
१.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	५०.७२	५०.७२	५०.७२	
१.५	ट्रकबाट/मिनी ट्रकबाट पीच बाटोमा ढुवानी गर्ने । (२० कि.मी भन्दा बढी)	टन/कि.मी.	१८.२७	१८.२७	१८.२७	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	३.०५	३.०५	३.०५	
२	असजिलो सामान (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधी, काठ, कृषिजन्य, फलफूलको विरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४७.९३	४७.९३	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.३	ट्याक्टर / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.४	ट्याक्टर / मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	६०.०६	६०.०६	६०.०६	
२.५	ट्रकबाट / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	२७.४६	२७.४६	२७.४६	
२.६	भरिया बाट (पैदल) सामान ढुवानी	के.जी./कि. मी.	४.०४	४.०४	४.०४	



 नेपाल सरकार
 मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 भक्तपुर

सि. नं.	दुवानी सम्बन्धि विवरण	एकाई	दुवानी दर (रु)			कैफियत
			आ.व.			
			०७६/७७	०७७/७८	०७८/७९	
३	अति असजिलो सामान जस्तै: (जी. आई. पाईप, काँडेतार, फलामे छड, ईलेक्ट्रोमेकानिकल सामान, ३.८ मिटर सम्म लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि. एस. सी. पोल, आदि)					
३.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६७.२५	६७.२५	६७.२५	
३.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८१.०१	८१.०१	८१.०१	
३.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	७४.३९	७४.३९	७४.३९	
३.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८८.२०	८८.२०	८८.२०	
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	३६.५९	३६.५९	३६.५९	
४	लोड (चढाउने)					
४.१	सजिलो सामान	प्रति क्वी.	१०.६१	१०.६१	१०.६१	
४.२	असजिलो सामान	प्रति क्वी.	१३.२३	१३.२३	१३.२३	
४.३	अति-असजिलो सामान	प्रति क्वी.	१५.९१	१५.९१	१५.९१	
५	अनलोड (उतार्ने)	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	१०.६१	१०.६१	१०.६१	
५.२	असजिलो सामान	प्रति क्वी.	१३.२३	१३.२३	१३.२३	
५.३	अति-असजिलो सामान	प्रति क्वी.	१५.९१	१५.९१	१५.९१	
६	ट्रकबाट पाईपको दुवानी भाडादर सम्बन्धि (पाईप मूल्यको आधारमा)					
६.१	पहिलो दश कि.मी. सम्म	पाईपको मूल्यको प्रतिशत	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखि माथि २०(बीस) कि.मी सम्म	पाईपको मूल्यको प्रतिशत	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी देखि माथि	पाईपको मूल्यको प्रतिशत	१८.००	१८.००	१८.००	
नोट: माथि निर्णय नं. २ मा उल्लेख नभएको दुवानी दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट दुवानी दर तय गर्न सकिनेछ।						



 प्रशासन कार्यालय
 भक्तपुर

निर्णय नं. ३ : मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि:

(क) मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदि यान्त्रिक उपकरणको भाडा दर (रेट) सडक विभाग, हेभी ईक्वीपमेन्ट डिभिजनबाट निर्धारण गरिएको प्रतिघण्टाको भाडादर कायम गर्ने निर्णय गरियो । (Website of Heavy Equipment Division - www.dor.gov.np)

[Handwritten signatures and a circular official stamp are present in this section. The stamp contains the text: नेपाल सरकार, सडक विभाग, हेभी ईक्वीपमेन्ट डिभिजन, भक्तपुर.]

निर्णय नं. ४ : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण सम्बन्धमा : घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल वमोजिम दर (रेट) कायम गर्ने निर्णय गरियो ।


सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७६/०७७ को दर रु.	आ.व. २०७७/०७८ को दर रु.	आ.व. २०७८/०७९ को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	१३९३००	१४३४१७९	१४३४१७९	
२	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	१७९११००	१८४४१७३	१८४४१७३	
३	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	१९९२१००	२०५११७६	२०५११७६	
४	भवनको निर्माण भित्र, बाहिर पाको ईटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी. / आर.सि.सि. ।	ब.फि.	२०९६१००	२१५८१८८	२१५८१८८	
५	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	२०४४१००	२१०५१३२	२१०५१३२	
६	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	२२२४१००	२२९०१७२	२२९०१७२	
७	भवनको निर्माण भित्र, बाहिर पाको ईटामा बज्रको जोडाई र भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी. / आर.सि.सि. ।	ब.फि.	२३१५१००	२३८४१४५	२३८४१४५	
८	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	२२४११००	२३०८१२३	२३०८१२३	
९	भवनको निर्माण भित्र, बाहिर पाको ईटामा सिमेण्ट जोडाई भई छाना आर.वि.सी. / आर.सि.सि. ।	ब.फि.	२३२११००	२३९०१६३	२३९०१६३	
१०	आर.सि.सि. फ्रेम स्टक्चर भवन ।	ब.फि.	२४५११००	२५२४१५३	२५२४१५३	
११	काठैकाठको भवन भई छाना जस्ता, भिङ्गटी, टायल, एसवेसटस् सिट ।	ब.फि.	२१४५१००	२२०९१३५	२२०९१३५	

नोट: भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडान बारे बर्गीकरण

क) भवनको भित्र Wall Putty गरी इमलसन पेन्टिङ गरेको ।

ख) भवनको बाहिर Weather Coat painting भएको ।

ग) Lift जडान भएको ।



25/07/2078

6

सि.नं.	घरको बनावट विवरण	एकाइ	आ.व. २०७६/०७७ को दर रु.	आ.व. २०७७/०७८ को दर रु.	आ.व. २०७८/०७९ को दर रु.	कैफियत
--------	------------------	------	-------------------------------	-------------------------------	-------------------------------	--------

घ) विद्युतीकरणको लागि उच्चस्तरीय सामग्रीको प्रयोग भएको ।

ङ) प्यासेज, भरयाङ्गमा मार्बल/पार्केटिङ्ग भएको ।

च) शौचालयमा टायल, फिक्सर र सि.पि. फिटिङ्ग उच्चस्तरीय प्रयोग भएको ।

छ) अग्नी नियन्त्रण प्रविधि (Fire Hose Reel / Extinguisher) जडान भएको ।

ज) बेसमेण्टमा (Basement) पार्किङ्ग सुविधा भएको ।

झ) Raft foundation भएको ।

उल्लेखित माथिका सबै सुविधा भएको भए 'क' वर्ग, र उल्लेखित मध्ये कम्तीमा ७ गोटा सुविधा भएको 'ख' वर्ग अन्यथा 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।

आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।

इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायौं र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायौं र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६% सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

मुख्य सडकहरू :

१) मनोहरा पुल (जडीवुटी)- ठिमी-सुर्यविनायक जगाती सम्म (अरनिको लोकमार्ग) सडक ।

२) सल्लाघारी-सुर्यविनायकसम्म (काठमाण्डौं-नगरकोट) सडक ।

३) सल्लाघारी-भक्तपुर अस्पताल-दरवार स्क्वायर सडक ।

४) भक्तपुर क्याम्पस-भार्वाचो-तौमढी-सुकुलढोका-दत्रात्रय-च्यामासिंह सडक ।

५) जगाती-कमलविनायक सडक ।

६) दक्षिण बाराही मन्दिर- शंखधर चौक-पुरानोवाटो बाहाखा बजार-बोडे चार दोवाटो सम्म सडक ।

७) जडिबुटी - बाहाखा बजार- सल्लाघारी सडक ।

८) दरवार स्क्वायर-तौमढी-सुर्य विनायक बस स्टप-सुर्य विनायक गणेश थान सडक ।

९) सल्लाघारी-ब्यासी-कमलविनायक सडक ।

द्वस्तव्यः आ.व.२०७८/०७९ लाई गत आ.व.को दररेट लिइने र नेपाल सरकार शहरी विकास मन्त्रालय भवन डिभिजन कार्यालयबाट रेट निर्धारण भएको खण्डमा सोही रेटलाई कायम गर्ने निर्णय गरियो ।


Handwritten signatures and stamps are present at the bottom of the page. The central stamp is circular and contains the text: "नेपाल सरकार" (Nepal Government), "गृह मन्त्रालय" (Ministry of Home Affairs), "जिल्ला प्रशासन कार्यालय" (District Administration Office), and "भक्तपुर" (Bhaktapur). There are several handwritten signatures around the stamp, including one that appears to be "Om".

निर्णय नं. ५: वायो-इन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	कर बाहेकको		आ.व. २०७८/७९
			आ.व. २०७६/७७	आ.व. २०७७/७८	
१	हेज द इन्च पोली	गोटा	५५.००	६६.००	६६.००
२	कार्पेट दुबो	व.फि	३३.००	४०.००	४०.००
३	कार्पेट दुबोको लागि टाप्ने कायै ज्याला	व.फि	२२.००	२६.००	२६.००
४	निगालो (जरा सहित)	गोटा	१२.००	१४.००	१४.००
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	६.००	७.००	७.००
६	गोठे मल तयारी	के.जी.	४.००	५.००	५.००
७	डाले घाँसको विरुवा	गोटा	११.००	१४.००	१४.००
८	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
	जुटको डोरी	के.जी.	२७५.००	३३०.००	३३०.००
९	नरिवल डोरी	के.जी.	१३२.००	१५८.००	१५८.००
१०	नाइलन डोरी	के.जी.	२७५.००	३३०.००	३३०.००
११	लौड सल्ला नेपाली	गोटा	७७.००	९२.००	९२.००
१२	लौठ सल्ला अमेरिकन	गोटा	१३२.००	१५८.००	१५८.००
१३	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२२०.००	२६४.००	२६४.००
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु				
१	पोलिथीन टयुब ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	३५०.००	४२०.००	४२०.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	१४०.००	१६८.००	१६८.००
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा	१५५.००	१८६.००	१८६.००
४	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा	२४०.००	२८८.००	२८८.००
५	गोलिया काठ लोड	क्यू.फि.	३०.००	३६	३६
६	गोलिया काठ अनलोन	क्यू.फि.	२०.००	२४।-	२४।-
७	दाउरा संकलन, ढुवानी चट्टा निर्माण (२० फि. * ५ फि. ८ ५ फि.)	चट्टा			
८	दाउरा लोड	चट्टा	४०००.००	४८००।-	४८००।-
९	दाउरा अनलोड	चट्टा	२०००.००	२४००।-	२४००।-
१०	संकलन कटान, मुछान	चट्टा	४५००.००	५४।-	५४।-
१२	अनलोडिङ्ग	चट्टा	१४०.००	१६८।-	१६८।-
१३	चट्टा निर्माण	चट्टा	२०००.००	२४००।-	२४००।-
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	२८.००	३४।-	३४।-
१५	वन सुपारी	प्रति विरुवा	३०.००	३६।-	३६।-
	शहरी वृक्षारोपणकार्य				
१	४ फिट सम्मको विरुवा	प्रति विरुवा	८८०.००	१०५६।-	१०५६।-
२	५ फिट सम्मको विरुवा	प्रति विरुवा	१२५०.००	१५००।-	१५००।-
३	६ फिट सम्मको विरुवा	प्रति विरुवा	१५४०.००	१८४८।-	१८४८।-
४	८ फिट सम्मको विरुवा	प्रति विरुवा	१८७०.००	२२४४।-	२२४४।-
	४ फिट सम्मको विरुवाको मुल्य				
१	कपूर, वैस	प्रति विरुवा	७७०.००	९२४.००	९२४.००
२	रुद्राक्ष	प्रति विरुवा	९५०.००	११४०.००	११४०.००
३	कल्की बोटल ब्रस	प्रति विरुवा	६६०.००	७९२.००	७९२.००
४	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	६६०.००	७९२.००	७९२.००
५	असारै	प्रति विरुवा	६६०.००	७९२.००	७९२.००

कैफियत

५/५




५/५

५/५

निर्णय नं. ५: वायो-ईन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर तपसिल अनुसार कायम गर्ने निर्णय गरियो ।

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	कर बाहेकको		आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
			आ.व. २०७६/७७	आ.व. २०७७/७८			
६	पैयू	प्रति बिरुवा	४४०.००	५२८.००	५२८.००	५२८.००	कैफियत
७	लप्सी	प्रति बिरुवा	४४०.००	५२८.००	५२८.००	५२८.००	
८	धूपी, टिमुर, पारिजात	प्रति बिरुवा	४९५.००	५९४.००	५९४.००	५९४.००	
९	बगमबेली	प्रति बिरुवा	६६०.००	७९२.००	७९२.००	७९२.००	
१०	काइयो	प्रति बिरुवा	६६०.००	७९२.००	७९२.००	७९२.००	
११	रक्तकमल	प्रति बिरुवा	१३२०.००	१५८४.००	१५८४.००	१५८४.००	
१२	समी	प्रति बिरुवा	११००.००	१३२०.००	१३२०.००	१३२०.००	
१३	बर	प्रति बिरुवा	१३२०.००	१५८४.००	१५८४.००	१५८४.००	
१४	पिपल	प्रति बिरुवा	१३२०.००	१५८४.००	१५८४.००	१५८४.००	
१५	५ फिट सम्मको करविर बिरुवा	प्रति बिरुवा	१२००.००	१४४०.००	१४४०.००	१४४०.००	
१६	५ फिट सम्मको तिकोमा बिरुवा	प्रति बिरुवा	१२००.००	१४४०.००	१४४०.००	१४४०.००	
१७	५ फिट सम्मको चापको बिरुवा	प्रति बिरुवा	१३००.००	१५६०.००	१५६०.००	१५६०.००	
	वायो ईन्जिनियरिङ्ग सम्बन्धि काम						
	घासको बिउ						
१	जई	कि.ग्रा	७५.००	९०.००	९०.००	९०.००	
२	भेच	कि.ग्रा	१५०.००	१८०.००	१८०.००	१८०.००	
३	नेपीयर	सेट	३.००	४.००	४.००	४.००	
४	वर्सिम	कि.ग्रा	१७५.००	२१०.००	२१०.००	२१०.००	
५	घाँसको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा	कि.ग्रा	०.५०	१.००	१.००	१.००	
६	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००	१.००	
७	माटो भर्ने खाली बोरा	गोटा	१२.००	१४.००	१४.००	१४.००	
८	बास काटेको सिंगो घाना	घाना	३५०.००	४२०.००	४२०.००	४२०.००	
९	बाँसको कटिंग स्टम्प बिरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	५५.००	६६.००	६६.००	६६.००	
	Vegetation/Shrubs Cuttings/Slip/Plants/etc.						
१	अम्रिसो(राइजोम)	प्रति बिरुवा	७.००	८.००	८.००	८.००	
२	अलैची गानो	प्रति बिरुवा	११.००	१३.००	१३.००	१३.००	
३	अलैची बिरुवा	प्रति बिरुवा	८.००	१०.००	१०.००	१०.००	
४	हार्डउड कटिङ्गस् (बैस) पेन्सिल साइज	प्रति बिरुवा	५.००	६.००	६.००	६.००	
५	नेपीयर कटिङ्गस्	प्रति बिरुवा	२.००	२.००	२.००	२.००	



नेपाल सरकार

गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

भक्तपुर


निर्णय नं. ६ :-

आ.व. २०७८।७९ को लागि अरनिको लोकमार्गको दाँया बाँया ३ कि.मी. सम्मको लागि निर्माण सामग्रीहरूको दर (रेट) निम्नानुसार कायम गर्ने निर्णय गरियो ।

सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
			1	विभिन्न किसिमको ईटा		
	chinese premium	हजार	२४०००.००	२४०००.००	२४०००.००	
	क) मेशिनबाट उत्पादित ईटा (छानेको)	हजार	२९०००.००	२९०००.००	२९०००.००	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	१७५००.००	१७५००.००	१७५००.००	
	ग) मेशिनबाट उत्पादित ईटा (२-नं.)	"		१५०००.००	१५०००.००	
	घ) मेशिनबाट उत्पादित ईटा (कालो .)	"		१२०००.००	१२०००.००	
	BBT Brick	"		१६५००.००	१६५००.००	
	ग) चिम्नी भट्टाको ईटा	"	१५०००.००	१३५००.००	१३५००.००	
	घ)तराई को १ नं ईटा	"				
	(ड) सिमेन्ट को ईटा					
	BK108N	"				
	BK118As	"				
	च) टुक्रा ईटा	घ. मि.				
	छ) Concrete block					
	size (40*15*20) cm	गोटा	४२.००	४२.००	४२.००	
	size (40*10*20) cm	गोटा	३६.७५	३६.७५	३६.७५	
	Cellular light weight concrete(CLC) block					
	Size 24"*8"*4"	गोटा	१६२.००	१६२.००	१६२.००	
	Size 24"*8"*6"	"	२३६.००	२३६.००	२३६.००	
2	क्ले टायलहरु					
2.1	छानामा छाउने					
	क) मेशिनबाट उत्पादित टायल	गोटा	२९.००	२९.००	२९.००	
	ख) चिम्नी भट्टाको टायल	"	१८.९०	१८.९०	१८.९०	
	ग) मेशिनबाट उत्पादित धुरी	"	३६.७५	३६.७५	३६.७५	
	घ) चिम्नी भट्टाको धुरी	"	२९.४०	२९.४०	२९.४०	
2.2	भुईमा/ कौसीमा छाप्ने टायल:					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.६०	१२.६०	१२.६०	
	ख) चिम्नी भट्टाको क्ले टायल	"	१२.६०	१२.६०	१२.६०	
3	दुंगाको काम (Stone work)					
3.1	Rubble Stone					
	(क) ठूलो साइजको खानीको दुंगा (Quarry stone)	घ.फि.	७९.३९	७९.३९	७९.३९	
	(ख) ठूलो साइजको खोलाको दुंगा (River Stone)	"	७९.३९	७९.३९	७९.३९	
	(ग) स्थानीय दुङ्गा (Av. Lead 500 m. सम्मको)	"	७२.९०	७२.९०	७२.९०	
	(घ) कासी खोला (चहर) का एकनास गोला दुङ्गा (River round Stone)	"	११३.३०	११३.३०	११३.३०	
3.2	छापने दुङ्गा (Flag stone)					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने दुङ्गा	व.फि.	७७.२५	८५.००	८५.००	
	ख) १ 1/2" सम्म बाक्लो " " "	"	९०.६४	१००.००	१००.००	
	ग) २" सम्म बाक्लो दुङ्गा " " "	व.फि.	१०७.१२	११७.००	११७.००	
	घ) २ 1/2" सम्म बाक्लो दुङ्गा " " "	"	११५.३६	१२७.००	१२७.००	
	ङ) २ 1/2" - ३" सम्म बाक्लो दुङ्गा " " "	"	१४३.१७	१५५.००	१५५.००	
	च) २ 1/2" - ३" सम्म बाक्लो दुङ्गा मेसिनले काटेको	"		३२०.००	३२०.००	
4	विभिन्न प्रकारको बालुवा					
	(क) बालुवा (Washing plant)	घ.फि.	९०.६४	९०.६४	९०.६४	
	(ख) खानीको बालुवा (Quarry sand)	घ.फि.	८५.४९	८५.४९	८५.४९	
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	८८.५८	८८.५८	८८.५८	
	(घ) भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	६९.०१	६९.०१	६९.०१	
5	क्रसरबाट उत्पादित रोडा					
	(क) ६-१० मी. मी. साइजका	घ.फि.	९७.५२	९७.५२	९७.५२	
	(ख) १०-२० मी. मी. साइजका	घ.फि.	१०४.९४	१०४.९४	१०४.९४	
	(ग) २०-४० मी. मी. साइजको	घ.फि.	१०१.७६	१०१.७६	१०१.७६	
	(घ) ६ मि.मि. down	घ.फि.	८९.०४	८९.०४	८९.०४	
6	फुटालेको दुङ्गाको गिट्टी					
	क) सबै साइजको गिट्टी	"	९५.४०	९५.४०	९५.४०	
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री					
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	७२.०८	७२.०८	७२.०८	
	ख) मेलम्ची खोलाको ग्राभेल	"	६६.७८	६६.७८	६६.७८	
	ग) टिकाभैरव को ग्राभेल	"	६७.८४	६७.८४	६७.८४	
	घ) भकुन्डेवेसी, रोशी खोलाको ग्राभेल	"	७५.२६	७५.२६	७५.२६	
	(ङ) खोला/खानीको स्थानीय ग्राभेल	"	५७.२४	५७.२४	५७.२४	
	(च) Granular sub base material (Crusher run material size 63mm down) ग्राभेल	"	७५.२६	७५.२६	७५.२६	
	(छ) Base-course को लागि मिक्स सोलिङ्ग (WBM) गर्ने कार्य ।	घ.फि.	८७.९८	८७.९८	८७.९८	
	(ज) ढुगाको धुलो (Stone dust)	घ.फि.	४३.४६	४३.४६	४३.४६	
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles					
	क) ४०- ८० मी.मी	घ.फि.		१०५.००	१०५.००	
	ख) २०- ४० मी.मी	"		१०५.००	१०५.००	
	ग) १०- २० मी.मी	"		१०५.००	१०५.००	
	घ) ५- १० मी.मी	"		१०५.००	१०५.००	
9	फिल्टर सामग्री					



 [Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.				
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरू					
	८०/१०० ग्रेडको विटुमीन	के.जी	७७.४५	७१.८०	७८.८०	
	VG-10	के.जी		७१.८०	७८.८०	
	VG-30	के.जी		७४.५०	८१.५०	
	CRMB-DIGO 55 Bitumen	"	८४.४०	८२.४०	८९.००	
	Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	"	६७.६०	६४.६०	७०.६०	
	छिटो जम्ने (RS 65%)	"	७१.६०	६९.६०	७५.६०	
	छिटो जम्ने (RS 70%)	"	७५.६०	७२.६०	७९.६०	
	मध्यम जम्ने (MS 60%)	"	६८.४०	६६.४०	७२.४०	
	मध्यम जम्ने (MS 65%)	"	७२.४५	६८.००	७४.००	
	ढीलो जम्ने (SS60%)	"	६९.७०	६६.७०	७२.७०	
	Slurry Seal with 60% bitumen	"	६४.७५	६२.७५	६८.७५	
	Hi - seal Redymix	"	९९.००	९७.००	९७.००	
	Polymer Bitumen	"	११०.००	११०.००	१०९.००	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	३२०.००	३२०.००	३२०.००	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"	-			
	vi) कालोपत्रे सडक Pot hole टाल्को लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३०.००	३०.००	३०.००	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री					
	a) B.S. Grade	के.जि	१६५.००	१७५.००	१७३.००	
	b) Most Grade	"	१८२.००	१९०.००	१९०.००	
	c) Glass beads	"	१५०.००	१५५.००	१५५.००	
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू					
11.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	७९६.००	७५०.००	७५०.००	
11.2	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	७०८.००	६५०.००	६५०.००	
11.3	सिमेन्ट (५० केजी) OPC	"	८४०.००	७३०.००	७३०.००	
11.4	सेतो सिमेन्ट (40kg/bag)	"	१२९१.५०	१२८३.००	१२८३.००	
11.20	लोड अनलोड चार्ज	"	१३.००	१३.००	१३.००	
12	Ready made Premix Concrete (Supplying laying all complete work)					
12.1	M 10	घ. मि	१३६५०.००	१२५००.००	१२५००.००	



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	M 15	घ. मि	१४७००.००	१३०००.००	१३०००.००	
	M 20	"	१५२२५.००	१४०००.००	१४०००.००	
	M 25	"	१६२७५.००	१५०००.००	१५०००.००	
	M 30	"	१७११५.००	१६०००.००	१६०००.००	
	M 35	"	१८४८०.००	१८३००.००	१८३००.००	
	M 40	"	१९९५०.००	१८९००.००	१८९००.००	
13	फलामको डण्डीहरु :					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	८८.३५	७७.६०	७८.७०	
	b) 10-20 mm dia	"	८५.३५	७४.६०	७६.००	
	c) 25-28 mm dia	"	८८.३५	७६.६०	७८.७५	
	(d) 32 mm dia	"		७७.६०	७८.७५	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8 mm dia	"	८६.८५	७५.६०	७५.६०	
	b) 10-20 mm dia	"	८५.३५	७३.६०	७३.६०	
	c) 25-28 mm dia	"	८७.८५	७५.६०	७५.६०	
	(d) 32 mm dia	"		७६.६०	७६.६०	
	(ग) विभिन्न साइजका TOR Steel					
	a) 4.75, 7 mm dia	"	८७.८५	७७.६०	७७.६०	
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	९२.००	९१.००	९१.००	
14	विभिन्न किसिमका काठहरु					
14.1	काठ					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	६०३४.७५	६०३४.७५	६०३४.७५	
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६३१२.५०	६३१२.५०	६३१२.५०	
	(ग) १२ फिट देखि माथिको साल काठ	"	६६६६.००	६६६६.००	६६६६.००	
	(घ) साज काठ	"	३३८३.५०	३३८३.५०	३३८३.५०	
	(ङ) जामुन काठ	"	२१७१.५०	२१७१.५०	२१७१.५०	
	(च) सल्लाको काठ	"	१५६५.५०	१५६५.५०	१५६५.५०	
	(छ) सिसौ काठ	"	३५३५.००	३५३५.००	३५३५.००	
	(ज) जंगली सिसौ काठ ,,	"	५३२२.७०	५३२२.७०	५३२२.७०	
	झ) उतीस को काठ	"	६३१.२५	६३१.२५	६३१.२५	
	(ञ) स्थानीय कुकाठ (फमा प्रयाजनका लागि Mixed wood)	घ. फि				
	(ट) काठ दाउरा	के.जी	१८.१८	१८.१८	१८.१८	
14.2	कुदिएको काठको काम तयारी					
	i) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०९०.८०	१०९०.८०	१०९०.८०	
	ii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	१२७२.६०	१२७२.६०	१२७२.६०	
	iii) भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८६.८०	६८६.८०	६८६.८०	
	iv) भन्याङ्को रेलिङको, धुपनी कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२७२.५०	२२७२.५०	२२७२.५०	



 भक्तपुर जिल्ला प्रशासन कार्यालय

 काठमाडौं

 २०७८/७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	"	१३६३५.००	१३६३५.००	१३६३५.००	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	"	२२७२५.००	२२७२५.००	२२७२५.००	
	vii) विभिन्न बुझा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३१८१.५०	३१८१.५०	३१८१.५०	
	viii) घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम।	गोटा	७३५२.८०	७३५२.८०	७३५२.८०	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१३६३.५०	१३६३.५०	१३६३.५०	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	१६३६.२०	१६३६.२०	१६३६.२०	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	"	२२७२.५०	२२७२.५०	२२७२.५०	
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१९९९.८०	१९९९.८०	१९९९.८०	
	xii) ३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६३.६०	३६३.६०	३६३.६०	
	xiii) कुँदिएको विभिन्न बुझा राखी बनाएको साल काठको ४"X ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	१६३६.२०	१६३६.२०	१६३६.२०	
	xiv) ४"X ५"को साल काठको नाग बुझा कुँदि तयारी गरी जडान गर्ने कार्य	"	१७२७.१०	१७२७.१०	१७२७.१०	
15	Wooden Parquet Flooring					
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	५६०.००	५६०.००	५६०.००	
16	विभिन्न मोटाईको प्लाइउडहरू					
16.1	Commercial					
	(क) ३ मी.मी	व.फि.	३६.००	३६.००	३६.००	
	३.५ मी.मी.	"	२६.००	२६.००	२६.००	
	(ख) ४ मी.मी	"	२६.००	२६.००	२६.००	
	(ग) ६ मी.मी	"	५३.००	५३.००	५३.००	
	(घ) ८ मी.मी	"	५७.००	५७.००	५७.००	
	(ङ) १२ मी.मी	"	८०.००	८०.००	८०.००	
	(च) १९ मी.मी B/B	"	१०७.००	१०७.००	१०७.००	
	(छ) १८ मी.मी PLY	"	११०.००	११०.००	११०.००	
16.2	P/F. Water Proof					
	क) ४ मी.मी	व.फि.	५२.००	५२.००	५२.००	
	ख) ६ मी.मी	व.फि.	६७.००	६७.००	६७.००	
	ग) ८ मी.मी.	"	६३.००	६३.००	६३.००	
	घ) ९ मी.मी.	"	८९.००	८९.००	८९.००	
	(ङ)१२ मी.मी	"	९९.००	९९.००	९९.००	



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	च) १९ मी.मी PLY	"	११३.००	११३.००	११३.००	
	छ) १९ मी.मी B/B	"	१३९.००	१३९.००	१३९.००	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी .मी	व.फि	४८.००	५०.४०	५०.४०	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	६९.००	७२.४५	७२.४५	
	४ मी. मी (Regular)	"	६०.००	६३.००	६३.००	
	४ मी. मी (Crown)	"	४३.००	४५.१५	४५.१५	
	४ मी. मी (Beri)	"	४९.००	५१.४५	५१.४५	
	४ मी. मी (Whitest line)	"	३९.००	४०.९५	४०.९५	
	४ मी. मी (Beach)	"	४६.००	४८.३०	४८.३०	
	४ मी. मी (Recon 18 No.)	"	३७.००	३८.८५	३८.८५	
	(ग) ६ मी.मी	"				
16.4	DECORATIVE (THICKER)					
	6 OST	व.फि	१२६.००	१२६.००	१२६.००	
	6 BST	"	१६०.००	१६०.००	१६०.००	
	9 OST	"	१४०.००	१४०.००	१४०.००	
	9 BST	"	१७३.००	१७३.००	१७३.००	
	12 OST	"	१५३.००	१५३.००	१५३.००	
	12 BST	"	१८७.००	१८७.००	१८७.००	
	19 B/B OST	"	१६५.००	१६५.००	१६५.००	
	19 B/B BST	"	२००.००	२००.००	२००.००	
	18 OST	"	१८७.००	१८७.००	१८७.००	
	18 BST	व.फि	२२१.००	२२१.००	२२१.००	
17	Ready made Door					
17.1	38 mm th. Readymade solid core door shutter					
	Plain	व.फि	२३३.००	२३३.००	२३३.००	
	One side teak	"	२६२.००	२६२.००	२६२.००	
	Both side teak	"	२९४.००	२९४.००	२९४.००	
	One side teak waterProof	"	२८६.००	२८६.००	२८६.००	
	Both side teak waterProof	"	३१७.००	३१७.००	३१७.००	
17.2	30 to 32 mm th. Readymade solid core door shutter					
	Plain	व.फि	१९०.००	१९०.००	१९०.००	
	One side teak	"	२१३.००	२१३.००	२१३.००	
	Both side teak	"	२३९.००	२३९.००	२३९.००	
	One side teak waterProof	"	२३३.००	२३३.००	२३३.००	
	Both side teak waterProof	"	२५८.००	२५८.००	२५८.००	
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)					
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	१८३.००	१८३.००	१८३.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२४८.००	२४८.००	२४८.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Readymade door shutter Recon, ordinary (1 side teak)	"	२०९.००	२०९.००	२०९.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.००	२८१.००	२८१.००	
17.4	Wooden Listy					
	1/2" wide	र.फि.	१४.००	१४.००	१४.००	
	3/4" wide	"	१८.००	१८.००	१८.००	
	1.5" wide	"	२९.००	२९.००	२९.००	
	Decorative	"	४०.००	४०.००	४०.००	
17.5	Infill Material Thai Gypsum, Shera or equivalent					
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४३१.००	४३१.००	४३१.००	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	४३१.००	४३१.००	४३१.००	
	Board 9 mm	"	२५२४.००	२५२४.००	२५२४.००	
	Roofing Board 6mm (1.5mX.6m)	"	६९५.००	६९५.००	६९५.००	
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००	
	PU sasuage rod	"	२०३९.००	२०३९.००	२०३९.००	
18	Prelaminated Particle Board					
18.1	Plain Particle Board (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	३८.००	३८.००	३८.००	
	(ख) १२ मी. मी.	"	४३.००	४३.००	४३.००	
	(ग) १८ मी.मी.	"	५५.००	५५.००	५५.००	
	(घ) २५ मी.मी	"	७४.००	७४.००	७४.००	
18.2	One side lamination Melamined faced (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	७७.००	७७.००	७७.००	
	(ख) १२ मी. मी.	"	८६.००	८६.००	८६.००	
	(ग) १८ मी.मी.	"	१०२.००	१०२.००	१०२.००	
	(घ) २५ मी.मी	"	१३२.००	१३२.००	१३२.००	
18.3	Both side lamination Melamined faced (Exteriors Grade)					
	(क) ९ मी .मी	व.फि	८६.००	८६.००	८६.००	
	(ख) १२ मी. मी.	"	९९.००	९९.००	९९.००	
	(ग) १८ मी.मी.	"	११४.००	११४.००	११४.००	
	(घ) २५ मी.मी	"	१४५.००	१४५.००	१४५.००	
18.4	Plain Particle Board (Interiors Grade)					
	(क) ९ मी .मी	व.फि	२८.००	२८.००	२८.००	
	(ख) १२ मी. मी.	"	३२.००	३२.००	३२.००	
	(ग) १८ मी.मी.	"	४८.००	४८.००	४८.००	
	(घ) २५ मी.मी	"	६९.००	६९.००	६९.००	
18.5	One side lamination Melamined faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	४२.००	४२.००	४२.००	
	(ख) ६ मी .मी	"	५९.००	५९.००	५९.००	




 भक्तपुर जिल्ला कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	(ग) ९ मी .मी	"	६८.००	६८.००	६८.००	
	(घ) १२ मी. मी.	"	७७.००	७७.००	७७.००	
	(ङ) १८ मी.मी.	"	८९.००	८९.००	८९.००	
	(च) २५ मी.मी	"	१११.००	१११.००	१११.००	
18.6	Both side lamination Melamined faced (Interiors Grade)					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ६ मी .मी	"	६४.००	६४.००	६४.००	
	(ग) ९ मी .मी	"	७७.००	७७.००	७७.००	
18.7	One side lamination Melamined faced (Interiors Grade)MDF					
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ४ मी .मी	"	५५.००	५५.००	५५.००	
	(ग) ६ मी .मी	"	६८.००	६८.००	६८.००	
	(घ) ९ मी .मी	"	८८.००	८८.००	८८.००	
	(ङ.) १२ मी .मी	"	९९.००	९९.००	९९.००	
	(च) १८ मी .मी	"	१२७.००	१२७.००	१२७.००	
	(छ) २५ मी .मी	"	१७६.००	१७६.००	१७६.००	
18.8	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent					
	(क) ३ मी .मी	व.फि	५५.००	५५.००	५५.००	
	(ख) ४ मी .मी	"	६२.००	६२.००	६२.००	
	(ग) ६ मी .मी	"	७६.००	७६.००	७६.००	
	(घ) ९ मी .मी	"	९५.००	९५.००	९५.००	
	(ङ.) १२ मी .मी	"	१०५.००	१०५.००	१०५.००	
	(च) १८ मी .मी	"	१३३.००	१३३.००	१३३.००	
	(छ) २५ मी .मी	"	१८०.००	१८०.००	१८०.००	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent					
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	१७५.००	१७५.००	१७५.००	
	(ख) १२ मी .मी	"	२८०.००	२८०.००	२८०.००	
	(ग) १८ मी .मी	"	४२३.००	४२३.००	४२३.००	
19	Other HardBoard/ Sunmica & Formaica)					
19.1	(क) सनमाईका (4' x 8')	पाता	४८८.००	५००.००	५००.००	
	(ख) फोरमाईका	व.फि	७७.००	८०.००	८०.००	
	(ग) हार्डवोर्ड (Hard board) 12 mm thick	"	४६.००	४८.००	४८.००	
19.2	Alstone Hybrid Board					
	(क) ६ मी .मी size (1220*2440) mm	व.फि	१६८.००	१७०.००	१७०.००	
	(ख) १२ मी .मी size (1221*2440) mm	"	३१३.००	३१५.००	३१५.००	
	(ग) १८ मी .मी size (1222*2440) mm	"	४३३.००	४३५.००	४३५.००	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp and several handwritten initials and names.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate					
	i) Iron Square Pipe	के.जी	८२.६२	८०.२१	८०.२१	
	ii) विभिन्न साइजको MS Angle	"	८८.७४	८६.१६	८६.१६	
	iii) विभिन्न साइजको Black Pipe	"	८२.६२	८०.२१	८०.२१	
	iv) विभिन्न साइजको Channel	"	८९.७६	८७.१५	८७.१५	
	v) विभिन्न साइजको I-Beam	"	९१.८०	८९.१३	८९.१३	
	vi) विभिन्न साइजको MS plate	"	८७.७२	८५.१७	८५.१७	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८८.७४	८६.१६	८६.१६	
	viii) विभिन्न मोटाइको Black sheet	"	८३.६४	८१.२०	८१.२०	
21	G.I. Wire					
	i) 8 gauge					
	a) light class	के.जी	९३.००	९३.००	९३.००	
	b) medium class	"	१०१.००	१०१.००	१०१.००	
	c) heavy duty	"	१०२.००	१०२.००	१०२.००	
	d) Comercial wire	"	९३.००	९३.००	९३.००	
	ii) 10 gauge					
	a) light class	के.जी	९३.००	९३.००	९३.००	
	b) medium class	"	९६.००	९६.००	९६.००	
	c) heavy duty	"	१०२.००	१०२.००	१०२.००	
	d) Comercial wire	"	९३.००	९३.००	९३.००	
	iii) 12 gauge					
	a) light class	के.जी	९४.००	९४.००	९४.००	
	b) medium class	"	९८.००	९८.००	९८.००	
	c) heavy duty	"	१०४.००	१०४.००	१०४.००	
	d) Comercial wire	"	९४.००	९४.००	९४.००	
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन बाकस तयारी					
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	m2				
	१.५x१x०.५/०	गोटा	१६३९.००	१६३९.००	१६३९.००	
	२x१x०.५/०	"	२२३५.००	२२३५.००	२२३५.००	
	३x१x०.५/०	"	३२७८.००	३२७८.००	३२७८.००	
	४x१x०.५/०	"	४३२१.००	४३२१.००	४३२१.००	
	१.५x१x१/०	"	२३८४.००	२३८४.००	२३८४.००	
	२x१x१/१	"	३२७८.००	३२७८.००	३२७८.००	
	३x१x१/२	"	४७६८.००	४७६८.००	४७६८.००	
	४x१x१/३	"	६२५८.००	६२५८.००	६२५८.००	
	ख) MBG/10x12/3.0/3.4/2.2/ZN	m2				



 भक्तपुर जिल्ला कार्यालय





सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	१.५×१×०.५०	गोटा	१३८१.००	१३८१.००	१३८१.००	
	२×१×०.५०	"	१८८३.००	१८८३.००	१८८३.००	
	३×१×०.५०	"	२७६१.००	२७६१.००	२७६१.००	
	४×१×०.५०	"	३६४०.००	३६४०.००	३६४०.००	
	१.५×१×१	"	२००८.००	२००८.००	२००८.००	
	२×१×१	"	२७६१.००	२७६१.००	२७६१.००	
	३×१×१	"	४०१६.००	४०१६.००	४०१६.००	
	४×१×१	"	५२७१.००	५२७१.००	५२७१.००	
	ग) MJG/10x12/3.0/3.9/2.4/ZN					
	३×२×०.५०	गोटा	५६६२.००	५६६२.००	५६६२.००	
	४×२×०.५०	"	७४५०.००	७४५०.००	७४५०.००	
	५×२×०.५०	"	९२३८.००	९२३८.००	९२३८.००	
	६×२×०.५०	"	११०२६.००	११०२६.००	११०२६.००	
	३×२×१	"	७७४८.००	७७४८.००	७७४८.००	
	४×२×१	"	१०१३२.००	१०१३२.००	१०१३२.००	
	५×२×१	"	१२५१६.००	१२५१६.००	१२५१६.००	
	६×२×१	"	१४९००.००	१४९००.००	१४९००.००	
	घ) MJG/10x12/2.7/3.4/2.2/ZN					
	३×२×०.५०	गोटा	४७६९.००	४७६९.००	४७६९.००	
	४×२×०.५०	"	६२७५.००	६२७५.००	६२७५.००	
	५×२×०.५०	"	७७८१.००	७७८१.००	७७८१.००	
	६×२×०.५०	"	९२८७.००	९२८७.००	९२८७.००	
	३×२×१	"	६५२६.००	६५२६.००	६५२६.००	
	४×२×१	"	८५३४.००	८५३४.००	८५३४.००	
	५×२×१	"	१०५४२.००	१०५४२.००	१०५४२.००	
	६×२×१	"	१२५५०.००	१२५५०.००	१२५५०.००	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	m2				
	३×२×०.१७	गोटा	४०१२.००	४०१२.००	४०१२.००	
	४×२×०.१७	"	५१९८.००	५१९८.००	५१९८.००	
	५×२×०.१७	"	६३६२.००	६३६२.००	६३६२.००	
	६×२×०.१७	"	७५६८.००	७५६८.००	७५६८.००	
	३×२×०.२३	"	४३६६.००	४३६६.००	४३६६.००	
	४×२×०.२३	"	५६५५.००	५६५५.००	५६५५.००	
	५×२×०.२३	"	६९८६.००	६९८६.००	६९८६.००	
	६×२×०.२३	"	८२९२.००	८२९२.००	८२९२.००	
	३×२×०.३०	"	४७४१.००	४७४१.००	४७४१.००	
	४×२×०.३०	"	६११२.००	६११२.००	६११२.००	
	५×२×०.३०	"	७५४६.००	७५४६.००	७५४६.००	
	६×२×०.३०	"	८९४०.००	८९४०.००	८९४०.००	
	Note:					
	BG= Box Gabion					




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) भा.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	JG= Jumbo Gabion					
	RM= Reno Mattress					
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating					
	ZN = Heavy galvanized					
	PVC = PVC coated					
23	Barbed Wire (काँडेतार)					
	12 guage commercial,Medium duty	के.जी	९७.३५	९७.३५	९७.३५	
	U-hook for barbed wire fencing	गोटा	०.७५	०.७५	०.७५	
	Fabrication of chain link mesh of size					
	1"x1" 12 guage	बर्ग मी.	६९७.००	६९७.००	६९७.००	
	1.5"x1.5" 12 guage	"	६५२.००	६५२.००	६५२.००	
	2"x2" 10 guage	"	५१७.००	५१७.००	५१७.००	
	3"x3" 10 guage	"	४२३.००	४२३.००	४२३.००	
	4"x4" 10 guage	"	३३७.००	३३७.००	३३७.००	
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)					
	(क) सेतो सादा जस्तापाता (G P Sheet)					
	0.2 mm (30 guage light)	बण्डल	४६९०.००	४६९०.००	४६९०.००	
	0.22 mm (30 guage Medium)	"	५१३३.००	५१३३.००	५१३३.००	
	0.24 mm (30 guage Heavy)	"	५५२२.००	५५२२.००	५५२२.००	
	0.26 mm (28 guage light)	"	५८४१.००	५८४१.००	५८४१.००	
	0.28 mm (28 guage Medium)	"	६१५९.००	६१५९.००	६१५९.००	
	0.31 mm (28 guage Heavy)	"	६७७९.००	६७७९.००	६७७९.००	
	0.35 mm (26 guage light)	"	७५२२.००	७५२२.००	७५२२.००	
	0.38 mm (26 guage Medium)	"	७८८५.००	७८८५.००	७८८५.००	
	0.41 mm (26 guage Heavy)	"	८७०८.००	८७०८.००	८७०८.००	
	0.45 mm (24 guage light)	"	९४६०.००	९४६०.००	९४६०.००	
	0.50 mm (24 guage Medium)	"	१०४६९.००	१०४६९.००	१०४६९.००	
	0.52 mm (24 guage Heavy)	"	१०८४१.००	१०८४१.००	१०८४१.००	
	0.75 mm	"	१५५१३.००	१५५१३.००	१५५१३.००	
	(ख) रंगिन जस्तापाता					
	0.2 mm (30 guage light)	बण्डल	५७९६.००	५७९६.००	५७९६.००	
	0.22 mm (30 guage Medium)	"	६१९५.००	६१९५.००	६१९५.००	
	0.24 mm (30 guage Heavy)	"	६५८४.००	६५८४.००	६५८४.००	
	0.26 mm (28 guage light)	"	६९७३.००	६९७३.००	६९७३.००	
	0.28 mm (28 guage Medium)	"	७३३६.००	७३३६.००	७३३६.००	
	0.31 mm (28 guage Heavy)	"	७९५६.००	७९५६.००	७९५६.००	
	0.35 mm (26 guage light)	"	८८२३.००	८८२३.००	८८२३.००	

मन्त्रालय
संरक्षण
संरक्षण

2

gamm

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	0.38 mm (26 guage Medium)	„	९२६५.००	९२६५.००	९२६५.००	
	0.41 mm (26 guage Heavy)	„	१०१३३.००	१०१३३.००	१०१३३.००	
	0.45 mm (24 guage light)	„	१०९१२.००	१०९१२.००	१०९१२.००	
	0.50 mm (24 guage Medium)	„	११९२०.००	११९२०.००	११९२०.००	
	0.52 mm (24 guage Heavy)	„	१२३५४.००	१२३५४.००	१२३५४.००	
	0.55 mm (24 guage Medium)	„	१२९४७.००	१२९४७.००	१२९४७.००	
	0.75 mm	„	१७३८९.००	१७३८९.००	१७३८९.००	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	बण्डल	४६९०.००	४६९०.००	४६९०.००	
	0.22 mm (30 guage Medium)	„	५०८८.००	५०८८.००	५०८८.००	
	0.24 mm (30 guage Heavy)	„	५४८७.००	५४८७.००	५४८७.००	
	0.26 mm (28 guage light)	„	५७९६.००	५७९६.००	५७९६.००	
	0.28 mm (28 guage Medium)	„	६११५.००	६११५.००	६११५.००	
	0.31 mm (28 guage Heavy)	„	६७२६.००	६७२६.००	६७२६.००	
	0.35 mm (26 guage light)	„	७४७८.००	७४७८.००	७४७८.००	
	0.38 mm (26 guage Medium)	„	७८४१.००	७८४१.००	७८४१.००	
	0.41 mm (26 guage Heavy)	„	८६५५.००	८६५५.००	८६५५.००	
	0.45 mm (24 guage light)	„	९४१६.००	९४१६.००	९४१६.००	
	0.50 mm (24 guage Medium)	„	१०४१६.००	१०४१६.००	१०४१६.००	
	0.52 mm (24 guage Heavy)	„	१०७८८.००	१०७८८.००	१०७८८.००	
	0.75 mm	„	१५५१३.००	१५५१३.००	१५५१३.००	
	घ)जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.					
	0.20 mm	बण्डल	१६०२.००	१६०२.००	१६०२.००	
	0.22 mm	„	१७३५.००	१७३५.००	१७३५.००	
	0.24 mm	„	१८६७.००	१८६७.००	१८६७.००	
	0.26 mm	„	१९७३.००	१९७३.००	१९७३.००	
	0.28 mm	„	२०८०.००	२०८०.००	२०८०.००	
	0.31 mm	„	२२८३.००	२२८३.००	२२८३.००	
	0.35 mm	„	२५३१.००	२५३१.००	२५३१.००	
	0.38 mm	„	२६५५.००	२६५५.००	२६५५.००	
	0.41 mm	„	२९२०.००	२९२०.००	२९२०.००	
	ड) ४ फिट * ८ फिट को जि.आई. प्लेन सिट					
	1.1 mm	पिस	३२७४.००	३२७४.००	३२७४.००	
	0.90 mm	„	२७०८.००	२७०८.००	२७०८.००	
	0.80 mm	„	२४४२.००	२४४२.००	२४४२.००	
	0.75 mm	„	२२९२.००	२२९२.००	२२९२.००	
	0.70 mm	„	२१४२.००	२१४२.००	२१४२.००	
	0.62 mm	„	१९१२.००	१९१२.००	१९१२.००	



Handwritten signatures and dates at the bottom of the page, including a date '2078/79' and a signature 'Prasanna'.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	0.55 mm	"	१७१७.००	१७१७.००	१७१७.००	
	0.50 mm	"	१५६६.००	१५६६.००	१५६६.००	
	0.48 mm	"	१४९६.००	१४९६.००	१४९६.००	
	0.45 mm	"	१४१६.००	१४१६.००	१४१६.००	
	0.40 mm	"	१२७४.००	१२७४.००	१२७४.००	
	0.37 mm	"	११८६.००	११८६.००	११८६.००	
	0.35 mm	"	११३३.००	११३३.००	११३३.००	
	0.30 mm	"	९८२.००	९८२.००	९८२.००	
	0.28 mm	"	९२०.००	९२०.००	९२०.००	
	च) ४ फिट * ८ फिट को रङ्गिन प्लेन सिट					
	0.90 mm	पिस	२९७३.००	२९७३.००	२९७३.००	
	0.80 mm	"	२६९९.००	२६९९.००	२६९९.००	
	0.75 mm	"	२५३१.००	२५३१.००	२५३१.००	
	0.70 mm	"	२४३४.००	२४३४.००	२४३४.००	
	0.62 mm	"	२१७७.००	२१७७.००	२१७७.००	
	0.55 mm	"	१९५६.००	१९५६.००	१९५६.००	
	0.50 mm	"	१७८८.००	१७८८.००	१७८८.००	
	0.48 mm	"	१७०८.००	१७०८.००	१७०८.००	
	0.45 mm	"	१६१९.००	१६१९.००	१६१९.००	
	0.40 mm	"	१४८७.००	१४८७.००	१४८७.००	
	0.37 mm	"	१३८९.००	१३८९.००	१३८९.००	
	0.35 mm	"	१३२७.००	१३२७.००	१३२७.००	
	0.30 mm	"	११६८.००	११६८.००	११६८.००	
	0.28 mm	"	११०६.००	११०६.००	११०६.००	
	GI EXPANDED METAL MESH					
	1.20 mm मोटाई र ३' चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००	
	1.20 mm मोटाई र ४' चौडाई भएको जाली	"	२१२.००	२१२.००	२१२.००	
	1.00 mm मोटाई र ३' चौडाई भएको जाली	"	१३३.००	१३३.००	१३३.००	
	1.00 mm मोटाई र ४' चौडाई भएको जाली	"	१७७.००	१७७.००	१७७.००	
	0.90 mm मोटाई र ३' चौडाई भएको जाली	"	१२४.००	१२४.००	१२४.००	
	0.90 mm मोटाई र ४' चौडाई भएको जाली	"	१५९.००	१५९.००	१५९.००	
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)					
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१५०६.००	१५०६.००	१५०६.००	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	१२००.००	१२००.००	१२००.००	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	१९२५.००	१९२५.००	
25.4	Ridge cover Tile Profile 0.78 R.m.	"	१९२५.००	१९२५.००	१९२५.००	
25.5	UPVC Clip	गोटा	२६.००	२६.००	२६.००	
25.6	self tapping screw 3"	"	३०.००	३०.००	३०.००	
25.7	self tapping screw 2.5"	"	२०.००	२०.००	२०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) भा.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
25.8	self tapping screw 2"	"	११.००	११.००	११.००	
25.9	self tapping screw 1.5"	"	८.५०	८.५०	८.५०	
26	एल्मुनियम प्लेन सिट					
	(क) २६ गेज	व.फि.	२९.००	२९.००	२९.००	
	(ख) ३० गेज	"	२७.००	२७.००	२७.००	
27	विभिन्न प्रकारको जालीहरू (Netting)					
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११९.००	११९.००	११९.००	
	(ख) वालुवा चाल्ने जाली	"	१२४.००	१२४.००	१२४.००	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	७६.००	७६.००	७६.००	
	(घ) ब्रास क्रसिङ्ग जाली	"	१९५.००	१९५.००	१९५.००	
	(ङ) स्टील जाली (crossing)	"	१५७.००	१५७.००	१५७.००	
	(च) मसिनो खालको steel Mosquito proof जाली	"	२७०.००	२७०.००	२७०.००	
28	फलामबाट निर्मित सामानहरू					
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	१३०.००	१३०.००	१३०.००	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५००.००	५००.००	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३५०.००	३५०.००	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	"	२८०.००	२८०.००	२८०.००	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	"	५००.००	५००.००	५००.००	
f	१६ गेज पाताबाट कम्पारण्ड वालको गेट बनाई जडान गर्ने (५० x ५० x ५ mm) को फ्रेम समेत)	"	६५०.००	६५०.००	६५०.००	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पाई राखी खुडकिला सहितको घुम्ने भन्ड्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ड्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	३०५०.००	३०५०.००	३०५०.००	
h	फलामे सामग्रीको फेब्रिबेशन तथा जडान कार्य	के.जी.	४५.००	४५.००	४५.००	
i	All type of general MS structural works	व.फि.	१७०.००	१७०.००	१७०.००	
j	Truss & roofing works Plain sheet 26 gauge	"	२००.००	२००.००	२००.००	
k	Truss & roofing works colour sheet 26 gauge	"	१६५.००	१६५.००	१६५.००	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१४०.००	१४०.००	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	१९४०.००	१९४०.००	१९४०.००	
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C Channels 0.55mm thick , weight per square feet 2 kg with fabrication robot screw erection fitting and essembly charges) all complete work Panchakanya or equivalent	व.फि.	७७०.००	७७०.००	७७०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
29	Glass सीसा					
29.1	Plain सादा (सेतो)					
	(क) ३ मी.मी.	व.फि.	४९.००	५०.४७	५०.४७	
	(ख) ३.५ मी.मी.	व.फि.	५६.००	५७.६८	५७.६८	
	(ग) ४ मी.मी.	व.फि.	६५.००	६६.९५	६६.९५	
	(घ) ५ मी.मी. "	व.फि.	७५.००	७७.२५	७७.२५	
	(ङ) ६ मी.मी. "	व.फि.	१००.००	१०३.००	१०३.००	
	(च) ८ मी.मी. "	व.फि.	१५०.००	१५४.५०	१५४.५०	
29.2	Printed Glass (बुट्टेदार सिसा)					
	(क) ३ मी.मी.	व.फि.	४८.४१	४९.८६	४९.८६	
	(ख) ४ मी.मी. " "	व.फि.	५६.६५	५८.३५	५८.३५	
29.3	Poly Fibre Glass					
	(क) ६ मी.मी.	"	१५४.५०	१५९.१४	१५९.१४	
29.4	Black Color Glass					
	(क) ३ मी.मी.	व.फि.	९६.००	९८.८८	९८.८८	
	(ख) ४ मी.मी.	"	१०३.००	१०६.०९	१०६.०९	
	(ग) ५ मी.मी.	"	१२०.००	१२३.६०	१२३.६०	
	(घ) ६ मी.मी.	"	१८०.००	१८५.४०	१८५.४०	
	(ङ) ८ मी.मी.	"	२५०.००	२५७.५०	२५७.५०	
	(च) १० मी.मी.	"	३५०.००	३६०.५०	३६०.५०	
	(छ) १२ मी.मी.	"	४००.००	४१२.००	४१२.००	
29.5	Tinted Float glass बाहिर बाट नदेखिने , भित्रबाट देखिने					
	(क) ५ मि.मि बाक्लो	व.फि.	११६.००	११९.४८	११९.४८	
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture					
	(क) ४ मी.मी. बाक्लो	व.मि.	६२००.००	६३८६.००	६३८६.००	
29.7	विभिन्न रंगको Reflector Glass (शिशा)					
	५ मी.मी. मोटो	व.फि.	१८४.००	१८९.५२	१८९.५२	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५०% थप रकम लाग्ने छ।					
30	Corrugated/Plain Fiber Glass Sheet					
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१३२.००	१३५.९६	१३५.९६	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१४५.००	१४९.३५	१४९.३५	
	(ख) १.२ मी.मी. मोटो प्लेन	"	१४५.००	१४९.३५	१४९.३५	
	१.२ मी.मी. मोटो कोरोगेटेड	"	१६३.००	१६७.८९	१६७.८९	
	(ग) २ मी.मी. मोटो प्लेन	"	२३२.००	२३८.९६	२३८.९६	
	२ मी.मी. मोटो कोरोगेटेड	"	२७०.००	२७८.१०	२७८.१०	
	(घ) ३ मी. मी. मोटो प्लेन	"	३०७.००	३१६.२१	३१६.२१	
	३ मी. मी. मोटो कोरोगेटेड	"	३९५.००	४०६.८५	४०६.८५	



महाकाल क्षेत्रीय
शास. प्रशासक
भक्तपुर जिल्ला कार्यालय

१३

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	(ड) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	७२.००	७४.९६	७४.९६	
	(च) Fiber Glass छानाको लागि Ribet nut	no.	८.००	८.२४	८.२४	
31	भ्याल ढोकामा लाग्ने Fixture हरु					
	Iron बाट बनेका					
	Hinge (कब्जा)					
	(क) ३" साइज	गोटा	१५.००	१६.५०	१६.५०	
	(ख) ४" साइज	"	२८.००	३०.८०	३०.८०	
	(ग) ५" साइज	"	४३.००	४७.३०	४७.३०	
	(घ) ६" साइज	"	५६.००	६१.६०	६१.६०	
	Locking Set (L-drop)					
	300 mm	गोटा	२६०.००	२८६.००	२८६.००	
	225 mm	"	२२७.००	२४९.७०	२४९.७०	
	150 mm	"	१९५.००	२१४.५०	२१४.५०	
	Aluminum बाट बनेका					
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	२०.००	२२.००	२२.००	
	(ख) ४" लामो	"	४०.००	४४.००	४४.००	
	(ग) ६" लामो	"	६७.००	७३.७०	७३.७०	
	(घ) ८" लामो	"	८०.००	८८.००	८८.००	
	(ड) १०" लामो	"	९४.००	१०३.४०	१०३.४०	
	(च) १२" लामो	"	१०७.००	११७.७०	११७.७०	
	Handle (हतकल)					
	Ordinary	गोटा	३२.००	३५.२०	३५.२०	
	Special	"	४७.००	५१.७०	५१.७०	
	Brass बाट बनेका					
	Hinge (कब्जा)					
	2" x 1/2"	गोटा	६३.००	६९.३०	६९.३०	
	2 1/2 x 3/4"	"	७१.००	७८.१०	७८.१०	
	3" x 3/4"	"	८७.००	९५.७०	९५.७०	
	2" x 3/4"	"	७१.००	७८.१०	७८.१०	
	2 1/2" x 3/4"	"	७९.००	८६.९०	८६.९०	
	3" x 3/4"	"	८७.००	९५.७०	९५.७०	
	3" x 1"	"	१८९.००	२०७.९०	२०७.९०	
	4" x 1"	"	२८४.००	३१२.४०	३१२.४०	
	5" x 1"	"	३७९.००	४१६.९०	४१६.९०	
	6" x 1"	"	४५८.००	५०३.८०	५०३.८०	
	Towerbolt (छेस्कीनी)					
	(क) ३" लामो	गोटा	१४२.००	१५६.२०	१५६.२०	
	(ख) ४" लामो	"	१८९.००	२०७.९०	२०७.९०	
	(ग) ६" लामो	"	२८४.००	३१२.४०	३१२.४०	
	(घ) ८" लामो	"	३७९.००	४१६.९०	४१६.९०	



नेपाल सरकार
भक्तपुर जिल्ला कार्यालय


(Handwritten signature)

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	(ड) १०" लामो	"	४७३.००	५२०.३०	५२०.३०	
	(च) १२" लामो	"	५६८.००	६२४.८०	६२४.८०	
	Handle (हतकल)					
	6" Brass handle	गोटा	१५०.००	१६५.००	१६५.००	
	8" Brass handle	"	४५८.००	५०३.८०	५०३.८०	
	10" Brass handle	"	९४७.००	१०४९.७०	१०४९.७०	
	Locking Set (L-drop)					
	(क) ८" लामो	गोटा	९४७.००	१०४९.७०	१०४९.७०	
	(ख) १०" लामो	"	१५६२.००	१७१८.२०	१७१८.२०	
	(ग) १२" लामो	"	१७३५.००	१९०८.५०	१९०८.५०	
	Special Fittings					
	एल ड्रप :-					
	८" लामो	गोटा	१०६२.००	११६८.२०	११६८.२०	
	१०" लामो	"	११९९.००	१३१८.९०	१३१८.९०	
	१२" लामो	"	१२४९.००	१३७३.९०	१३७३.९०	
	ह्याण्डल :-					
	८" लामो	"	१२४९.००	१३७३.९०	१३७३.९०	
	टावर बोल्ट :-					
	६" लामो	"	२२५.००	२४७.५०	२४७.५०	
	८" लामो	"	३००.००	३३०.००	३३०.००	
	१०" लामो	"	३७५.००	४१२.५०	४१२.५०	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)					
	एल ड्रप :-					
	८" लामो	गोटा	८९२.००	९८१.२०	९८१.२०	
	१०" लामो	"	११३०.००	१२४३.००	१२४३.००	
	१२" लामो	"	१२४९.००	१३७३.९०	१३७३.९०	
	ह्याण्डल :-					
	६" लामो	"	२५०.००	२७५.००	२७५.००	
	८" लामो	"	३७५.००	४१२.५०	४१२.५०	
	Mortice Lock					
	Ordinary	गोटा	६२५.००	६८७.५०	६८७.५०	
	Chinese	"	४१६.००	४५७.६०	४५७.६०	
	Indian Godrej Company	"	२५५७.००	२८१२.७०	२८१२.७०	
	Brass	"	११३०.००	१२४३.००	१२४३.००	
	Door Spring (Door Closer)					
	Ordinary	गोटा	१७८.००	१९५.८०	१९५.८०	
	hydraulic	"	१८७४.००	२०६९.४०	२०६९.४०	
	Other Door/Windows fixtures					
	Window I-hook	गोटा	१८.००	१९.८०	१९.८०	
	Gate Hook					
	4" Gate hook	गोटा	३९.००	३४.९०	३४.९०	



भक्तपुर जिल्ला कार्यालय
सहायक प्रमुख कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	5" Gate hook	"	३५.००	३८.५०	३८.५०	
	6" Gate hook	"	४२.००	४६.२०	४६.२०	
	Brass Gate hook		७५.००	८२.५०	८२.५०	
	Door stopper					
	Butterfly	"	१४८.००	१६२.८०	१६२.८०	
	Bell catch 2" size	"	१९६.००	२१५.६०	२१५.६०	
	C.P. handle	"	४२५.००	४६७.५०	४६७.५०	
	Power coated handle	"	४०६.००	४४६.६०	४४६.६०	
	Brass coated handle	"	८७४.००	९६१.४०	९६१.४०	
	Door stopper, single brass stopper	सेट	१००.००	११०.००	११०.००	
	Door stopper double brass stopper	"	१७८.००	१९५.८०	१९५.८०	
32	बिबिध सामग्रीहरू					
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१२५.००	१३७.५०	१३७.५०	
	Nails (different sizes)	के.जी.	११२.००	१२३.२०	१२३.२०	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७२१.००	७९३.१०	७९३.१०	
	कवाडी फलामे सामानहरू(वन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	२६.००	२८.६०	२८.६०	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन, डीलीड विट)	के.जी.	२१.००	२३.१०	२३.१०	
	Nut and Bolts	गोटा	२९.००	३१.९०	३१.९०	
	Nut and Bolts (different sizes)	के.जी.	१६५.००	१८१.५०	१८१.५०	
	Sandpaper (खारसी)	गोटा	६.००	६.६०	६.६०	
	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१३७.००	१५०.७०	१५०.७०	
	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.७०	७.७०	
	३" साइज रुफिङ्ग नेल्स	"	१०.००	११.००	११.००	
	Screw Brass					
	20mm	गोटा	२.००	२.२०	२.२०	
	25mm	"	३.००	३.३०	३.३०	
	35mm	"	४.००	४.४०	४.४०	
	50mm	"	१२.००	१३.२०	१३.२०	
	75mm	"	१५.००	१६.५०	१६.५०	
	Screw Steel					
	20mm	"	१.००	१.१०	१.१०	
	25mm	"	२.००	२.२०	२.२०	
	35mm	"	२.००	२.२०	२.२०	
	50mm	"	७.००	७.७०	७.७०	
	75mm	"	८.००	८.८०	८.८०	
	विटुमीन वासर	गोटा	३.००	३.३०	३.३०	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	९३.००	१०२.३०	१०२.३०	
	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३४.१०	३४.१०	
	ISI Mark Trafelt (२०मी. × १मी.)	बाल	२४७२.००	२७१९.२०	२७१९.२०	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Plasticfelt (२०मी. × १मी.)	"	२३१८.००	२५४९.८०	२५४९.८०	
	१८-२० फिट लामो बाँस	गोटा	२०४.००	२२४.४०	२२४.४०	
	मैन पालिस	के.जि.	२०६.००	२२६.६०	२२६.६०	
	अकजालिक एसिड	"	११८.००	१२९.८०	१२९.८०	
	जुट वा पोलिथिनको खाली बोरा	गोटा	१८.००	१९.८०	१९.८०	
	माटो (ढुवानि बाहेक)	घ.मि.	२६८.००	२९४.८०	२९४.८०	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	४६४.००	५१०.४०	५१०.४०	
	भुस	के.जि.	५.००	५.५०	५.५०	
	गोबर	"	५.००	५.५०	५.५०	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९३.००	१०२.३०	१०२.३०	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९८.००	१०७.८०	१०७.८०	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.००	९.९०	९.९०	
	Water (पानी)					
	३ कि.मी. सम्म को दुरीमा	लिटर	०.२६	०.२९	०.२९	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	०.३१	०.३४	०.३४	
33	स्टेनलेस स्टील पाइप (257/kg)					
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१९४.००	१९४.००	१९४.००	
	१" व्यास भएको १६ गेज मोटाई	"	२४३.००	२४३.००	२४३.००	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३०९.००	३०९.००	३०९.००	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३७६.००	३७६.००	३७६.००	
	२" व्यास भएको १६ गेज मोटाई	"	५०८.००	५०८.००	५०८.००	
	स्टील रेलिड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	११६८.००	११६८.००	११६८.००	
34	मार्बल चिप्स					
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१७०.००	१७०.००	१७०.००	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१७०.००	१७०.००	१७०.००	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१८१.००	१८१.००	१८१.००	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१५३.००	१५३.००	१५३.००	
35	मार्बल (Marble)					
35.1	राजस्थानी मार्बल					
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	१६०.००	१६०.००	१६०.००	
	१६ मी.मी बाक्लो राजस्थानी	"	१७५.००	१७५.००	१७५.००	
35.2	ग्रेनाइट					
	१२ मी.मी बाक्लो ग्रेनाइट	"	२५०.००	२५०.००	२५०.००	
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	३३५.००	३३५.००	३३५.००	
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	३७६.००	३७६.००	३७६.००	
35.3	Kota Stone					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	1" thick	ब.फि.	१४२.००	१४२.००	१४२.००	
	3/4" thick	ब.फि.	१३०.००	१३०.००	१३०.००	
35.4	Sand stone (for rubbing Marble)	गोटा	७२.००	७२.००	७२.००	
36	Porcelain Glazed/Terrazo Mosaic Tiles					
36.1	Porcelain Glazed Tiles					
	Porcelain Glazed Tiles	"	८५.००	८५.००	८५.००	
	Ordinary floor and wall Tile	"	५४.००	५४.००	५४.००	
	Border Tile (२ " x ८ ")	र.फि.	४३.००	४३.००	४३.००	
	Ceramic Wall Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००	
	Ceramic Border Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००	
	Ceramic Floor Tile (31*45cm)	"	१५०.००	१५०.००	१५०.००	
	Flooring tile GVT					
	24"X24" GVT	व.फु.	१६५.००	१६५.००	१६५.००	
	24"X24" GRES Virtified (Digital floor)	"	१४४.००	१४४.००	१४४.००	
	12"X12" GRES homogeous Virtified parking tile	"	१०६.००	१०६.००	१०६.००	
	24"X24" Virtified	"	१११.००	१११.००	१११.००	
	Flooring tile					
	16"X16 "	व.फु.	९८.००	९८.००	९८.००	
	12"X12"	"	८८.००	८८.००	८८.००	
	12"X12" (White/Ivery)	"	७७.००	७७.००	७७.००	
	12"X24" (Wall)	"	१३४.००	१३४.००	१३४.००	
36.2	12"X18" (Wall)	"	१०३.००	१०३.००	१०३.००	
	LG Floors Tiles					
	Fittings for Tiles	"	१५.००	१५.००	१५.००	
	Fittings for Tiles on stairs	"	१७.००	१७.००	१७.००	
36.3	Dendrite for tiles	लि.	३७२.००	४००.००	४००.००	
	FLOORING COATING					
	FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	३६१.००	३६१.००	३६१.००	
	HEAT FLOORING (INCLUDED ALL FINISH)	"	३६१.००	३६१.००	३६१.००	
	FLOORING(INCLUDED ALL FINISH)	"	३८३.००	३८३.००	३८३.००	
	ACOUSTIC FLOORING	"	४२७.००	४२७.००	४२७.००	
	SCRATCH FABRIC FALSE CEILING	"	२३२.००	२३२.००	२३२.००	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	६२.००	६२.००	६२.००	
37	flooring 2mm thick all fitting work	"	४०३.००	४०३.००	४०३.००	
	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	b) Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	c) Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
37.1	d) Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
	रंगरोगनका सामानहरू					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१९.००	३५.००	३५.००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३६.००	४०.००	४०.००	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	३९.००	४०.००	४०.००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	
	(थ) सिमेन्ट प्राइमर सेतो	लिटर	२६८.००	२७०.००	२७०.००	
	(छ) उड प्राइमर (Wood Primer)	लिटर	३७६.००	३७६.००	३७६.००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	५२५.००	५४४.००	५४४.००	
	(ज) कोरुगेटेड रुफ Paint	"	४७६.००	५००.००	५००.००	
	(झ) तयारी अल्मुनियम पेन्ट	"	५४६.००	५४६.००	५४६.००	
	(ञ) तयारी वार्नेस	"	४४०.००	४४०.००	४४०.००	
	(ट) तयारी वार्नेर सेन्थेटिक	"	३४०.००	३७५.००	३७५.००	
	(ठ) भारतीय थिनर	"	२३१.००	१५०.००	१५०.००	
	(ड) उड एण्ड ग्लास पुटिन	के.जी	१३१.००	१३१.००	१३१.००	
	(ढ) मेटल पुटिन	"	१५५.००	१५५.००	१५५.००	
	(ण) चुना पेन्ट गर्न राख्ने गम	"	२०३.००	२६७.००	२६७.००	
	(त) नेपाली थिनर	लिटर	२१८.००	१५०.००	१५०.००	
	(द) तारपिन तेल	"	२१४.००	१५०.००	१५०.००	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२६२.००	२७५.००	२७५.००	
	(न) उड प्रिजरभेटिव पेन्ट	"	२२८.००	३००.००	३००.००	
	(प) Black Japan Paint	"	२८६.००	२८६.००	२८६.००	
	(फ) राम तिलक	के.जि.	५६.००	६०.००	६०.००	
	(ब) गेरु रंग	के.जि.	१३७.००	१३७.००	१३७.००	
	(भ) चप्रा पालिस	के.जि.	९१६.००	११००.००	११००.००	
	(म) तयारी वासेवल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	२२३.००	१७५.००	१७५.००	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५२६.००	५७०.००	५७०.००	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६३१.००	६७०.००	६७०.००	
	(र) Road Marking Paint	"	५७९.००	५७९.००	५७९.००	
	(ल) लिनसिड आयल (linsed Oil)	"	१९६.००	२१५.००	२१५.००	
	(व) स्थानीय स्पीट	लि.	११८.००	११८.००	११८.००	
	(स) मोविकल/फेविकल	के.जि.	२६२.००	३००.००	३००.००	
	(ष) Tata Red Oxide Paint	"	२६२.००	२७५.००	२७५.००	
	(ह) गट्टा चुन (इण्डीयन)	"	२२.००	३५.००	३५.००	
	(क्ष) Wall putty equivalent	के.जि.	६९.००	४०.००	४०.००	
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००	
	wood keeper (chapara type)	लि.	५५०.००	६००.००	६००.००	
	Redoxide zink cromate primer For Bridge	लि.	४६३.००	४६३.००	४६३.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Silk Breathless easy	लि.	१२१६.००	१२१६.००	१२१६.००	
	Road divider (polythene)	गोटा	१६२२.००	१६२२.००	१६२२.००	
	Dust bin (polythene) 165 ltr	गोटा	३०८३.००	३०८३.००	३०८३.००	
	Wall putty Epoxy flooring					
	wall plast wall putty (40kg)	Bag	१३०६.००	१३०६.००	१३०६.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	२०८२.००	२०८२.००	२०८२.००	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३६८८.००	३६८८.००	३६८८.००	
37.2	Epoxy Paint for Operation theater	"	११५०९.००	११५०९.००	११५०९.००	
A	Decorative Painting Material					
1	Specialized paints					
2	Anti bacterial Hospital Paint	लिटर	१०९९.००	१०९९.००	१०९९.००	
B	Anti carbonisation paint	"	७६२.००	७६२.००	७६२.००	
1	Texture paints					
2	Mediterrano	के.जि	१७६.००	१७६.००	१७६.००	
3	Stucco Veneziano	"	१६३९.००	१६३९.००	१६३९.००	
4	Velvetino	"	४३०५.००	४३०५.००	४३०५.००	
5	Travertino	"	४१२.००	४१२.००	४१२.००	
6	Gtone plaster	"	१२१.००	१२१.००	१२१.००	
7	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००	
8	Pearl skin texture	"	१४९.००	१४९.००	१४९.००	
9	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००	
10	Rustic	"	१५९.००	१५९.००	१५९.००	
11	Rockart	लिटर	१५९.००	१५९.००	१५९.००	
12	Manhattan	के.जि	२३८.००	२३८.००	२३८.००	
13	Sabbia	"	२३८.००	२३८.००	२३८.००	
14	Sandy Stone	"	१७४.००	१७४.००	१७४.००	
15	Insulplast	"	२३७.००	२३७.००	२३७.००	
16	Poly Under White	"	२६४.००	२६४.००	२६४.००	
17	Antica(Top coat)	"	१२६७.००	१२६७.००	१२६७.००	
18	T.C 100(Top coat)	"	७२८.००	७२८.००	७२८.००	
19	Dekorica White	"	२६३१.००	२६३१.००	२६३१.००	
20	Poly Plaster	"	१०७.००	१०७.००	१०७.००	
21	Granite tone	"	१६५.००	१६५.००	१६५.००	
22	Graffiato	"	१५९.००	१५९.००	१५९.००	
23	Elligance stone	"	१८९.००	१८९.००	१८९.००	
24	Marmorino Base	के.जि	४१२.००	४१२.००	४१२.००	
25	Acro fine	लिटर	१८१.००	१८१.००	१८१.००	
26	Marmocastro base	के.जि	१३९.००	१३९.००	१३९.००	
27	Selva Granite	"	२१५.००	२१५.००	२१५.००	
C	Romart	"	२३९.००	२३९.००	२३९.००	
1	Weathercoat paints					
2	Guard	लिटर	५०३.००	५०३.००	५०३.००	
3	Guard -3x	"	५८८.००	५८८.००	५८८.००	
4	Shield	"	३२२.००	३२२.००	३२२.००	
5	Acrotex matt	"	५१०.००	५१०.००	५१०.००	
D	Ext wall Primer	"	२३८.००	२३८.००	२३८.००	
1	Emulsion Paints					


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
2	silk Emulsion paints	"	५२२.००	५२२.००	५२२.००	
3	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२८०.००	
4	pearl Emulsion paints	"	७७२.००	७७२.००	७७२.००	
E	int. wall Primer	"	१७२.००	१७२.००	१७२.००	
F	Acrylic Washable Distemper	"	१४२.००	१४२.००	१४२.००	
G	Acro gold Enamel	"	५१२.००	५१२.००	५१२.००	
H	Universal primer (wood primer)	"	३१३.००	३१३.००	३१३.००	
I	Red oxide metal primer	"	२७६.००	२७६.००	२७६.००	
	Construction Chemical / waterproof coating system					
	crack sill	"	३८७.००	३८७.००	३८७.००	
J	crack fill A+B	"	१७०.००	१७०.००	१७०.००	
	Silicon Bases water repellent impregnation					
	Acropreg	"	४६६.००	४६६.००	४६६.००	
	Acropreg W	"	६१९.००	६१९.००	६१९.००	
37.3	Wall putty	के.जि	३९.००	३९.००	३९.००	
1	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works					
1.1	Acro Spanezia maestro finishes texture					
1.2	Mediterrano texture	ब.फि	१२८.००	१२८.००	१२८.००	
1.3	Traventino texture	"	१९५.००	१९५.००	१९५.००	
1.4	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
1.5	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
1.6	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
1.7	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
2	Marmorino texture	"	१५६.००	१५६.००	१५६.००	
2.1	Acro texture					
2.2	Acro spray flat/Acro spray dewes texture	ब.फि	७५.००	७५.००	७५.००	
2.3	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
2.4	Rustic texture	"	९९.००	९९.००	९९.००	
2.5	Rockart texture	"	९३.००	९३.००	९३.००	
2.6	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
2.7	Marmocastro texture	"	९०.००	९०.००	९०.००	
2.8	Marmoplast texture	"	९०.००	९०.००	९०.००	
2.9	Sabbia texture	"	११२.००	११२.००	११२.००	
2.10	Manhattan texture	"	११२.००	११२.००	११२.००	
2.11	Sandy stone texture	"	१५४.००	१५४.००	१५४.००	
2.12	Selva Granite texture	"	११६.००	११६.००	११६.००	
2.13	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
2.14	Granite tone texture	"	९८.००	९८.००	९८.००	
2.15	Romaart texture	"	१२४.००	१२४.००	१२४.००	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
3	Insulplast texture	"	१३५.००	१३५.००	१३५.००	
4	Acro Bio-guard (Hospital Paint)	"	५४.००	५४.००	५४.००	
1	Acro Ellastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००	
	EXTERIOR SURFACE WEATHERCOAT PAINTS					
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	INTERIOR SURFACE EMULSION PAINTS					
	1. EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	2. WASHABLE DISTEMPER	"	११.००	११.००	११.००	
	3. ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
1	Expansion joint					
2	Horizontal Area fixing clips affixed aluminium joint covers	RM	१५४५०.००	१५४५०.००	१५४५०.००	
3	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers	RM	१२८७५.००	१२८७५.००	१२८७५.००	
4	Extruded Aluminium Joint Covers	RM	१४९३५.००	१४९३५.००	१४९३५.००	
5	Folded Joint Covers	RM	१८०२५.००	१८०२५.००	१८०२५.००	
6	Vertical Joints Standard and Seismic interior use	RM	२५७५०.००	२५७५०.००	२५७५०.००	
7	Vertical Joints Exterior use	RM	१३३९०.००	१३३९०.००	१३३९०.००	
8	Vertical Joints	RM	२८८४०.००	२८८४०.००	२८८४०.००	
9	Suspended Ceiling Joints	RM	१२३६०.००	१२३६०.००	१२३६०.००	
10	Floor Joint	RM	२१११५.००	२१११५.००	२१११५.००	
11	CAR Park Joint	RM	१६४८०.००	१६४८०.००	१६४८०.००	
12	CAR Park Joint standard loads (40 to70mm)	RM	३१९३०.००	३१९३०.००	३१९३०.००	
13	BED Affixed Control Joints	RM	९२७०.००	९२७०.००	९२७०.००	
14	Adhesive Affixed Control Joints	RM	१५४५.००	१५४५.००	१५४५.००	
38	Stair Nosing	RM	९७८५.००	९७८५.००	९७८५.००	
	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१२३६.००	१२३६.००	
	Fittings for wall paper	व.फि	७.००	७.००	७.००	
39	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००	
	Eradication of peepal & other plants.					
	a) Stem up to 1" thickness	गोटा				
	b) Stem up to 1"-2" thickness	"				
	c) Stem up to 2"-3" thickness	"				
40	d) Stem up to 3"-4" thickness	"				
40.1	Gypsum board					
	Supplying and fixing of Thai gypsum board application work					
	i) फल्स सिलिङ्ग गर्ने	व.फि				
	ii)Water resistant false ceiling	"				
	iii)Wall partition	"	११९.००	११९.००	११९.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	iv)Wall paneling	”	७९.००	७९.००	७९.००	
	v)Metalized polited laminated Board (MPL) board	”	७६.००	७६.००	७६.००	
41	12.5mm thick Gypsum Board False ceiling including all necessary material	”	७०.००	७०.००	७०.००	
	Solid Infill wall					
41.4	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३७९३.००	३७९३.००	३७९३.००	
	Solid Infill wall					
41.5	Solid infill wall 3"	व.मी.	१७७०.००	१७७०.००	१७७०.००	
	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr					
42	Solid infill wall 50mm	व.मी.	३२८८.००	३२८८.००	३२८८.००	
	Interlocking Cement Concrete Block(Not less than M20 RCC Block)					
	(a) Curb stone M15			१०००.००	१०००.००	
	b) Curb stone (M 20)	र.मि.	११०१.००	१२००.००	१२००.००	
	25 mm thick C.C. Tile (Grey color)					
	Burfi , Round , Boby Checker	Sqft	४२.००	४४.१०	४४.१०	
	25 mm thick C.C. Tile (Red color)					
	Burfi , Round , Boby Checker	Sqft	४४.००	४६.२०	४६.२०	
	50 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५१.००	५३.५५	५३.५५	
	50 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५२.००	५४.६०	५४.६०	
	60 mm thick CC Block (Grey color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	५३.००	५५.६५	५५.६५	
	60 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	५५.००	५७.७५	५७.७५	
	70 mm thick CC Block (Red color)					
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	६१.००	६४.०५	६४.०५	
	60 mm thick CC Block (Ocm or equivalent)					
	Brick type (23*11*6cm)non colour	Nos	१०.००	१०.५०	१०.५०	
	Hexagon (22*22 cm) non colour	”	२३.००	२४.१५	२४.१५	
	Hexagon (22*22 cm) colour		२५.००	२६.२५	२६.२५	
	Squire paver (30*30*4.5cm)non colour	”	३२.००	३३.६०	३३.६०	
	Squire paver (30*30*4.5cm)colour		३४.००	३५.७०	३५.७०	
	inter block(24*13*6cm)		१४.००	१४.७०	१४.७०	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) भा.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Isave paver (20*16*6cm)	"	१६.००	१६.८०	१६.८०	
	supply of concrete Block different items					
	Hollow Block (16"*8"*6")	Nos	७८.००	८१.९०	८१.९०	
	Hollow Block (16"*8"*4")	"	६९.००	७२.४५	७२.४५	
	Corner Hollow Block (16"*8"*6")	"	८९.००	९३.४५	९३.४५	
	Lintel Block (16"*8"*6")	"	८९.००	९३.४५	९३.४५	
	Pavers Block (fish or other shape) 60mm thick	"	२०.००	२१.००	२१.००	
43	concrete Brick (9"*4"*2.5")	"	१३.००	१३.६५	१३.६५	
	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा लफिड टाइलको बुझा काट्ने सामान सहित (तयारी)	व.मि.				
44	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी				
	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting					
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००	
	ii) Heritage flakes	"	१२४.००	१२४.००	१२४.००	
	iii) Heritage granite finish	"	१०८.००	१०८.००	१०८.००	
45	iv) Heritage Top coat (plastic lamination)	"	२९.००	२९.००	२९.००	
	UPVC Profile Door and Window/ Wall partition					
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.					
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू					
1	i) Single glazing					
2	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	७२१५.००	७२१५.००	७२१५.००	
3	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	"	६६६४.००	६६६४.००	६६६४.००	
4	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७४९३.००	७४९३.००	
5	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	७४९३.००	७४९३.००	७४९३.००	
6	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८२१४.००	८२१४.००	८२१४.००	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
7	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	८३२८.००	८३२८.००	८३२८.००	
8	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८८८४.००	८८८४.००	८८८४.००	
9	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	८८८४.००	८८८४.००	८८८४.००	
10	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	"	८६०६.००	८६०६.००	८६०६.००	
11	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	९९९९.००	९९९९.००	९९९९.००	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	८६२६.००	८६२६.००	८६२६.००	
12	UPVC 60x64mm white colour casement window with 5mm glass pannele	"	९७९६.००	९७९६.००	९७९६.००	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	"	१०३५३.००	१०३५३.००	१०३५३.००	
13	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	"	१०७७७.००	१०७७७.००	१०७७७.००	
	UPVC60x60mm white colour swing door with 5mm glass pannel	"	६७२७.००	६७२७.००	६७२७.००	
1	ii) Double glazing					
2	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९४३५.००	९४३५.००	९४३५.००	
3	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	"	८९३५.००	८९३५.००	८९३५.००	
4	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९७९८.००	९७९८.००	९७९८.००	
5	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	९७९८.००	९७९८.००	९७९८.००	
6	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०४३९.००	१०४३९.००	१०४३९.००	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०५४७.००	१०५४७.००	१०५४७.००	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१११०३.००	१११०३.००	१११०३.००	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१०८२५.००	१०८२५.००	१०८२५.००	
46	Supply & fixing of 80*50 mm white colour casement window	"	९६११.००	९६११.००	९६११.००	
46.1	Prefab Panel for wall Partition solid wall panel					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete					
	a)40 mm thick	"				
	b)50 mm thick	"	२३९.००	२३९.००	२३९.००	
46.2	c) 75 mm thick	Sq .m.	३०२.००	३०२.००	३०२.००	
	False ceiling/ partition/ external cladding					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	९३.००	९३.००	९३.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with cement board	Sqft	२७९.००	२७९.००	२७९.००	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with cement board	Sqft	२४४.००	२४४.००	२४४.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with cement board	Sqft	३११.००	३११.००	३११.००	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	Sqft	२७४.००	२७४.००	२७४.००	
	Supplying, making, fixing of 50mm thick full height of partirion with wall panels	Sqft	२१७.००	२१७.००	२१७.००	
46.3	Supplying, making, fixing of 75mm thick full height of partirion with wall panels	Sqft	२८८.००	२८८.००	२८८.००	
46.4	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft				
	Cement board					
	6 mm thick	Sqft	३४.००	३४.००	३४.००	
	8 mm thick	Sqft	४२.००	४२.००	४२.००	
	10 mm thick	Sqft	५३.००	५३.००	५३.००	
46.5	12 mm thick	Sqft	६४.००	६४.००	६४.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३९३.००	३९३.००	३९३.००	



Handwritten signature or initials.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	४२४.००	४२४.००	४२४.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५२४.००	५२४.००	५२४.००	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	११२.००	११२.००	११२.००	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	Sqft	२६३.००	२६३.००	२६३.००	
	75 mm thick	Sqft	३४७.००	३४७.००	३४७.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	२८२.००	२८२.००	२८२.००	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८६.००	२८६.००	२८६.००	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२५०.००	२५०.००	२५०.००	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३१९.००	३१९.००	३१९.००	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	३५९.००	३५९.००	३५९.००	
47						
47.1	Aluminium & Steel Door & Window					

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
 नेपाल सरकार
 भक्तपुर जिल्ला
 भक्तपुर



[Handwritten signature]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.					
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५२९.३९	५२९.३९	५२९.३९	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	५६८.६४	५६८.६४	५६८.६४	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	५५४.८५	५५४.८५	५५४.८५	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५९५.९६	५९५.९६	५९५.९६	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	६८४.२८	६८४.२८	६८४.२८	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	४२७.५४	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	५२९.३९	५२९.३९	५२९.३९	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	४७४.२२	४७४.२२	४७४.२२	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६४८.२९	६४८.२९	६४८.२९	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	६४८.२९	६४८.२९	६४८.२९	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	३७८.७४	३७८.७४	३७८.७४	

नेपाल सरकार
गृह मन्त्रालय
भक्तपुर जिल्ला कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	५०२.८७	५०२.८७	५०२.८७	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	५०२.८७	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	५०२.८७	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	४७६.३४	४७६.३४	४७६.३४	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	५२१.९६	५२१.९६	५२१.९६	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	५२१.९६	५२१.९६	५२१.९६	
	102 series windows					
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	५५२.७३	५५२.७३	५५२.७३	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६३१.२४	६३१.२४	६३१.२४	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४६४.६७	४६४.६७	४६४.६७	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	90 series windows					

Handwritten signatures and initials.

Handwritten text and official stamp of the Bhaktapur District Office. The stamp includes the text: "भक्तपुर जिल्लाको कार्यालय" (Bhaktapur District Office) and "सहायक प्रमुख" (Deputy Chief). There are also handwritten signatures and initials over the stamp.


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	५१९.८४	५१९.८४	५१९.८४	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	५४८.४९	५४८.४९	५४८.४९	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४३६.०३	४३६.०३	४३६.०३	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	78 series windows					
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'4'6" or avg area 27 sqft per window)	"	४५६.१९	४५६.१९	४५६.१९	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	४८६.९५	४८६.९५	४८६.९५	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	४०८.४५	४०८.४५	४०८.४५	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'4'6")	"	१३४.७३	१३४.७३	१३४.७३	
	Casement window and doors					
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	५३४.६९	५३४.६९	५३४.६९	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	५८०.३१	५८०.३१	५८०.३१	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass		७३८.३९	७३८.३९	७३८.३९	
	Partation work					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३४९.०४	३४९.०४	३४९.०४	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	३७९.३२	३७९.३२	३७९.३२	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३९९.९६	३९९.९६	३९९.९६	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	४९७.५६	४९७.५६	४९७.५६	
	Structure glazing					
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel	"	५५६.९७	५५६.९७	५५६.९७	
	glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६४६.०९	६४६.०९	६४६.०९	
48	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6	"	७८५.०७	७८५.०७	७८५.०७	
48.1	Aluminium composite panel					
	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing					
	3 mm , .20 mm black core	बफी	३७९.३२	३७९.३२	३७९.३२	
	3 mm , .25 mm black core	"	३८०.८६	३८०.८६	३८०.८६	
	3 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .25 mm black core	"	४०४.२०	४०४.२०	४०४.२०	
	4 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .50 mm black core	"	४९७.९९	४९७.९९	४९७.९९	
	4 mm , .25 mm Vergin core	"	४२७.५४	४२७.५४	४२७.५४	
	4 mm , .30 mm vergin core	"	३९४.६५	३९४.६५	३९४.६५	
48.2	4 mm , .50 mm vergin core	"	४२७.५४	४२७.५४	४२७.५४	
	Steel Door & Windows					

The bottom of the page contains several handwritten signatures and a circular official stamp. The stamp is from the Bhaktapur District Office, dated 2078/79, and includes the text 'भक्तपुर जिल्ला प्रशासन कार्यालय' and 'मु.अ.क. (VAT) बाहेक (रु.) आ.व.'. There are also some handwritten initials and marks scattered around the stamp.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
49	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm)and both side 0.5 mm thick steel and honey comb paper in between steel in shuttert including peep hole 3pcs 130mm size hinges heavy duty lock (in five place and all other necessary accesories all complete.	व.फि				
1	Water proofing (chemicals & Tretment)works					
1.1	CONCRETE ADMIXTURES (Chemical)					
1.2	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	१५०.००	१५७.५०	१५७.५०	
1.3	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	२५०.००	२६२.५०	२६२.५०	
1.4	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	४५०.००	४७२.५०	४७२.५०	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	३००.००	३१५.००	३१५.००	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०००.००	१०५०.००	१०५०.००	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०००.००	१०५०.००	१०५०.००	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	१२५०.००	१३१२.५०	१३१२.५०	
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१८०.००	१८९.००	१८९.००	




 [Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
1.10	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	२५०.००	२६२.५०	२६२.५०	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	३५०.००	३६७.५०	३६७.५०	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	३५०.००	३६७.५०	३६७.५०	
1.13	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२५०.००	२६२.५०	२६२.५०	
1.14	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४५०.००	४७२.५०	४७२.५०	
2	Resin ,Multi /polyvcarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	६६३.००	६९६.९५	६९६.९५	
2.1	CONCRETE ADMIXTURES (Mineral)					
2.2	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३३०.००	३४६.५०	३४६.५०	
3	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	८५.००	८९.२५	८९.२५	
3.1	JOINT SEALANTS & SYSTEMS					
3.2	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	१८००.००	१८००.००	१८००.००	
3.3	Two Component Pour Grade Polysulphide Sealant for Horizontal Surfaces	Kg.	१८००.००	१८००.००	१८००.००	
3.4	One Component Low Viscosity Primer For Polysulphide Sealant	Kg.	३०००.००	३०००.००	३०००.००	
3.5	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	२०००.००	२०००.००	२०००.००	
3.6	Low Viscosity Primer For Polyurethane Sealant	Kg.	३०००.००	३०००.००	३०००.००	
3.7	High Performance Hybrid Silyl Sealant (290 ml per set)	set	१२००.००	१२००.००	१२००.००	
3.8	Butyl Tape for various Applications	RM	१२५.००	१२५.००	१२५.००	
3.9	Waterproofing Joint Tape [120 mm]	RM	५५०.००	५५०.००	५५०.००	
3.10	Waterproofing Joint Tape [200 mm]	RM	७५०.००	७५०.००	७५०.००	
3.11	NBR based Waterproofing Joint Tape [200 mm]	RM	४०००.००	४०००.००	४०००.००	
3.12	Joint Tape Epoxy Adhesive	Kg.	३०००.००	३०००.००	३०००.००	
3.13	Glass Fiber Joint Tape	RM	२७५.००	२७५.००	२७५.००	
3.14	Waterproofing / Expansion Joint Tape [100 mm]	RM	१५००.००	१५००.००	१५००.००	
3.15	Waterproofing / Expansion Joint Tape [200 mm]	RM	२७००.००	२७००.००	२७००.००	
3.16	Construction Joint Tape [100 mm]	RM	८००.००	८००.००	८००.००	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	२४५०.००	२४५०.००	२४५०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	४८५०.००	४८५०.००	४८५०.००	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	८००.००	८००.००	८००.००	
4	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	१५००.००	१५००.००	१५००.००	
4.1	INDUSTRIAL FLOORING SOLUTIONS					
4.2	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	१२०.००	१२०.००	१२०.००	
4.3	Liquid Concrete Hardener & Dust Proofer	Kg.	४५०.००	४५०.००	४५०.००	
4.4	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	२५००.००	२५००.००	२५००.००	
4.5	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	३०००.००	३०००.००	३०००.००	
4.6	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	२०००.००	२०००.००	२०००.००	
4.7	Self Levelling Flooring System [Epoxy]	Kg.	११७८.००	११७८.००	११७८.००	
4.8	Self Levelling Flooring System [Polyurethane]	Kg.	१७६७.००	१७६७.००	१७६७.००	
5	Self Levelling Cementitious Flooring System	Kg.	३५३.००	३५३.००	३५३.००	
5.1	ENGINEERING GROUTS					
5.2	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	११०.००	११०.००	११०.००	
5.3	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	१२५.००	१२५.००	१२५.००	
5.4	Hard wearing cementitious tile grout	Kg.	१६०.००	१६०.००	१६०.००	
5.5	Hard wearing epoxy based tile grout	Kg.	१०००.००	१०००.००	१०००.००	
5.6	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	५००.००	५००.००	५००.००	
5.7	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	२५००.००	२५००.००	२५००.००	
5.8	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	MI	४५००.००	४५००.००	४५००.००	
5.9	Low Viscosity Injection Epoxy Grout	Kg.	७५००.००	७५००.००	७५००.००	
5.10	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	१२५००.००	१२५००.००	१२५००.००	
5.11	Low Viscosity Acrylate Gel Injection Grout	Kg.	८५००.००	८५००.००	८५००.००	
6	Low Viscosity Soil Stabilization Injection Grout	Kg.	१४०००.००	१४०००.००	१४०००.००	
6.1	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.2	Acrylic Bonding Agent For Concrete & Mortar	Kg.	७५०.००	७५०.००	७५०.००	
6.3	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	९५०.००	९५०.००	९५०.००	
6.4	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	Kg.	१२००.००	१२००.००	१२००.००	
7	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	१८००.००	१८००.००	१८००.००	
7.1	FIBERS (Steel & Polypropylene)					
7.2	FIBERMESH MF [Monofilament PP Fibers]	Kg.	१२००.००	१२००.००	१२००.००	
7.3	FIBERMESH FB [Collated PP Fibers]	Kg.	१५००.००	१५००.००	१५००.००	
7.4	FIBERMESH MACRO [Structural PP Fibers]	Kg.	२०००.००	२०००.००	२०००.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
7.5	Loose steel Fibers	Kg.	२५०.००	२५०.००	२५०.००	
7.6	Glued Steel Fibers	Kg.	३५०.००	३५०.००	३५०.००	
8	Crimped Steel Fibers	Kg.	२५०.००	२५०.००	२५०.००	
8.1	SURFACE TREATMENT					
8.2	Protective, Decorative Anti Carbonation Coating	Kg.	१२००.००	१२००.००	१२००.००	
8.3	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१३५०.००	१३५०.००	१३५०.००	
8.4	Concrete Penetrating Corrosion Inhibitor	Kg.	४५००.००	४५००.००	४५००.००	
8.5	Protective Acrylic Sealer	Kg.	१५००.००	१५००.००	१५००.००	
8.6	Protective Polyurethane Sealer	Kg.	१८००.००	१८००.००	१८००.००	
8.7	Water Based Fire Retardant Coating	Kg.	१५००.००	१५००.००	१५००.००	
8.8	High Performance Water Repellent Paint	Ltr.	१००९८.००	१००९८.००	१००९८.००	
8.9	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००	
8.10	Ready to use Chemical Mould Release Agent	Ltr.	५००.००	५००.००	५००.००	
8.11	Concrete Curing Aid	Kg.	४५०.००	४५०.००	४५०.००	
	Resin, silica based multi function, water proofing and curing compound Dose : cover area: 0.15kg/m ²	kg	७१४.००	७१४.००	७१४.००	
9	CONCRETE REPAIRS					
9.1	Rust Remover & Passivator	Ltr.	१०००.००	१०००.००	१०००.००	
9.2	Corrosion Inhibitor	Kg.	१२००.००	१२००.००	१२००.००	
9.3	Micro Concrete [M55] for Permanant Repairs	Kg.	१४०.००	१४०.००	१४०.००	
9.4	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	१७५.००	१७५.००	१७५.००	
9.5	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	२५०.००	२५०.००	२५०.००	
9.6	Cementitious, Waterproof Crack Repair Mortar	Kg.	२००.००	२००.००	२००.००	
9.7	Acrylic Based Crack Filling Putty	Kg.	१२००.००	१२००.००	१२००.००	
	Resin ,Polycoboxylate Base For ultra High Streth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	७१४.००	७१४.००	७१४.००	
10	PREPACKED MORTARS					
10.1	Tile, Mabrze, Granite etc. Adhesive	Kg.	८५.००	८५.००	८५.००	
10.2	Marble & Granite etc. Adhesive	Kg.	३५०.००	३५०.००	३५०.००	
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	८५.००	८५.००	८५.००	
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	८५.००	८५.००	८५.००	
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	९०.००	९०.००	९०.००	
11	WATERPROOFING SYSTEMS					
	INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	२७५.००	२७५.००	२७५.००	
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	३२९.००	३२९.००	३२९.००	
	LIQUID APPLIED			०.००	०.००	



 २०७८/७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	७००.००	७००.००	७००.००	
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	५००.००	५००.००	५००.००	
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	७५०.००	७५०.००	७५०.००	
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	८५०.००	८५०.००	८५०.००	
11.5	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	७५०.००	७५०.००	७५०.००	
11.6	Crystalline Based Waterproofing Systems	Kg.	३५०.००	३५०.००	३५०.००	
11.7	Fast Setting Plugging Compound for stopping running water	Kg.	४००.००	४००.००	४००.००	
11.8	Polyurethane based Waterproofing Coating System	Kg.	१६५०.००	१६५०.००	१६५०.००	
11.9	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१२५०.००	१२५०.००	१२५०.००	
11.10	Epoxy Resin based Waterproofing Coating System	Kg.	१६८३.००	१६८३.००	१६८३.००	
	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	६००.००	६००.००	६००.००	
	PREFORMED			०.००	०.००	
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	१८००.००	१८००.००	१८००.००	
11.13	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	२०००.००	२०००.००	२०००.००	
11.14	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	१०५०.००	१०५०.००	१०५०.००	
11.15	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	१५००.००	१५००.००	१५००.००	
11.16	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	१५००.००	१५००.००	१५००.००	
11.17	1.2 mm High Polymer PVC Membranes	Sq. M.	२०००.००	२०००.००	२०००.००	
11.18	PVC Adhesive	Kg.	२५००.००	२५००.००	२५००.००	
11.19	1.2 mm EPDM Membranes	Sq. M.	२५००.००	२५००.००	२५००.००	
11.2	EPDM Adhesive	Kg.	२५००.००	२५००.००	२५००.००	
11.21	EPDM Primer	Kg.	३०००.००	३०००.००	३०००.००	
11.22	2mm TPO Membranes	Sq. M.	३५००.००	३५००.००	३५००.००	
11.23	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	८००.००	८००.००	८००.००	
11.24	100% Synthetic Rubber Roof Coating	Kg.	४५००.००	४५००.००	४५००.००	
12	SPECIALTY					
12.1	Antistripping Agent for Bitumen	Kg.	५५०.००	५५०.००	५५०.००	
12.2	Anti Termite [Imidacloprid 30%]	Kg.	१२०००.००	१२०००.००	१२०००.००	
12.3	Expanding Concrete Joint WATERSTOP	RM.	२५००.००	२५००.००	२५००.००	
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	७५००.००	७५००.००	७५००.००	

Handwritten signatures and marks at the bottom of the page, including a circular official stamp of the Bhaktapur District Office.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
12.5	Swellable WATERSTOP	RM.	२५००.००	२५००.००	२५००.००	
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	२५००.००	२५००.००	२५००.००	
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	२५००.००	२५००.००	२५००.००	
12.8	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११०.००	११०.००	११०.००	
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	१८००.००	१८००.००	१८००.००	
13	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	३०००.००	३०००.००	३०००.००	
13.1	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING					
13.2	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	८५००.००	८५००.००	८५००.००	
13.3	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	१००००.००	१००००.००	१००००.००	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	८०००.००	८०००.००	८०००.००	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००	
13.6	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	१६०००.००	१६०००.००	१६०००.००	
13.7	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	१२०००.००	१२०००.००	१२०००.००	
13.8	EPOXY PRIMER	Kg.	३५००.००	३५००.००	३५००.००	
13.9	SATURANT	Kg.	३५००.००	३५००.००	३५००.००	
13.11	LAMINATE ADHESIVE	Kg.	२५००.००	२५००.००	२५००.००	
13.12	EPOXY TOPCOAT	Kg.	३५००.००	३५००.००	३५००.००	
13.13	POLYURETHANE TOPCOAT	Kg.	४५००.००	४५००.००	४५००.००	
13.14	Fiber anchor system 5to 10 mm	R. M.	२५००.००	२५००.००	२५००.००	
13.15	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	१००००.००	१००००.००	१००००.००	
14	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	१२०००.००	१२०००.००	१२०००.००	
14.1	Soil Stabiliser / Admixture					
15	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	६८३.००	६८३.००	६८३.००	
15.10	Concrete curing compound					
15.20	Concrete Curing Aid	Kg.	४५३.००	४५३.००	४५३.००	
50	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	७२९.००	७२९.००	७२९.००	
	परम्परागत निर्माण सामग्रीहरू :-					
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२९.००	२७१००	२७१००	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	१६.००	२९१००	२९१००	
	३) दचिअपा ठूलोको कुँ	"	२५.००	३८१००	३८१००	
	४) दचिअपा सानोको कुँ अपा	"	२९.००	४०१००	४०१००	
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५"	"	१९.००	२२१००	२२१००	
	६) माँ अपा ठूलो 241x60x158 mm	"	२४.००	२५१००	२५१००	

Handwritten signature and date: २०७९



Handwritten signature

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	७) मा अपा सानो ८-३/८"×२"×५"	"	१५.००	२२१००	२२१००	
	८) धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४	"	२३.००	८४१००	८४१००	
	९) धुरी 230x295x25 mm	"	-			
	१०) धुरी चाँङ्ग सानो	"	१८.००	२५१००	२५१००	
	११) भिगंटी नयाँ ८-३/४"×४"	गोटा	११.००	१२१००	१२१००	
	१२) भिगंटी पुरानो	गोटा	७.००	८१००	८१००	
	१३) दुकु	गोटा	४०.००	८४१००	८४१००	
	१४) Snake body brick traditional	गोटा	२५.००	२८१००	२८१००	
	१५) Snake neck brick ,,	गोटा	७४.००	७९१००	७९१००	
	१६) Snake head brick ,,	गोटा	१४५.००	१३३१००	१३३१००	
	क)साना	"	११३.००	११९१००	११९१००	
	ख)ठूलो	"	२२७.००	२३८१००	२३८१००	
	१७) पेटीकोलागि दुङ्गा					
	क) १८"×१०"×४"	"	६८०.००	१५१३८४	१५१३८४	
	१८) नागोल ईटा	गोटा	१९.००	३११००	३११००	
	१९) ९"×९"×१८ इन्च कुना दुङ्गा	१ मि.	२२६६.००	२३९१००	२३९१००	
	२०) फःल्होह अपा ठूलो 375x225x100mm	गोटा	१७०.००	१७९१००	१७९१००	
	२१) फःल्होह अपा सानो 254x229x102mm	"	१४२.००	१४९१००	१४९१००	
	२२) तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	१४.००	१५१००	१५१००	
	२३) तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	"	१०.००	२२१५०	२२१५०	
	२४) चारकुनै तेलिया ईटा (८"×८"	"	१९.००	३५१५०	३५१५०	
	२५) तेलिया ईटा (६"×६"	"	१४.००	२४१५०	२४१५०	
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	"	२८.००	२८१००	२८१००	
	२७) बुट्टेदारी कर्निश इटा कुना	"	४२.००	४४१००	४४१००	
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	१७०.००	१७९१००	१७९१००	
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	"	३४.००	३६१००	३६१००	
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	"	५७.००	६०१००	६०१००	
	३१) कर्नर स्टोन : १०"×१०"×१४"	"	१५८६.००	१९००१००	१९००१००	
	३२) क) विचको न्याहाकल्ल १०"×७"×१४"	"	१०७६.००	११३०१००	११३०१००	
	३३) नागोल दुङ्गा १८"×१०"×५"	"	७९३.००	८३३१००	८३३१००	
	३४) भौ प्वा	गोटा	२२७.००	२३८१००	२३८१००	
	३५) तामा पाता. (नेपाली)	केजी	१०७६.००	११५०१००	११५०१००	
	तामा पाता (Indian)	केजी	१२४६.००	१३५०१००	१३५०१००	
	३६) पित्तल पाता	केजी	८५०.००	११००१००	११००१००	
	३७) पारो	ग्राम	१७०.००	१७०१००	१७०१००	
	३८) सूकि ईटा कुटि धुलो बनाएको ।	टन	१३६०.००	१४२८१००	१४२८१००	
	३९) Wind bell हवा घण्टी ४"	गोटा	४६७.००	४७६१००	४७६१००	
	४०) न्हकल्लो बीचको	गोटा	१७००.००	१७८५१००	१७८५१००	
	४१) पेटीदुङ्गा ४"	"	२०३९.००	३२८०१००	३२८०१००	



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	४२)पेटीढुङ्गा ५"	१ मि.	२४९३.००	२४९३।००	२४९३।००	
	४५)श्री गणेश	गोटा	११३३.००	११९०।००	११९०।००	
	४६)कुमार	गोटा	११३३.००	११९०।००	११९०।००	
	४७)ढुङ्गे धारा	गोटा	११३३.००	११९०।००	११९०।००	
	४८)ल्हाकै सेट	गोटा	२२६६.००	२३७९।००	२३७९।००	
	४९)नागबेली बुटा	गोटा	२५.००	२६।००	२६।००	
	५०)नागबेली बुटा कुना	गोटा	३७.००	३९।००	३९।००	
	५१)स्वा बुटा	गोटा	२५.००	२६।००	२६।००	
	५२)चीर बुटा	गोटा	२५.००	२६।००	२६।००	
	५३)कार्नेसफयो	गोटा	२२.००	२३।००	२३।००	
	५४)कार्नेस गजुर पली	गोटा	३४.००	३६।००	३६।००	
	५५)ठुलो कलश	गोटा	१७०.००	१७९।००	१७९।००	
	५६)मसीनो सुर्कि	केजि	१३.००	१४।००	१४।००	
	५७)खस्रो सुर्कि	केजि	८.००	८।००	८।००	
59	५८)गट्टा चुन	के.जि.	२५.००	२६।००	२६।००	
60	मा अपा (साइज 200x50x130)	गोटा	१५.००	१६।००	१६।००	
61	दचि अपा (साइज 200x55x100)	"	१८.००	१९।००	१९।००	
62	त्वा अपा (साइज 110x55x180)	"	१८.००	३१।००	३१।००	
63	गोल अपा (साइज 120x55x80)	"	१८.००	१९।००	१९।००	
64	गणेश अपा (साइज 200x250x35)	"	३४०.००	३५७।००	३५७।००	
65	कुमार अपा (साइज 200x250x35)	"	३४०.००	३५७।००	३५७।००	
66	तारा अपा (साइज 200x250x55)	"	३४०.००	३५७।००	३५७।००	
67	पञ्च बुद्ध अपा (साइज 170x230x55)	"	३४०.००	३५७।००	३५७।००	
68	कलस अपा (साइज 100x140x40)	"	५७.००	६०।००	६०।००	
69	नागोल अपा (साइज 140x52x120)	"	२०.००	२१।००	२१।००	
70	कसिमो अपा (साइज 230x55x100)	"	२९.००	३०।००	३०।००	
71	सकली अपा (साइज 140x55x115)	"	२५.००	२६।००	२६।००	
72	पानबुद्ध अपा (साइज 140x55x115)	"	२५.००	२६।००	२६।००	
73	सानो फ बुद्ध अपा (साइज 180x55x30)	"	२९.००	३०।००	३०।००	
74	ठूलो फ बुद्ध अपा (साइज 230x55x110)	"	२९.००	३०।००	३०।००	
75	नयाँ फ बुद्ध अपा (साइज 230x55x110)	"	२९.००	३०।००	३०।००	
76	साना ग बुद्ध अपा (साइज 140x50x110)	"	२५.००	२६।००	२६।००	
77	ठूलो ग बुद्ध अपा (साइज 230x55x90)	"	२९.००	३०।००	३०।००	
78	पुम्हा बुद्ध अपा (साइज 180x55x70)	"	२९.००	३०।००	३०।००	
79	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	२९.००	३०।००	३०।००	
80	तिनकुने पलि अपा (साइज 200x550x90)	"	२९.००	३०।००	३०।००	
81	साना स्वाँ अपा (साइज 140x50x110)	"	२५.००	२६।००	२६।००	
82	ठूलो स्वाँ अपा (साइज 2300x55x90)	"	२९.००	३०।००	३०।००	
83	नाग टाउको दायाबायाँ (साइज 100x150x50)		१४२.००	१४९।००	१४९।००	
84	नाग घटी दायाबायाँ (साइज 140x60x70)		७४.००	७८।००	७८।००	

Handwritten signatures and initials at the bottom left of the page.

Handwritten text at the bottom center of the page.



Handwritten signature or mark at the bottom right of the page.

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
85	नाग जीउ (साइज 140x60x70)	"	२५.००	२६।००	२६।००	
86	नाग कन्या/पुरुष (साइज 180x380x55)	"	५६७.००	५९५।००	५९५।००	
87	खाल नागोल (साइज 130x55x120)	"	२०.००	२१।००	२१।००	
88	खाल फयो (साइज 130x55x135)	"	२०.००	२१।००	२१।००	
89	लहरा बुझा (साइज 125x45x140)	"	२५.००	२६।००	२६।००	
90	नग बेली (साइज 140x55x120)	"	२५.००	२६।००	२६।००	
91	मिखाफुसी (साइज 140x55x120)	"	३४.००	३४।००	३४।००	
92	पलियो दायां/बायां (साइज 130x55x120)	"	२५.००	२५।००	२५।००	
93	नयां पलिफो (साइज 185x52x80)	"	२९.००	२९।००	२९।००	
94	सिधा पलिफो (साइज 190x55x90)	"	२९.००	२९।००	२९।००	
95	२" सिंह (साइज 95x50।०)	"	३४.००	३४।००	३४।००	
96	२"गरुड (साइज 95x50x100)	"	३४.००	३४।००	३४।००	
97	धलिख्वा (साइज 95x50x100)	"	३४.००	३४।००	३४।००	
98	श्रीयन्त्र (साइज 70x700x80)	"	४५.००	४५।००	४५।००	
99	त्वा फयो (साइज 140x55x120)	"	२०.००	२०।००	२०।००	
100	तारा बुझा पुरानो (साइज 180x55x80)	"	२५.००	२५।००	२५।००	
101	तारा बुझा नयां (साइज 230x70x90)	"	२९.००	२९।००	२९।००	
102	स्वांफो तारां (साइज 220x55x90)	"	२९.००	२९।००	२९।००	
103	सिक्री बुझा (साइज 220x55x80)	"	२९.००	२९।००	२९।००	
104	न्हाय बुझा सानो (साइज 140x65x130)	"	२९.००	२९।००	२९।००	
105	न्हाय बुझा ठूलो (साइज 140x100x130)	"	२९.००	२९।००	२९।००	
106	नगोल नगोल (साइज 2000x55x90)	"	२०.००	२०।००	२०।००	
107	ठी बुझा (साइज 210x55x75)	"	२९.००	२९।००	२९।००	
51	सानो/ठूलो	"	२९.००	२९।००	२९।००	
	Security System					
	Steel Security Gate supply					
	Metal detector	गोटा	१६९९५.००	१६९९५.००	१६९९५.००	
	Access Controller	गोटा	१३९०५.००	१३९०५.००	१३९०५.००	
	Steel Security Door					
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८६८३.००	८६८३.००	८६८३.००	
	Half leaf :- 50 mm, 70 mm, 100mm	Sqm	९९३०.००	९९३०.००	९९३०.००	
	Double leaf :- 50 mm, 70 mm, 100mm	Sqm	१०४१९.००	१०४१९.००	१०४१९.००	
	Security System					
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३४३३३.००	३४३३३.००	३४३३३.००	
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अफिस तथा ब्यापारिक सुरक्षा प्रविधि)	गोटा	-	-	-	
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००	

Handwritten signatures and marks at the bottom of the page.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२८७५.००	१२८७५.००	१२८७५.००	
	v) Finger print access system with software	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vi) Security from Panic Alarm	गोटा	३६०५०.००	३६०५०.००	३६०५०.००	
	vii) GPS (Global Positioning System) Device with software	गोटा	२५७४९.००	२५७४९.००	२५७४९.००	
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)					
	Up to 1/2 H.P.	गोटा	४३२६.००	४३२६.००	४३२६.००	
	1.0 H.P.	गोटा	५९४८.००	५९४८.००	५९४८.००	
52	5 H.P.	गोटा	९७३४.००	९७३४.००	९७३४.००	
	Bridge Materials					
	Elastomeric Bearing Pad					
	Free Type	NOS	२१२४७.००	२३१०७.००	२३१०७.००	
	Fix end Dowel Type	"	४७०७७.००	४९०३२.००	४९०३२.००	
	Expansion Joint Works					
	Single strip seal	Rm	९६५०.००	९६५०.००	९६५०.००	
	Slab seal(320*50)	"	१९२७७.००	२००००.००	२००००.००	
	Tendon sheath	"		३७०.००	३७०.००	
	Tendon wire	ton		१५००००.००	१५००००.००	
	Anchorage block with cap	nos		१००००.००	१००००.००	
	High tensile friction grip nut bolts	kg		३७०.००	३७०.००	
	Bolts, nuts & washers(hold up friction grip)	kg		३९०.००	३९०.००	
	W- beam metal crash barrier, 3 mm thick corrugated sheet, ISMB series channel	Rm		६०००.००	६०००.००	
	Thimbles					
	iv) Φ 13 mm thimble	Pc	७२.००	७२.००	७२.००	
	v) Φ 26 mm thimble	Pc	३६९.००	३६९.००	३६९.००	
	vi) Φ 32 mm thimble	Pc	६९८.००	६९८.००	६९८.००	
	vii) Φ 36 mm thimble	Pc	१२३६.००	१२३६.००	१२३६.००	
	viii) Φ 40 mm thimble	Pc	१५४५.००	१५४५.००	१५४५.००	
	ix) Φ 13 mm Bulldog grip	Pc	७२.००	७२.००	७२.००	
	x) Φ 26 mm Bulldog grip	Pc	३६९.००	३६९.००	३६९.००	
	xi) Φ 32 mm Bulldog grip	Pc	५४९.००	५४९.००	५४९.००	
	xii) Φ 36 mm Bulldog grip	Pc	६७०.००	६७०.००	६७०.००	
	xiii) Φ 40 mm Bulldog grip	Pc	६७०.००	६७०.००	६७०.००	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched					
	xv) Wire mesh netting	m ²	४९२.००	४९२.००	४९२.००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	६६९५.००	६६९५.००	६६९५.००	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and several illegible signatures.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) आ.व.			कैफियत
			२०७६/७७	२०७७/७८	२०७८/७९	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२५८.००	२५८.००	२५८.००	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३६९.००	३६९.००	३६९.००	
	High tensile friction grip nut bolts	kg	३३५.००	३३५.००	३३५.००	
	Galvanization					
	Zinc Above 98.5% purity	kg	३०९.००	३०९.००	३०९.००	
	Premix of Zinc amonium chloride	kg	५९५.००	५९५.००	५९५.००	
53	Hydraucloric acid	Lit	४९.००	४९.००	४९.००	
	Concrete Post (Size 4"*4")					
	Length 7'	गोटा	८८२.७४	८८२.७४	८८२.७४	
	Length 5'	"	४४९.३७	४४९.३७	४४९.३७	
54	Length 3'	"	२२९.९९	२२९.९९	२२९.९९	
55	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	२९९२.६३	३०००.००	३०००.००	
	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२३४.३२	२३४.३२	२३४.३२	
	" Ventilation	"	२३४.३२	२३४.३२	२३४.३२	
56	" Arc frame semi circular	"	४६८.६४	४६८.६४	४६८.६४	
	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)					
	a) 50 mm thick	Sq.ft	९८०.००	९८०.००	९८०.००	
	b) 60 mm thick	Sq.ft	२४५.००	२४५.००	२४५.००	
	c) 75 mm thick	Sq.ft	३००.००	३००.००	३००.००	
	d) 90 mm thick	Sq.ft	३४५.००	३४५.००	३४५.००	
57	e) 120 mm thick	Sq.ft	४९५.००	४९५.००	४९५.००	
	EPS (Expanded Polystyrene) and cement based light weight Solid Panel without face board (Size 1800*610mm)					
	b) 60 mm thick	Sq.ft	९६०.००	९६०.००	९६०.००	
	c) 75 mm thick	Sq.ft	२९५.००	२९५.००	२९५.००	
58	d) 90 mm thick	Sq.ft	२५०.००	२५०.००	२५०.००	
	EPS (Expanded Polystyrene) and cement based light weight Hollow Panel (Size: 1800*610mm)					
	d) 90 mm thick	Sq.ft	९९०.००	९९०.००	९९०.००	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp of the Bhaktapur District Office.

Electrical Works

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कू. -VAT) बाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
1	SWITCH SOCKET					
	1 One Gang one way switch	सेट	58	60	60	
	2 One Gang two way switch	सेट	69	71	71	
	3 One way bell switch	सेट	72	74	74	
	4 Two gang one way switch	"	96	99	99	
	5 Two gang one way switch with one bell push	"	105	108	108	
	6 Two gang Full two way switch	"	107	110	110	
	7 Three Gang one way switch	"	127	131	131	
	8 Four gang one way switch	"	161	166	166	
	9 Six gang one way switch (3x5)	"	253	261	261	
	10 Eight gang one way switch	"	304	313	313	
	11 Dimmer single 300 watt	"	309	318	318	
	12 Dimmer single 750 watt	"	459	473	473	
	13 5 Step humming free dimmer	"	407	419	419	
	14 16Amp 3 Pin Plug Top	"	121	125	125	
	15 1 switch with dimmer	"	368	379	379	
	16 6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	156	156	
	17 6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	174	174	
	18 20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	382	382	
	19 32A D.P. switch with fuse & indicator Surface Mounting	"	206	212	212	
	20 6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	629	629	
	21 Blanking plate single	"	40	41	41	
	22 Telephone socket single	"	118	122	122	
	23 Telephone socket Double	"	169	174	174	
	24 Angle / bottom holder	"	35	36	36	
	25 Ceiling Rose	"	35	36	36	
	26 Buzzer	"	97	100	100	
	27 Musical bell	"	222	229	229	
	28 T.V. antenna single Socket	"	82	84	84	
	29 6A 2/3 Pin unshuttered multi switch socket	"	128	132	132	
	30 RJ 45 Computer Socket for modem	"	234	241	241	
	31 Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	36	36	
	32 Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	65	65	
	33 Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	101	101	
	34 Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" .					
	1 10A 1gang 1way Switch	Set	83	85	85	
	2 10A 2gang 1way Switch	Set	163	168	168	
	3 10A 3gang 1way Switch	"	216	222	222	
	4 10A 4gang 1way Switch	"	350	361	361	
	5 10A 5gang 1way Switch	"	371	382	382	
1.1	6 10A 6gang 1way Switch	"	617	636	636	
	7 10A 1gang 2way Switch	"	144	148	148	
	8 10A 2gang 2way Switch	"	278	286	286	
	9 10A 3gang 2way Switch	"	407	419	419	
	10 10A 4gang 2way Switch	"	613	631	631	
	11 T V Socket outlet	"	299	308	308	
	12 Telephone Socket	"	268	276	276	
	13 13A Universal socket outlet	"	464	478	478	
	14 13A Socket	"	273	281	281	



Handwritten signatures and notes at the bottom of the page, including the name 'सुभाष' and other illegible text.

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)बाहेक (रु.)			कैफियत
				आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	15	15A switched Socket outlet	"	443	456	456	
	16	5A Socket	"	340	350	350	
	17	RJ 45 8way Computer Socket	"	824	849	849	
	18	TV and Telephone Socket	"	592	610	610	
	19	7+2 PIN SOCKET OUTLET	"	927	955	955	
	20	3+2 PIN SOCKET OUTLET	"	577	594	594	
	21	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	806	806	
	22	SCHUKO SOCKET WITH ONE SWITCH	"	505	520	520	
	23	Bell Press	"	237	244	244	
	24	Blank Plate	"	93	96	96	
	25	400W Light Dimmer W/ Switch	"	906	933	933	
	26	400W Fan Controller / Multi Step Dimmer	"	917	945	945	
	27	5 Step Fan Controller	"	896	923	923	
	28	2 Pin Socket W/ Switch	"	453	467	467	
	29	13A Twin Socket	"	680	700	700	
1.2		White Plate series modular type(polycarbonate) SWITCH SOCKET power pack					
	1	One Gang one way switch	सेट	100	103	103	
	2	One Gang two way switch	सेट	112	115	115	
	3	One way bell switch	सेट	112	115	115	
	4	Two gang one way switch	"	133	137	137	
	5	Two gang one way switch with one bell push	"	146	150	150	
	6	Two gang Full two way switch	"	158	163	163	
	7	Three Gang one way switch	"	167	172	172	
	8	Four gang one way switch	"	202	208	208	
	9	Six gang one way switch	"	307	316	316	
	10	Eight gang one way switch	"	374	385	385	
	11	Dimmer single 300 watt	"	486	501	501	
	15	1 switch with dimmer	"	499	514	514	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	268	268	
	17	6/13 Amp , Power sockets with switch , indicator	"	263	271	271	
	18	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	365	365	
	19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	403	403	
	20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	488	488	
	21	Blanking plate single	"	62	64	64	
	22	Telephone socket single	"	152	157	157	
	23	Telephone socket Double	"	249	256	256	
	24	T.V.antena single Socket	"	142	146	146	
	25	RJ 45 Computer Socket for modem	"	206	212	212	
	26	CAT-6 Computer Socket for modem	"	321	331	331	
2		Modular Type Switch Socket set					
	1	1P – 6A/10A 1 way switch	No.	139	143	143	
	2	1P – 16A/20A 1 way switch	"	223	230	230	
	3	1P – 25A 1 way switch	"	326	336	336	
	4	1P – 6A/10A 2 way switch	"	167	172	172	
	5	1P – 16A/20A 2 way switch	"	253	261	261	
	6	1P – 6A push button	"	184	190	190	
	7	1 gang blanking module	"	43	44	44	
	8	2 gang blanking module	"	86	89	89	
	9	FAN REGULATOR / DIMMER					
	10	Step type fan regulator	No.	638	657	657	
	11	60 – 500 W dimmer	"	797	821	821	
	12	1000 W dimmer	"	1524	1570	1570	
		SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
13	6A – multi socket 5 pin	No.	240	247	247	
14	6/16A twin socket 3 pin (flushed)	"	332	342	342	
15	6/16A twin socket 3 pin (projected)	"	332	342	342	
16	25A 3 pin socket	"	401	413	413	
17	13A 3 pin socket	"	270	278	278	
18	RJ 11 telephone jack	"	159	164	164	
19	RJ 45 cat.6e computer socket	"	557	574	574	
20	TV socket	"	161	166	166	
HOSPITALITY RANGE						
21	250V/110V shaver socket	No.	4355	4486	4486	
22	Indicator (DO NOT DISTUURB)	"	180	185	185	
23	LED yellow night lamp	"	560	577	577	
24	LED Blue night lamp	"	560	577	577	
FRONT PLATE (COMPATIBLE TO MARKET BOXES)						
(White)						
25	1 module front plate	No.	72	74	74	
26	2 module front plate	"	77	79	79	
27	3 module front plate	"	84	87	87	
28	4 module front plate	"	89	92	92	
29	6 module front plate	"	162	167	167	
30	8 module front plate(4+4)	"	217	224	224	
31	8 module front plate (Horizontal)	"	174	179	179	
32	12 module front plate	"	260	268	268	
33	18 module front plate	"	350	361	361	
2.2	Modular Type Switch Socket					
Seperate Module for Modular Switch & Socket						
1	1P – 6A/10A 1 way switch	No.	87	90	90	
3	1P – 16A/20A 1 way switch	"	144	148	148	
7	1P – 6A/10A 2 way switch	"	134	138	138	
8	1P – 16A/20A 2 way switch	"	175	180	180	
9	1P – 6A push button	"	134	138	138	
11	1 gang blanking module	"	41	42	42	
12	2 gang blanking module	"	78	80	80	
FAN REGULATOR / DIMMER						
13	Step type fan regulator	No.	700	721	721	
14	60 – 500 W dimmer	"	597	615	615	
SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS						
16	6A – multi socket 5 pin	No.	185	191	191	
17	6/16A twin socket 3 pin (flushed)	"	288	297	297	
18	6/16A twin socket 3 pin (projected)	"	288	297	297	
20	13A 3 pin socket	"	185	191	191	
21	RJ 11 telephone jack	"	144	148	148	
22	RJ 45 cat.6e computer socket	"	237	244	244	
23	TV socket	"	144	148	148	
40	1 module front plate	No.	113	116	116	
41	2 module front plate	"	113	116	116	
42	3 module front plate	"	148	152	152	
43	4 module front plate	"	165	170	170	
44	6 module front plate	"	227	234	234	
45	8 module front plate(4+4)	"	305	314	314	
46	8 module front plate (Horizontal)	"	313	322	322	
47	12 module front plate	"	363	374	374	
	18 module front plate	"	453	467	467	
Flush mounting galvanized Metal box for modular type switch & socket						
1	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	52		54	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp of the Bhaktapur District Office.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
3	2	2 module " " = (78x78x45)mm	"	52	54	54
	3	3 gang " " " = (78x100x45)mm	"	56	58	58
	4	4 gang " " = (78x140x50)mm	"	68	70	70
	5	5 gang " " = (78x205x50)mm	"	134	138	138
	6	6 gang " " = (78x205x50)mm	"	136	140	140
	7	8 module metal box (4+4) = (78x230x60)mm	"	181	186	186
	8	8 module metal box (Horizontal) = (135x120x60)mm	"	181	186	186
	9	12 module metal box = (135x120x60)mm	"	231	238	238
	10	TV socket metal box	"	52	54	54
	11	Telephone socket metal box	"	52	54	54
		METAL Junction BOX				
	1 4"x4"	गोटा	100	103	103	
	2 4"x6"	"	150	155	155	
	3 6"x8"	"	237	244	244	
	4 8"x10"	"	349	359	359	
	5 8"x12"	"	349	359	359	
4		PVC Junction Box				
	1	4"x4"	गोटा	34	35	35
	2	4"x6"	"	31	32	32
	3	6"x8"	"	46	47	47
	4	8"x10"	"	67	69	69
	5	8" x12"	"	129	133	133
	Junction box cover	"	144	148	148	
5		PVC Listy Double Lock { 6'length =1 no.(गोटा)}				
	1	½" breadth	गोटा	31	32	32
	2	¾"	"	46	47	47
	3	1"	"	67	69	69
	4	1 1/2"	"	129	133	133
	5	2"	"	144	148	148
6		PVC Conduit Pipe				
	1	1) ½" diameter	र मी	31	32	32
	2	2) ¾"	"	46	47	47
	3	3) 1"	"	67	69	69
7		Listy Pipe Accessories				
	1	½"-2" size Saddle	र मी	8	8	8
	2	Grips (Denmark)	गोटा	6	6	6
	3	Steel screws	गोटा	2	2	2
	4	PVC Tape	गोटा	15	15	15
8		Distribution board (DB)				
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated sheet steel				
	1	4 way SPN DB Double Cover	सेट	1082	1114	1114
	2	6 way SPN DB " "	"	1135	1169	1169
	3	8 way SPN DB " "	"	1416	1458	1458
	4	12 way SPN DB " "	"	1679	1729	1729
	5	16 way SPN DB " "	"	1795	1849	1849
	6	3-4 way TPN DB Double Cover	"	2668	2748	2748
	7	6 way TPN " " " "	"	2998	3088	3088
	8	8 way TPN " " " Vertical	"	5799	5973	5973
	9	12 way TPN " " " Vertical	"	7727	7959	7959
	10	50 Pair Telephone D.B.with crown tag	"	5446	5609	5609
	9		PVC Box for MCB			
		1	1-pole PVC box GPS	सेट	81	83
2		2- pole PVC " "	"	81	83	83
3		3 and 4-pole PVC " "	"	130	134	134
10	10.1	Miniature Circuits Breaker (MCB) ,				
	1	6-32 amp MCB SP (single pole)	गोटा	206	212	212

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and a signature.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	2 6-32 amp MCB DP (Double pole)	"	1030	1061	1061	
	3 6-32 amp MCB TP (Triple pole)	"	1710	1761	1761	
	4 32 amp MCB TPN	"	2472	2546	2546	
	5 40-63 amp MCB DP	"	1648	1697	1697	
	6 40-63 amp MCB TP	"	2637	2716	2716	
	7 40-63 amp MCB TPN	"	3157	3252	3252	
	10.2 Miniature Circuits Breaker (MCB)					
	1 0.5-5 amp MCB SP (single pole)	गोटा	258	266	266	
	2 6-32 amp MCB SP (single pole)	"	165	170	170	
	3 6-32 amp MCB DP (Double pole)	"	618	637	637	
	4 6-32 amp MCB TP (Triple pole)	"	1236	1273	1273	
	5 32 amp MCB TPN	"	1494	1539	1539	
	6 40-63 amp MCB DP	"	979	1008	1008	
	7 40-63 amp MCB TP	"	1391	1433	1433	
	8 40-63 amp MCB TPN	"	1854	1910	1910	
	Residual Current Circuit Breaker (RCCB)					
	1 25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2834	2834	
	2 63A 30mA DP RCCB	"	3278	3376	3376	
	3 63A 100mA DP RCCB	"	3014	3104	3104	
	4 63A 300mA DP RCCB	"	3064	3156	3156	
	5 25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3478	3478	
	6 63A 30mA Four Pole RCCB	"	3706	3817	3817	
	7 63A 100mA Four Pole RCCB	"	3706	3817	3817	
	8 63A 300mA Four Pole RCCB	"	3706	3817	3817	
	Moulded Case Circuit Breaker					
	16AMP- 63AMP TP MCCB 16KA		5,665	5835	5835	
	80AMP TP MCCB 16KA		5,665	5835	5835	
	100AMP TP MCCB 16KA		6,386	6578	6578	
	125AMP TP MCCB 16KA		8,240	8487	8487	
	160AMP TP MCCB 16KA		9,785	10079	10079	
	16AMP- 63AMP TP MCCB 25KA		6,386	6578	6578	
	80AMP TP MCCB 25KA		7,045	7256	7256	
	100AMP TP MCCB 25KA		7,045	7256	7256	
	125AMP TP MCCB 25KA		11,330	11670	11670	
	160AMP TP MCCB 25KA		13,390	13792	13792	
	200AMP TP MCCB 25KA(Adjustable)		21,115	21748	21748	
	200AMP TP MCCB 36KA(Adjustable)		23,175	23870	23870	
	250AMP TP MCCB 36KA(Adjustable)		27,295	28114	28114	
	400AMP TP MCCB 50KA(Adjustable)		35,535	36601	36601	
	630AMP TP MCCB 50KA(Adjustable)		48,410	49862	49862	
	800AMP TP MCCB 50KA(Adjustable)		63,963	65882	65882	
	12 Manual Changeover Panel Type					
	63 Amp FP	"	11618	11967	11967	
	80 Amp FP	"	12854	13240	13240	
	100 Amp FP	"	18210	18756	18756	
	125 Amp FP	"	19199	19775	19775	
	160 Amp FP	"	25214	25970	25970	
	200 Amp FP	"	26038	26819	26819	
	250 Amp FP	"	27686	28517	28517	
	315 Amp FP	"	35020	36071	36071	
	13 Dome light					
i	6" Milky type decorative dome light	सेट	180	185	185	
ii	6 " Brass base decorative dome light	"	736	758	758	
iii	8"Milky type decorative dome light	"	227	234	234	
iv	8 " Brass base decorative dome light	"	876	902	902	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp of the Bhaktapur District Office.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (र.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
v	8" Silver cast Milky base Decorative Dome Light	"	1107	1140	1140	
vi	6) 8" Silver cast Black Base base Decorative Dome Light	"	567	584	584	
vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1249	1249	
viii	Wall bracket/spout light/mirror light bulk head ordinary	"	232	239	239	
ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	372	372	
x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	849	849	
xi	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete	"	968	997	997	
xii	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	"	1514	1559	1559	
xiii	Dining lamp.	"	1700	1751	1751	
xiv	Chandlers 6-8 lamp Medium	"	15090	15543	15543	
xv	Chandlers 3-5 lamp Medium	"	10764	11087	11087	
xvi	Mirror Light Euro Light Wipro WRF21111	"	464	478	478	
xvii	Picture light Euro Light POO2	"	670	690	690	
xviii	Wall spot Light E27 60W Euro or eqv.	"	361	372	372	
xix	Exit Light safety sign(8.24)	सेट	824	849	849	
	Post top Lanterns					
xx	Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2652	2652	
xxi	Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3183	3183	
xxii	Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3580	3580	
xxiii	8" Globe type Post top Lamp complete set	"	1416	1458	1458	
14. xxiv	10" Globe type Post top Lamp complete set	"	2704	2785	2785	
	Roadway light luminaires					
XXV	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2716	2716	
XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complet set	"	3868	3984	3984	
XXVII	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1591	1591	
XXVII I	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3183	3183	
XXIV	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9548	9548	
XXVI	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11723	11723	
xxvii	Single Piece deep drawn aluminum POT optics road light luminaires with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5411	5411	
xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2339	2339	
xxix	1X125W HPSV street light fixture with acrylic diffuser	"	5273	5273	5273	
xxx	2X60/100W GLS aviation light fixture all complete set	"	5857	5857	5857	
	CEILING FANS & EXHAUST Fans,					
a	36" size ceiling Fan	गोटा	2183	2228	2228	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp and several illegible signatures.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत	
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९		
15	b	42" size " "	"	2266	2334	2334	
	c	48" size " "	"	2318	2388	2388	
	d	56" size " "	"	2575	2652	2652	
	e	6" Exhaust Fan	"	1494	1539	1539	
	f	9" Exhaust Fan	"	1803	1857	1857	
	g	16" size wall fan	"	2833	2918	2918	
	h	12" size exhaust fan	"	2575	2652	2652	
	BELL INDICATOR						
16	a	4 way bell indicator with plate	सेट	1255	1293	1293	
	b	6 way " " " " " "	"	2049	2110	2110	
	c	8 way " " " " " "	"	2851	2937	2937	
	d	12 way " " " " " "	"	4395	4527	4527	
Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)							
17	a	Copper plate	के.जी	917	945	945	
	b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082	1114	1114	
	c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1114	1114	
	d	Copper Strip (12 x 3)mm	के.जी	1082	1114	1114	
	e	Lightning rod copper conductor Air termination set	गोटा	2730	2812	2812	
	f	8 SWG bare copper wire	र. मी	144	148	148	
	g	29 mm Diameter GI Pipe of 1m length	र. मी	252	260	260	
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	637	637	
	i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15	
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	202	202	
	k	Funnel with wire mesh	गोटा	361	372	372	
	l	Charcoal	ब्याग	309	318	318	
	m	Salt	के.जी	12	12	12	
18	STEEL TUBULAR POLE / WOODEN POLE						
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)						
a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057	12419	12419		
b	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12978	13367	13367		
c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12484	12859	12859		
d	7 mtr.length Wooden Pole	No	4996	5146	5146		
e	9 mtr.length Wooden Pole	No	6798	7002	7002		
20	Modular ceiling Luminaries						
	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block .						
a	1x20 watt FTL (Patti fittings)	सेट	464	478	478		

२०७८/०७९
 २०७९/०८०
 २०८०/०८१
 २०८१/०८२
 २०८२/०८३
 २०८३/०८४
 २०८४/०८५
 २०८५/०८६
 २०८६/०८७
 २०८७/०८८
 २०८८/०८९
 २०८९/०९०
 २०९०/०९१
 २०९१/०९२
 २०९२/०९३
 २०९३/०९४
 २०९४/०९५
 २०९५/०९६
 २०९६/०९७
 २०९७/०९८
 २०९८/०९९
 २०९९/१००

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)बाहेक (रु.)			कैफियत
				आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	b	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	798	798	
	c	1×20 watt FTL	"	876	902	902	
	d	1×40 watt FTL with attractive & functional decorative battens	"	1020	1051	1051	
	e	1×40 watt FTL box fittings	"	1159	1194	1194	
	f	2×40 watt FTL box fittings	"	1751	1804	1804	
	g	1×40 watt FTL Industrial channel	"	1782	1835	1835	
	h	2×40 watt FTL Industrial channel	"	2287	2356	2356	
	i	1×40 watt FTL, opalite with opal Arcylic dissuser .	"	1854	1910	1910	
	j	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3183	3183	
	k	4×20 watt FTL, oplite WCF 93418	"	5410	5572	5572	
	l	4×20 watt FTL <u>mirror optic</u> , surface/recessed mounting	"	5410	5572	5572	
	m	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	"	3554	3661	3661	
	n	2×40 watt FTL <u>mirror optic</u> . surface/recessed mounting with electronic choke	"	4326	4456	4456	
	o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set	सेट	9383	9664	9664	
	p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	8245	8492	8492	
		Compact Fluorescent Lamp (CFL) based Luminaries set all complete .					
	q	2 x 18 W <u>CFL</u> recessed/surface mounting <u>mirror Optic</u> Complete Set	"	2678	2758	2758	
19	r	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	1833	1888	1888	
	s	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	2266	2334	2334	
	t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set	सेट	6067	6249	6249	
	u	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	6824	7029	7029	
	v	Recess mounting Direct Indirect LED luminaire		10815	11139	11139	
	w	Recess mounting Direct Indirect LED luminaire		14060	14482	14482	
	x	Recess Surface mounted LED luminate		13339	13739	13739	
	y	Hight efficiency circular LED Down Lighter		3245	3342	3342	
	z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads		14600	15038	15038	
	a	IP20 and IP 65 non intregral flexible LED Strip Light		1082	1114	1114	
	b	Circular LED wall/Dome Light suitable for true ceiling		3245	3342	3342	
	c	Square LED Wall/Dome light suitable for true ceiling		3245	3342	3342	
	d	Recess mounted indirect and direct luminaires		6129	6313	6313	
	e	2x36 Watt CFL Surface Mirror Optic		6129	6313	6313	
20	20.1	Down Light Fiam Make					
	1.1	FDL004 SMD7W-CW		1298	1337	1337	
	1.2	FDL004 SMD9W-WWH (145*90)		1298	1337	1337	
	1.3	FDL004 SMD9W-CW		1857	1913	1913	
	1.4	FDL004 SMD15W-WWH (175*90)		2828	2913	2913	
	1.5	FDL004 SMD15W-CW		2828	2913	2913	
	1.6	FDL004 SMD30W-WWH (200MM)		2828	2913	2913	



Handwritten signatures and notes at the bottom of the page, including a large signature and the number '20'.

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
1.7	FDL004 SMD30W-CW		5091	5244	5244	
1.8	FDLO12 COB5W-WWH (90MM)		5091	5244	5244	
1.9	FDLO12 COB5W-CW		1301	1340	1340	
2	FDLO12 COB10W-WWH (120MM)		1301	1340	1340	
2.1	FDLO12 COB10W-CW		1979	2038	2038	
2.2	FDLO12 COB15W-WWH (140MM)		1979	2038	2038	
2.3	FDLO12 COB15W-CW		5091	5244	5244	
2.4	FDLO12 COB25W-WWH (175MM)		5091	5244	5244	
2.5	FDLO12 COB25W-CW		6787	6991	6991	
2.6	FDLO12 COB30W-WWH (200MM)		6787	6991	6991	
2.7	FDLO12 COB30W-CW		8483	8737	8737	
2.8	FDLO07 SMD12W-WWH (130*110)		8483	8737	8737	
2.9	FDLO07 SMD12W-CW		4184	4310	4310	
3	FDLO07 SMD18W-WWH (165*145)		4184	4310	4310	
3.1	FDLO07 SMD18W-CW		6108	6291	6291	
3.2	FDLO07 SMD24W-WWH (195*175)		6108	6291	6291	
3.3	FDLO07 SMD24W-CW		7635	7864	7864	
3.4	FDLO01 HP5W FBK-WWH (95*110)		7635	7864	7864	
3.5	FDLO01 HP5W FBK-CW		3167	3262	3262	
3.6	FDLO01 HP5W FWH-WWH (80*120)		3167	3262	3262	
3.7	FDLO01 HP5W FWH-CW		3167	3262	3262	
3.8	FDLLO05 SMD7W-WWH (123MM)		3167	3262	3262	
3.9	FDLLO05 SMD7W-CW		1301	1340	1340	
4	FDLO05 SMD12W-WWH (165MM)		1301	1340	1340	
4.1	FDLO05 SMD12W-CW		1696	1747	1747	
4.2	FDLO05 SMD20W-WWH (200MM)		1696	1747	1747	
4.3	FDLO05 SMD20W-CW Taiwan chip		3111	3204	3204	
4.4	FM3161 HP 18W-WWH		3111	3204	3204	
4.5	FM3161 HP 18W-CW		6787	6991	6991	
4.6	HD-5010-13-WWH (86*75)		6787	6991	6991	
4.7	HD-5010-13-CW		2094	2157	2157	
4.8	HD-5010-14-WWH (115*105)		2094	2157	2157	
4.9	HD-5010-14-CW		3167	3262	3262	
5	HD-5010-14-WWH (140*125)		3167	3262	3262	
5.1	HD-5010-14-CW		3959	4078	4078	
5.2	HD-5010-18-WWH (215*200)		3959	4078	4078	
5.3	HD-5010-18-CW		7860	8096	8096	
5.4	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		7860	8096	8096	
5.5	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W		2451	2525	2525	
5.6	WHITE OPAL		2451	2525	2525	
5.7	BLACK OPAL		1803	1857	1857	
5.8	WHITE OPAL		1803	1857	1857	
5.9	BLACK OPAL		1803	1857	1857	
6	WHITE OPAL		1803	1857	1857	
6.1	BLACK OPAL		2163	2228	2228	
6.2	WHITE OPAL		2163	2228	2228	
6.3	BLACK OPAL		2163	2228	2228	
6.4	WHITE OPAL		2163	2228	2228	
6.5	BLACK OPAL		2163	2228	2228	
6.6	BULKHEAD WHITE OPAL		2163	2228	2228	
6.7	BULKHEAD BLACK OPAL		1803	1857	1857	
6.8	VE BULKHEAD WHITE OPAL		1803	1857	1857	
6.9	VE BULKHEAD BLACK OPAL		2524	2600	2600	
7	HL BULKHEAD WHITE OPAL		1803	1857	1857	
7.1	HL BULKHEAD BLACK OPAL		1803	1857	1857	
7.2	WHITE OPAL		1803	1857	1857	
7.3	BLACK OPAL		2163	2228	2228	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp and several illegible signatures.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
7.4	VE WHITE OPAL		2163	2228	2228	
7.5	VE BLACK OPAL		2163	2228	2228	
7.6	HL WHITE OPAL		2163	2228	2228	
7.7	HL BLACK OPAL		2163	2228	2228	
7.8	BLACK OPAL		2163	2228	2228	
7.9	MINI1L BLACK OPAL		7210	7426	7426	
8	1L WHITE OPAL		6489	6684	6684	
8.1	WHITE OPAL E27		6489	6684	6684	
8.2	BLACK OPAL E27		2884	2971	2971	
8.3	WHITE OPAL E27		2884	2971	2971	
8.4	BLACK OPAL E27		2884	2971	2971	
8.5	WHITE OPAL E27		2884	2971	2971	
8.6	BLACK OPAL E27		2884	2971	2971	
8.7	WHITE OPAL E27		2884	2971	2971	
8.8	BLACK OPAL E27		3245	3342	3342	
8.9	WHITE OPAL E27		3245	3342	3342	
9	BLACK OPAL E27		3245	3342	3342	
9.1	BLACK WITH OPAL DIFFUSER		3245	3342	3342	
9.2	BLACK W/OPAL DIFFUSER		3605	3713	3713	
9.3	LANTERN BLACK W/OPAL DIFFUSER		3605	3713	3713	
9.4	BLACK OPAL GX53 LED LAMP 3W		3245	3342	3342	
9.5	System Sensor Product		7210	7426	7426	
	1 Photo Electric Smoke Detector		1875	1931	1931	
	2 Rate of Rise Heat Detector		1875	1931	1931	
	3 Fixed temperature Detector		2287	2356	2356	
	4 Base		371	382	382	
	5 Conv. MCP, Red, with LED, 470 Ohm,		1483	1527	1527	
	6 Wall mount Horn+Strobe		4120	4244	4244	
	7 Ceiling mount Horn+Strobe		4120	4244	4244	
	Exit Light					
	1 MODEL SLM 18		12360	12731	12731	
	2 MODEL ELS 28		12360	12731	12731	
	3 MODEL ETL 210H-4LA		12360	12731	12731	
21	LUMINARIES Accessories					
a	500 watt halogen rod	गोटा	232	239	239	
b	1000 watt halogen rod	"	278	286	286	
c	70Watt SON Lamp (Sodium Vapour)	"	834	859	859	
d	150 watt sodium vapour bulb	"	1298	1337	1337	
e	250 watt sodium vapour bulb	"	1700	1751	1751	
f	20-40 watt FTL rod	"	80	82	82	
g	20-40 watt FTL Copper chowk.	"	258	266	266	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	412	424	424	
i	Acrylye cover for 4x20 FTL	"	989	1019	1019	
j	FTL starter	"	19	20	20	
k	8 W to11W, C.F.L.Direct fit	"	232	239	239	
l	13 to 22W , C.F.L.Direct fit	"	299	308	308	
m	15-100 watt bulb. (ISI)	गोटा	26	27	27	
n	PL-S 9W/86 (CFL)	"	165	170	170	
o	PL-S 11W/86 (CFL)	"	175	180	180	
p	PL-L 36W/86 (CFL)	"	417	430	430	
q	125W HPL-N (Mercury Vapour)	"	371	382	382	
r	250W HPL-N	"	876	902	902	
	Solar LED bulb					
s	12V/2W LED bulb		361	372	372	
t	12V/3W LED bulb	"	412	424	424	
u	12V/4W LED bulb	"	464	478	478	
22	22.1 COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked	"				

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
1	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	948	976	976	
	2 3/22 " " "	"	1133	1167	1167	
	3 3/20 " " "	"	1803	1857	1857	
	4 7/22 " " "	"	2524	2600	2600	
	5 7/20 " " "	"	4120	4244	4244	
	6 7/18 " " "	"	6489	6684	6684	
7	7/16 " " "	"	13390	13792	13792	
8	19/18 " " "	"	18025	18566	18566	
9	19/16 " " "	"	36050	37132	37132	
10	2\20 " " "	"	1370	1411	1411	
11	2\22 " " "	"	927	955	955	
22.2	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
1	1.0 mm PVC insulated Copper wire	क्वायल	1030	1061	1061	
2	1.5 mm PVC insulated Copper wire	"	1648	1697	1697	
3	2.5 mm PVC insulated Copper wire	"	2421	2494	2494	
4	4.0 mm PVC insulated Copper wire	"	3914	4031	4031	
5	6.0 mm PVC insulated Copper wire	"	6180	6365	6365	
6	10.0mm PVC insulated Copper wire	"	10300	10609	10609	
23	Concentric cable NS marked Eqv.					
1	4mm size concentric cable	र मी	23	24	24	
2	6mm size " "	र मी	26	27	27	
3	10mm size concentric cable	र मी	39	40	40	
4	16mm size " "	र मी	67	69	69	
5	25mm size " "	र मी	89	92	92	
6	RG6 Coaxial cable	र मी	23	24	24	
7	RG59 Coaxial cable	र मी	26	27	27	
8	UTP cat -5 networking cable	र मी	26	27	27	
24	Telephone Drop wire/pair cable NS marked Eqv.					
1	² / ₂₀ Telephone drop wire	क्वायल	989	1019	1019	
2	² / ₂₂ " " "	क्वायल	670	690	690	
3	2- pair cable wire (2×2×0.45) mm Heavy	र मी	14	14	14	
4	3- pair cable wire (3×2×0.45) mm Heavy	"	20	21	21	
5	5- pair cable wire (5×2×0.45) mm Heavy	"	32	33	33	
6	10- pair cable wire (10×2×0.45) mm Heavy	"	62	64	64	
7	15- pair cable wire (15×2×0.45) mm Heavy	"	91	94	94	
8	20- pair cable wire (20×2×0.45) mm Heavy	"	119	123	123	
9	1mm drop wire	"	10	10	10	
10	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand	सेट	7648	7877	7877	
11	2-6 Line EPABX " "	"	18411	18963	18963	
12	3-8 Line EPABX " "	"	20538	21154	21154	
13	4-12 Line EPABX " "	"	36823	37928	37928	
14	6-16 Line EPABX " "	"	49569	51056	51056	
15	8-24 Line EPABX " "	"	84975	87524	87524	
16	8-48 Line EPABX " "	"	90923	93651	93651	
17	8-72 Line EPABX " "	"	97288	100207	100207	
	Other Accessories					
1	6" size Dome light glass	गोटा	65	67	67	
2	8" size " " "	"	76	78	78	
3	wall bracket glass	"	65	67	67	
4	Fan regulator	"	271	279	279	

24/11/2017

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
25	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .)					
a	60/75/100 AMP, 9"×36"×48" size	सेट	21414	22056	22056	
b	60/75/100 AMP "12×36"×48" size	"	25493	26258	26258	
c	60/75/100 AMP 9"×48"×60" size	"	35690	36761	36761	
d	60/75/100 AMP 12"×49"×60" size	"	42488	43763	43763	
e	150/200 AMP 9"×38"×52" size	"	23793	24507	24507	
f	150/200 AMP 12"×38"×52" size	"	23793	24507	24507	
g	150/200 AMP 9"×42"×56" size	"	26496	27291	27291	
h	150/200 AMP 12"×42"×56" size	"	28179	29024	29024	
i	250/300AMP 12"×48"×60" size	"	34505	35540	35540	
j	250/300AMP 12"×52"×62" size	"	38626	39785	39785	
k	400 AMP 12"×52"×66" size	"	41118	42352	42352	
26	Panel Board measurement instrument					
a	0-500 volt meter	पिस	1023	1054	1054	
b	60/100 Amp meter .	"	979	1008	1008	
c	Panel Indicator	"	237	244	244	
d	2 Amp glass fuse with holder 12 mm size	"	134	138	138	
e	AMP meter selector switch	"	649	668	668	
f	volt meter selector switch	"	711	732	732	
g	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1475	1475	
h	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1835	1835	
i	250-300 AMP	"	2421	2494	2494	
j	400/500/600AMP	"	3554	3661	3661	
k	Kilo watt hour energy meter single phase	पिस	2271	2339	2339	
l	Kilo watt hour energy meter 3 phase direct	"	10228	10535	10535	
27	Trailing Protected Industrial Plug IP44					

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
28	a	16A 3P+E 400V Industrial plug	सेट	541	557	557
	b	32 A 3p +N+E " Plug	सेट	803	827	827
	c	32 A 3P+N+E water tight Plug IP67	सेट	1545	1591	1591
		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	21218	21218
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	सेट	13905	14322	14322	
29	CABLE SHOE					
	a	16 sq.mm cable shoe	गोटा	64	66	66
	b	25 sq.mm " "	"	83	85	85
	c	35 sq.mm " "	"	64	66	66
	d	50 sq.mm " "	"	75	77	77
	e	70 sq.mm " "	"	92	95	95
	f	95 sq.mm " "	"	143	147	147
	g	150 sq.mm " "	"	215	221	221
	h	195 sq.mm " "	"	305	314	314
	i	250 sq.mm " "	"	485	500	500
30	Copper Conductor Armoured Power Cables NS marked or eqv.					
	a) 2 Core					
	1	1.5 mm2	र मी	103	106	106
	2	2.5 mm2	"	139	143	143
	3	4.0 mm2	"	191	197	197
	4	6.0 mm2	"	247	254	254
	5	10.0 mm2	"	371	382	382
	6	16.0 mm2	"	494	509	509
	7	25.0 mm2	"	721	743	743
	8	35.0 mm2	"	958	987	987
	9	50.0 mm2	"	1339	1379	1379
	b) 3 Core					
	1	1.5 mm2	"	129	133	133
	2	2.5 mm2	"	180	185	185
	3	4.0 mm2	"	258	266	266
	4	6.0 mm2	"	330	340	340
	5	10.0 mm2	"	494	509	509
	6	16.0 mm2	"	690	711	711
	7	25.0 mm2	"	1051	1083	1083
	8	35.0 mm2	"	1391	1433	1433
	9	50.0 mm2 Copper Conductor Armoured	"	1906	1963	1963
	10	70.0 mm2	"	2678	2758	2758
	11	95.0 mm2	"	3605	3713	3713
	12	120.0 mm2	"	4532	4668	4668
	13	150.0 mm2	"	5562	5729	5729
	c) 3.5 Core					
	1	25.0 mm2	र मी	1257	1295	1295
	2	35.0 mm2	"	1597	1645	1645
	3	50.0 mm2	"	2245	2312	2312
	4	70.0 mm2	"	3090	3183	3183
	5	95.0 mm2	"	4120	4244	4244
	6	120.0 mm2	"	5408	5570	5570
	7	150.0 mm2	"	6386	6578	6578
	8	185.0 mm2	"	7931	8169	8169
	9	240.0 mm2	"	10403	10715	10715
	10	300.0 mm2	"	13184	13580	13580

1/11/17 2/11/17

अनुमोदित



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)बाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
11	400.0 mm2	"	17304	17823	17823	
	d) 4 Core					
1	1.5 mm ²	र.मी	155	160	160	
2	2.5 mm2	"	221	228	228	
3	4.0 mm2	"	319	329	329	
4	6.0 mm2	"	412	424	424	
5	10.0 mm2	"	618	637	637	
6	16.0 mm2	"	901	928	928	
7	25.0 mm2	"	1339	1379	1379	
8	35.0 mm2	"	1803	1857	1857	
9	50.0 mm2	"	2575	2652	2652	
10	70.0 mm2	"	3502	3607	3607	
11	95.0 mm ² Copper Conductor Armoured	"	4738	4880	4880	
12	120.0 mm ²	"	5974	6153	6153	
13	150.0 mm ²	"	7416	7638	7638	
14	185.0 mm ²	"	9064	9336	9336	
15	240.0 mm ²	"	12360	12731	12731	
16	300.0 mm ²	"	14832	15277	15277	
17	400.0 mm ²	"	20085	20688	20688	
31	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
	a) 1-core					
1	10 sq. mm.	र.मी	43	44	44	
2	16 sq. mm.	"	65	67	67	
3	25 sq. mm.	"	76	78	78	
4	35 sq. mm.	"	91	94	94	
5	50 sq. mm.	"	121	125	125	
6	70 sq. mm.	"	158	163	163	
7	95 sq. mm.	"	214	220	220	
8	120 sq. mm.	"	260	268	268	
9	150 sq. mm.	"	308	317	317	
	b) 2-core					
1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	72	74	74	
2	2.5 sq.mm	"	103	106	106	
3	4 sq.mm	"	144	148	148	
4	6 sq.mm	"	196	202	202	
5	10 sq.mm	"	309	318	318	
6	16 sq.mm	"	427	440	440	
7	25 sq.mm	"	659	679	679	
8	35 sq.mm	"	896	923	923	
9	50 sq.mm	"	1236	1273	1273	
10	70 sq.mm	"	1236	1273	1273	
11	95 sq.mm	"	2318	2388	2388	
12	120 sq.mm	"	3039	3130	3130	
13	150 sq.mm	"	3811	3925	3925	
	c) 3-core					
1	1.5 sq.mm. 3-core copper conductor	र.मी	93	96	96	
2	2.5 sq.mm	"	134	138	138	
3	4 sq.mm	"	196	202	202	
4	6 sq.mm	"	278	286	286	
5	10 sq.mm	"	438	451	451	
6	16 sq.mm	"	639	658	658	
7	25 sq.mm	"	979	1008	1008	
8	35 sq.mm	"	1318	1358	1358	
9	50 sq.mm	"	1854	1910	1910	
10	70 sq.mm	"	2575	2652	2652	
11	95 sq.mm	"	3502	3607	3607	
12	120 sq.mm	"	4429	4562	4562	
13	150 sq.mm	र.मी	5459	5623	5623	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and various scribbles.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)बाहेक (र.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	d) 3.5 core					
1	25 sq.mm	र मी	1205	1241	1241	
2	35 sq.mm Copper Conductor Unarmoured	"	1545	1591	1591	
3	50 sq.mm	"	2163	2228	2228	
4	70 sq.mm	"	3013	3103	3103	
5	95 sq.mm	"	4069	4191	4191	
6	120 sq.mm	"	5356	5517	5517	
7	150 sq.mm	"	6335	6525	6525	
	e) 4-core Copper Conductor Unarmoured					
1	1.5 sq.mm	र मी	113	116	116	
2	2.5 sq.mm	"	170	175	175	
3	4 sq.mm	"	252	260	260	
4	6 sq.mm	"	350	361	361	
5	10 sq.mm	"	556	573	573	
6	16 sq.mm	"	845	870	870	
7	25 sq.mm	"	1318	1358	1358	
8	35 sq.mm	"	1772	1825	1825	
9	50 sq.mm	"	2472	2546	2546	
10	70 sq.mm	"	3451	3555	3555	
11	95 sq.mm	"	4687	4828	4828	
12	120 sq.mm	"	5923	6101	6101	
13	150 sq.mm	"	7365	7586	7586	
14	185 sq.mm	"	9064	9336	9336	
15	240 Sq. mm	"	12257	12625	12625	
16	300 Sq. mm	"	14832	15277	15277	
17	400 Sq. mm	"	20085	20688	20688	
32	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
1	1.5 sq.mm	र मी	-			
2	2.5 sq.mm	र मी	93	96	96	
3	4 sq.mm	"	118	122	122	
4	6 sq.mm	"	134	138	138	
5	10 sq.mm	"	160	165	165	
6	16 sq.mm	"	180	185	185	
7	25 sq.mm	"	216	222	222	
8	35 sq.mm	"	247	254	254	
9	50 sq.mm	"	319	329	329	
10	70 sq.mm	"	397	409	409	
11	95 sq.mm	"	505	520	520	
	b) 3-core					
1	2.5 sq.mm. Aluminum conductor Armoured	र मी	108	111	111	
2	4 sq.mm	"	134	138	138	
3	6 sq.mm	"	149	153	153	
4	10 sq.mm	"	180	185	185	
5	16 sq.mm	"	206	212	212	
6	25 sq.mm Aluminum conductor Armoured	"	278	286	286	
7	35 sq.mm	"	335	345	345	
8	50 sq.mm	"	427	440	440	
9	70 sq.mm	"	541	557	557	
10	95 sq.mm	"	494	509	509	
11	120 sq.mm	"	834	859	859	
12	150 sq.mm	"	1004	1034	1034	
13	185 sq.mm	"	1236	1273	1273	
14	240 sq.mm	"	1514	1559	1559	
15	300 sq.mm	"	1854	1910	1910	
16	400 sq.mm	"	2318	2388	2388	
	c) 3.5 core					
1	25 sq.mm.	र मी	319		329	

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and a circular stamp on the right.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
2	35 sq.mm	..	371	382	382	
3	50 sq.mm	..	489	504	504	
4	70 sq.mm	..	628	647	647	
5	95 sq.mm	..	803	827	827	
6	120 sq.mm Aluminum conductor Armoured	..	979	1008	1008	
7	150 sq.mm	र मी	1174	1209	1209	
8	185 sq.mm	..	1421	1464	1464	
9	240 sq.mm	..	1772	1825	1825	
10	300 sq.mm	..	2215	2281	2281	
11	400 sq.mm	..	2781	2864	2864	
	d) 4-core					
1	2.5 sq.mm	र मी	124	128	128	
2	4 sq.mm	..	155	160	160	
3	6 sq.mm	..	180	185	185	
4	10 sq.mm	..	196	202	202	
5	16 sq.mm	..	252	260	260	
6	25 sq.mm	..	340	350	350	
7	35 sq.mm	..	402	414	414	
8	50 sq.mm	..	548	564	564	
9	70 sq.mm	..	700	721	721	
10	95 sq.mm	..	901	928	928	
11	120 sq.mm	..	1082	1114	1114	
12	150 sq.mm	..	1370	1411	1411	
13	185 sq.mm	..	1627	1676	1676	
14	240sq.mm	..	2039	2100	2100	
15	300 sq.mm Aluminum conductor Armoured	..	2524	2600	2600	
16	400sq.mm	..	3193	3289	3289	
33	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1-core					
1	16 sq.mm	र मी	52	54	54	
2	25 sq.mm	..	72	74	74	
3	35 sq.mm	..	88	91	91	
4	50 sq.mm	..	113	116	116	
5	70 sq.mm	..	144	148	148	
6	95 sq.mm	..	196	202	202	
7	120 sq.mm	..	237	244	244	
8	150 sq.mm	..	391	403	403	
9	185 sq.mm	..	361	372	372	
10	240 sq.mm	..	443	456	456	
11	300 sq.mm	..	536	552	552	
	b) 2-core Aluminium conductor unarmoured					
1	2.5 sq.mm	र मी	52	54	54	
2	4 sq.mm	..	62	64	64	
3	6 sq.mm	र मी	77	79	79	
4	10 sq.mm	..	98	101	101	
5	16 sq.mm	..	103	106	106	
6	25 sq.mm	..	144	148	148	
7	35 sq.mm	..	185	191	191	
8	50 sq.mm	..	237	244	244	
9	70 sq.mm	..	299	308	308	
10	95 sq.mm 2 core	..	402	414	414	
	c) 3-core					
1	2.5 sq.mm	र मी	62	64	64	
2	4 sq.mm	..	72	74	74	
3	6 sq.mm	..	88	91	91	
4	10 sq.mm	..	124	128	128	

२०७८/७९

२०७८/७९

२०७८/७९



२०७८/७९

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक (र.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
5	16 sq.mm	"	144	148	148	
6	25 sq.mm	"	206	212	212	
7	35 sq.mm	"	258	266	266	
8	50 sq.mm	"	340	350	350	
9	70 sq.mm	"	453	467	467	
10	95 sq.mm	"	597	615	615	
11	120 sq.mm	"	742	764	764	
12	150 sq.mm	"	886	913	913	
13	185 sq.mm	"	1112	1145	1145	
14	240 sq.mm	"	1380	1421	1421	
15	300 sq.mm Aluminium conductor unarmoured	"	1751	1804	1804	
	d) 3.5-core					
1	25 sq.mm	र.मी	258	266	266	
2	35 sq.mm	"	309	318	318	
3	50 sq.mm	"	412	424	424	
4	70 sq.mm	"	567	584	584	
5	95 sq.mm	"	742	764	764	
6	120 sq.mm	"	927	955	955	
7	150 sq.mm	"	1112	1145	1145	
8	185 sq.mm	"	1391	1433	1433	
9	240 sq.mm	"	1751	1804	1804	
10	300 sq.mm	"	2163	2228	2228	
	e) 4-core core aluminium unarmoured					
1	2.5 sq.mm	र.मी	72	74	74	
2	4 sq.mm	"	82	84	84	
3	6 sq.mm	"	98	101	101	
4	10 sq.mm	"	134	138	138	
5	16 sq.mm	र.मी	196	202	202	
6	25 sq.mm	"	288	297	297	
7	35 sq.mm	"	350	361	361	
8	50 sq.mm	"	484	499	499	
9	70 sq.mm 4	"	639	658	658	
10	95 sq.mm	"	845	870	870	
11	120 sq.mm	"	1030	1061	1061	
12	150 sq.mm	"	1288	1327	1327	
13	185 sq.mm	"	1597	1645	1645	
14	240 sq.mm	"	2009	2069	2069	
15	300 sq.mm	"	2472	2546	2546	
34	Security Gate System					
	Metal Detector					
a	Air Conditioning system	गोटा	16995	17505	17505	
i	0.75 TR capacity Wall Mounted split type Air Conditioning system					
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-			
	Air Conditioning system	सेट	-			
i	0.75 TR capacity Wall Mounted split type Air Conditioning system					
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-			
iii	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-			
iv	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-			
	Air Conditioning system	सेट	-			
v	0.75 TR capacity Wall Mounted split type Air					
vi	1.0 TR capacity Wall Mounted split type Air	सेट	-			
vii	1.5 TR capacity Wall Mounted split type Air	सेट	-			
viii	2.0 TR capacity Wall Mounted split type Air	सेट	-			

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp.

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	36 General Lightig	सेट	-			
i	1 x 40 W FTL Patti fitting	सेट	252	260	260	
ii	1 x 20 W FTL Patti fitting	सेट	232	239	239	
iii	1 x 40 W FTL Box Fitting	सेट	427	440	440	
iv	1 x 20 W FTL Box fitting	सेट	417	430	430	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	366	366	
	PVC Conduit					
	RK Range					
	1 16 mm medium rigid conduit DX 25 316	Mtr.	88	91	91	
	2 20 mm medium rigid conduit DX 25 320	"	124	128	128	
	3 25 mm medium rigid conduit DX 25 325	"	175	180	180	
	4 32 mm medium rigid conduit DX 25 332	"	252	260	260	
	5 40 mm medium rigid conduit DX 25 340	"	345	355	355	
	6 50 mm medium rigid conduit DX 25 350	"	530	546	546	
	7 63 mm medium rigid conduit DX 25 363	"	999	1029	1029	
	8 16 mm heavy rigid conduit DX 25 716	"	165	170	170	
	9 20 mm heavy rigid conduit DX 25 720	"	216	222	222	
	10 25 mm heavy rigid conduit DX 25 725	"	288	297	297	
	11 32 mm heavy rigid conduit DX 25 732	"	433	446	446	
	12 40 mm heavy rigid conduit DX 25 740	"	587	605	605	
	13 50 mm heavy rigid conduit DX 25 750	"	793	817	817	
	14 63 mm heavy rigid conduit DX 25 763	"	1488	1533	1533	
	15 16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	202	202	
	16 20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	254	254	
	17 25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	387	387	
	18 32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	642	642	
	19 40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	769	769	
	20 50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	992	992	
	21 63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1236	1236	
	22 16 mm shockproof polymer saddle collar clip GW 50 605	"	31	32	32	
	23 20 mm shockproof polymer saddle collar clip GW 50 606	"	36	37	37	
	24 25 mm shockproof polymer saddle collar clip GW 50 607	"	41	42	42	
	25 32 mm shockproof polymer saddle collar clip GW 50 608	"	62	64	64	
	26 40 mm shockproof polymer saddle collar clip GW 50 630	"	98	101	101	
	27 50 mm shockproof polymer saddle collar clip GW 50 631	"	118	122	122	
	28 16 mm conduit coupler DX 40 016	"	36	37	37	
	29 20 mm conduit coupler DX 40 020	"	46	47	47	
	30 25 mm conduit coupler DX 40 025	"	57	59	59	
	31 32 mm conduit coupler DX 40 032	"	103	106	106	
	32 40 mm conduit coupler DX 40 040	"	139	143	143	
	33 50 mm conduit coupler DX 40 050	"	242	249	249	
	34 63 mm conduit coupler DX 40 063	"	458	472	472	
	35 16 mm tight bend DX 40 116	"	57	59	59	
	36 20 mm tight bend DX 40 120	"	82	84	84	
	37 25 mm tight bend DX 40 125	"	129	133	133	
	38 32 mm tight bend DX 40 132	"	237	244	244	
	39 40 mm tight bend DX 40 140	"	335	345	345	
	40 50 mm tight bend DX 40 150	"	603	621	621	

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and a circular stamp on the right.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
41	63 mm tight bend DX 40 163	"	2359	2430	2430	
42	4 way junction box DX 45 004	"	670	690	690	
43	7 way junction box DX 45 007	"	803	827	827	
44	10 way junction box DX 45 010	"	1020	1051	1051	
45	Closing cap for junction box DX 47 000	"	118	122	122	
46	16 mm inspectionable T bend DX 40216	"	118	122	122	
47	20 mm inspectionable T bend DX 40220	"	149	153	153	
48	25 mm inspectionable T bend DX 40225	"	196	202	202	
49	32 mm inspectionable T bend DX 40232	"	237	244	244	
50	16 mm inspectionable bend DX 40 316	"	98	101	101	
51	20 mm inspectionable bend DX 40 320	"	118	122	122	
52	25 mm inspectionable bend DX 40 325	"	155	160	160	
53	32 mm inspectionable bend DX 40 332	"	185	191	191	
38	Cable Tray with Cover and Accessories					
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	844	844	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	1002	1002	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1209	1209	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1358	1358	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	1540	1586	1586	
6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	1710	1761	1761	
7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	2137	2201	2201	
8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	2513	2588	2588	
9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	3090	3183	3183	
10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	3281	3379	3379	
11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	984	1014	1014	
12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	1179	1214	1214	
13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	1298	1337	1337	
14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	1468	1512	1512	
15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	1663	1713	1713	
16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	1859	1915	1915	
17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	2276	2344	2344	
18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	2657	2737	2737	
19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	3456	3560	3560	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	3749	3861	3861	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	4584	4722	4722	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	1313	1352	1352	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	2122	2186	2186	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	2781	2864	2864	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	3852	3968	3968	

The bottom of the page contains several handwritten signatures and a circular official stamp. The stamp is partially legible and appears to be from a government or municipal office. There are also some handwritten notes and scribbles around the stamp.

सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	4836	4981	4981	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	5449	5612	5612	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	1494	1539	1539	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	2271	2339	2339	
30	305X80 mm2 hot deep galvanised steel cable.tray MV 40 168	"	2884	2971	2971	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	4151	4276	4276	
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	5016	5166	5166	
	Intrusion Detection System Make Honeywell or equivalent					
	Main Controller					
i	CONTROL,FIRE/BURG Smoke & Heat Detector	सेट	38851	40017	40017	
ii	Wireless Smoke and Head Detector Door Contact	सेट	10545	10861	10861	
iii	Wireless Door Contact with transmitter Motion Detector	सेट	2678	2758	2758	
iv	Wireless Passive Infrared, Pet Immune Motion Detector Panic Switch	सेट	4178	4303	4303	
v	Wireless Panic Transmitter Key	सेट	4921	5069	5069	
vi	Wireless Key to Arm and Disarm the System Window Contact	सेट	4780	4923	4923	
vii	Wired door Contact with transmitter slim Earth Quake Detector	सेट	2812	2896	2896	
	Quake Alarm	पिस	3601	3709	3709	
	Automatic Motor Operator for water motor					
i	Upto 1/2 HP single phase motor	सेट	4120	4244	4244	
ii	Upto 1 HP single phase motor	सेट	5665	5835	5835	
iii	Upto 5 HP three phase motor	सेट	9270	9548	9548	
	CCTV System					
40 a	Out door high speed Dome Integrated CAMERA Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom					
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	58350	58350	
b	Indoor high speed Dome Integrated CAMERA	सेट	58916	60683	60683	
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom					
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	54384	56016	56016	
c	Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	56650	58350	58350	
d	7" Spherical Shilded with bracket included chip excluded Camera	सेट	15450	15914	15914	

Handwritten signatures and stamps are present at the bottom of the page, including a circular official stamp of the Bhaktapur District Office.

सि.नं	सब सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT)वाहेक (रु.)			कैफियत
				आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	e	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control		8364	8615	8615	
		ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	33990	35010	35010	
	f	17" LCD Monitor	सेट	50985	52515	52515	
41		Electrical Equipments	सेट	10815	11139	11139	
	i	Earthing Materials (ISI or other International Standard)					
	a	6 mm thick 600mm× 600 mm G.I. Plate					
	c	Funneling Mechanism with cover (mild steel)	No.	2829	2914	2914	
	d	3.2 mm thick 600mm× 600 mm Copper Plate	set	618	637	637	
	e	Copper wire (10 SWG)	No.	9517	9803	9803	
	ii	Service wire (Al)	Mtr.	155	160	160	
	a.	2.5 mm ²	Mtr.	18	19	19	
	b.	4.0 mm ²	"	22	23	23	
	c.	6.0 mm ²	"	28	29	29	
	iii	Lightening Arrestor for 3 Phase .					
	a.	0.5 KV	Set	1236	1273	1273	
	b.	11 KV	Set	4326	4456	4456	
	c.	Cross Arms V Channel.	No	3090	3183	3183	
	iv	Stay set with accessories.					
	a.	GI wire	No	1182	1217	1217	
	b.	GI Plate	"	1185	1221	1221	
	c.	Gay Insulator.	"	56	58	58	
	d.	Elbow		103	106	106	
	e.	Rod , Nut	No	445	458	458	
	f.	Grip	"	49	50	50	
	v	Overhead Insulators (0.4KV)					
	a.	Sackle Insulator					
	b.	D-Iron	No	31	32	32	
	c.	Nut Bolt (3" with 8 mm Ø)	"	93	96	96	
	d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	15	15	15	
	vi	Overhead Insulators with fixing accessories (11KV)	"	23	24	24	
	a.	Pin Insulator					
	b.	Disc Insulator	No	185	191	191	
	c.	Cross Arms V Channel.	"	989	1019	1019	
	vii	Sqarrel ACSR conductor 20mm ²	"	2719	2801	2801	
	viii	weasel ACSR conductor 30 mm ²	Rm.	17	18	18	
	ix	Rabbit ACSR conductor 50 mm ²	"	25	26	26	
	x	Dog ACSR conductor 100 mm ²	"	41	42	42	
	xi	Supply of aluminium ABC cable	"	82	84	84	
		25mm square 4 core ABC cable					
		50 mm square 4 core ABC cable	Rm.	155	160	160	
		95 mm square 4 core ABC cable	"	258	266	266	
	xii	Alternator 3 Phase Brush less with compounded Excitation. (KEL)	"	505	520	520	
42	C	AMF with ATS palel					
	i	5KVA AMF with ATS palel	set	22660	23340	23340	
	ii	7.5KVA AMF with ATS palel	"	28840	29705	29705	
	iii	10KVA AMF with ATS palel	"	36050	37132	37132	
	iv	15KVA AMF with ATS palel	"	46350	47741	47741	
	v	20KVA AMF with ATS palel	"	66950	68959	68959	
	vi	25KVA AMF with ATS palel	"	77250	79568	79568	
	vii	30KVA AMF with ATS palel	"	92700	95481	95481	
53		MCB/ISOLATOR					

नाल सरकार
 प्रशासन कार्यालय
 भक्तपुर

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. -VAT) बाहेक (रु.)			कैफियत
			आ.व २०७६/७७	आ.व २०७७/०७८	आ.व २०७८/०७९	
	B CURVE MCB SP 6A-32A					
	B CURVE MCB SP 40A	pole	239	246	246	
	B CURVE MCB SP 50A-63A	pole	281	289	289	
	C CURVE MCB SP 0.5-4A	pole	281	289	289	
	C CURVE MCB SP 6-32A	pole	281	289	289	
	C CURVE MCB SP 40A	pole	239	246	246	
	C CURVE MCB SP 50-63A	pole	446	459	459	
	C CURVE MCB SPN 0.5-4A	pole	446	459	459	
	C CURVE MCB SPN 6-32A	pole	479	493	493	
	C CURVE MCB SPN 40A	pole	513	528	528	
	C CURVE MCB SPN 50-63A	pole	561	578	578	
	C CURVE MCB DP 0.5-4A	pole	561	578	578	
	C CURVE MCB DP 6-32A	pole	617	636	636	
	C CURVE MCB DP 40A	pole	564	581	581	
	C CURVE MCB DP 50-63A	pole	617	636	636	
	C CURVE MCB TP 0.5-4A	pole	617	636	636	
	C CURVE MCB TP 6-32A	pole	925	953	953	
	C CURVE MCB TP 40A	pole	847	872	872	
	C CURVE MCB TP 50-63A	pole	925	953	953	
	C CURVE MCB TPN 0.5-4A	pole	925	953	953	
	C CURVE MCB TPN 6-32A	pole	1206	1242	1242	
	C CURVE MCB TPN 40A	pole	1103	1136	1136	
	C CURVE MCB TPN 50-63A	pole	1206	1242	1242	
	C CURVE MCB FP 0.5-4A	pole	1206	1242	1242	
	C CURVE MCB FP 6-32A	pole	1290	1329	1329	
	C CURVE MCB FP 40A	pole	1180	1215	1215	
	C CURVE MCB FP 50-63A	pole	1290	1329	1329	
	ISOLATOR DP 40A	pole	1290	1329	1329	
	ISOLATOR DP 63A	pole	551	568	568	
	ISOLATOR DP 80-100A	pole	551	568	568	
	ISOLATOR DP 125A	pole	576	593	593	
	ISOLATOR FP 40A	pole	611	629	629	
	ISOLATOR FP 63A	pole	902	929	929	
	ISOLATOR FP 80-100A	pole	902	929	929	
	ISOLATOR FP 125A	pole	998	1028	1028	
	RCCB DP 25A 30mA	pole	998	1028	1028	
	RCCB DP 40A 30mA	pole	3547	3653	3653	
	RCCB DP 63A 30mA	pole	3547	3653	3653	
	RCCB DP 25A 100mA	pole	3547	3653	3653	
	RCCB DP 40A 100mA	pole	3345	3445	3445	
	RCCB DP 63A 100mA	pole	3345	3445	3445	
	RCCB DP 25A 300mA	pole	3345	3445	3445	
	RCCB DP 40A 300mA	pole	3345	3445	3445	
	RCCB DP 63A 300mA	pole	3345	3445	3445	
	RCCB FP 25A 30mA	pole	3345	3445	3445	
	RCCB FP 40A 30mA	pole	4155	4280	4280	
	RCCB FP 63A 30mA	pole	4155	4280	4280	
	RCCB FP 25A 100mA	pole	4155	4280	4280	
	RCCB FP 40A 100mA	pole	4004	4124	4124	
	RCCB FP 63A 100mA	pole	4004	4124	4124	
	RCCB FP 25A 300mA	pole	4004	4124	4124	
	RCCB FP 40A 300mA	pole	4004	4124	4124	
	RCCB FP 63A 300mA	pole	4004	4124	4124	


Handwritten signatures and initials in the bottom left corner.

Handwritten signature in the bottom center.




विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१	SWITCH SOCKET- (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	५८.००	५८.००	५८.००
	One Gang two way switch	सेट	६९.००	६९.००	६९.००
	One way, bell switch	सेट	७२.००	७२.००	७२.००
	Two gang one way switch	सेट	९६.००	९६.००	९६.००
	Two gang one way switch with one bell push	सेट	१०५.००	१०५.००	१०५.००
	Two gang Full two way switch	सेट	१०७.००	१०७.००	१०७.००
	Three Gang one way switch	सेट	१२७.००	१२७.००	१२७.००
	Four gang one way switch	सेट	१६१.००	१६१.००	१६१.००
	Six gang one way switch (3x5)	सेट	२५३.००	२५३.००	२५३.००
	Eight gang one way switch	सेट	३०४.००	३०४.००	३०४.००
	Dimmer single 300 watt	सेट	३०९.००	३०९.००	३०९.००
	Dimmer single 750 watt	सेट	४५९.००	४५९.००	४५९.००
	5 Step humming free dimmer	सेट	४०७.००	४०७.००	४०७.००
	16Amp 3 Pin Plug Top	सेट	१२१.००	१२१.००	१२१.००
	1 switch with dimmer	सेट	३६८.००	३६८.००	३६८.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	१५१.००	१५१.००	१५१.००
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	१६९.००	१६९.००	१६९.००
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	३७१.००	३७१.००	३७१.००
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	२०६.००	२०६.००	२०६.००
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११.००	६११.००	६११.००
	Blanking plate single	सेट	४०.००	४०.००	४०.००
	Telephone socket single	सेट	११८.००	११८.००	११८.००
	Telephone socket Double	सेट	१६९.००	१६९.००	१६९.००
	Angle / bottom holder	सेट	३५.००	३५.००	३५.००
	Ceiling Rose	सेट	३५.००	३५.००	३५.००
	Buzzer	सेट	९७.००	९७.००	९७.००
	Musical bell	सेट	२२२.००	२२२.००	२२२.००
	T.V. antenna single Socket	सेट	८२.००	८२.००	८२.००
	6A 2/3 Pin unshuttered multi switch socket	सेट	१२८.००	१२८.००	१२८.००
	RJ 45 Computer Socket for modem	सेट	२३४.००	२३४.००	२३४.००
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	३५.००	३५.००	३५.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	६३.००	६३.००	६३.००
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 205 x 50	सेट	९८.००	९८.००	९८.००
२	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	८३.००	८३.००	८३.००
	10A 2gang 1way Switch	सेट	१६३.००	१६३.००	१६३.००
	10A 3gang 1way Switch	सेट	२१६.००	२१६.००	२१६.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	10A 4gang 1way Switch	सेट	३५०.००	३५०.००	३५०.००
	10A 5gang 1way Switch	सेट	३७१.००	३७१.००	३७१.००
	10A 6gang 1way Switch	सेट	६१७.००	६१७.००	६१७.००
	10A 1gang 2way Switch	सेट	१४४.००	१४४.००	१४४.००
	10A 2gang 2way Switch	सेट	२७८.००	२७८.००	२७८.००
	10A 3gang 2way Switch	सेट	४०७.००	४०७.००	४०७.००
	10A 4gang 2way Switch	सेट	६१३.००	६१३.००	६१३.००
	T V Socket outlet	सेट	२९९.००	२९९.००	२९९.००
	Telephone Socket	सेट	२६८.००	२६८.००	२६८.००
	13A Universal socket outlet	सेट	४६४.००	४६४.००	४६४.००
	13A Socket	सेट	२७३.००	२७३.००	२७३.००
	15A switched Socket outlet	सेट	४४३.००	४४३.००	४४३.००
	5A Socket	सेट	३४०.००	३४०.००	३४०.००
	RJ 45 8way Computer Socket	सेट	८२४.००	८२४.००	८२४.००
	TV and Telephone Socket	सेट	५९२.००	५९२.००	५९२.००
	7+2 PIN SOCKET OUTLET	सेट	९२७.००	९२७.००	९२७.००
	3+2 PIN SOCKET OUTLET	सेट	५७७.००	५७७.००	५७७.००
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	७८३.००	७८३.००	७८३.००
	SCHUKO SOCKET WITH ONE SWITCH	सेट	५०५.००	५०५.००	५०५.००
	Bell Press	सेट	२३७.००	२३७.००	२३७.००
	Blank Plate	सेट	९३.००	९३.००	९३.००
	400W Light Dimmer W/ Switch	सेट	९०६.००	९०६.००	९०६.००
	400W Fan Controller / Multi Step Dimmer	सेट	९१७.००	९१७.००	९१७.००
	5 Step Fan Controller	सेट	८९६.००	८९६.००	८९६.००
	2 Pin Socket W/ Switch	सेट	४५३.००	४५३.००	४५३.००
	13A Twin Socket	सेट	६८०.००	६८०.००	६८०.००
३	MODULAR SWITCH PLATES -संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	WHITE PLATE				
	1 MODULAR PLATE	सेट			१४८.००
	2 MODULAR PLATE	सेट			१४८.००
	3 MODULAR PLATE	सेट			१९२.००
	4 MODULAR PLATE	सेट			२२१.००
	6 MODULAR PLATE	सेट			३०१.००
	8 MODULAR PLATE	सेट			३५४.००
	12 MODULAR PLATE	सेट			४८२.००
	16 MODULAR PLATE	सेट			५६२.००
	18 MODULAR PLATE	सेट			५९३.००
	GREY PLATE				
	1 MODULAR PLATE	सेट			२६५.००
	2 MODULAR PLATE	सेट			२६५.००
	3 MODULAR PLATE	सेट			३४२.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	4 MODULAR PLATE	सेट			३९४.००
	6 MODULAR PLATE	सेट			५३५.००
	8 MODULAR PLATE	सेट			६२४.००
	12 MODULAR PLATE	सेट			८५४.००
	16 MODULAR PLATE	सेट			१०००.००
	18 MODULAR PLATE	सेट			१०५८.००
४	SWITCHES (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	WHITE				
	10A 1 WAY SWITCH	सेट			१३०.००
	10A 2 WAY SWITCH	सेट			२३९.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट			२८३.००
	16A 1 WAY SWITCH	सेट			२५२.००
	20A DP SWITCH WITH INDICATOR	सेट			५४६.००
	32A DP SWITCH WITH INDICATOR	सेट			६५५.००
	10A BELL PUSH	सेट			२५२.००
	10A 2 MODULAR BELL PUSH	सेट			३७२.००
	25A MOTOR STATER	सेट			११६२.००
	400W 1 MODULAR DIMMER	सेट			६७३.००
	100W 2 MODULAR DIMMER	सेट			१३१३.००
	STEP REGULATOR 4 STEP DIMMER	सेट			६९०.००
	20A 2 WAY SWITCH 1M	सेट			३९६.००
	20A 1 WAY SWITCH WITH IND 1M	सेट			४८०.००
	GREY				
	10A 1 WAY SWITCH	सेट			१५९.००
	10A 2 WAY SWITCH	सेट			३२३.००
	16A 1 WAY SWITCH WITH INDICATOR	सेट			४५६.००
	16A 1 WAY SWITCH	सेट			३७६.००
	20A DP SWITCH WITH INDICATOR	सेट			७३०.००
	32A DP SWITCH WITH INDICATOR	सेट			८७६.००
	10A BELL PUSH	सेट			३३६.००
	10A 2 MODULAR BELL PUSH	सेट			५००.००
	25A MOTOR STATER	सेट			१५५३.००
	400W 1 MODULAR DIMMER	सेट			१०९३.००
	100W 2 MODULAR DIMMER	सेट			१७५७.००
	STEP REGULATOR 4 STEP DIMMER	सेट			९८४.००
	20A 2 WAY SWITCH 1M	सेट			०.००
	20A 1 WAY SWITCH WITH IND 1M	सेट			०.००
५	SOCKETS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	WHITE				
	6A 2 PIN SOCKET	सेट			२१२.००
	13A UNIVERSAL SOCKET	सेट			२७९.००
	6/16A 3 PIN SOCKET	सेट			४२९.००



(Handwritten signature)

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	RJ11 SOCKET	सेट			२८२.००
	TV SOCKET	सेट			२२६.००
	USB CHARGER	सेट			२१५५.००
	BUZZER OFF	सेट			५३६.००
	BLANK OFF	सेट			५०.००
	LED FOOT LIGHT 2M	सेट			१०८५.००
	LED PHASE INDICATOR	सेट			२८५.००
	RJ 45 SOCKET	सेट			८१९.००
	CALL BELL INDICATOR	सेट			२०३१.००
	MOVEMENT SENSOR	सेट			७२३०.००
	GREY				
	6A 2 PIN SOCKET	सेट			२९६.००
	13A UNIVERSAL SOCKET	सेट			५८४.००
	6/16A 3 PIN SOCKET	सेट			५९३.००
	RJ11 SOCKET	सेट			३४५.००
	TV SOCKET	सेट			३३२.००
	USB CHARGER	सेट			३०६६.००
	BUZZER OFF	सेट			८०१.००
	BLANK OFF	सेट			७१.००
	LED FOOT LIGHT 2M	सेट			१६१५.००
	LED PHASE INDICATOR	सेट			
	RJ 45 SOCKET	सेट			१२२१.००
	CALL BELL INDICATOR	सेट			२५४०.००
	MOVEMENT SENSOR	सेट			९०३५.००
६	HOSPITALITY				
	WHITE				
	SAVER SOCKET 4M	सेट			६२९६.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट			१५००.००
	DND MMR INSIDE ROOM UNIT	सेट			१३०१.००
	DND MMR OUTSIDE ROOM UNIT	सेट			९२५.००
	GREY				
	SAVER SOCKET 4M	सेट			७८६७.००
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट			१९०३.००
	DND MMR INSIDE ROOM UNIT	सेट			१३१०.००
	DND MMR OUTSIDE ROOM UNIT	सेट			९२९.००
७	MODULAR SWITCH IN GANG MODULE WHITE				
	1 GANG ONE WAY SWITCH	सेट			२७८.००
	2 GANG ONE WAY SWITCH	सेट			४०८.००
	3 GANG ONE WAY SWITCH	सेट			५८२.००
	4 GANG ONE WAY SWITCH	सेट			७४१.००
	6 GANG ONE WAY SWITCH	सेट			१०८१.००
	8 GANG ONE WAY SWITCH	सेट			१३९४.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	12 GANG ONE WAY SWITCH	सेट			२०४२.००
	16 GANG ONE WAY SWITCH	सेट			२६४२.००
	18 GANG ONE WAY SWITCH	सेट			२९३३.००
	1 GANG TWO WAY SWITCH	सेट			३८७.००
	16A POWER SOCKET SET	सेट			८७३.००
	13A UNIVERSAL SOCKET SET	सेट			७२३.००
	400W DIMMER SET	सेट			८२१.००
	1000W DIMMER SET	सेट			१४६४.००
	RJ45 SOCKET SET	सेट			९६७.००
	RJ11 SOCKET SET	सेट			४३०.००
	BLANK PLATE	सेट			५०.००
	TV SOCKET SET	सेट			३७४.००
	BELL PUSH SET	सेट			४००.००
	20A DP SWITCH WITH INDICATOR SET	सेट			६९४.००
	32A D.P SWITCH WITH INDICATOR SET	सेट			८०३.००
८	GI METAL BOX RATES				
	GI METAL BOX 1/2 MODULE 3*3	सेट			१०३.००
	GI METAL BOX 3 MODULE 3*4	सेट			१२८.००
	GI METAL BOX 4 MODULE 3*5	सेट			१४१.००
	GI METAL BOX 6 MODULE 3*8	सेट			२१०.००
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट			२६७.००
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट			२६७.००
	GI METAL BOX 12/16 MODULE 6*8	सेट			४०५.००
	GI METAL BOX 18 MODULE 8*8	सेट			४६२.००
९	NON MODULAR SWITCHES LOCAL BRAND				
	16A MULTI POWER SOCKET	सेट			३२५.००
	16A POWER MULTI SOCKET + USB	सेट			८००.००
	16A DOUBLE MULTI POWER SOCKET	सेट			६६५.००
	2 GANG + SOCKET SWITCH	सेट			३२०.००
	4 GANG + SOCKET SWITCH	सेट			५२५.००
	6 GANG + SOCKET SWITCH	सेट			६४०.००
	1 GANG SWITCH	सेट			१३५.००
	2 GANG SWITCH	सेट			२००.००
	3 GANG SWITCH	सेट			२६७.००
	4 GANG SWITCH	सेट			३५०.००
	6 GANG SWITCH	सेट			५२५.००
	8 GANG SWITCH	सेट			६५५.००
	10 GANG SWITCH	सेट			८००.००
	DIMMER KNOB	सेट			४४५.००
	2 PIN SOCKET KNOB	सेट			१००.००
	2 WAY SWITCH KNOB	सेट			९४.००
	DOOR BELL KNOB	सेट			९४.००

[Handwritten Signature]



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट			१७५.००
	20A D.P SWITCH	सेट			४४५.००
	45A D.P SWITCH	सेट			६६०.००
	TV SOCKET	सेट			२०६.००
	TELEPHONE SOCKET	सेट			२०६.००
	RJ45 SOCKET KNOB	सेट			२९०.००
	TV+ TELEPHONE SOCKET	सेट			२७५.००
	1 GANG PLATE	सेट			९४.००
	2 GANG PLATE	सेट			९४.००
	3X3 WOODEN PLATE	सेट			१२५.००
	3X5 WOODEN PLATE	सेट			१६५.००
१०	LOCAL BRAND LIGHTS				
	3W CONCEAL PANEL LIGHT RD WHITE	गोटा			२८०.००
	3W CONCEAL PANEL LIGHT RD WW	गोटा			२८०.००
	6W CONCEAL PANEL LIGHT RD WHITE	गोटा			३७५.००
	6W CONCEAL PANEL LIGHT RD WW	गोटा			३७५.००
	12W CONCEAL PANEL LIGHT RD WHITE	गोटा			५५५.००
	9W CONCEAL PANEL LIGHT RD WHITE	गोटा			५३०.००
	6W CONCEAL PANEL LIGHT RD RGB+ WH	गोटा			७२०.००
	6W SURFACE PANEL LIGHT ROUND WHITE	गोटा			४५५.००
	12W SURFACE PANEL LIGHT ROUND WHITE	गोटा			६९०.००
	6+3W SURFACE PANEL LIGHT RD RGB+ WH	गोटा			८५५.००
	12W SURFACE PANEL LIGHT RD RGB+WH	गोटा			११४५.००
	48W 600*600 LED PANEL LIGHT	गोटा			४६३०.००
	5W COB SURFACE	गोटा			८९०.००
११	LOCAL BRAND BULBS				
	3W B22 WHITE	गोटा			१२०.००
	3W B22 WARM	गोटा			१३०.००
	5W B22 WHITE	गोटा			१४०.००
	5W B22 WARM	गोटा			१५०.००
	7W B22 WHITE	गोटा			१७०.००
	7W B22 WARM	गोटा			१८०.००
	9W B22 WHITE	गोटा			२०५.००
	12W B22 WHITE	गोटा			२४०.००
	12W B22 WARM	गोटा			२५०.००
	15W B22 WHITE	गोटा			३२०.००
	3W E27 WHITE	गोटा			१२०.००
	3W E27 WARM	गोटा			१३०.००
	5W E27 WHITE	गोटा			१४०.००
	5W E27 WARM	गोटा			१५०.००
	7W E27 WHITE	गोटा			१७०.००
	7W E27 WARM	गोटा			१८०.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	9W E27 WHITE	गोटा			२०५.००
	12W E27 WARM	गोटा			२४०.००
	12W E27 WHITE	गोटा			२५०.००
	15W E27 WHITE	गोटा			३२०.००
	18W B22 WHITE	गोटा			३६५.००
	24W B22 WHITE	गोटा			८५०.००
	40 W B22 WHITE	गोटा			११०५.००
	18W E27 WHITE	गोटा			३६५.००
	24W E27 WHITE	गोटा			८५०.००
	40 W E27 WHITE	गोटा			११०५.००
	5W E14 WHITE	गोटा			१७५.००
	5W E14 WARM	गोटा			१८५.००
	24W B22 WARM	गोटा			८७०.००
	4W E14 TAIL WARM	गोटा			२५०.००
	4W E14 NON TAIL WARM	गोटा			२३०.००
१२	WATER HEATER RATES				
	15 LTRS ABS WATER HEATER	सेट			२०१००.००
	25 LTRS ABS WATER HEATER	सेट			२२३००.००
	15 LTRS METAL WATER HEATER	सेट			१७९००.००
	25 LTRS METAL WATER HEATER	सेट			१९७००.००
	3 LTR ABS INSTANT	सेट			७५२५.००
	6 LTR GAS	सेट			११७२५.००
१३	White Plate series modular type(polycarbonate) SWITCH SOCKET (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	१००.००	१००.००	१००.००
	One Gang two way switch	सेट	११२.००	११२.००	११२.००
	One way bell switch	सेट	११२.००	११२.००	११२.००
	Two gang one way switch	सेट	१३३.००	१३३.००	१३३.००
	Two gang one way switch with one bell push	सेट	१४६.००	१४६.००	१४६.००
	Two gang Full two way switch	सेट	१५८.००	१५८.००	१५८.००
	Three Gang one way switch	सेट	१६७.००	१६७.००	१६७.००
	Four gang one way switch	सेट	२०२.००	२०२.००	२०२.००
	Six gang one way switch	सेट	३०७.००	३०७.००	३०७.००
	Eight gang one way switch	सेट	३७४.००	३७४.००	३७४.००
	Dimmer single 400 watt	सेट	४८६.००	४८६.००	४८६.००
	1 switch with dimmer	सेट	४९९.००	४९९.००	४९९.००
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	२६०.००	२६०.००	२६०.००
	6/13 Amp , Power sockets with switch , indicator	सेट	२६३.००	२६३.००	२६३.००
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	३५४.००	३५४.००	३५४.००
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	३९१.००	३९१.००	३९१.००
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४७४.००	४७४.००	४७४.००
	Blanking plate single	सेट	६२.००	६२.००	६२.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Telephone socket single	सेट	१५२.००	१५२.००	१५२.००
	Telephone socket Double	सेट	२४९.००	२४९.००	२४९.००
	T.V. antenna single Socket	सेट	१४२.००	१४२.००	१४२.००
	RJ 45 Computer Socket for modem	सेट	२०६.००	२०६.००	२०६.००
	CAT-6 Computer Socket for modem	सेट	३२९.००	३२९.००	३२९.००
१४	Modular Type Switch Socket set (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				०.००
	1P – 6A/10A 1 way switch	गोटा	१३९.००	१३९.००	१३९.००
	1P – 16A/20A 1 way switch	गोटा	२२३.००	२२३.००	२२३.००
	1P – 25A 1 way switch	गोटा	३२६.००	३२६.००	३२६.००
	1P – 6A/10A 2 way switch	गोटा	१६७.००	१६७.००	१६७.००
	1P – 16A/20A 2 way switch	गोटा	२५३.००	२५३.००	२५३.००
	1P – 6A push button	गोटा	१८४.००	१८४.००	१८४.००
	1 gang blanking module	गोटा	४३.००	४३.००	४३.००
	2 gang blanking module	गोटा	८६.००	८६.००	८६.००
१५	FAN REGULATOR / DIMMER				०.००
	Step type fan regulator	गोटा	६३८.००	६३८.००	६३८.००
	60 – 500 W dimmer	गोटा	७९७.००	७९७.००	७९७.००
	1000 W dimmer	गोटा	१५२४.००	१५२४.००	१५२४.००
१६	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	२४०.००	२४०.००	२४०.००
	6/16A twin socket 3 pin (flushed)	गोटा	३३२.००	३३२.००	३३२.००
	6/16A twin socket 3 pin (projected)	गोटा	३३२.००	३३२.००	३३२.००
	25A 3 pin socket	गोटा	४०९.००	४०९.००	४०९.००
	13A 3 pin socket	गोटा	२७०.००	२७०.००	२७०.००
	RJ 11 telephone jack	गोटा	१५९.००	१५९.००	१५९.००
	RJ 45 cat.6e computer socket	गोटा	५५७.००	५५७.००	५५७.००
	TV socket	गोटा	१६९.००	१६९.००	१६९.००
	HOSPITALITY RANGE				
	250V/110V shaver socket	गोटा	४३५५.००	४३५५.००	४३५५.००
	Indicator (DO NOT DISTUURB)	गोटा	१८०.००	१८०.००	१८०.००
	LED yellow night lamp	गोटा	५६०.००	५६०.००	५६०.००
	LED Blue night lamp	गोटा	५६०.००	५६०.००	५६०.००
१७	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा			
	1 module front plate	गोटा	७२.००	७२.००	७२.००
	2 module front plate	गोटा	७७.००	७७.००	७७.००
	3 module front plate	गोटा	८४.००	८४.००	८४.००
	4 module front plate	गोटा	८९.००	८९.००	८९.००
	6 module front plate	गोटा	१६२.००	१६२.००	१६२.००
	8 module front plate(4+4)	गोटा	२९७.००	२९७.००	२९७.००
	8 module front plate (Horizontal)	गोटा	१७४.००	१७४.००	१७४.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	12 module front plate	गोटा	२६०.००	२६०.००	२६०.००
	18 module front plate	गोटा	३५०.००	३५०.००	३५०.००
१८	Modular Type Switch Socket (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	गोटा	८७.००	८७.००	८७.००
	1P – 16A/20A 1 way switch	गोटा	१४४.००	१४४.००	१४४.००
	1P – 6A/10A 2 way switch	गोटा	१३४.००	१३४.००	१३४.००
	1P – 16A/20A 2 way switch	गोटा	१७५.००	१७५.००	१७५.००
	1P – 6A push button	गोटा	१३४.००	१३४.००	१३४.००
	1 gang blanking module	गोटा	४१.००	४१.००	४१.००
	2 gang blanking module	गोटा	७८.००	७८.००	७८.००
	Modular Switch, Sockets, Plates				
	6A SWITCH 1W 1 MODULE	गोटा			१५७.००
	6A SWITCH 2W 1 MODULE	गोटा			२७२.००
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा			२७८.००
	6A SWITCH 1W 1MODULE WITH LIGHT MARKING	गोटा			२६२.००
	6W SWITCH 1W 1 MODULE WITH FAN MARKING	गोटा			२६२.००
	10A SWITCH 1W 2 MODULE	गोटा			३३६.००
	10A SWITCH 2W 2 MODULE	गोटा			३९४.००
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा			२२२७.००
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा			४३२.००
	16A SWITCH 1W 1 MODULE	गोटा			३०४.००
	16A SWITCH 2W 1 MODULE	गोटा			३८७.००
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा			४०३.००
	20A SWITCH 1W 1 MODULE	गोटा			४६४.००
	20A DP SWITCH 1W 2 MODULE	गोटा			६७५.००
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा			६८५.००
	20A SWITCH 2W 2 MODULE	गोटा			७६८.००
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा			४८०.००
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा			९९८.००
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा			५०२.००
	MULTISTANDARD SOCKET 6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा			५१८.००
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा			३९७.००
	6/16 A SOCKET 3 MODULE	गोटा			६१८.००
	6/16 A SOCKET 2 MODULE	गोटा			५२५.००
	6/16A EURO SOCKET 2 MODULE	गोटा			५३४.००
	25A SOCKET 2 MODULE	गोटा			५२५.००
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा			९२८.००
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा			११९४.००
	LED SKIRTING LIGHT 3 MODULE	गोटा			७७४.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	BUZZER 230 V 1 MODULE	गोटा			१०२७.००
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा			५६१९.००
	REMOTE CONTROL HAND UNIT	गोटा			८७०.००
	16A KEY CARD SWITCH 2 MODULE	गोटा			४९७९.००
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा			५४४.००
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा			४५१.००
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा			३७८६.००
	TV COAXIAL SOCKET 1 MODULE	गोटा			२७८.००
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा			७३९.००
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा			१०३४.००
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा			२११२.००
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा			२५८२.००
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा			२५८२.००
	VOLUME CONTROLLER 2 MODULE	गोटा			१६६४.००
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा			१४८५.००
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा			३८६६.००
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा			१८६२.००
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा			४४५८.००
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा			४९१२.००
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा			७३६०.००
	ROTARY LED DIMMER 50 W	गोटा			३७८६.००
	CABLE OUTLET 8 mm 1 MODULE	गोटा			२५९.००
	BLANKING PLATE 1 MODULE	गोटा			६१.००
	PLATE + FRAME 1M	गोटा			२१८.००
	PLATE + FRAME 2M	गोटा			२१८.००
	PLATE + FRAME 3M	गोटा			२९४.००
	PLATE + FRAME 4M	गोटा			३०७.००
	PLATE + FRAME 6M	गोटा			३९०.००
	PLATE + FRAME 8M(H)	गोटा			५२५.००
	PLATE + FRAME 2 X 4 M	गोटा			५२५.००
	PLATE + FRAME 12M	गोटा			७३६.००
	PLATE + FRAME 16M	गोटा			८४५.००
	PLATE + FRAME 18M	गोटा			११५८.००
१९	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	७००.००	७००.००	७००.००
	60 - 500 W dimmer	गोटा	५९७.००	५९७.००	५९७.००
	FAN STEP REGULATOR 100W 1 MODULE	गोटा			८५८.००
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा			१०५०.००
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा			१२००.००
	FAN STEP REGULATOR 70W 2 MODULE	गोटा			११५८.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
२०	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	१८५.००	१८५.००	१८५.००
	6/16A twin socket 3 pin (flushed)	गोटा	२८८.००	२८८.००	२८८.००
	6/16A twin socket 3 pin (projected)	गोटा	२८८.००	२८८.००	२८८.००
	13A 3 pin socket	गोटा	१८५.००	१८५.००	१८५.००
	RJ 11 telephone jack	गोटा	१४४.००	१४४.००	१४४.००
	RJ 45 cat.6e computer socket	गोटा	२३७.००	२३७.००	२३७.००
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा			२६६.००
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा			४५४.००
२१	TV socket	गोटा	१४४.००	१४४.००	१४४.००
	1 module front plate	गोटा	११३.००	११३.००	११३.००
	2 module front plate	गोटा	११३.००	११३.००	११३.००
	3 module front plate	गोटा	१४८.००	१४८.००	१४८.००
	4 module front plate	गोटा	१६५.००	१६५.००	१६५.००
	6 module front plate	गोटा	२२७.००	२२७.००	२२७.००
	8 module front plate(4+4)	गोटा	३०५.००	३०५.००	३०५.००
	8 module front plate (Horizontal)	गोटा	३१३.००	३१३.००	३१३.००
	12 module front plate	गोटा	३६३.००	३६३.००	३६३.००
	18 module front plate	गोटा	४५३.००	४५३.००	४५३.००
२२	Flush mounting galvanized Metal box for modular type switch & socket-(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५२.००	५२.००	५२.००
	2 module " " = (78x78x45)mm	सेट	५२.००	५२.००	५२.००
	3 gang " " " =(78x100x45)mm	सेट	५६.००	५६.००	५६.००
	4 gang " " " =(78x140x50)mm	सेट	६८.००	६८.००	६८.००
	5 gang " " " =(78x205x50)mm	सेट	१३४.००	१३४.००	१३४.००
	6 gang " " " =(78x205x50)mm	सेट	१३६.००	१३६.००	१३६.००
	8 module metal box (4+4) =(78x230x60)mm	सेट	१८१.००	१८१.००	१८१.००
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	१८१.००	१८१.००	१८१.००
	12 module metal box =(135x120x60)mm	सेट	२३१.००	२३१.००	२३१.००
	TV socket metal box	सेट	५२.००	५२.००	५२.००
	Telephone socket metal box	सेट	५२.००	५२.००	५२.००
२३	METAL Junction BOX				
	4"×4"	सेट	१००.००	१००.००	१००.००
	4"×6"	सेट	१५०.००	१५०.००	१५०.००
	6"×8"	सेट	२३७.००	२३७.००	२३७.००
	8"×10"	सेट	३४९.००	३४९.००	३४९.००
	8"×12"	सेट	३४९.००	३४९.००	३४९.००
२४	PVC Junction Box	सेट	३४.००	३४.००	३४.००
	4"×4"	सेट			
	4"×6"	सेट	३१.००	३१.००	३१.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	6"×8"	सेट	४६.००	४६.००	४६.००
	8"×10"	सेट	६७.००	६७.००	६७.००
	8" x12"	सेट	१२९.००	१२९.००	१२९.००
	PVC Junction box cover	सेट	१४४.००	१४४.००	१४४.००
२५	Junction Box				
	The Junction Box shall be insulated and made out of Polypropylene or polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are certified in accordance with the new international standard IEC 60670-22. Burning behavior: glow wire test in accordance with IEC 60695-2-11: 750 deg. Cent. Flame retardant and self-extinguishing. The JB should have rear side cable entry possibility, quarter turn polycarbonate screws for quick opening and closing, multi-level metric knockouts for cable glands in different sizes, external brackets for wall fixing. Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 07 (2 Joule).				
	Dimensions (mm)				
	93 x 93 x 62	सेट			९७४.४०
	104 x 104 x 70	सेट			१०१९.२०
	104 x 104 x 70	सेट			११०८.८०
	130 x 130 x 77	सेट			१८१४.४०
	130 x 130 x 77	सेट			२१९५.२०
	130 x 180 x 77	सेट			२५४२.४०
	130 x 180 x 77	सेट			२८६७.२०
	155 x 210 x 92	सेट			४४१२.८०
	155 x 210 x 92	सेट			५४८८.००
	205 x 255 x 112	सेट			२८७०५.६०
	225 x 295 x 122	सेट			२५५५८.४०
	255 x 355 x 122	सेट			८४६७.२०
	255 x 355 x 122	सेट			२९८८१.६०
	The Junction Box shall be insulated and made out of PC-GFS Polycarbonate. JB shall be environment friendly, recyclable, weatherproof (UV due to solar radiation, protected against rain water, temperature resistant) , halogen & silicon free, anti-acid & anti corrosive. The JB shall be rated for Degree of Ingress Protection IP 66/IP67/IP69 in accordance with IEC 60529. The gasket material shall be Polyurethane and the gasket shall be internally embedded. The JB's are VDE approved, DNV GL-certificate NO-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. The Polycarbonate enclosures shall be fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 09(10Jule).				
	Dimensions(mm)				
	93 x 93 x 62	सेट			१३६६.४०
	104 x 104 x 70	सेट			१६१२.८०
	104 x 104 x 70	सेट			१६८०.००
	130 x 130 x 77	सेट			२१९५.२०
	130 x 130 x 77	सेट			३०५७.६०
	130 x 180 x 77	सेट			३५७२.८०
	130 x 180 x 77	सेट			३९२०.००
	155 x 210 x 92	सेट			४५५८.४०
	155 x 210 x 92	सेट			५१०७.२०
	205 x 255 x 112	सेट			२७४२८.८०
	225 x 295 x 122	सेट			२८८१७.६०



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	255 x 355 x 122	सेट			८०१९.२०
	<p>IP 68 Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for outdoor installation and use in harsh environmental conditions with risk of condensation and ingress of water. The junction box shall also be suitable for installation in the ground (underground – buried applications) without traffic loads. The sealing of the cable junction boxes shall be made with a sealing compound which should prevent the ingress of water and formation of condensation completely. There should be a provision to test/ measure continuity and power through the sealing compound via probes after removing the lid. The sealing compound shall be insulated & made of resin which shall be suitable as per the volume of the junction box supplied. In case of re-installation or testing, the sealing compound shall be removed easily. The installation under water, if required, shall be upto a depth of 1 meter without chemical additives. The sealing compound shall have a durability to processing of 12 months with a storage temperature of 35 deg C (max). The junction box shall fulfill the following standards: IEC 60670-22 : Particular requirements for connecting boxes and enclosures. IEC 60695 – 2 – 11 : Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. IEC 60529 : IP 68 degree of protection. DIN VDE V 0606 – 22 – 100 : Cable junction boxes for encapsulating</p>				
	Dimensions(mm)				
	93 x 93 x 62	सेट			९६४३.२०
	104 x 104 x 70	सेट			११५८०.८०
	104 x 104 x 70	सेट			११६९२.८०
	130 x 130 x 77	सेट			१५००८.००
	130 x 130 x 77	सेट			१५४५६.००
	130 x 180 x 77	सेट			१८३९०.४०
	130 x 180 x 77	सेट			१९६२२.४०
	<p>ISO-FILL BRW two components Gel, suitable for Low voltage. The Gel is halogen & silicon free, having self life of 2 years. Gel should be re-enterable cold curing 2-component non-urethane encapsulating type. The gel can also be used in telecommunication & sealing of electronic parts especially where no mechanical stress is allowed (even at very low temperature, i.e < -50°C). The Gel should have dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time).</p>				
	Volume(ml)				
	350 ml				८७२४.८०
	500 ml				१०५०५.६०
	850 ml				१३९३२.८०
	1200 ml				१६०८३.२०
	2000 ml				१४४०३.२०
	5000 ml				३२५४७.२०
	10000 ml				६३६३८.४०
	<p>Supply, installation and testing of Dew Guard (Passive Solution for Condensation) for preventing condensation in panels and DB's. The Dew Guard shall be made from thin sheet made from synthetic rubber and a super absorbent polymer and covered by a non-woven fabric. The polymer shall absorbs excess moisture to ensure that the relative humidity inside and enclosure remains between 60-70%. The dew guard shall work between a large temperature range of -30 deg C to +90 deg C and shall be halogen silicon free. It shall be Environment friendly and can be disposed of in regular trash.</p>				
	Dimensions(mm)				
	50 x 75	सेट			५८२.४०
	75 x 100	सेट			१०७५.२०
	100 x 150	सेट			२०७२.००
	150 x 150	सेट			३०८०.००
	<p>Combinable enclosure system for self-assembly of distribution boards for load upto 250 A,intended to be operated by ordinary persons according to IEC 61439-3 Distribution board should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 (5 Joule) in accordance with IEC 62262. Highly adaptable and well suited to harsh conditions in industrial applications. DEGREE OF INGRESS PROTECTION IP 66 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane.The DB should passed glow wire test 960oC in accordance with 60695-2-11[flame retardant and self-extinguishing]</p>				



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Dimensions(mm)				
	276 x 186 x 186	सेट			११३९०.४०
	276 x 366 x 186	सेट			१४८२८.८०
	276 x 546 x 186	सेट			१९६२२.४०
	366 x 546 x 186	सेट			२१७२८.००
	Thermoplastics PS Polystyrene MCB DB in accordance with IEC 60670-24, should be IP65 protected in accordance with IEC 60529, corrosion proof, suitable for 1-54 MCB modules with new FIXCONNECT plug-in terminal technology for PE/N ,captive lid screws made of stainless steel V2A, internally embedded polyurethane gasket for lid and enclosures, metric knockouts/elastic membranes for cable entry from top and bottom and possibility to attach similar DB on either side. DB should be able to adapt any make of MCB or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035. The impact strength of polycarbonate enclosures i.e. the Degree of Protection against Mechanical load shall be in accordance with EN 50298-98 for IK 08(5Joule).				
	No. of Modules (1 Module= 1 SP MCB)				
	3 Modules	सेट			३७९६.८०
	4 Modules	सेट			४७९३.६०
	6 Modules	सेट			५४८८.००
	9 Modules	सेट			६८५४.४०
	12 Modules	सेट			११३५६.८०
	18 Modules	सेट			१३५६३.२०
	24 Modules	सेट			१६१२८.००
	2 row 36 Modules	सेट			२०८३२.००
	3 row 36 Modules	सेट			२०२३८.४०
	4 row 48 Modules	सेट			२६३४२.४०
	3 row 54 Modules	सेट			२९१९८.४०
	Thermoplastics polycarbonate hinged door meter box in accordance with IEC 60670-24, should be IP66 protected in accordance with IEC 60529, corrosion proof, suitable for single phase energy meter, internally embedded polyurethane gasket for lid , metric size knock outs for cable entry from top and bottom . Meter box should be able to adapt any make of Meter or din mountable equipment and tested as per as IEC 60439-3 , fit for the new standard IEC 60 364-4-41; It is tested at 750C glow wire test according to IEC 60 695-2-11, flame retardant, self-extinguishing. Colour grey,RAL 7035.				
	Dimensions(mm)				
	136 x 253 x 115	सेट			४०३२.००
	168 x 253 x 115	सेट			४२३३.६०
	217 x 253 x 115	सेट			४५४७.२०
	300 x 150 x 170	सेट			५५७७.६०
	300 x 300 x 170	सेट			८८३६.८०
	300 x 450 x 170	सेट			१०४७२.००
	300 x 600 x 170	सेट			१२८५७.६०
	The board/panel shall be made of modular POLYCARBONATE THERMOPLASTIC ENCLOSURES which should be UV resistance in accordance with IEC 61439-1, clause 10.2.4:The panel should be anti-acid & anti corrosive. Degree of protection against mechanical load should be IK08 (5 Joule), in accordance with IEC 62262. The manufacturer of board/panel shall submit a copy of CPRI TEST REPORT OF DEGREE OF INGRESS PROTECTION IP 65/ IP54 IN ACCORDANCE WITH IEC 60529. The gasket should be internally embedded made of polyurethane. The manufacturer of board / panel SHALL submit a copy of TYPE TEST REPORT of a board made out of Polycarbonate thermoplastic panel in accordance with IEC 60439-1. The CPRI report shall have mention of following tests performed and passed out satisfactorily:				
	Dimensions(mm)				
	300 x 150 x 170	सेट			६६७५.२०
	300 x 300 x 170	सेट			९६३२.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	300 x 450 x 170	सेट			१२६७८.४०
	300 x 600 x 170	सेट			१५७२४.८०
	450 x 600 x 170	सेट			२७५९६.८०
	600 x 600 x 170	सेट			३४८०९.६०
	300 x 300 x 214	सेट			१०३४८.८०
	300 x 450 x 214	सेट			१३७७६.००
	300 x 600 x 214	सेट			१७९९२.००
	300 x 300 x 180	सेट			१११७७.६०
IP 68 Cable Glands Made from Polyamide Material					
Metric Thread					
	M 12 x 1.5	सेट			७३.९२
	M 16 x 1.5	सेट			७६.१६
	M 20 x 1.5	सेट			१०३.०४
	M 25 x 1.5	सेट			१७९.२०
	M 32 x 1.5	सेट			२४४.१६
	M 40 x 1.5	सेट			५०८.४८
	M 50 x 1.5	सेट			७८८.४८
	M 63 x 1.5	सेट			१२३४.२४
Locknuts for IP 68 Cable Glands Made from Polyamide Material					
Metric Thread					
	M 12 x 1.5	सेट			१७.९२
	M 16 x 1.5	सेट			१७.९२
	M 20 x 1.5	सेट			२२.४०
	M 25 x 1.5	सेट			३५.८४
	M 32 x 1.5	सेट			४७.०४
	M 40 x 1.5	सेट			७८.४०
	M 50 x 1.5	सेट			१७६.९६
	M 63 x 1.5	सेट			२४४.१६
IP67 CEE Type Insulated Plug & Socket, made of high quality Polyamide P-6 body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.					
Amp and No.of Pin					
	16/20 Amp 3 Pin Socket	सेट			३६८४.८०
	16/20 Amp 4 Pin Socket	सेट			४०४३.२०
	16/20 Amp 5 Pin Socket	सेट			४०४३.२०
	32 Amp 3 Pin Socket	सेट			४१८८.८०
	32 Amp 4 Pin Socket	सेट			४७०४.००
	32 Amp 5 Pin Socket	सेट			४७०४.००
	63 Amp 3 Pin Socket	सेट			१०७५.२०
	63 Amp 4 Pin Socket	सेट			९८००.००
	63 Amp 5 Pin Socket	सेट			९८००.००
Amp and No.of Pin					
	16/20 Amp 3 Pin Plug	सेट			१८५९.२०



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	16/20 Amp 4 Pin Plug	सेट			२५९८.४०
	16/20 Amp 5 Pin Plug	सेट			२९७२.८०
	32 Amp 3 Pin Plug	सेट			३२०३.२०
	32 Amp 4 Pin Plug	सेट			३२७०.४०
	32 Amp 5 Pin Plug	सेट			२६७६.८०
	63 Amp 3 Pin Plug	सेट			९६६५.६०
	63 Amp 4 Pin Plug	सेट			७७५०.४०
	63 Amp 5 Pin Plug	सेट			६७८७.२०
	IP 66 Degree of Protection, Waterproof Wall Sockets with Din Channels made of Thermoplastic Polycarbonate body (shock proof, rust free, corrosion free, acid and chemical resistant, fire retardant, having high impact, made of halogen and silica free recyclable material) & terminals Contact Solid high-quality turned contacts made of copper alloy (Brass). All steel components (screws, springs etc) are Zinc plated & blue-chromed or nickel plated. For each contact double screws should available to give better cable strain relief.				
	Amp and No.of Pin				
	16/20 Amp 3 Pin	सेट			६६९९.२०
	16/20 Amp 4 Pin	सेट			६९४४.००
	16/20 Amp 5 Pin	सेट			६८७६.८०
	32 Amp 3 Pin	सेट			७८४०.००
	32 Amp 4 Pin	सेट			७७२८.००
	32 Amp 5 Pin	सेट			७७२८.००
	IP 44 made of special hard synthetic rubber, UV & Chemical resistant, insulated & sock proof, suitable for cable assemblies upto 6 sqmm, suitable to accommodate upto 32A 5pin CEE Sockets and having sturdy and lightweight handle, handle for easy rotation, can be equipped with RCCB/MCBs and tined transparent cover easy access to breakers, trolley arrangement for easy transportation. The cable drum shall be used for construction sites / shut down / maintenance and therefore shall be intended for use in both indoors and outdoors, i.e. temporary places of work to which the public do not generally have access and where building construction, installation, repairs, alteration or demolition of property (buildings) or civil engineering (public works) or excavation or any other similar operations are carried out. The complete unit shall be portable / transportable (semi-fixed) or mobile assemblies with enclosure. The assembly shall conform to IEC 604139 - 4; while the sockets shall conform to IEC 60309 - 1 for general requirements & IEC 60309 -2 for requirements of Earth Pin Position. IEC 60309-2 connectors shall be so designed that a plug of one type can only be inserted into a socket of the same type.				
	Dimension (mm dia)				
	Empty Cable Drum 235 mm dia	सेट			९०६५९.२०
	Empty Cable Drum 310 mm dia	सेट			९६५२०.००
	Empty Cable Drum 380 mm dia	सेट			३६७८०.८०
	Empty Cable Drum 450 mm dia	सेट			४२७९६.८०
२६	PVC Listy Double Lock { 6'length =1 no.(गोटा)}				
	½ " breadth	सेट	३९.००	३९.००	३९.००
	¾"	सेट	४६.००	४६.००	४६.००
	1"	सेट	६७.००	६७.००	६७.००
	1 ^{1/2} "	सेट	९२९.००	९२९.००	९२९.००
	2"	सेट	९४४.००	९४४.००	९४४.००
२७	PVC Conduit Pipe				
	1) ½ " diameter	र.मी	३९.००	३९.००	३९.००
	2) ¾"	र.मी	४६.००	४६.००	४६.००
	3) 1"	र.मी	६७.००	६७.००	६७.००
२८	Listy Pipe Accessories				
	½"-2" size Saddle	र.मी	८.००	८.००	८.००
	Grips (Denmark)	गोटा	६.००	६.००	६.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Steel screws	गोटा	२.००	२.००	२.००
	PVC Tape	गोटा	१५.००	१५.००	१५.००
२९	Distribution board (DB) - With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632, Powder coated 14SWG CRCA sheet steel housing complete.				
	4 way SPN DB Double Cover	सेट	१०८२.००	१०८२.००	१०८२.००
	6 way SPN DB " "	सेट	११३५.००	११३५.००	११३५.००
	8 way SPN DB " "	सेट	१४१६.००	१४१६.००	१४१६.००
	12 way SPN DB " "	सेट	१६७९.००	१६७९.००	१६७९.००
	16 way SPN DB " "	सेट	१७९५.००	१७९५.००	१७९५.००
	3-4 way TPN DB Double Cover	सेट	२६६८.००	२६६८.००	२६६८.००
	6 way TPN " " "	सेट	२९९८.००	२९९८.००	२९९८.००
	8 way TPN " " " Vertical	सेट	५७९९.००	५७९९.००	५७९९.००
	12 way TPN " " " Vertical	सेट	७७२७.००	७७२७.००	७७२७.००
	50 Pair Telephone D.B.with crown tag	सेट	५४४६.००	५४४६.००	५४४६.००
	PVC Box for MCB				
	1-pole PVC box GPS	सेट	८१.००	८१.००	८१.००
	2- pole PVC " "	सेट	८१.००	८१.००	८१.००
	3 and 4-pole PVC " "	सेट	१३०.००	१३०.००	१३०.००
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट			३००२.००
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट			३७०६.००
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट			४४५४.००
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट			५६५१.००
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट			५७७९.००
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट			७०११.००
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट			२२५६.००
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट			२७५२.००
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट			३२५४.००
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट			३९७४.००
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट			७३३४.००
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट			९१३३.००
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट			१०९५४.००
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट			१६४०६.००
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट			२०३३९.००
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट			२८४७४.००
	2 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			९३९८.००
	3 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			११२८६.००
	4 ROW OF 14M FLEXY DB (DOUBLE DOOR)	सेट			१२२९४.००
	3 ROW OF 14M FLEXY DB +MCCB (DOUBLE DOOR)	सेट			१२२९१.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	4WAY DPX3 160+12 VTPN DB'S (DOUBLE DOOR)	सेट			२२००३.००
	6WAY DPX3 160+18 VTPN DB'S (DOUBLE DOOR)	सेट			२४९९८.००
	8WAY DPX3 160+24 VTPN DB'S (DOUBLE DOOR)	सेट			२७५१४.००
	12WAY DPX3 160+36 VTPN DB'S (DOUBLE DOOR)	सेट			३७५१०.००
	4WAY DPX3 160+12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			२६४१३.००
	4WAY DPX3 160+12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			३०२३४.००
	4WAY DPX3 160+12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			३४९५७.००
	4WAY DPX3 160+12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट			३९४२७.००
	DPX3 160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट			६५२८.००
	DPX3 250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट			११५९४.००
	DRX100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट			३४८८.००
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट			११६२.००
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट			११६२.००
३०	Miniature Circuits Breaker (MCB) , (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Single Pole				
	6-32 amp MCB SP (single pole)	गोटा	२०६.००	२०६.००	२०६.००
	40A SP 10 KA MCB	गोटा			७४९.००
	63A SP 10 KA MCB	गोटा			८१७.००
	Double Pole				
	6-32 amp MCB DP (Double pole)	गोटा	१०३०.००	१०३०.००	१०२०.००
	40A DP 10 KA MCB	गोटा			१६००.००
	63A DP 10 KA MCB	गोटा			१८००.००
	Three Pole				
	6-32 amp MCB TP (Triple pole)	गोटा	१७१०.००	१७१०.००	१६७०.००
	40A TP 10 KA MCB	गोटा			२४५०.००
	63A TP 10 KA MCB	गोटा			२५९०.००
	Four Pole				
	10-32 amp MCB FP (Four pole)	गोटा			२१४०.००
	40A FP 10 KA MCB	गोटा			३१३०.००
	63A FP 10 KA MCB	गोटा			३२००.००
३१	Miniature Circuits Breaker (MCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	0.5-5 amp MCB SP (single pole)	गोटा	२५८.००	२५८.००	२५८.००
	6-32 amp MCB SP (single pole)	गोटा	१६५.००	१६५.००	१६५.००
	6-32 amp MCB DP (Double pole)	गोटा	६१८.००	६१८.००	६१८.००
	6-32 amp MCB TP (Triple pole)	गोटा	१२३६.००	१२३६.००	१२३६.००
	32 amp MCB TPN	गोटा	१४९४.००	१४९४.००	१४९४.००
	40-63 amp MCB DP	गोटा	९७९.००	९७९.००	९७९.००
	40-63 amp MCB TP	गोटा	१३९१.००	१३९१.००	१३९१.००
	40-63 amp MCB TPN	गोटा	१८५४.००	१८५४.००	१८५४.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
३२	Residual Current Circuit Breaker (RCCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	२७५९.००	२७५९.००	२७५९.००
	25A 100mA 2 POLE RCCB	गोटा			३७२५.००
	25A 300mA DP RCCB	गोटा			३७२५.००
	40A30mA DP RCCB	गोटा			४०२५.००
	40A 100mA DP RCCB	गोटा			४२६०.००
	40A 300mA DP RCCB	गोटा			४२६०.००
	63A 30mA DP RCCB	गोटा			५०९५.००
	63A 300mA DP RCCB	गोटा			५९४०.००
	Four Pole				
	25A30mA Four Pole RCCB	गोटा			४७९०.००
	25A 100mA Four Pole RCCB	गोटा			४८८०.००
	25A 300mA Four Pole RCCB	गोटा			४८८०.००
	40A 30mA Four Pole RCCB	गोटा			४७३०.००
	40A 100mA Four Pole RCCB	गोटा			४९५५.००
	40A 300mA Four Pole RCCB	गोटा			४९५५.००
	63A 30mA Four Pole RCCB	गोटा			५४२५.००
	63A 100mA Four Pole RCCB	गोटा			५६९५.००
	63A 300mA Four Pole RCCB	गोटा			५६९५.००
	100A 300mA Four Pole RCCB	गोटा			९५५०.००
३३	Moulded Case Circuit Breaker (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	16A-63A 3P MCCB 10 KA FTFM	गोटा			३३८५.००
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा			३९४०.००
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा			३९४०.००
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा			५५८५.००
	125A 3P MCCB 18 KA TM 9 PIN	गोटा			९२२००.००
	20A-63A 3P MCCB 25 KA	गोटा			९२३०.००
	80A 3P MCCB 25 KA	गोटा			९६८०.००
	100A 3P MCCB 25 KA	गोटा			९६८०.००
	125A 3P MCCB 25 KA	गोटा			९३९४०.००
	160A 3P MCCB 25 KA	गोटा			२०२००.००
	200A 3P MCCB 25 KA	गोटा			२७५००.००
	250A 3P MCCB 25 KA	गोटा			२९३८०.००
	125A 3P MCCB 36 KA	गोटा			९८९६५.००
	160A 3P MCCB 36 KA	गोटा			२४९४५.००
	200A 3P MCCB 36 KA	गोटा			२८७९०.००
	250A 3P MCCB 36 KA	गोटा			३२३९०.००
	320A 3P MCCB 36 KA	गोटा			३७४७५.००
	400A 3P MCCB 36 KA	गोटा			३७५०८.००



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	500A 3P MCCB 36 KA	गोटा			४३३१०.००
	630A 3P MCCB 36 KA	गोटा			४९१००.००
	125A 3P MCCB 50 KA	गोटा			२३५७०.००
	160A 3P MCCB 50 KA	गोटा			२९६७५.००
	200A 3P MCCB 50 KA	गोटा			२७९३०.००
	250A 3P MCCB 50 KA	गोटा			३०७३२.००
	320A 3P MCCB 50 KA	गोटा			३५९६१.००
	400A 3P MCCB 50 KA	गोटा			३६०८०.००
	500A 3P MCCB 50 KA	गोटा			४२८६०.००
	630A 3P MCCB 50 KA	गोटा			५५५००.००
	800A 3P MCCB 50 KA	गोटा			८६१३०.००
	1000A 3P MCCB 50 KA	गोटा			१३६६३७.००
	1250A 3P MCCB 50 KA	गोटा			१६७१८५.००
	20A 4P MCCB 25 KA	गोटा			१२९०५.००
	25A 4P MCCB 25 KA	गोटा			१२९०५.००
	32A 4P MCCB 25 KA	गोटा			१२९०५.००
	40A 4P MCCB 25 KA	गोटा			१२९०५.००
	50A 4P MCCB 25 KA	गोटा			१५४३५.००
	80A 4P MCCB 25 KA	गोटा			१५४३५.००
	100A 4P MCCB 25 KA	गोटा			१५७३५.००
	125A 4P MCCB 25 KA	गोटा			१९५२०.००
	160A 4P MCCB 25 KA	गोटा			२५०५०.००
	200A 4P MCCB 25 KA	गोटा			३४९५०.००
	250A 4P MCCB 25 KA	गोटा			३६८४५.००
	125A 4P MCCB 36 KA	गोटा			२२५५५.००
	160A 4P MCCB 36 KA	गोटा			२८६८०.००
	200A 4P MCCB 36 KA	गोटा			३५३२०.००
	250A 4P MCCB 36 KA	गोटा			३९४७०.००
	320A 4P MCCB 36 KA	गोटा			४६८००.००
	400A 4P MCCB 36 KA	गोटा			४७५७५.००
	500A 4P MCCB 36 KA	गोटा			५९०१५.००
	630A 4P MCCB 36 KA	गोटा			६५४००.००
	125A 4P MCCB 50 KA	गोटा			२६४३०.००
	200A 4P MCCB 50 KA	गोटा			३४९१५.००
	250A 4P MCCB 50 KA	गोटा			३७७०४.००
	320A 4P MCCB 50 KA	गोटा			४४४४२.००
	400A 4P MCCB 50 KA	गोटा			४५०५७.००
	500A 4P MCCB 50 KA	गोटा			५४१२४.००
	600A 4P MCCB 50 KA	गोटा			५७६९८.००
	800A 4P MCCB 50 KA	गोटा			९८२००.००
	1000A 4P MCCB 50 KA	गोटा			१९०४१५.००
	1250A 4P MCCB 50 KA	गोटा			२४०५००.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
३४	Manual Change over Panel Type - (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	63 Amp FP	गोटा	११६१८.००	११६१८.००	११६१८.००
	80 Amp FP	गोटा	१२८५४.००	१२८५४.००	१२८५४.००
	100 Amp FP	गोटा	१८२१०.००	१८२१०.००	१८२१०.००
	125 Amp FP	गोटा	१९१९९.००	१९१९९.००	१९१९९.००
	160 Amp FP	गोटा	२५२१४.००	२५२१४.००	२५२१४.००
	200 Amp FP	गोटा	२६०३८.००	२६०३८.००	२६०३८.००
	250 Amp FP	गोटा	२७६८६.००	२७६८६.००	२७६८६.००
	315 Amp FP	गोटा	३५०२०.००	३५०२०.००	३५०२०.००
	OPEN EXECUTION				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा			९६००.००
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा			१२६५५.००
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	गोटा			१९२४५.००
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	गोटा			२०८००.००
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	गोटा			२५२६०.००
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	गोटा			३७६६५.००
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	गोटा			३९१४०.००
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	गोटा			५७६९०.००
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	गोटा			६८०००.००
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	गोटा			९८५००.००
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	गोटा			१७६५००.००
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा			२३४५००.००
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा			२७७५००.००
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा			३७७९००.००
	Sheet Steel Enclosure				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा			१३९३५.००
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा			१७७७५.००
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा			२५९००.००
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा			२८९१०.००
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा			३३४३०.००
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा			४७२५५.००
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा			४९५३०.००
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा			७२१८०.००
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा			८६०००.००
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा			१२९९९०.००
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा			२२८५००.००
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा			२८५०.००
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा			२८५०.००
	20W DOOM LIGHT LIPER RD 2700K	गोटा			१७५०.००
	20W DOOM LIGHT LIPER RD 6500K	गोटा			१७५०.००
	30W DOOM LIGHT LIPER RD 2700K	गोटा			२२००.००
	30W DOOM LIGHT LIPER RD 6500K	गोटा			२२००.००
	20W BALLKIT 6500K	गोटा			१८५०.००
३५	Dome light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	6" Milky type decorative dome light	सेट	१८०.००	१८०.००	१८०.००
	6 " Brass base decorative dome light	सेट	७३६.००	७३६.००	७३६.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	8"Milky type decorative dome light	सेट	२२७.००	२२७.००	२२७.००
	8 " Brass base decorative dome light	सेट	८७६.००	८७६.००	८७६.००
	8" Silver cast Milky base Decorative Dome Light	सेट	११०७.००	११०७.००	११०७.००
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	५६७.००	५६७.००	५६७.००
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W/13W/18W including CFL (Surface Mounting Dome light)	सेट	१२१३.००	१२१३.००	१२१३.००
३६	Wall bracket/spout light/mirror light bulk head ordinary (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)	सेट	२३२.००	२३२.००	२३२.००
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	३६१.००	३६१.००	३६१.००
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	८२४.००	८२४.००	८२४.००
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set	सेट	९६८.००	९६८.००	९६८.००
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	सेट	१५१४.००	१५१४.००	१५१४.००
	Dining lamp.	सेट	१७००.००	१७००.००	१७००.००
	Chandlers 6-8 lamp Medium	सेट	१५०९०.००	१५०९०.००	१५०९०.००
	Chandlers 3-5 lamp Medium	सेट	१०७६४.००	१०७६४.००	१०७६४.००
	Mirror Light Euro Light	सेट	४६४.००	४६४.००	४६४.००
	Picture light Euro Light POO2	सेट	६७०.००	६७०.००	६७०.००
	Wall spot Light E27 60W Euro or eqv.	सेट	३६१.००	३६१.००	३६१.००
	Exit Light safety sign(8.24)W	सेट	८२४.००	८२४.००	८२४.००
३७	Post top Lanterns				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	२५७५.००	२५७५.००	२५७५.००
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३०९०.००	३०९०.००	३०९०.००
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	३४७६.००	३४७६.००	३४७६.००
	8" Globe type Post top Lamp complete set	सेट	१४१६.००	१४१६.००	१४१६.००
	10" Globe type Post top Lamp complete set	सेट	२७०४.००	२७०४.००	२७०४.००
३८	Roadway light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	30W STREET LIGHT SENSOR	सेट			५५००.००
	50W STREET LIGHT SENSOR	सेट			६५००.००
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	सेट	२६३७.००	२६३७.००	२६३७.००
	2 x 36 W FTL street light fixture with acrylic diffuser complet set	सेट	३८६८.००	३८६८.००	३८६८.००
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	सेट	१५४५.००	१५४५.००	१५४५.००
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	३०९०.००	३०९०.००	३०९०.००
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	९२७०.००	९२७०.००	९२७०.००
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	१०८१.५०	१०८१.५०	१०८१.५०
	Single Piece deep drawn aluminum POT optics road light luminaries with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	सेट	५२५३.००	५२५३.००	५२५३.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१.००	२२७१.००	२२७१.००
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	५११९.००	५११९.००	५११९.००
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	५६८६.००	५६८६.००	५६८६.००
३९	TABLE FAN, CEILING FANS & EXHAUST Fans, (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	36" size ceiling Fan	गोटा	२१६३.००	२१६३.००	२१६३.००
	42" size " "	गोटा	२२६६.००	२२६६.००	२२६६.००
	48" size " "	गोटा	२३१८.००	२३१८.००	२०६०.००
	56" size " "	गोटा	२५७५.००	२५७५.००	२५७५.००
	6" Exhaust Fan	गोटा	१४९४.००	१४९४.००	१४९४.००
	8" EXHAUST FAN PLASTIC WHITE	गोटा			१९००.००
	9" Exhaust Fan	गोटा	१८०३.००	१८०३.००	२२६५.००
	10" EXHAUST FAN PLASTIC WHITE	गोटा			२०६०.००
	16" size wall fan	गोटा	२८३३.००	२८३३.००	२८३३.००
	12" size exhaust fan	गोटा	२५७५.००	२५७५.००	२६२०.००
	16" TABLE FAN	गोटा			२६३०.००
	18" TABLE FAN GOLD	गोटा			२८८५.००
	16" WALL FAN	गोटा			२२३५.००
	18" STAND FAN GOLD	गोटा			३३००.००
	16" STAND FAN	गोटा			२६६०.००
	16" STAND FAN 3 BLADES	गोटा			२२७५.००
	18" WALL FAN REMOTE	गोटा			३१६०.००
	Decorative Fans				
	48"Ceiling Fan -Zypher	गोटा			५२००.००
	48" Ceiling Fan - Clover	गोटा			४२५०.००
	48"Ceiling Fan -Max Air Deco	गोटा			३४२५.००
	48"Ceiling Fan -Max Air Deco	गोटा			३४२५.००
	48" Ceiling Fan - Max Air Deco -Metallic	गोटा			३७५०.००
	48" Ceiling Fan - Eirwen	गोटा			३९००.००
	48" Underlight Ceiling Fan -Arty	गोटा			७३५०.००
	48" Decorative Fan - Airfurl	गोटा			५३७५.००
	48" Decorative Fan - Cool Whizz	गोटा			४७५०.००
	48" Decorative Fan - Wind Stellar	गोटा			४९००.००
	48" Decorative Fan - Apus	गोटा			४२२५.००
	48" Decorative Fan - Ruppel	गोटा			५१००.००
	48" Decorative Fan - Voyage	गोटा			४०००.००
	48" Decorative Fan - Skyward	गोटा			५४२५.००
	48" Decorative Fan -Aviah	गोटा			४२७५.००
	48" Decorative Fan -Wind Acer	गोटा			५४००.००
	48" Decorative Fan -Aeon	गोटा			५१५०.००
	48" Decorative Fan -Aeon Prime	गोटा			५१५०.००
	48" Decorative Fan -Dasher	गोटा			५०७५.००



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	48" Decorative Fan -Fiesta	गोटा			४९००.००
	48" BLDC Fan - Vyana	गोटा			७४५०.००
	56" Ceiling Fan - Max Air Deco	गोटा			३९७५.००
	Economy Plain Fans				
	56" Ceiling Fan Max Air	गोटा			३७००.००
	48" Power Saver Ceiling Fan -Eco -50 W	गोटा			३८००.००
	48" Power Saver Ceiling Fan -Fisaga- 50W	गोटा			४४००.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan- Max Air-Antidust	गोटा			२७५०.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan- Max Air	गोटा			२६००.००
	48" Ceiling Fan - Halito	गोटा			२६००.००
	36" Ceiling Fan - Max Air	गोटा			२९००.००
	24" Ceiling Fan - Max Air (High Speed)	गोटा			२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा			२८००.००
	24" Ceiling Fan-Wintry (High Speed)	गोटा			२८००.००
	Table / Pedestal / Wall Fans				
	16" Farata Fan - Whirlmax	गोटा			५८००.००
	18" Farata Fan - Whirlmax Plus	गोटा			६९००.००
	20" Farata Fan -Whirl Max Pro	गोटा			७४८०.००
	16" High Speed Pedestal Fan -Impello Supreme	गोटा			५५००.००
	16" Pedestal Fan -Impello	गोटा			५९५०.००
	16" High Speed Table Fan- Brisa Max	गोटा			४५००.००
	16" Table Fan-Brisa	गोटा			४०००.००
	16" High Speed Wall Fan-Kaizen Plus	गोटा			४५००.००
	16" Wall Fan -Kaizen	गोटा			४२००.००
	16" Pedestal Fan -Ordain	गोटा			५४००.००
	16" High Speed Pedestal Fan -Ordain Supreme	गोटा			५८००.००
	16" Table Fan-Twirl Pro	गोटा			३९००.००
	16" High Speed Table Fan- Swift Pro	गोटा			४५००.००
	16" Wall Fan -Aerodome	गोटा			४२००.००
	16" High Speed Wall Fan-Aerodome +	गोटा			४७००.००
	Ventilation / Exhaust Fans				
	6" Ventilation Exhaust Fan-Aerospin	गोटा			२०००.००
	8" Ventilation Exhaust Fan-Aerobrisk	गोटा			२०९०.००
	10" Ventilation Exhaust Fan-Aerocrisp	गोटा			२४७५.००
	4" Moduler Ventilation Exhaust - Aerospin	गोटा			२२००.००
	6" Moduler Ventilation Exhaust - Aerospin	गोटा			२४७५.००
	4" Moduler Ventilation Exhaust - Aerofresh	गोटा			२५२५.००
	6" Moduler Ventilation Exhaust - Aerofresh	गोटा			२९५०.००
	9" Open Metal Exhaust - Aeroplus	गोटा			२९७५.००
	12" Open Metal Exhaust - Aeromax	गोटा			३४७५.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Exclusive & Underlight Fans				
	ESC-304	गोटा			२७०००.००
	ESC-305	गोटा			२००००.००
	ESC-314YY - Umber	गोटा			३०५००.००
	ESC-C193/Breeze	गोटा			२८४००.००
	ESC-322-Y - Sparkle	गोटा			२७२००.००
	ESC-339	गोटा			४६४००.००
	ESC-001-D -Allure	गोटा			२९६००.००
	ESC-001-E -Aerial	गोटा			२२७००.००
	ESC-400	गोटा			२५८००.००
	ESC-402YY - Tiara	गोटा			२२६००.००
४०	BELL INDICATOR				
	4 way bell indicator with plate	सेट	१२५५.००	१२५५.००	१२५५.००
	6 way " " " "	सेट	२०४९.००	२०४९.००	२०४९.००
	8 way " " " "	सेट	२८५९.००	२८५९.००	२८५९.००
	12 way " " " "	सेट	४३९५.००	४३९५.००	४३९५.००
	6A PUSH BUTTON SP 1 MODULE	सेट			२२९.००
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट			३९४.००
	6A BELL PUSH 1 MODULE	सेट			२८५.००
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट			३४२.००
	6A BELL PUSH 2 MODULE	सेट			३८४.००
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट			५७०.००
	BELL CALL INDICATOR 240V 1 MODULE	सेट			१५३०.००
४१	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)				
	Copper plate	के.जी	९९७.००	९९७.००	९९७.००
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	१०८२.००	१०८२.००	१०८२.००
	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२.००	१०८२.००	१०८२.००
	Copper Strip (12 x 3)mm	के.जी	१०८२.००	१०८२.००	१०८२.००
	Lightning rod copper conductor Air termination set	गोटा	२७३०.००	२७३०.००	२७३०.००
	8 SWG bare copper wire	र. मी	१४४.००	१४४.००	१४४.००
	29 mm Diameter GI Pipe of 1m length	र. मी	२५२.००	२५२.००	२५२.००
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६९८.००	६९८.००	६९८.००
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६.००	१९६.००	१९६.००
	Funnel with wire mesh	गोटा	३६९.००	३६९.००	३६९.००
	Charcoal	ब्याग	३०९.००	३०९.००	३०९.००
	Salt	के.जी	१२.००	१२.००	१२.००
४२	STEEL TUBELAR POLE / WOODEN POLE				
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)				



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	गोटा	१२०५७.००	१२०५७.००	१२०५७.००
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	गोटा	१२९७८.००	१२९७८.००	१२९७८.००
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	गोटा	१२४८४.००	१२४८४.००	१२४८४.००
	7 mtr.length Wooden Pole	गोटा	४९९६.००	४९९६.००	४९९६.००
	9 mtr.length Wooden Pole	गोटा	६७९८.००	६७९८.००	६७९८.००
४३	Smart Poles With Luminaries:				
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा			३९४४०००.००
	10 Meter Smart Poles with decorative lights and smart sensors with 40 inch outdoor display unit	गोटा			३४०००००.००
	7 Meter Smart Poles with Decorative Lights and Smart Sensors	गोटा			२८५६०००.००
	Gobo Projector	गोटा			१९९६४८०.००
४४	Decorative Poles With Luminaries:				
	16 Arm Smart Decorative Butterfly Poles	गोटा			२४३४४००.००
	12 Arm Smart Decorative Butterfly Poles	गोटा			२०५३६००.००
४५	Smart Automation and Control System:				
	Smart PIR Sensor Ceiling Mount Type	गोटा			२०४००.००
	Smart PIR Sensor Surface Mount Type	गोटा			२१४८८.००
	Smart PIR Sensors Recessed Mount Type	गोटा			४२१६.००
	6 Button Keypad	गोटा			६१२००.००
	4 Button Keypad	गोटा			५०३२०.००
	3 Channel Relay Dali Controller	गोटा			१७५९८४.००
	4 Channel Relay Controller	गोटा			८१०५६.००
	15 V DC 1.5 Amps regulated power supply	गोटा			५९८४०.००
	TCP/IP Protocol network gateway	गोटा			१२९२००.००
	PDS Networked Touch Screen intelligent control	गोटा			५३६६५६.००
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा			१७५४४००.००
४६	Fluorescent Tube light (FTL) set including Tube, condenser, starter , lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block. (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1×20 watt FTL (Patti fittings)	सेट	४६४.००	४६४.००	४६४.००
	1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	७७५.००	७७५.००	७७५.००
	1×20 watt FTL (Mirrolta) WRF 20120	सेट	८७६.००	८७६.००	८७६.००
	1×40 watt FTL with attractive & functional decorative battens WRF20140	सेट	१०२०.००	१०२०.००	१०२०.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	1x40 watt FTL box fittings	सेट	११५९.००	११५९.००	११५९.००
	2x40 watt FTL box fittings	सेट	१७५१.००	१७५१.००	१७५१.००
	1x40 watt FTL Industrial channel	सेट	१७८२.००	१७८२.००	१७८२.००
	2x40 watt FTL Industrial channel	सेट	२२८७.००	२२८७.००	२२८७.००
	1x40 watt FTL, opalite with opal Arcylic dissuser	सेट	१८५४.००	१८५४.००	१८५४.००
	2x40 watt FTL, oplite with opal Arcylic dissuser	सेट	३०९०.००	३०९०.००	३०९०.००
	4x20 watt FTL, oplite WCF 93418	सेट	५४१०.००	५४१०.००	५४१०.००
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting	सेट	५४१०.००	५४१०.००	५४१०.००
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	३५५४.००	३५५४.००	३५५४.००
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke	सेट	४३२६.००	४३२६.००	४३२६.००
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set	सेट	९३८३.००	९३८३.००	९३८३.००
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	८२४५.००	८२४५.००	८२४५.००
४७	LED WEATHER PROOF INDUSTRIAL BATTEN				
	18W/36W @100lm/watt IP65 AC90-300v,50/60Hz Thermo-plastic+Polycarbonate cover 3000k-6500k LED weatherproof batten	गोटा			५०००.००
४८	LED UFO HIGH-BAY LIGHT				
	100W/150W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा			३२०००.००
	200W/240W @150lm/watt IP66 with 60°/90°/120° beam angle,Pressure Die-cast Aluminium/Bracket/Pendant Mount,suspended s-hook PMMA spiral lens Highbay light	गोटा			४५०००.००
४९	HIGHBAY LIGHT				
	GreenPerform Prime: GreenPerform Prime is a new age highbay range that offers an industry leading efficacy of 150lm/W specially designed to deliver unmatched performance in adverse industrial environments with its robust housing design and cater to diverse applications with multiple options of beam angles.CCT Options of 5700K and 4000K at the same MRP. Beam Angles Available: NB 60° - 10000 lm, 15000 lm,20000 lm & 25000 lm WB 110° - 10000 lm & 15000 lm ENB 30° - 25000 lm				
	100W	गोटा			२०८००.००
	150w	गोटा			२४०००.००
	200w	गोटा			२७२००.००
	250w	गोटा			३५२००.००
	DuraLED Highbay: IP66 & IK08 protected LED Highbay solution with PDC housing, toughened & shattered proof glass available in both Narrow & Wide beam optics.				
	100W	गोटा			१९२००.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	130W	गोटा			२३२००.००
	160w	गोटा			२७२००.००
	195w	गोटा			३५२००.००
५०	COB				
	3W, >240lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			१३००.००
	6W, >420lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			१६००.००
	9W, >720lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			२१६०.००
	12W, >960lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			२६७०.००
	16W, >1280lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			३०७०.००
	24W, >1920lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			४०७०.००
	30W, >2400lm AC 90-300v,50Hz Pressure die-cast Aluminium with clear PC cover COB light 60l swivel	गोटा			४७००.००
	Astraspot COB,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	2W LED RGB/WW/CDL/NW	गोटा			७२५.००
	3W	गोटा			१६७०.००
	7W	गोटा			२२८५.००
	12W	गोटा			२९६०.००
	18W	गोटा			५३६५.००
	20W	गोटा			६३४५.००
५१	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	२६७८.००	२६७८.००	२६७८.००
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	१८३३.००	१८३३.००	१८३३.००
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	२२६६.००	२२६६.००	२२६६.००
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	६०६७.००	६०६७.००	६०६७.००
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	६८२४.००	६८२४.००	६८२४.००
	Recess mounting Direct Indirect LED luninare	सेट	१०८१५.००	१०८१५.००	१०८१५.००
	Recess mounting Direct Indirect LED luninare	सेट	१४०६०.००	१४०६०.००	१४०६०.००
	Recess Surface mounted LED luminate	सेट	१३३३९.००	१३३३९.००	१३३३९.००
	Hight efficiency circular LED Down Lighter	सेट	३२४५.००	३२४५.००	३२४५.००
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	१४६००.००	१४६००.००	१४६००.००
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	१०८२.००	१०८२.००	१०८२.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Circular LED wall/Dome Light suitable for true ceiling	सेट	३२४५.००	३२४५.००	३२४५.००
	Square LED Wall/Dome light suitable for true ceiling	सेट	३२४५.००	३२४५.००	३२४५.००
	Recess mounted indirect and direct luminares	सेट	६१२९.००	६१२९.००	६१२९.००
	2x36 Watt CFL Surface-Mirror Optic	सेट	६१२९.००	६१२९.००	६१२९.००
५२.०	Down Light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	FDL004 SMD7W-WWH Taiwan chip (120*90)	सेट	१२९८.००	१२९८.००	१२९८.००
	FDL004 SMD7W-CW Taiwan chip	सेट	१२९८.००	१२९८.००	१२९८.००
	FDLOO4 SMD9W-WWH Taiwan chip (145*90)	सेट	१८५७.००	१८५७.००	१८५७.००
	FDLOO4 SMD9W-CW Taiwan chip	सेट	१८५७.००	१८५७.००	१८५७.००
	FDLOO4 SMD15W-WWH Taiwan chip (175*90)	सेट	२८२८.००	२८२८.००	२८२८.००
	FDLOO4 SMD15W-CW Taiwan chip	सेट	२८२८.००	२८२८.००	२८२८.००
	FDL004 SMD30W-WWH Taiwan chip (200MM)	सेट	५०९१.००	५०९१.००	५०९१.००
	FDL004 SMD30W-CW Taiwan chip	सेट	५०९१.००	५०९१.००	५०९१.००
	FDLO12 COB5W-WWH (90MM)	सेट	१३०१.००	१३०१.००	१३०१.००
	FDLO12 COB5W-CW	सेट	१३०१.००	१३०१.००	१३०१.००
	FDLO12 COB10W-WWH (120MM)	सेट	१९७९.००	१९७९.००	१९७९.००
	FDLO12 COB10W-CW	सेट	१९७९.००	१९७९.००	१९७९.००
	FDLO12 COB15W-WWH Taiwan chip (140MM)	सेट	५०९१.००	५०९१.००	५०९१.००
	FDLO12 COB15W-CW Taiwan chip	सेट	५०९१.००	५०९१.००	५०९१.००
	FDLO12 COB25W-WWH Taiwan chip (175MM)	सेट	६७८७.००	६७८७.००	६७८७.००
	FDLO12 COB25W-CW Taiwan chip	सेट	६७८७.००	६७८७.००	६७८७.००
	FDLO12 COB30W-WWH Taiwan chip (200MM)	सेट	८४८३.००	८४८३.००	८४८३.००
	FDLO12 COB30W-CW Taiwan chip	सेट	८४८३.००	८४८३.००	८४८३.००
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	सेट	४१८४.००	४१८४.००	४१८४.००
	FDLOO7 SMD12W-CW Taiwan chip	सेट	४१८४.००	४१८४.००	४१८४.००
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	सेट	६१०८.००	६१०८.००	६१०८.००
	FDLOO7 SMD18W-CW Taiwan chip	सेट	६१०८.००	६१०८.००	६१०८.००
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	सेट	७६३५.००	७६३५.००	७६३५.००
	FDLOO7 SMD24W-CW Taiwan chip	सेट	७६३५.००	७६३५.००	७६३५.००
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	सेट	३१६७.००	३१६७.००	३१६७.००
	FDLOO1 HP5W FBK-CW Taiwan chip	सेट	३१६७.००	३१६७.००	३१६७.००
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	सेट	३१६७.००	३१६७.००	३१६७.००
	FDLOO1 HP5W FWH-CW Taiwan chip	सेट	३१६७.००	३१६७.००	३१६७.००
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	सेट	१३०१.००	१३०१.००	१३०१.००
	FDLLOO5 SMD7W-CW Taiwan chip	सेट	१३०१.००	१३०१.००	१३०१.००
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	सेट	१६९६.००	१६९६.००	१६९६.००
	FDLOO5 SMD12W-CW Taiwan chip	सेट	१६९६.००	१६९६.००	१६९६.००
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	सेट	३१११.००	३१११.००	३१११.००
	FDLOO5 SMD20W-CW Taiwan chip	सेट	३१११.००	३१११.००	३१११.००
	FM3161 HP 18W-WWH Cree led	सेट	६७८७.००	६७८७.००	६७८७.००
	FM3161 HP 18W-CW Cree led	सेट	६७८७.००	६७८७.००	६७८७.००
	HD-5010-13-WWH Osram chip (86*79)	सेट	२०९४.००	२०९४.००	२०९४.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	HD-5010-13-CW Osram chip	सेट	२०९४.००	२०९४.००	२०९४.००
	HD-5010-14-WWH Osram chip (115*105)	सेट	३९६७.००	३९६७.००	३९६७.००
	HD-5010-14-CW Osram chip	सेट	३९६७.००	३९६७.००	३९६७.००
	HD-5010-14-WWH Osram chip (140*125)	सेट	३९५९.००	३९५९.००	३९५९.००
	HD-5010-14-CW Osram chip	सेट	३९५९.००	३९५९.००	३९५९.००
	HD-5010-18-WWH Osram chip (215*200)	सेट	७८६०.००	७८६०.००	७८६०.००
	HD-5010-18-CW Osram chip	सेट	७८६०.००	७८६०.००	७८६०.००
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	सेट	२४५९.००	२४५९.००	२४५९.००
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	सेट	२४५९.००	२४५९.००	२४५९.००
	LUCIA WHITE OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	LUCIA BLACK OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	LUCIA-GD WHITE OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	LUCIA-GD BLACK OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	REMI/LUCIA WHITE OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/LUCIA BLACK OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/LUCIA-EL WHITE OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/LUCIA-EL BLACK OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/LUCIA-GD WHITE OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/LUCIA-GD BLACK OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	MADDI BULKHEAD WHITE OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	MADDI BULKHEAD BLACK OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	MADDI-VE BULKHEAD WHITE OPAL	सेट	२५२४.००	२५२४.००	२५२४.००
	MADDI-VE BULKHEAD BLACK OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	MADDI-HL BULKHEAD WHITE OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	MADDI-HL BULKHEAD BLACK OPAL	सेट	९८०३.००	९८०३.००	९८०३.००
	REMI/MADDI WHITE OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/MADDI BLACK OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/MADDI-VE WHITE OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/MADDI-VE BLACK OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/MADDI-HL WHITE OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	REMI/MADDI-HL BLACK OPAL	सेट	२९६३.००	२९६३.००	२९६३.००
	GABRI/MADDI 1L BLACK OPAL	सेट	७२९०.००	७२९०.००	७२९०.००
	MINIGABRI/MADDI 1L BLACK OPAL	सेट	६४८९.००	६४८९.००	६४८९.००
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	सेट	६४८९.००	६४८९.००	६४८९.००
	GELMI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	GELMI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	GELMI-EL WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	GELMI-EL BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	DANZI WHITE OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	DANZI BLACK OPAL E27	सेट	२८८४.००	२८८४.००	२८८४.००
	STUCCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००

सरकार
मन्त्रालय
गोसले कार्यालय
काठमाण्डु

(Handwritten signature)

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	STUCCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	CECCHI WHITE OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	CECCHI BLACK OPAL E27	सेट	३२४५.००	३२४५.००	३२४५.००
	BISSO ANNA BLACK WITH OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३६०५.००
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	सेट	३६०५.००	३६०५.००	३६०५.००
	IESSE LANTERN BLACK W/OPAL DIFFUSER	सेट	३२४५.००	३२४५.००	३२४५.००
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	सेट	७२१०.००	७२१०.००	७२१०.००
	Deep Recessed Downlight Luminaires:				
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED6S-6500 PSU WH Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED10S-6500 PSU WH Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED15S-6500 PSU WH-Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Non Dimmable: DN590B M LED20S-6500 PSU WH-Wide / Medium Angle Beam	गोटा			१०८८०.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED6S-6500 PSD WH Wide / Medium Angle Beam	गोटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED10S-6500 PSD WH Wide / Medium Angle Beam	गोटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED15S-6500 PSD WH-Wide / Medium Angle Beam	गोटा			२०४००.००
	Deep Recessed Downlight Luminaires Wide / Medium Angle Beam Dimmable: DN590B M LED20S-6500 PSD WH-Wide / Medium Angle Beam	गोटा			२०४००.००
	Cylindrical Downlight Luminaires:				
	Cylindrical Downlight Luminaires: SP320P LED6S-6500 PSU	गोटा			१११५२.००
	Cylindrical Downlight Luminaires: SP320P LED10S-6500 PSU	गोटा			११६९६.००
	Cylindrical Downlight Luminaires: SP320P LED15S-6500 PSU	गोटा			१२५१२.००
	Cylindrical Downlight Luminaires: SP320P LED20S-6500 PSU	गोटा			१३०५६.००
	prime plus recessed downlight with 100lm/watt,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	3W	गोटा			९२५.००
	5W	गोटा			१०३५.००
	10W	गोटा			१४२०.००
	15W	गोटा			१७२०.००
	22W	गोटा			३८७०.००
	star surface downlight ,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	7W	गोटा			१८५५.००
	12W	गोटा			२३९५.००
	18W	गोटा			३३६०.००
	22W	गोटा			५९१५.००
५३.०	Smart Light:				
	Exterior Rated RGB Linear Lights - 4Ft	गोटा			२६६५६०.००
	Exterior Rated RGB Linear Lights - 2Ft	गोटा			१७५४४०.००
	DMX Controller	सेट			६८००००.००
	DMX Amplifier	सेट			२०४०००.००
	Testing and commissioning of ultra-compact commissioning	सेट			१२२४०००.००
५४.०	Outdoor Street Luminaries:				
	Outdoor Street Luminaries 10-12 Watt	गोटा			६२५६.००
	Outdoor Street Luminaries 23-25 Watt	गोटा			१२२४०.००
	Outdoor Street Luminaries 28-30 Watt	गोटा			१३६००.००
	Outdoor Street Luminaries 36 Watt	गोटा			१४४१६.००
	Outdoor Street Luminaries 40 Watt	गोटा			१४९६०.००
	Outdoor Street Luminaries 45 Watt	गोटा			१५३६८.००
	Outdoor Street Luminaries 48 Watt	गोटा			१५७७६.००
	Outdoor Street Luminaries 60 Watt	गोटा			१६३२०.००
	Outdoor Street Luminaries 70 Watt	गोटा			२१७६०.००
	Outdoor Street Luminaries 90 Watt	गोटा			२५५६८.००
	Outdoor Street Luminaries 105 Watt	गोटा			२७७४४.००
	Outdoor Street Luminaries 120 Watt	गोटा			३८०८०.००
	Outdoor Street Luminaries 140 Watt	गोटा			४३५२०.००
	Outdoor Street Luminaries 160 Watt	गोटा			४८९६०.००
५५.०	Batten Lights - Residential Application:				
	Aluminium Extruded 4 Feet Linear Batten	गोटा			२३१२.००
	Aluminium Extruded 4 Feet Linear Batten	गोटा			४०७७.२८
	Aluminium Extruded 2 Feet Linear Batten	गोटा			१५५०.४०
	Astraline essential LED batten ,Long Life LED light source up to 25000 hours,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots,Slim construction for easy installation,Round/Square with CCT 3000k/4000k/6500k				
	1Feet size batten	गोटा			६४५.००
	2 feet size batten	गोटा			८९५.००
	4 feet size batten	गोटा			११७५.००
५६.०	Batten Lights - Industrial Application:				
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा			२३१२.००
	Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	गोटा			१०३३६.००



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Batten 4 fLED luminaire- 18 Watt	गोटा			५३०४.००
	Batten 4 fLED luminaire-34 Watt	गोटा			८७०४.००
	Batten 4 fLED luminaire-47Watt	गोटा			११९६८.००
	Batten 4 fLED luminaire- 18 Watt with PIR Sensors	गोटा			८०२४.००
	Batten 4 fLED luminaire-34 Watt with PIR Sensors	गोटा			११४२४.००
	Batten 4 fLED luminaire-47Watt with PIR Sensors	गोटा			१४६८८.००
५७.०	INDUSTRIAL T-LED BOX TYPE PATTI				
	1X4 box type patti T-Led 1x20w				१७२०.००
	1X4 box type patti T-Led 2x20w				१८८०.००
५८.०	Industrial Reflector				२१५०.००
	20W T-Led Stellar bright 4Ft	गोटा			८८०.००
५९.०	Linear Suspended Luminaries:				
	Suspended 4 Feet Linear Luminaires- Non Dimmable	गोटा			१६३२०.००
	Suspended -4 Feet Linear Luminaires- Non Dimmable	गोटा			१७६८०.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१४९६०.००
	Recessed- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१६३२०.००
	Surface- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१४९६०.००
	Suspended- 4 Feet Linear Luminaires- Non Dimmable	गोटा			१८४७१.५२
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा			३७४८७.०४
	Suspended- 8 Feet Continous Linear Luminaires- Non Dimmable	गोटा			३७४८७.०४
	Suspended- 2 Feet Continous Linear Luminaires- Non Dimmable	गोटा			१२३७३.२८
६०.०	2 * 2 Square Luminaries:				
	Recessed 2x2 Non Dimmable Luminaries: RC380B LED36S-6500-PSU	गोटा			१३०५६.००
	Recessed 2x2 Non Dimmable Luminaries: RC380B LED25S-6500-PSU	गोटा			१०८८०.००
	Recessed 2x2 Non Dimmable Luminaries: RC380B LED42S-6500-PSU	गोटा			१४१४४.००
	Recessed 2x2 Dimmable Luminaries: RC380B LED36S-6500-PSD	गोटा			२८५६०.००
	Recessed 2x2 Non Dimmable Luminaries: RC380B LED25S-6500-PSD	गोटा			२७२००.००
	Recessed 2x2 Non Dimmable Luminaries: RC380B LED42S-6500-PSD	गोटा			३२६४०.००
	Recessed 2x2 Non Dimmable Luminaries: RC360B LED36S-6500-PSU	गोटा			८७०४.००
	Recessed 2x2 Non Dimmable Luminaries: RC360B LED30S-6500-PSU	गोटा			८१६०.००
६१.०	2 X 2 Luminaries - Indirect Lights:				
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaries: RC 420B M LED 30S 6500 PSU	गोटा			१६३२०.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaries: RC 420B M LED 34S 6500 PSU	गोटा			१७६८०.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Indirect Lighting Recessed 2x2 Dimmable Luminaires: RC 420B M LED 30S 6500 PSD	गोटा			१९०४०.००
	Indirect Lighting Recessed 2x2 Non Dimmable Luminaires: RC 420B M LED 34S 6500 PSD	गोटा			२०४००.००
६२.०	2 X 2 Luminaries - Smart Decorative Lights (Suspended, Recessed):				
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED30S-PSU	गोटा			३६७२०.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED25S-PSU	गोटा			३९४४०.००
	Decorative Suspended - Recessed- Surface Type 2x2, Non Dimmable Luminaires: SP740B LED36S-PSU	गोटा			४२९६०.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED25S-PSD	गोटा			५९६८०.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED30S-PSD	गोटा			५४४००.००
	Decorative Suspended - Recessed- Surface Type 2x2 Dimmable Luminaires: SP740B LED36S-PSD	गोटा			५७९२०.००
६३	System Sensor Product (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Photo Electric Smoke Detector	सेट	१८७५.००	१८७५.००	१८७५.००
	Rate of Rise Heat Detector	सेट	१८७५.००	१८७५.००	१८७५.००
	Fixed temperature Detector	सेट	२२८७.००	२२८७.००	२२८७.००
	Base	सेट	३७९.००	३७९.००	३७९.००
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	सेट	१४८३.००	१४८३.००	१४८३.००
	Wall mount Horn+Strobe	सेट	४९२०.००	४९२०.००	४९२०.००
	Ceiling mount Horn+Strobe	सेट	४९२०.००	४९२०.००	४९२०.००
६४	Exit Light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	MODEL SLM 18	सेट	१२३६०.००	१२३६०.००	१२३६०.००
	MODEL ELS 28	सेट	१२३६०.००	१२३६०.००	१२३६०.००
	MODEL ETL 210H-4LA	सेट	१२३६०.००	१२३६०.००	१२३६०.००
६५	LUMINARIES Accessories-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	500 watt halogen rod	गोटा	२३२.००	२३२.००	२३२.००
	1000 watt halogen rod	गोटा	२७८.००	२७८.००	२७८.००
	70Watt SON Lamp (Sodium Vapour)	गोटा	८३४.००	८३४.००	८३४.००
	150 watt sodium vapour bulb	गोटा	१२९८.००	१२९८.००	१२९८.००
	250 watt sodium vapour bulb	गोटा	१७००.००	१७००.००	१७००.००
	20-40 watt FTL rod	गोटा	८०.००	८०.००	८०.००
	20-40 watt FTL Copper chowk.	गोटा	२५८.००	२५८.००	२५८.००
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	४९२.००	४९२.००	४९२.००
	Acryle cover for 4x20 FTL	गोटा	९८९.००	९८९.००	९८९.००
	FTL starter	गोटा	१९.००	१९.००	१९.००
	8 W to 11W, C.F.L.Direct fit	गोटा	२३२.००	२३२.००	२३२.००
	13 to 22W, C.F.L.Direct fit	गोटा	२९९.००	२९९.००	२९९.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	15-100 watt bulb. (ISI)	गोटा	२६.००	२६.००	२६.००
	PL-S 9W/86 (CFL)	गोटा	१६५.००	१६५.००	१६५.००
	PL-S 11W/86 (CFL)	गोटा	१७५.००	१७५.००	१७५.००
	PL-L 36W/86 (CFL)	गोटा	४१७.००	४१७.००	४१७.००
	125W HPL-N (Murcury Vapour)	गोटा	३७१.००	३७१.००	३७१.००
	250W HPL-N	गोटा	८७६.००	८७६.००	८७६.००
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	३६१.००	३६१.००	३६१.००
	12V/3W LED bulb	गोटा	४१२.००	४१२.००	४१२.००
	12V/4W LED bulb	गोटा	४६४.००	४६४.००	४६४.००
६६	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८.००	९४८.००	९४८.००
	3/22 " " "	क्वायल	११३३.००	११३३.००	११३३.००
	3/20 " " "	क्वायल	१८०३.००	१८०३.००	१८०३.००
	7/22 " " "	क्वायल	२५२४.००	२५२४.००	२५२४.००
	7/20 " " "	क्वायल	४१२०.००	४१२०.००	४१२०.००
	7/18 " " "	क्वायल	६४८९.००	६४८९.००	६४८९.००
	7/16 " " "	क्वायल	१३३९०.००	१३३९०.००	१३३९०.००
	19/18 " " "	क्वायल	१८०२५.००	१८०२५.००	१८०२५.००
	19/16 " " "	क्वायल	३६०५०.००	३६०५०.००	३६०५०.००
	2/20 " " "	क्वायल	१३७०.००	१३७०.००	१३७०.००
	2/22 " " "	क्वायल	९२७.००	९२७.००	९२७.००
६७	FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	२२.००	२२.००	२२.००
	Size 1 C *1 SQMM	र.मी	३०.००	३०.००	३०.००
	Size 1 C *1.5 SQMM	र.मी	४४.००	४४.००	४४.००
	Size 1 C *2.5SQMM	र.मी	७२.००	७२.००	७२.००
	Size 1 C *4SQMM	र.मी	१०५.००	१०५.००	१०५.००
	Size 1 C *6SQMM	र.मी	१५९.००	१५९.००	१५९.००
६८	FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	२४.००	२४.००	२४.००
	Size 1 C *1 SQMM	र.मी	३२.००	३२.००	३२.००
	Size 1 C *1.5 SQMM	र.मी	४७.००	४७.००	४७.००
	Size 1 C *2.5SQMM	र.मी	७६.००	७६.००	७६.००
	Size 1 C *4SQMM	र.मी	११२.००	११२.००	११२.००
	Size 1 C *6SQMM	र.मी	१६८.००	१६८.००	१६८.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
६९	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1.0 mm PVC insulated Copper wire	क्वायल	१०३०.००	१०३०.००	१०३०.००
	1.5 mm PVC insulated Copper wire	क्वायल	१६४८.००	१६४८.००	१६४८.००
	2.5 mm PVC insulated Copper wire	क्वायल	२४२१.००	२४२१.००	२४२१.००
	4.0 mm PVC insulated Copper wire	क्वायल	३९१४.००	३९१४.००	३९१४.००
	6.0 mm PVC insulated Copper wire	क्वायल	६१८०.००	६१८०.००	६१८०.००
	10.0mm PVC insulated Copper wire	क्वायल	१०३००.००	१०३००.००	१०३००.००
७०	Concentric cable NS marked Eqv.				
	4mm size concentric cable	र.मी	२३.००	२३.००	२३.००
	6mm size " "	र.मी	२६.००	२६.००	२६.००
	10mm size concentric cable	र.मी	३९.००	३९.००	३९.००
	16mm size " "	र.मी	६७.००	६७.००	६७.००
	25mm size " "	र.मी	८९.००	८९.००	८९.००
	RG6 Coaxial cable	र.मी	२३.००	२३.००	२३.००
	RG59 Coaxial cable	र.मी	२६.००	२६.००	२६.००
	UTP cat -5 networking cable	र.मी	२६.००	२६.००	२६.००
७१	Telephone Drop wire/pair cable NS marked Eqv.				
	² / ₂₀ Telephone drop wire	क्वायल	९८९.००	९८९.००	९८९.००
	² / ₂₂ Telephone drop wire	क्वायल	६७०.००	६७०.००	६७०.००
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	१४.००	१४.००	१४.००
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	२०.००	२०.००	२०.००
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	३२.००	३२.००	३२.००
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	६२.००	६२.००	६२.००
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	९१.००	९१.००	९१.००
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	११९.००	११९.००	११९.००
	1mm drop wire	र.मी	१०.००	१०.००	१०.००
७२	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix Or Eqv.	सेट	७६४८.००	७६४८.००	७६४८.००
	2-6 Line EPABX	सेट	१८४११.००	१८४११.००	१८४११.००
	3-8 Line EPABX	सेट	२०५३८.००	२०५३८.००	२०५३८.००
	4-12 Line EPABX	सेट	३६८२३.००	३६८२३.००	३६८२३.००
	6-16 Line EPABX	सेट	४९५६९.००	४९५६९.००	४९५६९.००
	8-24 Line EPABX	सेट	८४९७५.००	८४९७५.००	८४९७५.००
	8-48 Line EPABX	सेट	९०९२३.००	९०९२३.००	९०९२३.००
	8-72 Line EPABX	सेट	९७२८८.००	९७२८८.००	९७२८८.००
	Other Accessories		०.००	०.००	०.००
	6" size Dome light glass	गोटा	६५.००	६५.००	६५.००
	8" size " " "	गोटा	७६.००	७६.००	७६.००
	wall bracket glass	गोटा	६५.००	६५.००	६५.००
	Fan regulator	गोटा	२७१.००	२७१.००	२७१.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
७३	Panel board -double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board excluding cost of MCCB / MCB & measuring instrument				
	60/75/100 AMP, 9"x36"x48" size	सेट	२१४१४.००	२१४१४.००	२१४१४.००
	60/75/100 AMP "12x36"x48" size	सेट	२५४९३.००	२५४९३.००	२५४९३.००
	60/75/100 AMP 9"x48"x60" size	सेट	३५६९०.००	३५६९०.००	३५६९०.००
	60/75/100 AMP 12"x49"x60" size	सेट	४२४८८.००	४२४८८.००	४२४८८.००
	150/200 AMP 9"x38"x52" size	सेट	२३७९३.००	२३७९३.००	२३७९३.००
	150/200 AMP 12"x38"x52" size	सेट	२३७९३.००	२३७९३.००	२३७९३.००
	150/200 AMP 9"x42"x56 "size	सेट	२६४९६.००	२६४९६.००	२६४९६.००
	150/200 AMP 12"x42"x56" size	सेट	२८१७९.००	२८१७९.००	२८१७९.००
	250/300AMP 12"x48"x60"size	सेट	३४५०५.००	३४५०५.००	३४५०५.००
	250/300AMP 12"x52"x62" size	सेट	३८६२६.००	३८६२६.००	३८६२६.००
	400 AMP 12"x52"x66" size	सेट	४१११८.००	४१११८.००	४१११८.००
७४	Panel Board measurement instrument				
	0-500 volt meter	पिस	१०२३.००	१०२३.००	१०२३.००
	60/100 Amp meter	पिस	९७९.००	९७९.००	९७९.००
	Panel Indicator	पिस	२३७.००	२३७.००	२३७.००
	2 Amp glass fuse with holder 12 mm size	पिस	१३४.००	१३४.००	१३४.००
	AMP meter selector switch	पिस	६४९.००	६४९.००	६४९.००
	volt meter selector switch	पिस	७११.००	७११.००	७११.००
	60/100 Amp C.T. coil per set 3 Pcs	पिस	१४३२.००	१४३२.००	१४३२.००
	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२.००	१७८२.००	१७८२.००
	250-300 AMP ,, ,,	गोटा	२४२१.००	२४२१.००	२४२१.००
	400/500/600AMP ,, ,,	गोटा	३५५४.००	३५५४.००	३५५४.००
	Kilo watt hour energy meter single phase	पिस	२२७१.००	२२७१.००	२२७१.००
	Kilo watt hour energy meter 3 phase direct	पिस	१०२२८.००	१०२२८.००	१०२२८.००
७५	Trailing Protected Industrial Plug IP44				
	16A 3P+E 400V Industrial plug	सेट	५४१.००	५४१.००	५४१.००
	32 A 3p +N+E " Plug	सेट	८०३.००	८०३.००	८०३.००
	32 A 3P+N+E water tight Plug IP67	सेट	१५४५.००	१५४५.००	१५४५.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००.००	२०६००.००	२०६००.००
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५.००	१३९०५.००	१३९०५.००
७६	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	६४.००	६४.००	६४.००
	25 sq.mm "	गोटा	८३.००	८३.००	८३.००
	35 sq.mm "	गोटा	६४.००	६४.००	६४.००

नेपाल सरकार
सह मन्त्रालय
जिल्ला प्रशासन कार्यालय
२४४ भक्तपुर

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	50 sq.mm " "	गोटा	७५.००	७५.००	७५.००
	70 sq.mm " "	गोटा	९२.००	९२.००	९२.००
	95 sq.mm " "	गोटा	१४३.००	१४३.००	१४३.००
	150 sq.mm " "	गोटा	२१५.००	२१५.००	२१५.००
	195 sq.mm " "	गोटा	३०५.००	३०५.००	३०५.००
	250 sq.mm " "	गोटा	४८५.००	४८५.००	४८५.००
७७	Copper Conductor Armoured Power Cables NS marked or equivalent				
	a) 2 Core				
	1.5 mm2	र.मी	१०३.००	१०३.००	१०३.००
	2.5 mm2	र.मी	१३९.००	१३९.००	१३९.००
	4.0 mm2	र.मी	१९१.००	१९१.००	१९१.००
	6.0 mm2	र.मी	२४७.००	२४७.००	२४७.००
	10.0 mm2	र.मी	३७१.००	३७१.००	३७१.००
	16.0 mm2	र.मी	४९४.००	४९४.००	४९४.००
	25.0 mm2	र.मी	७२१.००	७२१.००	७२१.००
	35.0 mm2	र.मी	९५८.००	९५८.००	९५८.००
	50.0 mm2	र.मी	१३३९.००	१३३९.००	१३३९.००
	b) 3 Core				
	1.5 mm2	र.मी	१२९.००	१२९.००	१२९.००
	2.5 mm2	र.मी	१८०.००	१८०.००	१८०.००
	4.0 mm2	र.मी	२५८.००	२५८.००	२५८.००
	6.0 mm2	र.मी	३३०.००	३३०.००	३३०.००
	10.0 mm2	र.मी	४९४.००	४९४.००	४९४.००
	16.0 mm2	र.मी	६९०.००	६९०.००	६९०.००
	25.0 mm2	र.मी	१०५१.००	१०५१.००	१०५१.००
	35.0 mm2	र.मी	१३९१.००	१३९१.००	१३९१.००
	50.0 mm2 Copper Conductor Armoured	र.मी	१९०६.००	१९०६.००	१९०६.००
	70.0 mm2	र.मी	२६७८.००	२६७८.००	२६७८.००
	95.0 mm2	र.मी	३६०५.००	३६०५.००	३६०५.००
	120.0 mm2	र.मी	४५३२.००	४५३२.००	४५३२.००
	150.0 mm2	र.मी	५५६२.००	५५६२.००	५५६२.००
	c) 3.5 Core				
	25.0 mm2	र.मी	१२५७.००	१२५७.००	१२५७.००
	35.0 mm2	र.मी	१५९७.००	१५९७.००	१५९७.००
	50.0 mm2	र.मी	२२४५.००	२२४५.००	२२४५.००
	70.0 mm2	र.मी	३०९०.००	३०९०.००	३०९०.००
	95.0 mm2	र.मी	४१२०.००	४१२०.००	४१२०.००
	120.0 mm2	र.मी	५४०८.००	५४०८.००	५४०८.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	150.0 mm ²	र.मी	६३८६.००	६३८६.००	६३८६.००
	185.0 mm ²	र.मी	७९३९.००	७९३९.००	७९३९.००
	240.0 mm ²	र.मी	९०४०३.००	९०४०३.००	९०४०३.००
	300.0 mm ²	र.मी	९३९८४.००	९३९८४.००	९३९८४.००
	400.0 mm ²	र.मी	९७३०४.००	९७३०४.००	९७३०४.००
	d) 4 Core				
	1.5 mm ²	र.मी	९५५.००	९५५.००	९५५.००
	2.5 mm ²	र.मी	२२९.००	२२९.००	२२९.००
	4.0 mm ²	र.मी	३९९.००	३९९.००	३९९.००
	6.0 mm ²	र.मी	४९२.००	४९२.००	४९२.००
	10.0 mm ²	र.मी	६९८.००	६९८.००	६९८.००
	16.0 mm ²	र.मी	९०९.००	९०९.००	९०९.००
	25.0 mm ²	र.मी	९३३९.००	९३३९.००	९३३९.००
	35.0 mm ²	र.मी	९८०३.००	९८०३.००	९८०३.००
	50.0 mm ²	र.मी	२५७५.००	२५७५.००	२५७५.००
	70.0 mm ²	र.मी	३५०२.००	३५०२.००	३५०२.००
	95.0 mm ² Copper Conductor Armoured	र.मी	४७३८.००	४७३८.००	४७३८.००
	120.0 mm ²	र.मी	५९७४.००	५९७४.००	५९७४.००
	150.0 mm ²	र.मी	७४९६.००	७४९६.००	७४९६.००
	185.0 mm ²	र.मी	९०६४.००	९०६४.००	९०६४.००
	240.0 mm ²	र.मी	९२३६०.००	९२३६०.००	९२३६०.००
	300.0 mm ²	र.मी	९४८३२.००	९४८३२.००	९४८३२.००
	400.0 mm ²	र.मी	२००८५.००	२००८५.००	२००८५.००
७८	Copper Conductor Unarmoured Power Cables NS marked or equivalent				
	a) 1-core				
	10 sq. mm.	र.मी	४३.००	४३.००	४३.००
	16 sq. mm.	र.मी	६५.००	६५.००	६५.००
	25 sq. mm.	र.मी	७६.००	७६.००	७६.००
	35 sq. mm.	र.मी	९९.००	९९.००	९९.००
	50 sq. mm.	र.मी	९२९.००	९२९.००	९२९.००
	70 sq. mm.	र.मी	९५८.००	९५८.००	९५८.००
	95 sq. mm.	र.मी	२९४.००	२९४.००	२९४.००
	120 sq. mm.	र.मी	२६०.००	२६०.००	२६०.००
	150 sq. mm.	र.मी	३०८.००	३०८.००	३०८.००
	b) 2- core				
	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७२.००	७२.००	७२.००
	2.5 sq.mm	र.मी	९०३.००	९०३.००	९०३.००
	4 sq.mm	र.मी	९४४.००	९४४.००	९४४.००
	6 sq.mm	र.मी	९९६.००	९९६.००	९९६.००
	10 sq.mm	र.मी	३०९.००	३०९.००	३०९.००
	16 sq.mm	र.मी	४२७.००	४२७.००	४२७.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	25 sq.mm	र.मी	६५९.००	६५९.००	६५९.००
	35 sq.mm	र.मी	८९६.००	८९६.००	८९६.००
	50 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००
	70 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००
	95 sq.mm	र.मी	२३१८.००	२३१८.००	२३१८.००
	120 sq.mm	र.मी	३०३९.००	३०३९.००	३०३९.००
	150 sq.mm	र.मी	३८११.००	३८११.००	३८११.००
c) 3-core					
	1.5 sq.mm. 3- core copper conductor	र.मी	९३.००	९३.००	९३.००
	2.5 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	4 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	6 sq.mm	र.मी	२७८.००	२७८.००	२७८.००
	10 sq.mm	र.मी	४३८.००	४३८.००	४३८.००
	16 sq.mm	र.मी	६३९.००	६३९.००	६३९.००
	25 sq.mm	र.मी	९७९.००	९७९.००	९७९.००
	35 sq.mm	र.मी	१३१८.००	१३१८.००	१३१८.००
	50 sq.mm	र.मी	१८५४.००	१८५४.००	१८५४.००
	70 sq.mm	र.मी	२५७५.००	२५७५.००	२५७५.००
	95 sq.mm	र.मी	३५०२.००	३५०२.००	३५०२.००
	120 sq.mm	र.मी	४४२९.००	४४२९.००	४४२९.००
	150 sq.mm	र.मी	५४५९.००	५४५९.००	५४५९.००
d) 3.5 core					
	25 sq.mm	र.मी	१२०५.००	१२०५.००	१२०५.००
	35 sq.mm Copper Conductor Unarmoured	र.मी	१५४५.००	१५४५.००	१५४५.००
	50 sq.mm	र.मी	२१६३.००	२१६३.००	२१६३.००
	70 sq.mm	र.मी	३०१३.००	३०१३.००	३०१३.००
	95 sq.mm	र.मी	४०६९.००	४०६९.००	४०६९.००
	120 sq.mm	र.मी	५३५६.००	५३५६.००	५३५६.००
	150 sq.mm	र.मी	६३३५.००	६३३५.००	६३३५.००
e) 4-core Copper Conductor Unarmoured					
	1.5 sq.mm	र.मी	११३.००	११३.००	११३.००
	2.5 sq.mm	र.मी	१७०.००	१७०.००	१७०.००
	4 sq.mm	र.मी	२५२.००	२५२.००	२५२.००
	6 sq.mm	र.मी	३५०.००	३५०.००	३५०.००
	10 sq.mm	र.मी	५५६.००	५५६.००	५५६.००
	16 sq.mm	र.मी	८४५.००	८४५.००	८४५.००
	25 sq.mm	र.मी	१३१८.००	१३१८.००	१३१८.००
	35 sq.mm	र.मी	१७७२.००	१७७२.००	१७७२.००
	50 sq.mm	र.मी	२४७२.००	२४७२.००	२४७२.००
	70 sq.mm	र.मी	३४५९.००	३४५९.००	३४५९.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	95 sq.mm	र.मी	४६८७.००	४६८७.००	४६८७.००
	120 sq.mm	र.मी	५९२३.००	५९२३.००	५९२३.००
	150 sq.mm	र.मी	७३६५.००	७३६५.००	७३६५.००
	185 sq.mm	र.मी	९०६४.००	९०६४.००	९०६४.००
	240 Sq. mm	र.मी	१२२५७.००	१२२५७.००	१२२५७.००
	300 Sq. mm	र.मी	१४८३२.००	१४८३२.००	१४८३२.००
	400 Sq. mm	र.मी	२००८५.००	२००८५.००	२००८५.००
७९	Aluminum conductor Armoured (Power) cable NS marked or eqv.				
	a) 2-core				
	1.5 sq.mm	र.मी			
	2.5 sq.mm	र.मी	९३.००	९३.००	९३.००
	4 sq.mm	र.मी	११८.००	११८.००	११८.००
	6 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	10 sq.mm	र.मी	१६०.००	१६०.००	१६०.००
	16 sq.mm	र.मी	१८०.००	१८०.००	१८०.००
	25 sq.mm	र.मी	२१६.००	२१६.००	२१६.००
	35 sq.mm	र.मी	२४७.००	२४७.००	२४७.००
	50 sq.mm	र.मी	३१९.००	३१९.००	३१९.००
	70 sq.mm	र.मी	३९७.००	३९७.००	३९७.००
	95 sq.mm	र.मी	५०५.००	५०५.००	५०५.००
	b) 3-core				
	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८.००	१०८.००	१०८.००
	4 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	6 sq.mm	र.मी	१४९.००	१४९.००	१४९.००
	10 sq.mm	र.मी	१८०.००	१८०.००	१८०.००
	16 sq.mm	र.मी	२०६.००	२०६.००	२०६.००
	25 sq.mm Aluminum conductor Armoured	र.मी	२७८.००	२७८.००	२७८.००
	35 sq.mm	र.मी	३३५.००	३३५.००	३३५.००
	50 sq.mm	र.मी	४२७.००	४२७.००	४२७.००
	70 sq.mm	र.मी	५४१.००	५४१.००	५४१.००
	95 sq.mm	र.मी	४९४.००	४९४.००	४९४.००
	120 sq.mm	र.मी	८३४.००	८३४.००	८३४.००
	150 sq.mm	र.मी	१००४.००	१००४.००	१००४.००
	185 sq.mm	र.मी	१२३६.००	१२३६.००	१२३६.००
	240 sq.mm	र.मी	१५१४.००	१५१४.००	१५१४.००
	300 sq.mm	र.मी	१८५४.००	१८५४.००	१८५४.००
	400 sq.mm	र.मी	२३१८.००	२३१८.००	२३१८.००
	c) 3.5 core		०.००	०.००	०.००
	25 sq.mm.	र.मी	३१९.००	३१९.००	३१९.००
	35 sq.mm	र.मी	३७१.००	३७१.००	३७१.००
	50 sq.mm	र.मी	४८९.००	४८९.००	४८९.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	70 sq.mm	र.मी	६२८.००	६२८.००	६२८.००
	95 sq.mm	र.मी	८०३.००	८०३.००	८०३.००
	120 sq.mm Aluminum conductor Armoured	र.मी	९७९.००	९७९.००	९७९.००
	150 sq.mm	र.मी	११७४.००	११७४.००	११७४.००
	185 sq.mm	र.मी	१४२१.००	१४२१.००	१४२१.००
	240 sq.mm	र.मी	१७७२.००	१७७२.००	१७७२.००
	300 sq.mm	र.मी	२२१५.००	२२१५.००	२२१५.००
	400 sq.mm	र.मी	२७८१.००	२७८१.००	२७८१.००
	d) 4-core				
	2.5 sq.mm	र.मी	१२४.००	१२४.००	१२४.००
	4 sq.mm	र.मी	१५५.००	१५५.००	१५५.००
	6 sq.mm	र.मी	१८०.००	१८०.००	१८०.००
	10 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	16 sq.mm	र.मी	२५२.००	२५२.००	२५२.००
	25 sq.mm	र.मी	३४०.००	३४०.००	३४०.००
	35 sq.mm	र.मी	४०२.००	४०२.००	४०२.००
	50 sq.mm	र.मी	५४८.००	५४८.००	५४८.००
	70 sq.mm	र.मी	७००.००	७००.००	७००.००
	95 sq.mm	र.मी	९०१.००	९०१.००	९०१.००
	120 sq.mm	र.मी	१०८२.००	१०८२.००	१०८२.००
	150 sq.mm	र.मी	१३७०.००	१३७०.००	१३७०.००
	185 sq.mm	र.मी	१६२७.००	१६२७.००	१६२७.००
	240sq.mm	र.मी	२०३९.००	२०३९.००	२०३९.००
	300 sq.mm Aluminum conductor Armoured	र.मी	२५२४.००	२५२४.००	२५२४.००
	400sq.mm	र.मी	३१९३.००	३१९३.००	३१९३.००
८०	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
	a) 1-core				
	16 sq.mm	र.मी	५२.००	५२.००	५२.००
	25 sq.mm	र.मी	७२.००	७२.००	७२.००
	35 sq.mm	र.मी	८८.००	८८.००	८८.००
	50 sq.mm	र.मी	११३.००	११३.००	११३.००
	70 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	95 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	120 sq.mm	र.मी	२३७.००	२३७.००	२३७.००
	150 sq.mm	र.मी	३९१.००	३९१.००	३९१.००
	185 sq.mm	र.मी	३६१.००	३६१.००	३६१.००
	240 sq.mm	र.मी	४४३.००	४४३.००	४४३.००
	300 sq.mm	र.मी	५३६.००	५३६.००	५३६.००
	b) 2-core Aluminium conductor unarmoured				
	2.5 sq.mm	र.मी	५२.००	५२.००	५२.००
	4 sq.mm	र.मी	६२.००	६२.००	६२.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	6 sq.mm	र.मी	७७.००	७७.००	७७.००
	10 sq.mm	र.मी	९८.००	९८.००	९८.००
	16 sq.mm	र.मी	१०३.००	१०३.००	१०३.००
	25 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	35 sq.mm	र.मी	१८५.००	१८५.००	१८५.००
	50 sq.mm	र.मी	२३७.००	२३७.००	२३७.००
	70 sq.mm	र.मी	२९९.००	२९९.००	२९९.००
	95 sq.mm 2 core	र.मी	४०२.००	४०२.००	४०२.००
c) 3-core					
	2.5 sq.mm	र.मी	६२.००	६२.००	६२.००
	4 sq.mm	र.मी	७२.००	७२.००	७२.००
	6 sq.mm	र.मी	८८.००	८८.००	८८.००
	10 sq.mm	र.मी	१२४.००	१२४.००	१२४.००
	16 sq.mm	र.मी	१४४.००	१४४.००	१४४.००
	25 sq.mm	र.मी	२०६.००	२०६.००	२०६.००
	35 sq.mm	र.मी	२५८.००	२५८.००	२५८.००
	50 sq.mm	र.मी	३४०.००	३४०.००	३४०.००
	70 sq.mm	र.मी	४५३.००	४५३.००	४५३.००
	95 sq.mm	र.मी	५९७.००	५९७.००	५९७.००
	120 sq.mm	र.मी	७४२.००	७४२.००	७४२.००
	150 sq.mm	र.मी	८८६.००	८८६.००	८८६.००
	185 sq.mm	र.मी	१११२.००	१११२.००	१११२.००
	240 sq.mm	र.मी	१३८०.००	१३८०.००	१३८०.००
	300 sq.mm Aluminium conductor unarmoured	र.मी	१७५१.००	१७५१.००	१७५१.००
d) 3.5-core					
	25 sq.mm	र.मी	२५८.००	२५८.००	२५८.००
	35 sq.mm	र.मी	३०९.००	३०९.००	३०९.००
	50 sq.mm	र.मी	४१२.००	४१२.००	४१२.००
	70 sq.mm	र.मी	५६७.००	५६७.००	५६७.००
	95 sq.mm	र.मी	७४२.००	७४२.००	७४२.००
	120 sq.mm	र.मी	९२७.००	९२७.००	९२७.००
	150 sq.mm	र.मी	१११२.००	१११२.००	१११२.००
	185 sq.mm	र.मी	१३९१.००	१३९१.००	१३९१.००
	240 sq.mm	र.मी	१७५१.००	१७५१.००	१७५१.००
	300 sq.mm	र.मी	२१६३.००	२१६३.००	२१६३.००
e) 4-core core aluminium unarmoured					
	2.5 sq.mm	र.मी	७२.००	७२.००	७२.००
	4 sq.mm	र.मी	८२.००	८२.००	८२.००
	6 sq.mm	र.मी	९८.००	९८.००	९८.००
	10 sq.mm	र.मी	१३४.००	१३४.००	१३४.००
	16 sq.mm	र.मी	१९६.००	१९६.००	१९६.००
	25 sq.mm	र.मी	२८८.००	२८८.००	२८८.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	35 sq.mm	र.मी	३५०.००	३५०.००	३५०.००
	50 sq.mm	र.मी	४८४.००	४८४.००	४८४.००
	70 sq.mm 4	र.मी	६३९.००	६३९.००	६३९.००
	95 sq.mm	र.मी	८४५.००	८४५.००	८४५.००
	120 sq.mm	र.मी	१०३०.००	१०३०.००	१०३०.००
	150 sq.mm	र.मी	१२८८.००	१२८८.००	१२८८.००
	185 sq.mm	र.मी	१५९७.००	१५९७.००	१५९७.००
	240 sq.mm	र.मी	२००९.००	२००९.००	२००९.००
	300 sq.mm	र.मी	२४७२.००	२४७२.००	२४७२.००
८१	General Lightig (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1 x 40 W FTL Patti fitting	सेट	२५२.००	२५२.००	२५२.००
	1 x 20 W FTL Patti fitting	सेट	२३२.००	२३२.००	२३२.००
	1 x 40 W FTL Box Fitting	सेट	४२७.००	४२७.००	४२७.००
	1 x 20 W FTL Box fitting	सेट	४१७.००	४१७.००	४१७.००
	9/11W Mini mirror light with electronic Blast		३५५.००	३५५.००	३५५.००
८२	GEWISS /BEC PVC Conduit product of Italy				
	RK Range				
	16 mm medium rigid conduit DX 25 316	र.मी	८८.००	८८.००	८८.००
	20 mm medium rigid conduit DX 25 320	र.मी	१२४.००	१२४.००	१२४.००
	25 mm medium rigid conduit DX 25 325	र.मी	१७५.००	१७५.००	१७५.००
	32 mm medium rigid conduit DX 25 332	र.मी	२५२.००	२५२.००	२५२.००
	40 mm medium rigid conduit DX 25 340	र.मी	३४५.००	३४५.००	३४५.००
	50 mm medium rigid conduit DX 25 350	र.मी	५३०.००	५३०.००	५३०.००
	63 mm medium rigid conduit DX 25 363	र.मी	९९९.००	९९९.००	९९९.००
	16 mm heavy rigid conduit DX 25 716	र.मी	१६५.००	१६५.००	१६५.००
	20 mm heavy rigid conduit DX 25 720	र.मी	२१६.००	२१६.००	२१६.००
	25 mm heavy rigid conduit DX 25 725	र.मी	२८८.००	२८८.००	२८८.००
	32 mm heavy rigid conduit DX 25 732	र.मी	४३३.००	४३३.००	४३३.००
	40 mm heavy rigid conduit DX 25 740	र.मी	५८७.००	५८७.००	५८७.००
	50 mm heavy rigid conduit DX 25 750	र.मी	७९३.००	७९३.००	७९३.००
	63 mm heavy rigid conduit DX 25 763	र.मी	१४८८.००	१४८८.००	१४८८.००
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	र.मी	१९६.००	१९६.००	१९६.००
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	र.मी	२४७.००	२४७.००	२४७.००
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	र.मी	३७६.००	३७६.००	३७६.००
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	र.मी	६२३.००	६२३.००	६२३.००
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	र.मी	७४७.००	७४७.००	७४७.००
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	र.मी	९६३.००	९६३.००	९६३.००
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	र.मी	१२००.००	१२००.००	१२००.००


काठमाण्डु जिल्लाको आ.व. २०७८/७९ को दररेट
 काठमाण्डु जिल्लाको आ.व. २०७८/७९ को दररेट
 काठमाण्डु जिल्लाको आ.व. २०७८/७९ को दररेट
 काठमाण्डु जिल्लाको आ.व. २०७८/७९ को दररेट

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	16 mm shockproof polymer saddle collar clip GW 50 605	र.मी	३१.००	३१.००	३१.००
	20 mm shockproof polymer saddle collar clip GW 50 606	र.मी	३६.००	३६.००	३६.००
	25 mm shockproof polymer saddle collar clip GW 50 607	र.मी	४१.००	४१.००	४१.००
	32 mm shockproof polymer saddle collar clip GW 50 608	र.मी	६२.००	६२.००	६२.००
	40 mm shockproof polymer saddle collar clip GW 50 630	र.मी	९८.००	९८.००	९८.००
	50 mm shockproof polymer saddle collar clip GW 50 631	र.मी	११८.००	११८.००	११८.००
	16 mm conduit coupler DX 40 016	र.मी	३६.००	३६.००	३६.००
	20 mm conduit coupler DX 40 020	र.मी	४६.००	४६.००	४६.००
	25 mm conduit coupler DX 40 025	र.मी	५७.००	५७.००	५७.००
	32 mm conduit coupler DX 40 032	र.मी	१०३.००	१०३.००	१०३.००
	40 mm conduit coupler DX 40 040	र.मी	१३९.००	१३९.००	१३९.००
	50 mm conduit coupler DX 40 050	र.मी	२४२.००	२४२.००	२४२.००
	63 mm conduit coupler DX 40 063	र.मी	४५८.००	४५८.००	४५८.००
	16 mm tight bend DX 40 116	र.मी	५७.००	५७.००	५७.००
	20 mm tight bend DX 40 120	र.मी	८२.००	८२.००	८२.००
	25 mm tight bend DX 40 125	र.मी	१२९.००	१२९.००	१२९.००
	32 mm tight bend DX 40 132	र.मी	२३७.००	२३७.००	२३७.००
	40 mm tight bend DX 40 140	र.मी	३३५.००	३३५.००	३३५.००
	50 mm tight bend DX 40 150	र.मी	६०३.००	६०३.००	६०३.००
	63 mm tight bend DX 40 163	र.मी	२३५९.००	२३५९.००	२३५९.००
	4 way junction box DX 45 004	र.मी	६७०.००	६७०.००	६७०.००
	7 way junction box DX 45 007	र.मी	८०३.००	८०३.००	८०३.००
	10 way junction box DX 45 010	र.मी	१०२०.००	१०२०.००	१०२०.००
	Closing cap for junction box DX 47 000	र.मी	११८.००	११८.००	११८.००
	16 mm inspectionable T bend DX 40216	र.मी	११८.००	११८.००	११८.००
	20 mm inspectionable T bend DX 40220	र.मी	१४९.००	१४९.००	१४९.००
	25 mm inspectionable T bend DX 40225	र.मी	१९६.००	१९६.००	१९६.००
	32 mm inspectionable T bend DX 40232	र.मी	२३७.००	२३७.००	२३७.००
	16 mm inspectionable bend DX 40 316	र.मी	९८.००	९८.००	९८.००
	20 mm inspectionable bend DX 40 320	र.मी	११८.००	११८.००	११८.००
	25 mm inspectionable bend DX 40 325	र.मी	१५५.००	१५५.००	१५५.००
	32 mm inspectionable bend DX 40 332	र.मी	१८५.००	१८५.००	१८५.००
८३	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range				
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	र.मी	८१९.००	८१९.००	८१९.००
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	र.मी	९७३.००	९७३.००	९७३.००
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	र.मी	११७४.००	११७४.००	११७४.००
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	र.मी	१३१८.००	१३१८.००	१३१८.००
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	र.मी	१५४०.००	१५४०.००	१५४०.००
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	र.मी	१७९०.००	१७९०.००	१७९०.००
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	र.मी	२१३७.००	२१३७.००	२१३७.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	र.मी	२५१३.००	२५१३.००	२५१३.००
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	र.मी	३०९०.००	३०९०.००	३०९०.००
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	र.मी	३२८१.००	३२८१.००	३२८१.००
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	र.मी	९८४.००	९८४.००	९८४.००
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	र.मी	११७९.००	११७९.००	११७९.००
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	र.मी	१२९८.००	१२९८.००	१२९८.००
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	र.मी	१४६८.००	१४६८.००	१४६८.००
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	र.मी	१६६३.००	१६६३.००	१६६३.००
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	र.मी	१८५९.००	१८५९.००	१८५९.००
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	र.मी	२२७६.००	२२७६.००	२२७६.००
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	र.मी	२६५७.००	२६५७.००	२६५७.००
	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	र.मी	३४५६.००	३४५६.००	३४५६.००
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	र.मी	३७४९.००	३७४९.००	३७४९.००
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	र.मी	४५८४.००	४५८४.००	४५८४.००
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	र.मी	१३१३.००	१३१३.००	१३१३.००
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	र.मी	२१२२.००	२१२२.००	२१२२.००
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	र.मी	२७८१.००	२७८१.००	२७८१.००
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	र.मी	३८५२.००	३८५२.००	३८५२.००
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	र.मी	४८३६.००	४८३६.००	४८३६.००
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	र.मी	५४४९.००	५४४९.००	५४४९.००
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	र.मी	१४९४.००	१४९४.००	१४९४.००
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	र.मी	२२७१.००	२२७१.००	२२७१.००
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	र.मी	२८८४.००	२८८४.००	२८८४.००
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	र.मी	४१५१.००	४१५१.००	४१५१.००
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	र.मी	५०१६.००	५०१६.००	५०१६.००
८४	Intrusion Detection System (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Main Controller-CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP	सेट	३८८५१.००	३८८५१.००	३८८५१.००
	Smoke & Heat Detector-Wireless Smoke and Head Detector	सेट	१०५४५.००	१०५४५.००	१०५४५.००
	Door Contact-Wireless Door Contact with transmitter	सेट	२६७८.००	२६७८.००	२६७८.००
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	४१७८.००	४१७८.००	४१७८.००
	Panic Switch-Wireless Panic Transmitter	सेट	४९२१.००	४९२१.००	४९२१.००
	Key -Wireless Key to Arm and Disarm the System	सेट	४७८०.००	४७८०.००	४७८०.००
	Window Contact- Wired door Contact with transmitter slim	सेट	२८१२.००	२८१२.००	२८१२.००
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	३६०१.००	३६०१.००	३६०१.००
८५	Automatic Motor Operator for water motor				
	Upto 1/2 HP single phase motor	सेट	४१२०.००	४१२०.००	४१२०.००
	Upto 1 HP single phase motor	सेट	५६६५.००	५६६५.००	५६६५.००
	Upto 5 HP three phase motor	सेट	९२७०.००	९२७०.००	९२७०.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
८६	Earthing Materials (ISI or other International Standard)				
	6 mm thick 600mm× 600 mm G.I. Plate	गोटा	२८२९.००	२८२९.००	२८२९.००
	Funneling Mechanism with cover (mild steel)	सेट	६९८.००	६९८.००	६९८.००
	3.2 mm thick 600mm× 600mm Copper Plate	गोटा	९५९७.००	९५९७.००	९५९७.००
	Copper wire (10 SWG)	र.मी.	९५५.००	९५५.००	९५५.००
८७	Service wire (Al)				
	2.5 mm ²	र.मी.	९८.००	९८.००	९८.००
	4.0 mm ²	र.मी.	२२.००	२२.००	२२.००
	6.0 mm ²	र.मी.	२८.००	२८.००	२८.००
८८	Lightening Arrestor for 3 Phase				
	0.5 KV	सेट	९२३६.००	९२३६.००	९२३६.००
	11 KV	सेट	४३२६.००	४३२६.००	४३२६.००
	Cross Arms V Channel.	गोटा	३०९०.००	३०९०.००	३०९०.००
	Stay set with accessories.				
	GI wire	गोटा	९९८२.००	९९८२.००	९९८२.००
	GI Plate	गोटा	९९८५.००	९९८५.००	९९८५.००
	Gay Insulator.	गोटा	५६.००	५६.००	५६.००
	Elbow	गोटा	९०३.००	९०३.००	९०३.००
	Rod , Nut	गोटा	४४५.००	४४५.००	४४५.००
	Grip	गोटा	४९.००	४९.००	४९.००
८९	Overhead Insulators (0.4KV)	गोटा			
	Sackle Insulator	गोटा	३९.००	३९.००	३९.००
	D-Iron	गोटा	९३.००	९३.००	९३.००
	Nut Bolt (3" with 8 mm Ø)	गोटा	९५.००	९५.००	९५.००
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	२३.००	२३.००	२३.००
९०	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	गोटा	९८५.००	९८५.००	९८५.००
	Disc Insulator	गोटा	९८९.००	९८९.००	९८९.००
	Cross Arms V Channel.	गोटा	२७९९.००	२७९९.००	२७९९.००
	Sqarrel ACSR conductor 20mm ²	र.मी.	९७.००	९७.००	९७.००
	weasel ACSR conductor 30 mm ²	र.मी.	२५.००	२५.००	२५.००
	Rabbit ACSR conductor 50 mm ²	र.मी.	४९.००	४९.००	४९.००
	Dog ACSR conductor 100 mm ²	र.मी.	८२.००	८२.००	८२.००
९१	Supply of aluminium ABC cable	र.मी.			
	25mm square 4 core ABC cable	र.मी.	९५५.००	९५५.००	९५५.००
	50 mm square 4 core ABC cable	र.मी.	२५८.००	२५८.००	२५८.००
	95 mm square 4 core ABC cable	र.मी.	५०५.००	५०५.००	५०५.००
९२	Alternator 3 Phase Brush less with compounded Excitation.				
	AMF with ATS palel for DG (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	5KVA AMF with ATS palel	सेट	२२६६०.००	२२६६०.००	२२६६०.००
	7.5KVA AMF with ATS palel	सेट	२८८४०.००	२८८४०.००	२८८४०.००
	10KVA AMF with ATS palel	सेट	३६०५०.००	३६०५०.००	३६०५०.००
	15KVA AMF with ATS palel	सेट	४६३५०.००	४६३५०.००	४६३५०.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	20KVA AMF with ATS palel	सेट	६६९५०.००	६६९५०.००	६६९५०.००
	25KVA AMF with ATS palel	सेट	७७२५०.००	७७२५०.००	७७२५०.००
	30KVA AMF with ATS palel	सेट	९२७००.००	९२७००.००	९२७००.००
९३	MCB/ISOLATOR (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	B CURVE MCB SP 6A-32A	पोल	२३९.००	२३९.००	२३९.००
	B CURVE MCB SP 40A	पोल	२८१.००	२८१.००	२८१.००
	B CURVE MCB SP 50A-63A	पोल	२८१.००	२८१.००	२८१.००
	C CURVE MCB SP 0.5-4A	पोल	२८१.००	२८१.००	२८१.००
	C CURVE MCB SP 6-32A	पोल	२३९.००	२३९.००	२३९.००
	C CURVE MCB SP 40A	पोल	४४६.००	४४६.००	४४६.००
	C CURVE MCB SP 50-63A	पोल	४४६.००	४४६.००	४४६.००
	C CURVE MCB SPN 0.5-4A	पोल	४७९.००	४७९.००	४७९.००
	C CURVE MCB SPN 6-32A	पोल	५१३.००	५१३.००	५१३.००
	C CURVE MCB SPN 40A	पोल	५६१.००	५६१.००	५६१.००
	C CURVE MCB SPN 50-63A	पोल	५६१.००	५६१.००	५६१.००
	C CURVE MCB DP 0.5-4A	पोल	६१७.००	६१७.००	६१७.००
	C CURVE MCB DP 6-32A	पोल	५६४.००	५६४.००	५६४.००
	C CURVE MCB DP 40A	पोल	६१७.००	६१७.००	६१७.००
	C CURVE MCB DP 50-63A	पोल	६१७.००	६१७.००	६१७.००
	C CURVE MCB TP 0.5-4A	पोल	९२५.००	९२५.००	९२५.००
	C CURVE MCB TP 6-32A	पोल	८४७.००	८४७.००	८४७.००
	C CURVE MCB TP 40A	पोल	९२५.००	९२५.००	९२५.००
	C CURVE MCB TP 50-63A	पोल	९२५.००	९२५.००	९२५.००
	C CURVE MCB TPN 0.5-4A	पोल	१२०६.००	१२०६.००	१२०६.००
	C CURVE MCB TPN 6-32A	पोल	११०३.००	११०३.००	११०३.००
	C CURVE MCB TPN 40A	पोल	१२०६.००	१२०६.००	१२०६.००
	C CURVE MCB TPN 50-63A	पोल	१२०६.००	१२०६.००	१२०६.००
	C CURVE MCB FP 0.5-4A	पोल	१२९०.००	१२९०.००	१२९०.००
	C CURVE MCB FP 6-32A	पोल	११८०.००	११८०.००	११८०.००
	C CURVE MCB FP 40A	पोल	१२९०.००	१२९०.००	१२९०.००
	C CURVE MCB FP 50-63A	पोल	१२९०.००	१२९०.००	१२९०.००
	ISOLATOR DP 40A	पोल	५५१.००	५५१.००	५५१.००
	ISOLATOR DP 63A	पोल	५५१.००	५५१.००	५५१.००
	ISOLATOR DP 80-100A	पोल	५७६.००	५७६.००	५७६.००
	ISOLATOR DP 125A	पोल	६११.००	६११.००	६११.००
	ISOLATOR FP 40A	पोल	९०२.००	९०२.००	९०२.००
	ISOLATOR FP 63A	पोल	९०२.००	९०२.००	९०२.००
	ISOLATOR FP 80-100A	पोल	९९८.००	९९८.००	९९८.००
	ISOLATOR FP 125A	पोल	९९८.००	९९८.००	९९८.००
	RCCB DP 25A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००
	RCCB DP 40A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००
	RCCB DP 63A 30mA	पोल	३५४७.००	३५४७.००	३५४७.००
	RCCB DP 25A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 40A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 63A 100mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 25A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 40A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००
	RCCB DP 63A 300mA	पोल	३३४५.००	३३४५.००	३३४५.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	RCCB FP 25A 30mA	पोल	४१५५.००	४१५५.००	४१५५.००
	RCCB FP 40A 30mA	पोल	४१५५.००	४१५५.००	४१५५.००
	RCCB FP 63A 30mA	पोल	४१५५.००	४१५५.००	४१५५.००
	RCCB FP 25A 100mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 40A 100mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 63A 100mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 25A 300mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 40A 300mA	पोल	४००४.००	४००४.००	४००४.००
	RCCB FP 63A 300mA	पोल	४००४.००	४००४.००	४००४.००
	MCB RX3(C) 6-32A (SINGLE POLE)	सेट			३१०.००
	MCB DX3 6-32A (SINGLE POLE)	सेट			५१५.००
	MCB DX3 40A (SINGLE POLE)	सेट			११३९.००
	MCB DX3 63A (SINGLE POLE)	सेट			११३९.००
	MCB DX3 6-32A (DOUBLE POLE)	सेट			१५८४.००
	MCB DX3 40A(DOUBLE POLE)	सेट			२५५०.००
	MCB DX3 63A(DOUBLE POLE)	सेट			२५५०.००
	MCB DX3 6-32A(TRIPPLE POLE)	सेट			२५८६.००
	MCB DX3 40A(TRIPPLE POLE)	सेट			३९४९.००
	MCB DX3 63A(TRIPPLE POLE)	सेट			३९४९.००
	MCB DX3 6-32A(FOUR POLE)	सेट			३४९१.००
	MCB DX3 40A (FOUR POLE)	सेट			५०३४.००
	MCB DX3 63A (FOUR POLE)	सेट			५०३४.००
	ISOLATOR DX3 32A 240V(DOUBLE POLE)	सेट			८६१.००
	ISOLATOR DX3 40A 240v(DOUBLE POLE)	सेट			९५०.००
	ISOLATOR DX3 63A 240v(DOUBLE POLE)	सेट			१२५४.००
	ISOLATOR DX3 32A 415v(TRIPPLE POLE)	सेट			१५४२.००
	ISOLATOR DX3 40A 415v(TRIPPLE POLE)	सेट			१६५१.००
	ISOLATOR DX3 63A 415v(TRIPPLE POLE)	सेट			१९५५.००
	ISOLATOR DX3 32A 415v (FOUR POLE)	सेट			१६९३.००
	ISOLATOR DX3 40A 415v (FOUR POLE)	सेट			२१०२.००
	ISOLATOR DX3 63A 415v (FOUR POLE)	सेट			२३०४.००
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	सेट			७९८४.००
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	सेट			८३८४.००
	RCBO 16A 30mA 4M(DOUBLE POLE)	सेट			६५७६.००
	RCBO 25A 30mA 4M(DOUBLE POLE)	सेट			६५७६.००
	RCBO 32A 30MA 4M(DOUBLE POLE)	सेट			७२००.००
	RCBO 40A 30MA 4M(DOUBLE POLE)	सेट			८५६३.००
	RCBO 16A 30mA 7M (FOUR POLE)	सेट			९२७०.००
	RCBO 25A 30mA 7M (FOUR POLE)	सेट			९२७०.००
	RCBO 32A 30MA 7M (FOUR POLE)	सेट			९५६२.००
	RCBO 40A 30MA 7M (FOUR POLE)	सेट			९७०६.००
	RCBO 63A 30MA 7M (FOUR POLE)	सेट			११४९४.००
	RCCB 25A 30MA 2M (DOUBLE POLE)	सेट			५६०३.००
	RCCB 40A 30MA 2M (DOUBLE POLE)	सेट			६५६०.००
	RCCB 63A 30MA 2M (DOUBLE POLE)	सेट			७८४०.००
	RCCB 25A 30MA 240v 4M (FOUR POLE)	सेट			७७१८.००
	RCCB 40A 30MA 240v 4M (FOUR POLE)	सेट			७६२२.००
	RCCB 63A 30MA 240v 4M (FOUR POLE)	सेट			८८४५.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
९४	LED AC Street light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	LED AC Street light 24 W with auto on-off switch and auto dimming opetion including all accesories and excludng installation	गोटा	७०००.००	७०००.००	७०००.००
	LED AC Street light 50W with auto on-off switch and auto dimming opetion including all accesories and excluding installation	गोटा	९०००.००	९०००.००	९०००.००
	LED AC Street light 100 W with auto on-off switch and auto dimming opetion including all accesories and excluding installation	गोटा	१६०००.००	१६०००.००	१६०००.००
	smartbright LED street light Up-to 70% energy saving,Polycarbonate cover with high impact resistance,Robust PDC housing LM6 alloy with IP66 protection,Long life of as compared to MH/SON streetlights,System power consumption / Light output 50W/5500lm,1 to 1 replacement for 1x150W SON streetlights				
	15W	गोटा			४०००.००
	25W	गोटा			१०१००.००
	35W	गोटा			१२१००.००
	70W	गोटा			२१५००.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			३७००.००
	30W 3000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			४५५०.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			५३५०.००
	50W 5000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			६८५०.००
	100W 10000lm AC 90-300v Pressure Die-cast aluminium with PC cover & PMMA lens LED street light	गोटा			९३००.००
९५	LED BULBS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	LED Bulb(Wh,R,BI,Or,G,Y) 0.5W B22	गोटा	६३.००	६३.००	६३.००
	LED Bulb 3W B22/E27 2700K/6500K	गोटा	१२४.००	१२४.००	१२४.००
	LED Bulb 5W B22/E27 2700K/6500K	गोटा	१३९.००	१३९.००	१३९.००
	LED Bulb 8.3W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	LED Bulb 9W B22/E27 2700K/6500K	गोटा	१८३.००	१८३.००	१८३.००
	LED Bulb 11W B22/E27 2700K/6500K	गोटा	२७०.००	२७०.००	२७०.००
	LED Bulb 14W B22/E27 2700K/6500K	गोटा	३४२.००	३४२.००	३४२.००
	High Power LED 20W E27 2700K/6500K	गोटा	५२२.००	५२२.००	५२२.००
	High Power LED 28W E27 2700K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	High Power LED 40W E27 2700K/6500K	गोटा	१००७.००	१००७.००	१००७.००
	High Power LED 50W E27 2700K/6500K	गोटा	१२६२.००	१२६२.००	१२६२.००
	1W 30lm AC 90-300v,50/60Hz 2700 Beam angle,IP44 B22 white/yellow/Red/Blue/Green/Orange/Pink LED Bulb	गोटा			८५.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	3W/5W/7W/9W @100lm/watt with 220V Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा			२४०.००
	12W/15W/18W/20W @100lm/watt with 220V Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+ ThermoPlastic LED Bulb	गोटा			७८५.००
	25W/35W/40W @120lm/Watt with 180V Beam Angle 3000k-6500k, IP44 B22/E27 Aluminium+Thermoplastic+Polycarbonate LED Bulb	गोटा			२२७५.००
	40W/60W @95lm/Watt with 120V beam angle E27 6500k eco friendly, long life span 50,000 hrs Aluminium+thermoplastic LED High Bulb	गोटा			७७००.००
	3W/5W @100lm/watt dimmable with 220V Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा			४५५.००
९६	LED BULKHEAD				
	9W/15W IP65 With Milky glass diffuser Die-cast Aluminum Powder coated 3000k-6500k eco friendly LED Bulkhead	गोटा			२८५०.००
	EnduraLED Bulkhead luminaire is a sustainable and reliable offering for indoor or semi-outdoor public area with IP66 ingress protection. The product offers two lumen packs with two different CCT's and suitable for versatile applications such as staircases, industrial areas, circulation areas, lift wells etc. Pressure die cast housing and high impact resistance polycarbonate cover make this bulkhead maintenance free solution for heavy duty industries. High ingress protection-IP66, Impact resistant-IK09, Color temperature - 4000K / 6500K and Lumen packs - 700 lm /1100 lm, Pressure diecast housing with robust polycarbonate cover, Long lifetime: 50000 Hrs.				
	6W	गोटा			४०९०.००
	10W	गोटा			५५००.००
९७	WALL LIGHT				
	UNO wall light	गोटा			१०६०.००
	NOVA wall light	गोटा			१३१०.००
	COMET wall light	गोटा			१३१०.००
	OMEGA wall light	गोटा			१६७०.००
९८	LED STEP/FOOT LIGHT				
	5W IP65 Moisture proof pressure Die-cast Aluminium 3000k-6500k eco friendly LED step/Foot Light	गोटा			१५००.००
९९	FOOT LIGHT/STEP LIGHT				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation, Durable aluminium housing, with IP20/IP44 protection from dust and water, 3000k/6500k				
	2W Step/Foot light Indoor	गोटा			२२००.००
	3W Step/Foot light Indoor	गोटा			२८५०.००
	2W Step/Foot light Outdoor	गोटा			२४२०.००
	3W Step/Foot light Outdoor	गोटा			३२२५.००
१००	LED STRIP LIGHTS				

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा			५७०.००
	Power adaptor 2A/5A	गोटा			२९००.००
१०१	STRIP/COVE/ROPE LIGHT				
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र.मी.			५३८.००
	2A LED driver for strip light	गोटा			१२७५.००
	Marathon Rope light IP 66 400lm/watt LED Rope light	र.मी.			४८०.००
	IP 66 driver for marathon rope light	गोटा			६७५.००
१०२	GARDEN SPIKE LIGHT				
	Anthracite COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा			३७९०.००
	12W	गोटा			५७८०.००
१०३	LED TRACK LIGHTS				
	3W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			१४५०.००
	6W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			१९५०.००
	9W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			२६५०.००
	16W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			४४००.००
	24W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			५३५०.००
	30W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			६३५०.००
	40W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			८६५०.००
	50W @100lm/watt IP20 24-36 Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा			९३००.००
	Stick IMTR for Track light	गोटा			१५००.००
१०४	SURFACE MOUNTING DOWNLIGHT				
	Downlight Square 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००
	Downlight Square 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Downlight Square 18W 3000K/6500K	गोटा	७७९.००	७७९.००	७७९.००
	Downlight Round 6W 3000K/6500K	गोटा	४४४.००	४४४.००	४४४.००
	Downlight Round 12W 3000K/6500K	गोटा	६२८.००	६२८.००	६२८.००
	Downlight Round 18W 3000K/6500K	गोटा	७८३.००	७८३.००	७८३.००
	Surface Mount Sownlight Luminaries:				
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED7S- 6500 PSU	गोटा			२९९२.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM250C LED12S- 6500 PSU WH	गोटा			३२६४.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED16S- 6500 PSU WH	गोटा			४७६०.००
	Surface Mount Circular / Sqaure Downlights-Non Dimmable: SM251C LED20S- 6500 PSU WH	गोटा			५३०४.००
	RECESS MOUNTING DOWNLIGHT				
	Downlight Square 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००
	Downlight Square 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००
	Downlight Square 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००
	Downlight Round 6W 3000K/6500K	गोटा	४२३.००	४२३.००	४२३.००
	Downlight Round 12W 3000K/6500K	गोटा	५५७.००	५५७.००	५५७.००
	Downlight Round 18W 3000K/6500K	गोटा	७४६.००	७४६.००	७४६.००
	LED Panel Light (Slim) 2'X2' 38W 4000K/6500K	गोटा	३९७८.००	३९७८.००	३९७८.००
	LED Panel Cover (Surface/Recess)2'X2'	गोटा	७४६.००	७४६.००	७४६.००
	Recessed Circular Downlight Luminaries:				
	Circular Downlight Non Dimmable - DN295B LED6S-6500 PSU	गोटा			३८०८.००
	Circular Downlight Non Dimmable - DN295B LED8S-6500 PSU	गोटा			४२९६.००
	Circular Downlight Non Dimmable - DN295B LED10S-6500 PSU	गोटा			४६२४.००
	Circular Downlight Non Dimmable - DN296B LED12S-6500 PSU	गोटा			५७९२.००
	Circular Downlight Non Dimmable - DN296B LED15S-6500 PSU	गोटा			६८००.००
	Circular Downlight Non Dimmable - DN296B LED20S-6500 PSU	गोटा			८९६०.००
	Circular Downlight Dimmable - DN296B LED12S-6500 PSd	गोटा			९५२०.००
	Circular Downlight Dimmable - DN296B LED15S-6500 PSd	गोटा			१०८८०.००
	Circular Downlight Dimmable - DN296B LED20S-6500 PSd	गोटा			१३०५६.००
१०५	LED TUBELIGHTS				
	8W T5 TUBE SET 2700K FIX	गोटा			७५०.००
	16W T5 TUBE SET 2700K FIX	गोटा			९५०.००
	20W LED TUBE SET FIX	गोटा			१२५०.००
	10W LED TUBE ONLY T8	गोटा			९५०.००
	10W LED TUBE PATTI T8	गोटा			५५०.००
	20W LED TUBE ONLY T8	गोटा			१०००.००
	20W LED TUBE PATTI T8	गोटा			६५०.००
	40W DOUBLE LED TUBE PATTI T8	गोटा			१७५०.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	16W LED TUBE SET FIX 6500K	गोटा			१२५०.००
	32W DOUBLE LED TUBE SET FIX 6500K	गोटा			२५००.००
	4W/8W/20W LED Tubelight batten Square body 3000k/4000k/6500k 1ft/2ft/4ft LED batten light	गोटा			७६०.००
	LED Tubelight 18W 6500K	गोटा	२६८.००	२६८.००	२६८.००
	LED Tubelight With Holder 18W 6500K	गोटा	४२३.००	४२३.००	४२३.००
१०६	FLOODLIGHTS				
	Flood Lights 20W 6500K	गोटा	१३१२.००	१३१२.००	१३१२.००
	Flood Lights 30W 6500K	गोटा	१५७३.००	१५७३.००	१५७३.००
	Flood Lights 50W 6500K	गोटा	२२८७.००	२२८७.००	२२८७.००
	Flood Lights 70W 6500K	गोटा	३५४३.००	३५४३.००	३५४३.००
	20W 6500 LED + MULTIPLUG	गोटा			९६९०.००
	30W FLOOD LIGHT + CHARGEABLE	गोटा			१२२४५.००
	10W FLOOD LIGHT 6500K	गोटा			१७८०.००
	20W FLOOD LIGHT 6500K	गोटा			३१७०.००
	30W FLOOD LIGHT 6500K	गोटा			३७२०.००
	50W FLOOD LIGHT 6500K	गोटा			६०३०.००
	30W FLOOD LIGHT 2700K	गोटा			३९५०.००
	50W FLOOD LIGHT 2700K	गोटा			६२५०.००
	150W FLOOD LIGHT 6500K	गोटा			१६२३०.००
	100W FLOOD LIGHT 6500K	गोटा			१०६४०.००
	200W FLOOD LIGHT 6500K	गोटा			२७३३५.००
	400W FLOOD LIGHT 6500K	गोटा			४०५००.००
	10W FLOOD LIGHT SENSOR 6500K	गोटा			२३५०.००
	20W FLOOD LIGHT SENSOR 6500K	गोटा			३८५०.००
	30W FLOOD LIGHT SENSOR 6500K	गोटा			४२५०.००
	50W FLOOD LIGHT SENSOR 6500K	गोटा			४९००.००
	50W POLE LIGHT 6500K	गोटा			८९४५.००
	100W POLE LIGHT 6500K	गोटा			१४७५०.००
	50W HIGH BAY LIGHT	गोटा			८५००.००
	100W HIGH BAY LIGHT	गोटा			१०५००.००
	20W TRACK LIGHT 6500/2700 K	गोटा			४६२०.००
	1 METER TRACK STICK	गोटा			१०२०.००
	Exterior Rated Flood Lights - Low Power	गोटा			१८४९६०.००
	Exterior Rated Flood Lights - High Power	गोटा			५०३२००.००
	Exterior Rated Flood Lights - Extra High Power	गोटा			७३९८४०.००
	LED FLOOD LIGHT				
	10W 1000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५५०.००
	20W 2000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			२६००.००
	40W 4000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			४९००.००

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	60W 6000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			५७००.००
	90W 9000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			९६५०.००
	120W 12000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			११०००.००
	150W 15000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१५०००.००
	200W 20000lm AC 90-300v Pressure Die-cast aluminium with Toughened glass cover LED flood light	गोटा			१९७००.००
	Smartbright LED flood light having 30000 burning hours,Polycarbonate cover enhances impact strength (IK07 rated),Pressure die-cast housing offers excellent corrosion resistance,4KV surge protection, IP65 certified,Overheating protection.Pressure die-cast housing				
	10w	गोटा			३३५०.००
	20W	गोटा			४४००.००
	30W	गोटा			६२५०.००
	50W	गोटा			१४५००.००
	70W	गोटा			१९०००.००
	105W Tempo Flood light	गोटा			८५०००.००
	300w Tango Flood Light	गोटा			१२००००.००
१०७	PANEL LIGHT				
	3W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			६७५.००
	6W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			८२५.००
	8W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			११००.००
	12W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			१४००.००
	18W RD CONCEAL PANEL LIGHT (WWW/WH)	गोटा			१८७५.००
	20W RD CONCEAL PANEL LIGHT WH	गोटा			२२७५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा			२९२५.००
	26W RD CONCEAL PANEL LIGHT WH	गोटा			३०००.००
	3W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			६७५.००
	6W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			८२५.००
	12W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			१४००.००
	24W SQ CONCEAL PANEL LIGHT (WWW/WH)	गोटा			३६००.००
	6W RD SURFACE PANEL LIGHT (WWW/WH)	गोटा			११७५.००
	12W RD SURFACE PANEL LIGHT (WWW/WH)	गोटा			१७७५.००
	12W SQ SURFACE PANEL LIGHT (WWW/WH) PC + AL	गोटा			१५५०.००
	18W SQ SURFACE PANEL LIGHT (WWW/WH) PC + AL	गोटा			२५९०.००
	18W SQ SURFACE PANEL LIGHT	गोटा			१६५०.००
	24W SQ SURFACE PANEL LIGHT	गोटा			३८५०.००
	3W COB CONCEAL LIGHT (WWW/WH)	गोटा			८७०.००
	5W COB CONCEAL LIGHT (WWW/WH)	गोटा			९९०.००
	7W COB CONCEAL LIGHT (WWW/WH)	गोटा			९७५.००
	8W COB CONCEAL LIGHT WH	गोटा			९७५.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	10W COB CONCEAL LIGHT WH	गोटा			१०५०.००
	12W COB CONCEAL LIGHT WH	गोटा			१६१०.००
	15W COB CONCEAL LIGHT WH	गोटा			१३७५.००
	30W COB CONCEAL LIGHT WH	गोटा			२६५०.००
	2X2 40W SQ CONCEAL PANEL LIGHT WH	गोटा			६७८०.००
	2X2 36W SQ SURFACE PANEL LIGHT WH	गोटा			५५००.००
	1X2 20W SQ CONCEAL PANEL LIGHT WH	गोटा			५५००.००
	1X4 40W SQ CONCEAL PANEL LIGHT WH	गोटा			९५००.००
	2X4 80W SQ CONCEAL PANEL LIGHT WH	गोटा			१८५००.००
	1x1, 24W 2160lm AC 90-300v,50Hz,Pressure Die-Cast Aluminium Eco friendly slim design Panel light	गोटा			४७००.००
	2x2, 36W 3600lm AC 90-300v,50Hz, Armstrong,surface,Recessed,suspended MS sheet Panel light	गोटा			५७००.००
	1x4, 36W 3600lm AC 90-300v,50Hz, Armstrong,,Recessed,suspended sheet Aluminium Panel light	गोटा			१०७००.००
	LED SURFACE/RECESSED PANEL LIGHT				
	5W 500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			७२०.००
	8W 800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१०२०.००
	12W 1200lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१२३५.००
	15W 1500lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१४०५.००
	18W 1800lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१७५०.००
	20W 2000lm AC 90-300v long life 50,000hrs pressure die cast aluminium housing flicker free 120 beam angle RD/SQ LED surface panel	गोटा			१९००.००
	LED PANEL LIGHTS				
	2 x 2 ,24W ,@120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC370B TROFER 24W LED 30S RECESS)	गोटा			८९६०.००
	1 x 1, 15W ,@120lm/watt with long life,CRCA housing,Low glare, reduced flicker and no blue light hazard,Wide voltage protection 160-360V, Surge protection 2.5kV,Even and uniform light. No dark spots with CCT 3000k/4000k/6500k(RC375B CORELINE 15W LED 30S RECESS)	गोटा			५९१५.००
	Stellar Bright/Ace saver energy saving bulbs IP44 withlow glare,reduced flicker,no blue light hazard,wide voltage protection				
	2.7W/4W/7W	गोटा			३१०.००
	10.5W/12W/14W	गोटा			६८०.००
	17W/20W	गोटा			९३५.००
	40W/50W	गोटा			२९६०.००



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१०८	Transformar & Elecceric Pole (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
क	Copper wound Distribution Outdoor Transformar with first filling of oil				
	11/0.4kv 15 KVA 3 phase,50 Hz ONAN	गोटा	१९९०००	१९९०००	१९९०००
	11/0.4kv 25 KVA 3 phase,50 Hz ONAN	गोटा	२६१४००	२६१४००	२६१४००
	11/0.4kv50 KVA 3 phase,50 Hz ONAN	गोटा	३७३०००	३७३०००	३७३०००
	11/0.4kv 75 KVA 3 phase,50 Hz ONAN	गोटा	४८१०००	४८१०००	४८१०००
	11/0.4kv 100 KVA 3 phase,50 Hz ONAN	गोटा	५९०६००	५९०६००	५९०६००
	11/0.4kv 125 KVA 3 phase,50 Hz ONAN	गोटा	७०००००	७०००००	७०००००
	11/0.4kv 150 KVA 3 phase,50 Hz ONAN	गोटा	८०००००	८०००००	८०००००
	11/0.4kv 200 KVA 3 phase,50 Hz ONAN	गोटा	१०२३९००	१०२३९००	१०२३९००
	11/0.4kv 250 KVA 3 phase,50 Hz ONAN	गोटा	१०९७४००	१०९७४००	१०९७४००
	11/0.4kv300 KVA 3 phase,50 Hz ONAN	गोटा	११७०९००	११७०९००	११७०९००
ख	Low Loss Transformar				
	No Load-75,Load loss 460(25 KVA)	गोटा	२२००००	२२००००	२२००००
	No Load-120,Load loss750(50 KVA)	गोटा	३२००००	३२००००	३२००००
	No Load-220,Load loss 1210(100 KVA)	गोटा	४२००००	४२००००	४२००००
ग	ACSR Conductor Wire				
	0.02 sq inch	र.मी	२०.३	२०.३	२०.३
	0.03 sq inch	र.मी	२९.८	२९.८	२९.८
	0.05 sq inch	र.मी	५०.५	५०.५	५०.५
घ	LT/HT Accessories				
	11 kv Disc insulator with grapher(3 Bolt)	सेट	१४५०	१४५०	१४५०
	11kv Pin insulator with spindel	सेट	२५५	२५५	२५५
	11 KVA Drop out fuse	सेट	१२०७५	१२०७५	१२०७५
	D-iron det with shakle insulator	सेट	१५०	१५०	१५०
	Stay Assembly Complete Set	सेट	१४५०	१४५०	१४५०
	Stay wirw (NS 7/12 guage)	केजी	१०२	१०२	१०२
	Lighting Arrester	सेट	६३२५	६३२५	६३२५
	Earthing Set	सेट	२८००	२८००	२८००
	H T Tape	थान	१७०	१७०	१७०
ङ	स्टे वायर ७/१२	केजी	१२०	१२०	१२०
	स्टे एसेमली सेट १२*१२,६ मीमी मोटो	सेट	१६००	१६००	१६००
च	विद्युत पोल				
	क) .पि.एस.सी. As per NEA Specification,				
	८ मीटर	प्रति पोल	६७००	६७००	६७००
	९ मीटर	प्रति पोल	७७००	७७००	७७००
	११ मीटर	प्रति पोल	१६५००	१६५००	१६५००
	ख) .स्टील टयुवलर				



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-53 with nut,bolt &washer(178kg)	प्रति पोल	१९५५०	१९५५०	१९५५०
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-43 with nut,bolt &washer(165kg)	प्रति पोल	१८१७०	१८१७०	१८१७०
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-31 with nut,bolt &washer(147kg)	प्रति पोल	१६२१५	१६२१५	१६२१५
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) As per IS 2713,410Sp-13 with nut,bolt &washer(105kg)	प्रति पोल	११६१५	११६१५	११६१५
१०९	Smart Lighting Fixtures:				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४४८०
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			३९२०
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२०३०
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा			४९००
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा			२१००
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा			२४५०
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा			१९६०
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.			७७०
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा			४९३०
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.			५३२



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.			४०६
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा			१७५०
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.			१०८५
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा			९७०६
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.			६६५
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा			१३३०००
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा			१८२००
	Central Distribution Box: Suitable with modules	सेट			३५०००
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट			२५२०००
	Software: PPS Programming software, we can also program and customize as per client request	सेट			३९२०००
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा			९८०००
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switch, as per the confirmed technical details	गोटा			८६८००
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा			७९४००
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा			५८८००
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा			३२२००
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा			२५२००
	Distribution Box 1: Suitable with modules	सेट			६३०००
	Ceiling Light: Suitable with modules	गोटा			११९०००
	275 gsm Pregalvanized Cable Tray & Raceways				
११०	CABLE SUPPORT SYSTEM - FINISH - (275GSM)				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी			८००
	Rung sloted "C CHANEL" - Pre Galvanized (PG 275)	र.मी			५२५
	Punched Plate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी			७५०
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा			५५०
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा			५७५
	M8-Threaded rod Electroplated,1000 mm long	र.मी			१९०
	M10-Threaded rod Electroplated,1000 mm long	र.मी			२९०
	Rod coupler, M-8,Electroplated	गोटा			९५
	Rod coupler, M-10,Electroplated	गोटा			१०५
	WDJ Coupler 100,150 & 200 mm	गोटा			५७५
	275 gsm Pregalvanized Junction Box	गोटा			२५००
	Coupler for BRT 900,750,450,300 & 150MM	गोटा			२५०
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा			२७५



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Bottle Bracket for BRT 100 X50MM	गोटा			२५०
	Bottle Bracket for BRT 150 X50MM	गोटा			४००
	Bottle Bracket for PCT 200 X50MM	गोटा			५५०
	METAL GRIP/FASTNER	गोटा			९०
	BRT Reducer Bend 450-150, 50 mm Height, PG275GSM	गोटा			५०००
	BRT Hardware/PCT Hardware	गोटा			३०
१११	LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)				
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			३२२५
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			२५००
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१८५०
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१६५०
	Pre Galvanized (275Gsm) Bolted Rungs Type (15X30x15) ladder Cable Tray	र.मी			१४५०
११२	Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts --2500MM Long				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी			२५७५
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी			३२५०
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र.मी			३५००
११३	Perforated Cable Tray 2mm Thick--2500mm Long, Pre Galvanized (275 Gsm)				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी			११७५
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी			१४५०
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी			१७७५
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी			२०५०
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी			३१६०
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी			४०३०
११४	Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	र.मी			१९७६
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	र.मी			४०५०
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	र.मी			६२५०



 नेपाल सरकार
 मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 भक्तपुर

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
११५	MEDIUM/HEAVY MECHANICAL STRESS(MMS)				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१११
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			१३९
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/Blue/Green	र.मी			२६१
	Precision Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा			९०
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा			१००
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा			२१४
११६	DEEP TYPE				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा			१४५
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा			१७२
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा			२२५
११७	SADDLE, COUPLER, BEND, ELBOW, TEE, BUSH ADAPTOR				
	20/25MM Round U Clip/Space Bar saddle	गोटा			४२
	20/25MM Coupler	गोटा			२५
	20/25 mm slip type Bend	गोटा			८९
	20/25mm Round Elbow	गोटा			४४
	20/25mm Round Tee	गोटा			६१
	20/25mm Male/female Bush Adaptor	गोटा			४०
११८	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE				
	16/20/25 MM Flexiable conduits pipe	र.मी			९१
	32/40mm flexiable conduits pipe	र.मी			१७६
११९	FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी			१२०
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी			२०५
१२०	FLEXIABLE PIPE GLAND				
	16/20/25MM PVC GLAND	गोटा			७५
	32/40MM PVC GLAND	गोटा			१०७
१२१	PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance,fire retardant,corrosion free,thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी			४५



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	25x15mm	र.मी			५८
	50x50mm	र.मी			४८०
	50x100mm	र.मी			१८६०
१२२	Suspended-Surface Mounted Luminaires				
	PureLine Slim Surface & Suspended 60mm/75mm Width Suspended 60mm/75mm width aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from. Type				
	SP780 P LED52S-6500 PSU W6L224 OD SI	गोटा			४५१७६
	SP780 P LED26S-6500 PSU W6L112 OD S	गोटा			२२५८८
	SP781X LED46S-6500 PSU W7L224 OD SI	गोटा			५६४७०
	SP781 X LED22S-6500 PSU W6L112 OD SI	गोटा			२६३५२
	End Plate SP780 EP60 GREY	गोटा			५२५
	ZPH780 N2000	गोटा			९५०
	ZPH780 IMTR 5C 0.75sq mm Transparent cable	गोटा			९००
१२३	Pureline Slim Connector 60mm				
	Pureline Slim Connector 60mm Pureline Slim Family can be conjoined in multiple way like L,+T, Y etc. Type	गोटा			
	SP781X LED44S-6K PSU W6 SI L CONN 22X2	गोटा			९५००
	CCT options: 4000K, 5700K, 6500K. Available in DALI also at NPR 3200/- additional on fixed output (PSU) MRP	गोटा			६१००
१२४	Pureline Taper				
	Pureline Taper PureLine Taper is an elegant suspended lighting solution with taper end (bottom width of 60mm & top width of 50mm), it also has option of designer end caps which provide design inspiration through geometric patterns. Multiple option of light distribution, run lengths, color options & lumen pack for different application available. Type				
	SP811P LED33S-6500 PSU W6L120 OD SI	गोटा			२८२३५
	SP810P LED26S-6500 PSU W6L120 OD SI	गोटा			२३५३०
	SP811P LED66S-6500 PSU W6L240 OD SI	गोटा			५६४७०
	SP810P LED52S-6500 PSU W6L240 OD S	गोटा			४६११७
१२५	PureLine Slim Connectors & Decorative Shapes 50mm				
	PureLine Slim Connectors & Decorative Shapes 50mm Recessed Mounted 50mm aluminium extruded linear fixtures to align the linear lighting layout with the office architecture or create playful environments with shapes like square, hexagon, etc. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	SP780P LED66S-6500 PSU W5 OD WH HX CONN	गोटा			५०८२३
	SP780P LED48S-6500 PSU W5 OD WH X CONN	गोटा			३६२३५
	SP780P LED44S-6500 PSU W5 OD WH SQ CONN	गोटा			३०११७
	SP780X LED48S-6500 PSU W5 OD WH + CONN	गोटा			४६११७
	SP780P LED36S-6500 PSU W5 OD WH Y CONN	गोटा			२७८५८

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	SP780X LED36S-6500 PSU W5 OD WH T CONN	गोटा			१७३१७
	SP780X LED24S-6500 PSU W5 OD WH L CONN	गोटा			१८८२३
१२६	PureLine				
	PureLine Extruded Aluminium Suspended Diffused Office Lighting Solutions with up-down light distribution, available in standalone and continuous mounting versions in 4ft & 8ft run lengths				
	SP680P LED39S 6500 PSU WH L120 S1	गोटा			१६३७६
	SP680P LED78S 6500 PSU WH L240 S1	गोटा			३२०००
	SP680X1 LED34S 6500 PSU WH L120 S1	गोटा			३२०००
	SP680P LED68S 6500 PSU WH L240 S1	गोटा			३०११७
१२७	SmartBrite Linear				
	SmartBrite Linear SmartBright Linear provides an extremely durable and high efficacy yet cost effective linear solution surface mounted and suspended applications like offices, retail stores, metro stations, etc				
	SP095V LED40S 865 W7L120 PSU WH	गोटा			११२९५
	SP095V LED26S 865 W7L120 PSU WH	गोटा			१०३५३
१२८	SmartBrite Surface				
	SmartBrite Surface Low height general purpose suspended/surface mounted LED luminaire with diffused optics offering perfect illumination for indoor space.				
	SM270C LED 30S 6500 PSU WH	गोटा			१०३५२
१२९	Cirrus Surface				
	Cirrus Surface Surface Mounted general purpose square shaped luminaire with low height CRCA housing and high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser. Type				
	SM365C LED32-6500 PSU OD GR	गोटा			१०३५२
१३०	Cirrus Mini Pro				
	Cirrus Mini Pro Cirrus Mini Pro is a general lighting application luminaire (with a dimension of 312mm X 312mm), a perfect solution for all surface mount indoor general lighting application. Type				
	SM200C LED16S 6500 PSU OD WH	गोटा			५८३५
१३१	DaySpace Suspended				
	DaySpace Suspended DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design				
	SP740B LED25S/865 W60L60 PSU WH	गोटा			३२०००
	SP740B LED30S/865 W60L60 PSU WH	गोटा			३५७६५
	SP740B LED36S/865 W60L60 PSU WH	गोटा			४१४११
	SP740B LED25S/865 W60L60 PSD WH	गोटा			४३२९५

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	SP740B LED30S/865 W60L60 PSD WH	गोटा			४५१७६
	SP740B LED36S/865 W60L60 PSD WH	गोटा			४७६०
१३२	DaSpace Recessed Mounted				
	DaySpace Recessed DaySpace is a unique 2'X2' LED luminaire suitable for grid ceiling. With options of using the false ceiling tile or back plate of users choice the fixture seamlessly blends into the office environment/architecture and also declutters the ceiling with it unique design.				
	RC740B LED25S/865 W60L60 PSU WH	गोटा			२५४११
	RC740B LED36S/865 W60L60 PSD WH	गोटा			३९५३०
१३३	PowerBalance				
	PowerBalance Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling				
	RC600B M LED30S-6500 PSU W30L120 WH	गोटा			२२५८८
	RC600B M LED30S-6500 PSD W60L60 WH	गोटा			२९१७६
१३४	WingLine				
	WingLine Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	RC480B LED25S/865 W60L60 PSU WH	गोटा			९४११
१३५	CoreView				
	CoreView A unique recessed mounted 2'X2' LED luminaire suitable for grid ceiling with 100% indirect lighting, delivering soft and uniform light for excellent visual comfort				
	RC 420B M LED 30S 6500 PSU WH	गोटा			११२९४
	RC 420B M LED 30S 6500 PSD WH	गोटा			१४११७
१३६	PureLine TechZone G2				
	PureLine TechZone G2 Pureline Techzone is offered in two versions suitable for 150mm & 100mm technical zones. Sturdy extruded Aluminum housing with Sliding PC diffuser offering uniform lighting distribution. CRCA end Caps and external gear for ease of maintenance				
	RC810B LED26S 6500 PSU W10L120 OD WH	गोटा			१४८७०
	RC810B LED52S 6500 PSU W10L240 OD WH	गोटा			२९७४१
	RC810B LED26S 6500 PSU W15L120 OD WH	गोटा			१७१२९
	RC810X LED40S 6500 PSU W15L240 OD WH	गोटा			३४८२३
	RC810 W10 ENDPLATE	गोटा			६६०
	RC810 W10L120 ACCESSORY DIFFUSER	गोटा			९५०
	RC810 W15L240 ACCESSORY DIFFUSER	गोटा			१०३५
१३७	PureLine Slim Recessed 60mm/ 75mm				



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	PureLine Slim Recessed 60mm/ 75mm Recessed 60mm/75mm width aluminium extruded linear lighting luminaires with superior anodised aluminium finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from				
	RC780B LED52S-6500 PSU W7L240 OD SI	गोटा			४३२९४
	RC780B LED26S-6500 PSU W7L120 OD SI	गोटा			२२०२३
१३८	PureLine Slim Recessed 50mm				
	PureLine Slim Recessed 50mm Recessed Mounted 50mm aluminium extruded linear lighting luminaires with superior white powder coated finish. Multiple options of light distribution, run lengths and lumen packages for different application to choose from.				
	RC780B LED52S-6500 PSU W5L226 OD WH	गोटा			२८२३५
	RC780X LED12S-6500 PSU W5L56 OD WH	गोटा			९०३६
	RC780X LED52S-6500 PSU W5L226 OD WH	गोटा			२७६७०
१३९	PureLine TechZone				
	PureLine TechZone Aluminium extruded recessed luminaire with 135mm diffused compartment available both in standalone & continuous options suitable for armstrong techzone ceiling. Type				
	RC820B LED 26S 6500 PSU W15L120 OD SI	गोटा			१५०५९
	RC820B LED 52S 4000 PSU W15L240 OD SI	गोटा			३०११७
१४०	FullGlow 1'x4'				
	FullGlow 1'x4' Fully diffused recessed mounted 1'X4' LED luminaire with high transmittive diffuser suitable for indoor spaces				
	RC380B LED30S-6500 G5 L3W12 PSU OD	गोटा			१२२३५
	RC380B LED43S-6500 G5 L3W12 PSU OD	गोटा			१६०००
	RC380B LED36S-6500 G5 L3W12 PSU OD	गोटा			१४११७
१४१	GreenSquare				
	GreenSquare General purpose recessed mounted 2'X2' LED luminaire with central light exit and profiled CRCA housing for better and soothing light distribution.				
	RC140B LED30S-6500 PSU WH OD	गोटा			८२८२
	RC140B LED30S-4000 PSD WH OD	गोटा			१०१६४
१४२	Cirrus				
	Cirrus Recessed mounted general purpose square shaped luminaire with high transmittivity diffuser suitable for office application. Available in options of white & grey housing with profiled & flat diffuser				
	LED33-6500 PSU OD WH	गोटा			९०३५
	RC366B LED33-6500 PSU OD WH	गोटा			९०३५
१४३	SmartBright				
	SmartBright Extruded Aluminium batten available in 2ft & 4ft run length with multiple lumen packages and suitable for Surface, Wall & Conduit mounting (with accessories)				

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	BN 021 LED40S- 6500 PSU GR (4 ft)	गोटा			२८२१
१४४	Downlighters & Spot Lights				
	GreenSpace Flex GreenSpace Flex is a modular range of downlighters, with extremely low glare (UGRThe range is available in Narrow (15°), Medium (24°) & Wide Beam (38°) optics, suitable for different applications & ceiling heights				
	RS378Z M102 D150 R-R AJU	गोटा			८४७०
	RS378Z M87 D130 R-R AJ	गोटा			६७७६
	RS378Z M55 D75 R-U AJ	गोटा			२८२३
	RS378Z M55 D75 R-R AJ Trim	गोटा			३२००
	RS378Z M55 D75 R-R FX PH WP	गोटा			२८२३
	RS378B P6 927 PSU-E MB M55	गोटा			५६४७
	RS378B P6 927 PSU-E WB M55	गोटा			९०३५
	RS378B P6 930 PSU-E WB M55	गोटा			१६९४१
१४५	LuxSpace Pro				
	LuxSpace Pro LuxSpace Pro is a deep recessed downlighter range with extremely low glare (UGR& high quality faceted reflector for superior lighting and aesthetics. The range is available in Medium (32°) & Wide Beam (65°) optics for both standard and high ceiling applications				
	DN590B M LED6S-6500 PSU WH WB	गोटा			९०३५
	DN590B M LED10S-6500 PSU WH MB	गोटा			९०३५
	DN590B M LED20S-6500 PSU WH MB	गोटा			९०३५
१४६	GreenPerform Sleek				
	GreenPerform Sleek GreenPerform Sleek is a high performance low-height LED downlighter suited for requirements of any modern professional workspace. Robust PDC housing ensures long system. Narrow rim renders a pleasing aesthetic look				
	DN295B LED6S-6500 PSU WH	गोटा			२६३५
	DN295B LED10S-6500 PSU WH	गोटा			३२००
	DN296B LED12S-6500 PSU WH	गोटा			३९५२
	DN296B LED15S-6500 PSU WH	गोटा			४७०५
	DN296B LED20S-6500 PSU WH	गोटा			५६४७
१४७	Sleek Surface Downlight				
	Sleek Surface Downlight Slim profile surface mounted downlight with options of 700 to 2000 lumen				
	SM250C LED7S- 6500 PSU WH	गोटा			२०७०
	SM250C LED12S- 6500 PSU WH	गोटा			२२५९
	SM251C LED16S- 6500 PSU WH	गोटा			३२००
	SM250C LED12S- 6500 PSU WH	गोटा			२२५८
	SM251C LED20S- 6500 PSU WH	गोटा			३६७०
१४८	ArchSpace				



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	ArchSpace ArchSpace is the perfect choice when it comes to surface and suspended cylindrical downlighting applications such as those in Retail, Offices, Hotels, Lobbies and School/ Universities etc. With its differentiated aesthetics with extruded aluminium housing and a superior powder coated finish, multiple choices of lumen packs, two diameters, flexible height*, uniform lighting distribution and superior features of Driver make ArchSpace an undisputed winner when it comes to the surface/ cylindrical downlight category.				
	SP320P LED6S-6500 PSU DIA100 WH	गोटा			७७७७
	SP320P LED6S-6500 PSU DIA80 WH	गोटा			८६५८
१४९	GreenLED Ultima Square				
	GreenLED Ultima Square Ultra sleek recessed downlight for low height false ceiling in square profile				
	DN096B LED6S-6500 PSU WH	गोटा			२९७४
	DN097B LED10S-6500 PSU WH	गोटा			३७२७
१५०	GreenLED Ultima Round				
	GreenLED Ultima Round Ultra sleek recessed downlight for low height false ceiling in round profile				
	DN091B LED6S-6500 PSU WH	गोटा			२९७४
	DN092B LED10S-6500 PSU WH	गोटा			३७२७
१५१	SkySpot COB				
	SkySpot COB • New series of LED Spot fixtures specially designed for commercial use • Ideal for retail showrooms, hospitality, offices • Elegant fixed spot with a focused 36 degree beam angle • Long life with 30,000 burning hours with CRI>80 • Wide choice: Available in 7/12/18/22W, Round, 3000K & 6500				
	7W Sky Spot COB (WW)	गोटा			२६६३
	12W Sky Spot COB (CW)	गोटा			३३२२
	18W Sky Spot COB (CW)	गोटा			४९४९
	22W Sky Spot COB (CW)	गोटा			४९४९
१५२	Green LED I				
	Green LED I • High performance LED Downlights for commercial applications • 100 lumen / watt efficacy • Efficient heat sink (die cast) with Steel clips • Integrated driver control (for easy installation)				
	DN191B LED6S-6500 PSU WH S2	गोटा			२६६३
	DN192B LED10S-6500 PSU WH S2	गोटा			३३२२
	DN193B LED12S-6500 PSU WH S2	गोटा			४९४९
	DN194B LED16S-6500 PSU WH S2	गोटा			५९७६
	DN195B LED20S-6500 PSU WH S2	गोटा			६२९९
१५३	Essential Smart Bright Track Lights				



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Essential Smart Bright Track Lights Essential SmartBright Track Light range is a high performance, hassle free solution for up to 5 years of use. Range has high efficacy of up to 100 lm/W, and Aluminum housing for better thermal management. Available in black & white color housing.				
	ST030T LED8/830 8W 220-240V I MB WH	गोटा			४०००
	ST030T LED12/830 14W 220-240V I NB W	गोटा			४५००
	ST030T LED20/830 23W 220-240V I NB WH	गोटा			५५००
	ST030T LED30/830 35W 220-240V I NB WH	गोटा			६५००
	TRACK LIGHT STICK BK 1-MTR	गोटा			२८००
१५४	EcoAccent				
	EcoAccent Recessed mounted Accent Lighting luminaire with diecast aluminum heat sink and sand grain finishing reflector, available in two lumen packs with option of DALI dimmable driver				
	RS271B LED20/830 PSU-E NB WH	गोटा			११२९४
	RS271B LED20/850 PSD MB WH	गोटा			१४११७
	RS271B LED40/850 PSD MB WH	गोटा			१५०५८
१५५	Optimus LED Trunking				
	Optimus LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	LL199X 1XDLED40-6500 PSE OD WH S1	गोटा			८४७०
	LL199X 1XDLED57-6500 PSE OD WH	गोटा			११६७०
	TTX199/01 LED HANGING KIT	गोटा			१८८२
१५६	Waterproof LED Luminaires				
	Smartbright Waterproof IP65, Dust and Waterproof LED luminaire with Polycarbonate Housing suitable for wall & ceiling mount applications				
	WT201C LED44S-6500 PSU L120	गोटा			७५२९
	WT201C LED24S-6500 PSU L120	गोटा			५६४७
१५७	Waterproof LED Luminaire				
	Waterproof LED Luminaire Surface/Suspended Mounted waterproof (IP65) luminaire suitable for single and twin T8 TLED lamps				
	TCW450 P 1XTLED 19W P3397	गोटा			४१४१
	TCW450 P 2XTLED 19W P3397	गोटा			४७०५
१५८	PureSpace Clean Room Range				
	PureSpace Clean Room Range PureSpace is a comprehensive Cleanroom luminaires range with options for bottom opening, top opening, 2'x2' as well 1'x4'				
	CR652B LED60S-6500 PSU CA TO W30L120 WH	गोटा			३३८८२
	CR652B LED36S-6500 PSU CA TO W60L60 WH	गोटा			२४४७०
	CR652B LED80S-6500 PSU CA TO W60L60 WH	गोटा			३३८८२
१५९	Skyline Street Light				



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Skyline Skyline Family is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system. Ideal for road width up to 8-12 mts. Pole Dia: 48-60mm Type HSN Code				
	BRP 340 LED 150 CW HO SLC S2 PSU GR	गोटा			२६३५२
	BRP 340 LED 175 CW HO SLC S2 PSU GR	गोटा			३०११७
	BRP 340 LED 200 CW HO SLC S2 PSU GR	गोटा			३३८८२
१६०	Skyline Xtra Street Light				
	Skyline Xtra Skyline Xtra family is an IP66 road lighting luminaire with high power LED light source, PDC housing with top openable access to drivers for ease of maintenance. Integrated optics ensure uniform distribution and higher efficacy thus offering higher spacing between poles and maintenance free system ideal for road width up to 8-15 mts. (170W -235W). Pole Dia: 48-60mm				
	BRP360 LED 213 CW HO SLC S1 PSU GR	गोटा			४५१७६
	BRP360 LED 240 CW HO SLC S1 PSU GR	गोटा			५०८२३
	BRP360 LED 265 CW HO SLC S1 PSU GR	गोटा			५४५८८
	BRP360 LED 295 CW HO SLC S1 PSU GR	गोटा			६२११७
१६१	GreenLine V2 Street Light				
	GreenLine V2 GreenLine V2 is an IP66 road lighting luminaire with Single Die ceramic base high power LED light source, PDC housing, Toughened Glass cover and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system. Suitable for A1 and A2 category roads. Pole Dia : 48-60mm Type				
	BRP409 LED115 CW SLC FG PSU GR V2	गोटा			१७६९४
	BRP409 LED130 CW SLA FG PSU GR V2	गोटा			१९२००
१६२	SmartBright Essential				
	SmartBright Essential SmartBright Essential is a street lighting luminaire with PDC housing and street light optics to ensure uniform distribution.				
	BRP042 P LED25 CW SLE PSU GR DX	गोटा			५६४७
	BRP030 LED35 CW MR PSU GR DX	गोटा			६५८८
	BRP031 LED45 CW MR PSU GR DX	गोटा			९४११
	BRP032 LED70 CW MR PSU GR DX	गोटा			१३१७६
	BRP046 LED 30 CW MR S1 PSU GR	गोटा			८४७०
	BRP046 LED 36 CW MR S1 PSU GR	गोटा			९४५०
	BRP046 LED 39 CW MR S1 PSU GR	गोटा			९९७५
१६३	Tango XL LED				



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Tango XL LED Tango XL LED - with "Best in class Lens Design & Optical intgration" is a Flood lighting luminaire with Single Die ceramic base high power LED, PDC Housing with integrated flood optics (AWB,FLNB,NB) to ensure uniform distribution and maintenance free system, ideal for Reacreationl sports lighting, area lighting and high mast lighting.				
	BVP485 LED370 CW AWB PSU SPD GR	गोटा			१०७६७०
	BVP485 LED427 CW NB PSU SPD GR	गोटा			११७४५८
	BVP485 LED540 CW AWB PSU SPD GR	गोटा			१४६८३२
	BVP485 LED560 CW AWB PSU SPD GR	गोटा			१५६२३५
१६४	Tempo Mini				
	Tempo Mini Tempo Mini is a flood lighting luminaire with PDC Housing and unique flood optics(NB) to ensure uniform distribution				
	BVP180 LED50 CW PC WB 50W 120-270 PSU	गोटा			९५००
	BVP181 LED62 CW PC WB 70W 120-270 PSU	गोटा			१३५००
	BVP182 LED100 CW FG WB 100W 120-270 PSU	गोटा			१९०००
१६५	SmartBright Essential				
	SmartBright Essential SmartBright essential flood light is aesthetically designed flood lighting luminaire for superior performance. Type				
	BVP183 LED140 CW FG WB 150W PSU	गोटा			२६३५२
	BVP184 LED196 CW FG WB 200W PSU	गोटा			३३८८२
१६६	Landscape Lighting				
	Town Glow Post Top Town Glow is a contemporary designer IP66/IK10 Post Top lantern with symmetric Light distribution				
	BGP300 LED28 757 PSU PC IN S1	गोटा			३३८८२
	BGP300 LED40 757 PSU PC IN S1	गोटा			३५७६४
	BGP300 LED50 757 PSU PC IN S1	गोटा			३७६४७
	LED Post Top Reliable and aesthetic designed IP65 post top lantern with symmetric light distribution and limited upward light component. Type H				
	BGP161 LED2500/NW PSU 220-240V 7043 IN	गोटा			३७६४७
१६७	CityCube Bollard P				
	CityCube Bollard is a robustly designed IP65/IK10 bollard and is easy to install with base plate.	गोटा			
१६८	CityCube Bollard T				
	BCP400 LED09 T CW PSU GR S1	गोटा			३२०००
१६९	CityCube Bollard D				
	BCP400 LED09 D CW PSU GR S1	गोटा			२९६४७
१७०	LED Bollard				
	BCP151 LED150/WW PSU 220-240V 7043	गोटा			२२५८८
१७१	LED Step Light				
	BWG150 LED50/WW PSU 220-240V IP67 7043				१३९७६

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
१७२	UNIIn-ground: LED Marker				
	UNIIn-ground Range UniIn Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	BBP210 LED50/WW 1W 12V 30D	गोटा			२२५८
	BBP211 LED90/WW 2W 12V 30D	गोटा			३०११
	Driver & accessories price extra for 12 V.	गोटा			२२५८
१७३	UNIIn-ground: LED Ground Guide				
	Multiple lighting emission windows to make space out.	गोटा			
	BBP212 LED45/WW 3W 100-240V	गोटा			४१४१
	BBP213 LED110/WW 6W 100-240V	गोटा			६०२३
१७४	UNIIn-ground: Ground Burial				
	UNIIn-ground: Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	BBP340 LED220/WW 3W 20D 100-240V	गोटा			९४११
	BBP341 LED540/WW 6W 20D 100-240V	गोटा			१३५५२
	BBP342 LED1200/WW 12W 20D 100-240V	गोटा			२५४११
	BBP343 LED1800/WW 18W 20D 100-240V	गोटा			२७२९४
	BBP344 LED3600/WW 36W 20D 100-240V	गोटा			२८२३५
	BBP343 LED RGB 18W 20D 24V	गोटा			३०११७
	BBP343 LED R 18W 20D 100-240V	गोटा			२१६४७
१७५	UNIIn-ground: Linelite				
	UNIIn-ground: Linelite UniInground Linear makes space distinctive with more safety and convenience of installation				
	BBP403 LED50/WW 2W 24V L300	गोटा			१३१७६
	BBP403 LED RGB 9W 24V L300 GM	गोटा			१७८८२
	BBP412 LED200/WW 7W 24V L1200	गोटा			२५४११
	BBP412 LED RGB 36W 24V L1200 GM	गोटा			३२९४१
१७६	Tunnel Lights				
	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	BWP352 LED69/NW 60W 220-240V DM2 MP1	गोटा			७५९५
	BWP352 LED137/NW 120W 220-240V DM2 MP1	गोटा			१३१७६५
	BWP352 LED206/NW 180W 220-240V DM2 MP1	गोटा			१६९४११
	BWP352 LED274/NW 240W 220-240V DM2 MP1	गोटा			२३५२९५
१७७	UNI Urban				
	BDP461 LED33 WW 110-277V TS	गोटा			७५२९४
	BDP461 LED65 WW 110-277V TS	गोटा			९४११७


विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	BDP461 LED100 WW 110-277V TS	गोटा			१३१७६४
१७८	Jargeua - Post Top				
	Jargeua - Post Top Jargeau LED combines the heritage look of four-sided street luminaire with the technical performance of high performance optics, Aluminium Die cast housing having IP65/IK08 protection.				
	Jargeua -Post Top	गोटा			७५२९४
१७९	Architectural Lights color kinetics				
	Blast* This high-performance line of exterior luminaires offers an extremely wide range of light output, beam angles, and accessories				
	Intellihue Blast Gen4 Powercore, Clear Lens, White Housing, UI/Ce	गोटा			१६९४११
	Graze* This high-performance linear exterior wall grazing family of luminaires offers high-quality light in a wide range of luminaire lengths, beam angles, output levels, and power consumption levels				
	ColorGraze Intellihue Powercore, 1ft, 9 Degree	गोटा			१४११७६
	Reach & Reach Compact* Reach Powercore is ideal for illuminating large surfaces. Flood luminaires can throw fully-saturated light to great heights.				
	ColorReach Powercore, GEN2, RGBW, 100-277V, UL/CE	गोटा			२८२३५२
	Burst* This family of high-output, exterior-rated LED lighting luminaires is designed for accent and site lighting. Most versions feature multiple housing colors and standard architectural and landscape formats.				
	ColorBurst Intellihue Powercore, White Housing, Architectural Mount	गोटा			९४११७
	ReachElite* Go farther with powerful, precision-controlled light that reaches new heights. ReachElite delivers exceptional light to bridges, façades, monuments, and skyscrapers—illuminating the tallest structures and highlighting details up to 564 m (1,852 ft) away with the 300 W luminaire. This family of long-throw exterior LED luminaires make it happen with high punch and rock-solid reliability.				
	ReachElite Intellihue Powercore, 200W, 100-277V UL/CE/CQC	गोटा			४७०५८८
	Accent Compact This family of direct view linear LED luminaires is ideally suited for displaying large-scale video, graphics, and intricately designed effects.				
	iColor Accent Compact, RGBW, Ethernet, 1.2M (4ft), Clear Flat Lens	गोटा			१५०५८८
	Archipoint ArchiPoint iColor Powercore is a daylight-visible, exterior-rated LED point of light ideally suited for a range of direct-view and beacon applications				
	Archipoint Icolor Powercore, Clear Flat Lens, 100-240V, UL/CE	गोटा			३७६४७



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	iColor MR Lamp iColor MR Gen3 is an intelligent color-changing lamp that delivers intense, saturated bursts of color and color-changing effects. The stylish housing fits into most standard MR16 luminaires, including tracks, cables, rails, and pendants				
	iColor MR G3, 30 Degree	गोटा			१५०५८
	Flex Cover almost any structure with flexible strands of bright LED nodes. Flex means maximum flexibility. Strands of efficient, addressable Flex nodes can be arranged along a nearly limitless array of surfaces and unconventional structures. Our proven Flex family of direct-view LED luminaires can do it all—from display+Bling messages on curved building façades to bringing stunning LED light shows to stadium roofs.				
	iColor Flex LMX GEN2, 12IN OC, white node/cable, clear flat lens, 3ft leader	गोटा			४७०५८
	iColor Flex LMX GEN2, 12IN OC, white node/cable, translucent dome lens, 3ft leader	गोटा			४७०५८
१८०	Controllers / Power Supplies / Keypads / Softwares				
	Controller, Light System Manager (Gen 5) 15000 Node	गोटा			१४११७६
	Ethernet Switch with POE Ports For Use with Colordial2	गोटा			१६०००
	Controller, Activesite Gateway	गोटा			११२९४१
	Uniflood C UniFlood C is a circular shaped, exterior-rated architectural LED floodlight that is designed for façade, landscape and outdoor flood lighting applications like; illuminating multi-story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX512/RDM control options.				
	Uniflood C Small (27W-36W)	गोटा			१५०५८८
	Uniflood C large(110W-150W)	गोटा			१७८८२३
	UniStrip G4 UniStrip G4 (AC) is a surface mounted, exterior-rated LED linear flood light luminaire that is designed for wall washing and grazing architectural lighting applications like; illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white with different lengths (300mm,500mm, 520m & 1000mm)				
	UniStrip G4 AC BCP383(15W-50W)	गोटा			२३५२९४
	UniStrip G4 AC BCP385 (50W-120W)	गोटा			३७६४७०
	GreenPerform Elite Highbay Awarded with IF Design and Red Dot Design Awards in 2019, GreenPerform Elite Highbay is a power pack of superior performance, best in class efficacy and unmatched product design				
	BY718P LED100/CW PSU NB IN	गोटा			२६३५२
	BY718P LED150/CW PSU NB IN	गोटा			३३६८२
	BY718P LED200/CW PSU NB IN	गोटा			३७६४७
१८१	Industrial Battens				



नेपाल सरकार

मन्त्रालय

प्रशासन कम्प्युटर

भक्तपुर


विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	EnduraLED Next Flicker free, high efficiency and robust industrial batten family suitable for Surface, Wall and Conduit mounting. The product family offers dimmable and connected batten option				
	BN308C LED20S-6500 L60 PSU WH	गोटा			३५७६
	BN308C LED40S-6500 L120 PSU WH	गोटा			८४७०
	BN308C LED60S-6500 L120 PIR WH	गोटा			१०१६४
१८२	TMC 501 Mounting rail for TLED lamps.				
	TMC 501 P 1xT-LED 22W P3241	गोटा			१८८२
	TMC 501 P 2xT-LED 22W P3242	गोटा			३०११
१८३	Highbays				
	BY515P LED100S 5700 NB PSU GR	गोटा			२४४७०
	BY515P LED150S 5700 NB PSU GR	गोटा			२८२३५
	BY515P LED250S 5700 NB PSU GR	गोटा			४१४११
१८४	Upvc Conduit Pipe				
	Upvc Conduit Pipe (Light Stress)				
	20mm	र.मी			१२८
	25mm	र.मी			१६५
	32mm	र.मी			२२५
	Upvc Conduit Pipe (Medium Stress)				
	20mm	र.मी			१८८
	25mm	र.मी			२२५
	32mm	र.मी			२८५
	Upvc Conduit Pipe (Heavy Stress)				
	20mm	र.मी			३९२
	25mm	र.मी			४५०
	32mm	र.मी			५२५
१८५	Upvc Elec. Conduit Fittings				
	Circular Box - Terminal (1 way)				
	20mm	गोटा			४६
	25mm	गोटा			५७
	Circular Box - Angle (2 way)				
	20mm	गोटा			५५
	25mm	गोटा			६२
	Circular Box - Through (2 way)				
	20mm	गोटा			५७
	25mm	गोटा			६२
	Circular Box - Tee (3 way)				
	20mm	गोटा			६२
	25mm	गोटा			६९
	Circular Box - Intersection (4 way)				
	20mm	गोटा			६९
	25mm	गोटा			७४



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/७८	आ.व. २०७८/७९
	Deep Circular Box - Terminal (1 way)				
		20mm	गोटा		८९
		25mm	गोटा		१०९
		32mm	गोटा		१२५
	Deep Circular Box - Angle (2 way)				
		20mm	गोटा		९८
		25mm	गोटा		११४
		32mm	गोटा		१३६
	Deep Circular Box - Through (2 way)				
		20mm	गोटा		११४
		25mm	गोटा		१२५
		32mm	गोटा		१२६
	Deep Circular Box - Tee (3 way)				
		20mm	गोटा		१०३
		25mm	गोटा		१२०
		32mm	गोटा		१४७
	Deep Circular Box - Intersection (4 way)				
		20mm	गोटा		१०९
		25mm	गोटा		१२५
		32mm	गोटा		१५८
	Slip Type Bend - Long				
		20mm	गोटा		४४
		25mm	गोटा		५७
	Slip Type Bend - Normal				
		20mm	गोटा		२६
		25mm	गोटा		३७
		32mm	गोटा		९५
	Coupler				
		20mm	गोटा		१३
		25mm	गोटा		१९
		32mm	गोटा		३६
	Reducer Coupler 25 x 20				
		25mm	गोटा		२२
	Space Bar Saddle				
		20mm	गोटा		२४
		25mm	गोटा		३०
		32mm	गोटा		४२
	Elbow				
		20mm	गोटा		२३
		25mm	गोटा		३२
	Tee				
		20mm	गोटा		३६




विद्युतिय सामाग्रीहरु

सि. नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७६/७७	आ. व. २०७७/७८	आ. व. २०७८/७९
		25mm	गोटा		४५
	Fan Box without Rod 20mm X				
		25mm	गोटा		१७०
	Fan Box with Rod 20mm X				
		25mm	गोटा		५७५
	Inspection Elbow				
		20mm	गोटा		१०५
		25mm	गोटा		१३५
	Inspection Tee				
		20mm	गोटा		८०
		25mm	गोटा		११०
	Circular Extension Ring				
		20mm	गोटा		३०
		25mm	गोटा		३७
	Female Bush Adaptor				
		20mm	गोटा		२९
		25mm	गोटा		३७
	Bending Spring				
		20mm	गोटा		११५०
		25mm	गोटा		१२५०
	Metal Strap Power Coated				



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
१	High Density Polythene Pipe NS-40	के. जी.	२५५.००	२५५.००	२७०.००
२	G.I Pipe threaded - Light class				
	15mm	र.मी	१४८.००	१४८.००	१४८.००
	20mm	र.मी	२०२.००	२०२.००	२०२.००
	25mm	र.मी	२८०.००	२८०.००	२८०.००
	32mm	र.मी	३५८.००	३५८.००	३५८.००
	40mm	र.मी	४४२.००	४४२.००	४४२.००
	50mm	र.मी	५५८.००	५५८.००	५५८.००
	65mm	र.मी	७७०.००	७७०.००	७७०.००
	80mm	र.मी	९०३.००	९०३.००	९०३.००
	100mm	र.मी	१२९२.००	१२९२.००	१२९२.००
	125mm	र.मी	२०६७.००	२०६७.००	२०६७.००
	150mm	र.मी	२४५५.००	२४५५.००	२४५५.००
	200mm	र.मी	३५२३.००	३५२३.००	३५२३.००
3	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४५२.००	४५२.००	४५२.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	५४२.००	५४२.००	५४२.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	६८०.००	६८०.००	६८०.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	८३९.००	८३९.००	८३९.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	९६०.००	९६०.००	९६०.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१२३३.००	१२३३.००	१२३३.००
	73mm OD 3" SCH.40,5.16 .mm thickness	र.मी	१८९५.००	१८९५.००	१८९५.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२४८१.००	२४८१.००	२०००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३२०५.००	३२०५.००	२८८०.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	३५३९.००	३५३९.००	३५३९.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	४७८२.००	४७८२.००	४७८२.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	६२०७.००	६२०७.००	६२०७.००
	65 mm ID SCH.40	र.मी			१९००.००
	80 mm ID SCH.40	र.मी			२३००.००
	125 mm ID SCH.40	र.मी			३८००.००
	150 mm ID SCH.40	र.मी			४४३०.००
	200 mm ID SCH.40	र.मी			५५२०.००
	250mm ID SCH.40	र.मी			७१३०.००
	300 mm ID SCH.40	र.मी			९७८०.००
	350 mm ID SCH.40	र.मी			१८४००.००
	400 mm ID SCH.40	र.मी			२४०००.००
	450 mm ID SCH.40	र.मी			३०३३०.००
	500 mm ID SCH.40	र.मी			३५७००.००
४	G.I Pipe threaded -Medium class				
	15mm	र.मी	१७२.००	१७२.००	१५७.७७
	20mm	र.मी	२२०.००	२२०.००	१९६.३५
	25mm	र.मी	३२८.००	३२८.००	२९९.१५
	32mm	र.मी	४२७.००	४२७.००	३८९.२४



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	40mm	र.मी	४९०.००	४९०.००	४४६.९९
	50mm	र.मी	६७०.००	६७०.००	६१४.४६
	65mm	र.मी	८५५.००	८५५.००	७८४.२५
	80mm	र.मी	१०६०.००	१०६०.००	९७५.९८
	100mm	र.मी	१५७३.००	१५७३.००	१४६१.०८
	125mm	र.मी	२१८०.००	२१८०.००	१९१०.३७
	150mm	र.मी	२६३३.००	२६३३.००	२३१०.००
	200mm	र.मी	४००३.००	४००३.००	३९९७.००
५	G.I Pipe threaded - Heavy duty				
	15mm	र.मी	२०३.००	२०३.००	१८४.८०
	20mm	र.मी	२५७.००	२५७.००	२३१.००
	25mm	र.मी	३८३.००	३८३.००	३४४.९७
	32mm	र.मी	४९०.००	४९०.००	४०७.४०
	40mm	र.मी	५६५.००	५६५.००	५१६.२९
	50mm	र.मी	८२३.००	८२३.००	७५८.८४
	65mm	र.मी	१०३२.००	१०३२.००	८६३.१०
	80mm	र.मी	१२१५.००	१२१५.००	१११८.०४
	100mm	र.मी	१८८३.००	१८८३.००	१९२०.८०
	125mm	र.मी	२४४०.००	२४४०.००	२१७७.१८
	150mm	र.मी	२७६७.००	२७६७.००	२४६३.६२
	200mm	र.मी	४२४३.००	४२४३.००	४४२०.००
६	G.M. Gate valve				
	15mm	र.मी	९६२.००	९६२.००	९६२.००
	20mm	र.मी	११९८.००	११९८.००	११९८.००
	25mm	र.मी	१९३०.००	१९३०.००	१९३०.००
	32mm	र.मी	२७५३.००	२७५३.००	२७५३.००
	40mm	र.मी	३४६७.००	३४६७.००	३४६७.००
	50mm	र.मी	५५१९.००	५५१९.००	५५१९.००
	65mm	र.मी	११४११.००	११४११.००	११४११.००
	80mm	र.मी	१४१८८.००	१४१८८.००	१४१८८.००
	100mm	र.मी	२३२३८.००	२३२३८.००	२३२३८.००
७	G.M Check valve				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	G.I. Elbow				
	15mm	गोटा	५२.००	५२.००	४५.००
	20mm	गोटा	९४.००	९४.००	७१.००
	25mm	गोटा	१४५.००	१४५.००	११३.००




पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	32mm	गोटा	२२०.००	२२०.००	१७६.००
	40mm	गोटा	३०८.००	३०८.००	२४२.००
	50mm	गोटा	४६४.००	४६४.००	३६८.००
	65mm	गोटा	६०५.००	६०५.००	६८५.००
	80mm	गोटा	९२५३.००	९२५३.००	९७८.००
	100mm	गोटा	२९५९.००	२९५९.००	१७५३.००
	125mm	गोटा			२१०३.६०
	150mm	गोटा			२५२४.३२
९	G.I. Tee				
	15mm	गोटा	६०.००	६०.००	७०.००
	20mm	गोटा	१२७.००	१२७.००	११०.००
	25mm	गोटा	१८५.००	१८५.००	१५०.००
	32mm	गोटा	२९६.००	२९६.००	२४०.००
	40mm	गोटा	४१०.००	४१०.००	२९५.००
	50mm	गोटा	६७९.००	६७९.००	४६०.००
	65mm	गोटा	१०५४.००	१०५४.००	९०५.००
	80mm	गोटा	१४२४.००	१४२४.००	१२०५.००
	100mm	गोटा	२५८७.००	२५८७.००	२०५३.००
	125mm	गोटा			२४६५.००
	150mm	गोटा			२९६०.००
१०	G.I Union				
	15mm	गोटा	१६९.००	१६९.००	१२४.००
	20mm	गोटा	२३८.००	२३८.००	१७३.००
	25mm	गोटा	३४९.००	३४९.००	२३०.००
	32mm	गोटा	४८०.००	४८०.००	३४५.००
	40mm	गोटा	५९४.००	५९४.००	४५५.००
	50mm	गोटा	८८४.००	८८४.००	६३०.००
	65mm	गोटा	१८०८.००	१८०८.००	१२३०.००
	80mm	गोटा	२४३६.००	२४३६.००	१६८०.००
	100mm	गोटा	३२१०.००	३२१०.००	२३०८.००
	125mm	गोटा			२७७०.००
	150mm	गोटा			३३२४.००
११	G.I. Socket				
	15mm	गोटा	४७.००	४७.००	४१.००
	20mm	गोटा	७३.००	७३.००	६४.००
	25mm	गोटा	१००.००	१००.००	८२.००
	32mm	गोटा	१५४.००	१५४.००	१२९.००
	40mm	गोटा	२०८.००	२०८.००	१७३.००
	50mm	गोटा	३०६.००	३०६.००	२६८.००
	65mm	गोटा	५५४.००	५५४.००	३७५.००
	80mm	गोटा	८१७.००	८१७.००	६००.००
	100mm	गोटा	१४१५.००	१४१५.००	९५०.००
	125mm	गोटा			११४०.००
	150mm	गोटा			१३६८.००
१२	C.I. Plug				



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
१३	Hex Nipple				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	Reducing Tee				
	20mm	गोटा	१३९.००	१३९.००	१२०.००
	25mm	गोटा	२०४.००	२०४.००	१६२.००
	32mm	गोटा	३२५.००	३२५.००	१४८.००
	40mm	गोटा	४५१.००	४५१.००	३२५.००
	50mm	गोटा	७३७.००	७३७.००	५१७.००
	65mm	गोटा	११६०.००	११६०.००	९१८.००
	80mm	गोटा	१५६८.००	१५६८.००	१४५०.००
	100mm	गोटा	२८६६.००	२८६६.००	२७५०.००
	125mm	गोटा			३३००.००
	150mm	गोटा			३९६०.००
१५	Reducing Elbow				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	Reducing socket				
	15mm(1/2")	गोटा			५०.००
	20mm(3/4")	गोटा	८०.००	८०.००	८०.००



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब. ०७६/७७	आ.ब. ०७७/७८	आ.ब. ०७८/७९
	25mm(1")	गोटा	१०८.००	१०८.००	१००.००
	32mm(1-1/4")	गोटा	१६८.००	१६८.००	१५०.००
	40mm(1-1/2")	गोटा	२२६.००	२२६.००	२१०.००
	50mm(2")	गोटा	३३७.००	३३७.००	३२०.००
	65mm(2-1/2")	गोटा	६०२.००	६०२.००	४५०.००
	80mm(3")	गोटा	८६०.००	८६०.००	७२०.००
	100mm(4")	गोटा	१५५२.००	१५५२.००	११४०.००
	125mm(5")	गोटा	४४३६.००	४४३६.००	१३६८.००
	150mm(6")	गोटा	५२१६.००	५२१६.००	१४८२.००
१७	Short bend				
	15mm	गोटा	१३९.००	१३९.००	१३०.००
	20mm	गोटा	२१४.००	२१४.००	१५०.००
	25mm	गोटा	३२८.००	३२८.००	१९०.००
	32mm	गोटा	६३०.००	६३०.००	२९०.००
	40mm	गोटा	९५२.००	९५२.००	४००.००
	50mm	गोटा	१३९३.००	१३९३.००	५९०.००
	65mm	गोटा	३५७६.००	३५७६.००	३५७६.००
	80mm	गोटा	५५४४.००	५५४४.००	५५४४.००
	100mm	गोटा	७८५५.००	७८५५.००	७८५५.००
१८	Cross Tee				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	Tank Nipple				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	G.I. Nipple Medium Class - 2" Long				
	15mm	गोटा	२५.००	२५.००	२२.००
	20mm	गोटा	३७.००	३७.००	३४.००
	25mm	गोटा	५०.००	५०.००	४४.००
	32mm	गोटा	६८.००	६८.००	५७.००
	40mm	गोटा	८३.००	८३.००	७१.००



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६/७७	आ.व.०७७/७८	आ.व.०७८/७९
२१	G.I. Nipple Medium Class -3" Long				
	15mm	गोटा	३७.००	३७.००	३४.००
	20mm	गोटा	५६.००	५६.००	४७.००
	25mm	गोटा	७६.००	७६.००	६६.००
	32mm	गोटा	१०२.००	१०२.००	८५.००
	40mm	गोटा	१२६.००	१२६.००	१०६.००
	50mm	गोटा	१८८.००	१८८.००	१३४.००
	65mm	गोटा	२५९.००	२५९.००	१८६.००
	80mm	गोटा	३७८.००	३७८.००	२२०.००
२२	G.I. Nipple Medium Class -4" Long				
	15mm	गोटा	५०.००	५०.००	४५.००
	20mm	गोटा	७४.००	७४.००	६३.००
	25mm	गोटा	१०१.००	१०१.००	८८.००
	32mm	गोटा	१३६.००	१३६.००	११३.००
	40mm	गोटा	१६६.००	१६६.००	१४२.००
	50mm	गोटा	२५३.००	२५३.००	१७९.००
	65mm	गोटा	३४७.००	३४७.००	२४८.००
	80mm	गोटा	५०५.००	५०५.००	२०४.००
	100mm	गोटा	६४९.००	६४९.००	४२२.००
	125mm	गोटा			६४३.००
	150mm	गोटा			७६३.००
२३	G.I. Nipple Medium Class -6" Long				
	15mm	गोटा	७६.००	७६.००	६८.००
	20mm	गोटा	११३.००	११३.००	९४.००
	25mm	गोटा	१५१.००	१५१.००	१३२.००
	32mm	गोटा	२०५.००	२०५.००	१७०.००
	40mm	गोटा	२५३.००	२५३.००	१२२.००
	50mm	गोटा	३७९.००	३७९.००	२६९.००
	65mm	गोटा	५१८.००	५१८.००	३७३.००
	80mm	गोटा	७४२.००	७४२.००	४३९.००
	100mm	गोटा	९१७.००	९१७.००	६३३.००
	125mm	गोटा			९६५.००
	150mm	गोटा			११४६.००
२४	G.I. Nipple Medium Class -9" Long				
	15mm	गोटा	११३.००	११३.००	१०२.००
	20mm	गोटा	१६७.००	१६७.००	१४२.००
	25mm	गोटा	२०२.००	२०२.००	१९९.००
	32mm	गोटा	३०७.००	३०७.००	२५५.००
	40mm	गोटा	४१३.००	४१३.००	३१९.००
	50mm	गोटा	५६९.००	५६९.००	४०३.००
	65mm	गोटा	७६८.००	७६८.००	५६०.००
	80mm	गोटा	११३६.००	११३६.००	६५८.००
	100mm	गोटा	४८७१.००	४८७१.००	९४९.००
	125mm	गोटा			१४४८.००
	150mm	गोटा			१७९९.००



(Handwritten signature)


पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६।७७	आ.व.०७७।७८	आ.व.०७८।७९
२५	G.I. Nipple Medium Class -12" Long				
	15mm	गोटा	१५१.००	१५१.००	१३६.००
	20mm	गोटा	२२१.००	२२१.००	१८९.००
	25mm	गोटा	२५१.००	२५१.००	२६५.००
	32mm	गोटा	४१०.००	४१०.००	३४०.००
	40mm	गोटा	५०५.००	५०५.००	४२५.००
	50mm	गोटा	७५७.००	७५७.००	५३७.००
	65mm	गोटा	१०२२.००	१०२२.००	७४६.००
	80mm	गोटा	१५१४.००	१५१४.००	८७७.००
	100mm	गोटा	१८०८.००	१८०८.००	१२६६.००
	125mm	गोटा			१९३१.००
	150mm	गोटा			२२९१.००
२६	G.I. Nipple Medium Class -18" Long				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
	GI End Cap				
	15mm	गोटा			२५.००
	20mm	गोटा			४०.००
	25mm	गोटा			६५.००
	32mm	गोटा			८०.००
	40mm	गोटा			१७५.००
	50mm	गोटा			२५०.००
२७	G.I./G.I. Flange				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
	G.I./ Flange Set				
	32mm(1-1/4")	गोटा			६६०.००
	40mm(1-1/2")	गोटा			८८०.००
	50mm(2")	गोटा			१३७५.००
	65mm(2-1/2")	गोटा			१७७५.००
	80mm(3")	गोटा			२३५०.००

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	100mm(4")	गोटा			२७२०.००
	125mm(5")	गोटा			२९९२.००
	150mm(6")	गोटा			३२९९.००
	200mm(8")	गोटा			३६२०.००
२८	G.I./HDP Flange				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	GI/HDPE Flange set with adaptor				
	50mm(2")	गोटा			१२८०.००
	65mm(2-1/2")	गोटा			१९८०.००
	80mm(3")	गोटा			२४२०.००
	100mm(4")	गोटा			२७७५.००
	125mm(5")	गोटा			३०५३.००
	150mm(6")	गोटा			३३५८.००
	200mm(8")	गोटा			३६९४.००
२९	HDP/HDP Flange set with adaptor				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३८१४.००	३८१४.००	३८१४.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	Brass Compression Fittings				
	15mm	गोटा			२१०.००
	20mm	गोटा			३२०.००
	25mm	गोटा			८१०.००
	32mm	गोटा			१३८०.००
	40mm	गोटा			१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा			३८०.००
	1/2" (25-50mm dia) HDPE Saddle	गोटा			१८०.००
३०	Brass tap - 1/2"				
	15mm 400 gm heavy	गोटा	९०६.००	९०६.००	९०६.००
	Ordinary	गोटा	२०५.००	२०५.००	२०५.००
३१	Globe Valve (GM)				
	15mm	गोटा	९२४.००	९२४.००	९२४.००
	20mm	गोटा	१५०५.००	१५०५.००	१५०५.००

Gm




 न.स.पु.

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७६।७७	आ.व.०७७।७८	आ.व.०७८।७९
	25mm	गोटा	१८५९.००	१८५९.००	१८५९.००
	32mm	गोटा	२९५३.००	२९५३.००	२९५३.००
	40mm	गोटा	३७९६.००	३७९६.००	३७९६.००
	50mm	गोटा	४६४०.००	४६४०.००	४६४०.००
	65mm	गोटा	९९९४.००	९९९४.००	९९९४.००
	80mm	गोटा	१५०६०.००	१५०६०.००	१५०६०.००
	100mm	गोटा	२४३५०.००	२४३५०.००	२४३५०.००
३२	Float Valve				
	15mm	गोटा	११३४.००	११३४.००	११३४.००
	20mm	गोटा	१२८३.००	१२८३.००	१२८३.००
	25mm	गोटा	१५५६.००	१५५६.००	१५५६.००
	32mm	गोटा	२६९०.००	२६९०.००	२६९०.००
	40mm	गोटा	४०४२.००	४०४२.००	४०४२.००
	50mm	गोटा	५३८१.००	५३८१.००	५३८१.००
३३	C.I. Air valve (Heavy)				
	15mm	गोटा	३७५६.००	३७५६.००	३७५६.००
	20mm	गोटा	५१८२.००	५१८२.००	५१८२.००
	25mm	गोटा	५७४६.००	५७४६.००	५७४६.००
३४	Brass Union with Adopter				
	15mm	गोटा	२४५.००	२४५.००	२४५.००
	20mm	गोटा	३७७.००	३७७.००	३७७.००
	25mm	गोटा	५७०.००	५७०.००	५७०.००
	32mm	गोटा	७४२.००	७४२.००	७४२.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१९६९.००	१९६९.००	१९६९.००
३५	Saddle Ferrule				
	40mm	गोटा	३५४.००	३५४.००	३५४.००
	50mm	गोटा	४६८.००	४६८.००	४६८.००
	65mm	गोटा	१३०६.००	१३०६.००	१३०६.००
	80mm	गोटा	१७२७.००	१७२७.००	१७२७.००
	100mm	गोटा	२४६२.००	२४६२.००	२४६२.००
३६	Flow Regulating Valve (G.M.)				
	15mm	गोटा	१३२२.००	१३२२.००	१३२२.००
३७	C.I Sluice Valve				
	40mm	गोटा	६८४६.००	६८४६.००	६८४६.००
	50mm	गोटा	९९३२.००	९९३२.००	९९३२.००
	65mm	गोटा	१९४०६.००	१९४०६.००	१९४०६.००
	80mm	गोटा	१३६९९.००	१३६९९.००	१३६९९.००
	100mm	गोटा	१८२५०.००	१८२५०.००	१८२५०.००
	125mm	गोटा	२७७३७.००	२७७३७.००	२७७३७.००
	10mm	गोटा	३३२८८.००	३३२८८.००	३३२८८.००
	200mm	गोटा	४६६०३.००	४६६०३.००	४६६०३.००
३८	Brass Ferrule Cock				
	15mm	गोटा	१५०५.००	१५०५.००	१५०५.००

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	20mm	गोटा	१९६९.००	१९६९.००	१९६९.००
	25mm	गोटा	२८७९.००	२८७९.००	२८७९.००
३९	Ball valve				
	15mm	गोटा	५१४.००	५१४.००	५१४.००
	20mm	गोटा	६५०.००	६५०.००	६५०.००
	२५mm	गोटा	८७२.००	८७२.००	८७२.००
	32mm	गोटा	१०५९.००	१०५९.००	१०५९.००
	40mm	गोटा	२०३५.००	२०३५.००	२०३५.००
	50 mm	गोटा	३३४९.००	३३४९.००	३३४९.००
४०	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	४५९.००	४५९.००	४५९.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	११६४.००	११६४.००	११६४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९५६.००	१९५६.००	१९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९९.००	११९९.००	११९९.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६९३.००	७६९३.००	७६९३.००
	Long Radius Bend - 60 Degree	गोटा	१३९२.००	१३९२.००	१३९२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४९९.००	४४९९.००	४४९९.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६९.००	५३६९.००	५३६९.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५९.००	६५९.००	६५९.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५९८.००	१५९८.००	१५९८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७६।७७	आ.ब.०७७।७८	आ.ब.०७८।७९
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९९७.००	९९७.००	९९७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	९६३९.००	९६३९.००	९६३९.००
	Inspection Chamber Lid with Cover	गोटा	३९९२.००	३९९२.००	३९९२.००
	Inspection Chamber Body	गोटा	९९९२.००	९९९२.००	९९९२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००



(Handwritten signature)

SANITARY WORK					
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत
			आ.व.		
			२०७६/७७	२०७७/०७८	
1	Porcelain Clay Sanitaryware				
	White glazed porcelain pan				
	i)530mm size white glazed without siphon	सेट	2600	2600	2600
	ii)500 mm size white glazed without siphon	"	2823	2823	2200
	iii)580 mm size Pan	"	3472	3472	2600
	iii)580 mm size white glazed pan	"	1080	1080	950
	iv) Siphon 'p' or 's' type	"	608	608	400
	v) Asian Pan 51x40 Rectangular	"	2600	2600	2450
	Porcelain Clay Cistern				
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3666	3666	3666
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	687	687	687
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3809	3809	3809
	Commode				
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1635	1635	1635
	ii) White glazed porcelain clay EWC regular commode with 's' p trap	"	1880	1880	1880
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	"	18663	18663	18663
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	"	29741	29741	20000
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	"	21001	21001	21001
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	"	5410	5410	5410
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8916	8916	8916
	viii) 600 to 900 mm Grab bar	"	6244	6244	6244
	Bidet set				
	i) Porcelain clay white glaze Bidet.	सेट	3803	3803	3803
	Urinal set				

Handwritten signatures and initials: *MF*, *22/*, *22/07/2019*



Handwritten signature: *Dr.*

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size	सेट	4299	4299	4299	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size	"	1936	1936	1936	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.	"	1668	1668	1668	
	vi) Wall mounted Urinal with sensor complete set.	"				
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1248	1248	1248	
	ii) Porcelain clay white glaze squatting plate large size	"	1498	1498	1498	
	iii) Porcelain clay super color squatting plate large size.	"	2916	2916	2916	
	iv) Urinal Spreader	"	942	942	942	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1128	1128	1128	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1525	1525	1525	
	iv) Do but wash basin (45×32)cm	"	1097	1097	1097	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1237	1237	1237	
	vii) white glazed porcelain clay U-counter basin complete.	"	8598	8598	8598	
	ix) white glazed porcelain clay 0-counter wash basin, complete.	"	14189	14189	14189	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	10079	10079	10079	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6419	6419	6419	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	21165	21165	21165	
	Pedestal:					

12/12/79



Signature

Signature

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	i) Porcelain clay white glaze pedestal	"	1419	1419	1419	
	ii) White glazed Porcelain clay half pedestal complete set.	"	1720	1720	1720	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	2032	2032	2032	
	iv) Two piece pedestal with Basin" complete set.	"	13712	13712	13712	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm, division plate	"	1793	1793	1793	
	Lab sink					
	i) Porcelain clay white glaze large size	"	2289	2289	2289	
	ii) Porcelain clay white glaze small size	"	1703	1703	1703	
	iii) Porcelain clay janitor sink 58×71×43.5 size	"	28380	28380	28380	
	Kitchen sink					
	i) Porcelain clay large	सेट	3876	3876	3876	
	ii) Porcelain clay small	"	3511	3511	3511	
	iii) drain board white 53x45	"	1343	1343	1343	
	iv) Soap dish	"	681	681	681	
	v) White glaze foot rest	"	432	432	432	
	vi) White glaze Toilet paper holder	"	1192	1192	1192	
2	PVC Cistern Set					
	i) single flush	सेट	2032	2032	2032	
	ii) Deluxe single flush	"	2270	2270	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	"	3055	3055	3055	
	iv) concealed cistern with plate complete set.	"	17368	17368	17368	
	v) 32 mm pvc bottle trap set.	पिस	490	490	490	
	vi) 1.5x45 cm pvc pipe connector set.	"	147	147	147	
	vi) Bakelite toilet seat cover set.	"	284	284	284	
3	Stainless Steel Accessories etc.					
	Stainless steel Deep sink 45×45×30 size	"	18731	18731	18731	
	Stainless steel Orissa pan LP 210 size	"	8741	8741	8741	
	Stainless steel wash basin model 251 12" round size with pedestal	"	13660	13660	13660	
	Stainless steel wash basin 500 mm model 277 with complete set	"	10584	10584	10584	
	Stainless steel commode S trap with self closing complete set	"	18081	18081	18081	
	Wall mixer (single lever) bath faucet with hand shower	"	15073	15073	15073	
	Bath tub (single lever) with hand shower	"	18985	18985	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower	"	26537	26537	26537	
	Wall mixer (single control) bath faucet with hand shower (conceal system)	"	16431	16431	16431	

R M 21



Damm

Damm

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)		कैफियत	
			बा.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	Wall mixer (single control) shower faucet (conceal system)	"	4307	4307	4307	
	conceal mixer faucet	"	6649	6649	6649	
	Stainless steel Angle valve	"	852	852	852	
	Stainless steel two way Angle valve	"	1192	1192	1192	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2753	2753	2753	
	Stainless steel bowl with diamond board 37" long	"	3770	3770	3770	
	Stainless steel bowl with ordinary board 37" long	"	2383	2383	2383	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	14335	14335	14335	
	Stainless steel double bowl with single drain board ordinary	"	5960	5960	5960	
	Stainless steel p trap bottle trap for basin	"	2394	2394	2394	
	Stainless steel Kitchen sink mixture	"	8660	8660	8660	
	Stainless steel Kitchen sink faucet	"	5732	5732	5732	
	Stainless steel Kitchen sink mixture	"	8660	8660	8660	
	Stainless steel 1500mm flexible hose pipe (connection pipe)	"	1506	1506	1506	
	Stainless steel Hose ringer 1200 mm	"	1312	1312	1312	
	Stainless steel commode spray with hose pipe	"	1852	1852	1852	
	Stainless steel basin mixer (single control)	"	7151	7151	7151	
	Stainless steel single faucet for basin	"	4558	4558	4558	
	Stainless steel Sink 700*450*200	"	24973	24973	24973	
	Stainless steel Sink table top 1200*600*300	"	34509	34509	34509	
	Steel Split clamp with washer all complete	"				
	75 mm dia	पिस	341	341	341	
	110 mm dia	"	454	454	454	
	160 mm dia	"	794	794	794	
	Stainless steel telephonic shower	गोटा	1277	1277	1277	
	Stainless steel shower with sliding bar	"	3065	3065	3065	
	Stainless steel shower with sliding bar	"	10079	10079	10079	
	Stainless steel bottle trap	"	666	666	666	
	Stainless steel towel bar 450 mm	"	1277	1277	1277	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	set	12488	12488	12488	
	Capacity 1000 ltr	"	18230	18230	18230	

R. M. 201


201/078/79



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	Capacity 1500 ltr	"	28028	28028	28028	
	Capacity 2000 ltr	"	33725	33725	33725	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	"	4442	4442	4442	
	ii) super lab sink small size	"	3503	3503	3503	
	Super kitchen sink					
	i) super kitchen sink large size	"	7689	7689	7689	
	ii) super kitchen sink small size	"	6959	6959	6959	
4	Modern Sanitaryware					
	iv) Hand Dryer	"	7379	7379	7379	
	v) Flush valve	"	5903	5903	5903	
	vi) Auto sensor for basin -	"	36325	36325	36325	
	vii) liquid soap container stainless steel	"	6244	6244	6244	
	viii) Looking Mirror 450x600mm (18"x 24")	"	1503	1503	1503	
	C.P. Grab Bar for disable					
	a) 30cm long bend type	"	5521	5521	5521	
	b) 45 cm long bend type	"	5781	5781	5781	
	c) 60 cm long bend type	"	7404	7404	7404	
5	C.P. Accessories					
	1) Toilet paper holder	"	525	525	475	
	2) Soap dish	"	525	525	350	
	3) Towel rod ½"×18" size	"	525	525	475	
	4) Towel rod ¾" ×24" size	"	584	584	525	
	5) Glass shelf	"	700	700	650	
	6) C.P. bottle trap	"	1283	1283	1283	
	7) 32 mm×60cm long C.P flush pipe	"	525	525	525	
	8) 15 mm flush cock push type	"	1167	1167	1167	
	9) 15 mm dia. C.P. shower arm	"	1005	1005	1005	
	10) 15 mm dia. C.P. spreader	"	968	968	968	
	11) 15 mm dia. C.P. wall mixture	"	5598	5598	4500	
	i) 3" dia. Shower rose , revolving type	"	933	933	933	
	ii) 4" dia. Shower rose , revolving type	"	1051	1051	1051	
	iii) Shower rose ordinary	"	584	584	584	
	iv) Shower rod 12" long	"	291	291	291	
	C.P. 15 mm dia. Angle Valve	"	1281	1281	1281	
	C.P. 15 mm dia Concealed Stop Cock	"	1861	1861	1861	
	C.P 15mm Bib Cock	"	1402	1402	1050	
	C.P. 15 mm dia swan neck Pillar Cock	"	1371	1371	1200	
	C.P. 15 mm dia Stop Cock	"	1371	1371	1100	
	C.P. 15 mm dia Sink Cock	"	1348	1348	1348	
	C.P. 15 mm dia Sink Mixture	"	4606	4606	4200	
	C.P. 32 mm dia Flush Valve	"	5566	5566	5566	


R M 2/21

2/21/21/21/21



J

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
	C.P. 32 mm dia Waste Coupling for basin	"	437	437	437	
	C.P. 32 mm dia Waste Coupling for Urinal	"	710	710	710	
	C.P. Basin Mixture	सेट	4779	4779	4779	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1783	1783	1783	
	C.P. Exclusive Shower Arm with Hinge	"	2074	2074	2074	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4294	4294	4294	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	7054	7054	7054	
	C.P. flexible pipe	गोटा	186	186	186	
	C.P. Grating					
	i) 4" dia.	"	52	52	52	
	ii) 5" dia.	"	64	64	64	
	i) C.P. Toilet Paper Holder	"	957	957	957	
	ii) C.P. Soap Dish(Polyurethane)	"	1073	1073	1073	
	iii) C.P. Towel Rod 18"	"	1625	1625	1625	
	iv) C.P. Towel Rod 24"	"	1713	1713	1713	
	v) C.P. Glass Shelf 22"	"	2328	2328	2328	
	vi) C.P. Coat Hook Double	"	836	836	836	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	"	955	955	955	
	15 mm C.P. Angle Cock Long Thread	"	1016	1016	1016	
	x) C.P. Conceal Stop Cock					
	i) 15 mm Reduced body	"	1170	1170	1170	
	ii) 15 mm Extra Heavy Body	"	1432	1432	1432	
	xi) C.P. Bib Cock					
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2690	2690	2690	
	ii) 15mm C.P. Bib Cock	"	981	981	981	
	iii) 15mm C.P. Bib Cock with nozzle	"	1086	1086	1086	
	xii) C.P. Pillar Cock					
	i) 15 mm C.P. Pillar Cock With Aerator	"	1301	1301	1301	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2603	2603	2603	
	i) 15mm C.P. Sink Cock	"	1648	1648	1648	
	ii) C.P. Sink Mixer	"	4085	4085	4085	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3560	3560	3560	
	xv) C.P. Bottle Trap 32mm					
	32 mm C.P. Conceal Flush Valve Dual Flow	"	1908	1908	1908	
		"	3990	3990	3990	
	xvii) C.P. Waste Coupling					
	32 mm C.P. Waste Coupling H/T	"	459	459	459	
	32 mm C.P. Waste Coupling F/T	"	459	459	459	




 नेपाल सरकार
 गृह मन्त्रालय
 काठमाडौं
 २०७७/०७८

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			भा.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	2775	2775	2775	
	xix) 15 mm C.P. Wall Mixer					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4597	4597	4597	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4597	4597	4597	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3817	3817	3817	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	4008	4008	4008	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	1301	1301	1301	
	15mm Bath Tub Spout with button attachment	"	2082	2082	2082	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	693	693	693	
	15 mm Casted Shower Arm Heavy	"	1127	1127	1127	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	1845	1845	1845	
	With 1.5 Flexible Tube	"	2862	2862	2862	
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	3321	3321	3321	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4979	4979	4979	
	15 mm Braided Hose for E.W.C.	"	307	307	307	
	15 mm Health Faucet (Commode Spray)	"	1180	1180	1180	
	15 mm pillar cock with 200 mm extended lever handle	"	1560	1560	1560	
	15 mm Bib cock with 200 mm extended lever handle	"	1646	1646	1646	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	6135	6135	6135	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5949	5949	5949	
	Sensor mixer for wash basin (Battery operated)	"	21095	21095	21095	
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	21095	21095	21095	
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16708	16708	16708	

R.A. 2nd

2,775,000




71

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	Sensor valve for Urinal	"	10971	10971	10971	
	Basin cock Sensor	"	14851	14851	14851	
	15mm U shaped sink cock	"	1763	1763	1763	
	Sink Mixture with U shape swinging spout	"	3665	3665	3665	
	15mm metallic Health Faucet (Commode Spray)	"	2236	2236	2236	
7	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	11578	11578	11578	
	ii) 25 lit cap. " " "	"	17851	17851	17851	
	iii) 35 lit cap " " "	"	22192	22192	22192	
	iv) 50 lit cap " " "	"	26535	26535	26535	
	iv) Gas water heater with cylinder	"	8446	8446	8446	
8	C.I. Manhole Cover including frame.					
8.1	Square Frame (in outer dia)					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	689	689	689	
	ii) 12" × 12" (5 Kg.)	"	861	861	861	
	iii) 14" × 14" (7 Kg.)	"	1206	1206	1206	
	v) 16" × 16" (10 Kg.)	"	1723	1723	1723	
	vi) 18" × 18" (14 Kg.)	"	2584	2584	2584	
	viii) 20" × 20" (16 Kg.)	"	2757	2757	2757	

R. M. 201

सुनिल कुमार
गुन



(Handwritten signature)

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	ix) 22" × 22" (20 Kg.)	"	3446	3446	3446	
	x) 24" × 24" (24 Kg.)	"	4423	4423	4423	
	xi) 27" × 27" (31 Kg.)	"	5342	5342	5342	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	"	2412	2412	2412	
	ix) 22" × 22" (22 Kg.)	"	3791	3791	3791	
	xi) 27" × 27" (45 Kg.)	"	7754	7754	7754	
8.2	Rounded Manhole Cover (Outer dia.)					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9365	9365	9365	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12487	12487	12487	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15609	15609	15609	
	iv) 22" dia. Medium class. (125 Kg.)	"	19979	19979	19979	
	v) 22" dia. Heavy class. (208Kg.)	"	29843	29843	29843	
	vi) 24" dia. Medium class. (40 Kg.)	"	6393	6393	6393	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7992	7992	7992	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11488	11488	11488	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13985	13985	13985	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	18480	18480	18480	
8.3	C.I. Tank Cover Locking Types					
	Round					
	18" (8 Kg.)	सेट	1775	1775	1775	
	20" (12 Kg.)	"	2603	2603	2603	
	22" (14 Kg.)	"	2957	2957	2957	
	24" (16 Kg.)	"	3549	3549	3549	
	28" (24 Kg.)	"	5324	5324	5324	
	Square					
	18" x 18" (13 Kg.)	सेट	2957	2957	2957	
	24" x 24" (50 Kg.)	"	10649	10649	10649	

R.H. 2078

2078/79




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		कैफियत
			आ.व.		
			२०७६/७७	२०७७/०७८	
	Rectangular				
	18" x 24" (27 Kg.)	सेट	5916	5916	5916
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	सेट	106	106	85
	5"	"	142	142	140
	6"	"	188	188	188
	10"	"	650	650	650
	Square Jali Strip Medium Duty				
	4" x 4"	सेट	94	94	94
	5" x 5"	"	118	118	118
	6" x 6"	"	142	142	142
	9" x 9"	"	413	413	413
	10" x 10"	"	533	533	533
	12" x 12"	"	768	768	768
	C.I. Gully Gratings				
	i) 15" x 18" Medium (18 Kg.)	सेट	3905	3905	3905
	ii) 15" x 18" Heavy (25 Kg.)	सेट	5324	5324	5324
	Grit Cover				
	फलामे एङ्गलको फ्रेममा फलामे पल्लिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	171	171	171
	Aluminum Grating 4" dia.	गोटा	44	44	44
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	गोटा	8567	8567	8567
	ii) 200 gls	"	13458	13458	13458
	iii) 300 gls	"	16927	16927	16927
	iv) 400 gls	"	20322	20322	20322
	v) 500 gls	"	23727	23727	23727
	G.I. Water Tank (16 BWG Sheet)				
	i) 100 gls	गोटा	9036	9036	9036
	ii) 200 gls	"	13665	13665	13665
	iii) 300 gls	"	18143	18143	18143
	iv) 400 gls	"	21739	21739	21739
	v) 500 gls	"	25335	25335	25335
10	Roof Top PVC Water Tank				
	i) 200 lit – 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit – 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	Water Pumps/Hand Pumps				
	Indian Mark-III, Deep Well Hand Pump				
	6 No. hand pump	गोटा	1629	1629	1629
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	11212	11212	11200
	ii) ½ H.P. Water Pump mono block type	"	6446	6446	6446

P

M.F.

2078



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	iii) 1.0 H.P. water pump Multistage	"	14686	14686	14686	
	iv) 1.0 H.P. water pump (mono block type)	"	9749	9749	9749	
	v) 2.0 H.P. water pump	"	23265	23265	23265	
	vi) 2.0 H.P. 3 phase water pump	"	24562	24562	24562	
	vii) 5.0 HP 3 phase water pump	"	29516	29516	29516	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	22279	22279	22279	
	ii) Double Stage jet 1.10 H.P.		26735	26735	26735	
	ii) 1.5 H.P.	"	30077	30077	30077	
	Super Sunction					
	i) ½ H.P.	सेट	9190	9190	9190	
	ii) 0.75 H.P.	"	8578	8578	8578	
	iii) 1.0 H.P.	"	14704	14704	14704	
	Water Pump					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18748	18748	18748	
	ii) 2 H.P. single pump set "	"	30110	30110	30110	
	Fire pump					
	Submersible Pump					
	i) 1.0 H.P.	"	26872	26872	26872	
	ii) 2.0 H.P.	"	49849	49849	49849	
	Electric Water Pump					
	i) ½ H.P.	"	1754	1754	1754	
	ii) ¾ H.P.	"	2286	2286	2286	
	iii) 1.0 H.P.	"	3368	3368	3368	
	Submersible Pump					
	i) ½ H.P open well type	"	17155	17155	17155	
	ii) 1.1 H.P open well type	"	25120	25120	25120	
	iii) 1.5 H.P open well type	"	30633	30633	30633	
	Vertical Submersible Pump					
	i) 1.1 H.P	"	28072	28072	28072	
	iii) 1.5 H.P	"	33920	33920	33920	
12	Fire fighting equipment and accessories					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170° U-shape hose reel carrier with drum set	सेट				
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"				
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"				

२ १४ २२

२०७७/०७८



२०७७/०७८

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सु.अ.क. (VAT) बाहेक (रु.)		कैफियत
			आ.व.		
			२०७६/७७	२०७७/०७८	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"			
13	Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)				
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा			
	ii) 2 kg size ABC " " "	गोटा			
	iii) 3.0kg size ABC " " "	"			
	iii) 5.0kg size ABC " " "	"			
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट			
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"			
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"			
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"			
	viii) 2.5 kg size ABC " " "	"			
	ix) Co ₂ Type fire extinguisher 6.80 lit .	"			
	x) Foam type fire extinguisher 9 lit capacity	गोटा			
14	Insulation for hot water pipe				
	15mm Insulation 6 mm wall thickness	र.मी			
	20mm Insulation 6 mm wall thickness	"			
	25mm Insulation 6 mm wall thickness	"			
	32mm Insulation 6 mm wall thickness	"			
15	ACRYLIC GLASS SHELF				
	i) Acrylic glass shelf best quality	सेट			
	ii) Acrylic glass shelf ordinary	"			
	iii) Shower curtain	"			
16	Water Purification System				
	Euro Guard Water purification system (one litre per minute)	युनिट			
	Euro-guard water purification system (hi-flow 3 lit/min)	"			
	water purifier (1.0 lit/min)	"			
	power water purifier	"			
	RO feed pump	सेट			
	Fire Sprinkler	"			
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"			

१२ १५ २०

२०७७/०७८



१५

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (र.)		कैफियत
			मा.व.		
			२०७६/७७	२०७७/०७८	
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"			
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"			
	Filter Media for existing filtration system				
	Pebbles	के.जी.			
	Coarse silex	"			
	Gravel	"			
	Golden sand	"			
	Anthracite	"			
	MNo2	"			
	Activated Carbon	"			
	Motor starter switch	"			
	Pressure sensor switch for water tank	"			
17	विभिन्न साइजको Bath tub .fiber				
	a) Bath tub – 3'6" Medium	सेट			
	Bath tub – 3'6" Heavy	"			
	b) Bath tub – 4'0" Medium	"	6906	6906	6906
	Bath tub _ 4'0" Heavy	"	8021	8021	8021
	c) Bath Tub – 4'6" Medium	"	8354	8354	8354
	Bath tub – 4'6" Heavy	"	8381	8381	8381
	d) Bath tub – 5'0" Medium	"	9134	9134	9134
	Bath tub _ 5'0" Heavy	"	30236	30236	30236
	e) Bath Tub – 5'6" Medium	"	8196	8196	8196
	Bath tub – 5'6" Heavy	"	9654	9654	9654
	f) Bath Tub – 6'0" Medium	"	13261	13261	13261
	Bath tub – 6'0" Heavy	"	37928	37928	37928
18	Shower Tray 3'0"×3'0"	गोटा	515	515	515
	Pipes and fittings				
19	PPR Pipe (Poly propylene random co-polymer pipe)				
	1) PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	49	49	49
	25mm " 2.3 mm thick 0.164kg/m	"	75	75	75
	32mm 2.9 mm thick 0.26kg/m	"	119	119	119
	40mm 3.7 mm thick 0.412kg/m	"	189	189	189
	50mm 4.6 mm thick 0.638kg/m	"	293	293	293
	63 mm 8.6 mm thick 0.638kg/m	"	463	463	463
	75 mm	"	646	646	646
	90 mm	"	931	931	931
	110 mm	"	1380	1380	1380

77

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	"	67	67	67	
	25mm 3.50 mm thick 0.26kg/m	"	103	103	103	
	32mm 3.7 mm thick 0.230kg/m	"	164	164	164	
	40mm 5.50 mm thick 0.575kg/m	"	263	263	263	
	50mm 6.90 mm thick 0.896kg/m	"	411	411	411	
	63 mm 4.6 mm thick 0.638kg/m	"	646	646	646	
	75 mm	"	921	921	921	
	90 mm	"	1315	1315	1315	
	110 mm	"	1971	1971	1971	

१०
१५
२५

२५


२५



१०

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	"	78	78	78	
	25mm 4.20 mm thick 0.266kg/m	"	122	122	122	
	32mm 5.40 mm thick 0.434kg/m	"	199	199	199	
	40mm 6.70 mm thick 0.671kg/m	"	307	307	307	
	50mm 8.30 mm thick 1.04kg/m	"	477	477	477	
	63mm 8.6mm thick 1.04kg/m	"	757	757	757	
	75 mm	"	1073	1073	1073	
	90 mm	"	1540	1540	1540	
	110 mm	"	2296	2296	2296	
	PP-R Pipe Accessories :					
	Elbow (90⁰)					
	20mm	गोटा	10	10	10	
	25mm	"	20	20	20	
	32mm	गोटा	34	34	34	
	40mm	"	71	71	71	
	50mm	"	118	118	118	
	63 mm	"	209	209	209	
	75 mm	"	392	392	392	
	90 mm	"	662	662	662	
	110 mm	"	1232	1232	1232	
	Equal Tee					
	20mm	"	14	14	14	
	25mm	"	25	25	25	
	32mm	"	42	42	42	
	40mm	"	81	81	81	
	50mm	"	138	138	138	
	63mm	"	251	251	251	
	75 mm	"	436	436	436	
	90 mm	"	798	798	798	
	110 mm	"	1385	1385	1385	
	Coupler					
	20mm	गोटा	8	8	8	
	25mm	"	10	10	10	
	32mm	"	20	20	20	
	40mm	"	38	38	38	
	50mm	"	64	64	64	
	63 mm	"	112	112	112	
	75 mm	"	218	218	218	
	90 mm	"	322	322	322	
	110 mm	"	588	588	588	
	45 Degree Elbow					
	20 mm	"	14	14	14	
	25 mm	"	22	22	22	
	32 mm	"	35	35	35	
	40 mm	"	64	64	64	
	50 mm	"	108	108	108	
	63 mm	"	178	178	178	
	75 mm	"	348	348	348	

२०७८/७९



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	90 mm	"	588	588	588	
	110 mm		1027	1027	1027	
	Union (Plastic)					
	20mm	गोटा	52	52	52	
	25mm	"	88	88	88	
	32mm	"	143	143	143	
	40mm	"	217	217	217	
	50mm	"	340	340	340	
	63mm	"	406	406	406	
	Reducing Coupler					
	25mm*20mm	"	15	15	15	
	32mm*20mm	"	18	18	18	
	32mm*25mm	"	20	20	20	
	40mm*20mm	"	30	30	30	
	40mm*25mm	"	31	31	31	
	40mm*32mm	"	42	42	42	
	50mm*20mm	"	56	56	56	
	50mm*25mm	"	54	54	54	
	50mm*32mm	"	61	61	61	
	50mm*40mm	"	65	65	65	
	63mm*32mm	"	88	88	88	
	63mm*40mm	"	109	109	109	
	63mm*50mm	"	109	109	109	
	75mm*40mm	"	218	218	218	
	75mm*50mm	"	222	222	222	
	75mm*63mm	"	224	224	224	
	90mm*50mm	"	414	414	414	
	90mm*63mm	"	444	444	444	
	90mm*75mm	"	522	522	522	
	110mm*75mm	"	732	732	732	
	110mm*90mm	"	814	814	814	
	Reducing Tee					
	25*20*25 mm	"	26	26	26	
	32*20*32 mm	"	39	39	39	
	32*25*32 mm	"	42	42	42	
	40*20*40 mm	"	56	56	56	
	40*25*40 mm	"	63	63	63	
	40*32*40 mm	"	67	67	67	
	50*20*50 mm	"	85	85	85	
	50*25*50 mm	"	93	93	93	
	50*32*50 mm	"	126	126	126	
	50*40*50 mm	"	130	130	130	
	63*32*63 mm	"	196	196	196	
	63*40*63 mm	"	198	198	198	
	63*50*63 mm	"	207	207	207	
	75*50*75 mm	"	448	448	448	
	75*63*75 mm	"	469	469	469	
	90*63*90 mm	"	827	827	827	
	90*75*90 mm	"	914	914	914	
	110*75*110 mm	"	1480	1480	1480	

१६/११/२०७९

सुदूरपश्चिम प्रदेश
भक्तपुर जिल्ला
भक्तपुर नगरपालिका
सुदूरपश्चिम प्रदेश
भक्तपुर नगरपालिका
सुदूरपश्चिम प्रदेश
भक्तपुर नगरपालिका

१६/११/२०७९

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	110*90*110 mm		1524	1524	1524	
	Reducing Elbow					
	25mm*20mm	"	20	20	20	
	32mm*20mm	"	36	36	36	
	32mm*25mm	"	44	44	44	
	High Footed Pipe Clip					
	20mm	गोटा	11	11	11	
	25mm	"	13	13	13	
	32mm	"	20	20	20	
	40mm	"	22	22	22	
	50mm	"	25	25	25	
	63 mm	"	33	33	33	
	Low Footed Pipe Clip					
	20mm	"	5	5	5	
	25mm	"	6	6	6	
	32mm	"	13	13	13	
	40mm	"	17	17	17	
	50mm	"	27	27	27	
	63 mm	"	35	35	35	
	"Y" type Pipe Clip					
	20mm	"	17	17	17	
	25mm	"	20	20	20	
	32mm	"	25	25	25	
	40 mm	"	49	49	49	
	End Plug (short)					
	20mm	"	5	5	5	
	25mm	"	9	9	9	
	32mm	"	12	12	12	
	End Plug with Ring					
	20mm	"	20	20	20	
	End Plug (long)					
	20mm	"	8	8	8	
	End Cap					
	20mm	"	11	11	11	
	25mm	"	17	17	17	
	32mm	"	26	26	26	
	40mm	"	39	39	39	
	50mm	"	69	69	69	
	63 mm	"	133	133	133	
	75 mm	"	213	213	213	
	Cross Tee					
	20mm	"	23	23	23	
	25mm	"	35	35	35	
	32mm	"	59	59	59	
	Short Passover					
	20mm	"	67	67	67	
	25mm	"	96	96	96	
	32mm	"	149	149	149	
	Long Bypass					

R. K. 2/11

मन्त्रालय
संस्थापक
सचिव

Dr

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	20mm	"	77	77	77	
	25mm	"	126	126	126	
	32mm	"	185	185	185	
	Male Tee					
	20mmx1/2"	"	126	126	126	
	25mmx1/2"	"	133	133	133	
	25mmx3/4"	"	159	159	159	
	32mmx1/2"	"	192	192	192	
	32mmx3/4"	"	200	200	200	
	32mmx1"	"	347	347	347	
	Female Tee					
	20mmx1/2"	"	102	102	102	
	25mmx1/2"	"	133	133	133	
	25mmx3/4"	"	155	155	155	
	32mmx1/2"	"	152	152	152	
	32mmx3/4"	"	179	179	179	
	32mmx1"	"	300	300	300	
	Male elbow					
	20mmx1/2"	"	121	121	121	
	25mmx1/2"	"	133	133	133	
	25mmx3/4"	"	163	163	163	
	32mmx1/2"	"	194	194	194	
	32mmx3/4"	"	218	218	218	
	32mmx1"	"	361	361	361	
	Female elbow					
	20mmx1/2"	"	99	99	99	
	25mmx1/2"	"	131	131	131	
	25mmx3/4"	"	133	133	133	
	32mmx1/2"	"	178	178	178	
	32mmx3/4"	"	209	209	209	
	32mmx1"	"	293	293	293	
	Male Coupling					
	20mmx1/2"	"	118	118	118	
	20mmx3/4"	"	124	124	124	
	25mmx1/2"	"	143	143	143	
	25mmx3/4"	"	165	165	165	
	32mmx1/2"	"	149	149	149	
	32mmx3/4"	"	159	159	159	
	32mmx1"	"	319	319	319	
	40mmx1-1/4"	"	539	539	539	
	50mmx1-1/2"	"	812	812	812	
	63mmx2"	"	1072	1072	1072	
	75mmx2-1/2"	"	2664	2664	2664	

२०७८/०७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	Female Coupling					
	20mmx1/2"	"	96	96	96	
	20mmx3/4"	"	113	113	113	
	25mmx1/2"	"	126	126	126	
	25mmx3/4"	"	128	128	128	
	32mmx1/2"	"	108	108	108	
	32mmx3/4"	"	116	116	116	
	32mmx1"	"	273	273	273	
	40mmx1-1/4"	"	473	473	473	
	50mmx1-1/2"	"	613	613	613	
	63mmx2"	"	821	821	821	
	75mmx2-1/2"	"	1877	1877	1877	
	Male Union					
	20mmx1/2"	"	266	266	266	
	25mmx3/4"	"	382	382	382	
	32mmx1"	"	561	561	561	
	40mmx1 ^{1/4} "	"	1010	1010	1010	
	50mmx1/2"	"	1350	1350	1350	
	63mmx2"	"	3483	3483	3483	
	Female Union					
	20mmx1/2"	"	256	256	256	
	25mmx3/4"	"	332	332	332	
	32mmx1"	"	537	537	537	
	40mmx1 ^{1/4} "	"	740	740	740	
	50mmx1/2"	"	1265	1265	1265	
	63mmx2"	"	2307	2307	2307	
	Stop Valve					
	a) 20 mm	"	306	306	306	
	b) 25 mm	"	404	404	404	
	c) 32 mm	"	488	488	488	
	d) 40mm	"	522	522	522	
	e) 50 mm	"	870	870	870	
	f) 63 mm	"	1308	1308	1308	
	Male base elbow					
	20mm x 1/2"	"	138	138	138	
	25mm x 3/4"	"	170	170	170	
	Female base elbow					
	20mm x 1/2"	"	135	135	135	
	25mm x 1/2"	"	166	166	166	
	25mm x 3/4"	"	163	163	163	
	Metal Ball valve (double)					
	20mmx1/2"	"	566	566	566	
	25mmx3/4"	"	829	829	829	
	32mmx1"	"	1024	1024	1024	

२०७८/०७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	40mmx1-1/4"	"	2915	2915	2915	
	50mmx1-1/2"	"	4005	4005	4005	
	Metal Ball valve (Single)					
	20mmx1/2"	"	522	522	522	
	25mmx3/4"	"	836	836	836	
	32mmx1"	"	1154	1154	1154	
	Conceal Valve (Lux)					
	20mm	"	977	977	977	
	Conceal Valve (Nor)					
	20mm	"	822	822	822	
	Ball Valve (Plastic)					
	20mm	"	83	83	83	
	25mm	"	113	113	113	
	32mm	"	196	196	196	
	40mm	"	417	417	417	
	50mm	"	605	605	605	
	63 mm	"	1024	1024	1024	
	Ball Valve (Brass)					
	20mm	"	300	300	300	
	25mm	"	370	370	370	
	32mm	"	503	503	503	
	40mm	"	831	831	831	
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	118	118	118	
	3/4" dia	"	165	165	165	
	1" dia	"	216	216	216	
	1-1/4" dia	"	269	269	269	
	1-1/2" dia	"	376	376	376	
	2" dia	"	575	575	575	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	"	137	137	137	
	3/4" dia	"	183	183	183	
	1" dia	"	256	256	256	
	1-1/4" dia	"	309	309	309	
	1-1/2" dia	"	430	430	430	
	2" dia	"	698	698	698	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	376	376	376	

२०७७/०७८

२०७७/०७८



२०७७/०७८


सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			मा.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	3/4"	"	501	501	501	
	1"	"	605	605	605	
	1-1/4"	"	1412	1412	1412	
	1-1/2"	"	1692	1692	1692	
	2"	"	2181	2181	2181	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	"	142	142	142	
	1" X 1/2"	"	186	186	186	
	CPVC Tee	गोटा				
	1/2"	"	37	37	37	
	3/4"	"	79	79	79	
	1"	"	121	121	121	
	1-1/4"	"	227	227	227	
	1-1/2"	"	330	330	330	
	2"	"	707	707	707	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	"	73	73	73	
	3/4" x 3/4" x 1/2"	"	110	110	110	
	3/4" x 1/2" x 3/4"	"	138	138	138	
	3/4" x 1/2" x 1/2"	"	158	158	158	
	1" x 1" x 3/4"	"	166	166	166	
	1-1/2" x 1-1/2" x 1"	"	258	258	258	
	2" x 2" x 1"	"	449	449	449	
	1-1/4" x 1-1/4" x 1/2"	"	146	146	146	
	1-1/4" x 1-1/4" x 1"	"	158	158	158	
	2" x 2" x 1/2"	"	441	441	441	
	1" x 1" x 1/2"	"	103	103	103	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	"	124	124	124	
	3/4" x 3/4" x 1/2"	"	129	129	129	
	1" x 1" x 1/2"	"	143	143	143	
	1-1/4" x 1-1/4" x 1-1/4"	"	516	516	516	
	1-1/4" x 1-1/4" x 1/2"	"	280	280	280	
	CPVC Elbow 90°	गोटा				
	1/2"	"	26	26	26	
	3/4"	"	54	54	54	
	1"	"	98	98	98	
	1-1/4"	"	185	185	185	
	1-1/2"	"	275	275	275	
	2"	"	590	590	590	
	CPVC Reducer Elbow 90°					
	3/4" X 1/2"		54	54	54	
	CPVC Brass FPT Elbow 90°	गोटा				
	1/2" x 1/2"	"	86	86	86	
	3/4" x 1/2"	"	100	100	100	

२०७८/०७९



२०७८/०७९

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ. व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	3/4" x 3/4"	"	114	114	114	
	1" X 1/2"	"	221	221	221	
	1" X 1"	"	614	614	614	
	1-1/4" x 1-1/4"	"	797	797	797	
	CPVC Elbow 45°	गोटा				
	1/2"	"	31	31	31	
	3/4"	"	56	56	56	
	1"	"	80	80	80	
	1-1/4"	"	140	140	140	
	1-1/2"	"	203	203	203	
	2"	"	440	440	440	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	"	23	23	23	
	3/4"	"	40	40	40	
	1"	"	61	61	61	
	1-1/4"	"	109	109	109	
	1-1/2"	"	153	153	153	
	2"	"	299	299	299	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				



 The image shows several handwritten signatures in black ink. To the right of the signatures is a circular official stamp. The stamp contains the text 'भक्तपुर जिल्ला' (Bhaktapur District) and 'महानगरपालिका' (Metropolitan City). The stamp is partially obscured by the signatures.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	3/4" x 1/2"	"	42	42	42	
	CPVC Male Adapters (Brass Threads)					
	1/2"	"	212	212	212	
	3/4"	"	275	275	275	
	1"	"	434	434	434	
	1-1/4"	"	953	953	953	
	1-1/2"	"	1113	1113	1113	
	2"	"	2290	2290	2290	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	"	236	236	236	
	CPVC Female Adapter (CPVC Threads)					
	1/2"	"	32	32	32	
	3/4"	"	53	53	53	
	1"	"	79	79	79	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	"	204	204	204	
	3/4"	"	277	277	277	
	1"	"	360	360	360	
	1-1/4"	"	945	945	945	
	1-1/2"	"	1050	1050	1050	
	2"	"	2054	2054	2054	
	CPVC Caps					
	1/2"	"	13	13	13	
	3/4"	"	25	25	25	
	1"	"	38	38	38	
	1-1/4"	"	74	74	74	
	1-1/2"	"	109	109	109	
	2"	"	232	232	232	
	CPVC Union					
	1/2"	"	279	279	279	
	3/4"	"	410	410	410	
	1"	"	485	485	485	
	1-1/4"	"	888	888	888	
	1-1/2"	"	971	971	971	
	2"	"	1393	1393	1393	
	CPVC Cross Tee					
	1/2"	"	51	51	51	
	3/4"	"	109	109	109	
	CPVC Step Over Bend					
	1/2"	"	65	65	65	
	3/4"	"	107	107	107	

R. K. 2078
 2078/79
 2078/79



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	"	681	681	681	
	3/4"	"	829	829	829	
	1"	"	949	949	949	
	1-1/4"	"	1935	1935	1935	
	1-1/2"	"	2462	2462	2462	
	2"	"	3167	3167	3167	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	205	205	205	
	118ML	"	339	339	339	
	237ML	"	549	549	549	
	473ML	"	863	863	863	
	946ML	"	1515	1515	1515	
	Plastic Strap					
	1/2"	"	5	5	5	
	3/4"	"	6	6	6	
	1"	"	8	8	8	
	1-1/4"	"	12	12	12	
	1-1/2"	"	15	15	15	
	2"	"	19	19	19	
	Metal Strap					
	1/2"	"	13	13	13	
	3/4"	"	17	17	17	
	1"	"	21	21	21	
	1-1/4"	"	25	25	25	
	1-1/2"	"	28	28	28	
	2"	"	30	30	30	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	6	6	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	"	6	6	6	
	1/2" X 3/4"	"	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	"	236	236	236	
	3/4"	"	256	256	256	
	End plug threaded 1/2"	"	12	12	12	
21	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)					
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	466	466	466	

R K 20

सुनिल शर्मा



Handwritten signature

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	558	558	558	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	700	700	700	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	864	864	864	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	989	989	989	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	1270	1270	1270	
	73mm OD 3" SCH.40,5.16 .mm thickness	"	1952	1952	1952	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	2555	2555	2555	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	3301	3301	3301	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	3637	3637	3637	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	4925	4925	4925	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	6393	6393	6393	
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
	Single Socket (R/R)	Mtr	465	465	465	
	Single Socket (R/R)	"	863	863	863	
	Single Socket (R/R)	"	930	930	930	
	Single Socket Self Fit	"	1199	1199	1199	
	Single Socket Self Fit	"	1466	1466	1466	
	Single Socket Self Fit	"	2015	2015	2015	
	Single Socket Self Fit	"	2371	2371	2371	
	Single Socket Self Fit	"	3167	3167	3167	
	Single Socket Self Fit	"	3774	3774	3774	
	Long Radius Bend - 45 Degree	Pc	1227	1227	1227	
	Long Radius Bend - 45 Degree	"	2240	2240	2240	
	Long Radius Bend - 45 Degree	"	4044	4044	4044	
	Long Radius Bend - 45 Degree	"	7841	7841	7841	
	Long Radius Bend - 60 Degree	"	1351	1351	1351	
	Long Radius Bend - 60 Degree	"	2477	2477	2477	
	Long Radius Bend - 60 Degree	"	4543	4543	4543	
	Long Radius Bend - 60 Degree	"	8603	8603	8603	
	Long Radius Bend - 90 Degree	"	663	663	663	
	Long Radius Bend - 90 Degree	"	1601	1601	1601	
	Long Radius Bend - 90 Degree	"	2953	2953	2953	
	Long Radius Bend - 90 Degree	"	5522	5522	5522	
	Long Radius Bend - 90 Degree	"	10174	10174	10174	
	Fab. Coupler	"	191	191	191	
	Fab. Coupler	"	457	457	457	
	Fab. Coupler	"	985	985	985	
	Fab. Coupler	"	1926	1926	1926	
	Fab. Coupler	"	3543	3543	3543	
	End Cap	"	408	408	408	
	End Cap	"	671	671	671	
	End Cap	"	1071	1071	1071	
	End Cap	"	1564	1564	1564	

Handwritten signature and initials.

Handwritten signature and initials.



Handwritten signature.

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	Equal Tee	"	11673	11673	11673	
	Equal Tee	"	6718	6718	6718	
	Equal Tee	"	3729	3729	3729	
	Gully Trap with grating	"	1090	1090	1090	
	Rodding Point	"	646	646	646	
	Adjustable Bend 7 Degree to 37.5 Degree	"	689	689	689	
	Adjustable Bend 7 Degree to 87.5 Degree	"	945	945	945	
	Inspection Chamber Body	"	3399	3399	3399	
	Inspection Chamber Riser	"	1688	1688	1688	
	Inspection Chamber Lid with Cover	"	3205	3205	3205	
	Inspection Chamber Body	"	9385	9385	9385	
	Inspection Chamber Riser	"	2984	2984	2984	
	Inspection Chamber Lid with Cover	"	4980	4980	4980	
24	Concealled Cisterns 9cm	"	7654	7654	7654	
	Concealled Cisterns Kombo fix 8cm	"	9376	9376	9376	
	Dual Flush Actuator Plate Shiny Chrome	"	3755	3755	3755	
	Concealled Cisterns 12cm	"	9415	9415	9415	
	Dual Flush Actuator Plate Shiny Chrome	"	3755	3755	3755	
	Traps for Wash Basins	"	1035	1035	1035	
	Sensor for Urinal 9V DC	"	26537	26537	26537	
	Sensor for Urinal 230V AC	"	26537	26537	26537	
	control box for urinal sensor	"	7290	7290	7290	
	Sensor Faucet Cold / Mixed water 6V DC	"	33124	33124	33124	
	Sensor Faucet Cold / Mixed water 230V AC	"	33124	33124	33124	
22	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	118	118	118	
	3/4" dia. (33.75 Kg/cm2)	"	151	151	151	
	1" dia. (31.64 Kg/cm2)	"	233	233	233	
	1-1/4" dia. (26.01 Kg/cm2)	"	287	287	287	
	1-1/2" dia. (23.20 Kg/cm2)	"	352	352	352	
	2" dia. (19.69 Kg/cm2)	"	500	500	500	
	2-1/2" dia. (21.09 Kg/cm2)	"	698	698	698	
	3" dia. (18.28 Kg/cm2)	"	882	882	882	
	4" dia. (15.47 Kg/cm2)	"	1294	1294	1294	
	6" dia. (12.66 Kg/cm2)	"	2695	2695	2695	
	PVC Tee - Soc	गोटा				
		1/2"	32	32	32	
		3/4"	45	45	45	
		1"	71	71	71	

24

सुन्यायि



24

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	1-1/4"	"	112	112	112	
	1-1/2"	"	147	147	147	
	2"	"	227	227	227	
	2-1/2"	"	652	652	652	
	3"	"	856	856	856	
	4"	"	1548	1548	1548	
	6"	"	8586	8586	8586	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	"	65	65	65	
	1 x 1/2	"	100	100	100	
	1 x 3/4	"	100	100	100	
	1-1/2 X 1/2	"	339	339	339	
	1-1/2 X 3/4	"	339	339	339	
	1-1/2 X 1	"	339	339	339	
	1-1/2 X 1-1/4	"	339	339	339	
	2 X 1/2	"	418	418	418	
	2 X 3/4	"	418	418	418	
	2 X 1	"	418	418	418	
	2 X 1-1/4	"	418	418	418	
	2 X 1-1/2	"	418	418	418	
	2-1/2 X 1/2	"	1074	1074	1074	
	2-1/2 X 3/4	"	1074	1074	1074	
	2-1/2 X 1	"	1074	1074	1074	
	2-1/2 X 1-1/4	"	1074	1074	1074	
	2-1/2 X 1-1/2	"	1074	1074	1074	
	2-1/2 X 2	"	1074	1074	1074	
	3 X 1/2	"	1568	1568	1568	
	3 X 3/4	"	1568	1568	1568	
	3 X 1	"	1568	1568	1568	
	3 X 1-1/4	"	1568	1568	1568	
	3 X 1-1/2	"	1568	1568	1568	
	3 X 2	"	1568	1568	1568	
	3 X 2-1/2	"	1568	1568	1568	
	6 X 1-1/4	"	8248	8248	8248	
	6 X 1-1/2	"	8248	8248	8248	
	6 X 2	"	8248	8248	8248	
	6 X 2-1/2	"	8248	8248	8248	
	6 X 3	"	8248	8248	8248	
	6 X 4	"	8248	8248	8248	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
	1/2"		166	166	166	
	3/4"		300	300	300	
	3/4" X 1/2"		244	244	244	
	1" X 1/2"		433	433	433	
	PVC 90° Elbow - Soc	गोटा				

१२/११/२०७९

सि.नं. २०७९/०७८

९१



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
	1/2"	"	27	27	27	
	3/4"	"	31	31	31	
	1"	"	55	55	55	
	1-1/4"	"	95	95	95	
	1-1/2"	"	112	112	112	
	2"	"	172	172	172	
	2-1/2"	"	511	511	511	
	3"	"	612	612	612	
	4"	"	1252	1252	1252	
	6"	"	5275	5275	5275	
	PVC Brass 90° Elbow Soc x Fipt SCH 80	रोटा				
	1/2"	"	178	178	178	
	3/4"	"	249	249	249	
	3/4" X 1/2"	"	258	258	258	
	PVC 45° Elbow - Soc	रोटा				
	1/2"	"	57	57	57	
	3/4"	"	88	88	88	
	1"	"	105	105	105	
	1-1/4"	"	147	147	147	
	1-1/2"	"	185	185	185	
	2"	"	241	241	241	
	2-1/2"	"	689	689	689	
	3"	"	1071	1071	1071	
	4"	"	1922	1922	1922	
	6"	"	5289	5289	5289	
	PVC Coupling - Soc	रोटा				
	1/2"	"	18	18	18	
	3/4"	"	27	27	27	
	1"	"	43	43	43	
	1-1/4"	"	57	57	57	
	1-1/2"	"	78	78	78	
	2"	"	121	121	121	
	2-1/2"	"	254	254	254	
	3"	"	398	398	398	
	4"	"	622	622	622	
	6"	"	2493	2493	2493	
	PVC Reducer Coupling - Soc	रोटा				
	3/4 X 1/2	"	44	44	44	
	1 X 3/4	"	75	75	75	
	1-1/2 X 1-1/4	"	134	134	134	
	2 X 1-1/2	"	214	214	214	
	4 x 2	"	1434	1434	1434	
	4 X 3	"	1434	1434	1434	
	6 X 4	"	2982	2982	2982	

Handwritten signatures and notes:
 24
 24/07/79

Official stamp and signature:
 92
 [Official Seal]
 [Signature]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	"	36	36	36	
	1 X 1/2	"	51	51	51	
	1 X 3/4	"	51	51	51	
	1-1/4 X 1/2	"	88	88	88	
	1-1/4 X 3/4	"	88	88	88	
	1-1/4 X 1	"	88	88	88	
	1-1/2 X 1/2	"	93	93	93	
	1-1/2 X 3/4	"	93	93	93	
	1-1/2 X 1	"	93	93	93	
	1-1/2 X 1-1/4	"	93	93	93	
	2 X 1/2	"	170	170	170	
	2 X 3/4	"	170	170	170	
	2 X 1	"	170	170	170	
	2 X 1-1/4	"	170	170	170	
	2 X 1-1/2	"	170	170	170	
	2-1/2 X 1-1/4	"	239	239	239	
	2-1/2 X 1-1/2	"	239	239	239	
	2-1/2 X 2	"	239	239	239	
	3 X 1-1/2	"	354	354	354	
	3 X 2	"	354	354	354	
	3 X 2-1/2	"	354	354	354	
	4 X 2	"	696	696	696	
	4 X 3	"	696	696	696	
	6 X 2	"	2339	2339	2339	
	6 X 3	"	2339	2339	2339	
	6 X 4	"	2339	2339	2339	
	PVC Cap - Soc	गोटा				
	1/2"	"	25	25	25	
	3/4"	"	31	31	31	
	1"	"	44	44	44	
	1-1/4"	"	62	62	62	
	1-1/2"	"	68	68	68	
	2"	"	82	82	82	
	2-1/2"	"	261	261	261	
	3"	"	286	286	286	
	4"	"	652	652	652	
	6"	"	2573	2573	2573	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	"	261	261	261	
	3/4"	"	299	299	299	
	1"	"	307	307	307	
	1-1/4"	"	989	989	989	
	1-1/2"	"	1031	1031	1031	

93

 नेपाल सरकार

 सार्वजनिक मन्त्रालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	2"	"	1391	1391	1391	
	2-1/2"	"	1946	1946	1946	
	3"	"	3108	3108	3108	
	4"	"	4303	4303	4303	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	"	47	47	47	
	3/4"	"	56	56	56	
	1"	"	73	73	73	
	1-1/4"	"	90	90	90	
	1-1/2"	"	124	124	124	
	2"	"	160	160	160	
	2-1/2"	"	562	562	562	
	3"	"	667	667	667	
	4"	"	1056	1056	1056	
	6"	"	2430	2430	2430	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	"	270	270	270	
	3/4"	"	361	361	361	
	1"	"	542	542	542	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	"	61	61	61	
	3/4"	"	63	63	63	
	1"	"	66	66	66	
	1-1/4"	"	171	171	171	
	1-1/2"	"	252	252	252	
	2"	"	245	245	245	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	"	226	226	226	
	3/4"	"	321	321	321	
	1"	"	411	411	411	
	PVC Ball Valve - Soc	गोटा				
	1/2"	"	908	908	908	
	3/4"	"	1079	1079	1079	
	1"	"	1510	1510	1510	
	1-1/4"	"	2044	2044	2044	
	1-1/2"	"	3118	3118	3118	
	2"	"	3943	3943	3943	
	2-1/2"	"	6513	6513	6513	
	3"	"	10318	10318	10318	
	4"	"	17052	17052	17052	
	6"	"	37040	37040	37040	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	"	315	315	315	
	237ML	"	452	452	452	
	473ML	"	819	819	819	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
	946ML	"	1347	1347	1347	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	"	507	507	507	
	237ML	"	668	668	668	
	473ML	"	1172	1172	1172	
	946ML	"	2028	2028	2028	
23	Rainwater Collection System					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	164	164	164	
	JOINT BRACKET To connect two lengths of roof water	Pc.	264	264	264	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line.	Pc.	362	362	362	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	445	445	445	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	445	445	445	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	98	98	98	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	314	314	314	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	79	79	79	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	52	52	52	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	80	80	80	


१५/०७/७९

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	RUBBER GASKET To provide leak proof joints.	Pc.	31	31	31	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	65	65	65	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	39	39	39	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	130	130	130	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	311	311	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	369	369	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	533	533	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	610	610	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	610	610	610	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	145	145	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	437	437	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	111	111	111	

Handwritten signatures and initials:
 २०७७/०७८
 २०७८/०७९



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	94	94	94	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	53	53	53	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	113	113	113	
	RUBBER GASKET To provide leak proof joints.	Pc.	42	42	42	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	70	70	70	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	45	45	45	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	250	250	250	
	250 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	603	603	603	
	JOINT BRACKET To connect two lengths of roof water	Pc.	632	632	632	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	994	994	994	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1429	1429	1429	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1429	1429	1429	
	SHORT STOP END To close the end of roof water pipe line.	Pc.		311	311	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	826	826	826	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	309	309	309	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	169	169	169	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	125	125	125	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	327	327	327	
	RUBBER GASKET To provide leak proof joints.	Pc.	171	171	171	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	84	84	84	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	197	197	197	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	451	451	451	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	254	254	254	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	451	451	451	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	270	270	270	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	484	484	484	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	461	461	461	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		२०७८/०७९	कैफियत
			बा.व.			
			२०७६/७७	२०७७/०७८		
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	693	693	693	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	487	487	487	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	717	717	717	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	988	988	988	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1232	1232	1232	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1052	1052	1052	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1391	1391	1391	
	FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree 75 mm size	pcs	144	144	144	
	DWV Bend 87.5 Degree	"	183	183	183	
	DWV Bend 87.5 Degree with Door	"	84	84	84	
	DWV Socket Plug	"	195	195	195	
	DWV Cleansing Pipe	"	117	117	117	
	DWV Coupler	"	208	208	208	
	DWV Single Tee	"	228	228	228	
	DWV Single Tee with Door	"	360	360	360	
	DWV Cross Tee	"	506	506	506	
	DWV Cross Tee with Door	"	372	372	372	
	DWV Double 'Y'	"	496	496	496	
	DWV Double 'Y' with Door	"	232	232	232	
	DWV Single 'Y'	"	297	297	297	
	DWV Single 'Y' with Door	"	12	12	12	
	DWV Pipe Clip	"	25	25	25	
	DWV Vent Cowel	"	237	237	237	
	DWV Bend 45 Degree 110mm size	"	291	291	291	
	DWV Bend 87.5 Degree	"	332	332	332	
	DWV Bend 87.5 Degree with Door	"	106	106	106	
	DWV Socket Plug	"	381	381	381	
	DWV Cleansing Pipe	"	212	212	212	
	DWV Coupler	"	705	705	705	
	DWV Double 'Y'	"	832	832	832	
	DWV Double 'Y' with Door	"	583	583	583	
	DWV Cross Tee	"	661	661	661	
	DWV Cross Tee with Door	"	381	381	381	
	DWV Single Tee	"	450	450	450	
	DWV Single Tee with Door	"	467	467	467	
	DWV Single 'Y'	"	489	489	489	
	DWV Single 'Y' with Door	"	48	48	48	
	DWV Vent Cowel	"	166	166	166	
	DWV Reducer 110*75 mm	"	37	37	37	
	DWV Pipe Clip 110mm size	"	449	449	449	
	DWV W.C. Connectore (Straight type)	"	359	359	359	
	DWV W.C. Connectore (Bend type)	"	179	179	179	
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24	


Handwritten signatures and notes in the bottom left corner.



Handwritten signature in the bottom right corner.

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)		कैफियत	
			भा.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	DWV Nahani Trap Jali	"	555	555	555	
	DWV P-Trap with Leap Ring 10*110 mm	"	796	796	796	
	DWV P-Trap with Leap Ring 25*110 mm	"	239	239	239	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	484	484	484	
	DWV Reducer 60*110 mm	"	463	463	463	
	DWV Coupler 160mm size	"	1109	1109	1109	
	DWV Single Tee	"	1192	1192	1192	
	DWV Single Tee with Door	"	2076	2076	2076	
	DWV Single 'Y'	"	2181	2181	2181	
	DWV Single 'Y' with Door	"	764	764	764	
	DWV Bend 87.5 Degree	"	1018	1018	1018	
	DWV Bend 87.5 Degree with Door	"	890	890	890	
	DWV Bend 45 Degree	"				
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	602	602	602	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	624	624	624	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	649	649	649	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	611	611	611	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	622	622	622	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1110	1110	1110	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1153	1153	1153	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1198	1198	1198	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1129	1129	1129	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1149	1149	1149	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1739	1739	1739	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1769	1769	1769	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1799	1799	1799	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2885	2885	2885	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2935	2935	2935	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2986	2986	2986	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3820	3820	3820	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3886	3886	3886	

Handwritten signatures and notes at the bottom left of the page.



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			भा.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3953	3953	3953	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4720	4720	4720	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4803	4803	4803	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4885	4885	4885	
		"				
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	601	601	601	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	616	616	616	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	631	631	631	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	612	612	612	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	623	623	623	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1109	1109	1109	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1142	1142	1142	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1174	1174	1174	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1130	1130	1130	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1149	1149	1149	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1739	1739	1739	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1769	1769	1769	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1800	1800	1800	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	2885	2885	2885	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2935	2935	2935	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2985	2985	2985	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	3820	3820	3820	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3886	3886	3886	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3953	3953	3953	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	4720	4720	4720	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4803	4803	4803	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4885	4885	4885	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	DWV Coupler SN-8 110mm	per pc	303	303	303	
	DWV Coupler SN-4 160 mm	"	729	729	729	
	DWV Coupler SN-4 200 mm	"	1491	1491	1491	
	DWV Coupler SN-4 250 mm	"	2778	2778	2778	
	DWV Coupler SN-2 315mm	"	4468	4468	4468	
	DWV Coupler SN-4 315 mm	"	4878	4878	4878	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1031	1031	1031	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2870	2870	2870	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5361	5361	5361	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	12018	12018	12018	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	28536	28536	28536	
24	Multilayer Composite Pipe					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	104	104	104	
	14-18 mm ½"	"	114	114	114	
	16-20 mm ½"	"	122	122	122	
	20-25 mm ¾"	"	186	186	186	
	26-32 mm 1"	"	290	290	290	
	32-40 mm 1¼"	"	459	459	459	
	41-50 mm 1½"	"	673	673	673	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	114	114	114	
	14-18 mm ½"	"	126	126	126	
	16-20 mm ½"	"	145	145	145	
	20-25 mm ¾"	"	214	214	214	
	26-32 mm 1"	"	311	311	311	
	32-40 mm 1¼"	"	479	479	479	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	90	90	90	
	14-18 mm ½"	"	90	90	90	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	रोटा	137	137	137	
	½"ø (18mm ø)	"	145	145	145	
	½"ø (20mm ø)	"	159	159	159	
	¾" ø (25 mm ø)	"	232	232	232	
	1" ø (32 mm ø)	"	362	362	362	
	1¼" ø (40 mm ø)	"	1335	1335	1335	
	1½" ø (50 mm ø)	"	2016	2016	2016	
	b. Unequal Straight Union					
	25 - 16 mm ø	"	260	260	260	
	25 - 18 mm ø	"	269	269	269	
	25 - 20 mm ø	"	283	283	283	

20/11/2018


102



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	32 - 16 mm \emptyset	"	348	348	348	
	32 - 18 mm \emptyset	"	366	366	366	
	32 - 20 mm \emptyset	"	394	394	394	
	32 - 25 mm \emptyset	"	422	422	422	
	40 - 32 mm \emptyset	"	1154	1154	1154	
	50 - 20 mm \emptyset	"	1683	1683	1683	
	50 - 32 mm \emptyset	"	2016	2016	2016	
	50 - 40 mm \emptyset	"	1900	1900	1900	
	c. Male Union					
	16mm x 1/2"M	गोटा	97	97	97	
	18mm x 1/2"M	"	113	113	113	
	20mm x 1/2"M	"	130	130	130	
	25mm x 1/2"M	"	158	158	158	
	25mm x 3/4"M	"	199	199	199	
	25mm x 1"M	"	255	255	255	
	32mm x 3/4"M	"	292	292	292	
	32mm x 1"M	"	320	320	320	
	32mm x 1 1/2"M	"	324	324	324	
	40mm x 1"M	"	1024	1024	1024	
	40mm x 1 1/2"M	"	1060	1060	1060	
	50mm x 1"M	"	1610	1610	1610	
	50mm x 1 1/4"M	"	1638	1638	1638	
	50mm x 1 1/2"M	"	2225	2225	2225	
	50mm x 2"M	"	1671	1671	1671	
	d. Female Straight Union					
	16mm x 1/2"F	गोटा	107	107	107	
	18mm x 1/2"F	"	116	116	116	
	20mm x 1/2"F	"	126	126	126	
	25mm x 1/2"F	"	167	167	167	
	25mm x 3/4"F	"	199	199	199	
	25mm x 1"F	"	204	204	204	
	32mm x 1/2"F	"	209	209	209	
	32mm x 3/4"F	"	213	213	213	
	32mm x 1"F	"	301	301	301	
	40mm x 1 1/2"F	"	1203	1203	1203	
	50mm x 1 1/4"F	"	1622	1622	1622	
	50mm x 1 1/2"F	"	2225	2225	2225	
	50mm x 2"F	"	1687	1687	1687	
	e. Equal Elbow					
	1/2" \emptyset (16mm \emptyset)	गोटा	130	130	130	
	1/2" \emptyset (18mm \emptyset)	"	158	158	158	
	1/2" \emptyset (20mm \emptyset)	"	213	213	213	
	3/4" \emptyset (25 mm \emptyset)	"	324	324	324	
	1" \emptyset (32 mm \emptyset)	"	524	524	524	
	1 1/4" \emptyset (40 mm \emptyset)	"	1706	1706	1706	
	1 1/2" \emptyset (50 mm \emptyset)	"	2642	2642	2642	
	f. Unequal Elbow					
	40 - 32 mm \emptyset	"	1891	1891	1891	

२०७७/७८

२०७७/७८



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	50 - 20 mm \emptyset	"	2178	2178	2178	
	50 - 40 mm \emptyset	"	2220	2220	2220	
	g. Female Elbow					
	16mm x 1/2"F	गोटा	171	171	171	
	18mm x 1/2"F	"	190	190	190	
	20mm x 1/2"F	"	209	209	209	
	25mm x 1/2"F	"	232	232	232	
	25mm x 3/4"F	"	287	287	287	
	25mm x 1"F	"	315	315	315	
	32mm x 3/4"F	"	339	339	339	
	32mm x 1"F	"	422	422	422	
	50mm x 1 1/4"F	"	2178	2178	2178	
	h. Male Elbow					
	25mm x 3/4"M	"	232	232	232	
	25mm x 1"M	"	301	301	301	
	32mm x 3/4"M	"	228	228	228	
	32mm x 1"M	"	385	385	385	
	40mm x 1"M	"	1251	1251	1251	
	50mm x 1"M	"	1784	1784	1784	
	i. Equal Tee					
	1/2" \emptyset (16mm \emptyset)	गोटा	232	232	232	
	1/2" \emptyset (18mm \emptyset)	"	260	260	260	
	1/2" \emptyset (20mm \emptyset)	"	324	324	324	
	3/4" \emptyset (25 mm \emptyset)	"	468	468	468	
	1" \emptyset (32 mm \emptyset)	"	732	732	732	
	1 1/4" \emptyset (40 mm \emptyset)	"	2737	2737	2737	
	1 1/2" \emptyset (50 mm \emptyset)	"	4000	4000	4000	
	j. Unequal Tee					
	20 mm x 16 mm x 20 mm	"	209	209	209	
	20 mm x 18 mm x 20 mm	"	232	232	232	
	25 mm x 16 mm x 25 mm	"	348	348	348	
	25 mm x 18 mm x 25 mm	"	394	394	394	
	25 mm x 20 mm x 25 mm	"	408	408	408	
	32 mm x 16 mm x 32 mm	"	672	672	672	
	32 mm x 18 mm x 32 mm	"	695	695	695	
	32 mm x 20 mm x 32 mm	"	723	723	723	
	32 mm x 25 mm x 32 mm	"	742	742	742	
	40 mm x 32 mm x 32 mm	"	2025	2025	2025	
	40 mm x 32 mm x 40 mm	"	2346	2346	2346	
	50 mm x 20 mm x 50 mm	"	3198	3198	3198	
	50 mm x 32 mm x 32 mm	"	2108	2108	2108	
	50 mm x 32 mm x 50 mm	"	3231	3231	3231	
	50 mm x 40 mm x 40 mm	"	3242	3242	3242	
	50 mm x 40 mm x 50 mm	"	3702	3702	3702	
	k. Female Tee					
	16mm x 1/2"F x 16mm	गोटा	232	232	232	
	18mm x 1/2"F x 18mm	"	241	241	241	
	20mm x 1/2"F x 20mm	"	260	260	260	

R K 20
 २०७७/०७८


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)		कैफियत
			आ.व.		
			२०७६/७७	२०७७/०७८	
	25mm x 1/2"F x 25mm	"	244	244	244
	25mm x 3/4"F x 25mm	"	269	269	269
	25mm x 1"F x 25mm	"	349	349	349
	32mm x 1/2"F x 32mm	"	375	375	375
	32mm x 3/4"F x 32mm	"	385	385	385
	32mm x 1"F x 32mm	"	522	522	522
	40mm x 3/4"F x 32mm	"	1541	1541	1541
	50mm x 3/4"F x 40mm	"	2286	2286	2286
	l. Equal Ball Valve Union				
	1/2"ø (16mm ø)	रोटा	270	270	270
	1/2"ø (18mm ø)	"	299	299	299
	1/2"ø (20mm ø)	"	394	394	394
	3/4" ø (25 mm ø)	"	654	654	654
	1" ø (32 mm ø)	"	908	908	908
	1 1/4" ø (40 mm ø)	"	2968	2968	2968
	1 1/2" ø (50 mm ø)	"	4284	4284	4284
	m. Female Ball Valve Union				
	16mm x 1/2"F	रोटा	251	251	251
	18mm x 1/2"F	"	288	288	288
	20mm x 1/2"F	"	323	323	323
	20mm x 3/4"F	"	362	362	362
	25mm x 3/4"F	"	672	672	672
	25mm x 1"F	"	686	686	686
	32mm x 1"F	"	723	723	723
	n. Plug				
	1 1/4" ø (40 mm ø)	"	1483	1483	1483
	1 1/2" ø (50 mm ø)	"	2039	2039	2039
	p. Wall Plated Female Elbow				
	16mm x 1/2"F	रोटा	195	195	195
	18mm x 1/2"F	"	213	213	213
	20mm x 1/2"F	"	232	232	232
	q. Nipple				
	N 1/2F*1/2F	रोटा	50	50	50
	N 1/2M*1/2M	"	50	50	50
	N 3/4F*1/2F	"	70	70	70
	N 1F*1/2F	"	80	80	80
	N 1F*3/4F	"	90	90	90
	N 3/4M*1/2M	"	70	70	70
	N 1M*1/2M	"	80	80	80
	N 1M*3/4M	"	90	90	90
	N 1/2F*1/2M	"	60	60	60
	N 1/2F*3/4M	"	70	70	70
	N 1/2F*1M	"	110	110	110
	N 1/2M*3/4F	"	70	70	70
	N 1/2M*1F	"	115	115	115
	N 3/4F*3/4M	"	90	90	90
	N 3/4F*1M	"	99	99	99
	N 3/4M*1F	"	131	131	131


२७/७/२०७९
 २०७९/०७८



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
25	Supplying laying & jointing of (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	501	501	501	
	a.2) Failure chagre per well	संख्या	1391	1391	1391	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	714	714	714	
	b.2) Failure chagre per well	संख्या	3708	3708	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1363	1363	1363	
	c.2) Failure chagre per well	संख्या	4820	4820	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1928	1928	1928	
	d.2) Failure chagre per well	संख्या	5562	5562	5562	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1622	1622	1622	
26	R.C.C. Hume Pipe & Hume Pipe Collar PIPES					
	a) NP-2					
	150 mm dia.	र.मि	596	596	596	
	200 mm dia.	"	785	785	785	
	250 mm dia.	"	983	983	983	
	300 mm dia.	"	1330	1330	1330	
	350 mm dia.	"	1470	1470	1470	
	375 mm dia.	"	1610	1610	1610	
	400 mm dia.	"	1852	1852	1852	
	450 mm dia.	"	1960	1960	1960	
	500 mm dia.	"	2200	2200	2200	
	600 mm dia.	"	3077	3077	3077	
	700 mm dia.	"	3785	3785	3785	
	750 mm dia.	"	4092	4092	4092	
	800 mm dia.	"	4567	4567	4567	
	900 mm dia.	"	6172	6172	6172	
	1000 mm dia.	"	7185	7185	7185	
	1200 mm dia.	"	8776	8776	8776	
	1500 mm dia.	"	18450	18450	18450	
	b) NP-3					
	150 mm dia.	र.मि	1291	1291	1291	
	200 mm dia.	"	1720	1720	1720	
	250 mm dia.	"	2149	2149	2149	
	300 mm dia.	"	3088	3088	3088	
	350 mm dia.	"	3464	3464	3464	
	375 mm dia.	"	3702	3702	3702	
	400 mm dia.	"	3948	3948	3948	

२७/७/७९

२७/७/७९



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	450 mm dia.	..	4432	4432	4432	
	500 mm dia.	..	4940	4940	4940	
	600 mm dia.	..	6104	6104	6104	
	700 mm dia.	..	7372	7372	7372	
	750 mm dia.	..	8467	8467	8467	
	800 mm dia.	..	9240	9240	9240	
	900 mm dia.	..	11985	11985	11985	
	1000 mm dia.	..	13312	13312	13312	
	1200 mm dia.	..	15847	15847	15847	
	1500 mm dia.	..	24894	24894	24894	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	165	165	165	
	200 mm dia.	..	195	195	195	
	250 mm dia.	..	245	245	245	
	300 mm dia.	..	332	332	332	
	350 mm dia.	..	365	365	365	
	375 mm dia.	..	365	365	365	
	400 mm dia.	..	463	463	463	
	450 mm dia.	..	490	490	490	
	500 mm dia.	..	550	550	550	
	600 mm dia.	..	769	769	769	
	700 mm dia.	..	946	946	946	
	750 mm dia.	..	1023	1023	1023	
	800 mm dia.	..	1141	1141	1141	
	900 mm dia.	..	1543	1543	1543	
	1000 mm dia.	..	1799	1799	1799	
	1200 mm dia.	..	2196	2196	2196	
	1500 mm dia.	..	4615	4615	4615	
	b) NP-3					
	150 mm dia.	..	323	323	323	
	200 mm dia.	..	429	429	429	
	250 mm dia.	..	537	537	537	
	300 mm dia.	..	771	771	771	
	350 mm dia.	..	865	865	865	
	375 mm dia.	..	924	924	924	
	400 mm dia.	..	986	986	986	
	450 mm dia.	..	1107	1107	1107	
	500 mm dia.	..	1234	1234	1234	
	600 mm dia.	..	1526	1526	1526	
	700 mm dia.	..	1843	1843	1843	
	750 mm dia.	..	2116	2116	2116	
	800 mm dia.	..	2309	2309	2309	
	900 mm dia.	..	2996	2996	2996	
	1000 mm dia.	..	3327	3327	3327	
	1200 mm dia.	..	3961	3961	3961	
	1500 mm dia.	..	6223	6223	6223	

२२/११/२०७८
 २०७८/०७९



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)		कैफियत
			आ.व.		
			२०७६/७७	२०७७/०७८	
	R.C.C.Spigot Pipes (Socket System)				
	a) NP-2				
	150 mm dia.	र.मि	766	766	766
	200 mm dia.	"	976	976	976
	250 mm dia.	"	1221	1221	1221
	300 mm dia.	"	1656	1656	1656
	350 mm dia.	"	2007	2007	2007
	400 mm dia.	"	2300	2300	2300
	450 mm dia.	"	2438	2438	2438
	500 mm dia.	"	2736	2736	2736
	600 mm dia.	"	3608	3608	3608
	700 mm dia.	"	4709	4709	4709
	750 mm dia.	"	5090	5090	5090
	800 mm dia.	"	5684	5684	5684
	900 mm dia.	"	7339	7339	7339
	1000 mm dia.	"	8481	8481	8481
	1200 mm dia.	"	10274	10274	10274
	b) NP-3				
	150 mm dia.	र.मि	1603	1603	1603
	200 mm dia.	"	2139	2139	2139
	250 mm dia.	"	2674	2674	2674
	300 mm dia.	"	3842	3842	3842
	350 mm dia.	"	4313	4313	4313
	400 mm dia.	"	4913	4913	4913
	450 mm dia.	"	5513	5513	5513
	500 mm dia.	"	6141	6141	6141
	600 mm dia.	"	7592	7592	7592
	700 mm dia.	"	9169	9169	9169
	800 mm dia.	"	11493	11493	11493
	900 mm dia.	"	14907	14907	14907
	1000 mm dia.	"	16564	16564	16564
	1200 mm dia.	"	19506	19506	19506
	1500 mm dia.	"	30835	30835	30835
	1600 mm dia.	"	35566	35566	35566
	1800 mm dia.	"	47339	47339	47339
27	High Density Polythene Pipe NS-40				
	Pipes of different sizes, series & pressure	Kg	281	281	281
28	UPVC (Pipe NS 206/046				
28.1	A) pipe 2.5 kg/cm² pressure				
	a) 90 mm	र.मी	141	141	141

Mr. 2 mi
2075/078/79




Handwritten signature or mark.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	b) 110 mm	"	211	211	211	
	c) 125 mm	"	268	268	268	
	d) 140 mm	"	331	331	331	
	e) 160 mm	"	432	432	432	
	f) 180 mm	"	553	553	553	
	g) 200 mm	"	676	676	676	
28.2	B) UPVC Pipe 4 kg / cm²					
	a) 63mm	र.मी	112	112	112	
	b) 75 mm	"	155	155	155	
	c) 90 mm	"	221	221	221	
	d) 110 mm	"	304	304	304	
	e) 125 mm	"	418	418	418	
	f) 140 mm	"	531	531	531	
	g) 160 mm	"	687	687	687	
	h) 180 mm	"	883	883	883	
	i) 200 mm	"	1072	1072	1072	
28.3	C) UPVC Pipe 6 Kg/ cm² pressure					
	a) 40 mm	र.मी	66	66	66	
	b) 50 mm	"	100	100	100	
	c) 63 mm	"	160	160	160	
	d) 75 mm	"	223	223	223	
	e) 90 mm	"	322	322	322	
	f) 110 mm	"	466	466	466	
	g) 125 mm	"	620	620	620	
	h) 140 mm	"	772	772	772	
	i) 160 mm	"	989	989	989	
	j) 180 mm	र.मी	1262	1262	1262	
	k) 200 mm	"	1545	1545	1545	
28.4	C) UPVC Pipe 10 Kg/ cm² pressure					
	a) 20 mm	र.मी	26	26	26	
	b) 25 mm	"	40	40	40	
	c) 32mm	"	66	66	66	
	a) 40 mm	"	99	99	99	
	b) 50 mm	"	156	156	156	
	c) 63 mm	"	248	248	248	
	d) 75 mm	"	335	335	335	
	e) 90 mm	"	504	504	504	
	f) 110 mm	"	747	747	747	
	g) 125 mm	"	957	957	957	
	h) 140 mm	"	1208	1208	1208	
	i) 160 mm	"	1554	1554	1554	
	j) 180 mm	"	1981	1981	1981	

२०७८/०७९

२०७८/०७९



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	k) 200 mm	"	2449	2449	2449	
28.5	UPVC fittings :					
	Coupler					
	50 mm	गोटा	32	32	32	
	75 mm	"	77	77	77	
	110 mm	"	131	131	131	
	Bend 87.5 degree					
	50 mm	गोटा	47	47	47	
	75 mm	"	112	112	112	
	110 mm	"	206	206	206	
	Bend 45 degree					
	50 mm	गोटा	46	46	46	
	75 mm	"	91	91	91	
	110 mm	"	163	163	163	
	Single Tee					
	50 mm	गोटा	70	70	70	
	75 mm	"	151	151	151	
	110 mm	"	287	287	287	
	Pipe clip					
	50 mm	गोटा	15	15	15	
	75 mm	"	29	29	29	
	110 mm	"	38	38	38	
	Bend 87.5 degree with door					
	75 mm	गोटा	143	143	143	
	110 mm	"	249	249	249	
	Single Tee with door					
	75 mm	गोटा	204	204	204	
	110 mm	"	380	380	380	
	Double Tee					
	75 mm	गोटा	332	332	332	
	110 mm	"	525	525	525	
	Double Tee with door					
	75 mm	गोटा	440	440	440	
	110 mm	"	682	682	682	
	Vent cowl					
	75 mm	गोटा	54	54	54	
	110 mm	"	90	90	90	
	Socket plug					
	75 mm	गोटा	68	68	68	
	110 mm	"	111	111	111	
	Single "Y"					
	75 mm	गोटा	173	173	173	
	110 mm	"	374	374	374	
	Single "Y" with door					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)		कैफियत	
			आ.व.			
			२०७६/७७	२०७७/०७८		२०७८/०७९
	75 mm	गोटा	237	237	237	
	110 mm	"	451	451	451	
	Double "Y"					
	75 mm	गोटा	261	261	261	
	110 mm	"	514	514	514	
	Double "Y" with door					
	75 mm	गोटा	334	334	334	
	110 mm	"	539	539	539	
	Cleaning pipe					
	75 mm	"	152	152	152	
	110 mm	"	293	293	293	
	Reducer					
	110x 75 mm	"	135	135	135	
	75X50 mm	"	71	71	71	
	P -Trap					
	125mmx110mm	"	555	555	555	
	110mmx110mm	"	521	521	521	
	75mmx75mm	"	199	199	199	
	Multi-Floor -Trap					
	110mmx75mm	"	288	288	288	
	Nahani-Trap					
	110mmx75mm	"	263	263	263	
	W.C. Connector (bent type)					
	Square tile with jali	"	86	86	86	
	Round jali	"	40	40	40	
	End cap 50mm	"	26	26	26	
29.0	G.I Pipe threaded , 6 m. length With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	152	152	152	
	ii. ¾" (20 mm)	"	208	208	208	
	iii. 1" (25 mm)	"	288	288	288	
	iv. 1 ¼" (32 mm)	"	369	369	369	
	v. 1 ½" (40 mm)	"	455	455	455	
	vi. 2" (50 mm)	"	575	575	575	
	vii. 2 ½" (65 mm)	"	793	793	793	
	viii. 3" (80 mm)	"	930	930	930	
	ix. 4" (100 mm)	"	1330	1330	1330	
	x. 5" (125 mm)	"	2129	2129	2129	
	xi. 6" (150 mm)	"	2529	2529	2529	
	xii. 8" (200 mm)	"	3629	3629	3629	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	176	176	176	
	ii. ¾" (20 mm)	"	227	227	227	
	iii. 1" (25 mm)	"	338	338	338	

Handwritten signature and date: 27/07/2019



Handwritten signature.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			भा.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
iv.	1 ¼" (32 mm)	"	439	439	439	
v.	1 ½" (40 mm)	र.मि	505	505	505	
vi.	2" (50 mm)	"	690	690	690	
vii.	2 ½" (65 mm)	"	881	881	881	
viii.	3" (80 mm)	"	1092	1092	1092	
ix.	4" (100 mm)	"	1620	1620	1620	
x.	5" (125 mm)	"	2245	2245	2245	
xi.	6" (150 mm)	"	2712	2712	2712	
xii.	8" (200 mm)	"	4123	4123	4123	
c) Heavy duty						
i.	½" (15 mm)	र.मि	209	209	209	
ii.	¾" (20 mm)	"	264	264	264	
iii.	1" (25 mm)	"	395	395	395	
iv.	1 ¼" (32 mm)	"	505	505	505	
v.	1 ½" (40 mm)	"	582	582	582	
vi.	2" (50 mm)	"	848	848	848	
vii.	2 ½" (65 mm)	"	1063	1063	1063	
viii.	3" (80 mm)	"	1251	1251	1251	
ix.	4" (100 mm)	"	1940	1940	1940	
x.	5" (125 mm)	"	2513	2513	2513	
xi.	6" (150 mm)	"	2850	2850	2850	
xii.	8" (200 mm)	"	4371	4371	4371	
30.0 G.I. Pipe fittings ISI or NS Standard						
a) G.M. Gate valve						
i.	½"	गोटा	991	991	991	
ii.	¾"	"	1234	1234	1234	
iii.	1"	"	1988	1988	1988	
iv.	1 ¼"	"	2836	2836	2836	
v.	1 ½"	"	3571	3571	3571	
vi.	2"	"	5685	5685	5685	
vii.	2 ½"	"	11753	11753	11753	
viii.	3"	"	14614	14614	14614	
ix.	4"	"	23935	23935	23935	
b) G.M Check valve						
i.	½"	गोटा	920	920	920	
ii.	¾"	"	1236	1236	1236	
iii.	1"	"	1828	1828	1828	
iv.	1 ¼"	"	2702	2702	2702	
v.	1 ½"	"	3126	3126	3126	
vi.	2"	"	5184	5184	5184	
vii.	2 ½"	"	10532	10532	10532	
viii.	3"	"	14067	14067	14067	
ix.	4"	"	19880	19880	19880	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (र.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
c) G.I. Ebow						
i.	½ "	गोटा	54	54	54	
ii.	¾"	"	97	97	97	
iii.	1"	"	149	149	149	
iv.	1 ¼"	"	227	227	227	
v.	1 ½ "	"	317	317	317	
vi.	2"	"	478	478	478	
vii.	2 ½ "	"	829	829	829	
viii.	3"	"	1291	1291	1291	
ix.	4"	"	2224	2224	2224	
x.	5"	"	5502	5502	5502	
xi.	6"	"	6623	6623	6623	
d) G.I. Tee						
i.	½ "	गोटा	82	82	82	
ii.	¾"	"	131	131	131	
iii.	1"	"	191	191	191	
iv.	1 ¼"	"	305	305	305	
v.	1 ½ "	"	422	422	422	
vi.	2"	"	691	691	691	
vii.	2 ½ "	"	1086	1086	1086	
viii.	3"	"	1467	1467	1467	
ix.	4"	"	2665	2665	2665	
x.	5"	"	7375	7375	7375	
xi.	6"	"	8547	8547	8547	
e) G.I Union						
i.	½ "	गोटा	174	174	174	
ii.	¾"	"	245	245	245	
iii.	1"	"	359	359	359	
iv.	1 ¼"	"	494	494	494	
v.	1 ½ "	"	612	612	612	
vi.	2"	"	911	911	911	
vii.	2 ½ "	"	1862	1862	1862	
viii.	3"	"	2509	2509	2509	
ix.	4"	"	3306	3306	3306	
x.	5"	"	7375	7375	7375	
xi.	6"	"	8923	8923	8923	
f) G.I. Socket						
i.	½ "	गोटा	48	48	48	
ii.	¾"	"	75	75	75	
iii.	1"	"	103	103	103	
iv.	1 ¼"	"	159	159	159	
v.	1 ½ "	"	214	214	214	
vi.	2"	"	315	315	315	
vii.	2 ½ "	"	571	571	571	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
viii.	3"	"	842	842	842	
ix.	4"	"	1457	1457	1457	
x.	5"	"	3640	3640	3640	
xi.	6"	"	4895	4895	4895	
g) C.I. Plug						
i.	½ "	गोटा	31	31	31	
ii.	¾"	"	41	41	41	
iii.	1"	"	50	50	50	
iv.	1 ¼"	"	101	101	101	
v.	1 ½ "	"	128	128	128	
vi.	2"	"	153	153	153	
vii.	2 ½ "	"	220	220	220	
viii.	3"	"	450	450	450	
ix.	4"	"	863	863	863	
h) Hex Nipple						
i.	½ "	गोटा	58	58	58	
ii.	¾"	"	89	89	89	
iii.	1"	"	143	143	143	
iv.	1 ¼"	"	224	224	224	
v.	1 ½ "	"	283	283	283	
vi.	2"	"	421	421	421	
vii.	2 ½ "	"	773	773	773	
viii.	3"	"	997	997	997	
ix.	4"	"	1529	1529	1529	
i) Reducing Tee						
i.	¾"	गोटा	143	143	143	
ii.	1"	"	210	210	210	
iii.	1 ¼"	"	335	335	335	
iv.	1 ½ "	"	465	465	465	
v.	2"	"	759	759	759	
vi.	2 ½ "	"	1195	1195	1195	
vii.	3"	"	1615	1615	1615	
viii.	4"	"	2952	2952	2952	
x.	5"	"	8121	8121	8121	
xi.	6"	"	9400	9400	9400	
i) Reducing Elbow						
i.	¾"	गोटा	106	106	106	
ii.	1"	"	165	165	165	
iii.	1 ¼"	"	251	251	251	
iv.	1 ½ "	"	352	352	352	
v.	2"	"	526	526	526	
vi.	2 ½ "	"	909	909	909	
vii.	3"	"	1402	1402	1402	
viii.	4"	"	2482	2482	2482	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
x.	5"	"	6054	6054	6054	
xi.	6"	"	7285	7285	7285	
j) Reducing socket						
i.	¾"	गोटा	82	82	82	
ii.	1"	"	111	111	111	
iii.	1 ¼"	"	173	173	173	
iv.	1 ½"	"	233	233	233	
v.	2"	"	347	347	347	
vi.	2 ½"	"	620	620	620	
vii.	3"	"	886	886	886	
viii.	4"	"	1599	1599	1599	
x.	5"	"	4569	4569	4569	
xi.	6"	"	5372	5372	5372	
K) Short bend						
i.	½"	गोटा	143	143	143	
ii.	¾"	"	220	220	220	
iii.	1"	"	338	338	338	
iv.	1 ¼"	"	649	649	649	
v.	1 ½"	"	981	981	981	
vi.	2"	"	1435	1435	1435	
vii.	2 ½"	"	3683	3683	3683	
viii.	3"	"	5710	5710	5710	
ix.	4"	"	8091	8091	8091	
L) Cross Tee						
i.	½"	गोटा	135	135	135	
ii.	¾"	"	192	192	192	
iii.	1"	"	302	302	302	
iv.	1 ¼"	"	524	524	524	
v.	1 ½"	"	629	629	629	
vi.	2"	"	1020	1020	1020	
vii.	2 ½"	"	1720	1720	1720	
viii.	3"	"	2493	2493	2493	
ix.	4"	"	3366	3366	3366	
M) Tanki nipple						
i.	½"	गोटा	159	159	159	
ii.	¾"	"	220	220	220	
iii.	1"	"	329	329	329	
iv.	1 ¼"	"	494	494	494	
v.	1 ½"	"	629	629	629	
vi.	2"	"	1020	1020	1020	
vii.	2 ½"	"	1963	1963	1963	
viii.	3"	"	2614	2614	2614	
ix.	4"	"	3468	3468	3468	
G.I. Nipple Medium Class ISI or NS						

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	2" Long					
i.	1/2 "	गोटा	26	26	26	
ii.	3/4"	"	38	38	38	
iii.	1"	"	52	52	52	
iv.	1 1/4"	"	70	70	70	
v.	1 1/2 "	"	85	85	85	
vi.	2"	"	131	131	131	
	3" Long					
i.	1/2 "	गोटा	38	38	38	
ii.	3/4"	"	58	58	58	
iii.	1"	"	78	78	78	
iv.	1 1/4"	"	105	105	105	
v.	1 1/2 "	"	130	130	130	
vi.	2"	"	194	194	194	
vii.	2 1/2 "	"	267	267	267	
viii.	3"	"	389	389	389	
	4" Long					
i.	1/2 "	गोटा	52	52	52	
ii.	3/4"	"	76	76	76	
iii.	1"	"	104	104	104	
iv.	1 1/4"	"	140	140	140	
v.	1 1/2 "	"	171	171	171	
vi.	2"	"	261	261	261	
vii.	2 1/2 "	"	357	357	357	
viii.	3"	"	520	520	520	
ix.	4"	"	668	668	668	
	6" Long					
i.	1/2 "	गोटा	78	78	78	
ii.	3/4"	"	116	116	116	
iii.	1"	"	156	156	156	
iv.	1 1/4"	"	211	211	211	
v.	1 1/2 "	"	261	261	261	
vi.	2"	"	390	390	390	
vii.	2 1/2 "	"	534	534	534	
viii.	3"	"	764	764	764	
ix.	4"	"	945	945	945	
	9" Long					
i.	1/2 "	गोटा	116	116	116	
ii.	3/4"	"	172	172	172	
iii.	1"	"	208	208	208	
iv.	1 1/4"	"	316	316	316	
v.	1 1/2 "	"	425	425	425	
vi.	2"	"	586	586	586	
vii.	2 1/2 "	"	791	791	791	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
viii.	3"	"	1170	1170	1170	
ix.	4"	"	5017	5017	5017	
12" Long						
i.	½ "	गोटा	156	156	156	
ii.	¾ "	"	228	228	228	
iii.	1 "	"	259	259	259	
iv.	1 ¼ "	"	422	422	422	
v.	1 ½ "	"	520	520	520	
vi.	2 "	"	780	780	780	
vii.	2 ½ "	"	1053	1053	1053	
viii.	3 "	"	1559	1559	1559	
ix.	4 "	"	1862	1862	1862	
18" Long						
i.	½ "	गोटा	234	234	234	
ii.	¾ "	"	288	288	288	
iii.	1 "	"	389	389	389	
iv.	1 ¼ "	"	632	632	632	
v.	1 ½ "	"	778	778	778	
vi.	2 "	"	1170	1170	1170	
vii.	2 ½ "	"	1582	1582	1582	
viii.	3 "	"	2316	2316	2316	
ix.	4 "	"	2825	2825	2825	
G.I./G.I. Flange						
i.	1 ¼ "	गोटा	993	993	993	
ii.	1 ½ "	"	1222	1222	1222	
iii.	2 "	"	1497	1497	1497	
iv.	2 ½ "	"	1750	1750	1750	
v.	3 "	"	1949	1949	1949	
vi.	4 "	"	2418	2418	2418	
vii.	5 "	"	3459	3459	3459	
viii.	6 "	"	3593	3593	3593	
ix.	8 "	"	7156	7156	7156	
G.I./HDP Flange						
i.	1 ¼ "	गोटा	1069	1069	1069	
ii.	1 ½ "	"	1362	1362	1362	
iii.	2 "	"	1609	1609	1609	
iv.	2 ½ "	"	1879	1879	1879	
v.	3 "	"	2009	2009	2009	
vi.	4 "	"	2478	2478	2478	
vii.	5 "	"	3459	3459	3459	
viii.	6 "	"	3610	3610	3610	
ix.	8 "	"	7856	7856	7856	
HDP/HDP Flange set with adaptor						
i.	1 ¼ "	गोटा	1069	1069	1069	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
ii.	1 1/2 "	"	1362	1362	1362	
iii.	2"	"	1609	1609	1609	
iv.	2 1/2 "	"	1879	1879	1879	
v.	3"	"	2009	2009	2009	
vi.	4"	"	2478	2478	2478	
vii.	5"	"	3928	3928	3928	
viii.	6"	"	3610	3610	3610	
ix.	8"	"	7856	7856	7856	
Brass tap 1/2"						
i.	1/2 " (Wt. 400 gm)	गोटा	933	933	933	
ii.	1/2 " ordinary	गोटा	211	211	211	
Globe Valve (GM)						
i.	1/2 "	गोटा	952	952	952	
ii.	3/4"	"	1550	1550	1550	
iii.	1"	"	1915	1915	1915	
iv.	1 1/4"	"	3042	3042	3042	
v.	1 1/2 "	"	3827	3827	3827	
vi.	2"	"	4779	4779	4779	
vii.	2 1/2 "	"	9387	9387	9387	
viii.	3"	"	15512	15512	15512	
ix.	4"	"	25081	25081	25081	
Float Valve						
i.	1/2 "	गोटा	1168	1168	1168	
ii.	3/4"	"	1321	1321	1321	
iii.	1"	"	1603	1603	1603	
iv.	1 1/4"	"	2771	2771	2771	
v.	1 1/2 "	"	4163	4163	4163	
vi.	2"	"	5542	5542	5542	
C.I. Air valve (Heavy)						
i.	1/2 "	गोटा	3869	3869	3869	
ii.	3/4"	"	5337	5337	5337	
iii.	1"	"	5918	5918	5918	
Brass Union with Adopter						
i.	1/2 "	गोटा	252	252	252	
ii.	3/4"	"	388	388	388	
iii.	1"	"	587	587	587	
iv.	1 1/4"	"	764	764	764	
v.	1 1/2 "	"	1362	1362	1362	
vi.	2"	"	2020	2020	2020	
Saddle Ferrule						
i.	1 1/2 "	गोटा	365	365	365	
ii.	2"	"	482	482	482	
iii.	2 1/2 "	"	1345	1345	1345	
iv.	3"	"	1779	1779	1779	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
V.	4"	"	2536	2536	2536	

The image shows several handwritten signatures in black ink. Below the signatures is a circular official stamp. The text within the stamp includes 'भक्तपुर जिल्ला प्रशासन कार्यालय' (Bhaktapur District Office) and 'भक्तपुर' (Bhaktapur).

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
	Flow Regulating Valve (G.M.)					
	i. ½"	गोटा	1362	1362	1362	
	C.I Sluice Valve					
	i. 1 ½ "	गोटा	7051	7051	7051	
	ii. 2"	"	9406	9406	9406	
	iii. 2 ½ "	"	11748	11748	11748	
	iv. 3"	"	14102	14102	14102	
	v. 4"	"	18798	18798	18798	
	v. 5"	"	28569	28569	28569	
	v. 6"	"	34287	34287	34287	
	v. 8"	"	48001	48001	48001	
	Brass Ferrule Cock					
	i. ½ "	गोटा	1550	1550	1550	
	ii. ¾"	"	2020	2020	2020	
	iii. 1"	"	2965	2965	2965	
	Ball valve					
	a) 15mm	गोटा	529	529	529	
	b) 20 mm	"	670	670	670	
	c) 25 mm	"	898	898	898	
	d) 32 mm	"	1083	1083	1083	
	e) 40 mm	"	2096	2096	2096	
	f) 50 mm	"	3441	3441	3441	
31.0	Supplying of Rec ring for construction of well					
31.1	Ring					
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	615	615	615	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	762	762	762	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	886	886	886	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1173	1173	1173	
31.2	Supplying & fixing of metal frame and Rec cover					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1858	1858	1858	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2460	2460	2460	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2699	2699	2699	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	3224	3224	3224	
32.0	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फील्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)					
	i) 28" dia. R.C.C. Ring	रमी	4253	4253	4253	
	ii) 36" dia. R.C.C. Ring		5397	5397	5397	
	iii) 42" dia. R.C.C. Ring		6282	6282	6282	
	iv) 48" dia. R.C.C. Ring		7750	7750	7750	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
32.2	२५ फीट देखि माथीको गहीराइ भएमा ईनार खन्नको लागि R.C.C. रिङ आपूर्ति गरि माटो					
	i) 28" dia. R.C.C. Ring	र.मी	5707	5707	5707	
	ii) 36" dia. R.C.C. Ring	"	9650	9650	9650	
	iii) 42" dia. R.C.C. Ring	"	11681	11681	11681	
	iv) 48" dia. R.C.C. Ring	"	14033	14033	14033	
33.0	Sanitary Tools					
a	Adjustable spanner					
	10"	Pc	255	255	255	
	12"	Pc	482	482	482	
	15"	Pc	1388	1388	1388	
	18"	Pc	1643	1643	1643	
b	Blow Torch					
	1/2 pint	Pc	1433	1433	1433	
	1 pint	Pc	1767	1767	1767	
c	Building Trowel	Pc	79	79	79	
d	Chain Pipe wrench					
	50mm	Pc	1643	1643	1643	
	75mm	Pc	1954	1954	1954	
	100mm	Pc	2294	2294	2294	
	150mm	Pc	3229	3229	3229	
	200mm	Pc	5495	5495	5495	
e	Chain Pulley in Ton					
	3 ton	Pc	17562	17562	17562	
	5 ton	Pc	29005	29005	29005	
f	Stone Chisel 1"x12"	Pc	368	368	368	
g	Die teeth oil with cane (250 ml size)	Pc	283	283	283	
h	Smooth steel file half round					
	8"	Pc	538	538	538	
	10"	Pc	1031	1031	1031	
i	Flat file 10"	Pc	538	538	538	
10.0	Hacksaw Blade					
	Single	Pc	5	5	5	
	double	Pc	9	9	9	
j	Hacksaw Frame 6mm	Pc	193	193	193	
k	Handle die set					
	25 mm	Pc	3201	3201	3201	
	50 mm	Pc	3626	3626	3626	
	60 mm	Pc	9631	9631	9631	
l	Heating Plate					
	80 mm	Pc	963	963	963	
	100 mm	Pc	1105	1105	1105	
	125 mm	Pc	1416	1416	1416	
	150 mm	Pc	1688	1688	1688	
	200 mm	Pc	2731	2731	2731	
	250 mm	Pc	3308	3308	3308	
	300 mm	Pc	3864	3864	3864	
m	Iron Brush 12"	Pc	74	74	74	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)			कैफियत
			आ.व.		२०७८/०७९	
			२०७६/७७	२०७७/०७८		
n	Iron Pan (madium)	Pc	261	261	261	
o	Pick Axe 1.7 Kg.	Pc	431	431	431	
p	Pipe Cutter					
	15-50 mm	Pc	2039	2039	2039	
	65-80 mm	Pc	3172	3172	3172	
	100 mm	Pc	5099	5099	5099	
	125 mm	Pc	5665	5665	5665	
	150 mm	Pc	10084	10084	10084	
q	Pipe Jack Machine (Heavy)	Pc	32291	32291	32291	
r	Pipe Vice					
	2"	Pc	2493	2493	2493	
	3"	Pc	3626	3626	3626	
	4"	Pc	5467	5467	5467	
	5"	Pc	10140	10140	10140	
s	Pipe Wrench					
	10"	Pc	317	317	317	
	12"	Pc	589	589	589	
	14"	Pc	702	702	702	
	18"	Pc	1116	1116	1116	
	24"	Pc	1541	1541	1541	
	36"	Pc	5438	5438	5438	
	48"	Pc	9631	9631	9631	
t	Plumb Bob Line	Pc	91	91	91	
u	Ratchet Die Set					
	1/2"-1"	Pc	4305	4305	4305	
	1 1/4" -2"	Pc	8044	8044	8044	
	2 1/2"-3"	Pc	17562	17562	17562	
v	Round File 10"	Pc	368	368	368	
w	Screw Driver 12"	Pc	204	204	204	
x	Shovel 1.5 Kg	Pc	368	368	368	
y	Slide wrench					
	10"	Pc	363	363	363	
	12"	Pc	487	487	487	
	15"	Pc	1422	1422	1422	
z	Spade	Pc	442	442	442	
A	Spare Die Teeth					
	15 mm	Pc	589	589	589	
	20 mm	Pc	589	589	589	
	25 mm	Pc	589	589	589	
	32 mm	Pc	935	935	935	
	40 mm	Pc	1598	1598	1598	
	50 mm	Pc	1615	1615	1615	
	65 mm	Pc	1869	1869	1869	
	80 mm	Pc	2096	2096	2096	
B	Telflon Cover					
	5'x5'	Pc	312	312	312	
	7'x7'	Pc	425	425	425	
C	Telflon Cloth					
	Roll		3427	3427	3427	
D	Telflon Tape 10 mm roll					
			17	17	17	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७६/७७	२०७७/०७८	२०७८/०७९	
E	Thermochrome Crayon					
	Indian	Pc	765	765	765	
	Germany	Pc	1530	1530	1530	
F	Tool Box (14"x8"x22")	Pc	2102	2102	2102	
34	<p>Anaerobic treatment for waste water as per ASTM-D-2583 (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316 Clause 18 Deformation test As per Product Specifications ≤ 37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination, Cracks etc.,)</p>					