




## जिल्ला दररेट निर्धारण समिति

भक्तपुर



ज्याला, दुवानी तथा निर्माण सामग्रीहरूको दररेट

आ.व. २०८०/०८१

## निर्णय नं.१ : श्रमिकहरुको ज्यालादर सम्बन्धी

श्रमिकहरुको ज्यालादर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारबाला पश्चात्संहिताको परामर्श नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचकांक तथा उपभोक्ता मूल्य सूचकांक, श्रमिकहरुको प्रमुख सम्बन्धिता र समवस्थापेक्षाताको आधारमा श्रमिकहरुको उमेर (१६ वर्ष दुखेको) र दैनिक काम गर्ने अवधि (द घण्टा) साई आधार/नाम, चला धा.व. २०८०/०८१ का लागि भक्तपुर जिल्लामा  
लागू हुने गरी श्रमिकहरुको ज्यालादर देहाय व्याख्यायिक निर्धारण गर्ने निर्णय गरियो।

सि.नं.	श्रमिकहरुको विवरण	एकाई	प्रतिवर्ष	०७९/८०	०८१/८०	कैफियत
			०७८/९९	०८१/८०	०८०/८१	
१	अदम श्रमिक (ज्याली)	ज्याला	८९०	८९०	९००	
२	दक्ष ढक्की, सिक्की, नक्की, चित्रकार, बज्जक्की, प्लास्टर, दुष्टा र छाठ बुढा काट्टे साधारण मूर्तिकार, चित्रकार, आटिस्ट आदि	"	१२००	१२००	१२००	
३	अर्धदक्ष ढक्की, सिक्की, नक्की, चित्रकार, प्लास्टर, इलेक्ट्रोसियन, बागावाला, जुनियर सुपरभाइजर, नदी निरीक्षक आदि	"	१०००	१०००	१०००	
४	इन्जिनियर सुपरभाइजर	"	१३९०	१३९०	१४००	
५	सब शैल्जनियर, डाफ्ट मेन, अमिन, इलेक्ट्रोसियन, सर्भेंयर आदि)		११७०	११७०	१२००	
६	सिनियर टाईपिष्ट/कम्प्युटर अपरेटर, अबाल आदि।	"	११३५	११३५	११५०	
७	ल्याव टेलिकमियन, जुनियर टाईपिष्ट/कम्प्युटर अपरेटर, सिनियर सुपरभाइजर, डस्ट सफार गर्ने कामदार आदि)	"	१०३०	१०३०	१०५०	
८	ओफिस्टेट सब इन्जिनियर, ड्रापटमेन, अमिन आदि	"	९६५	९६५	१०००	
९	हेमी इलेक्ट्रिचेन्ट डोजर, एक्जामेटर, रोलर, ग्रेडर अपरेटर आदि	"	१२९५	१२९५	१३००	
१०	मेकाविक्स, हेमी बेलिकल ड्राइभर, ट्रक ड्राइभर, साधारण बेलिकल ल्याव असिस्टेन्ट आदि	"	९३०	९३०	९५०	
११	भारिया (४० के जी, तीलसम्म)	"	८९०	८९०	९००	
१२	साइबरो स्टाइल ट्रेसिङ, एमोनिया प्रिन्टिङ फोरमेन, सामाजिक परिचालक, खोदेल (खानी सम्बन्धी काम गर्ने कामदार) आदि	"	८६५	८६५	९००	
१३	निर्माण कार्यको खानाम बकर, सुपरभाइजर, ल्लास्टर, डिलर, फांटोप्रापित्रा, फोरमेन, सेस्क्युरिटी गार्ड, नाइट याकमेन, रोड लेन्ड बकर, हेल्पर मैकानिस्ट, अफिस असिस्टेन्ट, रस्म हेल्पर, बैल्डर सहायक, रनर, गणक चैन स्प्यान, ट्रेप घ्यान, स्टाफ स्प्यान, डुल हेल्पर, ट्रक हेल्पर, सधम Enumerator (न्युनतम एस.इ.इ. उत्तीर्ण का सो सरह) आदि	"	८७०	८७०	८९५	
१४	माली, सहायक परिचालक, स्वीपर, महत्तर, धोई, बन हेराल, चैकिदार आदि	"	७८०	७८०	८१०	
१५	काठ ढुगा झिंगटी लगायत परम्परागत कार्य गर्ने कालिगढ मिली	"	१८००	१८००	१८००	
१६	जोखिमजन्य केजमा कार्ब कार्ब गर्नुपर्ने लेवर	"	१५००	१५००	१५००	
	सडकको कामको लागि					

नोट :-

सिनियर - S.E.E. वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रयोगता प्रमाणित हुलिएन्  
जुनियर - S.E.E. वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा अनुभव प्राप्त।

माधि निर्णय न. १ मा उल्लेच नेमैको श्रमिकहरुको ज्याला दरको हकमा सेवा दिने/सिने संघ, संस्था, कम्पनी, व्यक्ति आदिको  
प्राप्ती बमकदारीबाट ज्यालादर तब गर्ने सकिनेल्ह।



बхक्तपुर जिल्ला विभाग  
प्रमुख विभाग अधिकारी

निर्णय नं. २ दुवानी सम्बन्धी : यस जिल्लामा स्थानीयस्तरमा उपलब्ध हुने दुवानीका विभिन्न श्रोत साधनसाई आधार मानी चालु आ.व.०८०/८१ का लागि निम्नानुसारका ट्रेक्टर निधारण गर्ने निर्णय गरियो ।

सि. नं.	दुवानी सम्बन्धी विवरण	इकाई	दुवानी दर (रु)			कैफियत	
			आ.व.				
			०८०/८१	०८१/८०	०८०/८१		
१.०	सजिलो सामान (गर्स्तै: सिमेन्ट, बालुचा, रोडा, दाउरा, रातायनिक मल, खाचान्न, आदि)						
१.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने ।	टन/कि.मी.	३३.६०	३३.६०	३३.६०		
१.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने ।	टन/कि.मी.	४६.८३	४६.८३	४६.८३		
१.३	ट्रायाक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने ।	टन/कि.मी.	३७.४९	३७.४९	३७.४९		
१.४	ट्रायाक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने ।	टन/कि.मी.	५०.७२	५०.७२	५०.७२		
१.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने (२० कि.मी भन्दा बढी)	टन/कि.मी.	१८.२७	१८.२७	१८.२७		
१.६	भरिया बाट (पैदल) सामान दुवानी ।	प्रतिको.जी./प्रति कि.मी.	३.०५	३.०५	३.५०		
२	बसजिलो सामान (गर्स्तै: कलामे सामान, जस्तापाशा, चुनेको च्याबिन जाली, एच.डि.पी. पाइप, इन्सुलेटर, बाँपाधि, बाठ, कृषिजन्य, फलफूलको विरवा, आदि)						
२.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	४७.९३	४७.९३	४७.९३		
२.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३		
२.३	ट्रायाक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३		
२.४	ट्रायाक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	६०.०६	६०.०६	६०.०६		
२.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	२७.४६	२७.४६	२७.४६		
२.६	भरियाबाट (पैदल) सामान दुवानी	के.जी./कि.मी.	४.०४	४.०४	४.५०		

खेत्रप्रशासनिक विभाग  
पमुच विलाय अधिकारी

सि. नं.	दुवानी सम्बन्धित विवरण	इकाई	दुवानी दर (रु)			कैफियत	
			बा.व.				
			०७८/८९	०७९/८०	०८०/८१		
३	अति असजिलो सामान जरूरी: (जी. थाई, पाइप, कॉडेलार, फलामे छाड, इलेक्ट्रोमेकानिकल सामान, ३.८ मिटरस्पन लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि.एस.सी.पोल, आदि)	टन/कि.मी.	६७.२५	६७.२५	६७.२५		
३.१	ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	६७.२५	६७.२५	६७.२५		
३.२	ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८१.०९	८१.०९	८१.०९		
३.३	ट्रायाक्टर/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने	टन/कि.मी.	७४.३९	७४.३९	७४.३९		
३.४	ट्रायाक्टर/मिनी ट्रकबाट कच्ची बाटोमा दुवानी गर्ने	टन/कि.मी.	८८.२०	८८.२०	८८.२०		
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा दुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	३६.५९	३६.५९	३६.५९		
४	लोड (बढाउने)						
४.१	सजिलो सामान	प्रति वर्षी	१०.६१	१०.६१	११.००		
४.२	असजिलो सामान	प्रति वर्षी	१३.२३	१३.२३	१३.२०		
४.३	अति-असजिलो सामान	प्रति वर्षी	१५.९१	१५.९१	१६.००		
५	अनलोड (उतार्ने)	प्रति वर्षी					
५.१	सजिलो सामान	प्रति वर्षी	१०.६१	१०.६१	११.००		
५.२	असजिलो सामान	प्रति वर्षी	१३.२३	१३.२३	१३.२०		
५.३	अति-असजिलो सामान	प्रति वर्षी	१५.९१	१५.९१	१६.००		
६	स्थुम पाइपको दुवानी भाडादर (पाइप मूल्यको आधारमा)						
६.१	पहिलो १० (दशा) कि.मी. सम्म	पाइपको मूल्यको प्रतिशत	८.००	८.००	८.००		
६.२	१० (दशा) कि.मी. देखिमाथि २० (दोस्रा) कि.मी. सम्म	पाइपको मूल्यको प्रतिशत	१३.००	१३.००	१३.००		
६.३	२० (दोस्रा) कि.मी. देखि माथि	पाइपको मूल्यको प्रतिशत	१८.००	१८.००	१८.००		
नोट: माथि निर्णय नं. २ मा उल्लेख नभएको दुवानी दरको हकमा सेवा दिने/लिने संघर्षसंस्था, कम्पनी, व्यक्ति आदिको आपसी समझदारीबाट दुवानी दर तय गर्ने सकिनेछ।							

दुवानीप्रति रिजाल  
प्रमुख विद्युत विभाग



निर्णय नं. ३ : मेशिन, जौजार तथा उपकरणको भाडादर सम्बन्धी

मेशिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दै ढोजर, एम्सामेटर, रोलर, थ्रेडर आदि यांत्रिक उपकरणको भाडादर (रेट) सडक विभाग, हेभी इफ्लीपमेन्ट डिपिजनवाट निर्धारण गरिएको प्रतिघण्टाको भाडादर अनुसार नै हुने निर्णय गरियो । (Website of Heavy Equipment Division - [www.dor.gov.np](http://www.dor.gov.np))

उन्नतप्रताप दिजात  
प्रभु जिन्ना अधिकारी

## निर्णय नं. ४: भर र जग्या भाडा तथा क्षेत्रपूर्ति/मुआवजा निर्धारण सम्बन्धमा:

भर र जग्या भाडा तथा क्षेत्रपूर्ति/मुआवजा निर्धारण प्रयोगनको लाई विभिन्न उकारको घराहो बनावट हेरी तथा वित्त व मोर्चाम दररेट कायम गर्ने निर्णय घासिए।

सि.नं.	घरको बनावट विवरण	डकाउ	आ.व. २०७८/०७९ को दर रु.	आ.व. २०७९/०८० को दर रु.	आ.व. २०८०/०८१ को दर रु.	कैफियत
१	भवनको निर्माण भित्र काँचो, बाहिर पाको इंटामा माटोको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	१४३४७२	१५०६००	१५०६००	
२	भवनको निर्माण भित्र, बाहिर पाको इंटामा माटोको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	१६४४७३	१९३६००	१९३६००	
३	भवनको निर्माण भित्र, बाहिर पाको इंटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	२०११०६	२४५४००	२४५४००	
४	भवनको निर्माण भित्र, बाहिर पाको इंटामा माटोको जोडाई भई भित्र बाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि।	ब.फि.	२१५८०८	२२६६००	२२६६००	
५	भवनको निर्माण भित्र, बाहिर पाको इंटामा बज्जको जोडाई भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	२१०५३२	२२१०००	२२१०००	
६	भवनको निर्माण भित्र, बाहिर पाको इंटामा बज्जको जोडाई र भित्रबाहिर सिमेण्ट प्लाष्टर भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	२४१००७२	२४०५००	२४०५००	
७	भवनको निर्माण भित्र, बाहिर पाको इंटामा बज्जको जोडाई र भित्रबाहिर सिमेण्ट प्लाष्टर भई छाना आर.वि.सी./आर.सि.सि।	ब.फि.	२३८४४४	२५०३००	२५०३००	
८	भवनको निर्माण भित्र, बाहिर पाको इंटामा सिमेण्ट जोडाई भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	२३०८०२३	२४२३००	२४२३००	
९	भवनको निर्माण भित्र, बाहिर पाको इंटामा सिमेण्ट जोडाई भई छाना आर.वि.सी./आर.सि.सि।	ब.फि.	२३९००६३	२५१०००	२५१०००	
१०	आर.सि.सि.फोम स्ट्रक्चर भवन।	ब.फि.	२५२४४४	२६५०००	२६५०००	
११	काठैलाठको भवन भई छाना जस्ता, फिंगटी, टायल, एसबेसटर, सिट।	ब.फि.	२२०९०५	२३११००	२३११००	

नोट: भवनको बनावट र किनिसिङ तथा सामान/उपकरण जडान बारे यार्गीकरण

- क) भवनको भित्र Wall Putty गरी इमलान गेन्टिङ गरेको।
- ख) भवनको बाहिर Weather Coat painting भएको।
- ग) Lift जडान भएको।
- घ) विचुतीकरणको लाई उच्चस्तरीय रामणीको प्रयोग भएको।
- झ) प्यासेज, भजाहमा मार्बल/पार्केटिङ भएको।
- ञ) शीशालयमा टायल, फिल्सर र बि.पि. किटिङ उच्चस्तरीय प्रयोग भएको।

सि.नं.	घरको बनावट विवरण	इकाइ	आ.व. २०७८/०७९ जी.दर रु	आ.व. २०७९/०८० को दर रु	आ.व. २०८०/०८१ को दर रु	कैफियत
--------	------------------	------	------------------------------	------------------------------	------------------------------	--------

- अ) अग्नि नियन्त्रण ग्रंथि (Fire Hose Reel / Extinguisher) बढान भएको ।  
 ब) बेसमेण्टमा (Basement) पार्किङ सुविधा भएको ।  
 च) Raft foundation भएको ।

उल्लिखित राशि सुविधा भएको भए 'क' वर्ग, र उल्लिखित यस्तो कम्तीमा ७ घोटा सुविधा भएको 'ख' वर्ग वनाथा 'ग' वर्ग मानिने छ । यस अनुसार बगीहरू गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ ।

- अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।  
 आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २०% थप गरिने छ ।  
 इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४०% थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न भुल्य सङ्कलनो दायरा र वार्षा निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १०% र जग्गाको हकमा IRR ५% कायम गर्ने र मूल्य तहकसीं जोडिएका सहायक सङ्कर २ सो सहायक सङ्कराट छोंगा फाटेका राढकयो दायरा र वार्षा निर्माण भएका घरहरूको हकमा IRR कायमा घटाउदै न्यूनतम ५%, सम्म कायम गर्ने तथा जग्गाको हकमा IRR कायमा घटाउदै न्यूनतम ३% कायम गर्ने निर्णय गरियो ।

#### मुख्य सङ्कहर :

- १) मनोहर पुल (जडीबुटी)-ठिमी-सुर्यविनायक नगातीसम्म (अग्निको लोकमार्ग) सङ्कर ।
- २) सल्लाधारी-सुर्यविनायकतम्म (काठगाडी-वग्रकोट) सङ्कर ।
- ३) सल्लाधारी-भक्तपुर अस्पताल-दरबार स्म्बायर सङ्कर ।
- ४) भक्तपुर स्मान्त्र-भाँचांदो-तीमढी-सुकुलडोका-दरवार-चान्दालिह सङ्कर ।
- ५) नगाती-कमलविनायक सङ्कर ।
- ६) दक्षिण बालाही मन्दिर- श्वेतधर चौक-पुरानोबाटो बालाहा बजार-बोडे चार दोबाटोलम्म सङ्कर ।
- ७) जडीबुटी - बालाहा बजार- सल्लाधारी सङ्कर ।
- ८) दरवार स्म्बायर-तीमढी-सुर्यविनायक बल स्टप-सुर्यविनायक गणेश धान सङ्कर ।
- ९) सल्लाधारी-झासी-कमलविनायक सङ्कर ।

पटमा: आ.व. २०८०/०८१ लाई गत आ.व.पो दररेट लिई र नेपाल सरकार शहरी विकास मन्त्रालय भएका विविध वार्षांसम्मान रेट निर्धारण भएको खण्डमा सोसी देवलाई कायम गर्ने निर्णय गरियो ।

उमेन्द्रमहादेव रिजाल  
प्रमुख वित्त विभागी

निर्णय नं. ५: बायो-ईन्जिनियरिङ एवं सोरोग सम्बन्धित अन्य मानवसंसाधन सम्बन्धी दर तपासिल अनुसार कार्यम गर्ने  
निर्णय गरियो।

ख.न.	निर्माण सामग्रीहरूको विवरण	इकाई ग्रामीण	मु.ब.कर वाहेकको दररेट		
			आ.व. २०७६/७७	आ.व. २०७७/८०	आ.व. २०७०/८१
१	हेज न इन्य पोली	गोटा	६६.००	६६.००	६६.००
२	फॉट दुबो	घ.फि	४०.००	४०.००	४०.००
३	फार्मेट दुबोलो लाई टान्चे कार्ययोजनाला	घ.फि	२६.००	२६.००	२६.००
४	निर्गालो (जसा लाई)	गोटा	१४.००	१४.००	१४.००
५	स्थानीय खालमा उत्पादित विरुद्धा फलपूल लाईक	गोटा	३.००	३.००	३.००
६	गोठे मल तथारी	के.जी.	५.००	५.००	५.००
७	डाले घोसको विरुद्धा	गोटा	१४.००	१४.००	१४.००
८	मोसालो विरुद्धा	गोटा	३.००	३.००	३.००
९	जुटको ढोरी	के.जी.	३३०.००	३३०.००	३३०.००
१०	नरियल ढोरी	के.जी.	१५८.००	१५८.००	१५८.००
११	नाइलन ढोरी	के.जी.	३३०.००	३३०.००	३३०.००
१२	खीठ सल्ला नेपाली	गोटा	९२.००	९२.००	९२.००
१३	चौड सल्ला अमेरिकन	गोटा	१५८.००	१५८.००	१५८.००
१४	दूसो साइजको चौसाफो विरुद्धा चीउड्याट उत्पादित बन कार्यालयभाट सम्पादन गरिने कार्यहरू	गोटा	२६४.००	२६४.००	२६४.००
					०.००
१	गोलियान द्युव ४ व्यास भएको २०० ग्रेजको विभिन्न साइज	के.जी.	४२०.००	४२०.००	४२०.००
२	दूला विरुद्धा रोपन ४ फिटसम्म	प्रति विरुद्धा	१६८.००	१६८.००	१६८.००
३	दूला विरुद्धा रोपन ४-६ फिटसम्म	प्रति विरुद्धा	१८६.००	१८६.००	१८६.००
४	अग्ला विरुद्धा रोपन ६-८ फिटसम्म	प्रति विरुद्धा	२६६.००	२६६.००	२६६.००
५	गोलिया काठ लोड	घ.फि.	३६	३६	३६
६	गोलिया काठ बनसेन	घ.फि.	२४।-	२४।-	२४।-
७	दाउरा संकलन, दुखानी चहा निर्माण १२० फि * ५ फि. ६ ५ कि।	चहा			
८	दाउरा लोड	चहा	४८००।-	४८००।-	४८००।-
९	दाउरा अनलोड	चहा	२४००।-	२४००।-	२४००।-
१०	संचालन कठान, मुद्धान	चहा	५४।-	५४।-	५४।-
१२	अनलोडह	चहा	१६८।-	१६८।-	१६८।-
१३	चहा निर्माण	चहा	२४००।-	२४००।-	२४००।-
१४	दूला उखेली छाटगही स्पल १०० मी. सम मैचाने कार्य	गोटा	३४।-	३४।-	३४।-
१५	बन सुपारी	प्रति विरुद्धा	३६।-	३६।-	३६।-
<b>शहरी वृक्षारोपण कार्य</b>					
१	४ फिट सम्मको विरुद्धा	प्रति विरुद्धा	१०५।-	१०५।-	१०५।-
२	५ फिट सम्मको विरुद्धा	प्रति विरुद्धा	१५००।-	१५००।-	१५००।-
३	६ फिट सम्मको विरुद्धा	प्रति विरुद्धा	१८४८।-	१८४८।-	१८४८।-
४	८ फिट सम्मको विरुद्धा	प्रति विरुद्धा	२२४४।-	२२४४।-	२२४४।-
<b>४ फिटसम्मको विरुद्धाको मूल्य</b>					
१	फ्रूट, लैस	प्रति विरुद्धा	१२४.००	१२४.००	१२४.००
२	ल्डाध	प्रति विरुद्धा	११४०.००	११४०.००	११४०.००
३	कल्पी बोटल चहा	प्रति विरुद्धा	७९२.००	७९२.००	७९२.००
४	ज्याकारप्पा गोल्दमोहोर	प्रति विरुद्धा	७९२.००	७९२.००	७९२.००
५	अलादे	प्रति विरुद्धा	७९२.००	७९२.००	७९२.००
६	पैयू	प्रति विरुद्धा	५२८.००	५२८.००	५२८.००
७	लधी	प्रति विरुद्धा	५२८.००	५२८.००	५२८.००


ख्रमेन्द्र शर्मा राजा  
गम्भू जिल्ला अधिकारी


निर्णय नं. ५: बायो-इन्जिनियरिङ एवं सौरशंग सम्बद्धता अन्य समितिसमान सम्बन्धी दर तपसिल अनुसार कायम गर्ने  
निर्णय गरियो।

सि.नं.	निर्माण सामग्रीहरूको विवरण	प्रति विरुद्ध इकाई	मु.ब.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
८	धूपी, टिमुर, पारिजात	प्रति विरुद्ध	५९४.००	५९४.००	५९४.००
९	चम्पावली	प्रति विरुद्ध	७९२.००	७९२.००	७९२.००
१०	काढ्यो	प्रति विरुद्ध	७२२.००	७२२.००	७२२.००
११	रक्षाकमल	प्रति विरुद्ध	१५८४.००	१५८४.००	१५८४.००
१२	समी	प्रति विरुद्ध	१३२०.००	१३२०.००	१३२०.००
१३	बर	प्रति विरुद्ध	१५८४.००	१५८४.००	१५८४.००
१४	पिपल	प्रति विरुद्ध	१५८४.००	१५८४.००	१५८४.००
१५	५ फिटलम्बको करभिर विरुद्ध	प्रति विरुद्ध	१४४०.००	१४४०.००	१४४०.००
१६	५ फिटसम्मको तिकोमा विरुद्ध	प्रति विरुद्ध	१४४०.००	१४४०.००	१४४०.००
१७	५ फिटराम्बको चापलो विरुद्ध	प्रति विरुद्ध	१४४०.००	१४४०.००	१४४०.००
बायो-इन्जिनियरिङ सम्बन्धी काम					
घोषको शीर्ष					
१	जड	कि.शा	१०.००	१०.००	१०.००
२	मेच	कि.शा	१५०.००	१५०.००	१५०.००
३	नेपीयर	लेट	४.००	४.००	४.००
४	बासिंग	कि.शा	२१०.००	२१०.००	२१०.००
५	घोसको वितर र औपचारिक जिल्लाभित्र दूवानी गर्दा	कि.शा	१.००	१.००	१.००
६	घोसको वितर जिल्ला बाहिरबाट दूवानी गर्दा	कि.शा	१.००	१.००	१.००
७	गाडो भने खाली बोरा	गोटा	१४.००	१४.००	१४.००
८	बास काटेको सिगो घाना	घाना	४२०.००	४२०.००	४२०.००
९	बासको काटिए स्ट्रप विरुद्ध १५ महिने नसरीमा राखेको। १.५ फिट देखि २ फिट सामग्री	प्रति कटिए	६६.००	६६.००	६६.००

## Vegetation/Shrubs Cuttings/Slip/Plants/etc.

१	अधिसो(राइजोम)	प्रति विरुद्ध	८.००	८.००	८.००
२	जलैची नानो	प्रति विरुद्ध	१३.००	१३.००	१३.००
३	अलैची विरुद्ध	प्रति विरुद्ध	१०.००	१०.००	१०.००
४	हार्डउड कटिएस् (बैल) पेन्सिल साइज	प्रति विरुद्ध	६.००	६.००	६.००
५	नेपियर कटिएस्	प्रति विरुद्ध	२.००	२.००	२.००





खेत्रप्रसाद रिजाल  
प्रमुख जिल्ला अधिकारी

निर्णय नं. ६ :-

आ.व. २०८०/८१ को लागि अर्थात् लोकमान्गको शाया वाहा उ.कि.मी. सम्मको लागि निर्माण सामग्रीहरुको दर (टर्ट) निम्नानुसार लायम गम्भीर निर्णय गरियो।

### सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मुद्रा (VAT) वालेक (रु.)		
			२०८०/८१	२०८१/८०	२०८०/८१
<b>१</b>	<b>विभिन्न किसिमको इटा</b>				
	<b>chinese premium</b>	हजार	२५०००.००	२५०००.००	२५०००.००
	क। मेशिनबाट उत्पादित इटा (खानेको)	हजार	२५०००.००	२५०००.००	२५०००.००
	ख। मेशिनबाट उत्पादित इटा (१-न.)	..	१५५००.००	१५५००.००	१५५००.००
	ग। मेशिनबाट उत्पादित इटा (२-न.)	..	१५०००.००	१५०००.००	१५०००.००
	घ। मेशिनबाट उत्पादित इटा (कालो)	..	१२०००.००	१२०००.००	१२०००.००
	<b>BBT Brick</b>	..	११५००.००	११५००.००	११५००.००
	ग। चिम्मी भडाको इटा	..	१३५००.००	१४५००.००	१४५००.००
	घ। तराई को १ ल.इटा	..		१३५००.००	१३५००.००
	(इ) सिमेन्ट को इटा				
	BK108N	..		१५४५०.००	१५४५०.००
	BK118As	..		१५४५४.००	१५४५४.००
	घ) टुक्रा इटा	घ.मि.		१६२५.००	१६२५.००
	<b>२ Concrete block</b>				
	size (40*15*20) cm	गोटा	४५.००	४५.००	४५.००
	size ( 40*10*20 ) cm	गोटा	१५.८५	१५.८५	१५.८५
	Cellular light weight concrete(CLC) block				
	Size 24" * 6" * 4"	गोटा	१५८.००	१६८.००	१६८.००
	Size 24" * 6" * 6"	"	१२८.००	१३८.००	१३८.००
<b>२</b>	<b>क्ले टायलहरु</b>				
<b>२.१</b>	<b>चानामा छाडने</b>				
	क। मेशिनबाट उत्पादित टायल	गोटा	५५.००	५५.००	५५.००
	ख। चिम्मी भडाको टायल	..	५५.००	५५.००	५५.००
	ग। मेशिनबाट उत्पादित धुरी	..	१५.९२	१५.९२	१५.९२
	घ। चिम्मी भडाको धुरी	..	१५.४०	१५.४०	१५.४०
<b>२.२</b>	<b>भुईमा / कीसीमा छाने टायल:</b>				
	क। मेशिनबाट उत्पादित क्ले टायल	गोटा	१५.५०	१५.५०	१५.५०
	ख। चिम्मी भडाको क्ले टायल	..	१५.५०	१५.५०	१५.५०
<b>३</b>	<b>दुगाको काम (Stone work)</b>				
<b>३.१</b>	<b>Rubble Stone</b>				
	(क। ठुलो साइजको खानीको दुगा (Quarry stone)	घ.फि.	३५.३५	३५.३५	३५.३५
	(ख। ठुलो साइजको खानीको दुगा (River Stone)	..	३५.३५	३५.३५	३५.३५
	(ग। स्वानीय दुगा (Av. Lead 500 m. सम्मको)	..	३५.९०	३५.९०	३५.९०

प्रभावित प्रशाद रिजिस्टर  
प्रमुख जिल्ला अधिकारी

१० २०८१ २०८१ २०८१

सि.न.	निर्माण सामग्रीहरुको विवरण (जाति)	एकाई	म.व.क (VAT) बाहेक (₹)		
			२०७८/७९	२०७९/८०	२०८०/८१
	(घ) कासी खाला (चौरे) को एकत्राथे गालो दुडा (River round Pavel)	"	११३.३०	११३.३०	११३.३०
3.2	छापे दुडा (Flag stone)				
	क) १" सम्म बाल्ली सफेस डेस गरेको छापे दुडा	घ.फि	५५.००	५५.००	५५.००
	ख) १" सम्म बाल्ली "	"	१००.००	१००.००	१००.००
	ग) २" सम्म बाल्ली दुडा "	घ.फि	११३.००	११३.००	११३.००
	घ) २" सम्म बाल्ली दुडा "	"	१७०.००	१७०.००	१७०.००
	ड) २" - ३" सम्म बाल्ली दुडा "	"	१२२.००	१२२.००	१२२.००
	च) २" - ३" सम्म बाल्ली दुडा मासिनल काट्टको	"	१५०.००	१५०.००	१५०.००
4	विभिन्न प्रकारको चालवा				
	(क) चालवा (Washing plant)	घ.फि	१०.५४	१०.५४	१०.५४
	(ख) खानीको चालवा (Quarry sand)	घ.फि	५५.४९	५५.४९	५५.४९
	(ग) खोला गटीको चालवा (River sand)	घ.फि	५५.४८	५५.४८	५५.४८
	(घ) मननको भइ कोठामा पन बोलडरमा Void filling गरे प्रयोग गरिने चालवा	घ.फि	५९.०१	५९.०१	५९.०१
5	कसरबाट उत्पादित रोडा				
	(क) ५-१० मी. मी. साइजका	घ.फि	५५.५२	५५.५२	५५.५२
	(ख) १०-२० मी. मी. साइजका	घ.फि	१०५.९४	१०५.९४	१०५.९४
	(ग) २०-४० मी. मी. साइजको	घ.फि	१०५.९६	१०५.९६	१०५.९६
	(घ) ५ मि.मि down	घ.फि	५५.०४	५५.०४	५५.०४
6	फुटालेको दुडाको गिरी				
	क) सचे साइजको गिरी	"	१५.४०	१५.४०	१५.४०
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) महादेव चैसीको खोलाको ग्रामेल	घ.फि	३५.०८	३५.०८	३५.०८
	ख) मेलम्यी खोलाको ग्रामेल	"	५५.०८	५५.०८	५५.०८
	ग) टिकामेरव की ग्रामेल	"	६०.८४	६०.८४	६०.८४
	घ) मकुर्डवर्गी रोपी खोलाकी ग्रामेल	"	३२.८६	३२.८६	३२.८६
	ङ) खोला खानीको स्पार्नीय ग्रामेल	"	५०.८४	५०.८४	५०.८४
	(च) Granular sub base material (Crusher run material size 63mm down ) ग्रामेल	"	३५.८६	३५.८६	३५.८६
	(झ) Base-course को लागि मिक्स सोलिङ्ग (WBM) गरे कार्य ।	घ.फि	८०.९८	८०.९८	८०.९८
	(ज) हुगाको टुक्को (Stone dust)	घ.फि	४३.४६	४३.४६	४३.४६
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles				
	क) ८०-८० मी. मी.	घ.फि	५०५.००	५०५.००	५०५.००

रजाल  
अधिकारी  
जिल्ला अधिकारी

१०

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.प.क (VAT) बाटुक (₹)		
			२०८०/८१	२०८१/८०	२०८०/८१
	ख। २०- ४० मी.मी	"	१०५.००	१०५.००	१०५.००
	ग। १०- २० मी.मी	"	१०५.००	१०५.००	१०५.००
	घ। ५- १० मी.मी	"	१०५.००	१०५.००	१०५.००
९	फिल्टर सामग्री	घ.फि			
	४०%, शिर्ष ६०%, बालुवा मिश्रणको फिल्टर प्रयोजन				
१०	सडक कालो पत्रे गर्ने कामको सामग्रीहरू				
	८०- १०० घेडको चिट्ठमीन	के.जी	५८.८०	११५.८०	११५.८०
	VG-10	के.जी	५८.८०	११५.८०	११५.८०
	VG-30	के.जी	८९.५०	१७८.००	१७८.००
	CRMB-DIGO 55 Bitumen	"	८९.००	८९.००	८९.००
	Packed bitumen emulsion को लाम				
	छिटो जम्ने (RS 60%)	"	३८.१०	८४.००	८४.००
	छिटो जम्ने (RS 65%)	"	३८.१०	८४.००	८४.००
	छिटो जम्ने (RS 70%)	"	३८.१०	९४.००	९४.००
	मध्यम जम्ने (MS 60%)	"	३८.४०	८४.००	८४.००
	मध्यम जम्ने (MS 65%)	"	३८.००	८४.००	८४.००
	द्विलो जम्ने (SS60%)	"	३८.००	८४.००	८४.००
	Slurry Seal with 60% bitumen	"	५८.९०	११७.००	११७.००
	Hi - seal Redymix	"	१०.००	११२.००	११२.००
	Polymer Bitumen	"	१०८.००	११८.००	११८.००
	iv) सडक कालोपत्रे गारा चिट्ठमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	३८०.००	३८०.००	३८०.००
	v) कालोपत्रे चिट्ठमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"			
	vi) कालोपत्रे सडक Pot hole टाइनको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	१०.००	३८.००	३८.००
	vii) कालोपत्रे सहकमा रेखाकरन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री	"			
	a) B.S. Grade	के.जि	१४५.००	२८५.००	२८५.००
	b) Most Grade	"	११०.००	२१०.००	२१०.००
	c) Glass beads	"	१२५.००	२५०.००	२५०.००
११	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू				
११.१	नेपालबाट डम्प्युइल विभिन्न Brand ओ.पि.सि रिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	३५०.००	३००.००	३००.००
११.२	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि रिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	६५०.००	६००.००	६००.००
११.३	सिमेन्ट (५० के.जी.) OPC	"	६५०.००	६००.००	६००.००

प्रभाव निवारण अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मुद्रा का VAT ) वालेका :		
			२०७६/७७	२०७७/७८	२०७८/७९
11.4	सेतो ग्रामेन्ट (40kg/bag)	-	१५८३.००	१५३०.००	१५३०.००
11.20	लोड अनलोड चाज़	-	१३.००	१३.००	१३.००
12	<b>Ready made Premix Concrete</b> (Supplying laying all complete work)				
12.1	M 10	घ. मि	१२४००.००	१३६५०.००	१४६५०.००
	M 15	घ. मि	१३६००.००	१४३५०.००	१५३५०.००
	M 20	"	१४०००.००	१५२५०.००	१६२५०.००
	M 25	"	१५०००.००	१६२५०.००	१७२५०.००
	M 30	"	१६००५.००	१७१७५.००	१८१७५.००
	M 35	"	१८३००.००	१९३८२.००	२०३९२.००
	M 40	"	१९९००.००	२०१२०.००	२११४०.००
	M 45	"		२१४२०.००	२२४५०.००
13	फलामको डण्डीहरु :				
	(अ) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	कि.जी	३८.५०	४६.५०	५०.५०
	b) 10-20 mm dia	"	४६.००	५२.००	५६.००
	c) 25-28 mm dia	"	५८.५०	६५.००	६०.००
	(d) 32 mm dia	"	६८.५०	७५.००	७०.००
	(ब) विभिन्न साइजको TOR Steel				
	a) 8 mm dia	"	३२.५०	३४.००	३१.००
	b) 10-20 mm dia	"	३७.५०	४३.००	४१.००
	c) 25-28 mm dia	"	४१.५०	४७.००	४५.००
	(d) 32 mm dia	"	४८.५०	५४.००	५१.००
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	३३.५०	३८.००	३०.००
	(घ) Binding Wire (डण्डी बाँधेतारा)	"	२५.००	३०५.००	३०५.००
14	विभिन्न किसिमका काठहरु				
14.1	काठ				
	(अ) द' दाखि द' सम्मका सालकाठ	घ. कि	५०३४.५०	५११०.००	५११०.००
	(ख) द' देखि १३' सम्मको सालकाठ	"	५३१२.५०	५४५२.००	५५५२.००
	(ग) १२ फिट देखि माथिको साल काठ	"	५१६६.००	५२३०.००	५२३०.००
	(घ) साज काठ	"	३३६३.५०	३४१८.५०	३४१८.५०
	(इ) जामुन काठ	"	२५४५.५०	२५१८.५०	२५१८.५०
	(च) खल्लाको काठ	"	१२६४.५०	१२८८.५०	१२८८.५०
	(छ) सिरी काठ	"	२५३५.००	२५७६.५०	२५७६.५०
	(ज) जंगली सिमी काठ	"	१४४९.००	१५११.५५	१५११.५५
	(क) उतीकाँझो काठ	"	५१९.५०	५२५.५०	५२५.५०
	(ल) स्थानीय हुकाठ (कम्ता प्रयोगको लाई Mixed wood)	घ. कि			
	(ट) काठ बात्रा	के.जी	१८.५०	१९.००	१९.००
14.2	कुदिएको काठको काम तथारी				

भूमध्यसंदर्भ उपाय  
गृह जिल्ला अधिकारी

८० ३३ य ०१ ३१ १२ ६१

सि.नं.	तिमाण सामग्रीहरूको विवरण	प्रभाग क्रमांक	मुद्रा (VAT) बाहेक रु।		
			२०७८/७९	२०७९/८०	२०८०/८१
i)	भयाइको गेलड तथा बाटो आवंतमा काठाको स्थानीय बीची काठको हक्का (2'-6" x 3" x 3")	गोटा	१०३०.८०	१०३०.८०	१०३०.८०
ii)	भयाइको गेलड तथा बाटो आवंतमा काठाको जगली स्थानीय बीची काठको हक्का (2'-6" x 3" x 3")	"	१२५८.५०	१२५८.५०	१२५८.५०
iii)	भयाइको गेलड तथा बाटो आवंतमा काठाको सीसी काठको हिँड रेल (3" x 4")	व.फि	६८६.८०	३९४.७०	३९४.७०
iv)	भयाइको गेलडको घम्ने ढाउमा कुटिएको सीसी काठको गोलो हिँड रेल (3" x 4")	गोटा	८८३०.५०	८८३०.५०	८८३०.५०
v)	देखि देवताको मूर्ति कुटिएको ५' देखि ५' लामो २" x ८" साल काठमा दृढाल बनाउने काम	"	१५६९५.००	१५६९५.००	१५६९५.००
vi)	देखि देवताको मूर्ति कुटिएको ५' देखि ५' लामो २" x ८" साल काठमा दृढाल बनाउने काम	"	२५७९५.००	२५७९५.००	२५७९५.००
vii)	विभिन्न बडा तथा देखि देवताको मूर्ति कुटिएको साल करठको भयाल दोका बनाउने काग खापाका खाटाई ४० मि.मि देखि १० मि.मि सम्म	व.फि	३७८९.५०	३७८९.५०	३७८९.५०
viii)	धोडाको आकांत गोर कुटिएको ५' x २" गाडीजको १' देखि १' लामो साल भाट्टा तथारी दृढाल बनाउने काम।	गोटा	६२९७.८०	६२९७.८०	६२९७.८०
ix)	सामान्य प्रकारको कुटिएको सालको काठको आवी खयाल तथारी	व.फि	९२६२.२०	९२६२.२०	९२६२.२०
x)	सधारन प्रकारको कुटिएको सालको काठको आवी खयाल तथारी	"	९५३५.८०	९५३५.८०	९५३५.८०
xi)	विशेष प्रकारको कुटिएको सालको काठको आवी खयाल तथारी लक नमाको	"	७७३८.८०	७७३८.८०	७७३८.८०
xii)	५' x ५' x 3" सालकलो सालको काठको कुटिएको यसी तथारी गर्ने काम	व.फि	३५२.८०	३५२.८०	३५२.८०
xiii)	कुटिएको विभिन्न बडा राखी बनाएको साल काठको ५' x २" को कार्नेस धिम आदि तथारी गर्ने काय	"	१५३१.८०	१५३१.८०	१५३१.८०
xiv)	५' x २" को साल काठको नाम बडा कुटि तथारी गर्ने बडान गर्ने काय	"	१५०८.९०	१५०८.९०	१५०८.९०
<b>15</b>	<b>Wooden Parquet Flooring</b>				
i)	Shisam wood 150mm*30mm*8mm	व.फि	११०.००	११०.००	११०.००
ii)	Wall panelling (with wood frame) sisam wood (75mm*16mm)	"	१५०.००	१५०.००	१५०.००
<b>16</b>	<b>विभिन्न भोटाईको प्लाइडहरू</b>				
<b>16.1</b>	<b>Commercial</b>				
(क)	३ मी. मी.	व.फि	३८.००	३८.००	३८.००
	३ ५ मी. मी.	"	२८.००	२८.००	२८.००
(ख)	३ मी. मी.	"	२८.००	२८.००	२८.००
(ग)	३ मी. मी.	"	१२.००	१२.००	१२.००
(घ)	३ मी. मी.	"	१२.००	१२.००	१२.००

प्रधानमन्त्री कार्यालय  
जितन अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकडि	मुद्रक (VAT) वालक (र.)		
			२०७९/८०	२०८०/८१	२०८१/८२
	(छ) १२ मी.मी	..	८०.००	८०.००	८०.००
	(च) १५ मी.मी B/B	..	१०६.००	१०६.००	१०६.००
	(छ) १८ मी.मी PLY	..	११०.००	११०.००	११०.००
16.2	P/F. Water Proof				
	(क) ४ मी.मी	ब.फि	७५.००	७५.००	७५.००
	(ख) ६ मी.मी	ब.फि	५५.००	५५.००	५५.००
	(ग) ८ मी.मी	..	५५.००	५५.००	५५.००
	(घ) १० मी.मी	..	५५.००	५५.००	५५.००
	(छ) १२ मी.मी	..	११३.००	११३.००	११३.००
	(च) १५ मी.मी PLY	..	११३.००	११३.००	११३.००
	(छ) १८ मी.मी B/B	..	१२९.००	१२९.००	१२९.००
16.3	Natural Teak Plywood				
	One side lamination				
	(क) ३ मी.मी	ब.फि	२०.४०	२०.४०	२०.४०
	(ख) ५ मी.मी (Group Match of in 5 pcs)	..	५५.७५	५५.७५	५५.७५
	४ मी.मी (Regular)	..	८३.००	८३.००	८३.००
	४ मी.मी (Crown)	..	८३.७५	८३.७५	८३.७५
	४ मी.मी (Beri)	..	८३.७५	८३.७५	८३.७५
	४ मी.मी (Whitest line)	..	८३.७५	८३.७५	८३.७५
	४ मी.मी (Beach)	..	८३.७५	८३.७५	८३.७५
	४ मी.मी Recon 18 No.	..	८३.७५	८३.७५	८३.७५
	(ग) ६ मी.मी	..			
16.4	DECORATIVE (THICKER)				
	6 OST	ब.फि	१५६.००	१५६.००	१५६.००
	6 BST	..	१५६.००	१५६.००	१५६.००
	9 OST	..	१८०.००	१८०.००	१८०.००
	9 BST	..	१८०.००	१८०.००	१८०.००
	12 OST	..	१८३.००	१८३.००	१८३.००
	12 BST	..	१८३.००	१८३.००	१८३.००
	19 B/B OST	..	१९२.००	१९२.००	१९२.००
	19 B/B BST	..	२००.००	२००.००	२००.००
	18 OST	..	१८३.००	१८३.००	१८३.००
	18 BST	ब.फि	२२१.००	२२१.००	२२१.००
17	Ready made Door				
17.1	38 mm th. Readymade solid core door shutter				
	Plain	ब.फि	२२१.००	२२१.००	२२१.००
	One side teak	..	२५७.००	२५७.००	२५७.००
	Both side teak	..	२८४.००	२८४.००	२८४.००
	One side teak waterProof	..	२८६.००	२८६.००	२८६.००
	Both side teak waterProof	..	३१०.००	३१०.००	३१०.००
17.2	30 to 32 mm th. Readymade solid core door shutter				

प्रान्तप्रतिक्रिया अधिकारी  
प्रान्तप्रतिक्रिया अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	वा.पि	मुद्रा (VAT) वारंक (रु.)		
			२०७९/८०	२०८०/८१	२०८१/८२
	Plain	वा.पि	१५०.००	१६०.००	१७०.००
	One side teak	"	२५०.००	२७०.००	२९०.००
	Both side teak	"	३३०.००	३६०.००	३९०.००
	One side teak waterProof	"	२३०.००	२४०.००	२५०.००
	Both side teak waterProof	"	३५०.००	३६०.००	३७०.००
17.3	<b>Ready made Teak wood Doors (Seasoned and Poisoned treated )</b>				
	( excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Soft	१८०.००	१९०.००	२००.००
	Readymade door shutter Recon, Special (1 side teak)	"	२४०.००	२५०.००	२६०.००
	One side water proof 'ply fitting'				
	Readymade door shutter Recon, ordinary (1 side teak)	"	२००.००	२१०.००	२२०.००
	Readymade door shutter Recon, Special (1 side teak)	"	२६०.००	२७०.००	२८०.००
17.4	<b>Wooden Listy</b>				
	1/2" wide	वा.पि	१५.००	१६.००	१७.००
	3/4" wide	"	१८.००	१९.००	२०.००
	1.5" wide	"	२५.००	२६.००	२७.००
	Decorative	"	३०.००	३१.००	३२.००
17.5	<b>Infill Material Thai Gypsum, Shera or equivalent</b>				
	Frame C - Studs( 0.55mm*0.75mm*3m)	ली.२१	१२०.००	१२५.००	१३०.००
	Frame U - Studs( 0.55mm*0.75mm*3m)	"	१२०.००	१२५.००	१३०.००
	Board 9 mm	"	१२२५.००	१२५५.००	१२८५.००
	Roofing Board 6mm (1.5mX.6m)	"	६५०.००	६६०.००	६७०.००
	Fiber mess tape (for 90mm/roll)	"	३०.००	३०.००	३०.००
	PU sasusage rod	"	२००.००	२०२.००	२०४.००
18	<b>Prelaminated Particle Board</b>				
18.1	<b>Plain Particle Board (Exteriors Grade)</b>				
	(क) ९ मी. मी	वा.पि	३५.००	३८.००	४०.००
	(ख) १२ मी. मी	"	४०.००	४२.००	४४.००
	(ग) १६ मी. मी	"	५२.००	५४.००	५६.००
	(घ) २५ मी. मी	"	७५.००	७८.००	८०.००
18.2	<b>One side lamination Melaminized faced (Exteriors Grade)</b>				
	(क) ९ मी. मी	वा.पि	५५.००	५८.००	६०.००
	(ख) १२ मी. मी	"	६५.००	६८.००	७०.००
	(ग) १६ मी. मी	"	१०५.००	१०८.००	११०.००
	(घ) २५ मी. मी	"	१३५.००	१३८.००	१४०.००

प्रभाग  
प्रबन्धना अधिकारी

BD २४३

15

सि.नं.	लिमाण सामग्रीहरुको विवरण नेपाल राष्ट्रीय काई लिमाण प्रशासन भवनपाटी	मुद्रक (VAT) बाटक (रु.)	२०८०/८१	२०८१/८२	२०८२/८३
			२०८०/८१	२०८१/८२	२०८२/८३
18.3	Both side lamination Melaminized faced (Exteriors Grade)				
	(क) ९ मी. मी	व.फि	८५.००	८५.००	८५.००
	(ख) १२ मी. मी	"	११.००	११.००	१०७.००
	(ग) १८ मी. मी	"	११४.००	११४.००	११५.००
	(घ) २५ मी. मी	"	१४४.००	१४४.००	१५०.००
18.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी. मी	व.फि	२५.००	२५.००	२५.००
	(ख) १२ मी. मी	"	३२.००	३२.००	३२.००
	(ग) १८ मी. मी	"	४८.००	४८.००	४८.००
	(घ) २५ मी. मी	"	६७.००	६७.००	६३.००
18.5	One side lamination Melaminized faced (Interiors Grade)				
	(क) ३ मी. मी	व.फि	४२.००	४२.००	४२.००
	(ख) ६ मी. मी	"	७६.००	७६.००	८०.००
	(ग) ९ मी. मी	"	११६.००	११६.००	१२०.००
	(घ) १२ मी. मी	"	१३३.००	१३३.००	१३६.००
	(ड) १८ मी. मी	"	२५०.००	२५०.००	२५०.००
	(च) २५ मी. मी	"	३११.००	३११.००	३१४.००
18.6	Both side lamination Melaminized faced (Interiors Grade)				
	(क) ३ मी. मी	व.फि	४२.००	४२.००	४२.००
	(ख) ६ मी. मी	"	७६.००	७६.००	८४.००
	(ग) ९ मी. मी	"	११६.००	११६.००	१२०.००
18.7	One side lamination Melaminized faced (Interiors Grade) MDF				
	(क) ३ मी. मी	व.फि	४२.००	४२.००	४२.००
	(ख) ४ मी. मी	"	७६.००	७६.००	९२.००
	(ग) ६ मी. मी	"	११६.००	११६.००	१२०.००
	(घ) ९ मी. मी	"	१३३.००	१३३.००	१३६.००
	(ड) १२ मी. मी	"	२५०.००	२५०.००	२५०.००
	(च) १८ मी. मी	"	३११.००	३११.००	३१४.००
	(छ) २५ मी. मी	"	३७६.००	३७६.००	३७६.००
18.8	Both side lamination Melaminized faced (Interiors Grade) MDF Century & equivalent				
	(क) ३ मी. मी	व.फि	४२.००	४२.००	४२.००
	(ख) ४ मी. मी	"	७६.००	७६.००	८२.००
	(ग) ६ मी. मी	"	११६.००	११६.००	१२०.००
	(घ) ९ मी. मी	"	१३३.००	१३३.००	१३६.००

सि.नं.	निमाण सामग्रीहरुको विवरण	 <b>शक्तपुर जिल्ला पालिका</b> <b>नियमित बजेट राजिका</b> <b>विभागीय नियमित बजेट राजिका</b>	मूल्यक (VAT) राजिक (रु.)		
			२०७०/८१	२०७१/८०	२०८०/८१
	(इ) १२ मी. मी	"	१०५.००	१०५.००	१०५.००
	(ब) १८ मी. मी	"	१११.००	१११.००	१११.००
	(छ) २५ मी. मी	"	१४०.००	१४०.००	१४०.००
18.9	<b>Alstone Hybrid Board (WPC Board) Century &amp; equivalent</b>				
	(क) ६ मी. मी ( १२२० X २४४० )	व.फि	१३२.००	१३२.००	१३२.००
	(ख) १२ मी. मी	"	२६०.००	२६०.००	२६०.००
	(ग) १८ मी. मी	"	४२३.००	४२३.००	४२३.००
19	<b>Other HardBoard/ Sunmica &amp; Formica</b>				
19.1	(क) सनमाइका (4' x 8')	पाता	२००.००	२००.००	२००.००
	(ख) फोरमाइका	व.फि	५०.००	५०.००	५०.००
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	४८.००	४८.००	४८.००
19.2	<b>Alstone Hybrid Board</b>				
	(क) ६ मी. मी size ( 1220*2440) mm	व.फि	१३०.००	१३०.००	१३०.००
	(ख) १२ मी. मी size ( 1221*2440) mm	"	२७४.००	२७४.००	२७४.००
	(ग) १८ मी. मी size ( 1222*2440) mm	"	४३६.००	४३६.००	४३६.००
20	<b>Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate</b>				
	i) Iron Square Pipe	के.जी	८०.२१	८०.२१	८०.२१
	ii) विभिन्न भाइजासी MS Angle	"	८०.२१	८०.००	८०.००
	iii) विभिन्न भाइजासी Channel	"	८०.१४	८०.००	८०.००
	iv) विभिन्न भाइजासी I-Beam	"	८१.११	८०.००	८०.००
	v) विभिन्न भाइजासी MS Square solid bar up to 16mm	के.जी	८०.१६	८०.००	८०.००
21	<b>G.I. Wire</b>				
	i) 8 gauge				
	a) light class	के.जी	११.००	१०५.००	१०५.००
	b) medium class	"	१०१.००	१११.००	१११.००
	c) heavy duty	"	१०२.००	११२.००	११२.००
	d) Commercial wire	"	१२.००	१०२.००	१०२.००
	ii) 10 gauge				
	a) light class	के.जी	१३.००	१०३.००	१०३.००
	b) medium class	"	१५.००	१०५.००	१०५.००
	c) heavy duty	"	१०७.००	११२.००	११२.००
	d) Commercial wire	"	१५.००	१०२.००	१०२.००
	iii) 12 gauge				
	a) light class	के.जी	१४.००	१०४.००	१०४.००
	b) medium class	"	१६.००	१०६.००	१०६.००


 राजाल  
अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण		मुद्रा का (VAT) यांत्रक (रु.)		
			२०७६/७७	२०७९/८०	२०८०/८१
c) heavy duty			१०४.००	३५४.००	११४.००
d) Commercial wire			१४.००	१०३.००	१०३.००
22	मेलिंगबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गोवियन चाकस तयारी	m2			
	(क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Macefaferi Box Gabion)				
१.५×१×०.४.०	गोटा	७५२८.००	१५२६.००	१८२८.००	
२×१×०.५.०	"	१५२९.००	३०५९.००	२२३५.००	
३×१×०.५.०	"	३२७८.००	६३५६.००	८५३८.००	
४×१×०.५.०	"	४३१७.००	८३२७.००	१०५७.००	
१.५×१×१.०	"	२७४४.००	५४८४.००	८६४४.००	
२×१×१.१	"	२२१८.००	४४३६.००	५८४६.००	
३×१×१.२	"	४७८८.००	९५७६.००	१३५८.००	
४×१×१.३	"	६२४८.००	१२४६.००	१६४८.००	
(ख) MBG/10x12/2.7/3.4/2.2/ZN	m2				
१.५×१×०.४.०	गोटा	७३६१.००	१४६२.००	१८२९.००	
२×१×०.५.०	"	१५१३.००	३०२६.००	२२४६.००	
३×१×०.५.०	"	२११९.००	४२३९.००	५२५७.००	
४×१×०.५.०	"	३१४०.००	६२८०.००	८५४०.००	
१.५×१×१.१	"	२००८.००	४०१६.००	५०२४.००	
२×१×१	"	३१७.००	६३५.००	१०६७.००	
३×१×१	"	४०७१.००	८१४६.००	१०१६.००	
४×१×१	"	५२७७.००	१०५५४.००	१२७७.००	
(ग) MJG/10x12/3.0/3.9/2.4/ZN					
३×२×०.५.०	गोटा	४६६२.००	९३२५.००	१४८२.००	
४×२×०.५.०	"	४७४०.००	९४४०.००	१४७०.००	
५×२×०.५.०	"	५२१८.००	१०४३६.००	१५३६.००	
६×२×०.५.०	"	७७०४.००	१५४०८.००	२२०८.००	
३×२×१	"	३३२६.००	६६४८.००	३३२८.००	
४×२×१	"	१०१२८.००	२०२५७.००	३०३७.००	
५×२×१	"	१२४९१.००	२४९८२.००	३७२१.००	
६×२×१	"	१४१०.००	२४२०.००	३६१०.००	
३×२×१					
(घ) MJG/10x12/2.7/3.4/2.2/ZN					
३×२×०.५.०	गोटा	४३६७.००	८७३४.००	१३६७.००	
४×२×०.५.०	"	५२३६.००	१०४७२.००	१७४४.००	
५×२×०.५.०	"	५३८९.००	१०७७९.००	१६६७.००	
६×२×०.५.०	"	६२१६.००	१२४३२.००	२२३२.००	
३×२×१	"	३५२८.००	७१५६.००	११२८.००	
४×२×१	"	५७३८.००	११४७.००	१७३८.००	

80 २३

18

नेपाल बिल्डिं एरिया

सि.न	निर्माण सामग्रीहरूको विवरण	प्रति एक मात्रा	मुद्रक (VAT) राशि (रु)		
			२०७९/८०	२०८०/८१	२०८१/८२
	५×२×१	"	१०४४६.००	१०४४६.००	१०४४६.००
	६×२×१	"	१२२३०.००	१२२३०.००	१२२३०.००
२०	MRM/6x8/2.2/2.7/2.2/ZN	m <sup>2</sup>			
	३×२×०.७५	गोटा	४०१.००	४०१.००	४०१.००
	४×२×०.७५	"	४७९.००	४७९.००	४७९.००
	५×२×०.७५	"	५३७.००	५३७.००	५३७.००
	६×२×०.७५	"	५२६.००	५२६.००	५२६.००
	३×२×०.२५	"	४२१.००	४२१.००	४२१.००
	४×२×०.२५	"	४६२.००	४६२.००	४६२.००
	५×२×०.२५	"	५१५.००	५१५.००	५१५.००
	६×२×०.२५	"	५१५.००	५१५.००	५१५.००
	३×२×०.३०	"	४६१.००	४६१.००	४६१.००
	४×२×०.३०	"	५०२.००	५०२.००	५०२.००
	५×२×०.३०	"	५८५.००	५८५.००	५८५.००
	६×२×०.३०	"	५८५.००	५८५.००	५८५.००
	१०x12.३.०.३.९/२.४/ZN	Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating			
	ZN = Heavy galvanized				
	PVC = PVC coated				
23	Barbed Wire (कोहितार)				
	12 guage commercial,Medium duty	कि.मी	१५३६	१०२.००	१०२.००
	U-hook for barbed wire fencing	गोटा	०.२५	०.८५	०.८५
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी	१५६.००	१११.००	१११.००
	1.5"x1.5" 12 guage	"	१५६.००	१११.००	१११.००
	2"x2" 10 guage	"	२९३.००	१०२.००	१०२.००
	3"x3" 10 guage	"	४४६.००	१४१.००	१४१.००
	4"x4" 10 guage	"	६००.००	१४१.००	१४१.००
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	0.2 mm (30 guage light)	ब्रेडल	४६५.००	४३१.००	४३१.००
	0.22 mm (30 guage Medium)	"	५१३.००	५१३.००	५१३.००

राजाल  
अधिकारी

सि.न.	निर्माण सामग्रीहरूको विवरण	 भक्तपुर महानगरपालिका उत्तर पश्चिम प्रदेश भक्तपुर	मु.भक. (VAT) बाटुले क		
			२०७८/७९	२०७९/८०	२०८०/८१
	0.24 mm (30 guage Heavy)	"	१२५९.००	१२५९.००	१२५९.००
	0.26 mm (28 guage light)	"	६८४९.००	६८४९.००	६८३०.००
	0.28 mm (28 guage Medium)	"	५९४९.००	५९३०.००	५९३०.००
	0.31 mm (28 guage Heavy)	"	१३०९.००	१३०९.००	१३०९.००
	0.35 mm (26 guage light)	"	३८१९.००	३८०९.००	३८०९.००
	0.38 mm (26 guage Medium)	"	३८४९.००	३८३०.००	३८३०.००
	0.41 mm (26 guage Heavy)	"	४००९.००	४२४९.००	४२४९.००
	0.45 mm (24 guage light)	"	९४४९.००	९४७९.००	९४७९.००
	0.50 mm (24 guage Medium)	"	९०४१९.००	९०४१९.००	९०४१९.००
	0.52 mm (24 guage Heavy)	"	९०८७९.००	९०८७९.००	९०८७९.००
	0.75 mm	"	१२२९९.००	१२२९९.००	१२२९९.००
(ख) रग्न जस्तापाता					
	0.2 mm (30 guage light)	चापडल	२३१९.००	२३१९.००	२३१९.००
	0.22 mm (30 guage Medium)	"	१३१९.००	१३१९.००	१३१९.००
	0.24 mm (30 guage Heavy)	"	५९४९.००	५९३०.००	५९३०.००
	0.26 mm (28 guage light)	"	५९०९.००	५९२९.००	५९२९.००
	0.28 mm (28 guage Medium)	"	३८१९.००	३८०९.००	३८०९.००
	0.31 mm (28 guage Heavy)	"	३८४९.००	३८३०.००	३८३०.००
	0.35 mm (26 guage light)	"	४४९९.००	४४४९.००	४४४९.००
	0.38 mm (26 guage Medium)	"	११८१९.००	११८१९.००	११८१९.००
	0.41 mm (26 guage Heavy)	"	१०१११.००	१०४१९.००	१०४१९.००
	0.45 mm (24 guage light)	"	१०१११.००	११४१९.००	११४१९.००
	0.50 mm (24 guage Medium)	"	१११११.००	१२४१९.००	१२४१९.००
	0.52 mm (24 guage Heavy)	"	१११११.००	१२४१९.००	१२४१९.००
	0.55 mm (24 guage Medium)	"	१११११.००	१३४२९.००	१३४२९.००
	0.75 mm	"	१११११.००	१६०१६.००	१६०१६.००
(ग) स्थाल्मानाइज्ड कोर्सरेटेड जस्तापाता (CG I Sheet)					
	0.2 mm (30 guage light)	चापडल	११९०.००	११९०.००	११९०.००
	0.22 mm (30 guage Medium)	"	२१६४.००	२१६४.००	२१६४.००
	0.24 mm (30 guage Heavy)	"	११८१९.००	११६१९.००	११६१९.००
	0.26 mm (28 guage light)	"	२१९८.००	२१९८.००	२१९८.००
	0.28 mm (28 guage Medium)	"	५९१९.००	५१०९.००	५१०९.००
	0.31 mm (28 guage Heavy)	"	११११.००	१०११.००	१०११.००
	0.35 mm (26 guage light)	"	११११.००	११११.००	११११.००
	0.38 mm (26 guage Medium)	"	१८११.००	१८११.००	१८११.००
	0.41 mm (26 guage Heavy)	"	४१११.००	४१११.००	४१११.००
	0.45 mm (24 guage light)	"	११११.००	११११.००	११११.००
	0.50 mm (24 guage Medium)	"	११११.००	११११.००	११११.००

१४१८  
 वानिको  
 अधिकारी

५०/२३

२०८०/८१

२३

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मूलक (VAT) बालक (रु.)		
			२०७५/७६	२०७९/८०	२०८०/८१
	0.52 mm (24 guage Heavy)	"	१०३८८.००	१०४२९.००	१०४३९.००
	0.75 mm	"	१२५१३.००	१२५०५.००	१२५०२.००
	घजस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	लप्टल	५६०५.००	५६२९.००	५६३९.००
	0.22 mm	"	६५३२.००	६६३९.००	६६३९.००
	0.24 mm	"	७५६३.००	७६९३.००	७६९३.००
	0.26 mm	"	८५९२.००	८७२२.००	८७२२.००
	0.28 mm	"	१०६०.००	१०७८.००	१०७८.००
	0.31 mm	"	१२८३.००	१३०५.००	१३०५.००
	0.35 mm	"	१४३१.००	१४५६.००	१४५६.००
	0.38 mm	"	१६६४.००	१६८९.००	१६८९.००
	0.41 mm	"	१८८०.००	१९११.००	१९११.००
	इ) ४ फिट * ८ फिट को जिआइ. प्लेन सिट				
	1.1 mm	प्रिस	३२९४.००	३३१०.००	३३१०.००
	0.90 mm	"	२५०२.००	२५२९.००	२५२९.००
	0.80 mm	"	२४४२.००	२४७५.००	२४७५.००
	0.75 mm	"	२५२२.००	२५४३.००	२५४३.००
	0.70 mm	"	२५११.००	२५३३.००	२५३३.००
	0.62 mm	"	१९१५.००	१९३९.००	१९३९.००
	0.55 mm	"	१७१०.००	१७३४.००	१७३४.००
	0.50 mm	"	१६५५.००	१६८६.००	१६८६.००
	0.48 mm	"	१६१६.००	१६४८.००	१६४८.००
	0.45 mm	"	१५९६.००	१६२६.००	१६२६.००
	0.40 mm	"	१२३४.००	१२६९.००	१२६९.००
	0.37 mm	"	११८५.००	१२०९.००	१२०९.००
	0.35 mm	"	११११.००	११४२.००	११४२.००
	0.30 mm	"	१०६५.००	१०९५.००	१०९५.००
	0.28 mm	"	१०५५.००	१०८३.००	१०८३.००
	च) ४ फिट * ८ फिट को राइन प्लेन सिट				
	0.90 mm	प्रिस	२६३२.००	२६७२.००	२६७२.००
	0.80 mm	"	२५४९.००	२६०६.००	२६०६.००
	0.75 mm	"	२५३१.००	२६०१.००	२६०१.००
	0.70 mm	"	२५२४.००	२६०५.००	२६०५.००
	0.62 mm	"	२१००.००	२२२२.००	२२२२.००
	0.55 mm	"	१९४५.००	२००६.००	२००६.००

अधिकारी अधिकारी अधिकारी



सि.नं.	निर्माण सामग्रीहरुको विवरण		मूल्यक (VAT) बाहेक रु.		
			२०८०/८१	२०८१/८०	२०८०/८१
	0.50 mm	"	१३५८.००	१६७३.००	१६२३.००
	0.48 mm	"	१३०५.००	१६७३.००	१६२३.००
	0.45 mm	"	११९८.००	१३००.००	१३००.००
	0.40 mm	"	१४०५.००	१७५१.००	१७२७.००
	0.37 mm	"	१३८९.००	१६२३.००	१६१३.००
	0.35 mm	"	१३५६.००	१६२३.००	१६१३.००
	0.30 mm	"	११५६.००	१३२३.००	१३१३.००
	0.28 mm	"	११०५.००	१३१३.००	१३०३.००
	<b>GI EXPANDED METAL MESH</b>				
	1.20 mm मोटाई × 3' चौडाई भएको जाली	र.मि	१५८.००	१८३.००	१८३.००
	1.20 mm मोटाई × 4' चौडाई भएको जाली	"	२१७.००	२५३.००	२५३.००
	1.00 mm मोटाई × 3' चौडाई भएको जाली	"	१३३.००	१६२.००	१६२.००
	1.00 mm मोटाई × 4' चौडाई भएको जाली	"	१०५.००	१३३.००	१३३.००
	0.90 mm मोटाई × 3' चौडाई भएको जाली	"	१४१.०५	१७३.००	१७१.००
	0.90 mm मोटाई × 4' चौडाई भएको जाली	"	१५१.०५	१८६.००	१८४.००
<b>25</b>	<b>UPVC Roofing Sheet (3mm thick)</b>				
25.1	UPVC Roofing Sheet with PMMA coating & Mesh ( Regular )	र.मि	१२०५.००	१५८१.००	१५८१.००
25.2	UPVC Roofing Sheet with PMMA coating & Mesh ( Tile )	"	१२००.५०	१६६०.००	१७१०.००
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि	११४९.००	२०२१.००	२०२१.००
25.4	Ridge cover File Profile 0.78 R.m.	"	११२१.००	२०११.००	२०११.००
25.5	UPVC Clip	गोटा	२५.००	२०.००	२०.००
25.6	self tapping screw 3"	"	३०.००	३२.००	३२.००
25.7	self tapping screw 2.5"	"	२०.००	२१.००	२१.००
25.8	self tapping screw 2"	"	११.००	११.००	११.००
25.9	self tapping screw 1.5"	"	६.२५	८.००	८.००
<b>26</b>	<b>एल्मुनियम प्लेन सिट</b>				
(क)	२६ ग्रेज	व.फि	३५.००	४०.००	३०.००
(ख)	३० ग्रेज	"	४०.००	४८.००	४८.००
<b>27</b>	<b>विभिन्न प्रकारको जालीहरु (Netting)</b>				
(क)	मसिनो खालको Mosquito proof जाली	व.मी	११९.००	१३०.००	१३२.००
(ख)	बालुवा चाल्ने जाली	"	१३४.००	१५१.००	१५०.००
(ग)	चुख्ते जाली (Chicken wire mesh)	"	८५.००	१०३.००	१०४.००
(घ)	द्रास कासिङ जाली	"	१२४.००	१४४.००	१४४.००
(ङ)	स्टील जाली (crossing )	"	१२३.००	१३६.००	१३२.००
(च)	मसिनो खालको steel Mosquito proof जाली	"	१००.००	१२३.००	१२४.००

*१०३/३ र २०८१/८१*

प्रतिक्रिया र बिना अधिक

१०३/३ र २०८१/८१



मूलक (VAT) वालक रु।

सि.न.	निर्माण सामग्रीहरुको विवरण		२०८०/०९	२०८१/००	२०८०/११
<b>28</b>	<b>फलामबाट निर्मित सामानहरु</b>				
a	M.S. Grill पनाई बडान गर्ने काम	के.जी.	१३०.००	१४३.००	१४५.००
b	फोल्याघीयाल गेट बनाइ जडान गर्ने	व.फि.	५००.००	५२०.००	५३५.००
c	१५-१८ सेत्रको फलामे रोलिङ मटर बनाइ जडान गर्ने	व.फि.	५५.००	६०५.००	६००.००
d	फलामे रोलिङ मटर १६-१८ सेत्र जडान मारिल मीप मटर खाल सहजो	"	२५०.००	३०८.००	३१५.००
e	फलामे रोलिङ मटर हण्डी प्रयोग साथी बनाउयो याँदै जडान गर्ने समेत	"	५००.००	५२०.००	५३५.००
f	१६ सेत्र खानाबाट कम्पाउण्ड बालको गेट बनाइ जडान गर्ने (२० x २०x २, mm) को फ्रम समेत	"	१२०.००	१३२.००	१३५.००
g	२" x ४" चालको Iron Black Pipe एहिको पट्टि राखी सुरुकिला सांताको धुने भन्याइ (Spiral Staircase) तयार गरी जडान, समेत भन्याइको लापी गया floor to floor height ५.५m	व.फि.	१०२०.००	११५५.००	११५०.००
h	फलामे सामाग्रीको फोलिवेशन तथा जडान कार्य	के.जी.	५५.००	५८.००	५०.००
i	All type of general MS structural works	व.फि.	१३०.००	१४३.००	१४५.००
j	Truss & roofing works Plain sheet 26 gauge	"	३००.००	३२०.००	३३०.००
k	Truss & roofing works colour sheet 26 gauge	"	१५५.००	१६९.००	१७१.००
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१२०.००	१२४.००	१२४.००
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	११४०.००	१२३०.००	१२३०.००
n	Steel Structural (Light guage ) frame work for building ( as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges ) all complete work Panchakanya or equivalent	व.फि.	३३०.००	३४३.००	३४५.००
<b>29</b>	<b>Glass सीसा</b>				
29.1	Plain सादा (सेत्री)				
(क)	३ मी.मी	व.फि.	२०.८०	२१.००	२१.००
(ख)	३.५ मी.मी	व.फि.	२२.५६	२२.००	२२.००
(ग)	४ मी.मी	व.फि.	५५.५५	५६.००	५६.००
(घ)	५ मी.मी	व.फि.	८०.२२	८१.००	८१.००
(ङ)	६ मी.मी	व.फि.	१०३.००	१०५.००	१०५.००
(च)	८ मी.मी	व.फि.	१८४.७०	१९५.००	१९५.००
29.2	Printed Glass (बुद्धेवार सिसा)				
(क)	३ मी.मी	व.फि.	२९.८५	३०.००	३०.००
(ख)	४ मी.मी	व.फि.	३०.७२	३१.००	३१.००
29.3	Poly Fibre Glass				

सि.न.	निमांण सामग्रीहरुको विवरण	मुद्रा र. (VAT) बाटुकरण	२०७८/७९	२०७९/८०	२०८०/८१
29.4	<b>Black Color Glass</b>				
(क) ३ मी.मी	"	९४५.५४	९५४.००	९५४.००	
(ख) ४ मी.मी	"	१०८.००	१०८.००	१०८.००	
(ग) ५ मी.मी.	"	१२५.६०	१२५.००	१२५.००	
(घ) ६ मी.मी.	"	१६५.४०	१६५.००	१६५.००	
(ङ) ८ मी.मी	"	२४०.२०	२४०.००	२४०.००	
(च) १० मी.मी	"	३१०.००	३१०.००	३१०.००	
(छ) १२ मी.मी	"	४१५.००	४१५.००	४१५.००	
29.5	<b>Tinted Float glass चाहिर बाट नरेखिने पित्रबाट रेखिने</b>				
(क) ५ मि.मि बाल्लो	"	११५.५८	११३.००	११३.००	
29.6	<b>छानामा प्रयोग गरिने बढ्देदार ऐना Itching Glass with simple shade and texture</b>				
(क) १ मी.मी. चाक्को	"	१३८५.००	६५०.००	५१०.००	
29.7	<b>विभिन्न रंगको Reflector Glass (शिशा)</b>				
२ मी.मी. मोटो	"	१८५.५८	१८५.००	१८५.००	
Note: * निम्न * न फिट मध्या वडी साइजको मिना भएमा २०% वय रकम लाग्ने छ।					
30	<b>Corrugated/Plain Fiber Glass Sheet</b>				
(क) ०.८ मी.मी. मोटा फ्लेन	"	५३५.५५	५३५.५५	५३५.५५	
०.८ मी.मी. मोटा कोरोगेटेड	"	५४५.३५	५४५.३५	५४५.३५	
(ख) १.२ मी.मी. मोटा फ्लेन	"	५६५.३५	५६५.३५	५६५.३५	
१.२ मी.मी. मोटा कोरोगेटेड	"	५६५.३५	५६५.३५	५६५.३५	
(ग) २ मी.मी. मोटा फ्लेन	"	२३५.२५	२३५.२५	२३५.२५	
२ मी.मी. मोटा कोरोगेटेड	"	२३५.२५	२३५.२५	२३५.२५	
(घ) ३ मी.मी. मोटा फ्लेन	"	२१५.२५	२१५.२५	२१५.२५	
३ मी.मी. मोटा कोरोगेटेड	"	२०५.८२	२०५.८२	२०५.८२	
(ङ) Fiber Glass छानामा जाँच Aluminunum strip (25 mm x 1.5 mm)	Rm	०८.९५	०८.९५	०८.९५	
(च) Fiber Glass छानामा जाँच Ribet nut	no.	०.२५	०.२५	०.२५	
31	<b>फ्ल्याल लोकामा लाग्ने Fixture हरु</b>				
	<b>Iron बाट बनेका</b>				
	<b>Hinge (कञ्चा)</b>				
(क) ३" साइज	गोटा	३५.२०	३५.२०	३५.२०	
(ख) ४" साइज	"	३०.८०	३०.८०	३०.८०	
(ग) ५" साइज	"	३५.३०	३५.३०	३५.३०	
(घ) ६" साइज	"	५१.६०	५१.६०	५१.६०	
<b>Locking Set(L-drop)</b>					

प्रभारीपत्रक रजता अधिकारी



म.स.क (VAT) जारीका

सि.नं.	निर्माण सामग्रीहरूको विवरण	गोटा	म.स.क (VAT) जारीका		
			२०७६/७७	२०७९/८०	२०८०/८१
	300 mm	गोटा	२५५.००	२५५.००	२५५.००
	225 mm	"	२४५.००	२४५.००	२४५.००
	150 mm	"	२१४.५०	२१४.५०	२१४.५०
<b>Aluminum बाट बनेका</b>					
<b>Towerbolt (छेष्ठीनी)</b>					
(क) ३"	लामो	गोटा	५२.००	५२.००	५२.००
(ख) ४"	लामो	"	८८.००	८८.००	८८.००
(ग) ५"	लामो	"	१३.००	१३.००	१३.००
(घ) ६"	लामो	"	८८.००	८८.००	८८.००
(ङ) १०"	लामो	"	१०३.५०	१०३.५०	१०३.५०
(च) १२"	लामो	"	११५.३०	११५.३०	११५.३०
<b>Handle (हतकल)</b>					
Ordinary					
		गोटा	३८.२०	३८.२०	३८.२०
Special					
		"	५१.५०	५१.५०	५१.५०
<b>Brass बाट बनेका</b>					
<b>Hinge (कम्बा)</b>					
2"× $\frac{1}{2}$ "		गोटा	५५.३०	५५.३०	५५.३०
2 $\frac{1}{2}$ "× $\frac{3}{4}$ "		"	३८.९०	३८.९०	३८.९०
3"× $\frac{3}{4}$ "		"	९१.००	९१.००	९१.००
2"× $\frac{3}{4}$ "		"	३८.९०	३८.९०	३८.९०
2 $\frac{1}{2}$ "× $\frac{3}{4}$ "		"	८६.५०	८६.५०	८६.५०
3"× $\frac{3}{4}$ "		"	९१.००	९१.००	९१.००
3"×1"		"	२०३.९०	२०३.९०	२०३.९०
4"×1"		"	२१२.५०	२१२.५०	२१२.५०
5"×1"		"	२१६.९०	२१६.९०	२१६.९०
6"×1"		"	२०६.६०	२०६.६०	२०६.६०
<b>Towerbolt (छेष्ठीनी)</b>					
(क) ३"	लामो	गोटा	१५६.२०	१५६.२०	१५६.२०
(ख) ४"	लामो	"	२०३.९०	२०३.९०	२०३.९०
(ग) ५"	लामो	"	२१२.५०	२१२.५०	२१२.५०
(घ) ६"	लामो	"	२१६.९०	२१६.९०	२१६.९०
(ङ) १०"	लामो	"	२४०.३०	२४०.३०	२४०.३०
(च) १२"	लामो	"	२४४.६०	२४४.६०	२४४.६०
<b>Handle (हतकल)</b>					
6" Brass handle					
		गोटा	१६५.००	१६५.००	१६५.००
8" Brass handle					
		"	२०३.६०	२०३.६०	२०३.६०
10" Brass handle					
		"	२०४१.५०	२०४१.५०	२०४१.५०
<b>Locking Set (L-drop)</b>					
(क) ८"	लामो	गोटा	१०४९.२०	१०४९.२०	१०४९.२०

प्रधानमन्त्री राज्य  
वित्त मंत्रालय अधिकारी

१०४९.२० १०४९.२० १०४९.२०

सि.न	निर्माण सामग्रीहरूको विवरण		मुद्रक (VAT) जाहिकरा		
			२०७८/७९	२०७९/८०	२०८०/८१
	(ब) ५०" लामो	"	१३६८.८०	१३६८.८०	१३६८.८०
	(ग) १२" लामो	"	११०८.५०	११०८.५०	११०८.५०
	<b>Special Fittings</b>				
	एल इप :-				
	८" लामो	गोटा	४९६.८०	४९६.८०	४९६.८०
	१०" लामो	"	१३१८.९०	१३१८.९०	१३१८.९०
	१२" लामो	"	१६०८.९०	१६०८.९०	१६०८.९०
	ह्याणडल :-				
	८" लामो	"	१३०८.९०	१३०८.९०	१३०८.९०
	टावर बोल्ट :-				
	८" लामो	"	२४८.५०	२४८.५०	२४८.५०
	१०" लामो	"	३२०.००	३२०.००	३२०.००
	१२" लामो	"	४७२.५०	४७२.५०	४७२.५०
	डबल क्लर (गोल्ड सिल्वर/ब्ल्याक सिल्वर)				
	एल इप :-				
	८" लामो	गोटा	४८५.८०	४८५.८०	४८५.८०
	१०" लामो	"	१२४४.००	१२४४.००	१२४४.००
	१२" लामो	"	१६५६.९०	१६५६.९०	१६५६.९०
	ह्याणडल :-				
	८" लामो	"	२४६.००	२४६.००	२४६.००
	१०" लामो	"	४७२.५०	४७२.५०	४७२.५०
	<b>Mortice Lock</b>				
	Ordinary	गोटा	८८३.५०	८८३.५०	८८३.५०
	Chinese	"	४४३.५०	४४३.५०	४४३.५०
	Indian Godrej Company	"	२८१२.००	२८१२.००	२८१२.००
	Brass		१२४३.००	१२४३.००	१२४३.००
	<b>Door Spring (Door Closer)</b>				
	Ordinary	गोटा	११४.००	११४.००	११४.००
	hydraulic	"	२०५९.५०	२०५९.५०	२०५९.५०
	Other Door/Windows fixtures				
	Window I-hook	गोटा	१८.००	१८.००	१८.००
	<b>Gate Hook</b>				
	4" Gate hook	गोटा	३४.९०	३४.९०	३४.९०
	5" Gate hook	"	३८.५०	३८.५०	३८.५०
	6" Gate hook	"	४६.५०	४६.५०	४६.५०
	Brass Gate hook		८२.५०	८२.५०	८२.५०
	<b>Door stopper</b>				
	Butterfly	"	११८.००	११८.००	११८.००

प्रभाग प्रधानमंत्री  
प्रधानमंत्री अधिकारी  
प्रधानमंत्री अधिकारी

८०/२३ ४/२५/२० ८८

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मुद्रक (VAT) वारेका		
			२०७६/७७	२०७९/८०	२०८०/८१
	Bell catch 2" size	"	२९५.५०	२९४.५०	२९२.५०
	C.P. handle	"	८५०.५०	८५०.५०	८५०.५०
	Power coated handle	"	८५६.५०	८५६.५०	८५६.५०
	Brass coated handle	"	९६५.५०	९६५.५०	९६५.५०
	Door stopper, single brass stopper	सेट	११०.००	११०.००	११०.००
	Door stopper double brass stopper	"	११२.५०	११२.५०	११२.५०
32	विविध सामग्रीहरू				
	Held fast different sizes (7 nos./Kg.)	के जी	१३०.००	१४२.००	१५५.००
	Nails (different sizes)	के जी	१२३.५०	१२९.००	१३०.००
	सालका काठको खाडान्न राल्ले पुराना तल्ला। पनि प्रयोग हुने।	घ.फि.	३९.१९	३९.१९	३९.१९
	कचाढी फलामे सामानहरूका बन्दरो धन, छिना आदि फलामे सामान।	के जी	२५.५०	२५.५०	२५.५०
	प्रयोग गर्ने तसकिङ पराना मेसीन-टाइपराइटर डीलीड मेसीन-डीलीड विट।	के जी	७१.१०	७१.१०	७१.१०
	Nut and Bolts (different sizes)	के जी	१०५.००	११२.००	१२२.००
	Sandpaper सामग्री	गोटा	५.५०	५.५०	५.५०
	विभिन्न साइजको जे-हुक, यु-हुक	के जी	१५०.००	१५०.००	१५०.००
	२" साइज सफिहा नेल्स	गोटा	०.५०	०.५०	०.५०
	३" साइज सफिहा नेल्स	"	११.००	११.००	११.००
	Screw Brass				
	20mm	गोटा	२.२०	२.२०	२.२०
	25mm	"	२.३०	२.३०	२.३०
	35mm	"	४.४०	४.४०	४.४०
	50mm	"	७.२०	७.२०	७.२०
	75mm	"	१५.२०	१५.२०	१५.२०
	Screw Steel				
	20mm	"	१.१०	१.१०	१.१०
	25mm	"	२.५०	२.५०	२.५०
	35mm	"	२.२०	२.२०	२.२०
	50mm	"	२.२०	२.२०	२.२०
	75mm	"	५.२०	५.२०	५.२०
	चिट्ठीन बासर	गोटा	१.३०	१.३०	१.३०
	Roofing bitumen (रुफिङ अल्काचा)	के जी	१०२.२०	१०२.२०	१०२.२०
	२०० ग्रेज प्लास्टिक सिट	घ.मी	१४.५०	१४.५०	१४.५०
	ISI Mark Trafelt (२०मी. x १मी.)	रोल	२०७९.२०	२०७९.२०	२०७९.२०
	Plasticfelt (२०मी. x १मी.)	"	२५४९.८०	२५४९.८०	२५४९.८०
	१८-२० फिट लामो बैंस	गोटा	२२४.५०	२२४.५०	२२४.५०
	मैन पालिस	के जी	२२६.५०	२२६.५०	२२६.५०
	अक्सलिक एमिड	"	१५८.५०	१५८.५०	१५८.५०

राष्ट्रिय रक्षण अभियान



सि.नं.	निर्माण सामग्रीहरूको विवरण विवरण मात्रा/मात्रा मात्रा/मात्रा	मूल्य (VAT) रुपैयाँ			
			२०७५/८०	२०७६/८०	२०७७/८१
	जुट वा पोलिविन को खाली चोरा	गोटा	११.००	११.००	११.००
	माटो दुवारी चाहेका	घ.मि.	२१४.००	२१४.००	२१४.००
	सब्योडमा राष्ट्रे माटो। In Capping layer Granular soil	घ.मि.	२९०.४०	२९०.४०	२९०.४०
	मुस	क्ल.जि.	३.२०	३.२०	३.२०
	गोचर	"	३.२०	३.२०	३.२०
	Staircase का 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	१०८.१०	१०८.१०	१०८.१०
	Staircase का 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१००.८०	१००.८०	१००.८०
	Tarpoline sheet  तारपोलिन सिट	घ.फि.	१.१०	१.१०	१.१०
	Water जारी				
	३ किमी सम्म को दूरीमा	लिटर	०.२०	०.२०	०.२०
	३ किमी दौस्त माथीको दूरीमा	लिटर	०.२४	०.२४	०.२४
33	स्टेनलेस स्टील पाइप (257/kg)				
	३ ४" व्यास माएको १६ गेज मोटाई	मी.	१९४.००	२०५.००	२२३.००
	१" व्यास माएको १६ गेज मोटाई	"	२४३.००	२५२.००	२६१.००
	१ १/४" व्यास माएको १६ गेज मोटाई	"	३०९.००	३१०.००	३१३.००
	१ १/२" व्यास माएको १६ गेज मोटाई	"	३०६.००	३१८.००	३२२.००
	२" व्यास माएको १६ गेज मोटाई	"	४०८.००	४२९.००	४४१.००
	स्टील रेलीइ steel Raling को चार लगाउन काथे २ इन्च पाइपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तरह Horizontal pipe।	र.फी.	११६८.००	११८८.००	११९८.००
34	मार्बल चिस्स				
	क। सेतो रामली मार्बल चिस्स २५ के जि. प्रति चोरा	चोरा	१३०.००	१३५.००	१३८.००
	ख। स्वीन मार्बल चिस्स २५ के जि. प्रति चोरा	"	१३०.००	१३८.००	१४०.००
	ग। कोर्डी मार्बल ३ वर्ग फिट प्रति चोरा	"	१८१.००	१९०.००	१९८.००
	घ। मार्बल पाउडर २५ के जि. प्रति चोरा	"	१४३.००	१५०.००	१५८.००
35	मार्बल (Marble)				
35.1	राजस्थानी मार्बल				
	१३ मी.मी चाकलो राजस्थानी	घ.फि.	१६०.००	१६५.००	१७०.००
	१६ मी.मी चाकलो राजस्थानी	"	१६५.००	१७०.००	१७५.००
35.2	ग्रेनाइट				
	१२ मी.मी चाकलो ग्रेनाइट	"	२५०.००	२६५.००	२८०.००
	१६ मी.मी चाकलो ग्रेनाइट	घ.फि.	२६५.००	२८०.००	२९५.००
	१९ मी.मी चाकलो ग्रेनाइट	घ.फि.	२६५.००	२८०.००	२९१.००
35.3	Kota Stone				
	1" thick	घ.फि.	१४५.००	१५५.००	१६०.००
	3/4" thick	घ.फि.	१३०.००	१४०.००	१४४.००

१०८/८० १०९/८० ११०/८१

१०८/८० १०९/८० ११०/८१



मुद्रक VAT ) वाल्युटा

सि.नं.	निर्माण सामग्रीहरूको विवरण		रुपये/रुपये		
			२०८०/८१	२०८१/८०	२०८०/८१
35.4	Sand stone ( for rubbing Marble )	गोटा	३५.००	३५.००	३५.००
36	Porcelain Glazed/Terrazzo Mosaic Tiles				
36.1	Porcelain Glazed Tiles				
	Porcelain Glazed Tiles	"	४०.००	४०.००	४०.००
	Ordinary floor and wall Tile	"	२५.००	२५.००	२५.००
	Border Tile : " x "	"	१५.००	१५.००	१५.००
	Ceramic Wall Tile (31*45cm)	"	१६०.००	१६०.००	१६०.००
	Ceramic Border Tile (31*45cm)	"	१८०.००	१८०.००	१८०.००
	Ceramic Floor Tile (31*45cm)	"	१२०.००	१२०.००	१२०.००
	Flooring tile GVT				
	24"X24" GVT	वर्षा	१५०.००	१५०.००	१५०.००
	24"X24" GRES Vitrified (Digital floor )	"	१४४.००	१४४.००	१४४.००
	12"X12" GRES homogenous Vitrified parking tile	"	१०६.००	१०६.००	१०६.००
	24"X24" Vitrified	"	११५.००	११५.००	११५.००
	Flooring tile				
	16"X16"	वर्षा	१५.००	१५.००	१५.००
	12"X12"	"	१५.००	१५.००	१५.००
	12"X12" (White/Ivory)	"	१५.००	१५.००	१५.००
	12"X24" (Wall)	"	१२५.००	१२५.००	१२५.००
36.2	12"X18" (Wall)	"	१०५.००	१०५.००	१०५.००
	Floors Tiles				
	Fittings for Tiles	"	१५.००	१५.००	१५.००
	Fittings for Tiles on stairs	"	१५.००	१५.००	१५.००
36.3	Dendrite for tiles	लि	१००.००	१००.००	१००.००
	FLOORING COATING				
	FINISH FLOORING (INCLUDED ALL FINISH)	वर्षा	२७५.००	२८५.५५	२८५.५५
	HEAT FLOORING (INCLUDED ALL FINISH)	"	२५५.००	२८५.५५	२८५.५५
	FLOORING (INCLUDED ALL FINISH)	"	२५५.००	२८५.५५	२८५.५५
	ACOUSTIC FLOORING	"	१५०.००	१५०.००	१५०.००
	SCRATCH FABRIC FALSE CEILING	"	२५०.००	२५०.००	२५०.००
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	१५.००	१५.००	१५.००
37	flooring 2mm thick all fitting work	"	१०५.००	१०५.५५	१०५.५५
	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete				

भाक्तपुर रजत  
प्राप्ति अधिकारी

सि.नं.	निमाण सामग्रीहरूको विवरण वा उत्तराधिकारीको नाम प्रभागमन मन्त्रालय	मुद्रक (VAT) बाटोका		
		२०७९/८०	२०८०/८१	२०८०/८१
a) POP Molding 1" to 1½"	र.मि	२३८.००	२२८.८८	२२३.००
b) Up to 5" wide	र.मि	२०५.००	२०२.९०	२०२.००
c) Up to 8" wide	र.मि	३६३.००	४९६.५८	४९९.००
37.1 d) Above 8" wide	र.मि	१६९.००	१०५.५५	१०५.००
टेक्सारोगनका सामानहरू				
(अ) कृषि चुनबाट उत्पादित मेता चुन	के.जि.	३२.००	३२.९०	३२.९०
(ख) विभिन्न प्रकारको रीगल चुन	"	४०.००	४२.४०	४२.४०
(ग) विभिन्न प्रकारको भारतीय चुन रीगल	"	४०.००	४२.४०	४२.४०
(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	१४.००	१८.००	१८.००
(ङ) सिमेन्ट प्राइमर सेतो	लिटर	१००.००	१०८.००	१०८.००
(छ) उड प्राइमर (Wood Primer)	लिटर	३०५.००	३४९.००	३४९.००
(ड) साधारण सेम्येटिक इलामेल पेन्ट	लिटर	५४४.००	५४२.००	५४२.००
(ज) कोहरेट्रह रफ Paint	"	१००.००	११२.००	११२.००
(क) तयारी अल्मीनियम पेन्ट	"	२६६.००	२६२.००	२६२.००
(ख) तयारी बानेस	"	७४०.००	८५५.००	८५५.००
(ट) तयारी बानेस सेम्येटिक	"	३०८.००	३४१.००	३४१.००
(ठ) भारतीय बिनर	"	११०.००	१३८.००	१३८.००
ड) उड एण्ड स्लास पूटिन	के.जि.	१२१.००	१३५.००	१३५.००
३) मेटल पूटिन	"	१४२.००	१५०.००	१५०.००
४) चुना पेन्ट गर्ने गहने गम	"	२१५.००	२१०.००	२१०.००
५) नेपाली धिनर	लिटर	११०.००	१२४.००	१२४.००
(६) तारोपिन तेल	"	१५०.००	१३१.००	१३१.००
(७) रेड ऑक्साइड पेन्ट (Red oxide Paint)	"	२३५.००	२३०.००	२३०.००
(८) उड प्रिजर्मेटिव पेन्ट	"	३००.००	३३६.००	३३६.००
(९) Black Japan Paint	"	२८६.००	२९५.००	२९५.००
(फ) रोम लिलक	के.जि.	१०.००	१०.००	१०.००
(ब) गोरु रंग	के.जि.	१३३.००	१४१.००	१४१.००
(म) चपा पार्लिस	के.जि.	१३००.००	१३२४.००	१३२४.००
(म) तयारी बासेबल डिस्ट्रेमर (Asian , Berger or equivalent)	लिट.	१२६.००	१३१.००	१३१.००
या तयारी इन्टरियर इम्प्रेसन पेन्ट (interior)	लिट.	१००.००	१४४.००	१४४.००
या तयारी बेस्ट्रोइट पेन्ट (exterior)	लिट.	६००.००	६४२.००	६४२.००
(र) Road Marking Paint	"	४०८.००	४२२.००	४२२.००
(ल) लिनसिड शायल (Linsed Oil)	"	२९५.००	२०१.००	२०१.००
(ब) स्वानीय स्प्राइट	लिट.	११५.००	१२१.००	१२१.००
(स) सोचिकल फाँचिकल	के.जि.	१००.००	१३१.००	१३१.००
(ष) Tata Red Oxide Paint	"	२३५.००	३०२.४०	३०२.४०
(ह) गटा चुन (इण्डीयन)	"	१४.००	३८.००	३८.००
(च) Wall putty equivalent	के.जि.	१०.००	१०.००	१०.००



मुद्रक (VAT) चालक क.

सि.नं.	निर्माण सामग्रीहरूको विवरण	वार्षिक कार्यविनापन बजार	मुद्रक (VAT) चालक क.		
			२०७८/७९	२०७९/८०	२०८०/८१
	1. Plaster of Parish (POP)	के.वि.	५३.००	५३.००	५३.००
	wood keeper (chapara type )	लि.	५००.००	५००.००	५००.००
	Redoxide zink cromate primer For Bridge	लि.	१५५.००	१५५.००	१५५.००
	Silk Breathless easy	लि.	१२९६.००	१३१६.००	१३१६.००
	Road divider ( polythene )	गारा	१८१२.००	१८६०.००	१८६०.००
	Dust bin ( polythene ) 165 ltr	गारा	१०५६.००	११५६.००	११५६.००
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	१३०८.००	१३८४.८४	१३८४.८४
	2mm Epoxy Floor coating with Ultrafresh -OPD ( 4layer & 5 component	व.मी.	१०८८.००	११०५.९२	११०५.९२
	2mm Epoxy Antistatic-Floor coating for OT( 4 layer & 9 component	"	३५८८.००	३९०९.८८	३९०९.८८
37.2	Epoxy Paint for Operation theater	"	११२०९.००	१२११९.४४	१२११९.४४
<b>A</b>	<b>Decorative Painting Material</b>				
1	<b>Specialized paints</b>				
2	Anti bacterial Hospital Paint	लिटर	१०८९.००	१०८९.००	१०८९.००
<b>B</b>	<b>Anti carbonisation paint</b>	"	५६२.००	५६२.००	५६२.००
1	<b>Texture paints</b>				
2	Mediterrane	के.वि.	१३१.००	१३१.००	१३१.००
3	Stucco Veneziano	"	१५३९.०९	१५३९.०९	१५३९.०९
4	Velvetino	"	१३०९.६९	१३०९.६९	१३०९.६९
5	Travertino	"	१९९.०६	१९९.०६	१९९.०६
6	Stone plaster	"	१११.००	१११.००	१११.००
7	Colorata (Multi color)	"	१११.००	१११.००	१११.००
8	Pearl skin texture	"	१११.००	१११.००	१११.००
9	TS 52 Spey white	"	१११.००	१११.००	१११.००
10	Rustic	"	१११.००	१११.००	१११.००
11	Ruckart	लिटर	१११.००	१११.००	१११.००
12	Manhattan	के.वि.	१११.००	१११.००	१११.००
13	Sabbia	"	१११.००	१११.००	१११.००
14	Sandy Stone	"	१११.००	१११.००	१११.००
15	Insulplast	"	१११.००	१११.००	१११.००
16	Poly Under White	"	१११.००	१११.००	१११.००
17	Antica(Top coat)	"	१११६.००	१११६.००	१११६.००
18	T.C 100(Top coat)	"	१११६.००	१११६.००	१११६.००
19	Dekurica White	"	१११९.००	१११९.००	१११९.००
20	Poly Plaster	"	१११.००	१११.००	१११.००
21	Granite tone	"	१११.००	१११.००	१११.००
22	Graffato	"	१११.००	१११.००	१११.००
23	Elligance stone	"	१११.००	१११.००	१११.००
24	Marmorino Base	के.वि.	१११.००	१११.००	१११.००
25	Acro fine	लिटर	१११.००	१११.००	१११.००
26	Marmocastro/base	के.वि.	१११.००	१११.००	१११.००
27	Selva Granite	"	१११.००	१११.००	१११.००
<b>C</b>	<b>Romart</b>	"	१११.००	१११.००	१११.००
<b>D</b>	<b>Weathercoat paints</b>				
2	Guard	लिटर	१०१.००	१०१.००	१०१.००

प्रभाग अधिकारी  
जिल्ला अधिकारी

सि.न.	निम्नांग सामग्रीहरुको विवरण	प्राप्ति क्रमांक	प्राप्ति VAT ) राशिकरण		
			२०८०/८१	२०८१/८०	२०८०/८१
3	Guard -3x	"	१५६.००	१५६.००	५००.००
4	Shield	"	३२१.००	३२१.००	११२.००
5	Acrotex matt	"	४९०.००	४९०.००	१५२.००
D	Ext wall Primer	"	२३६.००	२३६.००	७८९.००
1	Emulsion Paints				
2	silk Emulsion paints	"	१२५.००	१२५.००	४१५.००
3	Aqualin Int.Emulsion	"	७८०.००	७८०.००	२६०.००
4	pearl Emulsion paints	"	३३९.००	३३९.००	१०६.००
E	int. wall Primer	"	१३२.००	१३२.००	४३२.००
F	Acrylic Washable Distemper	"	१७८.००	१७८.००	५१८.००
G	Aero gold Enamel	"	१९७.००	१९७.००	६९१.००
H	Universal primer ( wood primer)	"	११३.००	११३.००	३७९.००
I	Red oxide metal primer	"	१.०५.००	१.०५.००	३५२.००
	Construction Chemical / waterproof coating system				
	crack sill	"	३५०.००	३५०.००	१००.००
J	crack fill A+B	"	१००.००	१००.००	३३१.००
	Silicon Bases water repellent impregnation				
	Acropreg	"	१८६.००	१८६.००	६८०.००
	Acropreg W	"	६९९.००	६९९.००	२१९.००
37.3	Wall putty	* के.वि	२९.००	२९.००	१०.००
1	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1.1	Aero Spinezia maestro finishes texture				
1.2	Mediterrano texture	ब.फि	१५८.००	१५८.००	५२६.००
1.3	Travertino texture	"	१९५.००	१९५.००	६४५.००
1.4	Velvetino texture	"	१६०.००	१६०.००	५६०.००
1.5	Gtone plaster and Colorato texture(Multicolour texture)	"	१११.००	१११.००	३३३.००
1.6	Stucco veneziano texture	"	११०.००	११०.००	३६०.००
1.7	Pearl skin texture	"	१२०.००	१२०.००	३६०.००
2	Marmorino texture	"	११५.००	११५.००	३४५.००
2.1	Aero texture				
2.2	Aero spray flat/Aero spray dews texture	ब.फि	११.००	११.००	३६.००
2.3	Featherglow/Royal touch/Superfine/Ceratex texture	"	११.००	११.००	३६.००
2.4	Rustic texture	"	११.००	११.००	३६.००
2.5	Rockart texture	"	११.००	११.००	३६.००
2.6	Graffiato texture	"	१०३.००	१०३.००	३४९.००
2.7	Marmocastro texture	"	१०.००	१०.००	३०.००
2.8	Marmoplast texture	"	१०.००	१०.००	३०.००
2.9	Sabbia texture	"	११७.००	११७.००	३७१.००

बहुमत दिए  
लिखा अस्ति



सि.न.	निर्माण सामग्रीहरूको विवरण	प.व.क. (VAT) यात्रा		
		२०८५/८६	२०८६/८७	२०८७/८८
2.10	Manhattan texture	"	११२.००	११२.००
2.11	Sandy stone texture	"	१२४.००	१२४.००
2.12	Selva Granite texture	"	११५.००	११५.००
2.13	Elligance stone texture	"	१०२.००	१०२.००
2.14	Granite tone texture	"	१५.००	१५.००
2.15	Romaart texture	"	१२४.००	१२४.००
3	Insulplast texture	"	१३५.००	१३५.००
4	Aero Bio-guard (Hospital Paint)	"	२४.००	२४.००
1	Aero Ellastocarb(anti carbonisation paint)	"	३८.००	३८.००
<b>EXTERIOR SURFACE</b>				
<b>WEATHERCOAT PAINTS</b>				
3.	ACROSHIELD	"	१०.००	१०.००
<b>INTERIOR SURFACE EMULSION PAINTS</b>				
1.	EMULSION PAINTS	"	१५.००	१५.००
2.	WASHABLE DISTEMPER	"	११.००	११.००
3.	ENAMEL PAINTS	"	१५.००	१५.००
1	<b>Expansion joint</b>			
2	Horizontal Area fixing clips affixed aluminium joint covers	RM	१२८२०.००	१२८२०.००
3	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers	RM	१२८०५.००	१२८०५.००
4	Extruded Aluminium Joint Covers	RM	१४९३५.००	१४९३५.००
5	Folded Joint Covers	RM	१६०२५.००	१६०२५.००
6	Vertical Joints Standard and Seismic interior use	RM	१२९१०.००	१२९१०.००
7	Vertical Joints Exterior use	RM	१३१०.००	१३१०.००
8	Vertical Joints	RM	१६१०.००	१६१०.००
9	Suspended Ceiling Joints	RM	११२५०.००	११२५०.००
10	Floor Joint	RM	२१११५.००	२१११५.००
11	CAR Park Joint	RM	१५१६०.००	१५१६०.००
12	CAR Park Joint standard loads (40 to 70mm)	RM	२११३०.००	२११३०.००
13	BED Affixed Control Joints	RM	१२३०.००	१२३०.००
14	Adhesive Affixed Control Joints	RM	१२४४.००	१२४४.००
38	Stair Nosing	RM	१०४५.००	१०४५.००
<b>Wall Paper</b>				
	Wall paper (10m.x 0.53m)	रील	१२३५.००	१२३५.००
	Fittings for wall paper	व.फि	५.००	५.००
39	White glue for wall paper	लि	१०५.००	१०५.००
<b>Eradication of peepal &amp; other plants</b>				
a)	Stem up to 1" thickness	गोटा		
b)	Stem up to 1"-2" thickness	"		
c)	Stem up to 2"-3" thickness	"		



राजा

सि.नं.	निर्माण सामग्रीहरूको विवरण	मा.वा.का (VAT) मालेक रु.	२०८०/८१	२०८१/८०	२०८०/८१
			२०८०/८१	२०८१/८०	२०८०/८१
40	d) Stem up to 3" - 4" thickness				
40.1	<b>Gypsum board</b>				
	Supplying and fixing of Thai gypsum board application work				
	i) फल्स बिल्ड गर्ने	त्र.फि			
	ii) Water resistant false ceiling	..			
	iii) Wall partition	..	११९.००	११९.००	११९.००
	iv) Wall paneling	..	३६.००	३६.००	३६.००
	v) Metalized polished laminated Board (MPL) board	..	३६.००	३६.००	३६.००
41	12.5mm thick Gypsum Board False ceiling including all necessary material	..	३०.००	३०.००	३०.००
	<b>Solid Infill wall</b>				
41.4	Solid infill wall 3" with EPS AND Foam concrete	मी	१३९१.००	१३९१.००	१३९१.००
	Solid Infill wall				
41.5	Solid infill wall 3"	मी	१३३०.००	१३३०.००	१३३०.००
	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr				
42	Solid infill wall 50mm	मी	३७८८.००	३७८८.००	३७८८.००
	<b>Interlocking Cement Concrete Block( Not less than M20 RCC Block )</b>				
	(a) Curb stone M15		१०००.००	१०००.००	१०००.००
	(b) Curb stone ( M 20 )	रि	१२००.००	१२००.००	१२००.००
	<b>25 mm thick C.C. Tile (Grey color)</b>				
	Burfi , Round , Boby Checker	Sqft	४४.७०	४४.७०	४४.७०
	<b>25 mm thick C.C. Tile (Red color)</b>				
	Burfi , Round , Boby Checker	Sqft	४५.४०	४५.४०	४५.४०
	<b>50 mm thick CC Block (Grey color)</b>				
	Cosmix , Hexagon , Threexhex , Royal tone Interlock , I-Interlock	Sqft	११.४४	११.४४	११.४४
	<b>50 mm thick CC Block (Red color)</b>				
	Cosmix , Hexagon , Threexhex , Royal tone Interlock , I-Interlock	Sqft	११.४०	११.४०	११.४०
	<b>60 mm thick CC Block (Grey color)</b>				
	Cosmix , Hexagon , Threexhex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	११.४४	११.४४	११.४४
	<b>60 mm thick CC Block (Red color)</b>				
	Cosmix , Hexagon , Threexhex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	११.४४	११.४४	११.४४
	<b>70 mm thick CC Block (Red color)</b>				

निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण		मुद्रा (VAT) याहेक रु.		
			२०८०/८१	२०७९/८०	२०८०/८१
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५४.०२	५४.०२	५४.०२
	60 mm thick CC Block ( OEM or equivalent )				
	Brick type (23*11*6cm)non colour	Nos	१०.२०	१०.२०	१०.२०
	Hexagon (22*22 cm) non colour	..	२४.९२	२४.९२	२४.९२
	Hexagon (22*22 cm) colour		२६.९२	२६.९२	२६.९२
	Squire paver (30*30*4.5cm)non colour	..	३१.५०	३१.५०	३१.५०
	Squire paver (30*30*4.5cm)colour		४१.००	३१.००	३१.००
	inter block(24*13*6cm)	..	१४.००	१४.००	१४.००
	Isave paver (20*16*6cm)	..	१५.८०	१५.८०	१५.८०
	<b>supply of concrete Block different items</b>				
	Hollow Block ( 16**8**6")	Nos	८१.१०	८१.१०	८१.१०
	Hollow Block ( 16**8**4")	..	२२.४४	२२.४४	२२.४४
	Corner Hollow Block ( 16**8**6")	..	१३.४४	१३.४४	१३.४४
	Lintel Block ( 16**8**6")	..	१३.४४	१३.४४	१३.४४
	Pavers Block ( fish or other shape ) 60mm thick	..	२१.००	२१.००	२१.००
	concrete Brick ( 9**4**2.5")	..	११.५२	११.५२	११.५२
<i>C</i>	<b>CONCRETE PAVING BLOCKS (M35 Grade)</b>				
	Bebaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness,	व.मी.		२२९९.००	२२९९.००
	Bebaton Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.		२९६५.००	२९६५.००
	Bebaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी.		३४१९.००	३४१९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		१०२६.००	१०२६.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२२२३.००	२२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२२०९.००	२२०९.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		११२०.००	११२०.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२४३८.००	२४३८.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी.		२२२८.००	२२२८.००
	Half Battered Kerb Stone with Compressive Strength M25 or Above	व.मी.		१६६८.००	१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	व.मी.		११३८.००	११३८.००



मुद्रक (VAT) वारंक नं.

सं. नं.	निर्माण सामग्रीहरुको विवरण		२०८०/८१	२०८१/८०	२०८०/८१
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above, 40MM Thickness	ब. मी		१९३६.००	१९३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above, 40MM Thickness	ब. मी		१९३७.००	१९३७.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above, 40MM Thickness	ब. मी		१९३८.००	१९३८.००
५	<b>CONCRETE PAVING BLOCKS</b>				
	Beton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above, 80MM Thickness. Dimension: 200mmx165mmx80mm	ब. मी		२०८०.००	२०८०.००
	Beton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above, 80MM Thickness. Dimension: 200mmx165mmx80mm	ब. मी		२१९२.००	२१९२.००
	Beton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above, 80MM Thickness. Dimension: 200mmx165mmx80mm	ब. मी		२४२५.००	२४२५.००
	Beton Interlock I Pavers Grey Color with compressive strength M35 or above, Thickness: 50mm. Dimension: 200*165*50	ब. मी.		१५२५.४४	१५२५.४४
	Beton Interlock I Pavers Single Color with compressive strength M35 or above, Thickness: 50mm. Dimension: 200*165*50	ब. मी.		१९८९.७७	१९८९.७७
	Beton Interlock I Pavers Blended Color with compressive strength M35 or above, Thickness: 50mm. Dimension: 200*165*50	ब. मी.		२०९८.७०	२०९८.७०
	Beton Interlock I Pavers Grey Color with compressive strength M40 or above, Thickness: 80mm. Dimension: 200*165*80	ब. मी.		२०८०.००	२०८०.००
	Beton Interlock I Pavers Single Color with compressive strength M40 or above, Thickness: 80mm. Dimension: 200*165*80	ब. मी.		२३२९.००	२३२९.००
	Beton Interlock I Pavers Blended Color with compressive strength M40 or above, Thickness: 80mm. Dimension: 200*165*80	ब. मी.		२४९८.००	२४९८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above, Thickness: 50mm. Dimension: 226*200*50	ब. मी.		१२२१.१०	१२२१.१०
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above, Thickness: 50mm. Dimension: 226*200*50	ब. मी.		१५०१.६०	१५०१.६०
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above, Thickness: 50mm. Dimension: 226*200*50	ब. मी.		१६८२.७५	१६८२.७५
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above, 80MM Thickness. Dimension: 226mmx200mmx80mm	ब. मी.		१८४८.००	१८४८.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above, 80MM Thickness. Dimension: 226mmx200mmx80mm	ब. मी.		२०९४.००	२०९४.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above, 80MM Thickness. Dimension: 226mmx200mmx80mm	ब. मी.		२०९५.००	२०९५.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above, Thickness: 60mm. Dimension: 226*200*60	ब. मी.		१३२४.००	१३२४.००



मुद्रक (NAT) बाहेक (रु.)

सि.नं.	निर्माण सामग्रीहरूको विवरण	वा.मी.	मुद्रक (NAT) बाहेक (रु.)		
			२०८०/८१	२०८१/८०	२०८०/८१
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 226*200*60	वा.मी.		१४९०.००	१५९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 226*200*60	वा.मी.		१२७०.००	१२७०.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm. Dimension: 226*200*70	वा.मी.		१५४०.३४	१५४०.३४
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm. Dimension: 226*200*70	वा.मी.		१९४८.८८	१९४८.८८
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm. Dimension: 226*200*70	वा.मी.		२२२७.६७	२२२७.६७
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	वा.मी.		१००५.००	१००५.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	वा.मी.		१२१५.००	१२१५.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	वा.मी.		१३९८.००	१३९८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 226*200*80	वा.मी.		१८४८.००	१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 226*200*80	वा.मी.		२०१४.००	२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 226*200*80	वा.मी.		२०३९.००	२०३९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 225*112.5*80	वा.मी.		२०२१.००	२०२१.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 225*112.5*80	वा.मी.		२२४९.००	२२४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 225*112.5*80	वा.मी.		२४२९.००	२४२९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm. Dimension: 225*112.5*100	वा.मी.		२९६६.००	२९६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm. Dimension: 225*112.5*100	वा.मी.		३०२९.००	३०२९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm. Dimension: 225*112.5*100	वा.मी.		३३१९.००	३३१९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm. Dimension: 225*112.5*120	वा.मी.		३६४६.४४	३६४६.४४
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm. Dimension: 225*112.5*120	वा.मी.		४०३३.४९	४०३३.४९

सि.नं.	गिर्माण सामग्रीहरुको विवरण		म.व.क. (VAT) जारीका		
			२०७९/८०	२०८०/८१	२०८१/८२
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	ब.मी.		५६५५.९९	५४३३.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	ब.मी.		१९५४.००	१८५४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	ब.मी.		२२३५.००	२१३५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	ब.मी.		२८६४.००	२७६४.००
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	ब.मी.		३८२९.००	३६२९.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	ब.मी.		४२२३.००	४१२३.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100	ब.मी.		४७१८.००	४६१८.००
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	ब.मी.		१६९८.००	१६१४.००
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	ब.मी.		१३८२.००	१३६२.००
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	ब.मी.		१५३०.००	१५१०.००
	Romba 3D interlock Pavers: Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*173 *60	ब.मी.		१३१८.००	१२९८.००
	Romba 3D interlock Pavers: Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*173 *60	ब.मी.		१३८२.००	१३६२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*173 *60	ब.मी.		१६३९.००	१६१९.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60	ब.मी.		१४६०.००	१४४०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60	ब.मी.		१००६.००	९८०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60	ब.मी.		१४०२.००	१३८२.००
	Square Interlock Pavers with compressive strength M30 or above. Thickness: 50mm, Dimension: 200*200*50	ब.मी.		१३०६.६८	१२८२.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 200*200*50	ब.मी.		२२४९.५९	२२१९.५९
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 240*200*50	ब.मी.		२४४९.५९	२४१९.५९

प्रभागीय अधिकारी  
अधिकारी

१०० २०१ २०१ २०१ २०१ २०१



मुद्रण (VAT) वारेक न.

सि.नं.	गिर्माण सामग्रीहरुको विवरण	प्राप्ति एकाइ	मात्रा	२०७८/७९	२०७९/८०	२०८०/८१
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१५६५.००	१५६५.००	
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		२०५०.००	२०५०.००	
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		२३१०.००	२३१०.००	
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 100*100*60	व. मी.		१७१०.००	१७१०.००	
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 100*100*60	व. मी.		२०२२.००	२०२२.००	
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 100*100*60	व. मी.		२३३३.००	२३३३.००	
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१५९०.००	१५९०.००	
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१६८९.००	१६८९.००	
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१६६६.००	१६६६.००	
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१२३०.००	१२३०.००	
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१३४९.००	१३४९.००	
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension: 200*200*60	व. मी.		१५१६.००	१५१६.००	
	<b>CONCRETE PAVING TILES</b>					०.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm. Dimension: 400*400*40. Tolerance/others: ± 1mm Variance in thickness. Proper Interlock Grooves & Pigment Color. Water absorption <6%)	व. मी.		१२५१.००	१२५१.००	
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm. Dimension: 400*400*40. Tolerance/others: ± 1mm Variance in thickness. Proper Interlock Grooves & Pigment Color. Water absorption <6%)	व. मी.		१२०५.००	१२०५.००	
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm. Dimension: 400*400*40. Tolerance/others: ± 1mm Variance in thickness. Proper Interlock Grooves & Pigment Color. Water absorption <6%)	व. मी.		१२०५.००	१२०५.००	
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm. Dimension: 400*400*60. Tolerance/others: ± 1mm Variance in thickness. Proper Interlock Grooves & Pigment Color. Water absorption <6%)	व. मी.		२५२५.५५	२५२५.५५	

म.व.क. (VAT) वालिक (इ.)

सि.न.	निर्माण सामग्रीहरुको विवरण	प्रक्रिया उत्तराधिकारी भवानीनगर भवानीनगर	दिनांक २०७८/७९	२०७९/८०	२०८०/८१
	Matrix Slab : Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 480*400*60. Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी		८९३५.२३	८९३५.२३
	Matrix Slab : Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 400*400*60. Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी		६२६२.०९	६२६२.०९
	<b>CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS</b>				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा		२०.००	२०.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा		२२.५०	२२.५०
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा		१२७.००	१२७.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	गोटा		१८०.००	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	गोटा		१०८.००	१०८.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	गोटा		१२४.००	१२४.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	गोटा		८२.००	८२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	गोटा		१०४.००	१०४.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा		५८.००	५८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा		५९.००	५९.००
	<b>CONCRETE PAVING BLOCKS</b>				
	Hexagonal Interlocking Pavings Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 220*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी		१२८५.००	१२८५.००

बाह्य वित्तीय अधिकारी  
प्रमुख वित्तीय अधिकारी



मुद्रक (VAT) वारंगल

सि.नं.	निम्नांकित सामग्रीहरूको विवरण	वारंगल कार्यालय मन्त्रालय भास्कर	२०७५/७६	२०७६/७७	२०७७/७८
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, n, Dimension:226*200*70, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१०३८.००	१०१८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१०३९.००	१०१९.००
	Bebaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१२३२.००	१२३२.००
	Bebaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१२३०.००	१२३०.००
	Bebaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१२३१.००	१२३१.००
	Zigzag Interlock Pavers "Grey Color" with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२०२१.००	२०२१.००
	Zigzag Interlock Pavers "Single Color" with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२०२२.००	२०२२.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२०२३.००	२०२३.००
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.		२४०१.००	२४०१.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.		२४०२.००	२४०२.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.		२४०३.००	२४०३.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:- 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१३४१.००	१३४१.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.		१३४२.००	१३४२.००

गोपनीय  
मिशन अधिकारी

२१३.

२१४.

२१५.

मुद्रक VAT ) वार्ता क्र.

सि.नं.	निर्माण सामग्रीहरूको विवरण	प्राप्ति प्रति वर्ष वर्षान्तर मतलब	२०७९/८०	२०८०/८१
	<b>CONCRETE PAVING TILES</b>			
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40. Tolerance/others: ± 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व. मी.	१४८९.००	१४८९.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40. Tolerance/others: ± 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व. मी.	१५९८.००	१५९८.००
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40. Tolerance/others: ± 1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व. मी.	१६०३.००	१६०३.००
	<b>CONCRETE KERB-STONES</b>			
	Half Battered Kerb Stone with Compressive Strength M15, 200mm Thickness- Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३५.००	३५.००
	Half battered Kerbstone Grey Color with compressive strength M20, Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	३५३.८०	३५३.८०
	Half battered Kerbstone Grey Color with compressive strength M25, Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	र.फि.	४०९.००	४०९.००
	Half battered Kerbstone Grey Color with compressive strength M15, (Specification: Thickness: 165mm, Dimension: 300*165*325, Tolerance/others: ± 1.5 mm Variance in height)	र.फि.	४३८.००	४३८.००
	Half battered Kerbstone Grey Color with compressive strength M20, (Thickness: Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	४८९.००	४८९.००
	Half battered Kerbstone Grey Color with compressive strength M25, Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH)	र.फि.	५३०.००	५३०.००
	Half battered Kerbstone Grey Color with compressive strength M15, (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ± 1.5 mm Variance in height)	र.फि.	३२०.००	३२०.००
	Half battered Kerbstone Grey Color with compressive strength M20, (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ± 1.5 mm Variance in height)	र.फि.	३५३.००	३५३.००
	Half battered Kerbstone Grey Color with compressive strength M25, (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ± 1.5 mm Variance in height)	र.फि.	३७९.००	३७९.००
	Half battered Kerbstone Grey Color with compressive strength M15, Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	६४९.००	६४९.००
	Half battered Kerbstone Grey Color with compressive strength M20, Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	८५२.००	८५२.००
	Half battered Kerbstone Grey Color with compressive strength M25, Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	११३.००	११३.००

अधिकारी (रजिस्टर)



मुद्रक (M.A.T) वारेक (८)

सि.न.	निम्नांक सामग्रीहरुको विवरण	रुपय (रु.)	रुपय (रु.)	रुपय (रु.)
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 20mm, Dimension: 300*200*350 (LxBxH)	रु. कि	१५.००	१५.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 20mm, Dimension: 300*200*350 (LxBxH)	रु. कि	१७९.००	१७९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 20mm, Dimension: 300*200*350 (LxBxH)	रु. कि	२३३.००	२३३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 20mm, Dimension: 200*350*300, Tolerance/others: ± 1.5 mm Variance in height)	रु. कि	३१९.००	३१९.००
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 20mm, Dimension: 200*350*300, Tolerance/others: ± 1.5 mm Variance in height)	रु. कि	४१९.००	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 20mm, Dimension: 200*350*300, Tolerance/others: ± 1.5 mm Variance in height)	रु. कि	४६८.००	४६८.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	रु. मी	१०३५.००	१०३५.००
	EPS-C(Expanded polystyreneconcrete) Block			
१	EPS-C Blocks 24"x4"x8" (LxBxH)	रु. पटा	१४६.००	१४६.००
२	EPS-C Blocks 24"x6"x8" (LxBxH)	रु. पटा	२५६.००	२५६.००
३	EPS-C Blocks 24"x8"x8" (LxBxH)	रु. पटा	२८८.००	२८८.००
43	चानासा टाइलको बुझ काटने र पानी पढ्नी काम			
	१.४ भागको प्रिथ्वीको सिङ्गेन्ट मस्ता तथार गर्न खट गाउँ १ वाल्लो लाल्लारमा लाफड टाइलको बुझ काटने मायान सहित	रु. मी		८८४.००
	१.५ साइजलो १.३ भागको प्रिथ्वीको मस्ता तथार गर्न खट गाउँ वाप्तिको पानी पढ्नी चानासा काम	रु. मी		३५.००
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting			
	i) Heritage granular	रु. कि	१००.००	१००.००
	ii) Heritage flakes	रु. कि	१२६.००	१२६.००
	iii) Heritage granite finish	रु. कि	१०८.००	१०८.००
	iv) Heritage Top coat (plastic lamination)	रु. कि	१८.००	१८.००
45	UPVC Profile Door and Window/ Wall partition			
	Supplying and installation of UPVC Profile Sliding window frame 60*80mm; sash 58*35mm, Sliding Door frame 52*88; sash 80*42. Casement window frame 60*60mm;sash 60*78mm. Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.			

गणपत्राद रिपोर्ट  
मन्त्रालय अधिकारी

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मुद्रा (VAT) वालेक रु.		
			२०७९/८०	२०७९/८०	२०८०/८१
	UPVC को भयाल, दोका तथा wall partition का निर्माण सामग्रीहरू				
	<b>i) Single glazing</b>				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	३५९५.००	४२९५.००	३९९५.००
2	UPVC Sliding window without net (frame 60*60 mm, sash 68*42 mm, white colour with 5mm glass)	"	५६६४.००	६२६४.००	५८६४.००
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	३४९३.००	४१९३.००	३४९३.००
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	"	३४९३.००	४१९३.००	३४९३.००
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८२१६.००	९२१६.००	८२१६.००
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	"	८२१६.००	९२१६.००	८२१६.००
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	"	८८८१.००	९८८१.००	८८८१.००
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	"	८८८१.००	९८८१.००	८८८१.००
9	UPVC Sliding Door without net (frame 60*60 mm, sash 68*42 mm, white colour with 5mm glass)	"	८१०५.००	९१०५.००	८१०५.००
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	"	९९९९.००	११९९९.००	११९९९.००
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannel	Sqm	५६०६.००	६२०६.००	५६०६.००
11	UPVC 60x64mm white colour casement window with 5mm glass pannel	"	१११६.००	१२१६.००	१११६.००
12	UPVC 110x64mm x9mm thick board and 5mm thick glass pannel white colour	"	१०१११.००	१११११.००	१०१११.००
12	UPVC 60x60mm x9mm thick white colour partition board with 5mm glass	"	१०१११.००	१११११.००	१०१११.००
13	UPVC 60x60mm white colour swing door with 5mm glass pannel	"	५६०६.००	६२०६.००	५६०६.००
	<b>ii) Double glazing</b>				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	९१३९.००	१०१३९.००	९१३९.००
2	UPVC Sliding window without net (frame 60*60 mm, sash 68*42 mm, white colour with 5mm double glass)	"	५६३९.००	६२३९.००	५६३९.००
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	१११५.००	१२१५.००	१११५.००
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	"	१११५.००	१२१५.००	१११५.००
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०४४९.००	११४४९.००	१०४४९.००
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	"	१०४४९.००	११४४९.००	१०४४९.००
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	"	१११०९.००	१२१०९.००	१११०९.००
8	UPVC Sliding Door without net (frame 60*60 mm, sash 68*42 mm, white colour with 5mm double glass)	"	१०८४९.००	११८४९.००	१०८४९.००
9	Supply & fixing of 80*50 mm white colour casement window	"	१११९.००	१२१९.००	१११९.००
	Prefab Panel for wall Partition solid wall panel				


राजत  
सिसी

सि.न.	निर्माण सामग्रीहरुको विवरण		न.व.क (VAT) लागेक न.		
			२०७८/७९	२०७९/८०	२०८०/८१
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum, everst solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partition wall all complete				
	a) 40 mm thick				
	b) 50 mm thick		१३५.००	१३५.००	१३५.००
	c) 75 mm thick	Sq.m.	२०५.००	२०५.००	२०५.००
46.2	<b>False ceiling/ partition/ external cladding</b>				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	१५.००	१३.००	१३.००
	Supplying, making, fixing of 70mm thick exterior with full height of partition with cement board	Sqft	१३५.००	१३५.००	१३५.००
	Supplying, making, fixing of 65mm thick exterior with full height of partition with cement board	Sqft	१४४.००	१४४.००	१४४.००
	Supplying, making, fixing of 91mm thick exterior with full height of partition with cement board	Sqft	३९९.००	३९९.००	३९९.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	Sqft	१३६.००	१३६.००	१३६.००
	Supplying, making, fixing of 50mm thick full height of partition with wall panels	Sqft	२५०.००	२५०.००	२५०.००
	Supplying, making, fixing of 75mm thick full height of partition with wall panels	Sqft	२८८.००	२८८.००	२८८.००
46.3	6 mm thick Flex-O-Board (Water proof cement board) 6mm thick for false ceiling	Sqft			
46.4	Cement board				
	6 mm thick	Sqft	३४.००	३४.००	३४.००
	8 mm thick	Sqft	४२.००	४२.००	४२.००
	10 mm thick	Sqft	५३.००	५३.००	५३.००
	12 mm thick	Sqft	६५.००	६५.००	६५.००
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	३५३.००	३५३.००	३५३.००

प्रमाणित जिल्ला अधिकारी

सि.न.	निम्नांग सामग्रीहरुको विवरण निम्नांग सामग्रीहरुको विवरण निम्नांग सामग्रीहरुको विवरण	प्रकार	मूल्य (VAT) बाटोका		
			२०७८/७९	२०७९/८०	२०८०/८१
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५४४.००	५४४.००	५४४.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	५४४.००	५४४.००	५४४.००
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work Everest or equivalent	Sqft	१११.००	१११.००	१११.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m <sup>3</sup> ) Everest or equivalent				
	50 mm thick	Sqft	२६३.००	२६३.००	२६३.००
	75 mm thick	Sqft	३४३.००	३४३.००	३४३.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	१६१.००	१६१.००	१६१.००
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८५.००	२८५.००	२८५.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	२८०.००	२८०.००	२८०.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	३११.००	३११.००	३११.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M S frame system for design load) confirming to IS 14862 : 2000	Sqft	३११.००	३११.००	३११.००
47	Aluminium & Steel Door & Window				
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				

आवास प्रयोजन अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण		मुद्रक (VAT) जारीक (र.)		
			२०८०/८१	२०८१/८०	२०८२/८१
	Aluminum fixed panel window without ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	५७५	४१९.३०	४१९.३०	४१९.३०
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	१५८.८६	१५८.८६	१५८.८६
	Aluminum sliding windows without	"	२२४.८१	२२४.८१	२२४.८१
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	५९२.९५	५९२.९५	५९२.९५
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	५८४.८०	५८४.८०	५८४.८०
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	८७०.२४	८७०.२४	८७०.२४
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	१५०.१४	१५०.१४	१५०.१४
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	२२९.३९	२२९.३९	२२९.३९
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	१३४.००	१३४.००	१३४.००
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	५७८.११	५७८.११	५७८.११
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	५८८.११	५८८.११	५८८.११
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	१०८.३१	१०८.३१	१०८.३१
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	१०८.५७	१०८.५७	१०८.५७
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	१०८.००	१०८.००	१०८.००
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101×45×1.2)	"	१०८.००	१०८.००	१०८.००

प्रधानमंत्री राजल  
अधिकारी

सं. नं.	गिर्वाण सामग्रीहरूको विवरण		मुद्रा का (VAT) बाटक रु.		
			२०७८/७९	२०७९/८०	२०८०/८१
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	₹ 36.38	₹ 36.38	₹ 36.38
	दुड़ लीन पैनल भएको स्लाइटिङ क्षयाल = २X२०X१.२० मी.मी. लिंगा ५ मी.मी. सेपल साथा	"	₹ 29.८५	₹ 29.८५	₹ 29.८५
	दुड़ लीन पैनल भएको स्लाइटिङ क्षयाल = २X२०X१.२० मी.मी. लिंगा ५ मी.मी. जाती खापा सेपल भएको ।	"	₹ 32.०९	₹ 32.०९	₹ 32.०९
	दुड़ लीन पैनल भएको स्लाइटिङ क्षयाल किलो मेर्नीलेसन भएको = २X२०X१.२० मी.मी. लिंगा ५ मी.मी. भित्ति खादा ।	"	₹ 46.०९	₹ 46.०९	₹ 46.०९
	दुड़ लीन पैनल भएको स्लाइटिङ क्षयाल किलो क.प.खेल्लन भएको = २X२०X१.२० मी.मी. लिंगा ५ मी.मी. जाती खापा सेपल भएको ।	"	₹ 29.८५	₹ 29.८५	₹ 29.८५
	<b>102 series windows</b>				
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	श. फि.	₹ 37.९३	₹ 37.९३	₹ 37.९३
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	₹ 39.८४	₹ 39.८४	₹ 39.८४
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	₹ 37.४५	₹ 37.४५	₹ 37.४५
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6" )	"	₹ 34.९३	₹ 34.९३	₹ 34.९३
	<b>90 series windows</b>				
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	₹ 35.८३	₹ 35.८३	₹ 35.८३
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	₹ 35.८३	₹ 35.८३	₹ 35.८३

बंगलापुरामा देवाल  
सभ जिला अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण		प.व.क (VAT) वालक रा.		
			२०८०/८१	२०८१/८०	२०८०/८१
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	१३५.०१	१३५.०१	१३५.०१
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2*4'6")	"	१४५.६९	१४५.६९	१४५.६९
	<b>78 series windows</b>				
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	१२५.९९	१२५.९९	१२५.९९
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	१५५.७५	१५५.७५	१५५.७५
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	१०५.७१	१०५.७१	१०५.७१
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2*4'6")	"	१२४.०१	१२४.०१	१२४.०१
	<b>Casement window and doors</b>				
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	१३४.५९	१३४.५९	१३४.५९
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	१६०.३१	१६०.३१	१६०.३१
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	१६०.३१	१६०.३१	१६०.३१
	<b>Partation work</b>				
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	१४५.०१	१४५.०१	१४५.०१
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	१०५.३१	१०५.३१	१०५.३१

प्रमुख नियन्त्रण अधिकारी

*[Handwritten signatures]*

सि.न.	निर्माण सामग्रीहरूको विवरण	म.व.का (VAT) बाहेक (₹)		
		२०७८/७९	२०७९/८०	२०८०/८१
	Providing and fixing aluminum full height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३५९.३५	३५९.३५
	Providing and fixing aluminum low height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	१९९.११	१९९.११
	Structure glazing	"	-	-
	glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	१२५.३०	१२५.३०
	glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	१४५.०५	१४५.०५
	glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	३८२.००	३८२.००
<b>48</b>	<b>Aluminium composite panel</b>	"	-	-
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing	"	-	-
	3 mm , .20 mm black core	४४७	३७९.३२	३७९.३२
	3 mm , .25 mm black core	"	३८०.४५	३८०.४५
	3 mm , .30 mm black core	"	३९६.४२	३९६.४२
	4 mm , .25 mm black core	"	४०४.२०	४०४.२०
	4 mm , .30 mm black core	"	४१४.६२	४१४.६२
	4 mm , .50 mm black core	"	४५०.८८	४५०.८८
	4 mm , .25 mm Virgin core	"	४२५.२५	४२५.२५
	4 mm , .30 mm virgin core	"	४३६.५२	४३६.५२
	4 mm , .50 mm virgin core	"	४५०.११	४५०.११
48.2	<b>Steel Door &amp; Windows</b>	"	-	०.००
	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm ) and both side 0.5 mm thick steel and honey comb paper in between steel in shutter - including peep hole 3pes 130mm size hinges heavy duty lock ( in five place and all other necessary accessories all complete.	७.८५	-	-
<b>49</b>	<b>Water proofing (chemicals &amp; Treatment)works</b>	"	-	-
1	<b>CONCRETE ADMIXTURES (Chemical)</b>	"	-	-

बंगलादेश राजनीतिक  
प्रमुख वित्तीय अधिकारी

सि.न.	निम्नांग सामग्रीहरूको विवरण		म.व.का (VAT) बाहेक रुप.		
				२०७९/८०	२०८०/८१
1.1	Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by wt cement	Kg.	१५९०.०	३४९.००	३४९.००
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Naphthalene Formaldehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 - 1999 Dose 0.2 to 3 % by wt of cement	Kg.	२०७.३०	४१४.००	४१४.००
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose 0.2 to 1.6 % by wt of cement	Kg.	४३७.२०	१३१.००	१३१.००
1.4	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 - 2007, IS 2645 Dose 0.4 to 2% by wt of cement	Kg.	२३.००	४७.००	४७.००
1.5	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०५०.००	१०५०.००	१०५०.००
1.6	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	१०२०.००	१०४४.००	१०४४.००
1.7	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 2 % by wt of cement	Kg.	१२७५.२०	१३१२.००	१३१२.००
1.8	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 - 1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	१०२.००	१११.००	१११.००
1.9	Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based]	Kg.	११२.२०	२५६.००	२५६.००
1.10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free]	Kg.	४५०.२०	१११.००	१११.००
1.11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free]	Kg.	३६०.२०	१०६.००	१०६.००
1.12	Retarding Superplasticizer for Concrete [ Naphthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	२८८.००	६६६.००	६६६.००
1.13	Retarding Superplasticizer for Concrete [ Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	४३७.२०	१०८.००	१०८.००

संसदीय वित्त विभाग  
भृत्यालय अधिकारी

संख्या	निर्माण सामग्रीहरूको विवरण	मात्रा मापदण्ड मात्रा मापदण्ड मापदण्ड मापदण्ड	भारतीय VAT ) बास्तक (₹)		
			₹०००/०१	₹००९/००	₹०५०/०१
1.14	Resin ,Multi /polycarboxylate ether chloride free less alkali super plasticizer and micro silica in one ASTM C494 Dose .0.5 to 2.1 % by wt of cement	kg	५२५.७२	३९१.००	३९१.००
<b>2</b>	<b>CONCRETE ADMIXTURES (Mineral)</b>				
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance ASTM C 1240 - 2005, IS 15388 - 2003 Dose .5 to 15 % by wt of cement	Kg.	३६५.००	३१९.००	३१९.००
2.2	Processed FA Based Mineral Additives Dose .5 to 20 % by wt of cement	Kg.	८५.८४	७०.००	८०.००
<b>3</b>	<b>JOINT SEALANTS &amp; SYSTEMS</b>				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	१०००.००	९८९.००	९८९.००
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	१०००.००	९८९.००	९८९.००
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	३००.००	२७९.००	२७९.००
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	१०००.००	९८९.००	९८९.००
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	६००.००	५९९.००	५९९.००
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	१५००.००	१४९.००	१४९.००
3.7	Butyl Tape for various Applications	RM	५८.००	५५.००	५५.००
3.8	Waterproofing Joint Tape [ 120 mm]	RM	२२५.००	२०१.००	२०१.००
3.9	Waterproofing Joint Tape [ 200 mm]	RM	३०.१०	२८.००	२८.००
3.10	NBR based Waterproofing Joint Tape [ 200 mm]	RM	१०००.००	९८९.००	९८९.००
3.11	Joint Tape Epoxy Adhesive	Kg.	५००.००	४८९.००	४८९.००
3.12	Glass Fiber Joint Tape	RM	८०.००	७८.००	७८.००
3.13	Waterproofing / Expansion Joint Tape [ 100 mm]	RM	१५००.००	१४९.००	१४९.००
3.14	Waterproofing / Expansion Joint Tape [ 200 mm]	RM	१०००.००	९८९.००	९८९.००
3.15	Construction Joint Tape [ 100 mm]	RM	५००.००	५८.००	५८.००
3.16	Cross Linked Premoulded Compressive Joint Filler [ 25 mm]	Sq. M.	१८२०.००	१७९.००	१७९.००
3.17	Cross Linked Premoulded Compressive Joint Filler [ 50 mm]	Sq. M.	१८२०.००	१७९.००	१७९.००
3.18	Closed Cell Polymerbased Joint Filler [ 25 mm]	Sq. M.	८००.००	८१९.००	८१९.००
3.19	Closed Cell Polymerbased Joint Filler [ 50 mm]	Sq. M.	१५००.००	१४९.००	१४९.००
<b>4</b>	<b>INDUSTRIAL FLOORING SOLUTIONS</b>				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic]	Kg.	१००.००	९८९.००	९८९.००
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	४५०.००	४३९.००	४३९.००
4.3	Anti Bacterial Floor & Wall Coating [ Epoxy]	Kg.	२५००.००	२४९.००	२४९.००
	Anti Bacterial Floor & Wall Coating [ Polyurethane]	Kg.	३०००.००	२९९.००	२९९.००

बगमधुपुरी कर्मचारी  
विषयक अधिकारी

R.S. १३. T. १३. Z. १३.

सि.नं.	निम्नांग सामग्रीहरूको विवरण	एकाई	पुँजी (VAT) लारेका		
			₹०००/-	₹०००/-	₹०००/-
4.5	Anti bacterial Floor & Wall Coating [ Acrylic]	Kg.	१०००.००	१९३०.००	२१३०.००
4.6	Self Levelling Flooring System [ Epoxy]	Kg.	१५००.००	२४४०.००	२६६०.००
4.7	Self Levelling Flooring System [ Polyurethane]	Kg.	१५००.००	२२५०.००	२४७०.००
4.8	Self Levelling Cementitious Flooring System	Kg.	१५.००	२४.००	२६.००
<b>5</b>	<b>ENGINEERING GROUTS</b>				
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40]	Kg.	११०.००	२१६.००	२३६.००
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	१५५.००	२३३.००	२५३.००
5.3	Hard wearing cementitious tile grout	Kg.	१५०.००	२३०.००	२५०.००
5.4	Hard weaning epoxy based tile grout	Kg.	१०००.००	२०५५.००	२२७५.००
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	२००.००	३८५.००	४११.००
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	२००.००	४५४.००	४७९.००
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 ML Cartridge]	Ml	४००.००	८९६.००	९२२.००
5.8	Low Viscosity Injection Epoxy Grout	Kg.	२५०.००	४८५.००	५११.००
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inches per gallon	Kg.	१११००.००	२२२००.००	२४३२०.००
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	२५०.००	५०८.००	५३८.००
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	१५००.००	३८५५.००	४१७५.००
<b>6</b>	<b>BONDING ADHESIVES (Polymer &amp; Epoxy Resin)</b>				
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	३०.००	५८.००	६०.००
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	१२०.००	२४०.००	२६०.००
6.3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	Kg.	१२००.००	२४००.००	२६००.००
6.4	Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete]	Kg.	१८००.००	३६००.००	३८००.००
<b>7</b>	<b>FIBERS (Steel &amp; Polypropylene)</b>				
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	१२००.००	२४००.००	२६००.००
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	१२००.००	२४००.००	२६००.००
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	४००.००	८००.००	१०००.००
7.4	Loose steel Fibers	Kg.	२५०.००	५००.००	५२०.००
7.5	Glued Steel Fibers	Kg.	३०.००	६०.००	६०.००
7.6	Crimped Steel Fibers	Kg.	२५०.००	५००.००	५२०.००
<b>8</b>	<b>SURFACE TREATMENT</b>				
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	१५००.००	३०००.००	३२००.००
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	१५००.००	३०००.००	३२००.००
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	१५००.००	३०००.००	३२००.००
8.4	Protective Acrylic Sealer	Kg.	१५००.००	३०००.००	३२००.००

80/81



VAT ) वटा )

सि.न.	निर्माण सामग्रीहरूको विवरण	प्रकार का मैत्री नम्बर प्रभाग अंक	२०७९/८०	२०८०/८१
8.5	Protective Polyurethane Sealer	Kg	१५००.००	१५००.००
8.6	Water Based Fire Retardant Coating	Kg	१२००.००	१२००.००
8.7	High Performance Water Repellent Paint	Ltr	५००५.००	५००५.००
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr	३००.००	३००.००
8.9	Ready to use Chemical Mould Release Agent	Ltr	३००.००	३००.००
8.10	Concrete Curing Aid	Kg	४५०.००	४५०.००
8.11	Resin,silica based multi function, water proofing and curing compound Dose : cover area: 0.15kg/m <sup>2</sup>	Kg	२५४.००	२५४.००
<b>CONCRETE REPAIRS</b>				
9	Rust Remover & Passivator	Ltr	१०००.००	१०००.००
9.1	Corrosion Inhibitor	Kg	१५००.००	१५००.००
9.2	Micro Concrete [ M55] for Permanant Repairs	Kg	१४०.००	१४०.००
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg	१४५.००	१४५.००
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg	२५.००	२५.००
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg	२००.००	२००.००
9.6	Acrylic Based Crack Filling Putty	Kg	१२००.००	१२००.००
9.7	Resin ,Polycoboxylate Base For ultra High Strength Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	२५४.००	२५४.००
<b>PREPACKED MORTARS</b>				
10	Tile, Mabrlle, Granite etc. Adhesive	Kg	८५.००	८५.००
10.1	Marble & Granite etc. Adhesive	Kg	३५०.००	३५०.००
10.2	Coarse and water resistant Readymix plastering Mortar	Kg	८५.००	८५.००
10.3	High Performance Polymer Based Wall Putty (Skim Coat)	Kg	८५.००	८५.००
10.4	High Performance Polymer Based Insulating Wall Putty (Skim Coat)	Kg	८०.००	८०.००
10.5	<b>WATERPROOFING SYSTEMS</b>			
11	<b>INTEGRAL</b>			
	Integral Waterproofing Additive for Concrete & Plaster	Kg	२५५.००	२५५.००
11.1	Silica Cement Admixture / Microsilica / Silica Fume	Kg	३५५.००	३५५.००
11.2	<b>LIQUID APPLIED</b>			
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg	३००.००	३००.००
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area : 5 Sqft- 7 Sqft/Kg 2 coats	Kg	५००.००	५००.००
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m <sup>2</sup>	Kg	३५०.००	३५०.००
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr	८५०.००	८५०.००

 वित्त विभाग  
अधिकारी



सि.नं.	विवरण	मात्रा	मूल्य	मूल्य
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose .35 sqft/litre 2 coat	Ltr.	३२०.००	३२०.००
11.5	Crystalline Based Waterproofing Systems	Kg.	१२०.००	१२०.००
11.6	Fast Setting Plugging Compound for stopping running water	Kg.	८००.००	८००.००
11.7	Polyurethane based Waterproofing Coating System	Kg.	१५२०.००	१५२०.००
11.8	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	१२५०.००	१२५०.००
11.9	Epoxy Resin based Waterproofing Coating System	Kg.	१५८३.००	१५८३.००
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	५००.००	५००.००
<b>PREFORMED</b>				
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	१५००.००	१५००.००
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes (3mm Mineral / Sand Finish)	Sq. M.	२०००.००	२०००.००
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	१०२०.००	१०२०.००
11.14	Polymer Modified Self Adhesive Bituminous Membranes [ 2mm]	Sq. M	१२००.००	१२००.००
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M	१२००.००	१२००.००
11.16	1.2 mm High Polymer PVC Membranes	Sq. M.	२०००.००	२०००.००
11.17	PVC Adhesive	Kg.	२५००.००	२५००.००
11.18	1.2 mm EPDM Membranes	Sq. M.	२५००.००	२५००.००
11.19	EPDM Adhesive	Kg.	२५००.००	२५००.००
11.2	EPDM Primer	Kg.	३०००.००	३०००.००
11.21	2mm TPO Membranes	Sq. M.	३४००.००	३४००.००
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	५००.००	५००.००
11.23	100% Synthetic Rubber Roof Coating	Kg	२२००.००	२२००.००
11.24	<b>SPECIALTY</b>			
12	Antistripping Agent for Bitumen	Kg.	५५०.००	५५०.००
12.1	Anti Termite [ Imidacloprid 30.5% ]	Kg.	१२०००.००	१२०००.००
12.2	Expanding Concrete Joint WATERSTOP	RM.	२५००.००	२५००.००
12.3	WB ADHESIVE Primer for Expanding Waterstop	2500	१५००.००	१५००.००
12.4	Swellable WATERSTOP	RM	१५००.००	१५००.००
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM	१५००.००	१५००.००
12.6	Nodular Drain with Geotextile Roof Garden	Sq. M.	२५००.००	२५००.००
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	Sq. M.	११०.००	११०.००
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [ 25 mm]	Sq. M.	१५००.००	१५००.००
	THERMOSEAL XPS - Extruded Polystyrene Boards [ 40 mm]	Sq. M.	२०००.००	२०००.००
13	<b>STRUCTURAL STRENGTHENING &amp; SEISMIC RETROFITTING</b>			

१३

BD २३

मुद्रा व VAT ) रुपैये ₹

सि.नं.	निर्माण सामग्रीहरूको विवरण	विक्री क्रमांक	विक्री दर	मुद्रा	VAT
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	₹200.00	₹200.00	₹200.00
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	₹1000.00	₹1000.00	₹1000.00
13.3	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M	₹600.00	₹600.00	₹600.00
13.4	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M	₹1200.00	₹1200.00	₹1200.00
13.5	FRP [ Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M	₹1600.00	₹1600.00	₹1600.00
13.6	FRP [ Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M	₹2000.00	₹2000.00	₹2000.00
13.7	EPOXY PRIMER	Kg.	₹200.00	₹200.00	₹200.00
13.8	SATURANT	Kg.	₹200.00	₹200.00	₹200.00
13.9	LAMINATE ADHESIVE	Kg.	₹200.00	₹200.00	₹200.00
13.11	EPOXY TOPCOAT	Kg.	₹200.00	₹200.00	₹200.00
13.12	POLYURETHANE TOPCOAT	Kg.	₹400.00	₹400.00	₹400.00
13.13	Glass Fiber anchor system 5to 10 mm	R. M.			₹100.00
	Carbon Fiber anchor system 5to 10 mm	R. M.			₹100.00
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	₹10000.00	₹10000.00	₹10000.00
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	₹12000.00	₹12000.00	₹12000.00
14	Soil Stabiliser / Admixture				
14.1	Resin, sulfate resistant admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose : 0.25 to 0.4 % by wt of cement	kg	₹10.00	₹10.00	₹10.00
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg	₹20.00	₹20.00	₹20.00
15.20	Resin, silica based multi function, water proofing and curing compound Dose: cover area: 0.15kg/m <sup>2</sup>	kg	₹20.00	₹20.00	₹20.00
50	परम्परागत निर्माण सामग्रीहरू :-				
१।	दाँच अपा ढुलो = "x २-३ -x" x ५ "	गोटा	₹2000	₹2000	₹2000
२।	दाँच अपा सानो छ-३ "x २-३ -x" x ५ "	"	₹2000	₹2000	₹2000
३।	दाँचअपा ढुलोको कु	"	₹2000	₹2000	₹2000
४।	दाँचअपा सानोको कु अपा	"	₹2000	₹2000	₹2000
५।	मा अपा ढुलो छ-३ "x २-३ -x" x ५ "	"	₹2000	₹2000	₹2000
६।	मा अपा ढुलो 241x60x158 mm	"	₹2000	₹2000	₹2000
७।	मा अपा सानो = "x २ "x ५ "	"	₹2000	₹2000	₹2000
८।	धुरी चाह ढुलो १-३ "x ५-९ "x ३-४ "	"	₹2000	₹2000	₹2000
९।	धुरी 230x295x25 mm	"			
१०।	धुरी चाह सानो	"	₹2000	₹2000	₹2000
११।	किंगटी लया = "x ५ "	गोटा	₹2000	₹2000	₹2000
१२।	किंगटी पुरानो	गोटा	₹2000	₹2000	₹2000
१३।	ढुक	गोटा	₹2000	₹2000	₹2000
१४।	Snake body brick traditional	गोटा	₹2000	₹2000	₹2000

अधिकारी

सि.नं.	तिर्याण सामग्रीहरूको विवरण	ग्राम वरकोपाइ एवं अन्तर्राष्ट्रीय प्रशासन कमिशन भौतिक	मुद्रक (VAT) बालंक रु.		
			२०७८/७९	२०७९/८०	२०८०/८१
१४। Snake neck brick ..	गोटा	३१००	३५.००	३५.००	
१५। Snake head brick ..	गोटा	१३३००	१३३.००	१३३.००	
	कासाना	"	११९००	११९.००	११९.००
	खालुलो	"	२३८००	२३८.००	२३८.००
१६। पेटीकोलागि ढुङ्गा					
	क। १८"×१०"×४"	"	१५५३८४	१५५३.८४	१५५३.८४
१७। नागोल ढंटा	गोटा	२१००	२१.००	२१.००	
१८। "X ६"X १"X १" इनच कुना ढुङ्गा	५ मि.	२३९००	२३९.००	२३९.००	
१९। फाल्खोह अपा ढुलो ३७५x२२५x१००mm	गोटा	१३१००	१३१.००	१३१.००	
२०। फाल्खोह अपा सानो २५४x२२९x१०२mm	"	१४६००	१४६.००	१४६.००	
२१। तीनकने तेलिया ढंटा ९"X६"X२-१/४"	"	१५१००	१८.००	१८.००	
२२। तीनकने तेलिया ढंटा ६"X६"X२-१/४"	"	२२५०	२२.५०	२२.५०	
२३। चारकने तेलिया ढंटा ६"X६"	"	३५.५०	३५.५०	३५.५०	
२४। तेलिया ढंटा ६"X६"	"	२४५०	२४.५०	२४.५०	
२५। बुद्धिकोषी करिंश ढंटा (कार्थीमोहर)	"	२८००	२८.००	२८.००	
२६। बुद्धिकोषी करिंश ढंटा कुना	"	४६१००	४६.००	४६.००	
२७। यहारी करिंश ढंटा हल्का २२२x२७३x७६mm	"	१३१००	१३१.००	१३१.००	
२८। भयाल मार्थको करिंश ढंटा बुद्धिकोषी	"	२५००	३०.००	३०.००	
२९। काठको करिंश मार्थको ढंटा १५x६x२-१/४"	"	६०१००	७०.००	७०.००	
३०। कलेक्टर स्टोन १०"X१०"X१५"	"	५०००१००	११००.००	११००.००	
३१। क। विचको त्याहाकल १०"X३"X१५"	"	११३०१००	११३०.००	११३०.००	
३२। नागोल ढुङ्गा १८"X१०"X५	"	८४६००	८४६.००	८४६.००	
३३। भौजी प्ला	गोटा	२३८००	२३८.००	२३८.००	
३४। तामा पाता नेपाली	केजी	११२०१००	११२०.००	११२०.००	
तामा पाता Indian	केजी	१३५०१००	१३५०.००	१३५०.००	
३५। पितल पाता	केजी	११००१००	११००.००	११००.००	
३६। पातो	ग्राम	१२०१००	१००.००	१००.००	
३७। सूर्कि ढंटा कुटि धुलो बनाएको ।	टन	१४२८००	१४२८.००	१४२८.००	
३८। Wind bell हल्का धाटी ४"	गोटा	८५५००	८५५.००	८५५.००	
३९। काकलो धीचको	१ गोटा	१७८१००	१७८१.००	१७८१.००	
४०। पेटीहड्डा ५"	१ मि.	२२८०१००	२२८०.००	२२८०.००	
४१। उपरेटीहड्डा ५"	१ मि.	२४२३०१००	२४२३.००	२४२३.००	
४२। श्री गणेश	गोटा	११९०१००	११९०.००	११९०.००	
४३। कुमार	गोटा	११९०१००	११९०.००	११९०.००	
४४। ढुङ्गे धारा	गोटा	११९०१००	११९०.००	११९०.००	
४५। लाल्हाको सेट	गोटा	२३७९१००	२३७९.००	२३७९.००	

ग्रामीण विकास अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण	(VAT) बाटक (रु.)		
		२०७९/८०	२०८०/८१	
	५९. नागबेली चुटा	गोटा	२६।००	२८.००
	५०. नागबेली चुटा कुना	गोटा	३१।००	३८.००
	५१. स्वा चुटा	गोटा	२६।००	२८.००
	५२. चीर चुटा	गोटा	२६।००	२८.००
	५३. कानेसाफ्न्यो	गोटा	२३।००	२८.००
	५४. कार्बन मजुर पली	गोटा	३६।००	३३।५०
	५५. ठुलो कलश	गोटा	१०९।००	१०९.००
	५६. मसीनो सुक्कि	केजि	१४।००	१६.००
	५७. खिचो सुक्कि	केजि	८।००	१०.००
	५८. गहा चन	केजि	२६।००	२८.००
५९.	मा अपा (साइज 200x50x130)	गोटा	१६।००	१८.००
६०.	चोच अपा (साइज 200x55x100)	"	१९।००	२०.००
६१.	ताग अपा (साइज 110x55x180)	"	३१।००	३१.००
६२.	पोल अपा (साइज 120x55x80)	"	११।००	१२.००
६३.	गणेश अपा (साइज 200x250x35)	"	३२।५०	३२।५०
६४.	कुमार त्रिपा (साइज 200x250x35)	"	३२।५०	३२।५०
६५.	ताम अपा (साइज 200x250x55)	"	३५।५०	३६।००
६६.	पञ्च चुद अपा (साइज 170x230x55)	"	२९।५०	३०।००
६७.	कलस त्रिपा (साइज 100x140x40)	"	१०।००	१०.००
६८.	नार्गेल अपा (साइज 140x52x120)	"	२१।००	२१.००
६९.	कसिमो त्रिपा (साइज 230x55x100)	"	३०।००	३०.००
७०.	खक्की अपा (साइज 140x55x115)	"	२६।००	२६.००
७१.	पानबड्डा त्रिपा (साइज 140x55x115)	"	२६।००	२६.००
७२.	मानी फ चुटा अपा (साइज 180x55x30)	"	३०।००	३०.००
७३.	दुलो फ चुटा अपा (साइज 230x55x110)	"	३०।००	३०.००
७४.	लगा फ चुटा अपा (साइज 230x55x110)	"	३०।००	३०.००
७५.	साना ग चुटा अपा (साइज 140x50x110)	"	२६।००	२६.००
७६.	दुलो ग चुटा अपा (साइज 230x55x90)	"	३०।००	३०.००
७७.	पुमा चुटा अपा (साइज 180x55x70)	"	३०।००	३०.००
७८.	तिनकुने स्वा उपा (साइज 200x550x30)	"	३०।००	३०.००
७९.	तिनकुने पोल अपा (साइज 200x550x90)	"	३०।००	३०.००
८०.	साना स्वा अपा (साइज 140x50x110)	"	२६।००	२८.००
८१.	दुलो स्वा अपा (साइज 230x55x90)	"	३०।००	३०.००
८२.	ताग टाइको दायाचाया (साइज 100x150x50)	"	१४९।००	१५९.००
८३.	ताग पटी दायाचाया (साइज 140x60x70)	"	५८।००	६८.००
८४.	ताग जीड (साइज 140x60x70)	"	२६।००	२८.००
८५.	ताग कल्या पञ्च (साइज 180x380x55)	"	५९।००	६०.००
८६.	खाल नाचान (साइज 130x55x120)	"	२१।०८	२१.०८
	खाल फ्या (साइज 130x55x135)	"	२१।००	२१.००

प्रधानमंत्री कार्यालय  
वित्त विभाग  
वित्त विभाग  
वित्त विभाग  
वित्त विभाग

सि.नं.	निर्माण सामग्रीहरुको विवरण	वा.का. (VAT) बाटोका			
		एकाई मात्रा प्रति रुपैयाँ	२०७९/८०	२०८०/८१	
88	नहरा बडा साइज 125x45x140)	२५००	२५.००	२५.००	
89	लग बेली साइज 140x55x120)	२६००	२६.००	२६.००	
90	भिजाफूमी साइज 140x55x120)	३१००	३१.००	३१.००	
91	पीलियो दाला बाला साइज 130x55x120)	२४००	२४.००	२४.००	
92	नाग पतिफोटो साइज 185x52x80)	२९००	२९.००	२९.००	
93	निधा पतिफोटो साइज 190x55x90)	२९००	२९.००	२९.००	
94	२० मित्र साइज 95x50x10)	२४००	२४.००	२४.००	
95	२० ग्राह (साइज 95x50x100)	३१००	३१.००	३१.००	
96	पीलिक्खा (साइज 95x50x100)	३१००	३१.००	३१.००	
97	श्रीधन्त (साइज 70x700x80)	४२००	४२.००	४२.००	
98	न्या कफ्यो (साइज 140x55x120)	२०१००	२०.००	२०.००	
99	नारा बडा परानी (साइज 180x55x80)	२६००	२६.००	२६.००	
100	नारा बडा नारा (साइज 230x70x90)	२९००	२९.००	२९.००	
101	म्वासो नारा नारा (साइज 220x55x90)	२९००	२९.००	२९.००	
102	भिक्ती बडा साइज 220x55x80)	२९००	२९.००	२९.००	
103	नारा बडा बानो (साइज 140x65x130)	२६००	२६.००	२६.००	
104	नारा बडा दला (साइज 140x100x130)	२६००	२६.००	२६.००	
105	नारा नाराल (साइज 2000x55x90)	२०१००	२०.००	२०.००	
106	छी बडा (साइज 210x55x75)	२९००	२९.००	२९.००	
<b>51</b>	<b>Security System</b>				
	<b>Steel Security Gate supply</b>				
	Metal detector	गोटा	११९९२.००	१६९९२.००	१६९९२.००
	Access Controller	गोटा	१२१०२.००	१३१०२.००	१३१०२.००
	<b>Steel Security Door</b>				
	Single leaf - 50 mm, 70 mm, 100mm	Sqm	८५८३.००	११६३.००	११६३.००
	Half leaf - 50 mm, 70 mm, 100mm	Sqm	२,१३०.००	२,१३०.००	२,१३०.००
	Double leaf - 50 mm, 70 mm, 100mm	Sqm	५०८९९.००	७०८९९.००	७०८९९.००
	<b>Security System</b>				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कमाउन्चन तथा पर्याप्त)	गोटा	३४९६६.००	३४९६६.००	३४९६६.००
	ii) Long range distance wireless intruder Alarm system(including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अधिक दूरी तथा व्यापारक तथा पर्याप्त)	गोटा	-	-	-
	iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.)	गोटा	२०६००.००	२०६००.००	२०६००.००
	iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.)	गोटा	११४३६.००	१२४३६.००	१२४३६.००
	v) Finger print access system with software	गोटा	२५०२०.००	२५०२०.००	२५०२०.००
	vi) Security from Panic Alarm	गोटा	२५०२०.००	२५०२०.००	२५०२०.००

४३  
४३  
५९  
५९

सि.नं.	निर्माण सामग्रीहरुको विवरण	मूल्यक (VAT) यांत्रिक		
		२०७०/७१	२०७१/८०	२०८०/८१
	vii) GPS (Global Positioning System) Device with software	गोटा	८५४९.००	८५४९.००
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी परिएयाले अवृत्तालन रूपमा ON/OFF करे पाएली)			
	Up to 1/2 H.P	गोटा	६३५.००	६३५.००
	1.0 H.P	गोटा	२९४५.००	२९४५.००
	5 H.P	गोटा	१५२५.००	१५२५.००
<b>52</b>	<b>Bridge Materials</b>			
	<b>Elastomeric Bearing Pad</b>			
	Free Type	NOS	१९०००.००	१९०००.००
	Fix end Dowel Type	..	१९०००.००	१९०००.००
	<b>Expansion Joint Works</b>			
	Single strip seal	Rm	१६५०.००	१६५०.००
	Slab seal(320*50)	..	२००००.००	२००००.००
	Tendon sheath	..	३००.००	३००.००
	Tendon wire	ton	११००००.००	११००००.००
	Anchorage block with cap	nos	१०००.००	१०००.००
	High tensile friction grip nut bolts	kg	३०.००	३०.००
	Bolts, nuts & washers(hold up friction-grip)	kg	३०.००	३०.००
	W-beam metal crash barrier, 3 mm thick corrugated sheet, ISMB series channel	Rm	६००.००	६००.००
	<b>Thimbles</b>			
	iv) Φ 13 mm thimble	Pc	५०.००	५०.००
	v) Φ 26 mm thimble	Pc	३५९.००	३५९.००
	vi) Φ 32 mm thimble	Pc	१३०.००	१३०.००
	vii) Φ 36 mm thimble	Pc	११३६.००	११३६.००
	viii) Φ 40 mm thimble	Pc	११४२.००	११४२.००
	ix) Φ 13 mm Bulldog grip	Pc	५५.००	५५.००
	x) Φ 26 mm Bulldog grip	Pc	३५९.००	३५९.००
	xi) Φ 32 mm Bulldog grip	Pc	११३९.००	११३९.००
	xii) Φ 36 mm Bulldog grip	Pc	६००.००	६००.००
	xiii) Φ 40 mm Bulldog grip	Pc	६००.००	६००.००
	xiv) Steel wire Rope (Right hand ordinary lay WSC wire strand core, Tensile strength of wire 1570 N/mm <sup>2</sup> , Performed, A' Heavy Galvanized coating, Non-drying lubrication oil and prestretched)			
	xv) Wire mesh-netting	m <sup>2</sup>	४५२.००	४५२.००
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	५५५.००	५५५.००
	xvii) Bolts, Nuts & Washers (Galvanised 4.8 grade)	Kg	५५.००	५५.००

प्रभुव लिया अधिकारी

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	प्राप्ति कर्ता वालक द्वारा		
			विनाश कर्ता द्वारा	विनाश कर्ता द्वारा	विनाश कर्ता द्वारा
	xvii) Bolts, Nuts & Washers (Hotdip Friction Grip)	Kg	३७९.००	३६९.५२	३६९.५२
	High tensile friction grip nut bolts	kg	३३१.००	३२९.४३	३२९.४३
	<b>Galvanization</b>				
	Zinc Above 98.5% purity	kg	३०९.००	३०९.४७	३०९.४७
	Premix of Zinc ammonium chloride	kg	१८५.००	१८२.०७	१८२.०७
	Hydrochloric acid	Lit	८१.००	८४.९४	८४.९४
<b>53</b>	<b>Concrete Post (Size 4" * 4")</b>				
	Length 7'	माटो	५८५.५१	५८३.७८	५८३.७८
	Length 5'	"	४६७.५१	४६५.४३	४६५.४३
	Length 3'	"	२२९.५१	२२८.८३	२२८.८३
<b>54</b>	<b>Sheet piling work :</b> Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation, basement and shear wall	Sq.m.	१०००.००	३१९.५०	३१९.५०
<b>55</b>	Readymade RCC Door & windows frame (4" * 2.75" of 1:1:1 concrete mixdesign safety plate all complete work,	Ru	११४४.३०	१४५.८३	१४५.८३
	" Ventilation	"	११४४.३०	१४५.८३	१४५.८३
	" Arc frame semi circular	"	११४४.३०	१४५.८३	१४५.८३
<b>56</b>	EPS (Expanded Polystyrene) and cement based light weight <b>Sandwich Panel</b> with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)				
	a) 50 mm thick	Sq.ft	१५०.००	१५०.००	१५०.००
	b) 60 mm thick	Sq.ft	१६२.००	१६२.००	१६२.००
	c) 75 mm thick	Sq.ft	२००.००	२००.००	२००.००
	d) 90 mm thick	Sq.ft	२४४.००	२४४.००	२४४.००
	e) 120 mm thick	Sq.ft	३९५.००	३९५.००	३९५.००
<b>57</b>	EPS (Expanded Polystyrene) and cement based light weight <b>Solid Panel</b> without face board (Size 1800*610mm)				
	b) 60 mm thick	Sq.ft	१५०.००	१५०.००	१५०.००
	c) 75 mm thick	Sq.ft	१७५.००	१७५.००	१७५.००
	d) 90 mm thick	Sq.ft	२१०.००	२१०.००	२१०.००
<b>58</b>	EPS (Expanded Polystyrene) and cement based light weight <b>Hollow Panel</b> (Size: 1800*610mm)				
	d) 90 mm thick	Sq.ft	१९०.००	१९०.००	१९०.००

प्रमाणित  
प्रमाणित  
अधिकारी





(नेपाल सरकार) वित्त मंत्रालय (M.A.T.) वार्षिक रेट

 नेपाल सरकार  
 एकीकृत वित्त वार्षिक रेट  
 २०७९/८०

२०७९/८०


२०८०/८१

सि.नं.	निर्माण सामग्रीहरुको विवरण			
--------	----------------------------	--	--	--

विभिन्न विरुद्धाहरु	जातका			
५९				
१ एमोकाढो	गोटा		२००	
२ तेजपात	गोटा		५०	
३ अम्बा	गोटा		५०	
४ कागति	गोटा		५०	
५ कागति (बाहमासे) प्राफ्टेड	गोटा		२००	
६ टिमुर	गोटा		९०	
७ अमला	गोटा		५०	
८ बास कटिङ	गोटा		२७५	
९ खुरपाने	गोटा		१६०	
१० नाल्पाति	गोटा		१००	
११ ओखर (दाते)	गोटा		१५०	
१२ लम्शी	गोटा		५०	
१३ ५ फिट माथिका विरुद्धा सडक तथा नदी किनारामा रोप्ने ३ वष माथिका	गोटा		९००	
६०	Agriculture			
Powertiller 12HP	Pcs	५००००.००	१००००.००	
Agriculture minitiller 7.5 HP Petrol	Pcs	४५००.००	४५००.००	
Agriculture minitiller 7 HP Diesel	Pcs	३५००.००	३५००.००	
Agriculture minitiller 9 HP Petrol	Pcs	६२००.००	६२००.००	
Agriculture minitiller 9HP Diesel	Pcs	८५००.००	८५००.००	
Minitiller Rotatory cultivator 7.5HP	Pcs	११०००.००	११०००.००	
Minitiller Rotatory cultivator 9HP	Pcs	१२५००.००	१२५००.००	
Potato digger (Attachment)	Pcs	४००.००	४००.००	
Adjustable ditcher ((Attachment))	Pcs	१२००.००	१२००.००	
Battery sprayer 2 in 1	Pcs	१५०.००	१५०.००	
Powersprayer (53 C C)	Pcs	३०००.००	३०००.००	
Manual Sprayer	Pcs	८००.००	८००.००	
Submersible pump 1HP(Rocket)	Pcs	८५००.००	८५००.००	
Submersible pump 1HP(well Type)	Pcs	९०००.००	९०००.००	
Weighting machine - Up to 100 kg	Pcs	१२०००.००	१२०००.००	
Weighting machine - Up to 200 kg	Pcs	१४०००.००	१४०००.००	
Weighting machine - Up to 300 kg	Pcs	१६०००.००	१६०००.००	
Sprinkler (2 Head)	Pcs	१५०.००	१५०.००	
Cow mat (6ft*4ft)	Pcs	५००.००	५००.००	
UV plastic (100 micron)	Sq/m	१५०.००	१५०.००	
UV plastic (200 micron)	Sq/m	१५०.००	१५०.००	

शक्तपुर जिल्ला वित्त वार्षिक रेट  
प्रभाग विवरण विभाग

सि.नं.	निर्माण सामग्रीहरूको विवरण	मात्रक	मात्रक (VAT) बाटका		
			२०८०/८१	२०८१/८०	२०८०/८१
	Silpaulin plastic (90 gsm)	Sq/f		₹ ३०	₹ ३०
	Plastic crate (A -Grade )	Pcs		३००.००	३००.००
	seedling planter (Biu ropne)	Pcs		४५००.००	४५००.००
	seedling planter (Biruwa ropne)	Pcs		४५००.००	४५००.००
	Water pump 7 HP(Gasoline) - 2 inch	Pcs		९५०००.००	९५०००.००
	Water pump 7 HP(Gasoline) - 3 inch	Pcs		७००००.००	७००००.००
	Chaff cutter (3 HP motor)	Pcs		३५०००.००	३५०००.००
	Pallet machine (3 HP motor)	Pcs		२५०००.००	२५०००.००
	Deep freight (190L)	Pcs		३५००.००	३५००.००
	Garden pipe	Kg		२५.००	२५.००
	Hazan (10L)	Pcs		२००.००	२००.००
	Multifunctional chaff cutter (3 HP motor)	Pcs		५०००.००	५०००.००
	Milk chilling vat (500L)	Pcs		२५०००.००	२५०००.००
	Milk can- Plastic (20L)	Pcs		८००.००	८००.००
	Milk can- Plastic (40L)	Pcs		१५००.००	१५००.००
	Milk can- Alminum (20L)	Pcs		८००.००	८००.००
	Milk can- Alminum (40L)	Pcs		१५००.००	१५००.००
	UMMB Block Machine	Pcs		२५०५०.००	३५०००.००
	Milk Pasteurizer (500L)	Pcs		१५०००.००	१५०००.००
	Milk Analyser (240V)	Pcs		१५०००.००	१५०००.००
	Milking machine (14L)	Pcs		३०००.००	३०००.००
	panner vat machine (250/Hr)	Pcs		१५०००.००	१५०००.००
	Potato slicer machine (Manual)	Pcs		८०००.००	८०००.००
	Plastic for packing	Kg		८००.००	८००.००
	Plastic for packing- 100m Roll (25 micron)	Roll		५२००.००	५२००.००
	Plastic for packing- 100m Roll (30 micron)	Roll		६५००.००	६५००.००
	Plastic for packing- 100m Roll (40 micron)	Roll		९५००.००	९५००.००
				०.००	०.००
				०.००	०.००

  
 अधिकारी अधिकारी  
 अधिकारी अधिकारी  
 अधिकारी अधिकारी

  
 BD

**SANITARY WORK**

संख्या	विवरण सार्वजनिक वस्तु	मात्रक VAT (रुपैयाँ)			टोकन
		प्राचीन	प्राचीन	प्राचीन	
1	Porcelain Clay Sanitaryware				
	White glazed porcelain pan				
i	530mm size white glazed without siphon	रुपैयाँ	2600	2600	2600
ii	500 mm size white glazed without siphon			2823	2823
iii	580 mm size Pan		2600	2600	2600
iv	580 mm size white glazed pan		950	950	950
v	Siphon 'P' or 'S' type		400	400	400
	Asian Pan 51x40 Rectangular		2450	2450	2450
	Porcelain Clay Cistern				
i	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)		3666	3666	3666
ii	White glazed porcelain clay 10 lit Cistern cover only		687	687	687
iii	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)		3809	3809	3809
	Commode				
i	White glaze porcelain clay regular commode with 'P' trap	रुपैयाँ	1615	1615	1615
ii	White glazed porcelain clay EWC regular commode with 'S' p trap		1880	1880	1880
iii(b)	White glazed porcelain clay EWC Constellation commode with 'P' & 'S' trap and seat cover set.		18663	18663	18663
iv	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set		20000	20000	20000
v	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set		21001	21001	21001
vi(c)	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.		5410	5410	5410
vii	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.		8916	8916	8916
viii	600 to 900 mm Grab bar		6244	6244	6244
	Bidet set				
i	Porcelain clay white glaze Bidet.	रुपैयाँ	1803	1803	1803
	Urinal set				
i	Porcelain clay white glaze large flat back urinal 61x41x38 cm size	रुपैयाँ	4299	4299	4299
ii	Porcelain clay small Urinal (46.5x33.5x26.5) cm size		1936	1936	1936
iv	White glazed porcelain clay corner Urinal (35x35x44cm size with complete set		1668	1668	1668
vii	Wall mounted urinal with sensor complete set.				
	Porcelain Clay Urinal Squatting Plate				

प्रधानमंत्री सचिव  
प्रमाणित जिल्ला अधिकारी

No.	प्राप्ति कार्यालयको विवर	प्रकार	र.पा. वा. VAT ३८८६.५			क्रमांक	
			वा.पा.		रुपौलीका		
			रुपौलीका	रुपौलीका			
i)	white glaze squatting plate Super Size (45×35)cm		1248	1248	1248		
ii)	Porcelain clay white glaze squatting plate large size		1498	1498	1498		
iii)	Porcelain clay super color squatting plate large size.		2916	2916	2916		
iv)	Urinal Spreader		942	942	942		
	<b>Wash basin</b>						
v)	Porcelain clay white glaze wash basin (500×400) cm size regular,		42	1128	1128	1128	
vi)	Porcelain clay white glaze wash basin (50×40) cm			1525	1525	1525	
vii)	Do but wash basin (45×32)cm			1097	1097	1097	
ix)	white glazed porcelain clay Corner basin 40x40 complete set		42	1237	1237	1237	
x)	white glazed porcelain clay U-counter basin complete.			8598	8598	8598	
xii)	white glazed porcelain clay O-counter wash basin, complete.			14189	14189	14189	
x)(a)	White glazed porcelain clay Semi pedestal large counter wash basin 750×500 mm with complete set.			10079	10079	10079	
x)(b)	White glazed porcelain clay Semi pedestal large counter wash basin 750×500 mm with complete set.			6419	6419	6419	
d)	White glaze porcelain clay Basin for disable with grab bar all complete			21165	21165	21165	
	<b>Pedestal:</b>						
i)	Porcelain clay white glaze pedestal			1419	1419	1419	
ii)	White glazed Porcelain clay half pedestal complete set.			1720	1720	1720	
iii)	First color glazed Porcelain clay half pedestal complete set.			2032	2032	2032	
iv)	Two piece pedestal with Basin" complete set.			13712	13712	13712	
	<b>Urinal Partition</b>						
	White glaze porcelain clay (68×30)cm division plate			1793	1793	1793	
	<b>Lab sink</b>						
i)	Porcelain clay white glaze large size			2289	2289	2289	
ii)	Porcelain clay white glaze small size			1703	1703	1703	
iii)	Porcelain clay janitor sink 58×71×43.5 size			28380	28380	28380	
	<b>Kitchen sink</b>						
i)	Porcelain clay large		42	3876	3876	3876	
ii)	Porcelain clay small			3511	3511	3511	
iii)	drain board white 53x45			1343	1343	1343	
iv)	Soap dish			681	681	681	
v)	White glaze foot rest			432	432	432	

880/21






१०८५ / नवीन वार्षिक वित्त वर्ष

मा.पा. वा. वा. वा. वा.

वित्त वर्ष

सि.न.	विभाग वायापीकार संचयन	१०८५ / नवीन वार्षिक वित्त वर्ष			वित्त वर्ष
		१०८५/१०८६	१०८६/१०८७	१०८७/१०८८	
2	vi) White glaze Toilet paper holder	1192	1192	1192	
	PVC Cistern Set				
	i) single flush	2032	2032	2032	
	ii) Deluxe single flush	2270	2270	2270	
	iii) Dual flush 6/3 lit. cistern complete set.	3055	3055	3055	
	iv) concealed cistern with plate complete set.	17368	17368	17368	
	v) 32 mm pvc hotel trap set.	490	490	490	
	vi) 1.5x45 cm pvc pipe connector set.	147	147	147	
	vi) Bakellite toilet seat cover set.	284	284	284	
3	<b>Stainless Steel Accessories etc.</b>				
	Stainless steel Deep sink 45x45x30 size	18731	18731	18731	
	Stainless steel Orissa part LP 210 size	8711	8711	8711	
	Stainless steel wash basin model 251 12" round size with pedestal	19660	19660	19660	
	Stainless steel wash basin 500 mm model 277 with complete set	10584	10584	10584	
	Stainless steel commode S trap with self closing complete set	18081	18081	18081	
	Wall mixer (single lever) bath faucet with hand shower	15073	15073	15073	
	Bath tub (single lever) with hand shower	18985	18985	18985	
	External Shower Wall mixer (single control) bath faucet with hand shower	26537	26537	26537	
	Wall mixer (single control) bath faucet with hand shower (conceal system)	16431	16431	16431	
	Wall mixer (single control) shower faucet (conceal system)	4307	4307	4307	
	conceal mixer faucet	6649	6649	6649	
	Stainless steel Angle valve	852	852	852	
	Stainless steel two way Angle valve	1192	1192	1192	
	Stainless steel bowl 19" * 16" diamond board 37" long	2753	2753	2753	
	Stainless steel bowl with diamond board 37" long	3770	3770	3770	
	Stainless steel bowl with ordinary board 37" long	2383	2383	2383	
	Stainless steel double bowl with double drain board 36" * 18 "size	14335	14335	14335	

प्रभुत जिल्ला अधिकारी



मात्रक VAT जारीकरण

संख्या

प्र. सं.	प्रमुख व्यापारिको विवरण	मात्रक VAT जारीकरण			विवरण
		रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ	
	Stainless steel double bowl with single drain board ordinary	5960	5960	5960	
	Stainless steel p trap bottle trap for basin	2394	2394	2394	
	Stainless steel Kitchen sink mixture	8660	8660	8660	
	Stainless steel Kitchen sink faucet	5732	5732	5732	
	Stainless steel Kitchen sink mixture	8660	8660	8660	
	Stainless steel 1500mm flexible hose pipe connection pipe)	1506	1506	1506	
	Stainless steel Hose ringer 1200 mm	1312	1312	1312	
	Stainless steel commode spray with hose pipe	1852	1852	1852	
	Stainless steel basin mixer( single control)	7151	7151	7151	
	Stainless steel single faucet for basin	4558	4558	4558	
	Stainless steel Sink 700*450*200	24973	24973	24973	
	Stainless steel Sink table top 1200*600*300	34509	34509	34509	
	Steel Split clamp with washer all complete				
	75 mm dia	341	341	341	
	110 mm dia	454	454	454	
	160 mm dia	794	794	794	
	Stainless steel telephonic shower	621	1277	1277	1277
	Stainless steel shower with sliding bar	3065	3065	3065	
	Stainless steel shower with sliding bar	10079	10079	10079	
	Stainless steel bottle trap	666	666	666	
	Stainless steel towel bar 450 mm	1277	1277	1277	
	Stainless steel water tank fitting with all complete set (304 grade steel )				
	Capacity 500 ltr	set	12488	12488	12488
	Capacity 1000 ltr	*	18230	18230	18230
	Capacity 1500 ltr		28028	28028	28028
	Capacity 2000 ltr		33725	33725	33725
	Sinks Other Types:				
	Super lab sink				
	i) super lab sink large size		4442	4442	4442
	ii) super lab sink small size		3503	3503	3503
	Super kitchen sink				
	i) super kitchen sink large size		7689	7689	7689
	ii) super kitchen sink small size		6959	6959	6959
4	Modern Sanitaryware				
	iv) Hand Dryer		7379	7379	7379
	v) Flush valve		5903	5903	5903
	vi) Auto sensor for basin -		36325	36325	36325
	vii) liquid soap container stainless steel		6244	6244	6244
	viii) Looking Mirror 450x600mm (18"x 24")		1503	1503	1503
	C.P. Grab Bar for disable				
	a) 30cm long bend type		5521	5521	5521
	b) 45 cm long bend type		5781	5781	5781
	c) 60 cm long bend type		7404	7404	7404
5	C.P. Accessories				
	1) Toilet paper holder		475	475	475
	2) Soap dish		350	350	350
	3) Towel rod ½" x 18" size		475	475	475

खगन्धप्रसाद रिजाल  
प्रसाद जिल्ला अधिकारी

१८०/८१



अ.न	नियमन मालाको संक्षेप विवरण	प्रति VAT वार्ता का			क्रमांक
		रुपौली	रुपौली	रुपौली	
4) Towel rod ½" -24" size		525	525	525	
5) Glass shelf		650	650	650	
6) C.P. bottle trap		1283	1283	1283	
7) 32 mm×60cm long C.P. flush pipe		525	525	525	
8) 15 mm flush cock push type		1167	1167	1167	
9) 15 mm dia. C.P. shower arm		1005	1005	1005	
10) 15 mm dia. C.P. spreader		968	968	968	
11) 15 mm dia. C.P. wall mixture		4500	4500	4500	
i) 3" dia. Shower rose , revolving type		933	933	933	
ii) 4" dia. Shower rose , revolving type		1051	1051	1051	
iii) Shower rose ordinary		584	584	584	
iv) Shower rod 12" long		291	291	291	
C.P. 15 mm dia. Angle Valve		1281	1281	1281	
C.P. 15 mm dia Concealed Stop Cock		1861	1861	1861	
C.P. 15mm Bib Cock		1050	1050	1050	
C.P. 15 mm dia swan neck Pillar Cock		1200	1200	1200	
C.P. 15 mm dia Stop Cock		1100	1100	1100	
C.P. 15 mm dia Sink Cock		1348	1348	1348	
C.P. 15 mm dia Sink Mixture		4200	4200	4200	
C.P. 32 mm dia Flush Valve		3566	3566	3566	
C.P. 32 mm dia Waste Coupling for basin		437	437	437	
C.P. 32 mm dia Waste Coupling for Urinal		710	710	710	
C.P. Basin Mixture	मृग	4779	4779	4779	
15 mm dia Bath Tub Spout with Wall Hinge		1783	1783	1783	
C.P. Exclusive Shower Arm with Hinge		2074	2074	2074	
15 mm bath tub spout with bottom attachment of telephonic shower	*	4294	4294	4294	
15 mm wall mixture lever type telephonic shower of flexible type heavy.		7054	7054	7054	
C.P. flexible pipe	मृग	186	186	186	
C.P. Grating					
i) 4" dia.		52	52	52	
ii) 5" dia.		64	64	64	
iii) C.P. Toilet Paper Holder		957	957	957	
iv) C.P. Soap Dish Polyurethane		1073	1073	1073	
v) C.P. Towel Rod 18"		1625	1625	1625	
vi) C.P. Towel Rod 24"		1713	1713	1713	
vii) C.P. Glass Shelf 22"		2328	2328	2328	
viii) C.P. Coat Hook Double		836	836	836	
ix) C.P. Angle Cock					
15mm C.P. Angle Cock		955	955	955	
15 mm C.P. Angle Cock Long Thread		1016	1016	1016	
x) C.P. Conceal Stop Cock					
i) 15 mm Reduced body		1170	1170	1170	
ii) 15 mm Extra Heavy Body	*	1432	1432	1432	
xi) C.P. Bib Cock					
i) 15mm C.P. Auto Closing Bib Cock With Aerator		2690	2690	2690	
ii) 15mm C.P. Bib Cock		981	981	981	
iii) 15mm C.P. Bib Cock with nozzle		1086	1086	1086	
xii) C.P. Pillar Cock					
i) 15 mm C.P. Pillar Cock With Aerator		1301	1301	1301	

खण्डप्रभाद रजाल  
प्रसुख जिल्ला अधिकारी

सं. न.	उत्पादक सम्पर्क संख्या विवर	प्रारंभिक VAT जारी करने वाले			कैफियत
		प्रारंभिक वार्षिक दर रुपये/लेटर	प्रारंभिक वार्षिक दर रुपये/लेटर	प्रारंभिक वार्षिक दर रुपये/लेटर	
ii) 15mm Auto Closing Pillar Cock With Aerator		2603	2603	2603	
ii) 15mm C.P. Sink Cock		1648	1648	1648	
ii) C.P. Sink Mixer		4085	4085	4085	
iii) 15 mm C.P. Sink Mixer With Revolving Spout		3560	3560	3560	
xv) C.P. Bottle Trap 32mm		1908	1908	1908	
12 mm C.P. Conceal Flush Valve Dual Flow		3990	3990	3990	
xvii) C.P. Waste Coupling					
32 mm C.P. Waste Coupling H.T		459	459	459	
32 mm C.P. Waste Coupling F.T		459	459	459	
xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock		2775	2775	2775	
xix) 15 mm C.P. Wall Mixer					
15 mm C.P. Wall Mixer With Lower Bend Pipe		4597	4597	4597	
15 mm C.P. Wall Mixer With Upper Bend Pipe		4597	4597	4597	
xx) C.P. Basin Mixer					
15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses		3817	3817	3817	
15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses		4008	4008	4008	
xxi) 15mm Bath Tub Spout with wall flange					
15mm Bath Tub Spout with wall Flange		1301	1301	1301	
15mm Bath Tub Spout with button attachment		2082	2082	2082	
xxii) C.P. Casted Shower Arm with Flange					
15 mm Casted Shower Arm Light		693	693	693	
15 mm Casted Shower Arm Heavy		1127	1127	1127	
xxiii) 15 mm Telephonic Hand Shower					
With 1.50 m. PVC Tube		1845	1845	1845	
With 1.5 Flexible Tube		2862	2862	2862	
xxiv) Auto closing urinal flush valve					
15mm presmatic auto closing urinal flush valve		3321	3321	3321	
xxv) Other accessories					
15mm Wall Mixer Single Lever for Telephonic Shower Arrangement		4979	4979	4979	
15 mm Braided Hose for E.W.C.		307	307	307	
15 mm Health Fauet (Commode Spray)		1180	1180	1180	
15 mm pillar cock with 200 mm extended lever handle		1560	1560	1560	
15 mm Bib cock with 200 mm extended lever handle		1646	1646	1646	
Single lever surgical purpose elbow action basin mixer with extended operating lever		6135	6135	6135	
Single lever surgical purpose elbow action Sink mixer with extended operating lever		5949	5949	5949	
Sensor mixer for wash basin (Battery operated)		21095	21095	21095	
Wall mounted Sensor mixer for operation theater (Battery operated)		21095	21095	21095	
Sensor conceal type flushing valve for Western commode (Battery operated)		16708	16708	16708	

खगल्दप्रसाद रङ्गाल  
पुम्ब जिल्ला अधिकारी



मात्रा - VAT जटिलता :

सं. नं.	विवरण सामग्रीको विवरण	मात्रा - VAT जटिलता :		कैपियत
		मात्रा/रुपैयां	रुपैयां/मात्रा	
	Sensor valve for Urinal	१० मात्रा/रुपैयां	१०९७।	१०९७।
	Basin cock Sensor	२३। मात्रा/रुपैयां	४४८।	४४८।
	15mm U shaped sink cock	१८। मात्रा/रुपैयां	१८।	१८।
	Sink Mixture with U shape swinging spout	३६। मात्रा/रुपैयां	३६।	३६।
	15mm metallic Health Faucet (Commode Spray)	२२। मात्रा/रुपैयां	२२।	२२।
7	Electric & Solar Geyser			
	i) 10 lit. cap electric water heater	११५७।	११५७।	११५७।
	ii) 25 lit cap " " "	१८५।	१८५।	१८५।
	iii) 35 lit cap " " "	२२।९२।	२२।९२।	२२।९२।
	iv) 50 lit cap " " "	२६।३५।	२६।३५।	२६।३५।
	iv) Gas water heater with cylinder	८४।६।	८४।६।	८४।६।
8	C.I. Manhole Cover including frame.			
8.1	Square Frame (in outer dia)			
	Medium Duty			
	i) 10" x 10" (4 Kg.)	६८।	६८।	६८।
	ii) 12" x 12" (5 Kg.)	८६।	८६।	८६।
	iii) 14" x 14" (7 Kg.)	१२०।	१२०।	१२४।
	vi) 16" x 16" (10 Kg.)	१७२।	१७२।	१६७।
	vii) 18" x 18" (14 Kg.)	२५८।	२५८।	२५९।
	viii) 20" x 20" (16 Kg.)	२७५।	२७५।	२९।०।

खगन्द प्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

00/BS

सं. न.	नियम समाविहान सेवा	लेटर रेट प्रति क्षेत्र	मुद्रा व VAT (यांत्रिक रूप)			कैफियत
			रुपये/पाश्च.	रुपये/प्र०	रुपये/प्र०	
ix) 22" x 22" (20 Kg.)	भृत्याल	3446	3446	3353		
x) 24" x 24" (24 Kg.)		4423	4423	4639		
xi) 27" x 27" (31 Kg.)		5342	5342	5871		
<b>Heavy Duty</b>						
iii) 14" x 14" (14 Kg.)		2412	2412	2541		
iv) 22" x 22" (22 Kg.)		3791	3791	4143		
v) 27" x 27" (45 Kg.)		7754	7754	7754		
<b>8.2 Rounded Manhole Cover (Outer dia.)</b>						
<b>Medium class</b>						
i) 18" dia. Round Manhole cover with square frame (60 Kg.)	रुप	9365	9365	9365		
ii) 20" dia. Round Manhole cover with square frame (70 Kg.)		12487	12487	12487		
iii) 20" dia. Round Manhole cover with square frame (100 Kg.)		15609	15609	15609		
iv) 22" dia. Medium class. (125 Kg.)		19979	19979	19979		
v) 22" dia. Heavy class. (208Kg.)		29843	29843	29843		
vi) 24" dia. Medium class. (40 Kg.)		6393	6393	6393		
vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)		7992	7992	7992		
viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)		11488	11488	11488		
ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)		13985	13985	13985		
x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)		18480	18480	18480		
xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	*	18480	18480	18480		
<b>8.3 C.I. Tank Cover Locking Types</b>						
<b>Round</b>						
18" (8 Kg.)	रुप	1775	1775	1775		
20" (12 Kg.)		2603	2603	2603		
22" (14 Kg.)		2957	2957	2957		
24" (16 Kg.)		3549	3549	3549		
28" (24 Kg.)		5324	5324	5324		
<b>Square</b>						
18" x 18" (13 Kg.)	रुप	2957	2957	2957		
24" x 24" (50 Kg.)		10649	10649	10649		

खगन्दप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी



प्राप्ति VAT वालक रु.

आव.

क्रमांक

क्र.नं.	नियमित सामाचीहरूको विवरण	लेन्ड राइट	प्राप्ति VAT वालक रु.		
			रुपैयाँ.००	रुपैयाँ.००	रुपैयाँ.००
	<b>Rectangular</b>				
	18" x 24" (27 Kg.)	मृग	5916	5916	5916
8.4	<b>C.I. Gully Gratings &amp; Jali</b>				
	<b>Round Jali Strip Medium Duty</b>				
	4"	मृग	85	85	85
	5"	मृग	140	140	140
	6"	मृग	188	188	188
	10"	मृग	650	650	650
	<b>Square Jali Strip Medium Duty</b>				
	4" x 4"	मृग	94	94	94
	5" x 5"	मृग	118	118	118
	6" x 6"	मृग	142	142	142
	9" x 9"	मृग	413	413	413
	10" x 10"	मृग	533	533	533
	12" x 12"	मृग	768	768	768
	<b>C.I. Gully Gratings</b>				
	i) 15" x 18" Medium (18 Kg.)	मृग	3905	3905	3905
	ii) 15" x 18" Heavy (25 Kg.)	मृग	5324	5324	5324
	<b>Grit Cover</b>				
	कल्पाम एडब्ल्यू क्रममा फलामे पासलो जारी यसले कार्पेक्षन राय गरी एक काट Red oxide paint लगाउ तराल गरी राय बिगेन्न मात्रामा।	मृग	171	171	171
	<b>Aluminum Grating 4" dim.</b>	मृग	44	44	44
9	<b>G.I. Water Tank (17 Gauge)</b>				
	i) 100 gls	मृग	8567	8567	8567
	ii) 200 gls	मृग	13458	13458	13458
	iii) 300 gls	मृग	16927	16927	16927
	iv) 400 gls	मृग	20322	20322	20322
	v) 500 gls	मृग	23727	23727	23727
	<b>G.I. Water Tank (16 BWG Sheet)</b>				
	i) 100 gls	मृग	9036	9036	9036
	ii) 200 gls	मृग	13665	13665	13665
	iii) 300 gls	मृग	18143	18143	18143
	iv) 400 gls	मृग	21739	21739	21739
	v) 500 gls	मृग	25335	25335	25335
10	<b>Roof Top PVC Water Tank</b>				
	i) 200 lit - 5000 lit cap.	मृग	11	11	11
	ii) 5000 lit - 10,000 lit cap	मृग	12	12	12
	iii) Horizontal PVC water tank	मृग	12	12	12
11	<b>Water Pumps/Hand Pumps</b>				
	Indian Mark-III , Deep Well Hand Pump				
	6 No. hand pump	मृग	1629	1629	1629
	<b>Water Pump :</b>				
	i) ½ H.P. Water Pump (Multi stage pump)	मृग	11200	11200	11200
	ii) ½ H.P. Water Pump mono block type	मृग	6446	6446	6446
	iii) 1.0 H.P. water pump Multistage	मृग	14686	14686	14686
	iv) 1.0 H.P. water pump (mono block type)	मृग	9749	9749	9749
	v) 2.0 H.P. water pump	मृग	23265	23265	23265
	vi) 2.0 H.P. 3 phase water pump	मृग	24562	24562	24562
	vii) 5.0 HP 3 phase water pump	मृग	29516	29516	29516
	<b>Jet Water Pump</b>				
	i) 1.10 H.P.	मृग	22279	22279	22279
	ii) Double Stage jet 1.10 H.P.	मृग	26735	26735	26735

खगेल्प्रसाद रिजाल  
प्रमुख जिल्ला अधिकारी



क्र.सं.	नियमित सामग्रीहरूको विवरण	मा.वा. (VAT) राशि.रु.			क्रमांक
		मा.वा.	रेक्ट.राशि	रेक्ट.राशि	
iii)	1.5 H.P.	प्रति	30077	30077	30077
	<b>Super Sunction</b>				
i)	½ H.P.	प्रति	9190	9190	9190
ii)	0.75 H.P.	प्रति	8578	8578	8578
iii)	1.0 H.P.	प्रति	14704	14704	14704
	<b>Water Pump</b>				
i)	1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	प्रति	18748	18748	18748
ii)	2 H.P. single pump set "	प्रति	30110	30110	30110
	<b>Fire pump</b>				
	<b>Submersible Pump</b>				
i)	1.0 H.P.	प्रति	26872	26872	26872
ii)	2.0 H.P.	प्रति	49849	49849	49849
	<b>Electric Water Pump</b>				
ii)	½ H.P.	प्रति	1754	1754	1754
iii)	¾ H.P.	प्रति	2286	2286	2286
iii)	1.0 H.P.	प्रति	3368	3368	3368
	<b>Submersible Pump</b>				
i)	½ H.P open well type	प्रति	17155	17155	17155
ii)	1.1 H.P open well type	प्रति	25120	25120	25120
iii)	1.5 H.P open well type	प्रति	30633	30633	30633
	<b>Vertical Submersible Pump</b>				
ii)	1.1 H.P	प्रति	28072	28072	28072
iii)	1.5 H.P	प्रति	33920	33920	33920
<b>12</b>	<b>Fire fighting equipment and accessories</b>				
	swinging nose nozzle with 20mm hydraulic rubber braided nose length 30mm winding up to 170° U-shape hose reel carrier with drum set	प्रति			
	Gun metal two way collection head with 63 mm dia instantaneous type inlet with built in check meter fire fine bridge connection to under ground tank or to fine reel, miniray	प्रति			
	IS 5290, hose box size 30" - 24" - 10", 63 mm hose reel with 30m length or (15.2m) Gun metal branch pipe with nozzles coupling set. (Hose box 5065, hose pipe - 7500, nozzles coupling 2500, landing valve - 8500)	प्रति			
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	प्रति			
<b>13</b>	<b>Fire extinguisher ABC stored Pressure</b> वापरकालिन वापरनाली हुँदा प्रयोग गरिने बालाशी (safeguard india or equivalent)				
	i) 1 kg size ABC stored pressure type Fire extinguisher	प्रति			
	ii) 2 kg size ABC .. .. ..	प्रति			
	iii) 3.0kg size ABC .. .. ..	प्रति			
	iv) 5.0kg size ABC .. .. ..	प्रति			
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	प्रति			

886/82

सि. न.	प्राविक वापरीको विवर	मा. रा. / VAT जमिका:			टोली
		मा. रा.	वा. रा.	टोली	
	v) ABC sure pressure type 2.0kg cap of fire extinguisher re-fill				
	vi) ABC sure pressure type 5 kg cap of fire extinguisher re-fill				
	vii) 4.5 kg size ABC stored pressure type fire extinguisher				
	viii) 2.5 kg size ABC .....				
	ix) Co <sub>2</sub> Type fire extinguisher 6.80 lit.				
	x) Foam type fire extinguisher 9 lit capacity				
14	<b>Insulation for hot water pipe</b>				
	15mm Insulation 6 mm wall thickness				
	20mm Insulation 6 mm wall thickness				
	25mm Insulation 6 mm wall thickness				
	32mm Insulation 6 mm wall thickness				
15	<b>ACRYLIC GLASS SHELF</b>				
	i) Acrylic glass shelf best quality				
	ii) Acrylic glass shelf ordinary				
	iii) Shower curtain				
16	<b>Water Purification System</b>				
	Euro Guard Water purification system (one litre per minute)				
	Euro-guard water purification system (hi-flow 3 lit/min)				
	water purifier (1.0 lit/min)				
	power water purifier				
	RO feed pump				
	Fire Sprinkler				
	Supply, installation, testing and commissioning of Aeration system ( FRP Tray type)				
	Supply, installation, testing and commissioning of Dual Media Filter ( DMF ) FRP vessel with multiport valve, filter media and required accessories complete set (144" x 14" O)				
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)				
	<b>Filter Media for existing filtration system</b>				
	Pebbles				
	Coarse silex				
	Gravel				
	Golden sand				
	Anthracite				
	MN <sub>2</sub> O <sub>3</sub>				
	Activated Carbon				
	Motor starter switch				
	Pressure sensor switch for water tank				
17	<b>बिहन चाइको Bath tub .fiber</b>				
	a) Bath tub - 3'6" Medium				
	Bath tub - 3'6" Heavy				
	b) Bath tub - 4'0" Medium		6906	6906	6906
	Bath tub - 4'0" Heavy		8021	8021	8021
	c) Bath Tub - 4'6" Medium		8354	8354	8354
	Bath tub - 4'6" Heavy		8381	8381	8381

खगल्दप्रसाद राणी  
प्रमुख जिल्ला अधिकारी



क्र. नं.	नियमित सामान्यीकरणको विवरण	संग्रह संख्या	प्रति क्षेत्र VAT जम्मा (रु.)			टैक्सिटा
			भाव	रुपौल/प्रति	रुपौल/प्रति	
	d) Bath tub - 5'0" Medium	५०३४	११३४	११३४	११३४	
	Bath tub - 5'0" Heavy	३०२३६	३०२३६	३०२३६	३०२३६	
	e) Bath Tub - 5'6" Medium	८१९६	८१९६	८१९६	८१९६	
	Bath tub - 5'6" Heavy	९६५४	९६५४	९६५४	९६५४	
	f) Bath Tub - 6'0" Medium	१३२६१	१३२६१	१३२६१	१३२६१	
	Bath tub - 6'0" Heavy	३७९२८	३७९२८	३७९२८	३७९२८	
18	Shower Tray 3'0"×3'0"	गांठा	५१५	५१५	५१५	
	<b>Pipes and fittings</b>					
19	PPR Pipe (Poly propylene random co-polymer pipe )					
	<b>1) PP-R Pipe (PN-10)</b>					
	20mm outer, 1.9 mm thick, 0.107 kg/m	२५	४९	४९	४९	
	25mm " 2.5 mm thick 0.164kg/m	७५	७५	७५	७५	
	32mm 2.9 mm thick 0.26kg/m	११९	११९	११९	११९	
	40mm 3.7 mm thick 0.412kg/m	१८९	१८९	१८९	१८९	
	50mm 4.6 mm thick 0.638kg/m	२९३	२९३	२९३	२९३	
	63 mm 8.6 mm thick 0.638kg/m	४६३	४६३	४६३	४६३	
	75 mm	६४६	६४६	६४६	६४६	
	90 mm	९३१	९३१	९३१	९३१	
	110 mm	१३८०	१३८०	१३८०	१३८०	
	<b>2) PP-R Pipe (PN-16)</b>					
	20mm 2.80 mm thick 0.148kg/m	६७	६७	६७	६७	
	25mm 3.50 mm thick 0.26kg/m	१०३	१०३	१०३	१०३	
	32mm 3.7 mm thick 0.330kg/m	१६४	१६४	१६४	१६४	
	40mm 5.50 mm thick 0.575kg/m	२६३	२६३	२६३	२६३	
	50mm 6.90 mm thick 0.896kg/m	४११	४११	४११	४११	
	63 mm 4.6 mm thick 0.638kg/m	६४६	६४६	६४६	६४६	
	75 mm	९२१	९२१	९२१	९२१	
	90 mm	१३१५	१३१५	१३१५	१३१५	
	110 mm	१९७१	१९७१	१९७१	१९७१	

खगन्दप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

१५  
३

४

५

६

७  
८  
९



ठिनामा	नियमित सामग्रीहरूको विवरण	प्रति वर्ष विकलान	प्रति वर्ष VAT जारीकरण (रु.)			देखिएकाले
			रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ	
3) PP-R Pipe (PN-20)	मात्रामा					
20mm	3.4 mm thick 0.172 kg/m		78	78	78	
25mm	4.20 mm thick 0.266kg/m		122	122	122	
32mm	5.40 mm thick 0.434kg/m		199	199	199	
40mm	6.70 mm thick 0.671kg/m		307	307	307	
50mm	8.30 mm thick 1.04kg/m		477	477	477	
63mm	8.6mm thick 1.04kg/m		757	757	757	
75 mm			1073	1073	1073	
90 mm			1540	1540	1540	
110 mm			2296	2296	2296	
PP-R Pipe Accessories :						
Elbow ( 90° )						
20mm			10	10	10	
25mm			20	20	20	
32mm			34	34	34	
40mm			71	71	71	
50mm			118	118	118	
63mm			209	209	209	
75 mm			392	392	392	
90 mm			662	662	662	
110 mm			1232	1232	1232	
Equal Tee						
20mm			14	14	14	
25mm			25	25	25	
32mm			42	42	42	
40mm			81	81	81	
50mm			138	138	138	
63mm			251	251	251	
75 mm			436	436	436	
90 mm			798	798	798	
110 mm			1385	1385	1385	
Coupler						
20mm			8	8	8	
25mm			10	10	10	
32mm			20	20	20	
40mm			38	38	38	
50mm			64	64	64	
63mm			112	112	112	
75 mm			218	218	218	
90 mm			322	322	322	
110 mm			588	588	588	
45 Degree Elbow						
20 mm			14	14	14	
25 mm			22	22	22	
32 mm			35	35	35	
40 mm			64	64	64	
50 mm			108	108	108	
63 mm			178	178	178	
75 mm			348	348	348	
90 mm			588	588	588	
110 mm			1027	1027	1027	
Union (Plastic)						
20mm			52	52	52	
25mm			88	88	88	
32mm			143	143	143	
40mm			217	217	217	
50mm			340	340	340	
63mm			406	406	406	

B. B. B. B. B. B.

खगन्दप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी



मात्रक: VAT वालिक (रु.)

आम

प्रेसियर

संख्या	निर्माण सामग्रीहरूको विवरण	मात्रक: VAT वालिक (रु.)		
		२०७६/७७	२०७७/७८	२०७८/७९
<b>Reducing Coupler</b>				
25mm*20mm		15	15	15
32mm*20mm		18	18	18
32mm*25mm		20	20	20
40mm*20mm		30	30	30
40mm*25mm		31	31	31
40mm*32mm		42	42	42
50mm*20mm		56	56	56
50mm*25mm		54	54	54
50mm*32mm		61	61	61
50mm*40mm		65	65	65
63mm*32mm		88	88	88
63mm*40mm		109	109	109
63mm*50mm		109	109	109
75mm*40mm		218	218	218
75mm*50mm		222	222	222
75mm*63mm		224	224	224
90mm*50mm		414	414	414
90mm*63mm		444	444	444
90mm*75mm		522	522	522
110mm*75mm		732	732	732
110mm*90mm		814	814	814
<b>Reducing Tee</b>				
25*20*25 mm		26	26	26
32*20*32 mm		39	39	39
32*25*32 mm		42	42	42
40*20*40 mm		56	56	56
40*25*40 mm		61	63	63
40*32*40 mm		67	67	67
50*20*50 mm		85	85	85
50*25*50 mm		93	93	93
50*32*50 mm		126	126	126
50*40*60 mm		130	130	130
63*32*63 mm		196	196	196
63*40*63 mm		198	198	198
63*50*63 mm		207	207	207
75*50*75 mm		448	448	448
75*63*75 mm		469	469	469
90*63*90 mm		827	827	827
90*75*90 mm		914	914	914
110*75*110 mm		1480	1480	1480
110*90*110 mm		1524	1524	1524
<b>Reducing Elbow</b>				
25mm*20mm		20	20	20
32mm*20mm		36	36	36
32mm*25mm		44	44	44
<b>High Footed Pipe Clip</b>				
20mm	गोटा	11	11	11
25mm		13	13	13
32mm		20	20	20
40mm		22	22	22
50mm		25	25	25
63 mm		33	33	33
<b>Low Footed Pipe Clip</b>				
20mm		5	5	5
25mm		6	6	6
32mm		13	13	13
40mm		17	17	17
50mm		27	27	27
63 mm		35	35	35

खगेन्द्रप्रसाद रजाल  
प्रभुख जिल्ला अधिकारी

889/83



सि. नं.	लिमाल सामार्थीहरूको विवरण	प्रति वर्ष प्रति वर्ष प्रति वर्ष	मात्रक (M.A.T) जाहेक (रु.)		कैफियत
			आ.वा.	रुपैयाँ/रुपैयाँ	
	"Y" type Pipe Clip				
	20mm		17	17	17
	25mm		20	20	20
	32mm		25	25	25
	40 mm		49	49	49
	End Plug (short)				
	20mm		5	5	5
	25mm		9	9	9
	32mm		12	12	12
	End Plug with Ring				
	20mm		20	20	20
	End Plug (long)				
	20mm		8	8	8
	End Cap				
	20mm		11	11	11
	25mm		17	17	17
	32mm		26	26	26
	40mm		39	39	39
	50mm		69	69	69
	63 mm		133	133	133
	75 mm		213	213	213
	Cross Tee				
	20mm		23	23	23
	25mm		35	35	35
	32mm		59	59	59
	Short Passover				
	20mm		67	67	67
	25mm		96	96	96
	32mm		149	149	149
	Long Bypass				
	20mm		77	77	77
	25mm		126	126	126
	32mm		185	185	185
	Male Tee				
	20mmx 1/2"		126	126	126
	25mmx 1/2"		133	133	133
	25mmx 3/4"		159	159	159
	32mmx 1/2"		192	192	192
	32mmx 3/4"		200	200	200
	32mmx 1"		347	347	347
	Female Tee				
	20mmx 1/2"		102	102	102
	25mmx 1/2"		133	133	133
	25mmx 3/4"		155	155	155
	32mmx 1/2"		152	152	152
	32mmx 3/4"		179	179	179
	32mmx 1"		300	300	300
	Male elbow				
	20mmx 1/2"		121	121	121
	25mmx 1/2"		133	133	133
	25mmx 3/4"		163	163	163
	32mmx 1/2"		194	194	194
	32mmx 3/4"		218	218	218
	32mmx 1"		361	361	361
	Female elbow				
	20mmx 1/2"		99	99	99
	25mmx 1/2"		131	131	131
	25mmx 3/4"		133	133	133

खगन्दप्रसाद १४३१।  
प्रमुख जिल्ला अधिकारी

74

क्रम सं	प्राप्ति क्रान्तीयहरनको विवरण	स. का. (VAT) जमिका			जमिका
		२०८०/८१	२०८१/८२	२०८२/८३	
	32mmx1 1/2"		178	178	178
	32mmx3/4"		209	209	209
	32mmx1"		293	293	293
<b>Male Coupling</b>					
	20mmx1 1/2"		118	118	118
	20mmx3/4"		124	124	124
	25mmx1 1/2"		143	143	143
	25mmx3/4"		165	165	165
	32mmx1 1/2"		149	149	149
	32mmx3/4"		159	159	159
	32mmx1"		319	319	319
	40mmx1-1/4"		539	539	539
	50mmx1-1/2"		812	812	812
	63mmx2"		1072	1072	1072
	75mmx2-1/2"		2664	2664	2664
<b>Female Coupling</b>					
	20mmx1 1/2"		96	96	96
	20mmx3/4"		113	113	113
	25mmx1 1/2"		126	126	126
	25mmx3/4"		128	128	128
	32mmx1 1/2"		108	108	108
	32mmx3/4"		116	116	116
	32mmx1"		273	273	273
	40mmx1-1/4"		273	273	273
	50mmx1-1/2"		613	613	613
	63mmx2"		821	821	821
	75mmx2-1/2"		1877	1877	1877
<b>Male Union</b>					
	20mmx1 1/2"		266	266	266
	25mmx3/4"		382	382	382
	32mmx1"		561	561	561
	40mmx1 1/4"		1010	1010	1010
	50mmx1 1/2"		1350	1350	1350
	63mmx2"		3483	3483	3483
<b>Female Union</b>					
	20mmx1 1/2"		256	256	256
	25mmx3/4"		332	332	332
	32mmx1"		537	537	537
	40mmx1 1/4"		740	740	740
	50mmx1 1/2"		1265	1265	1265
	63mmx2"		2307	2307	2307
<b>Stop Valve</b>					
a)	20 mm		306	306	306
b)	25 mm		404	404	404
c)	32 mm		488	488	488
d)	40mm		522	522	522
e)	50 mm		870	870	870
f)	63 mm		1308	1308	1308
<b>Male base elbow</b>					

080981

क्र.न.	विवरण मात्राको विवरण	रामबा VAT जारीकरण				क्रमांक
		रामबा	रामबा	रामबा	रामबा	
	20mm x 1/2"		138	138	138	
	25mm x 3/4"		170	170	170	
	<b>Female base elbow</b>					
	20mm x 1/2"		135	135	135	
	25mm x 1/2"		166	166	166	
	25mm x 3/4"		163	163	163	
	<b>Metal Ball valve (double)</b>					
	20mmx1/2"		566	566	566	
	25mmx3/4"		829	829	829	
	32mmx1"		1024	1024	1024	
	40mmx1-1/4"		2915	2915	2915	
	50mmx1-1/2"		4005	4005	4005	
	<b>Metal Ball valve (Single)</b>					
	20mmx1/2"		522	522	522	
	25mmx3/4"		836	836	836	
	32mmx1"		1154	1154	1154	
	<b>Conceal Valve (Lux)</b>					
	20mm		977	977	977	
	<b>Conceal Valve (Nor)</b>					
	20mm		822	822	822	
	<b>Ball Valve (Plastic)</b>					
	20mm		83	83	83	
	25mm		113	113	113	
	32mm		196	196	196	
	40mm		417	417	417	
	50mm		605	605	605	
	63 mm		1024	1024	1024	
	<b>Ball Valve (Brass)</b>					
	20mm		300	300	300	
	25mm		370	370	370	
	32mm		503	503	503	
	40mm		831	831	831	
21	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system</b> CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493-2546					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm <sup>2</sup> )					
	1/2" dia	R/m	118	118	118	
	3/4" dia	"	165	165	165	
	1" dia	"	216	216	216	
	1-1/4" dia	"	269	269	269	*
	1-1/2" dia	"	376	376	376	
	2" dia	"	575	575	575	
	CPVC Pipe SDR 11 (28.1 Kg/cm <sup>2</sup> )					
	1/2" dia	"	137	137	137	
	3/4" dia	"	183	183	183	
	1" dia	"	256	256	256	
	1-1/4" dia	"	309	309	309	
	1-1/2" dia	"	430	430	430	
	2" dia	"	698	698	698	
	CPVC Ball Valve (CTS Sockets)					

श्र.सं.	नियमित सामार्थीको विवरण	विवरण	नेपाल VAT जाहिरात			दैनिकता
			रुपौली/रुपौली	रुपौली/रुपौली	रुपौली/रुपौली	
		1/2"	376	376	376	
		3/4"	501	501	501	
		1"	605	605	605	
		1-1/4"	1412	1412	1412	
		1-1/2"	1692	1692	1692	
		2"	2181	2181	2181	
	CPVC Reducer Brass Coupling	गोटी				
		3/4" X 1/2"	142	142	142	
		1" X 1/2"	186	186	186	
	CPVC Tee	गोटी				
		1/2"	37	37	37	
		3/4"	79	79	79	
		1"	121	121	121	
		1-1/4"	227	227	227	
		1-1/2"	330	330	330	
		2"	707	707	707	
	CPVC Reducer Tee	गोटी				
		1/2" X 1/2" X 3/4"	73	73	73	
		3/4" X 3/4" X 1/2"	110	110	110	
		3/4" X 1/2" X 3/4"	138	138	138	
		3/4" X 1/2" X 1/2"	158	158	158	
		1" X 1" X 3/4"	166	166	166	
		1-1/2" X 1-1/2" X 1"	258	258	258	
		2" X 2" X 1"	449	449	449	
		1-1/4" X 1-1/4" X 1/2"	146	146	146	
		1-1/4" X 1-1/4" X 1"	158	158	158	
		2" X 2" X 1/2"	441	441	441	
		4" X 1" X 1/2"	103	103	103	
	CPVC Brass FPT Tee	गोटी				
		1/2" X 1/2" X 1/2"	124	124	124	
		3/4" X 3/4" X 1/2"	129	129	129	
		1" X 1" X 1/2"	143	143	143	
		1-1/4" X 1-1/4" X 1/4"	516	516	516	
		1-1/4" X 1-1/4" X 1/2"	280	280	280	
	CPVC Elbow 90°	गोटी				
		1/2"	26	26	26	
		3/4"	54	54	54	
		1"	98	98	98	
		1-1/4"	185	185	185	
		1-1/2"	275	275	275	
		2"	590	590	590	
	CPVC Reducer Elbow 90°	गोटी				
		3/4" X 1/2"	54	54	54	
	CPVC Brass FPT Elbow 90°	गोटी				
		1/2" X 1/2"	86	86	86	
		3/4" X 1/2"	100	100	100	
		3/4" X 3/4"	114	114	114	
		1" X 1/2"	221	221	221	
		1" X 1"	614	614	614	
		1-1/4" X 1-1/4"	797	797	797	
	CPVC Elbow 45°	गोटी				
		1/2"	31	31	31	

खगेन्द्रप्रसाद रेजाल  
प्रमुख जिल्ला अधिकारी



२५३ VAT जारी कर

क्र. सं.	विभाग वा सम्बन्धित को मिवरण	विभाग वा सम्बन्धित को मिवरण			क्रमांक
		प्राप्ति	प्रदान	रुपैयाँ	
	3/4"	भवति	56	56	56
	"	"	80	80	80
	1-1/4"	"	140	140	140
	1-1/2"	"	203	203	203
	2"	"	440	440	440
	CPVC Male Adapter (CPVC Threads)	गाटा			
	1/2"	"	23	23	23
	3/4"	"	40	40	40
	"	"	61	61	61
	1-1/4"	"	109	109	109
	1-1/2"	"	153	153	153
	2"	"	299	299	299
	CPVC Reducing Male Adapter (CPVC Threads)	गाटा			

खगन्दप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

२३

२३

२३

२३



No.	नियम सामग्रीहरूको विवरण	मूल्यक (VAT) जाति:			टोटा
		रुपैयाँ	रुपैयाँ	रुपैयाँ	
	3/4" x 1/2" 3/4" x 1/2"	42	42	42	
	CPVC Male Adapters (Brass Threads)				
	1/2"	212	212	212	
	3/4"	275	275	275	
	1"	434	434	434	
	1-1/4"	953	953	953	
	1-1/2"	1113	1113	1113	
	2"	2290	2290	2290	
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	236	236	236	
	CPVC Female Adapter (CPVC Threads)				
	1/2"	32	32	32	
	3/4"	53	53	53	
	1"	79	79	79	
	CPVC Female Adapters Brass Threads				
	1/2"	204	204	204	
	3/4"	277	277	277	
	1"	360	360	360	
	1-1/4"	945	945	945	
	1-1/2"	1050	1050	1050	
	2"	2054	2054	2054	
	CPVC Caps				
	1/2"	13	13	13	
	3/4"	25	25	25	
	1"	38	38	38	
	1-1/4"	74	74	74	
	1-1/2"	109	109	109	
	2"	232	232	232	
	CPVC Union				
	1/2"	279	279	279	
	3/4"	410	410	410	
	1"	485	485	485	
	1-1/4"	888	888	888	
	1-1/2"	971	971	971	
	2"	1393	1393	1393	
	CPVC Cross Tee				
	1/2"	51	51	51	
	3/4"	109	109	109	
	CPVC Step Over Bend				
	1/2"	65	65	65	
	3/4"	107	107	107	

खगेन्द्रप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

880/81

No.	निर्यात सामग्रीहरूको विवरण	विक्री क्रमांक	नियमित VAT जमाना (₹)			कैफियत
			संस्कृत प्रति रुपये	भारत प्रति रुपये	रुपये/लेटो	
	CPVC Ball Valve (CTS Sockets)	४७७-४८				
	1/2"	"	681	681	681	
	3/4"	"	829	829	829	
	1"	"	949	949	949	
	1-1/4"	"	1935	1935	1935	
	1-1/2"	"	2462	2462	2462	
	2"	"	3167	3167	3167	
	CPVC Flow Guard Adhesive Solution					
	50ML	"	205	205	205	
	118ML	"	339	339	339	
	237ML	"	549	549	549	
	473ML	"	863	863	863	
	946ML	"	1515	1515	1515	
	Plastic Strap					
	1/2"	"	5	5	5	
	3/4"	"	6	6	6	
	1"	"	8	8	8	
	1-1/4"	"	12	12	12	
	1-1/2"	"	15	15	15	
	2"	"	19	19	19	
	Metal Strap					
	1/2"	"	13	13	13	
	3/4"	"	17	17	17	
	1"	"	21	21	21	
	1-1/4"	"	25	25	25	
	1-1/2"	"	28	28	28	
	2"	"	30	30	30	
	Tee Holder					
	1/2" X 1/2" X 1/2"	"	6	6	6	
	3/4" X 3/4" X 1/2"	"	8	8	8	
	Elbow Holder					
	1/2" X 1/2"	"	6	6	6	
	1/2" X 3/4"	"	7	7	7	
	Snap Fix Repair Coupling					
	1/2"	"	236	236	236	
	3/4"	"	256	256	256	
	End plug threaded 1/2"	"	12	12	12	
21	MS SEAMLESS PIPES					
	-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
	MS PIPE SEAMLESS SIZE OD (MM)	"				
	21.3 mm OD 1/2" SCH 40, 2.77 mm thickness	"	466	466	466	
	26.7mm OD 3/4" SCH 40, 2.87 mm thickness	"	558	558	558	
	33.4 mm OD 1" SCH 40, 3.38mm thickness	"	700	700	700	
	42.2mm OD 1.1/4" SCH 40, 3.56mm thickness	"	864	864	864	
	48.3 mm OD 1.5" SCH 40, 3.68 mm thickness	"	989	989	989	
	60.3mm OD 2" SCH 40, 3.91 mm thickness	"	1270	1270	1270	
	73mm OD 3" SCH 40, 5.16 mm thickness	"	1952	1952	1952	
	88.9mm OD 3.5" SCH 40, 5.49 mm thickness	"	2555	2555	2555	

खगेन्द्रप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी



लिन	नियांग सामार्थ्यालयो विवरण	रु.पा. (VAT) जमिका			विवरण
		रु.पा. १००%/ १००%	रु.पा. १००%/ १००%	रु.पा. १००%/ १००%	
	181.6mm OD 4" SCH 40, 5.74 mm thickness	3301	3301	3301	
	114.3mm OD 5" SCH 40, 6.02 mm thickness	3637	3637	3637	
	141.3mm OD 6" SCH 40, 6.557 mm thickness	4925	4925	4925	
	168.3mm OD 4" SCH 40, 7.11 mm thickness	6393	6393	6393	
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	Mtr	465	465	465
	Single Socket (R/R)	"	863	863	863
	Single Socket (R/R)	"	930	930	930
	Single Socket Self Fit	"	1199	1199	1199
	Single Socket Self Fit	"	1466	1466	1466
	Single Socket Self Fit	"	2015	2015	2015
	Single Socket Self Fit	"	2371	2371	2371
	Single Socket Self Fit	"	3167	3167	3167
	Single Socket Self Fit	"	3774	3774	3774
	Long Radius Bend - 45 Degree	Pc	1227	1227	1227
	Long Radius Bend - 45 Degree	"	2240	2240	2240
	Long Radius Bend - 45 Degree	"	4044	4044	4044
	Long Radius Bend - 45 Degree	"	7841	7841	7841
	Long Radius Bend - 60 Degree	"	1351	1351	1351
	Long Radius Bend - 60 Degree	"	2477	2477	2477
	Long Radius Bend - 60 Degree	"	4543	4543	4543
	Long Radius Bend - 60 Degree	"	8603	8603	8603
	Long Radius Bend - 90 Degree	"	663	663	663
	Long Radius Bend - 90 Degree	"	1601	1601	1601
	Long Radius Bend - 90 Degree	"	2953	2953	2953
	Long Radius Bend - 90 Degree	"	5522	5522	5522
	Long Radius Bend - 90 Degree	"	10174	10174	10174
	Fab. Coupler	"	191	191	191
	Fab. Coupler	"	457	457	457
	Fab. Coupler	"	985	985	985
	Fab. Coupler	"	1926	1926	1926
	Fab. Coupler	"	3543	3543	3543
	End Cap	"	408	408	408
	End Cap	"	671	671	671
	End Cap	"	1071	1071	1071
	End Cap	"	1564	1564	1564
	Equal Tee	"	11673	11673	11673
	Equal Tee	"	6718	6718	6718
	Equal Tee	"	3729	3729	3729
	Gully Trap with grating	"	1090	1090	1090
	Rodding Point	"	646	646	646
	Adjustable Bend 7 Degree to 37.5 Degree	"	689	689	689
	Adjustable Bend 7 Degree to 87.5 Degree	"	945	945	945
	Inspection Chamber Body	"	3399	3399	3399
	Inspection Chamber Riser	"	1688	1688	1688
	Inspection Chamber Lid with Cover	"	3205	3205	3205
	Inspection Chamber Body	"	9385	9385	9385
	Inspection Chamber Riser	"	2984	2984	2984
	Inspection Chamber Lid with Cover	"	4980	4980	4980

खगेन्द्रप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

B20/B1



न.सं. ना. VAT यांकन

दीपिका

सं. सं.	निम्नलिखित विवरण	रुपये			दीपिका
		रुपये/लाई	रुपये/लाई	रुपये/लाई	
24	Concealed Cisterns 9cm	72513	7054	7654	7654
	Concealed Cisterns Kombo fix 8cm	"	9376	9376	9376
	Dual Flush Actuator Plate shiny Chrome	"	3755	3755	3755
	Concealed Cisterns 17cm	"	9415	9415	9415
	Dual Flush Actuator Plate shiny Chrome	"	3755	3755	3755
	Traps for Wash Basins	"	1035	1035	1035
	Sensor for Urinal 9V DC	"	26537	26537	26537
	Sensor for Urinal 230V AC	"	26537	26537	26537
	control box for urinal sensor	"	7290	7290	7290
	Sensor Faucet Cold - Mixed water 6V DC	"	33124	33124	33124
	Sensor Faucet Cold / Mixed water 230V AC	"	33124	33124	33124
<b>PVC Lead Free White Pipes</b>					
22	<b>SCHEDULE 40</b>				
	"LEAD FREE PVC PLUMBING SYSTEMS 100% SAFE FOR DRINKING WATER PVC PIPES are as per ASTM D 3785; PVC FITTINGS are as per ASTM D 3388; PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467; PVC SOLVENT Joints as per ASTM D 2564"				
	<b>PVC Lead Free White Pipes SCH 40..... Kg/cm<sup>2</sup></b>	(0)			
	1/2" dia. (42.18 Kg/cm <sup>2</sup> )	"	118	118	118
	3/4"dia. (33.75 Kg/cm <sup>2</sup> )	"	151	151	151
	1" dia (31.84 Kg/cm <sup>2</sup> )	"	233	233	233
	1-1/4" dia (28.01 Kg/cm <sup>2</sup> )	"	287	287	287
	1-1/2" dia (23.20 Kg/cm <sup>2</sup> )	"	352	352	352
	2"dia. (19.89 Kg/cm <sup>2</sup> )	"	500	500	500
	2-1/2" dia (21.08 Kg/cm <sup>2</sup> )	"	698	698	698
	3"dia. (18.28 Kg/cm <sup>2</sup> )	"	882	882	882
	4"dia. (15.47 Kg/cm <sup>2</sup> )	"	1294	1294	1294
	6"dia. (12.66 Kg/cm <sup>2</sup> )	"	2695	2695	2695
	<b>PVC Tee - Soc</b>	गोला			
	1/2"	"	32	32	32
	3/4"	"	45	45	45
	1"	"	71	71	71
	1-1/4"	"	112	112	112
	1-1/2"	"	147	147	147
	2"	"	227	227	227
	2-1/2"	"	652	652	652
	3"	"	856	856	856
	4"	"	1548	1548	1548
	6"	"	8586	8586	8586
	<b>PVC Reducer Tee - Soc</b>	मूटा			
	3/4 x 1/2"	"	65	65	65
	1" x 1/2"	"	100	100	100
	1" x 3/4"	"	100	100	100
	1-1/2 X 1/2"	"	339	339	339
	1-1/2 X 3/4"	"	339	339	339
	1-1/2 X 1"	"	339	339	339
	1-1/2 X 1-1/4"	"	339	339	339
	2" X 1/2"	"	418	418	418
	2" X 3/4"	"	418	418	418
	2" X 1"	"	418	418	418
	2" X 1-1/4"	"	418	418	418

खगन्दप्रसाद राजाल  
प्रमुख जिल्ला अधिकारी



मात्रा /VAT जटिलता

मात्रा

कोर्टमयता

सि. नं.	विविध सामग्रीहरूको विवरण	मात्रा /VAT जटिलता		
		२०८०/८१	२०८१/८२	२०८०/८१
	2 X 1-1/2"	73	418	418
	2-1/2 X 1-1/2"	1074	1074	1074
	2-1/2 X 3/4"	1074	1074	1074
	2-1/2 X 1"	1074	1074	1074
	2-1/2 X 1-1/4"	1074	1074	1074
	2-1/2 X 1-1/2"	1074	1074	1074
	2-1/2 X 2"	1074	1074	1074
	3 X 1/2"	1568	1568	1568
	3 X 3/4"	1568	1568	1568
	3 X 1"	1568	1568	1568
	3 X 1-1/4"	1568	1568	1568
	3 X 1-1/2"	1568	1568	1568
	3 X 2"	1568	1568	1568
	3 X 2-1/2"	1568	1568	1568
	6 X 1-1/4"	8248	8248	8248
	6 X 1-1/2"	8248	8248	8248
	6 X 2"	8248	8248	8248
	8 X 2-1/2"	8248	8248	8248
	8 X 3"	8248	8248	8248
	8 X 4"	8248	8248	8248
PVC Brass Tee - Soc x Fipt SCH 80		मात्रा		
	1/2"	166	166	166
	3/4"	300	300	300
	3/4" X 1/2"	244	244	244
	1" X 1/2"	433	433	433
PVC 90° Elbow - Soc		मात्रा		
	1/2"	27	27	27
	3/4"	31	31	31
	1"	55	55	55
	1-1/4"	95	95	95
	1-1/2"	112	112	112
	2"	172	172	172
	2-1/2"	511	511	511
	3"	612	612	612
	4"	1252	1252	1252
	6"	5275	5275	5275
PVC Brass 90° Elbow Soc x Fipt SCH 80		मात्रा		
	1/2"	178	178	178
	3/4"	249	249	249
	3/4" X 1/2"	258	258	258
PVC 45° Elbow - Soc		मात्रा		
	1/2"	57	57	57
	3/4"	88	88	88
	1"	105	105	105
	1-1/4"	147	147	147
	1-1/2"	185	185	185
	2"	241	241	241
	2-1/2"	689	689	689
	3"	1071	1071	1071
	4"	1922	1922	1922
	8"	5289	5289	5289
PVC Coupling - Soc		मात्रा		



राज्य विदेशी विदेशी विदेशी

VAT विदेशी विदेशी

विदेशी

संख्या	प्रयोग सम्बन्धीत विवरण	राज्य विदेशी विदेशी			कैफियत
		रुपैयाँ / रुपैयाँ	रुपैयाँ / रुपैयाँ	रुपैयाँ / रुपैयाँ	
	1/2"	18	18	18	
	3/4"	27	27	27	
	1"	43	43	43	
	1-1/4"	57	57	57	
	1-1/2"	78	78	78	
	2"	121	121	121	
	2-1/2"	254	254	254	
	3"	398	398	398	
	4"	622	622	622	
	5"	2493	2493	2493	
	PVC Reducer Coupling - Soc	रुपैयाँ			
	3/4 X 1/2	44	44	44	
	1 X 3/4	75	75	75	
	1-1/2 X 1-1/4	134	134	134	
	2 X 1-1/2	214	214	214	
	4 X 2	1434	1434	1434	
	4 X 3	1434	1434	1434	
	6 X 4	2982	2982	2982	
	PVC Reducer Bushing - (Flush Style)	रुपैयाँ			
	3/4 X 1/2	36	36	36	
	1 X 1/2	51	51	51	
	1 X 3/4	51	51	51	
	1-1/4 X 1/2	88	88	88	
	1-1/4 X 3/4	88	88	88	
	1-1/4 X 1	88	88	88	
	1-1/2 X 1/2	93	93	93	
	1-1/2 X 3/4	93	93	93	
	1-1/2 X 1	93	93	93	
	1-1/2 X 1-1/4	93	93	93	
	2 X 1/2	170	170	170	
	2 X 3/4	170	170	170	
	2 X 1	170	170	170	
	2 X 1-1/4	170	170	170	
	2 X 1-1/2	170	170	170	
	2-1/2 X 1-1/4	239	239	239	
	2-1/2 X 1-1/2	239	239	239	
	2-1/2 X 2	239	239	239	
	3 X 1-1/2	354	354	354	
	3 X 2	354	354	354	
	3 X 2-1/2	354	354	354	
	4 X 2	696	696	696	
	4 X 3	696	696	696	
	5 X 2	2339	2339	2339	
	6 X 3	2339	2339	2339	
	6 X 4	2339	2339	2339	
	PVC Cap - Soc	रुपैयाँ			
	1/2"	25	25	25	
	3/4"	31	31	31	
	1"	44	44	44	
	1-1/4"	62	62	62	
	1-1/2"	68	68	68	

३८-६२  
४८

खमेन्द्रप्रसाद रिजाल  
अधिकारी

**८८/८९**

सि. न.	नियमित सामाजीकोर्सो विवरण	मु. र. क. VAT जनेका			टोटा
		१०८८/१०८९	१०८९/१०९०	१०९०/१०९१	
		82	82	82	
	2-1/2" ब्रेच र	261	261	261	
	3"	286	286	286	
	4"	652	652	652	
	6"	2573	2573	2573	
<b>PVC Union - Soc With EPDM O-Ring Seal</b>		३०८			
	1/2"	261	261	261	
	3/4"	299	299	299	
	1"	307	307	307	
	1-1/4"	989	989	989	
	1-1/2"	1031	1031	1031	
	2"	1391	1391	1391	
	2-1/2"	1946	1946	1946	
	3"	3108	3108	3108	
	4"	4303	4303	4303	
<b>PVC Male Adapter - Soc x MBSP</b>		३०८			
	1/2"	47	47	47	
	3/4"	56	56	56	
	1"	73	73	73	
	1-1/4"	90	90	90	
	1-1/2"	124	124	124	
	2"	160	160	160	
	2-1/2"	262	262	262	
	3"	667	667	667	
	4"	1056	1056	1056	
	6"	2430	2430	2430	
<b>PVC Brass Male Adapter - Soc x Mpt SCH 80</b>		३०८			
	1/2"	270	270	270	
	3/4"	361	361	361	
	1"	542	542	542	
<b>PVC Female Adaptor - Soc x FBSP</b>		३०८			
	1/2"	61	61	61	
	3/4"	63	63	63	
	1"	66	66	66	
	1-1/4"	171	171	171	
	1-1/2"	252	252	252	
	2"	245	245	245	
<b>PVC Brass Female Adapter - Soc x Fpt SCH 80</b>		३०८			
	1/2"	226	226	226	
	3/4"	321	321	321	
	1"	411	411	411	
<b>PVC Ball Valve - Soc</b>		३०८			
	1/2"	908	908	908	
	3/4"	1079	1079	1079	
	1"	1510	1510	1510	
	1-1/4"	2044	2044	2044	
	1-1/2"	3118	3118	3118	
	2"	3943	3943	3943	
	2-1/2"	6513	6513	6513	
	3"	10318	10318	10318	
	4"	17052	17052	17052	

खगन्दप्रसाद १२४८  
प्रमुख जिल्ला अधिकारी

080/81



क्रमांक	विवरण समाविहित को विवरण	मात्रा	प.त. रु. VAT जालने रु.			कैफियत
			प्राप्ति रु.	रेत रु.	रुपयोगी रु.	
	PVC Adhesive Solution (Med. Bonded 705)	लिटर	17040	37040	37040	
		118ML	315	315	315	
		237ML	452	452	452	
		473ML	819	819	819	
		946ML	1347	1347	1347	
	PVC Adhesive Solution (Heavy Bonded 717)	ग्राम				
		118ML	507	507	507	
		237ML	668	668	668	
		473ML	1172	1172	1172	
		946ML	2028	2028	2028	
23	Rainwater Collection System					
	140 mm Dia.					
	ROOF WATER PIPES (HALF ROUND)					
	To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length	मीटर	164	164	164	
	JOINT BRACKET					
	To connect two lengths of roof water	पीस	264	264	264	
	RUNNING OUTLET					
	To provide an outlet for water anywhere along the length of roof water pipe line which is 90° ELBOW (without outlet)	पीस	362	362	362	
	To change the direction of roof water pipe line through 90°, normally at the corners.	पीस	445	445	445	
	90° ELBOW (with outlet)					
	To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe	पीस	445	445	445	
	SHORT STOP END					
	To close the end of roof water pipe line	पीस	98	98	98	
	STOP END OUTLET					
	To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe	पीस	314	314	314	
	SUPPORT BRACKET					
	To support pipes and fittings wherever necessary and strengthen the roof water pipe line	पीस	79	79	79	
	TOP BRACKET					
	To locate the support bracket and rafter bracket together and ensure proper connection between them	पीस	52	52	52	
	CLAMP					
	To ensure perfect fixing between pipe and fittings	पीस	32	32	32	
	RAFTER BRACKET (TOP/SIDE)					
	To support the complete roof water pipe line with rafters. Available for top and side supports	पीस	80	80	80	
	RUBBER GASKET					
	To provide leak proof joints	पीस	31	31	31	
	75 mm dia.					
	PIPE CLIP					
	To provide support and ensure proper fixing of down line pipe off the wall.	पीस	65	65	65	



मा. वा. वा. VAT यांत्रिक वा.

वा. वा.

रुपैयाँ/रुपैयाँ १०००/१००० २०००/२०००

देखिएँ

सं. सं.	निर्माण वासानीहरूको विवरण		मा. वा. वा. VAT यांत्रिक वा.			देखिएँ
			रुपैयाँ/रुपैयाँ	१०००/१०००	२०००/२०००	
	RUBBER SEALS To ensure leak proof joint of single socket elbow		39	39	39	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe	Pc.	130	130	130	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	311	311	311	
	JOINT BRACKET To connect two lengths of roof water	Pc.	369	369	369	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe	Pc.	533	533	533	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc	610	610	610	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe	Pc	610	610	610	
	SHORT STOP END To close the end of roof water pipe line	Pc	145	145	145	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe	Pc	437	437	437	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line	Pc	111	111	111	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc	94	94	94	
	CLAMP To ensure perfect fixing between pipe and fittings	Pc	53	53	53	

खगेन्द्रप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

सि.न.	विवरण रामायाहरका विवरण	नुस्खा (VAT) जातेका (४)			प्रतिनिधि
		मात्रा	रुपैयाँ/पाई	रुपैयाँ/पाई	
	Rafter Brackets (Top/Side) To support the complete roof water pipe line with rafters. Available for top and side support. 47 पाई	112	113	113	
	Rubber Gasket To provide leak proof joints	Pc.	42	42	42
	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	70	70	70
	RUBBER SEALS To ensure leak proof joint of single socket elbow	Pc	45	45	45
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe	Pc	250	250	250
	250 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length	Pc	603	603	603
	JOINT BRACKET To connect two lengths of roof water	Pc.	632	632	632
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe	Pc.	994	994	994
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners	Pc.	1429	1429	1429
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe	Pc.	1429	1429	1429
	SHORT STOP END To close the end of roof water pipe line	Pc.	311	311	311
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe	Pc.	826	826	826
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line	Pc.	309	309	309
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them	Pc.	169	169	169
	CLAMP To ensure perfect fixing between pipe and fittings	Pc.	125	125	125

खगेन्द्रप्रसाद । राजा  
प्रमुख जिल्ला अधिकारी

880/82



लिन	नियम वालाहीकरण विवरण	मप्रव VAT) वार्ता			क्रमिकता
		मात्रा	मूल्य	मूल्य	
		रु०८५/०८६	रु०८५/०८७	रु०८५/०८८	
	Rafter Brackets (Top/Side) To support the complete roof water pipe line with rafters. Available for top and side supports.	327	327	327	
	Rubber Gasket To provide leak proof joints	Pc	171	171	171
	160 mm dia.				
	PIPE CLIP	Pc	84	84	84
	To provide support and ensure proper fixing of down line pipe on the wall				
	RUBBER SEALS	Pc	197	197	197
	To ensure, leak proof joint of single socket elbow				
	SINGLE SOCKET ELBOW	Pc	451	451	451
	To join the roof water outlet with down line pipe				
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	254	254	254
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-6	"	151	151	151
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	270	270	270
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	484	484	484
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	461	461	461
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	693	693	693
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	487	487	487
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-6	"	717	717	717
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	988	988	988
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1232	1232	1232
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1052	1052	1052
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1391	1391	1391
	FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degrees 75 mm size	pc	144	144	144
	DWV Bend 87.5 Degree	"	183	183	183
	DWV Bend 87.5 Degree with Door	"	84	84	84
	DWV Socket Plug	" "	195	195	195
	DWV Cleansing Pipe	"	117	117	117
	DWV Coupler	" "	208	208	208
	DWV Single Tee	"	228	228	228
	DWV Single Tee with Door	"	360	360	360
	DWV Cross Tee	"	506	506	506
	DWV Cross Tee with Door	"	372	372	372
	DWV Double 'Y'	"	496	496	496
	DWV Double 'Y' with Door	"	232	232	232
	DWV Single 'Y'	"	297	297	297

खगेन्द्रप्रसाद रिजाल  
प्रभुख जिल्ला अधिकारी

48

88981



नम्रता /VAT जारीकरण

नम्रता

प्रियकरण

संख्या	विवरण सामग्रीहरूको विवरण	रुपये /VAT जारीकरण			प्रियकरण
		रुपये/Rupay	रुपये/Rupay	रुपये/Rupay	
DWV Single 'Y' with Door	पर्सिल	12	12	12	
DWV Pipe Clip	पर्सिल	23	23	23	
DWV Vent Cowel	पर्सिल	237	237	237	
DWV Bend 45 Degree 110mm size	"	291	291	291	
DWV Bend 87.5 Degree	"	312	312	332	
DWV Bend 87.5 Degree with Door	"	106	106	106	
DWV Socket Plug	"	381	381	381	
DWV Cleansing Pipe	"	212	212	212	
DWV Coupler	"	705	705	705	
DWV Double 'Y'	"	832	832	832	
DWV Double 'Y' with Door	"	583	583	583	
DWV Cross Tee	"	661	661	661	
DWV Cross Tee with Door	"	381	381	381	
DWV Single 'Tee'	"	150	150	150	
DWV Single 'Tee' with Door	"	467	467	467	
DWV Single 'Y'	"	489	489	489	
DWV Single 'Y' with Door	"	48	48	48	
DWV Vent Cowel	"	166	766	166	
DWV Reducer 110*75 mm	"	37	37	37	
DWV Pipe Clip 110mm size	"	449	449	449	
DWV W.C. Connectore (Straight type)	"	359	359	359	
DWV W.C. Connectore (Bend type)	"	179	179	179	
DWV Naham Trap - 3" Height without Jali 75 mm	"	24	24	24	
DWV Naham Trap Jali	"	555	555	555	
DWV P-Trap with Leap Ring 10*110 mm	"	796	796	796	
DWV P-Trap with Leap Ring 25*110 mm	"	239	239	239	
DWV Multi Floor Trap 4" w/o Jali 75 mm	"	484	484	484	
DWV Reducer 60*110 mm	"	463	463	463	
DWV Coupler 160mm size	"	1109	1109	1109	
DWV Single Tee	"	1192	1192	1192	
DWV Single Tee with Door	"	2076	2076	2076	
DWV Single 'Y'	"	2181	2181	2181	
DWV Single 'Y' with Door	"	764	764	764	
DWV Bend 87.5 Degree	"	1018	1018	1018	
DWV Bend 87.5 Degree with Door	"	890	890	890	
DWV Bend 45 Degree	"				
<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr	602	602	602	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	624	624	624	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	649	649	649	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	611	611	611	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	622	622	622	
FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1110	1110	1110	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1153	1153	1153	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1198	1198	1198	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1129	1129	1129	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1149	1149	1149	

खगेन्द्रप्रसाद राजाल  
प्रमुख जिल्ला अधिकारी

सिरामा	निर्माण सामग्रीकालीन विवरण	प्रति कम्ति VAT / जाइजन (रु.)			कैफियत
		प्रति कम्ति	राशि	राशि	
FOAMCORE Plain Both End (3mtrs length) SN-4 4 - 200 mm		1739	1739	1739	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4		1769	1769	1769	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4		1799	1799	1799	
FOAMCORE Plain Both End (3mtrs length) SN-4		2885	2885	2885	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4		2935	2935	2935	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4		2986	2986	2986	
FOAMCORE Plain Both End (3mtrs length) SN-2 2 - 315 mm		3820	3820	3820	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-2		3886	3886	3886	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-2		3953	3953	3953	
FOAMCORE Plain Both End (3mtrs length) SN-4		4720	4720	4720	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4		4803	4803	4803	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4		4885	4885	4885	
FOAMCORE Plain Both End (6mtrs length) SN-8	"	601	601	601	
FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	616	616	616	
FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	631	631	631	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	612	612	612	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	623	623	623	
FOAMCORE Plain Both End (6mtrs length) SN-4	"	1109	1109	1109	
FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1142	1142	1142	
FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1174	1174	1174	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1130	1130	1130	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1149	1149	1149	
FOAMCORE Plain Both End (6mtrs length) SN-4	"	1739	1739	1739	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1769	1769	1769	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1800	1800	1800	
FOAMCORE Plain Both End (6mtrs length) SN-4	"	2885	2885	2885	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	2935	2935	2935	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	2985	2985	2985	
FOAMCORE Plain Both End (6mtrs length) SN-2	"	3820	3820	3820	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	3886	3886	3886	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	3953	3953	3953	
FOAMCORE Plain Both End (6mtrs length) SN-4	"	4720	4720	4720	
FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	4803	4803	4803	
FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	4885	4885	4885	



मुद्रक : VAT नम्बर : ८

संग्रहीत

१०८५

१०८५

१०८५

लेखन

सि.न.	नियमित कार्यालयको विवरण	मुद्रक : VAT नम्बर : ८			लेखन
		संग्रहीत	१०८५	१०८५	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
DWV Coupler SN-8	110mm	per pc	303	303	303
DWV Coupler SN-4	150 mm	"	729	729	729
DWV Coupler SN-4	200 mm	"	1491	1491	1491
DWV Coupler SN-4	250 mm	"	2778	2778	2778
DWV Coupler SN-2	315mm	"	4468	4468	4468
DWV Coupler SN-4	315 mm	"	4878	4878	4878
DWV Long Radius Bend - 90 Degree SN-8	110mm	"	1031	1031	1031
DWV Long Radius Bend - 90 Degree SN-4	160 mm	"	2870	2870	2870
DWV Long Radius Bend - 90 Degree SN-4	200mm	"	5361	5361	5361
DWV Long Radius Bend - 90 Degree SN-4	250 mm	"	12018	12018	12018
DWV Long Radius Bend - 90 Degree SN-4	315 mm	"	28536	28536	28536
<b>24 Multilayer Composite Pipe</b>					
Cold Water Pipe (White)					
12-16 mm $\frac{3}{8}$ "	Rm	104	104	104	
14-18 mm $\frac{3}{8}$ "	"	114	114	114	
16-20 mm $\frac{3}{8}$ "	"	122	122	122	
20-25 mm $\frac{3}{8}$ "	"	186	186	186	
26-32 mm 1"	"	290	290	290	
32-40 mm $1\frac{1}{4}$ "	"	459	459	459	
41-50 mm $1\frac{1}{2}$ "	"	673	673	673	
Hot Water Pipe (Orange)					
12-16 mm $\frac{3}{8}$ "	Rm	114	114	114	
14-18 mm $\frac{3}{8}$ "	"	126	126	126	
16-20 mm $\frac{3}{8}$ "	"	145	145	145	
20-25 mm $\frac{3}{8}$ "	"	214	214	214	
26-32 mm 1"	"	311	311	311	
32-40 mm $1\frac{1}{4}$ "	"	479	479	479	
Gas Lines Pipe (Yellow)					
12-16 mm $\frac{3}{8}$ "	Rm	90	90	90	
14-18 mm $\frac{3}{8}$ "	"	90	90	90	
<b>MULTILAYER COMPOSITE Fittings</b>					
a. Equal Straight Union					
$\frac{1}{2}$ " ø (16mm ø)	"	137	137	137	
$\frac{1}{2}$ " ø (18mm ø)	"	145	145	145	
$\frac{1}{2}$ " ø (20mm ø)	"	159	159	159	
$\frac{1}{2}$ " ø (25 mm ø)	"	232	232	232	
1" ø (32 mm ø)	"	362	362	362	
1 $\frac{1}{4}$ " ø (40 mm ø)	"	435	435	435	
1 $\frac{1}{2}$ " ø (50 mm ø)	"	506	506	506	
b. Unequal Straight Union					
25 - 16 mm ø	"	260	260	260	
25 - 18 mm ø	"	269	269	269	
25 - 20 mm ø	"	283	283	283	
32 - 16 mm ø	"	348	348	348	
32 - 18 mm ø	"	366	366	366	
32 - 20 mm ø	"	394	394	394	
32 - 25 mm ø	"	422	422	422	
40 - 32 mm ø	"	454	454	454	
50 - 20 mm ø	"	1683	1683	1683	

खगन्दप्रसाद ठेगाल  
प्रमुख जिल्ला अधिकारी

सं. सं.	विवरण सामग्रीहरूको विवरण		प्रमाण VAT जुर्माना			क्रमांक
			प्रमाण जुर्माना	प्रमाण विवरण	प्रमाण विवरण	
	50 - 32 mm ø		2016	2016	2016	
	50 - 40 mm ø		1900	1900	1900	
<b>c. Male Union</b>						
	16mm x ½" M		97	97	97	
	18mm x ½" M		113	113	113	
	20mm x ½" M	"	130	130	130	
	25mm x ½" M	"	158	158	158	
	25mm x ¾" M	"	199	199	199	
	25mm x 1" M	"	255	255	255	
	32mm x ½" M	"	292	292	292	
	32mm x 1" M	"	320	320	320	
	32mm x 1 ½" M	"	324	324	324	
	40mm x 1" M	"	1024	1024	1024	
	40mm x 1 ½" M	"	1060	1060	1060	
	50mm x 1" M	"	1610	1610	1610	
	50mm x 1 ¼" M	"	1638	1638	1638	
	50mm x 1 ½" M	"	2225	2225	2225	
	50mm x 2" M	"	1671	1671	1671	
<b>d. Female Straight Union</b>						
	16mm x ½" F	"	107	107	107	
	18mm x ½" F	"	116	116	116	
	20mm x ½" F	"	126	126	126	
	25mm x ½" F	"	167	167	167	
	25mm x ¾" F	"	199	199	199	
	25mm x 1" F	"	204	204	204	
	32mm x ½" F	"	209	209	209	
	32mm x ¾" F	"	213	213	213	
	32mm x 1" F	"	301	301	301	
	40mm x 1 ½" F	"	1203	1203	1203	
	50mm x 1 ½" F	"	1622	1622	1622	
	50mm x 1 ¾" F	"	2225	2225	2225	
	50mm x 2" F	"	1687	1687	1687	
<b>e. Equal Elbow</b>						
	½" ø (16mm ø)	"	130	130	130	
	½" ø (18mm ø)	"	158	158	158	
	½" ø (20mm ø)	"	213	213	213	
	¾" ø (25 mm ø)	"	324	324	324	
	1" ø (32 mm ø)	"	524	524	524	
	1 ¼" ø (40 mm ø)	"	1706	1706	1706	
	1 ½" ø (50 mm ø)	"	2642	2642	2642	
<b>f. Unequal Elbow</b>						
	40 - 32 mm ø	"	1891	1891	1891	
	50 - 30 mm ø	"	2178	2178	2178	
	50 - 40 mm ø	"	2220	2220	2220	
<b>g. Female Elbow</b>						
	16mm x ½" F	"	171	171	171	
	18mm x ½" F	"	190	190	190	
	20mm x ½" F	"	209	209	209	
	25mm x ½" F	"	232	232	232	
	25mm x ¾" F	"	287	287	287	
	25mm x 1" F	"	315	315	315	
	32mm x ½" F	"	339	339	339	
	32mm x 1" F	"	422	422	422	
	50mm x 1 ¼" F	"	2178	2178	2178	
<b>h. Male Elbow</b>						
	25mm x ¾" M	"	232	232	232	
	25mm x 1" M	"	301	301	301	
	32mm x ¾" M	"	228	228	228	

खगन्दप्रसाद राजाल  
प्रमुख जिल्ला अधिकारी



प्रभाग वा. VAT जारी करने वाले

मात्रा

मात्रा

कोषारी

संख्या	विवरण	मात्रा	मात्रा	मात्रा
	32mm x 1'M	२७१/८५	३८३	३८३
	40mm x 1'M	२७१/८६	१२५१	१२५१
	50mm x 1'M	२७१/८७	१७८४	१७८४
i. Equal Tee				
	½" o (16mm o)	गोटा	२३२	२३२
	¾" o (18mm o)	"	२६०	२६०
	½" o (20mm o)	"	३२४	३२४
	¾" o (25 mm o)	"	४६८	४६८
	1" o (32 mm o)	"	७३२	७३२
	1½" o (40 mm o)	"	२७३७	२७३७
	1½" o (50 mm o)	"	४०००	४०००
j. Unequal Tee				
	20 mm x 16 mm x 20 mm	"	२०९	२०९
	20 mm x 18 mm x 20 mm	"	२३२	२३२
	25 mm x 16 mm x 25 mm	"	३४८	३४८
	25 mm x 18 mm x 25 mm	"	३९४	३९४
	25 mm x 20 mm x 25 mm	"	४०८	४०८
	32 mm x 16 mm x 32 mm	"	६७२	६७२
	32 mm x 18 mm x 32 mm	"	६९५	६९५
	32 mm x 20 mm x 32 mm	"	७२३	७२३
	32 mm x 25 mm x 32 mm	"	७४२	७४२
	40 mm x 32 mm x 32 mm	"	२०२५	२०२५
	40 mm x 32 mm x 40 mm	"	२३४६	२३४६
	50 mm x 20 mm x 50 mm	"	३१९८	३१९८
	50 mm x 32 mm x 32 mm	"	२१०८	२१०८
	50 mm x 32 mm x 50 mm	"	३२३१	३२३१
	50 mm x 40 mm x 40 mm	"	३२४२	३२४२
	50 mm x 40 mm x 50 mm	"	३७०२	३७०२
k. Female Tee				
	16mm x ½" F x 16mm	गोटा	२३२	२३२
	18mm x ½" F x 18mm	"	२४१	२४१
	20mm x ½" F x 20mm	"	२६०	२६०
	25mm x ½" F x 25mm	"	२४४	२४४
	25mm x ¼" F x 25mm	"	२६९	२६९
	25mm x 1" F x 25mm	"	३४९	३४९
	32mm x ½" F x 32mm	"	३७५	३७५
	32mm x ¼" F x 32mm	"	३८५	३८५
	32mm x 1" F x 32mm	"	५२२	५२२
	40mm x ½" F x 32mm	"	१५४१	१५४१
	50mm x ½" F x 40mm	"	२२८६	२२८६
l. Equal Ball Valve Union				
	½" o (16mm o)	०८८	२७०	२७०
	½" o (18mm o)	"	२९९	२९९
	½" o (20mm o)	"	३९४	३९४
	¾" o (25 mm o)	"	६५४	६५४
	1" o (32 mm o)	"	९०८	९०८
	1½" o (40 mm o)	"	२९६८	२९६८
	1½" o (50 mm o)	"	४२८४	४२८४
m. Female Ball Valve Union				
	16mm x ½" F	गोटा	२५१	२५१
	18mm x ½" F	"	२८८	२८८
	20mm x ½" F	"	३२३	३२३
	20mm x ¼" F	"	३६२	३६२
	25mm x ½" F	"	६७२	६७२
	25mm x 1" F	"	६८६	६८६
	32mm x 1" F	"	७२३	७२३
n. Plug				
	1½" o (40 mm o)	"	१४८३	१४८३

खगड़प्रसाद १४३१  
प्रमुख जिल्ला अधिकारी

०८१/८१

मा.नं.	विवरण सामग्रीको नाम	मा.नं. VAT नम्बर को:			क्रमांक
		रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ	
	1½" o (50 mm o)	2039	2039	2039	
p. Wall Plated Female Elbow	16mm x 1/2"	195	195	195	
	18mm x 1/2"	215	215	215	
	20mm x 1/2"	232	232	232	
q. Nipple	N 1/2F*1/2F	50	50	50	
	N 1/2M*1/2M	50	50	50	
	N 3/4F*1/2F	70	70	70	
	N 1F*1/2F	80	80	80	
	N 1F*3/4F	90	90	90	
	N 3/4M*1/2M	70	70	70	
	N 1M*1/2M	80	80	80	
	N 1M*3/4M	90	90	90	
	N 1/2F*1/2M	60	60	60	
	N 1/2F*3/4M	70	70	70	
	N 1/2I*1M	110	110	110	
	N 1/2M*3/4I	70	70	70	
	N 1/2M*1I	115	115	115	
	N 3/4F*3/4M	90	90	90	
	N 3/4F*1M	99	99	99	
	N 3/4M*1I	131	131	131	
25	Supplying laying & jointing of ( Blue colour slotted Pvc pipe for different size of Ordinary Boring work by manually				
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	501	501	501	
	a.2) Failure charge per well	714	714	714	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	714	714	714	
	b.2) Failure charge per well	3708	3708	3708	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	1363	1363	1363	
	c.2) Failure charge per well	4820	4820	4820	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	1928	1928	1928	
	d.2) Failure charge per well	5562	5562	5562	
	Submersible pump installation fixing position with GI touching wire all complete work	1622	1622	1622	
26	R.C.C. Hume Pipe & Hume Pipe Collar				
	PIPES				
	a) NP-2				
	150 mm dia.	586	586	586	
	200 mm dia.	785	785	785	
	250 mm dia.	983	983	983	
	300 mm dia.	1330	1330	1330	
	350 mm dia.	1470	1470	1470	
	375 mm dia.	1610	1610	1610	
	400 mm dia.	1852	1852	1852	
	450 mm dia.	1960	1960	1960	
	500 mm dia.	2200	2200	2200	
	600 mm dia.	3077	3077	3077	
	700 mm dia.	3785	3785	3785	

०८०/८१

सिन	नियम आवधिकारी विभाग भक्तपुर	मात्रा	प.त.क. VAT जब्तक - ४			कीमिकरण	
			आव.		रु०३६/०९५		
			रु०३६/०९५	रु०३६/०९५			
	750 mm dia.	..	4092	4092	4092		
	800 mm dia.	..	4567	4567	4567		
	900 mm dia.	..	6172	6172	6172		
	1000 mm dia.	भक्तपुर	7185	7185	7185		
	1200 mm dia.	—	8776	8776	8776		
	1500 mm dia.	—	18450	18450	18450		
<b>b) NP-3</b>							
	150 mm dia.	रु०३६	1291	1310	1310		
	200 mm dia.	..	1720	1745	1745		
	250 mm dia.	..	2149	2185	2185		
	300 mm dia.	..	3088	3140	3140		
	350 mm dia.	..	3464	3520	3520		
	375 mm dia.	..	3702	3760	3760		
	400 mm dia.	..	3948	4010	4010		
	450 mm dia.	..	4432	4500	4500		
	500 mm dia.	..	4940	5020	5020		
	600 mm dia.	..	6104	6200	6200		
	700 mm dia.	..	7372	7485	7485		
	750 mm dia.	..	8467	8600	8600		
	800 mm dia.	..	9240	9385	9385		
	900 mm dia.	..	11985	12172	12172		
	1000 mm dia.	..	13312	13525	13525		
	1200 mm dia.	..	15847	16100	16100		
	1500 mm dia.	..	24894	25300	25300		
<b>R.C.C. Hume Pipe Collar</b>							
<b>a) NP-2</b>							
	150 mm dia.	रु०३६	165	165	165		
	200 mm dia.	..	195	195	195		
	250 mm dia.	..	245	245	245		
	300 mm dia.	..	332	332	332		
	350 mm dia.	..	365	365	365		
	375 mm dia.	..	365	365	365		
	400 mm dia.	..	463	463	463		
	450 mm dia.	..	490	490	490		
	500 mm dia.	..	550	550	550		
	600 mm dia.	..	769	769	769		
	700 mm dia.	..	946	946	946		
	750 mm dia.	..	1023	1023	1023		
	800 mm dia.	..	1141	1141	1141		
	900 mm dia.	..	1543	1543	1543		
	1000 mm dia.	..	1799	1799	1799		
	1200 mm dia.	..	2196	2196	2196		
	1500 mm dia.	..	4615	4615	4615		
<b>b) NP-3</b>							
	150 mm dia.	..	323	327	327		
	200 mm dia.	..	429	436	436		
	250 mm dia.	..	537	544	544		
	300 mm dia.	..	721	781	783		
	350 mm dia.	..	865	879	879		
	375 mm dia.	..	924	940	940		
	400 mm dia.	..	986	1000	1000		
	450 mm dia.	..	1107	1125	1125		
	500 mm dia.	..	1234	1255	1255		
	600 mm dia.	..	1526	1550	1550		
	700 mm dia.	..	1842	1871	1871		
	750 mm dia.	..	2116	2150	2150		
	800 mm dia.	..	2309	2344	2344		

खगन्द्रप्रसाद १९८०/८१  
प्रमुख जिल्ला अधिकारी



No.	निर्माण सामग्रीहरूको विवर	मात्रा	म.प.क. (VAT) जटिलता			कैफियत
			भाव	रु०३६.००५	रु०७९.०६०	
	900 mm dia.	..	2000	3042	3042	
	1000 mm dia.	..	3327	3582	3582	
	1200 mm dia.	..	3961	4024	4024	
	1500 mm dia.	..	6225	6324	6324	

CD J.P. AD

खगन्दप्रसाद राजाल  
प्रमुख जिल्ला अधिकारी

संग्रहीत  
द्वारा

सं.न.	विवरण सामान्यहरूको विवरण	एकाई	मुद्रा क्र. MAT (ग्राहक क्र.)			प्रतिक्रिया	
			आव.				
			₹१००५/१००६	₹१००६/१००७	₹१००७/१००८		
<b>R.C.C.Spigot Pipes (Socket System)</b>							
a) NP-2							
150 mm dia.			766	766	766		
200 mm dia.			976	976	976		
250 mm dia.			1221	1221	1221		
300 mm dia.			1656	1656	1656		
350 mm dia.			2007	2007	2007		
400 mm dia.			2300	2300	2300		
450 mm dia.			2438	2438	2438		
500 mm dia.			2736	2736	2736		
600 mm dia.			3608	3608	3608		
700 mm dia.			4709	4709	4709		
750 mm dia.			5090	5090	5090		
800 mm dia.			5684	5684	5684		
900 mm dia.			7339	7339	7339		
1000 mm dia.			8481	8481	8481		
1200 mm dia.			10274	10274	10274		
b) NP-3							
150 mm dia.		₹/m	1603	1603	1603		
200 mm dia.		₹/m	2139	2139	2139		
250 mm dia.		₹/m	2674	2674	2674		
300 mm dia.		₹/m	3842	3842	3842		
350 mm dia.		₹/m	4313	4313	4313		
400 mm dia.		₹/m	4913	4913	4913		
450 mm dia.		₹/m	5513	5513	5513		
500 mm dia.		₹/m	6141	6141	6141		
600 mm dia.		₹/m	7592	7592	7592		
700 mm dia.		₹/m	9169	9169	9169		
800 mm dia.		₹/m	11493	11493	11493		
900 mm dia.		₹/m	14907	14907	14907		
1000 mm dia.		₹/m	16564	16564	16564		
1200 mm dia.		₹/m	19506	19506	19506		
1500 mm dia.		₹/m	30835	30835	30835		
1600 mm dia.		₹/m	35566	35566	35566		
1800 mm dia.		₹/m	47339	47339	47339		
27	<b>High Density Polythene Pipe NS-40</b>						
	Pipes of different sizes, series & pressure	Kg	281	287	287		
28	<b>UPVC (Pipe NS 206/046</b>						
28.1	A) pipe 2.5 kg /cm <sup>2</sup> pressure						
a)	90 mm	₹/m	141	141	141		

खगेन्द्रप्रसाद रजाल  
प्रमात्र जिल्ला अधिकारी

सि.न	विवरण सामान्यीकरण विवरण	मात्रा	प्राप्ति VAT जारी करने			क्रमांक	
			मात्रा		रुपैयाँ, रुपैयाँ		
			रुपैयाँ, रुपैयाँ	रुपैयाँ, रुपैयाँ			
b) 110 mm		"	211	211	211		
c) 125 mm		"	268	268	268		
d) 140 mm		"	331	331	331		
e) 160 mm		"	432	432	432		
f) 180 mm	प्रति लीटर रुपैयाँ	"	553	553	553		
g) 200 mm	प्रति लीटर रुपैयाँ	"	676	676	676		
28.2 B) UPVC Pipe 4 kg / cm <sup>2</sup>	भृत्यार						
a) 63mm		रु. 40	112	112	112		
b) 75 mm		"	155	155	155		
c) 90 mm		"	221	221	221		
d) 110 mm		"	304	304	304		
e) 125 mm		"	318	318	318		
f) 140 mm		"	331	331	331		
g) 160 mm		"	687	687	687		
h) 180 mm		"	883	883	883		
i) 200 mm		"	1072	1072	1072		
28.3 C) UPVC Pipe 6 Kg/ cm <sup>2</sup> pressure							
a) 40 mm		रु. 60	60	60	60		
b) 50 mm		"	100	100	100		
c) 63 mm		"	160	160	160		
d) 75 mm		"	223	223	223		
e) 90 mm		"	322	322	322		
f) 110 mm		"	466	466	466		
g) 125 mm		"	620	620	620		
h) 140 mm		"	772	772	772		
i) 160 mm		"	989	989	989		
j) 180 mm		रु. 60	1262	1262	1262		
k) 200 mm			1545	1545	1545		
28.4 C) UPVC Pipe 10 Kg/ cm <sup>2</sup> pressure							
a) 20 mm		रु. 26	26	26	26		
b) 25 mm		"	40	40	40		
c) 32mm		"	66	66	66		
a) 40 mm		"	99	99	99		
b) 50 mm		"	136	136	136		
c) 63 mm		"	248	248	248		
d) 75 mm		"	335	335	335		
e) 90 mm		"	504	504	504		
f) 110 mm		"	747	747	747		
g) 125 mm		"	957	957	957		
h) 140 mm		"	1208	1208	1208		
i) 160 mm		"	1554	1554	1554		
j) 180 mm		"	1981	1981	1981		

खगेन्द्रप्रसाद रजाल  
प्रमुख जिल्ला अधिकारी

संकेत	निर्माण सामग्रीहरूको विवरण	मात्रा	प्राप्ति VAT जाहाज			क्रमांक	
			भारत				
			रुपैयाँ.००	रुपैयाँ.००	रुपैयाँ.००		
k)	200 mm	"	2449	2449	2449		
28.5	UPVC fittings :						
	Coupler						
	50 mm	गोटा	32	32	32		
	75 mm	"	77	77	77		
	110 mm	"	131	131	131		
	Bend 87.5 degree	प्रत्यापुर					
	50 mm	गोटा	47	47	47		
	75 mm	"	112	112	112		
	110 mm	"	206	206	206		
	Bend 45 degree						
	50 mm	गोटा	46	46	46		
	75 mm	"	91	91	91		
	110 mm	"	163	163	163		
	Single Tee						
	50 mm	गोटा	70	40	70		
	75 mm	"	151	151	151		
	110 mm	"	287	287	287		
	Pipe clip						
	50 mm	गोटा	15	15	15		
	75 mm	"	29	29	29		
	110 mm	"	38	38	38		
	Bend 87.5 degree with door						
	75 mm	गोटा	143	143	143		
	110 mm	"	249	249	249		
	Single Tee with door						
	75 mm	गोटा	204	204	204		
	110 mm	"	380	380	380		
	Double Tee	*					
	75 mm	गोटा	312	312	312		
	110 mm	"	525	525	525		
	Double Tee with door						
	75 mm	गोटा	410	440	440		
	110 mm	"	682	682	682		
	Vent cowl						
	75 mm	गोटा	54	54	54		
	110 mm	"	90	90	90		
	Socket plug						
	75 mm	गोटा	68	68	68		
	110 mm	"	111	111	111		
	Single "Y"						
	75 mm	गोटा	173	173	173		
	110 mm	"	374	374	374		
	Single "Y" with door						
	75 mm	गोटा	237	237	237		
	110 mm	"	451	451	451		
	Double "Y"						
	75 mm	गोटा	261	261	261		
	110 mm	"	514	514	514		
	Double "Y" with door						
	75 mm	गोटा	334	334	334		
	110 mm	"	539	539	539		

सिवाया	सिवाया सामग्रीहरूको विवरण	एकाई	प्रति कि.वा. VAT जमेका रु.			क्रमांक	
			आ.वा.		रुपौँ.०००		
			रुपौँ.००५	रुपौँ.०००			
Cleaning pipe							
75 mm		"	152	152	152		
110 mm		"	293	293	293		
Reducer							
110x 75 mm	२०२३ रुपौँ.०००	"	135	135	135		
75X50 mm	२०२३ रुपौँ.०००	"	71	71	71		
P - Trap	२०२३ रुपौँ.०००						
125mmx110mm		"	555	555	555		
110mmx110mm		"	521	521	521		
75mmx75mm		"	199	199	199		
Multi-Floor -Trap							
110mmx75mm		"	288	288	288		
Nahani-Trap							
110mmx75mm		"	263	263	263		
W.C. Connector (bent type)			269	269	269		
Square tile with jali			86	86	86		
Round jali			40	40	40		
End cap 50mm			26	26	26		
29.० G.I Pipe threaded , 6 m.,length with Cap							
a) Light class							
i. ½" (15 mm)		"	152	170	170		
ii. ¾" (20 mm)		"	208	232	232		
iii. 1" (25 mm)		"	288	322	322		
iv. 1 ¼" (32 mm)		"	369	411	411		
v. 1 ½ " (40 mm)		"	455	508	508		
vi. 2" (50 mm)		"	575	641	641		
vii. 2 ½ " (65 mm)		"	793	885	885		
viii. 3" (80 mm)		"	930	1038	1038		
ix. 4" (100 mm)		"	1330	1485	1485		
x. 5" (125 mm)		"	2129	2377	2377		
xi. 6" (150 mm)		"	2529	2823	2823		
xii. 8" (200 mm)		"	5629	4051	4051		
b) Medium class							
i. ½" (15 mm)		"	176	181	181		
ii. ¾" (20 mm)		"	227	225	225		
iii. 1" (25 mm)		"	338	344	344		
iv. 1 ¼" (32 mm)		"	439	447	447		
v. 1 ½ " (40 mm)		"	505	514	514		
vi. 2" (50 mm)		"	690	706	706		
vii. 2 ½ " (65 mm)		"	881	901	901		
viii. 3" (80 mm)		"	1092	1122	1122		
ix. 4" (100 mm)		"	1620	1680	1680		
x. 5" (125 mm)		"	2245	2196	2196		
xi. 6" (150 mm)		"	2712	2656	2656		
xii. 8" (200 mm)		"	4123	4596	4596		
c) Heavy duty							
i. ½" (15 mm)		"	209	212	212		
ii. ¾" (20 mm)		"	264	265	265		
iii. 1" (25 mm)		"	395	396	396		
iv. 1 ¼" (32 mm)		"	505	468	468		
v. 1 ½ " (40 mm)		"	582	593	593		

संख्या	विवरण आवासीकरणे विवरण	एकांक	प्रति कि.मी. VAT (निम्नलिखित)			टिकियर	
			मात्रा				
			रु०५८/०६९	रु०१५/०६०	रु०२०/०६७		
vii.	2" (50 mm)	*	848	872	872		
viii.	2 1/2" (65 mm)	*	1063	992	992		
ix.	3" (80 mm)	*	1251	1285	1285		
x.	4" (100 mm)	*	1940	2208	2208		
xii.	5" (125 mm)	*	2513	2503	2503		
xii.	6" (150 mm)	*	2850	2833	2833		
xii.	8" (200 mm)	*	4371	5083	5083		
<b>30.0 G.I. Pipe fittings ISI or NS Standard</b>							
<b>a) G.M. Gate valve</b>							
i.	1/2"	गोदा	991	751	751		
ii.	3/4"	"	1234	1050	1050		
iii.	1"	"	1988	1600	1600		
iv.	1 1/4"	"	2836	2540	2350		
v.	1 1/2"	"	3571	3133	3133		
vi.	2"	"	5685	4883	4883		
vii.	2 1/2"	"	11753	8772	8772		
viii.	3"	"	14614	12050	12050		
ix.	4"	"	23955	20590	20590		
<b>b) G.M. Check valve</b>							
i.	1/2"	गोदा	920	893	893		
ii.	3/4"	"	1256	1200	1200		
iii.	1"	"	1828	1775	1775		
iv.	1 1/4"	"	2702	2623	2623		
v.	1 1/2"	"	3126	3035	3035		
vi.	2"	"	5184	5033	5033		
vii.	2 1/2"	*	10532	10225	10225		
viii.	3"	"	14067	13657	13657		
ix.	4"	"	19880	19301	19301		
<b>c) G.I. Elbow</b>							
i.	1/2"	मैट्रि	54	42	42		
ii.	3/4"	"	97	66	66		
iii.	1"	"	149	105	105		
iv.	1 1/4"	"	227	162	162		
v.	1 1/2"	"	317	223	223		
vi.	2"	"	478	344	344		
vii.	2 1/2"	"	829	653	653		
viii.	3"	"	1291	880	880		
ix.	4"	"	2224	1570	1570		
x.	5"	"	3502	2104	2104		
xii.	6"	"	5871	3524	3524		
<b>d) G.I. Tee</b>							
i.	1/2"	मैट्रि	82	66	66		
ii.	3/4"	"	131	104	104		
iii.	1"	"	191	142	142		
iv.	1 1/4"	"	305	219	219		
v.	1 1/2"	"	422	282	282		
vi.	2"	"	691	492	492		
vii.	2 1/2"	"	1086	828	828		
viii.	3"	"	1467	1187	1187		

क्र.सं.	निर्माण जागरूकताको विवरण	एकाई	मूल्य रु. VAT जाहिर रु.			वैधिकता	
			आव.		रुपैयाँ.००		
			रुपैयाँ.००	रुपैयाँ.००			
ix.	4"	"	2665	1953	1953		
x.	5"	"	7375	2465	2465		
xi.	6"	"	8547	2960	2960		
<b>e) G.I Union</b>							
i.	1/2"	मात्रा	174	113	113		
ii.	3/4"	"	245	153	153		
iii.	1"	"	359	210	210		
iv.	1 1/4"	"	494	329	329		
v.	1 1/2"	"	612	401	401		
vi.	2"	"	911	611	611		
vii.	2 1/2"	"	1862	1138	1138		
viii.	3"	"	2509	1586	1586		
ix.	4"	"	3306	2205	2205		
x.	5"	"	7375	2770	2770		
xi.	6"	"	8925	5224	5224		
<b>f) G.I. Socket</b>							
i.	1/2"	मात्रा	48	38-	38		
ii.	3/4"	"	75	57	57		
iii.	1"	"	103	75	75		
iv.	1 1/4"	"	159	115	115		
v.	1 1/2"	"	214	144	144		
vi.	2"	"	315	241	241		
vii.	2 1/2"	"	521	371	371		
viii.	3"	"	842	586	586		
ix.	4"	"	1451	951	951		
x.	5"	"	3640	1140	1140		
xi.	6"	"	4895	1368	1368		
<b>g) C.I. Plug</b>							
i.	1/2"	मात्रा	31	30	30		
ii.	3/4"	"	41	40	40		
iii.	1"	"	50	49	49		
iv.	1 1/4"	"	101	98	98		
v.	1 1/2"	"	128	124	124		
vi.	2"	"	153	149	149		
vii.	2 1/2"	"	220	214	214		
viii.	3"	"	450	437	437		
ix.	4"	"	863	838	838		
<b>h) Hex Nipple</b>							
i.	1/2"	मात्रा	58	56	56		
ii.	3/4"	"	89	86	86		
iii.	1"	"	143	139	139		
iv.	1 1/4"	"	224	217	217		
v.	1 1/2"	"	281	275	275		
vi.	2"	"	421	409	409		
vii.	2 1/2"	"	773	750	750		
viii.	3"	"	997	968	968		
ix.	4"	"	1539	1484	1484		
<b>i) Reducing Tee</b>							
i.	1/4"	मात्रा	143	120	120		
ii.	1"	"	210	148	148		
iii.	1 1/4"	"	315	162	162		

सि. नं.	विवाह समाजीकरण विवरण	वर्ग	प. वा. VAT जरूरि न.			क्रमांक
			प्राप्ति/प्रति	प्राप्ति/प्रति	प्राप्ति/प्रति	
iv.	1 1/2"		465	325	325	
v.	2"		759	517	517	
vi.	2 1/2"		1195	918	918	
vii.	3"		1615	1450	1450	
viii.	4"		2952	2750	2750	
ix.	5"	"	8121	3300	3300	
x.	6"	"	9400	3960	3960	
<b>i) Reducing Elbow</b>						
i.	3/4"	गोटा	106	103	103	
ii.	1"	"	165	160	160	
iii.	1 1/4"	"	251	244	244	
iv.	1 1/2"	"	352	342	342	
v.	2"	"	526	511	511	
vi.	2 1/2"	"	969	885	885	
vii.	3"	"	1402	1361	1361	
viii.	4"	"	2482	2410	2410	
ix.	5"	"	6054	5878	5878	
x.	6"	"	7285	7073	7073	
<b>j) Reducing socket</b>						
i.	3/4"	गोटा	82	80	80	
ii.	1"	"	111	100	100	
iii.	1 1/4"	"	173	150	150	
iv.	1 1/2"	"	233	210	210	
v.	2"	"	347	320	320	
vi.	2 1/2"	"	620	450	450	
vii.	3"	"	886	720	720	
viii.	4"	"	1599	1140	1140	
ix.	5"	"	1569	1368	1368	
x.	6"	"	5372	482	482	
<b>K) Short bend</b>						
i.	3/4"	गोटा	143	130	130	
ii.	1"	"	220	150	150	
iii.	1 1/4"	"	338	190	190	
iv.	1 1/2"	"	649	290	290	
v.	2"	"	981	400	400	
vi.	2 1/2"	"	1455	590	590	
vii.	3"	"	3683	1500	1500	
viii.	4"	"	5710	1800	1800	
ix.	5"	"	8091	2500	2500	
<b>l) Cross Tee</b>						
i.	3/4"	गोटा	135	131	131	
ii.	1"	"	192	186	186	
iii.	1 1/4"	"	302	293	293	
iv.	1 1/2"	"	524	509	509	
v.	2"	"	629	611	611	
vi.	2 1/2"	"	1020	990	990	
vii.	3"	"	1720	1670	1670	
viii.	4"	"	2493	2420	2420	
<b>M) Tanki nipple</b>						
i.	3/4"	गोटा	159	154	154	

880/BS

छ.मा	निप्पल लामापीलको विवरण	एकाई	प्रति का VAT जाहिर रहे			वैधिकता	
			आ.प		रुपौलीका		
			रुपौलीका	रुपौलीका			
ii.	2"	"	220	214	214		
iii.	3"	"	320	319	319		
iv.	1 1/4"	"	494	480	480		
v.	1 1/2"	"	629	611	611		
vi.	2"	"	1020	990	990		
vii.	2 1/2"	"	1965	1906	1906		
viii.	3"	"	2614	2538	2538		
ix.	4"	"	3468	3367	3367		
<b>G.I. Nipple Medium Class ISI or NS</b>							
<b>2" Long</b>							
i.	5/8"	ग्राम	26	22	22		
ii.	3/4"	"	38	34	34		
iii.	1"	"	52	44	44		
iv.	1 1/4"	"	70	57	57		
v.	1 1/2"	"	85	71	71		
vi.	2"	"	131	131	131		
<b>3" Long</b>							
i.	5/8"	"	474	38	34	34	
ii.	3/4"	"	58	47	47		
iii.	1"	"	78	66	66		
iv.	1 1/4"	"	105	85	85		
v.	1 1/2"	"	130	106	106		
vi.	2"	"	194	134	134		
vii.	2 1/2"	"	267	186	186		
viii.	3"	"	389	220	220		
<b>4" Long</b>							
i.	5/8"	"	72	45	45		
ii.	3/4"	"	76	63	63		
iii.	1"	"	104	88	88		
iv.	1 1/4"	"	140	113	113		
v.	1 1/2"	"	171	142	142		
vi.	2"	"	261	179	179		
vii.	2 1/2"	"	357	248	248		
viii.	3"	"	520	304	304		
ix.	4"	"	668	422	422		
<b>6" Long</b>							
i.	5/8"	ग्राम	78	68	68		
ii.	3/4"	"	116	94	94		
iii.	1"	"	156	122	122		
iv.	1 1/4"	"	211	132	132		
v.	1 1/2"	"	261	170	170		
vi.	2"	"	380	269	269		
vii.	2 1/2"	"	514	373	373		
viii.	3"	"	761	439	439		
ix.	4"	"	948	633	633		
<b>9" Long</b>							
i.	5/8"	ग्राम	116	68	68		
ii.	3/4"	"	172	94	94		
iii.	1"	"	208	122	122		
iv.	1 1/4"	"	316	132	132		
v.	1 1/2"	"	425	170	170		

खगेन्द्रप्रसाद रजाल  
प्रभास चित्ता अधिकारी

सिन	निर्माण सामग्रीहरूको विवरण	एकाई	मात्रा VAT जटिलता			क्रमांक	
			आप		रुपैयाँ/रुपैयाँ		
			रुपैयाँ/रुपैयाँ	रुपैयाँ/रुपैयाँ			
vi.	2"	"	586	269	269		
vii.	2 1/2"	"	791	373	373		
viii.	3"	"	1170	439	439		
ix.	4"	"	3017	633	633		
<b>12" Long</b>							
i.	2"	माटो	156	136	136		
ii.	3"	माटो	228	189	189		
iii.	4"	माटो	259	265	265		
iv.	4 1/2"	"	422	340	340		
v.	5"	"	570	428	428		
vi.	2"	"	760	537	537		
vii.	2 1/2"	"	1051	746	746		
viii.	3"	"	1359	877	877		
ix.	4"	"	1867	1266	1266		
<b>18" Long</b>							
i.	2"	माटो	234	227	227		
ii.	3"	"	288	280	280		
iii.	4"	"	389	378	378		
iv.	4 1/2"	"	632	614	614		
v.	5"	"	778	755	755		
vi.	2"	"	1170	1136	1136		
vii.	2 1/2"	"	1582	1536	1536		
viii.	3"	"	2316	2249	2249		
ix.	4"	"	2825	2743	2743		
<b>G.L/G.I. Flange</b>							
i.	1 1/4"	माटो	993	964	964		
ii.	1 1/2"	"	1222	1186	1186		
iii.	2"	"	1497	1453	1453		
iv.	2 1/2"	"	1750	1696	1696		
v.	3"	"	1949	1892	1892		
vi.	4"	"	2418	2348	2348		
vii.	5"	"	3459	3358	3358		
viii.	6"	"	3593	3488	3488		
ix.	8"	"	7156	6948	6948		
<b>G.L/HDP Flange</b>							
i.	1 1/4"	माटो	1069	1038	1038		
ii.	1 1/2"	"	1362	1322	1322		
iii.	2"	"	1699	1562	1562		
iv.	2 1/2"	"	1879	1824	1824		
v.	3"	"	2009	1950	1950		
vi.	4"	"	2478	2406	2406		
vii.	5"	"	3459	3358	3358		
viii.	6"	"	3610	3505	3505		
ix.	8"	"	7856	7627	7627		
<b>HDP/HDP Flange set with adaptor</b>							
i.	1 1/4"	माटो	1069	1038	1038		
ii.	1 1/2"	"	1362	1322	1322		
iii.	2"	"	1699	1562	1562		
iv.	2 1/2"	"	1879	1824	1824		
v.	3"	"	2009	1950	1950		
vi.	4"	"	2478	2406	2406		

80/81

संख्या	विवरण रामायोदयकी विवरण	एकाई	मूलक (VAT) वाहक रुपै			क्रमांक
			रामायोदय		रामायोदय	
			रामायोदय	रामायोदय	रामायोदय	
vii.	5"	"	1978	1814	3814	
viii.	6"	"	3640	3505	3505	
ix.	8"	"	7886	7627	7627	
<b>Brass tap ½"</b>						
i.	½" (Wt. 400 gm)	ग्राम	933	750	750	
ii.	½" ordinary	ग्राम	211	205	205	
<b>Globe Valve (GM)</b>						
i.	½"	ग्राम	952	924	924	
ii.	¾"	"	1550	1505	1505	
iii.	1"	"	1915	1854	1854	
iv.	1 ¼"	"	3032	2953	2953	
v.	1 ½"	"	3827	3716	3716	
vi.	2"	"	4776	4640	4640	
vii.	2 ½"	"	9387	9114	9114	
viii.	3"	"	15512	15060	15060	
ix.	4"	"	25081	24350	24350	
<b>Float Valve</b>						
i.	½"	ग्राम	1168	1134	1134	
ii.	¾"	"	1321	1283	1283	
iii.	1"	"	1603	1556	1556	
iv.	1 ¼"	"	2371	2690	2690	
v.	1 ½"	"	4163	4042	4042	
vi.	2"	"	5542	5381	5381	
<b>C.L Air valve (Heavy)</b>						
i.	½"	ग्राम	3869	2500	2500	
ii.	¾"	"	5337	5182	5182	
iii.	1"	"	5918	5746	5746	
<b>Brass Union with Adopter</b>						
i.	½"	ग्राम	282	150	150	
ii.	¾"	"	388	270	270	
iii.	1"	"	587	345	345	
iv.	1 ¼"	"	764	530	530	
v.	1 ½"	"	1362	675	675	
vi.	2"	"	2020	940	940	
<b>Saddle Ferrule</b>						
i.	1 ½"	ग्राम	165	185	185	
ii.	2"	"	482	242	242	
iii.	2 ½"	"	1345	272	272	
iv.	3"	"	1779	304	304	
v.	4"	"	2536	480	480	

खगन्दप्रसाद १९८४  
प्रमुख जिल्ला अधिकारी

३०८

२०८

५६३

Sl. No.	विवरण सामग्रीहरूको विवरण	एकाई	मात्रा (VAT जोखि छ)			क्रमावधार
			मात्रा	रुपैयाँ/लाख	रुपैयाँ/लाख	
	<b>Flow Regulating Valve (G.M.)</b>					
i.	1/2"	गोटा	1362	1322	1322	
	<b>C.I. Shut-off Valve</b>					
i.	1 1/2"	गोटा	7051	6846	6846	
ii.	2"	गोटा	9406	7000	7000	
iii.	2 1/2"	गोटा	11748	8450	8450	
iv.	3"	गोटा	14102	10500	10500	
v.	4"	गोटा	18798	14000	14000	
v.	5"	गोटा	28569	17500	17500	
v.	6"	गोटा	34287	21000	21000	
v.	8"	गोटा	48601	30000	30000	
	<b>Brass Ferrule Cock</b>					
i.	1/2"	गोटा	1550	600	600	
ii.	1 1/2"	गोटा	2020	1372	1372	
iii.	4"	गोटा	2965	2015	2015	
	<b>Ball valve</b>					
a)	15mm	गोटा	529	514	514	
b)	20 mm	गोटा	630	650	650	
c)	25 mm	गोटा	898	872	872	
d)	32 mm	गोटा	1083	1051	1051	
e)	40 mm	गोटा	2096	2035	2035	
f)	50 mm	गोटा	3441	3341	3341	
<b>31.0</b>	<b>Supplying of RCC ring for construction of well</b>					
<b>31.1</b>	<b>Ring</b>					
i)	28" dia. R.C.C. ring 20 cm ht .5 cm thick	गोटा	615	615	615	
ii)	36" dia. R.C.C. ring 20 cm ht .5 cm thick	गोटा	762	762	762	
iii)	42" dia. R.C.C. ring 20 cm ht .5 cm thick	गोटा	886	886	886	
iv)	48" dia. R.C.C. ring 20 cm ht .5 cm thick	गोटा	1173	1173	1173	
<b>31.2</b>	<b>Supplying &amp; fixing of metal frame and RCC cover</b>					
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1858	1858	1858	
ii)	36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2460	2460	2460	
iii)	42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2699	2699	2699	
iv)	48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	3224	3224	3224	
<b>32.3</b>	इनार बन्नको लागी R.C.C. लिया बन्नुपर्नी वारे बाटो बन्ने अवधिक पीठिटर बापाही लाग्ने तरिका बनाउन बनेताहो जस्तै कार्यहरू (३० दिन तकपारी तथा को मौद्रिकतामा ठम्भान लाइजेक)					
i)	28" dia. R.C.C. Ring	गोटा	4253	4253	4253	
ii)	36" dia. R.C.C. Ring	गोटा	5397	5397	5397	
iii)	42" dia. R.C.C. Ring	गोटा	6282	6282	6282	
iv)	48" dia. R.C.C. Ring	गोटा	7750	7750	7750	
<b>32.2</b>	<b>25 कोटि देखि साथीको गहीराइ भएमा</b>					
	इनार बन्नको लागी R.C.C. लिया बन्नुपर्नी वारे बाटो					
i)	28" dia. R.C.C. Ring	गोटा	5767	5767	5767	
ii)	36" dia. R.C.C. Ring	गोटा	9650	9650	9650	
iii)	42" dia. R.C.C. Ring	गोटा	11681	11681	11681	

सि.न	विवरण रामायोहरुको विवरण	इकाई	प.स.स. (VAT) याइजन (रु.)			वैदिकता	
			आ.व		रु०५०/०५०		
			रु०३०/०३०	रु०४०/०४०			
	iv) 48" dia R.C.C Ring	"	11033	14033	14033		
33.0	<b>Sanitary Tools</b>						
a	Adjustable spanner						
	10"	Pc	255	255	255		
	12"	Pc	382	382	382		
	15"	Pc	1388	1388	1388		
	18"	Pc	1643	1643	1643		
b	Blow Torch						
	1/2 pint	Pc	1433	1433	1433		
	1 pint	Pc	1767	1767	1767		
c	Building Trowel	Pc	79	79	79		
d	Chain Pipe wrench						
	50mm	Pc	1643	1643	1643		
	75mm	Pc	1954	1954	1954		
	100mm	Pc	2294	2294	2294		
	150mm	Pc	3229	3229	3229		
	200mm	Pc	5495	5495	5495		
e	Chain Pulley in Ton						
	3 ton	Pc	17562	17562	17562		
	5 ton	Pc	29005	29005	29005		
f	Stone Chisel 1"x12"	Pc	368	368	368		
g	Cie teeth oil with cane (250 ml size)	Pc	283	283	283		
h	Smooth steel file half round						
	8"	Pc	538	538	538		
	10"	Pc	1031	1031	1031		
i	Flat file 10"	Pc	538	538	538		
10.0	Hacksaw Blade						
	Single	Pc	5	5	5		
	double	Pc	9	9	9		
j	Hacksaw Frame 6mm	Pc	193	193	193		
k	Handle die set						
	25 mm	Pc	3201	3201	3201		
	50 mm	Pc	3626	3626	3626		
	60 mm	Pc	9631	9631	9631		
l	Heating Plate						
	80 mm	Pc	963	963	963		
	100 mm	Pc	1105	1105	1105		
	125 mm	Pc	1416	1416	1416		
	150 mm	Pc	1688	1688	1688		
	200 mm	Pc	2731	2731	2731		
	250 mm	Pc	3308	3308	3308		
	300 mm	Pc	3864	3864	3864		
m	Iron Brush 12"	Pc	74	74	74		
n	Iron Pan (medium)	Pc	261	261	261		
o	Pick Axe 1.7 Kg.	Pc	431	431	431		
p	Pipe Cutter						
	15-50 mm	Pc	2039	2039	2039		
	65-80 mm	Pc	3172	3172	3172		
	100 mm	Pc	3099	3099	3099		
	125 mm	Pc	5665	5665	5665		
	150 mm	Pc	10084	10084	10084		
q	Pipe Jack Machine (Heavy)	Pc	32291	32291	32294		
r	Pipe Vice						
	2"	Pc	2493	2493	2493		
	3"	Pc	3626	3626	3626		
	4"	Pc	5467	5467	5467		
	5"	Pc	10140	10140	10140		
s	Pipe Wrench						

खगेन्द्रप्रसाद रङ्गाल  
प्राज्ञा शिक्षिकारी

सं. नं.	उपकरण का विवरण	एकाई	मूल्य (VAT जोखिम)			क्रमांक
			रुपैयाँ/पाई	रुपैयाँ/पाई	रुपैयाँ/पाई	
	10"	Pc	317	317	317	
	12"	Pc	589	589	589	
	14"	Pc	702	702	702	
	18"	Pc	1116	1116	1116	
	24"	Pc	1541	1541	1541	
	36"	Pc	5438	5438	5438	
	48"	Pc	9631	9631	9631	
L	Plumb Bob Line	Pc	91	91	91	
u	Ratchet Die Set	Pc	4305	4305	4305	
	1/2"-1"	Pc	8044	8044	8044	
	11/4"-2"	Pc	17562	17562	17562	
	21/2"-3"	Pc	368	368	368	
v	Round File 10"	Pc	204	204	204	
w	Screw Driver 12"	Pc	368	368	368	
x	Shovel 1.5 Kg	Pc	-	-	-	
y	Slide wrench	Pc	363	363	363	
	10"	Pc	487	487	487	
	12"	Pc	1422	1422	1422	
	15"	Pc	442	442	442	
z	Spade	Pc	-	-	-	
A	Spare Die Teeth	Pc	589	589	589	
	15 mm	Pc	589	589	589	
	20 mm	Pc	589	589	589	
	25 mm	Pc	589	589	589	
	32 mm	Pc	935	935	935	
	40 mm	Pc	1598	1598	1598	
	50 mm	Pc	1615	1615	1615	
	65 mm	Pc	1869	1869	1869	
	80 mm	Pc	2096	2096	2096	
B	Teflon Cover	Pc	312	312	312	
	5x5'	Pc	425	425	425	
	7x7'	m	3427	3427	3427	
C	Teflon Cloth		-	-	-	
D	Teflon Tape 10 mm roll	Roll	17	17	17	
E	Thermochrome Crayon		-	-	-	
	Indian	Pc	765	765	765	
	Germany	Pc	1530	1530	1530	
F	Tool Box (14"x8"x22")	Pc	2102	2102	2102	

**PVC-O pipes and fittings**

1	Class 500 PVC-O pipes-PN 12.5	मीटर	-	-	420.00	
	80 mm	मीटर	-	-	303.6.00	
	110 mm	मीटर	-	-	4420.00	
	125 mm	मीटर	-	-	4420.00	
	140 mm	मीटर	-	-	4420.00	
	160 mm	मीटर	-	-	4420.00	
	200 mm	मीटर	-	-	4420.00	
	225 mm	मीटर	-	-	4420.00	
	250 mm	मीटर	-	-	4420.00	
	315 mm	मीटर	-	-	4420.00	
	355 mm	मीटर	-	-	4420.00	
	400 mm	मीटर	-	-	4420.00	
	450 mm	मीटर	-	-	4420.00	
	500 mm	मीटर	-	-	4420.00	
	630 mm	मीटर	-	-	4420.00	
	800 mm	मीटर	-	-	4420.00	
	1000 mm	मीटर	-	-	4420.00	
	1200 mm	मीटर	-	-	4420.00	
2	Class 500 PVC-O pipes-PN 16	मीटर	-	-	-	

080/81

सि. नं.	नियमित सामार्थीहरूको विवरण	एकाई	मात्रा व VAT जालेका			लेखनपत्र
			रुपैयाँ/प्रति	रुपैयाँ/प्रति	रुपैयाँ/प्रति	
	90 mm	रुपैयाँ			५४६.००	
	110 mm	रुपैयाँ			७२०.००	
	125 mm	रुपैयाँ			८२५.००	
	140 mm	रुपैयाँ			१०३०.००	
	160 mm	रुपैयाँ			१४००.००	
	200 mm	रुपैयाँ			२६००.००	
	225 mm	रुपैयाँ			२८००.००	
	250 mm	रुपैयाँ			३०००.००	
	315 mm	रुपैयाँ			४१००.००	
	355 mm	रुपैयाँ			५३००.००	
	400 mm	रुपैयाँ			६४३०.००	
	450 mm	रुपैयाँ			८०९५.००	
	500 mm	रुपैयाँ			९०९५.००	
	630 mm	रुपैयाँ			१८८१२.००	
	800 mm	रुपैयाँ			२५३५८.००	
	1000 mm	रुपैयाँ				
	1200 mm	रुपैयाँ				
3	Class 500 PVC-O pipes-PN 25					
	90 mm	रुपैयाँ			१९०५.००	
	110 mm	रुपैयाँ			२२००.००	
	125 mm	रुपैयाँ			२३००.००	
	140 mm	रुपैयाँ			२५००.००	
	160 mm	रुपैयाँ			३०००.००	
	200 mm	रुपैयाँ			४१८२.००	
	225 mm	रुपैयाँ				
	250 mm	रुपैयाँ			५८८८.००	
	315 mm	रुपैयाँ			८०८१५.०५	
	355 mm	रुपैयाँ			१००७५०.०५	
	400 mm	रुपैयाँ			१२४९०.१२	
	450 mm	रुपैयाँ			१५३०१.२०	
	500 mm	रुपैयाँ			२११०५.५५	
	630 mm	रुपैयाँ			२८१०८.१५	
	PVC-O Fittings					
	Elbow 11.25° (PN 16)					
	110	गोटा			५५५.००	
	160	गोटा			१८९५.८८	
	200	गोटा			२२२.८२	
	250	गोटा			२८५४३.९६	
	315	गोटा			३५५१५.००	
	400	गोटा			४४३४५.००	
	Elbow 22.5° (PN 16)					
	110	गोटा			४२४५.००	
	160	गोटा			१५२२५.३२	
	200	गोटा			१८५४५.००	
	250	गोटा			२४१५०.८८	
	315	गोटा			३४०५०.००	
	400	गोटा			४४३४५.००	
	Elbow 45° (PN 16)					
	110	गोटा			४२४५.००	
	160	गोटा			१५२२५.३२	
	200	गोटा			१८५४५.००	
	250	गोटा			२४१५०.८८	
	315	गोटा			३४०५०.००	
	400	गोटा			४४३४५.००	
	Elbow 90° (PN 16)					
	110	गोटा			४२४५.००	
	160	गोटा			१५२२५.३२	
	200	गोटा			१८५४५.००	

खगन्दप्रसाद १४३४  
प्रमाण जिल्ला अधिकारी

BD 33

880/81

लाई नं.	नियमित सामाचीहरूको विवरण	एकाई	संकेत VAT (नेपाल रुपै)			क्रमिकवात	
			मात्रा		रुपैयाँ/दश		
			रुपैयाँ/दश	रुपैयाँ/दश			
	90 mm	र लि			५२३.५०		
	110 mm	र लि			१५५०.००		
	125 mm	र लि			१६३.००		
	140 mm	र लि			१८३.००		
	160 mm	र लि			२६०.००		
	200 mm	र लि			४७०.००		
	225 mm	र लि			४९०.००		
	250 mm	र लि			५२०.००		
	315 mm	र लि			१५०.०५		
	355 mm	र लि			१५५०.००		
	400 mm	र लि			१२५५.००		
	450 mm	र लि			१२५५.००		
	500 mm	र लि			५४५५.००		
	630 mm	र लि			३८७५.००		
	800 mm	र लि			३८८५.००		
	1000 mm	र लि					
	1200 mm	र लि					
3	Class 500 PVC O pipes-PN 25						
	90 mm	र लि			१२५५.००		
	110 mm	र लि			२५०.००		
	125 mm	र लि			१५५०.००		
	140 mm	र लि			२५०.००		
	160 mm	र लि			३८०.००		
	200 mm	र लि			३८०.००		
	225 mm	र लि					
	250 mm	र लि			३८०.००		
	315 mm	र लि			१५०.०५		
	355 mm	र लि			१५५०.००		
	400 mm	र लि			१२५५.००		
	450 mm	र लि			१२५५.००		
	500 mm	र लि			५४५५.००		
	630 mm	र लि			३८७५.००		
	PVC O Fittings						
	Elbow 11.25° (PN 16)						
	110	गोटा			१५५५.००		
	160	गोटा			११९९५.००		
	200	गोटा			१२५५५.००		
	250	गोटा			१२५५५.००		
	315	गोटा			१२५५५.००		
	400	गोटा			१२५५५.००		
	Elbow 22.5° (PN 16)						
	110	गोटा			३८०.००		
	160	गोटा			१२५५५.००		
	200	गोटा			१२५५५.००		
	250	गोटा			१२५५५.००		
	315	गोटा			१२५५५.००		
	400	गोटा			१२५५५.००		
	Elbow 45° (PN 16)						
	110	गोटा			३८०.००		
	160	गोटा			१२५५५.००		
	200	गोटा			१२५५५.००		
	250	गोटा			१२५५५.००		
	315	गोटा			१२५५५.००		
	400	गोटा			१२५५५.००		
	Elbow 90° (PN 16)						
	110	गोटा			११५०.५५		
	160	गोटा			२२५०.५५		
	200	गोटा			२२५०.५५		

88/81

सिर्वि	नियमित चालानीहरूको विवरण	एकाई	नुसार NAT (याइक रु.)			प्रतिक्रिया
			आ.व.	रुपैयाँ/रुपै	रुपैयाँ/रुपै	
	250	गोटा			60500.00	
	315	गोटा			70250.00	
	400	गोटा			76050.00	
	COUPLER [PN 16]					
	110	गोटा			1250.00	
	160	गोटा			14250.00	
	200	गोटा			19000.00	
	250	गोटा			21250.00	
	315	गोटा			24000.00	
	400	गोटा			25500.00	
	SLIDING COUPLER (PN-16)					
	110	गोटा			1250.00	
	160	गोटा			14250.00	
	200	गोटा			19000.00	
	250	गोटा			21250.00	
	315	गोटा			24000.00	
	400	गोटा			25500.00	
	REDUCING COUPLER (PN 16)					
	110 to 90	गोटा			1250.00	
	160 to 110	गोटा			14250.00	
	200 to 160	गोटा			19000.00	
	250 to 200	गोटा			21250.00	
	315 to 250	गोटा			24000.00	
	400 to 315	गोटा			25500.00	

## 2. HOPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN 8)

1	100mm dia	मिटर	550.00
2	150mm dia	मिटर	1112.00
3	200mm dia	मिटर	1668.00
4	250mm dia	मिटर	2117.00
5	300mm dia	मिटर	2515.00
6	400mm dia	मिटर	3521.00
7	500mm dia	मिटर	5406.00
8	600mm dia	मिटर	9310.00
9	800mm dia	मिटर	14585.00
10	1000mm dia	मिटर	22572.00

## Water Filter Media and Automatic Components

<b>A</b>	Water Treatment Components			
a	Pump			
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump	pc		123500
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump	pc		104500
b	Motorized Actuator Butterfly Valve with CT Materials	pc		
1	6" Dia	pc		118000
2	4" Dia	pc		68500
3	3" Dia	pc		57500
4	2.5" Dia	pc		42000
5	2" Dia	pc		37500
c	Vessel Strainer Top and Bottom (2 pieces- 1 set)			
1	40m3/Hour	set		26125
2	25m3/Hour	set		21375
3	15m3/Hour	set		14250
4	9m3/Hour	set		8550

सि.न.	लिप्त नामांकनका विवर	एकाई	मूल्य VAT जारीकरण (रु.)			क्रमांक	
			सि.न.				
			रुपैयाँ/००५	रुपैयाँ/०००	रुपैयाँ/००१		
d	Air Release And Vacuum Breaker valve (1 unit per Vessel)	Pc				2185	
1	1" Small	Pc				3325	
2	1" Big	Pc				8075	
3	2" Big	Pc					
e	Rotameter	Pc				7600	
1	Small(upto 5m <sup>3</sup> /h in 3/4" or 1" Male Thread)	Pc				19000	
2	Medium(upto 10m <sup>3</sup> /h in 1.5" or 2" Male or Female Thread)	Pc				26125	
3	Big(40m <sup>3</sup> -60m <sup>3</sup> /h in 3" Thread or Flange type)	Pc					
f	Pressure Gauge(Glycerine/Liquid Filled)						
1	Pressure Range 0-7Kg or 0-21Kg Side or Bottom Thread	Pc				1250	
g	Automatic Vessel Control Panel						
1	Semi Scada Control Panel with GSM/GPRS- Support features(MASTER)	pcs				150000	
2	Semi Scada Control Panel (Slave)	pcs				100000	
h	FRP Water Filter Vessels						
1	14" Dia x 65" Height T/B 4"/Threaded	Pc				21850	
2	16" Dia x 65" Height T/B 4"/ Threaded	Pc				22800	
3	18" Dia x 65" Height T/B 4"/ Threaded	Pc				26125	
4	24" Dia x 72" Height T/B 4"/ Threaded	Pc				52250	
5	30" Dia x 72" Height T/B 4"/ Threaded	Pc				104500	
6	36" Dia x 72" Height T/B 4"/ Threaded	Pc				116850	
7	42" Dia x 72" Height T/B 6"/ Flange	Pc				152000	
8	42" Dia x 72" Height T/B 6"/ Threaded	Pc				190000	
9	48" Dia x 72" Height T/B 6"/ Threaded	Pc				213750	
10	48" Dia x 72" Height T/B 6"/Flange	Pc				242250	
i	Chemical Dosing Pump and Components						
1	eDose or Equivalent(4L PH at 4Kg pressure	Pc				21375	
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	Pc				5225	
3	Floating switch Heavy with 16A wire/ 3 meter	Pc				2375	
4	100Ltrs Poly tank as Chemical tank	Pc				1425	
B							
1	Zeolite Sand( Zeosorb Germany) 30 ltrs/ 25Kgs	sac				16650	
2	Zeolite Sand( Zooloo, China) 40 ltrs/ 30Kgs	sac				17150	
3	Manganese Dioxide(MnO <sub>2</sub> ) India or China/50 Kgs	sac				5940	
4	Calcite(USA) 20 Kgs	sac				6300	
5	Anthracite/ 40Kgs/ India or China	sac				5550	
6	Local Gravel(1.5" + 1" + 1/2" + 1/4")/35Kgs	sac				650	
7	Katlox life (Germany) 28.3 ltrs/30Kgs	sac				20250	
8	Catalytic Carbon/Germany / 30Kgs/Ltrs	sac				54000	

080781

संख्या	विवरण वामपाँचलको	एकाई	ग्राम प. VAT (वार्षिक स.)			कैफियत	
			मात्रा	रुपूरु. ००१	रुपूरु. ०००	रुपूरु. ०००	
9	Titansorb 60Kgs Drum	Drum				162000	

खम्बन्दप्रसाद रजाल  
प्रभुख जिल्ला अधिकारी

20/01/2019

080/8L

## Electrical Works

सि.नं	क्रम सिवा	विवाह सामग्रीहरूको विवरण	प्रयोग गति प्रयोग राशि	मु.स.क. -VAT (भेटा) : ६.।			कैफियत
				मा.र. २०७५/७६	मा.र. २०७५/७६	मा.र. २०७५/७६	
1	<b>SWITCH SOCKET</b>						
1	One Gang one way switch		मा.	60	60	60	
2	One Gang two way switch		मा.	71	71	71	
3	One way bell switch		मा.	74	74	74	
4	Two gang one way switch			99	99	99	
5	Two gang one way switch with one bell push			108	108	108	
6	Two gang Full two way switch			110	110	110	
7	Three Gang one way switch			131	131	131	
8	Four gang one way switch			166	166	166	
9	Six gang one way switch ( 3x2 )			261	261	261	
10	Eight gang one way switch			313	313	313	
11	Dimmer single 300 watt			318	318	318	
12	Dimmer single 750 watt			473	473	473	
13	5 Step huming free dimmer			419	419	419	
14	16Amp 3 Pin Plug Top			125	125	125	
15	1 switch with dimmer			379	379	379	
16	6/16 Amp 2/3 Pin Power sockets with switch & indicator			156	156	156	
17	6/16 Amp Power sockets with switch , indicator & safety shutter			174	174	174	
18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safety shutter power socket			382	382	382	
19	32A D.P. switch with fuse & indicator Surface Mounting			212	212	212	
20	6 Gang ( 85 mm x 220 mm ) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator		मा.	629	629	629	
21	Blanking plate single			41	41	41	
22	Telephone socket single			122	122	122	
23	Telephone socket Double			174	174	174	
24	Angle / bottom holder			36	36	36	
25	Ceiling Rose			36	36	36	
26	Buzzer			100	100	100	
27	Musical bell			229	229	229	
28	T.V antenna single Socket			84	84	84	
29	6A 2/3 Pin unshuttered multi switch socket			132	132	132	
30	RJ 45 Computer Socket for modem			241	241	241	
31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)			36	36	36	
32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50			65	65	65	
33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50			101	101	101	
34	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3'x3'						
1	10A 1gang 1way Switch	Set		85	85	85	
2	10A 2gang 1way Switch	Set		168	168	168	
3	10A 3gang 1way Switch			222	222	222	
4	10A 4gang 1way Switch			361	361	361	
5	10A 5gang 1way Switch			382	382	382	
6	10A 6gang 1way Switch			636	636	636	
7	10A 1gang 2way Switch			148	148	148	
8	10A 2gang 2way Switch			286	286	286	
9	10A 3gang 2way Switch			419	419	419	
10	10A 4gang 2way Switch			631	631	631	
11	T V Socket outlet			308	308	308	
12	Telephone Socket			276	276	276	
13	13A Universal socket outlet			478	478	478	
14	13A Socket			281	281	281	
15	15A switched Socket outlet			456	456	456	

बजेत्रयाल रिकार्ड  
सम्पर्क अधिकारी

सि.नं.	विवरण सामार्थीहराले विवरण	लेनदेन	मूल्य ( -VAT ) रुपैये ( ₹ )			क्रमांक
			आ.व रुपैये/००१	आ.व रुपैये/०००	आ.व रुपैये/००१	
16	5A Socket		350	350	350	
17	RJ 45 8way Computer Socket		849	849	849	
18	TV and Telephone Socket		610	610	610	
19	7+2 PIN SOCKET OUTLET		955	955	955	
20	3+2 PIN SOCKET OUTLET		594	594	594	
21	X5 2+2 - 2 PIN SOCKET OUTLET		806	806	806	
22	SCHUKO SOCKET WITH ONE SWITCH		520	520	520	
23	Bell Press		244	244	244	
24	Blank Plate		96	96	96	
25	400W Light Dimmer / WI Switch		933	933	933	
26	400W Fan Controller / Multi Step Dimmer		945	945	945	
27	5 Step Fan Controller		923	923	923	
28	2 Pin Socket WI Switch		467	467	467	
29	13A Twin Socket		700	700	700	
1.2	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack					
1	One Gang one way switch	रु	103	103	103	
2	One Gang two way switch	रु	115	115	115	
3	One way bell switch	रु	115	115	115	
4	Two gang one way switch	रु	137	137	137	
5	Two gang one way switch with one bell push	रु	150	150	150	
6	Two gang Full two way switch	रु	163	163	163	
7	Three Gang one way switch	रु	172	172	172	
8	Four gang one way switch	रु	208	208	208	
9	Six gang one way switch	रु	315	315	315	
10	Eight gang one way switch	रु	385	385	385	
11	Dimmer single 300 watt	रु	501	501	501	
15	1 switch with dimmer	रु	514	514	514	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	रु	268	268	268	
17	6/13 Amp , Power sockets with switch , indicator	रु	271	271	271	
18	20 A D.P. switch with fuse & indicator Surface Mounting	रु	365	365	365	
19	4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	रु	403	403	403	
20	6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator	रु	488	488	488	
21	Blanking plate single	रु	64	64	64	
22	Telephone socket single	रु	157	157	157	
23	Telephone socket Double	रु	256	256	256	
24	T.V. antenna single Socket	रु	146	146	146	
25	RJ 45 Computer Socket for modem	रु	212	212	212	
26	CAT-6 Computer Socket for modem	रु	331	331	331	
2	Modular Type Switch Socket set					
1	1P – 6A/10A 1 way switch	No.	143	143	143	
2	1P – 16A/20A 1 way switch	No.	230	230	230	
3	1P – 25A 1 way switch	No.	336	336	336	
4	1P – 6A/10A 2 way switch	No.	172	172	172	
5	1P – 16A/20A 2 way switch	No.	261	261	261	
6	1P – 6A push button	No.	190	190	190	
7	1 gang blanking module	No.	44	44	44	
8	2 gang blanking module	No.	89	89	89	
9	FAN REGULATOR / DIMMER					
10	Step type fan regulator	No.	657	657	657	
11	60 – 500 W dimmer	No.	821	821	821	
12	1000 W dimmer	No.	1570	1570	1570	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
13	6A – multi socket 5 pin	No.	247	247	247	
14	6/16A twin socket 3 pin (flushed)	No.	342	342	342	

ग्राहक विवाद  
कार्यालय

१९

क्र.सं		निम्नलिखित सामग्रीहरूको विवरण	मात्रा	म.व.म. -VAT (रुपौङ्क : रु.)			जैकियत
क्र.	सं.न			मा.व १०८०/०८१	मा.व १०८१/०८०	मा.व १०८०/०८१	
15	6/16A twin socket 3 pin (projected)		"	342	342	342	
16	25A 3 pin socket		"	413	413	413	
17	13A 3 pin socket		"	278	278	278	
18	RJ 11 telephone jack		"	164	164	164	
19	RJ 45 cat.6e computer socket		"	574	574	574	
20	TV socket		"	166	166	166	
<b>HOSPITALITY RANGE</b>							
21	250V/110V shaver socket	No.	4486	4486	4486		
22	Indicator (DO NOT DISTURB)	"	185	185	185		
23	LED yellow night lamp	"	577	577	577		
24	LED Blue night lamp	"	577	577	577		
<b>FRONT PLATE (COMPATIBLE TO MARKET BOXES)</b>							
(White)							
25	1 module front plate	No.	74	74	74		
26	2 module front plate	"	79	79	79		
27	3 module front plate	"	87	87	87		
28	4 module front plate	"	92	92	92		
29	6 module front plate	"	167	167	167		
30	8 module front plate(4+4)	"	224	224	224		
31	8 module front plate (Horizontal)	"	179	179	179		
32	12 module front plate	"	268	268	268		
33	18 module front plate	"	361	361	361		
<b>2.2 Modular Type Switch Socket</b>							
<b>Separate Module for Modular Switch &amp; Socket</b>							
1	1P – 6A/10A 1 way switch	No.	90	90	90		
3	1P – 16A/20A 1 way switch	"	148	148	148		
7	1P – 6A/10A 2 way switch	"	138	138	138		
8	1P – 16A/20A 2 way switch	"	180	180	180		
9	1P – 6A push button	"	138	138	138		
11	1 gang blanking module	"	42	42	42		
12	2 gang blanking module	"	80	80	80		
<b>FAN REGULATOR / DIMMER</b>							
13	Step type fan regulator	No.	721	721	721		
14	60 – 500 W dimmer	"	615	615	615		
<b>SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS</b>							
16	6A – multi socket 5 pin	No.	191	191	191		
17	5/16A twin socket 3 pin (flushed)	"	297	297	297		
18	5/16A twin socket 3 pin (projected)	"	297	297	297		
20	13A 3 pin socket	"	191	191	191		
21	RJ 11 telephone jack	"	148	148	148		
22	RJ 45 cat.6e computer socket	"	244	244	244		
23	TV socket	"	148	148	148		
40	1 module front plate	No.	116	116	116		
41	2 module front plate	"	116	116	116		
42	3 module front plate	"	152	152	152		
43	4 module front plate	"	170	170	170		
44	6 module front plate	"	234	234	234		
45	8 module front plate(4+4)	"	314	314	314		
46	8 module front plate (Horizontal)	"	322	322	322		
47	12 module front plate	"	374	374	374		
	18 module front plate	"	467	467	467		
<b>Flush mounting galvanized Metal box for modular type switch &amp; socket</b>							
1	1 module metal box having L x B x Depth = (78x78x45)mm	No.	54	54	54		
2	2 module " " " = (78x78x45)mm	"	54	54	54		
3	3 gang " " " = (78x100x45)mm	"	58	58	58		

50/21

सि.न.	विवरण सामार्थीहरको विवरण	मात्रा	मूल्य -VAT जातेका (रु.)			कमीजात
			भाग रुपैयाँ/दश	भाग रुपैयाँ/०००	भाग रुपैयाँ/०००	
3	4 gang " " =(78x140x50)mm	"	70	70	70	
	5 gang " " =(78x205x50)mm	"	138	138	138	
	6 gang " " =(78x205x50)mm	"	140	140	140	
	7 8 module metal box (4+4) =(78x230x80)mm	"	186	186	186	
	8 8 module metal box (Horizontal) =(135x120x60)mm	"	186	186	186	
	9 12 module metal box =(135x120x60)mm	"	238	238	238	
	10 TV socket metal box	"	54	54	54	
	11 Telephone socket metal box	"	54	54	54	
	METAL Junction BOX					
	1 4"×4"	मात्रा	103	103	103	
4	2 4"×6"	"	155	155	155	
	3 6"×6"	"	244	244	244	
	4 8"×10"	"	359	359	359	
	5 8"×12"	"	359	359	359	
	PVC Junction Box					
5	1 4"×4"	मात्रा	35	35	35	
	2 4"×6"	"	32	32	32	
	3 6"×8"	"	47	47	47	
	4 8"×10"	"	69	69	69	
	5 8"×12"	"	133	133	133	
6	Junction box cover	"	148	148	148	
	PVC Listy Double Lock { 6'length =1 no.(पाइप)}					
	1 ½" breadth	मात्रा	32	32	32	
	2 ¾"	"	47	47	47	
	3 1"	"	69	69	69	
	4 1 ½"	"	133	133	133	
7	5 2"	"	148	148	148	
	PVC Conduit Pipe					
	1) ½" diameter	मात्रा	32	32	32	
	2) ¾"	"	47	47	47	
	3) 1"	"	69	69	69	
8	Listy Pipe Accessories					
	1 ½"-2" size Saddle	मात्रा	8	8	8	
	2 Grips (Denmark)	मात्रा	6	6	6	
	3 Steel screws	मात्रा	2	2	2	
9	4 PVC Tape	मात्रा	15	15	15	
	Distribution board (DB)					
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632 Powder coated sheet steel					
	1 4 way SPN DB Double Cover	मात्रा	1114	1114	1114	
	2 6 way SPN DB " "	"	1169	1169	1169	
	3 8 way SPN DB " "	"	1458	1458	1458	
	4 12 way SPN DB " "	"	1729	1729	1729	
	5 16 way SPN DB " "	"	1849	1849	1849	
	6 3-4 way TPN DB Double Cover	"	2748	2748	2748	
	7 6 way TPN " " "	"	3088	3088	3088	
10	8 way TPN " " " Vertical	"	5973	5973	5973	
	9 12 way TPN " " " Vertical	"	7959	7959	7959	
	10 50 Pair Telephone D B with crown tag	"	5609	5609	5609	
	PVC Box for MCB					
	1 1-pole PVC box GPS	मात्रा	83	83	83	
9	2 2-pole PVC " "	"	83	83	83	
	3 3 and 4-pole PVC " "	"	134	134	134	
	10.1 Miniature Circuits Breaker (MCB)					
10	1 6-32 amp MCB SP (single pole)	मात्रा	212	212	212	
	2 6-32 amp MCB DP (Double pole)	"	1061	1061	1061	

BD

30

40

20

121

cost

प्रमुख वित्तीय विविधता

सं.सं	विवरण सामग्रीहरूको विवरण	एकाइ	मु.म.क -VAT (मात्रा : र.)			क्रमांक
			आ.व २०७५/०७६	आ.व २०७५/०८०	आ.व २०८०/०८१	
3	6-32 amp MCB TP (Triple pole)	-	1761	1761	1761	
4	32 amp MCB TPN	-	2546	2546	2546	
5	40-63 amp MCB DP	-	1697	1697	1697	
6	40-63 amp MCB TP	-	2716	2716	2716	
7	40-63 amp MCB TPN	-	3252	3252	3252	
10.2	Miniature Circuits Breaker (MCB)					
1	0.5-5 amp MCB SP (single pole)	-	266	266	266	
2	6-32 amp MCB SP (single pole)	-	170	170	170	
3	6-32 amp MCB DP (Double pole)	-	637	637	637	
4	6-32 amp MCB TP (Triple pole)	-	1273	1273	1273	
5	32 amp MCB TPN	-	1539	1539	1539	
6	40-63 amp MCB DP	-	1008	1008	1008	
7	40-63 amp MCB TP	-	1433	1433	1433	
8	40-63 amp MCB TPN	-	1910	1910	1910	
11	Residual Current Circuit Breaker (RCCB)					
1	25A to 40A (.30mA,100,300mA) DP RCCB	मात्रा	2834	2834	2834	
2	63A 30mA DP RCCB	-	3376	3376	3376	
3	63A 100mA DP RCCB	-	3104	3104	3104	
4	63A 300mA DP RCCB	-	3156	3156	3156	
5	25A to 40A (.30mA,100,300mA) FP RCCB	-	3478	3478	3478	
6	63A 30mA Four Pole RCCB	-	3817	3817	3817	
7	63A 100mA Four Pole RCCB	-	3817	3817	3817	
8	63A 300mA Four Pole RCCB	-	3817	3817	3817	
	Moulded Case Circuit Breaker					
	16AMP- 63AMP TP MCCB 16KA	-	5835	5835	5835	
	80AMP TP MCCB 16KA	*	5835	5835	5835	
	100AMP TP MCCB 16KA	-	6578	6578	6578	
	125AMP TP MCCB 16KA	-	8487	8487	8487	
	160AMP TP MCCB 16KA	-	10079	10079	10079	
	16AMP- 63AMP TP MCCB 25KA	-	6578	6578	6578	
	80AMP TP MCCB 25KA	-	7256	7256	7256	
	100AMP TP MCCB 25KA	-	7256	7256	7256	
	125AMP TP MCCB 25KA	-	11670	11670	11670	
	160AMP TP MCCB 25KA	-	13792	13792	13792	
	200AMP TP MCCB 25KA(Adjustable)	-	21748	21748	21748	
	200AMP TP MCCB 36KA(Adjustable)	-	23870	23870	23870	
	250AMP TP MCCB 36KA(Adjustable)	-	28114	28114	28114	
	400AMP TP MCCB 50KA(Adjustable)	-	36601	36601	36601	
	630AMP TP MCCB 50KA(Adjustable)	-	49862	49862	49862	
	800AMP TP MCCB 50KA(Adjustable)	-	65882	65882	65882	
12	Manual Changeover Panel Type					
	63 Amp FP	-	11967	11967	11967	
	80 Amp FP	-	13240	13240	13240	
	100 Amp FP	-	18756	18756	18756	
	125 Amp FP	-	19775	19775	19775	
	160 Amp FP	-	25970	25970	25970	
	200 Amp FP	-	26819	26819	26819	
	250 Amp FP	-	28517	28517	28517	
	315 Amp FP	-	36071	36071	36071	
13	Dome light					
i	6" Milky type decorative dome light	मात्रा	185	185	185	
ii	6" Brass base decorative dome light	-	758	758	758	
iii	8" Milky type decorative dome light	-	234	234	234	
iv	8" Brass base decorative dome light	-	902	902	902	
v	8" Silver cast Milky base Decorative Dome Light	-	1140	1140	1140	

खलन्प्रधान प्रभाल  
प्रधान अधिकारी

080/85

प्रक्र.		विवरण सामारोहको विवरण	म.वा. - VAT जग्गाक ( रु.)			क्रमांक
संख्या	प्रक्र.		म.वा	म.वा	म.वा	
	vi	6) 8" Silver cast Black Base base Decorative Dome Light	584	584	584	
	vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	1249	1249	1249	
	viii	<u>Wall bracket/spout light/mirror light bulk head ordinary</u>	239	239	239	
	ix	Wall bracket/spot light/mirror light /bulk head medium decorative	372	372	372	
	x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	849	849	849	
	xi	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete	997	997	997	
	xii	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	1559	1559	1559	
	xiii	Dining lamp	1751	1751	1751	
	xiv	<u>Chandlers 6-8 lamp Medium</u>	15543	15543	15543	
	xv	Chandlers 3-5 lamp Medium	11087	11087	11087	
	xvi	Mirror Light Euro Light Wipro WRF21111	478	478	478	
	xvii	Picture light Euro Light POO2	690	690	690	
	xviii	Wall spot Light E27 60W Euro or eqv.	372	372	372	
	xix	Exit Light safety sign(a 24)	849	849	849	
	<b>Post top Lanterns</b>					
	xx	Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	2652	2652	2652	
	xxi	Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	3183	3183	3183	
	xxii	Garden light Full Size with CFL choke & clear polycarbonate dome all complete set prewired upto terminal	3580	3580	3580	
	xxiii	8" Globe type Post top Lamp complete set	1458	1458	1458	
14	xxiv	10" Globe type Post top Lamp complete set	2785	2785	2785	
	<b>Roadway light luminaires</b>					
	xxv	1 x 35 W FTL street light fixture with acrylic diffuser complete set	2716	2716	2716	
	xxvi	2 x 35 W FTL street light fixture with acrylic diffuser complet set	3984	3984	3984	
	xxvii	300/500 watt halogen weather proof <u>FLOOD LIGHT</u> with glass cover Complete set	1591	1591	1591	
	xxviii	1000 watt halogen weather proof flood light with glass cover Complete set	3183	3183	3183	
	xxix	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	9548	9548	9548	
	xxxi	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	11723	11723	11723	
	xxxii	Single Piece deep drawn aluminum POT optics <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories.	5411	5411	5411	
	xxxiii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	2339	2339	2339	
	xxxiv	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	5273	5273	5273	
	xxxv	2X60/100W GLS <u>aviation light</u> fixture all complete set	5857	5857	5857	
	<b>CEILING FANS &amp; EXHAUST Fans,</b>					
	a	36" size ceiling Fan	2228	2228	2228	
	b	42" size "	2334	2334	2334	

लालपत्र सिनाल  
प्रमुख लिपि अधिकारी



सं. न.	मात्रा	विवरण सामार्थीकरण सिवरण	मुद्रा, -VAT वालक ( रु. )			लेफ्टवर
			मुद्रा २०८०/०८९	मुद्रा २०८१/०८०	मुद्रा २०८२/०८१	
15	c	48" size "	2388	2388	2388	
	d	56" size "	2652	2652	2652	
	e	6" Exhaust Fan	1539	1539	1539	
	f	9" Exhaust Fan	1857	1857	1857	
	g	16" size wall fan	2918	2918	2918	
	h	12" size exhaust fan	2552	2652	2652	
		BELL INDICATOR				
16	a	4 way bell indicator with plate	1293	1293	1293	
	b	6 way " " "	2110	2110	2110	
	c	8 way " " "	2937	2937	2937	
	d	12 way " " "	4527	4527	4527	
		Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m <sup>3</sup> )				
	a	Copper plate	945	945	945	
	b	Copper Strip (25 x 3)mm (Appox 60'=1kg)	1114	1114	1114	
	c	Copper Strip (20mm breadth x 3mm thick)	1114	1114	1114	
	d	Copper Strip (12 x 3)mm	1114	1114	1114	
	e	Lightning rod copper conductor Air termination set	2812	2812	2812	
17	f	8 SWG bare copper wire	148	148	148	
	g	29 mm Diameter GI Pipe of 1m length	260	260	260	
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	637	637	637	
	i	5/16 nuts & bolt with spring washer cadmium maker	15	15	15	
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	202	202	202	
	k	Funnel with wire mesh	372	372	372	
	l	Charcoal	318	318	318	
	m	Salt	12	12	12	
18		STEEL TUBELAR POLE / WOODEN POLE *				
		Steel Tubular Poles with welded plate on top and bottom ( medium Gauge non Galvanized with folding System and accessories )				
	a	7 Mtr ( Bottom: 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia 1650mm height with overlapping of 200mm & 150 mm Respectively )	No	12419	12419	12419
	b	9 Mtr ( Bottom: 134 mm Dia 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively )	No	13367	13367	13367
	c	Steel Tubular Poles 7 Mtr. (115 mm Dia 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom ( medium Gauge non Galvanized with welded joints )	No	12859	12859	12859
	d	7 mtr.length Wooden Pole	No	5146	5146	5146
	e	9 mtr.length Wooden Pole	No	7002	7002	7002
19		Modular ceiling Luminaries				
		Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block .				
	a	1x20 watt FTL (Patti fittings)	No	478	478	478
	b	1x40 watt FTL, Energy saving electronic strip light with electronic choke(ballast) Surface mounting (Patti Fitting)	No	798	798	798
	c	1x20 watt FTL	No	902	902	902



सि.नं	प्राप्ति नाम समाविहारको विवरण	लागत	मु.अ.म. -VAT (वाहक : ₹.)			क्रमांक
			आ.व २०८५/०८६	आ.व २०८५/०८७	आ.व २०८५/०८८	
d	1×40 watt FTL with attractive & functional decorative ballasts		1051	1051	1051	
e	1×40 watt FTL box fittings		1194	1194	1194	
f	2×40 watt FTL box fittings		1804	1804	1804	
g	1×40 watt FTL Industrial channel		1835	1835	1835	
h	2×40 watt FTL Industrial channel		2356	2356	2356	
i	1×40 watt FTL, opalite with opal Arcrylic dissuser		1910	1910	1910	
j	2×40 watt FTL, opalite with opal Arcrylic dissuser WCF51240		3183	3183	3183	
k	4×20 watt FTL, opalite WCF 93418		5572	5572	5572	
l	4×20 watt FTL <u>mirror optic</u> , surface/recessed mounting		5572	5572	5572	
m	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting		3661	3661	3661	
n	2×40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke		4456	4456	4456	
o	4 x 14 watt FTL T5 with electronic ballast, direct / indirect, surface / recessed with paralite P5 louver Complete set	नट	9664	9664	9664	
p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	नट	8492	8492	8492	
20	Compact Fluorescent Lamp (CFL) based Luminaries set all complete .					
	2 x 18 W <u>CFL</u> recessed/surface mounting mirror Optic Complete Set		2758	2758	2758	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	नट	1888	1888	1888	
	2 x11 W CFL mirror Optic Surface mounting complete set	नट	2334	2334	2334	
	2 x 36 watt CFL 4pin with electronic ballast, direct / indirect, surface / recessed with louver Complete set	नट	6249	6249	6249	
	3x36 W CFL 4 pin low glare fixture with P5 louvres & electronic ballast complete set	नट	7029	7029	7029	
	Recess mounting Direct Indirect LED luminaire		11139	11139	11139	
	Recess mounting Direct Indirect LED luminaire		14482	14482	14482	
	Recess Surface mounted LED luminaire		13739	13739	13739	
21	High efficiency circular LED Down Lighter		3342	3342	3342	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads		15038	15038	15038	
	IP20 and IP 65 non integral flexible LED Strip Light		1114	1114	1114	
	Circular LED wall/Dome Light suitable for true ceiling		3342	3342	3342	
	Square LED Wall/Dome light suitable for true ceiling		3342	3342	3342	
	Recess mounted indirect and direct luminaires		6313	6313	6313	
21	2x36 Watt CFL Surface Mirror Optic		6313	6313	6313	
	<b>21.1 Down Light Firm Make</b>					
	1.1 FDLO04 SMD7W-CW		1337	1337	1337	
	1.2 FDLO04 SMD9W-WWH (145*90)		1337	1337	1337	
	1.3 FDLO04 SMD9W-DW		1913	1913	1913	
	1.4 FDLO04 SMD15W-WWH (175*90)		1913	1913	1913	
	1.5 FDLO04 SMD15W-CW		2913	2913	2913	
	1.6 FDLO04 SMD30W-WWH (200MM)		2913	2913	2913	
	1.7 FDLO04 SMD30W-DW		5244	5244	5244	
	1.8 FDLO12 COB5W-WWH (90MM)		5244	5244	5244	
22	1.9 FDLO12 COB5W-CW		1340	1340	1340	
	2 FDLO12 COB10W-WWH (120MM)		1340	1340	1340	
	2.1 FDLO12 COB10W-CW		2038	2038	2038	
	2.2 FDLO12 COB15W-WWH (140MM)		2038	2038	2038	

राजनीतिक विभाग अधिकारी

सि.न		नियांग तामाचीहरुको विवरण	ग्र.व.क -VAT (रुपौल + रु.)			क्रमिकदल
सि.न	सि.न		रा.व २०८५/०८६	भा.व २०८५/०८६	शा.व २०८०/०८१	
2.3	FDL012 COB15W-CW		5244	5244	5244	
2.4	FDL012 COB25W-WWH (175MM)		5244	5244	5244	
2.5	FDL012 COB25W CW		6991	6991	6991	
2.6	FDL012 COB30W-WWH (200MM)		6991	6991	6991	
2.7	FDL012 COB30W-CW		8737	8737	8737	
2.8	FDL007 SMD12W-WWH (130*110)		8737	8737	8737	
2.9	FDL007 SMD12W-CW		4310	4310	4310	
3.	FDL007 SMD18W-WWH (165*145)		4310	4310	4310	
3.1	FDL007 SMD18W-CW		6291	6291	6291	
3.2	FDL007 SMD24W-WWH (195*175)		6291	6291	6291	
3.3	FDL007 SMD24W-CW		7864	7864	7864	
3.4	FDL001 HP5W FBK-WWH (95*110)		7864	7864	7864	
3.5	FDL001 HP5W FBK-CW		3262	3262	3262	
3.6	FDL001 HP5W FWH-WWH (80*120)		3262	3262	3262	
3.7	FDL001 HP5W FWH-CW		3262	3262	3262	
3.8	FDL005 SMD7W-WWH (123MM)		3262	3262	3262	
3.9	FDL005 SMD7W-CW		1340	1340	1340	
4.	FDL005 SMD12W-WWH (165MM)		1340	1340	1340	
4.1	FDL005 SMD12W-CW		1747	1747	1747	
4.2	FDL005 SMD20W-WWH (200MM)		1747	1747	1747	
4.3	FDL005 SMD20W-CW Taiwan chip		3204	3204	3204	
4.4	FM3161 HP 18W-WWH		3204	3204	3204	
4.5	FM3161 HP 18W-CW		6991	6991	6991	
4.6	HD-5010-13-WWH (86*75)		6991	6991	6991	
4.7	HD-5010-13-CW		2157	2157	2157	
4.8	HD-5010-14-WWH (115*105)		2157	2157	2157	
4.9	HD-5010-14-CW		3262	3262	3262	
5.	HD-5010-14-WWH (140*125)		3262	3262	3262	
5.1	HD-5010-14-CW		4078	4078	4078	
5.2	HO-5010-18-WWH (215*200)		4078	4078	4078	
5.3	HO-5010-18-CW		8096	8096	8096	
5.4	LEI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		8096	8096	8096	
5.5	LEI 100 SQUARE BLACK OPAL GX53 LED LAMP3W		2525	2525	2525	
5.6	WHITE OPAL		2525	2525	2525	
5.7	BLACK OPAL		1857	1857	1857	
5.8	WHITE OPAL		1857	1857	1857	
5.9	BLACK OPAL		1857	1857	1857	
6	WHITE OPAL		1857	1857	1857	
6.1	BLACK OPAL		2228	2228	2228	
6.2	WHITE OPAL		2228	2228	2228	
6.3	BLACK OPAL		2228	2228	2228	
6.4	WHITE OPAL		2228	2228	2228	
6.5	BLACK OPAL		2228	2228	2228	
6.6	BULKHEAD WHITE OPAL		2228	2228	2228	
6.7	BULKHEAD BLACK OPAL		1857	1857	1857	
6.8	VE BULKHEAD WHITE OPAL		1857	1857	1857	
6.9	VE BULKHEAD BLACK OPAL		2600	2600	2600	
7	HL BULKHEAD WHITE OPAL		1857	1857	1857	
7.1	HL BULKHEAD BLACK OPAL		1857	1857	1857	
7.2	WHITE OPAL		1857	1857	1857	
7.3	BLACK OPAL		2228	2228	2228	
7.4	VE WHITE OPAL		2228	2228	2228	
7.5	VE BLACK OPAL		2228	2228	2228	
7.6	HL WHITE OPAL		2228	2228	2228	
7.7	HL BLACK OPAL		2228	2228	2228	
7.8	BLACK OPAL		2228	2228	2228	
7.9	MINI1L BLACK OPAL		7426	7426	7426	
8	1L WHITE OPAL		6684	6684	6684	
8.1	WHITE OPAL E27		6684	6684	6684	

सिर्वर	विवरण सामग्रीहरूको विवरण	मात्रा	मात्रा -VAT (प्रति क. रु.)			क्रमांक
			आ.व 2096/068	आ.व 2096/069	आ.व 2096/069	
8.2	BLACK OPAL E27		2971	2971	2971	
8.3	WHITE OPAL E27		2971	2971	2971	
8.4	BLACK OPAL E27		2971	2971	2971	
8.5	WHITE OPAL E27		2971	2971	2971	
8.6	BLACK OPAL E27		2971	2971	2971	
8.7	WHITE OPAL E27		2971	2971	2971	
8.8	BLACK OPAL E27		3342	3342	3342	
8.9	WHITE OPAL E27		3342	3342	3342	
9	BLACK OPAL F27		3342	3342	3342	
9.1	BLACK W/OPAL DIFFUSER		3342	3342	3342	
9.2	BLACK W/OPAL DIFFUSER		3713	3713	3713	
9.3	LANTERN BLACK W/OPAL DIFFUSER		3713	3713	3713	
9.4	BLACK OPAL GX53 LED LAMP 3W		3342	3342	3342	
9.5	System Sensor Product		7426	7426	7426	
1	Photo Electric Smoke Detector		1931	1931	1931	
2	Rate of Rise Heat Detector		1931	1931	1931	
3	Fixed temperature Detector		2356	2356	2356	
4	Base		382	382	382	
5	Conv. MCP. Red. with LED, 470 Ohm,		1527	1527	1527	
6	Wall mount Horn+Strobe		4244	4244	4244	
7	Ceiling mount Horn+Strobe		4244	4244	4244	
	Exit Light					
1	MODEL SLM 18		12731	12731	12731	
2	MODEL ELS 28		12731	12731	12731	
3	MODEL ETL 210H-4LA		12731	12731	12731	
22	LUMINARIES Accessories					
a	500 watt halogen rod	मात्रा	239	239	239	
b	1000 watt halogen rod	"	286	286	286	
c	70Watt SON Lamp (Sodium Vapour)	"	859	859	859	
d	150 watt sodium vapour bulb		1337	1337	1337	
e	250 watt sodium vapour bulb		1751	1751	1751	
f	20-40 watt FTL rod		82	82	82	
g	20-40 watt FTL Copper chowk.		266	266	266	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start		424	424	424	
i	Acrylic cover for 4x20 FTL		1019	1019	1019	
j	FTL starter		20	20	20	
k	8 W to 11W, C.F.L. Direct fit		239	239	239	
l	13 to 22W C.F.L. Direct fit		308	308	308	
m	15-100 watt bulb ( ISI )	मात्रा	27	27	27	
n	PL-S 9W/65 (CFL)	"	170	170	170	
o	PL-S 11W/65 (CFL)	"	180	180	180	
p	PL-L 36W/65 (CFL)	"	430	430	430	
q	125W HPL-N (Mercury Vapour)	"	382	382	382	
r	250W HPL-N	"	902	902	902	
	Solar LED bulb					
s	12V/2W LED bulb		372	372	372	
t	12V/3W LED bulb		424	424	424	
u	12V/4W LED bulb		478	478	478	
23	22.1 COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
1	1/18 size p.v.c. insulated copper wire/ cable	मात्रा	976	976	976	
2	3/22 "	"	1167	1167	1167	
3	3/20 "	"	1857	1857	1857	
4	7/22 "	"	2600	2600	2600	
5	7/20 "	"	4244	4244	4244	
6	7/18 "	"	6684	6684	6684	
7	7/16 "	"	13792	13792	13792	
8	19/16 "	"	18566	18566	18566	
9	19/16 "	"	37132	37132	37132	

सं.न.	विवरण समाप्तीहरूको नाम	क्रमांक	मा.व -VAT ) रुपैयाँ + श.			ट्रैकिङ
			मा.व २०७५/०८९	मा.व २०७५/०८०	मा.व २०७६/०८१	
10	220 " "	1411	1411	1411		
11	222 " "	955	955	955		
23.2	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
1	1.0 mm PVC insulated Copper wire	मात्रा	1061	1061	1061	
2	1.5 mm PVC insulated Copper wire	मात्रा	1697	1697	1697	
3	2.5 mm PVC insulated Copper wire	मात्रा	2494	2494	2494	
4	4.0 mm PVC insulated Copper wire	मात्रा	4031	4031	4031	
5	6.0 mm PVC insulated Copper wire	मात्रा	6365	6365	6365	
6	10.0mm PVC insulated Copper wire	मात्रा	10609	10609	10609	
24	Concentric cable NS marked Eqv.					
1	4mm size concentric cable	मात्रा	24	24	24	
2	6mm size "	मात्रा	27	27	27	
3	10mm size concentric cable	मात्रा	40	40	40	
4	16mm size "	मात्रा	69	69	69	
5	25mm size "	मात्रा	92	92	92	
6	RG6 Coaxial cable	मात्रा	24	24	24	
7	RG59 Coaxial cable	मात्रा	27	27	27	
8	UTP cat-5 networking cable	मात्रा	27	27	27	
25	Telephone Drop wire/pair cable NS marked Eqv.					
1	2/20 Telephone drop wire	मात्रा	1019	1019	1019	
2	2/22	मात्रा	690	690	690	
3	2- pair cable wire (2×2×0.45) mmHeavy	मात्रा	14	14	14	
4	3- pair cable wire (3×2×0.45) mm Heavy	मात्रा	21	21	21	
5	5- pair cable wire (5×2×0.45) mm Heavy	मात्रा	33	33	33	
6	10- pair cable wire (10×2×0.45) mm Heavy	मात्रा	64	64	64	
7	15- pair cable wire (15×2×0.45) mm Heavy	मात्रा	94	94	94	
8	20- pair cable wire (20×2×0.45) mm Heavy *	मात्रा	123	123	123	
9	1mm drop wire	मात्रा	10	10	10	
10	1-4 Line EPABX,with 1set programmable master telephone set of corresponding brand	मात्रा	7877	7877	7877	
11	2-6 Line EPABX "	मात्रा	18963	18963	18963	
12	3-8 Line EPABX "	मात्रा	21154	21154	21154	
13	4-12 Line EPABX "	मात्रा	37928	37928	37928	
14	6-16 Line EPABX "	मात्रा	51056	51056	51056	
15	8-24 Line EPABX "	मात्रा	87524	87524	87524	
16	8-48 Line EPABX "	मात्रा	93651	93651	93651	
17	8-72 Line EPABX "	मात्रा	100207	100207	100207	
	Other Accessories					
1	6" size Dome light glass	मात्रा	67	67	67	
2	8" size " " "	मात्रा	78	78	78	
3	wall bracket glass	मात्रा	67	67	67	
4	Fan regulator	मात्रा	279	279	279	
26	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link earth link ) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .)					
a	60/75/100 AMP, 9"×36"×48" size	मात्रा	22056	22056	22056	
b	60/75/100 AMP 12"×38"×48" size	मात्रा	26258	26258	26258	
c	60/75/100 AMP, 9"×48"×60" size	मात्रा	36761	36761	36761	
d	60/75/100 AMP 12"×49"×60" size	मात्रा	43763	43763	43763	
e	150/200 AMP 9"×36"×52" size	मात्रा	24507	24507	24507	
f	150/200 AMP 12"×38"×52" size	मात्रा	24507	24507	24507	
g	150/200 AMP 9"×42"×56" size	मात्रा	27291	27291	27291	

खगडीप्रसाद रिजाल  
प्रभुता विलास अधिकारी

सं. न.	विवरण मानमार्गीतरको विवरण	एकाई	रु. र.प. -VAT (राटोक ( र. )			लेपिकात
			आ.व २०८०/०८५	आ.व २०८१/०८०	आ.व २०८०/०८६	
h	150/200 AMP 12"×42"×56" size		29024	29024	29024	
i	250/300AMP 12"×48"×60"size		35540	35540	35540	
j	250/300AMP 12"×52"×62" size		39785	39785	39785	
k	400 AMP 12"×52"×66" size		42352	42352	42352	
27	Panel Board measurement instrument					
a	0-500 volt meter	मिम	1054	1054	1054	
b	60/100 Amp meter	"	1008	1008	1008	
c	Panel Indicator	"	244	244	244	
d	2 Amp glass fuse with holder 12 mm size		138	138	138	
e	AMP meter selector switch		668	668	668	
f	volt meter selector switch		732	732	732	
g	60/100 Amp C.T. coil per set 3 Pcs	मिम	1475	1475	1475	
h	150-200AMP C.T. coil 3 PC / Set	मिम	1835	1835	1835	
i	250-300 AMP "	"	2494	2494	2494	
j	400/500/600AMP "	"	3661	3661	3661	
k	Kilo watt hour energy meter single phase	मिम	2339	2339	2339	
l	Kilo watt hour energy meter 3 phase direct		10535	10535	10535	
28	Trailing Protected Industrial Plug IP44					

खगल्प्रसाद रिजाल  
प्रभुज विभाग अधिकारी

संख्या	वर्णन सामाचीहरूको विवरण	मात्रा	मात्रा -VAT जारीकरने			क्रमांक
			मा.व २०८०/०८१	मा.व २०८१/०८०	मा.व २०८०/०८१	
a	16A 3P+E 400V Industrial plug	मट	557	557	557	
b	32 A 3p +N+E " Plug	मट	827	827	827	
c	32 A 3P+N+E water tight Plug IP67	मट	1591	1591	1591	
29	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events, responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	मट	21218	21218	21218	
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	मट	14322	14322	14322	
30	CABLE SHOE	मट				
a	16 sq.mm cable shoe	मट	66	66	66	
b	25 sq.mm "	मट	85	85	85	
c	35 sq.mm "	मट	66	66	66	
d	50 sq.mm "	मट	77	77	77	
e	70 sq.mm "	मट	95	95	95	
f	95 sq.mm "	मट	147	147	147	
g	150 sq.mm "	मट	221	221	221	
h	195 sq.mm "	मट	314	314	314	
i	250 sq mm "	मट	500	500	500	
31	Copper Conductor Armoured Power Cables NS marked or eqv.	मट				
a) 2 Core		मट				
1	1.5 mm <sup>2</sup>	मट	106	106	106	
2	2.5 mm <sup>2</sup>	मट	143	143	143	
3	4.0 mm <sup>2</sup>	मट	197	197	197	
4	6.0 mm <sup>2</sup>	मट	254	254	254	
5	10.0 mm <sup>2</sup>	मट	382	382	382	
6	16.0 mm <sup>2</sup>	मट	509	509	509	
7	25.0 mm <sup>2</sup>	मट	743	743	743	
8	35.0 mm <sup>2</sup>	मट	987	987	987	
9	50.0 mm <sup>2</sup>	मट	1379	1379	1379	
b) 3 Core		मट				
1	1.5 mm <sup>2</sup>	मट	133	133	133	
2	2.5 mm <sup>2</sup>	मट	185	185	185	
3	4.0 mm <sup>2</sup>	मट	266	266	266	
4	6.0 mm <sup>2</sup>	मट	340	340	340	
5	10.0 mm <sup>2</sup>	मट	509	509	509	
6	16.0 mm <sup>2</sup>	मट	711	711	711	
7	25.0 mm <sup>2</sup>	मट	1083	1083	1083	
8	35.0 mm <sup>2</sup>	मट	1433	1433	1433	
9	50.0 mm <sup>2</sup> Copper Conductor Armoured	मट	1963	1963	1963	
10	70.0 mm <sup>2</sup>	मट	2758	2758	2758	
11	95.0 mm <sup>2</sup>	मट	3713	3713	3713	
12	120.0 mm <sup>2</sup>	मट	4668	4668	4668	
13	150.0 mm <sup>2</sup>	मट	5729	5729	5729	
c) 3.5 Core		मट				
1	25.0 mm <sup>2</sup>	मट	1295	1295	1295	
2	35.0 mm <sup>2</sup>	मट	1845	1845	1845	
3	50.0 mm <sup>2</sup>	मट	2312	2312	2312	
4	70.0 mm <sup>2</sup>	मट	3183	3183	3183	
5	95.0 mm <sup>2</sup>	मट	4244	4244	4244	
6	120.0 mm <sup>2</sup>	मट	5570	5570	5570	
7	150.0 mm <sup>2</sup>	मट	6578	6578	6578	
8	185.0 mm <sup>2</sup>	मट	8169	8169	8169	
9	240.0 mm <sup>2</sup>	मट	10715	10715	10715	
10	300.0 mm <sup>2</sup>	मट	13580	13580	13580	

सं.न	विदेश सम्पर्कहरूको विवरण	लिमिटेड	नु.स.क. -VAT (रुपैयाँ : रु.)			ट्रैकिङ
			आ.व २०८०/०८१	आ.व २०८१/०८०	आ.व २०८०/०८१	
a	16A 3P+E 400V Industrial plug	मि.	557	557	557	
b	32 A 3p +N+E " Plug	मि.	827	827	827	
c	32 A 3P+N+E water light Plug IP67	मि.	1591	1591	1591	
29	Access Controller with record using card and pin. Having capacity 1000 cards and 25000events, responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	मि.	21218	21218	21218	
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events, responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door	मि.	14322	14322	14322	
30	CABLE SHOE	मि.				
a	16 sq.mm cable shoe	मि.	66	66	66	
b	25 sq.mm "	मि.	85	85	85	
c	35 sq.mm "	मि.	66	66	66	
d	50 sq.mm "	मि.	77	77	77	
e	70 sq.mm "	मि.	95	95	95	
f	95 sq.mm "	मि.	147	147	147	
g	150 sq.mm "	मि.	221	221	221	
h	195 sq.mm "	मि.	314	314	314	
i	250 sq.mm "	मि.	500	500	500	
31	Copper Conductor Armoured Power Cables. NS marked or eqv.	मि.				
a) 2 Core		मि.				
1	1.5 mm <sup>2</sup>	मि.	106	106	106	
2	2.5 mm <sup>2</sup>	मि.	143	143	143	
3	4.0 mm <sup>2</sup>	मि.	197	197	197	
4	6.0 mm <sup>2</sup>	मि.	254	254	254	
5	10.0 mm <sup>2</sup>	मि.	382	382	382	
6	16.0 mm <sup>2</sup>	मि.	509	509	509	
7	25.0 mm <sup>2</sup>	मि.	743	743	743	
8	35.0 mm <sup>2</sup>	मि.	987	987	987	
9	50.0 mm <sup>2</sup>	मि.	1379	1379	1379	
b) 3 Core		मि.				
1	1.5 mm <sup>2</sup>	मि.	133	133	133	
2	2.5 mm <sup>2</sup>	मि.	185	185	185	
3	4.0 mm <sup>2</sup>	मि.	266	266	266	
4	6.0 mm <sup>2</sup>	मि.	340	340	340	
5	10.0 mm <sup>2</sup>	मि.	509	509	509	
6	16.0 mm <sup>2</sup>	मि.	711	711	711	
7	25.0 mm <sup>2</sup>	मि.	1083	1083	1083	
8	35.0 mm <sup>2</sup>	मि.	1433	1433	1433	
9	50.0 mm <sup>2</sup> Copper Conductor Armoured	मि.	1963	1963	1963	
10	70.0 mm <sup>2</sup>	मि.	2758	2758	2758	
11	95.0 mm <sup>2</sup>	मि.	3713	3713	3713	
12	120.0 mm <sup>2</sup>	मि.	4668	4668	4668	
13	150.0 mm <sup>2</sup>	मि.	5729	5729	5729	
c) 3.5 Core		मि.				
1	25.0 mm <sup>2</sup>	मि.	1295	1295	1295	
2	35.0 mm <sup>2</sup>	मि.	1645	1645	1645	
3	50.0 mm <sup>2</sup>	मि.	2312	2312	2312	
4	70.0 mm <sup>2</sup>	मि.	3183	3183	3183	
5	95.0 mm <sup>2</sup>	मि.	4244	4244	4244	
6	120.0 mm <sup>2</sup>	मि.	5570	5570	5570	
7	150.0 mm <sup>2</sup>	मि.	5578	5578	5578	
8	165.0 mm <sup>2</sup>	मि.	8169	8169	8169	
9	240.0 mm <sup>2</sup>	मि.	10715	10715	10715	
10	300.0 mm <sup>2</sup>	मि.	13580	13580	13580	

गोपनीय रिपोर्ट  
विभागीय अधिकारी

सं.न	मात्र कि.व	गिर्वाण सामाजिकरणको विभाग	एकाई	प्रति कि. -VAT )पालेक ( रु।			क्रमांक
				आ.व २०७८/७४९	आ.व २०७९/७५०	आ.व २०८०/७५१	
11	400.0 mm <sup>2</sup>			17823	17823	17823	
	d) 4 Core						
1	1.5 mm <sup>2</sup>		मि.	160	160	160	
2	2.5 mm <sup>2</sup>			228	228	228	
3	4.0 mm <sup>2</sup>			329	329	329	
4	6.0 mm <sup>2</sup>			424	424	424	
5	10.0 mm <sup>2</sup>			637	637	637	
6	16.0 mm <sup>2</sup>			928	928	928	
7	25.0 mm <sup>2</sup>			1379	1379	1379	
8	35.0 mm <sup>2</sup>			1857	1857	1857	
9	50.0 mm <sup>2</sup>			2652	2652	2652	
10	70.0 mm <sup>2</sup>			3607	3607	3607	
11	95.0 mm <sup>2</sup> Copper Conductor Armoured			4880	4880	4880	
12	120.0 mm <sup>2</sup>			6153	6153	6153	
13	150.0 mm <sup>2</sup>			7638	7638	7638	
14	185.0 mm <sup>2</sup>			9336	9336	9336	
15	240.0 mm <sup>2</sup>			12731	12731	12731	
16	300.0 mm <sup>2</sup>			15277	15277	15277	
17	400.0 mm <sup>2</sup>			20688	20688	20688	
32	Copper Conductor Unarmoured Power Cables NS marked or Eqv.						
	a) 1-core						
1	10 sq. mm		मि.	44	44	44	
2	16 sq. mm.			67	67	67	
3	25 sq. mm.			78	78	78	
4	35 sq. mm.			94	94	94	
5	50 sq. mm.			125	125	125	
6	70 sq. mm.			163	163	163	
7	95 sq. mm.			220	220	220	
8	120 sq. mm.			268	268	268	
9	150 sq. mm.			317	317	317	
	b) 2- core						
1	1.5 sq mm Copper Conductor Unarmoured		मि.	74	74	74	
2	2.5 sq mm			106	106	106	
3	4 sq. mm			148	148	148	
4	6 sq. mm			202	202	202	
5	10 sq.mm			318	318	318	
6	16 sq.mm			440	440	440	
7	25 sq.mm			679	679	679	
8	35 sq.mm			923	923	923	
9	50 sq.mm			1273	1273	1273	
10	70 sq.mm			1273	1273	1273	
11	95 sq.mm			2388	2388	2388	
12	120 sq.mm			3130	3130	3130	
13	150 sq.mm			3925	3925	3925	
	c) 3-core						
1	1.5 sq.mm. 3- core copper conductor		मि.	96	96	96	
2	2.5 sq.mm			138	138	138	
3	4 sq.mm			202	202	202	
4	6 sq.mm			286	286	286	
5	10 sq.mm			451	451	451	
6	16 sq.mm			658	658	658	
7	25 sq.mm			1008	1008	1008	
8	35 sq.mm			1358	1358	1358	
9	50 sq.mm			1910	1910	1910	
10	70 sq.mm			2652	2652	2652	
11	95 sq.mm			3607	3607	3607	
12	120 sq mm			4562	4562	4562	

सि.न	मिलाए चाराईहरुको विवरण	क्रमांक	मु.वा. -VAT )चालेक ( रु.)			क्रीकयत
			आ.व २०८०/०९९	आ.व २०८१/०८०	आ.व २०८०/०८९	
13	150 sq.mm	मी.मी.	5623	5623	5623	
	d) 3.5 core					
1	25 sq.mm	मी.मी.	1241	1241	1241	
2	35 sq.mm Copper Conductor Unarmoured	मी.मी.	1591	1591	1591	
3	50 sq.mm	मी.मी.	2228	2228	2228	
4	70 sq.mm	मी.मी.	3103	3103	3103	
5	95 sq.mm	मी.मी.	4191	4191	4191	
6	120 sq.mm	मी.मी.	5517	5517	5517	
7	150 sq.mm	मी.मी.	6525	6525	6525	
	e) 4-core Copper Conductor Unarmoured					
1	1.5 sq.mm	मी.मी.	116	116	116	
2	2.5 sq.mm	मी.मी.	175	175	175	
3	4 sq.mm	मी.मी.	260	260	260	
4	6 sq.mm	मी.मी.	361	361	361	
5	10 sq.mm	मी.मी.	573	573	573	
6	16 sq.mm	मी.मी.	870	870	870	
7	25 sq.mm	मी.मी.	1358	1358	1358	
8	35 sq.mm	मी.मी.	1825	1825	1825	
9	50 sq.mm	मी.मी.	2546	2546	2546	
10	70 sq.mm	मी.मी.	3555	3555	3555	
11	95 sq.mm	मी.मी.	4828	4828	4828	
12	120 sq.mm	मी.मी.	6101	6101	6101	
13	150 sq.mm	मी.मी.	7586	7586	7586	
14	185 sq.mm	मी.मी.	9336	9336	9336	
15	240 Sq. mm	मी.मी.	12625	12625	12625	
16	300 Sq. mm	मी.मी.	15277	15277	15277	
17	400 Sq. mm	मी.मी.	20688	20688	20688	
33	Aluminum conductor Armoured (Power) cable NS marked or eqv.					
	a) 2-core					
1	1.5 sq.mm	मी.मी.				
2	2.5 sq.mm	मी.मी.	96	96	96	
3	4 sq.mm	मी.मी.	122	122	122	
4	6 sq.mm	मी.मी.	138	138	138	
5	10 sq.mm	मी.मी.	165	165	165	
6	16 sq.mm	मी.मी.	185	185	185	
7	25 sq.mm	मी.मी.	222	222	222	
8	35 sq.mm	मी.मी.	254	254	254	
9	50 sq.mm	मी.मी.	329	329	329	
10	70 sq.mm	मी.मी.	409	409	409	
11	95 sq.mm	मी.मी.	520	520	520	
	b) 3-core					
1	2.5 sq.mm: Aluminum conductor Armoured	मी.मी.	111	111	111	
2	4 sq.mm	मी.मी.	138	138	138	
3	6 sq.mm	मी.मी.	153	153	153	
4	10 sq.mm	मी.मी.	185	185	185	
5	16 sq.mm	मी.मी.	212	212	212	
6	25 sq.mm Aluminum conductor Armoured	मी.मी.	286	286	286	
7	35 sq.mm	मी.मी.	345	345	345	
8	50 sq.mm	मी.मी.	440	440	440	
9	70 sq.mm	मी.मी.	557	557	557	
10	95 sq.mm	मी.मी.	609	609	609	
11	120 sq.mm	मी.मी.	859	859	859	
12	150 sq.mm	मी.मी.	1034	1034	1034	
13	185 sq.mm	मी.मी.	1273	1273	1273	
14	240 sq.mm	मी.मी.	1559	1559	1559	
15	300 sq.mm	मी.मी.	1910	1910	1910	

सि.न	क्रम संख्या	विवरण सामग्रीहरूको विवरण	एकाई	मुद्रा -VAT जारीक ( रु.)			क्रमावाल
				भा.म २०७५/७०७६	भा.म २०७६/७०७७	भा.म २०७७/७०७८	
16	400 sq.mm			2388	2388	2388	
	c) 3.5 core						
1	25 sq.mm		मि.	329	329	329	
2	35 sq.mm		मि.	382	382	382	
3	50 sq.mm		मि.	504	504	504	
4	70 sq.mm		मि.	647	647	647	
5	95 sq.mm		मि.	827	827	827	
6	120 sq.mm Aluminum conductor Armoured		मि.	1008	1008	1008	
7	150 sq.mm		मि.	1209	1209	1209	
8	185 sq.mm		मि.	1464	1464	1464	
9	240 sq.mm		मि.	1825	1825	1825	
10	300 sq.mm		मि.	2281	2281	2281	
11	400 sq.mm		मि.	2864	2864	2864	
	d) 4-core						
1	2.5 sq.mm		मि.	128	128	128	
2	4 sq.mm		मि.	160	160	160	
3	6 sq.mm		मि.	185	185	185	
4	10 sq.mm		मि.	202	202	202	
5	16 sq.mm		मि.	260	260	260	
6	25 sq.mm		मि.	350	350	350	
7	35 sq.mm		मि.	414	414	414	
8	50 sq.mm		मि.	564	564	564	
9	70 sq.mm		मि.	721	721	721	
10	95 sq.mm		मि.	928	928	928	
11	120 sq.mm		मि.	1114	1114	1114	
12	150 sq.mm		मि.	1411	1411	1411	
13	185 sq.mm		मि.	1676	1676	1676	
14	240sq.mm		मि.	2100	2100	2100	
15	300 sq.mm Aluminum conductor Armoured		मि.	2600	2600	2600	
16	400sq.mm		मि.	3289	3289	3289	
34	Aluminium conductor unarmoured (power) cable NS marked or equiv.						
	a) 1-core						
1	16 sq.mm		मि.	54	54	54	
2	25 sq.mm		मि.	74	74	74	
3	35 sq.mm		मि.	91	91	91	
4	50 sq.mm		मि.	116	116	116	
5	70 sq.mm		मि.	148	148	148	
6	95 sq.mm		मि.	202	202	202	
7	120 sq.mm		मि.	244	244	244	
8	150 sq.mm		मि.	303	303	303	
9	185 sq.mm		मि.	372	372	372	
10	240 sq.mm		मि.	456	456	456	
11	300 sq.mm		मि.	552	552	552	
	b) 2-core Aluminium conductor unarmoured						
1	2.5 sq mm		मि.	54	54	54	
2	4 sq.mm		मि.	64	64	64	
3	6 sq.mm		मि.	79	79	79	
4	10 sq.mm		मि.	101	101	101	
5	16 sq.mm		मि.	106	106	106	
6	25 sq.mm		मि.	148	148	148	
7	35 sq.mm		मि.	191	191	191	
8	50 sq.mm		मि.	244	244	244	
9	70 sq.mm		मि.	308	308	308	
10	95 sq.mm 2 core		मि.	414	414	414	
	c) 3-core						
1	2.5 sq.mm		मि.	64	64	64	
2	4 sq.mm		मि.	74	74	74	

क्र. सं		नियाम सामाजीहरूको विवरण	संकेत	मु. र. क. -VAT (बाटोक । रु.)			कैफियत
क्र.	संख्या			आ.व २०७२/००१	आ.व २०७२/००२	आ.व २०७२/००३	
3	6 sq.mm			91	91	91	
4	10 sq.mm			128	128	128	

बजेत्रमहाल रिडाल  
प्रमुख विकास बचिकारी

रेक.	संक्षि. प्रमाण	नियम वालागाहको विवरण	विवरण	मु.प्र.व -VAT (बाटोक । र.)			लेन्द्रियत
				भा.व २०८०/८०९	भा.व २०८१/८०१०	भा.व २०८०/८०११	
	5	16 sq mm		148	148	148	
	6	25 sq mm		212	212	212	
	7	35 sq mm		266	266	266	
	8	50 sq mm		350	350	350	
	9	70 sq mm		467	467	467	
	10	95 sq mm		615	615	615	
	11	120 sq mm		764	764	764	
	12	150 sq mm		913	913	913	
	13	185 sq mm		1145	1145	1145	
	14	240 sq mm		1421	1421	1421	
	15	300 sq mm Aluminium conductor unarmoured		1804	1804	1804	
	d) 3-core						
	1	25 sq mm	र.मी	266	266	266	
	2	35 sq mm		318	318	318	
	3	50 sq mm		424	424	424	
	4	70 sq mm		584	584	584	
	5	95 sq mm		764	764	764	
	6	120 sq mm		955	955	955	
	7	150 sq mm		1145	1145	1145	
	8	185 sq mm		1433	1433	1433	
	9	240 sq mm		1804	1804	1804	
	10	300 sq mm		2228	2228	2228	
	e) 4-core core aluminium unarmoured						
	1	2.5 sq mm	र.मी	74	74	74	
	2	4 sq mm		84	84	84	
	3	6 sq mm		101	101	101	
	4	10 sq mm		138	138	138	
	5	16 sq mm	र.मी	202	202	202	
	6	25 sq mm		297	297	297	
	7	35 sq mm		361	361	361	
	8	50 sq mm		499	499	499	
	9	70 sq mm		658	658	658	
	10	95 sq mm		870	870	870	
	11	120 sq mm		1061	1061	1061	
	12	150 sq mm		1327	1327	1327	
	13	185 sq mm		1645	1645	1645	
	14	240 sq mm		2069	2069	2069	
	15	300 sq mm		2546	2546	2546	
	35. Security Gate System						
	Metal Detector						
	a	Air Conditioning system	मंदा	17505	17505	17505	
	i	0.75 TR capacity Wall Mounted split type Air					
	ii	Conditioning system	र.मी				
	iii	1.0 TR capacity Wall Mounted split type Air					
	iv	Conditioning system	र.मी				
	v	Air Conditioning system					
	i	0.75 TR capacity Wall Mounted split type Air Conditioning system					
	ii	1.0 TR capacity Wall Mounted split type Air	र.मी				
	iii	1.5 TR capacity Wall Mounted split type Air	र.मी				
	iv	Conditioning system	र.मी				
	v	2.0 TR capacity Wall Mounted split type Air	र.मी				
	vi	Conditioning system	र.मी				
	vii	Air Conditioning system					
	viii	0.75 TR capacity Wall Mounted split type Air					
	ix	1.0 TR capacity Wall Mounted split type Air	र.मी				
	x	1.5 TR capacity Wall Mounted split type Air	र.मी				
	xi	2.0 TR capacity Wall Mounted split type Air	र.मी				
36							

कर्मचारी संघ रिभाल  
गाव जिल्ला अधिकारी

प्रमाण

८०

३५

१३५

३४३

३०८

संख्या	विवरण	प्राप्ति दरमानुसार समाप्ति दरमानुसार समाप्ति दरमानुसार	नुसार -VAT (रुपये रुपये रुपये)			विवरण
			श्री.व रुपये/००१	श्री.व रुपये/०००	श्री.व रुपये/००१	
36	General Lighting					
i	1 x 40 W FTL Patti fitting		260	260	260	
ii	1 x 20 W FTL Patti fitting		239	239	239	
iii	1 x 40 W FTL Box fitting		440	440	440	
iv	1 x 20 W FTL Box fitting		430	430	430	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp		366	366	366	
	PVC Conduit					
	RK Range					
1	16 mm medium rigid conduit DX 25 316	Mtr.	91	91	91	
2	20 mm medium rigid conduit DX 25 320	"	128	128	128	
3	25 mm medium rigid conduit DX 25 325	"	180	180	180	
4	32 mm medium rigid conduit DX 25 332	"	260	260	260	
5	40 mm medium rigid conduit DX 25 340	"	355	355	355	
6	50 mm medium rigid conduit DX 25 350	"	546	546	546	
7	63 mm medium rigid conduit DX 25 363	"	1029	1029	1029	
8	16 mm heavy rigid conduit DX 25 716	"	170	170	170	
37	9 20 mm heavy rigid conduit DX 25 720	"	222	222	222	
10	25 mm heavy rigid conduit DX 25 725	"	297	297	297	
11	32 mm heavy rigid conduit DX 25 732	"	446	446	446	
12	40 mm heavy rigid conduit DX 25 740	"	605	605	605	
13	50 mm heavy rigid conduit DX 25 750	"	817	817	817	
14	63 mm heavy rigid conduit DX 25 763	"	1533	1533	1533	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	202	202	202	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	254	254	254	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	387	387	387	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	642	642	642	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	769	769	769	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	992	992	992	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1236	1236	1236	
22	16 mm shockproof polymer saddle collar clip GW 50 605	"	32	32	32	
23	20 mm shockproof polymer saddle collar clip GW 50 606	"	37	37	37	
24	25 mm shockproof polymer saddle collar clip GW 50 607	"	42	42	42	
25	32 mm shockproof polymer saddle collar clip GW 50 608	"	64	64	64	
26	40 mm shockproof polymer saddle collar clip GW 50 630	"	101	101	101	
27	50 mm shockproof polymer saddle collar clip GW 50 631	"	122	122	122	
28	16 mm conduit coupler DX 40 016	"	37	37	37	
29	20 mm conduit coupler DX 40 020	"	47	47	47	
30	25 mm conduit coupler DX 40 025	"	59	59	59	
31	32 mm conduit coupler DX 40 032	"	106	106	106	
32	40 mm conduit coupler DX 40 040	"	143	143	143	
33	50 mm conduit coupler DX 40 050	"	249	249	249	
34	63 mm conduit coupler DX 40 063	"	472	472	472	
35	16 mm tight bend DX 40 116	"	59	59	59	
36	20 mm tight bend DX 40 120	"	84	84	84	
37	25 mm tight bend DX 40 125	"	133	133	133	
38	32 mm tight bend DX 40 132	"	244	244	244	
39	40 mm tight bend DX 40 140	"	345	345	345	
40	50 mm tight bend DX 40 150	"	621	621	621	
41	63 mm tight bend DX 40 163	"	2430	2430	2430	
42	4 way junction box DX 45 004	"	690	690	690	

सि.न.	विवरण समाचारहरूको विवरण	प्रकार	मुद्रक -VAT (रु.)			क्रमांक
			आ.व २०८५/०८६	आ.व २०८६/०८७	आ.व २०८७/०८८	
43	7 way junction box DX 45 007	"	827	827	827	
44	10 way junction box DX 45 010	"	1051	1051	1051	
45	Closing cap for junction box DX 47 000	"	122	122	122	
46	16 mm inspectionable T bend DX 40216	"	122	122	122	
47	20 mm inspectionable T bend DX 40220	"	153	153	153	
48	25 mm inspectionable T bend DX 40225	"	202	202	202	
49	32 mm inspectionable T bend DX 40232	"	244	244	244	
50	16 mm inspectionable bend DX 40 316	"	101	101	101	
51	20 mm inspectionable bend DX 40 320	"	122	122	122	
52	25 mm inspectionable bend DX 40 325	"	160	160	160	
53	32 mm inspectionable bend DX 40 332	"	191	191	191	
38	<b>Cable Tray with Cover and Accessories</b>					
1	65X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 100	R. Ft.	844	844	844	
2	95X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 101	"	1002	1002	1002	
3	125X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 102	"	1209	1209	1209	
4	155X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 103	"	1358	1358	1358	
5	185X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 104	"	1586	1586	1586	
6	215X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 105	"	1761	1761	1761	
7	245X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 106	"	2201	2201	2201	
8	305X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 108	"	2588	2588	2588	
9	365X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 110	"	3183	3183	3183	
10	395X35 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 111	"	3379	3379	3379	
11	65X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 120	"	1014	1014	1014	
12	95X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 121	"	1214	1214	1214	
13	125X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 122	"	1337	1337	1337	
14	155X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 123	"	1512	1512	1512	
15	185X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 124	"	1713	1713	1713	
16	215X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 125	"	1915	1915	1915	
17	245X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 126	"	2344	2344	2344	
18	305X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 128	"	2737	2737	2737	
19	365X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 130	"	3560	3560	3560	
20	396X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 131	"	3861	3861	3861	
21	515X50 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 135	"	4722	4722	4722	
22	95X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 141	"	1352	1352	1352	
23	215X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 145	"	2186	2186	2186	
24	305X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 148	"	2864	2864	2864	
25	395X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 151	"	3968	3968	3968	
26	515X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 155	"	4981	4981	4981	
27	605X65 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 157	"	5612	5612	5612	
28	125X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 162	"	1539	1539	1539	

नियमित राजाधीनस्त्रो विवरण

प.क.क. -VAT ) राजेन्द्र ( रु।

प्र.क्र.	वर्णन	लगाएँ	प.क.क. -VAT ) राजेन्द्र ( रु।			दैनिकता
			आ.प. २०८५/०८६	आ.स. २०८५/०८६	आ.व. २०८०/०८१	
	29 215X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 165	"	2339	2339	2339	
	30 305X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 168	"	2971	2971	2971	
	31 395X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 171	"	4276	4276	4276	
	32 515X80 mm <sup>2</sup> hot deep galvanised steel cable tray MV 40 175	"	5166	5166	5166	
	<b>Intrusion Detection System Make Honeywell or equivalent</b>					
	Main Controller					
	CONTROL FIRE/BURG	"	40017	40017	40017	
	Smoke & Heat Detector	"				
	Wireless Smoke and Heat Detector	"	10861	10861	10861	
	Door Contact	"				
	Wireless Door Contact with transmitter	"	2758	2758	2758	
	Motion Detector					
39	Wireless Passive Infrared Pet Immune Motion Detector	"	4303	4303	4303	
	Panic Switch	"				
	Wireless Panic Transmitter	"	5069	5069	5069	
	Key	"				
	Wireless Key to Arm and Disarm the System	"	4923	4923	4923	
	Window Contact	"				
	Wired door Contact with transmitter slim	"	2896	2896	2896	
	Earth Quake Detector	"				
	Quake Alarm	"	3709	3709	3709	
	Automatic Motor Operator for water motor	"				
i	Upto 1/2 HP single phase motor	"	4244	4244	4244	
ii	Upto 1 HP single phase motor	"	5835	5835	5835	
iii	Upto 5 HP three phase motor	"	9548	9548	9548	
	CCTV System	*				
40 a	Out door high speed Dome Integrated CAMERA Multi Protocol 480 TVL, 128 preset points , automatic surveillance, 360 degrees horizontal rotation , AC 240V power supply , integrated healing system , highest angle speed 360 degree/sec , weather resistance, water resistance, robust type					
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom					
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	"	58350	58350	58350	
b	Indoor high speed Dome Integrated CAMERA	"	60683	60683	60683	
f	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom					
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	"	56016	56016	56016	
c	Box camera with adopter, IR view distance 25mm Mirror shutter with mirror image switchable white balance, auto Horizontal resolution 480 TV line , system signal NTSC/PAL Blacklight compression (ON/OFF) (Switchable), AGC, ON/OFF	"	58350	58350	58350	
d	7" Spherical Shileded with bracket included chip excluded Camera	"	15914	15914	15914	
e	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0 Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control		8615	8615	8615	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output Internate Explore, MPG-4 Record	"	35010	35010	35010	
f	17" LCD Monitor	"	52515	52515	52515	
	Electrical Equipments	"	11139	11139	11139	

खाले अधिकारी राजाल  
खाले अधिकारी

संकेत	विवरण	प्राप्ति	मुद्रक - VAT जारीकरण			कोषिकरण
			आ.व २०७८/७९	आ.व २०७९/८०	आ.व २०८०/८१	
i	Earthing Materials (ISI or other International Standard)					
a	6 mm thick 600mm× 600 mm G.I Plate	No.	2914	2914	2914	
c	Funneling Mechanism with cover (mild steel)	set	637	637	637	
d	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9803	9803	9803	
e	Copper wire (10 SWG)	Mtr.	160	160	160	
ii	Service wire (Al)	Mtr.	19	19	19	
a.	2.5 mm <sup>2</sup>	"	23	23	23	
b.	4.0 mm <sup>2</sup>	"	29	29	29	
c.	6.0 mm <sup>2</sup>	"				
iii	Lightening Arrestor for 3 Phase					
a.	0.5 KV	Set	1273	1273	1273	
b.	11 KV	Set	4456	4456	4456	
c.	Cross Arms V Channel	No.	3183	3183	3183	
iv	Stay set with accessories					
a.	G.I wire	No.	1217	1217	1217	
b.	G.I Plate	"	1221	1221	1221	
c.	Guy Insulator	"	58	58	58	
d.	Elbow		106	106	106	
e.	Rod, Nut	No.	458	458	458	
f.	Grip	"	50	50	50	
v	Overhead Insulators (0.4KV)					
a.	Sackle Insulator					
b.	D-Iron	No.	32	32	32	
c.	Nut Bolt (3" with 8 mm O)	"	96	96	96	
d.	Nut Bolt (6" with 8 mm O) to clamp on Poles	"	15	15	15	
vi	Overhead Insulators with fixing accessories (11KV)	"	24	24	24	
a.	Pin Insulator					
b.	Disc Insulator	No.	191	191	191	
c.	Cross Arms V Channel	"	1019	1019	1019	
vii	Squirrel ACSR conductor 20mm <sup>2</sup>	"	2801	2801	2801	
viii	wirel ACSR conductor 30 mm <sup>2</sup>	Rm.	18	18	18	
ix	Rabbit ACSR conductor 50 mm <sup>2</sup>	"	26	26	26	
x	Dog ACSR conductor 100 mm <sup>2</sup>	"	42	42	42	
xi	Supply of aluminum ABC cable	"	84	84	84	
	25mm square 4 core ABC cable					
	50 mm square 4 core ABC cable	Rm.	160	160	160	
	95 mm square 4 core ABC cable	"	266	266	266	
xii	Alternator 3 Phase Brush less with compounded Excitation (KEL)	"	520	520	520	
42 C	AMF with ATS panel					
i	5KVA AMF with ATS panel	set	23340	23340	23340	
ii	7.5KVA AMF with ATS panel	"	29705	29705	29705	
iii	10KVA AMF with ATS panel	"	37132	37132	37132	
iv	15KVA AMF with ATS panel	"	47741	47741	47741	
v	20KVA AMF with ATS panel	"	68959	68959	68959	
vi	25KVA AMF with ATS panel	"	79568	79568	79568	
vii	30KVA AMF with ATS panel	"	95481	95481	95481	
43	MCB/ISOLATOR					
	B CURVE MCB SP 6A-32A					
	B CURVE MCB SP 40A	pole	246	246	246	
	B CURVE MCB SP 50A-63A	pole	289	289	289	
	C CURVE MCB SP 0.5-4A	pole	289	289	289	
	C CURVE MCB SP 6-32A	pole	289	289	289	
	C CURVE MCB SP 40A	pole	246	246	246	
	C CURVE MCB SP 50-63A	pole	459	459	459	
	C CURVE MCB SPN 0.5-4A	pole	459	459	459	
	C CURVE MCB SPN 6-32A	pole	493	493	493	
	C CURVE MCB SPN 40A	pole	528	528	528	

राष्ट्रीय बैंक

880/81

सिर्ता	विवरण सामाचीहरूको विवरण	एकाई	मूल्य -VAT (रुपौलि / %)			कोषिकाला
			आ.व २०७५/०८६	आ.व २०७५/०८०	आ.व २०८०/०८१	
	C CURVE MCB SPN 50-63A	pole	578	578	578	
	C CURVE MCB DP 0.5-4A	pole	578	578	578	
	C CURVE MCB DP 6-32A	pole	636	636	636	
	C CURVE MCB DP 40A	pole	581	581	581	
	C CURVE MCB DP 50-63A	pole	636	636	636	
	C CURVE MCB TP 0.5-4A	pole	636	636	636	
	C CURVE MCB TP 6-32A	pole	953	953	953	
	C CURVE MCB TP 40A	pole	872	872	872	
	C CURVE MCB TP 50-63A	pole	953	953	953	
	C CURVE MCB TPN 0.5-4A	pole	953	953	953	
	C CURVE MCB TPN 6-32A	pole	1242	1242	1242	
	C CURVE MCB TPN 40A	pole	1136	1136	1136	
	C CURVE MCB TPN 50-63A	pole	1242	1242	1242	
	C CURVE MCB FP 0.5-4A	pole	1242	1242	1242	
	C CURVE MCB FP 6-32A	pole	1329	1329	1329	
	C CURVE MCB FP 40A	pole	1215	1215	1215	
	C CURVE MCB FP 50-63A	pole	1329	1329	1329	
	ISOLATOR DP 40A	pole	1329	1329	1329	
	ISOLATOR DP 63A	pole	568	568	568	
	ISOLATOR DP 80-100A	pole	568	568	568	
	ISOLATOR DP 125A	pole	593	593	593	
	ISOLATOR FP 40A	pole	629	629	629	
	ISOLATOR FP 63A	pole	929	929	929	
	ISOLATOR FP 80-100A	pole	929	929	929	
	ISOLATOR FP 125A	pole	1028	1028	1028	
	RCCB DP 25A 30mA	pole	1028	1028	1028	
	RCCB DP 40A 30mA	pole	3653	3653	3653	
	RCCB DP 63A 30mA	pole	3653	3653	3653	
	RCCB DP 25A 100mA	pole	3653	3653	3653	
	RCCB DP 40A 100mA	pole	3445	3445	3445	
	RCCB DP 63A 100mA	pole	3445	3445	3445	
	RCCB DP 25A 300mA	pole	3445	3445	3445	
	RCCB DP 40A 300mA	pole	3445	3445	3445	
	RCCB DP 63A 300mA	pole	3445	3445	3445	
	RCCB FP 25A 30mA	pole	3445	3445	3445	
	RCCB FP 40A 30mA	pole	4280	4280	4280	
	RCCB FP 63A 30mA	pole	4280	4280	4280	
	RCCB FP 25A 100mA	pole	4280	4280	4280	
	RCCB FP 40A 100mA	pole	4124	4124	4124	
	RCCB FP 63A 100mA	pole	4124	4124	4124	
	RCCB FP 25A 300mA	pole	4124	4124	4124	
	RCCB FP 40A 300mA	pole	4124	4124	4124	
	RCCB FP 63A 300mA	pole	4124	4124	4124	