


नुवाकोट जिल्लाको ज्याला तथा निर्माण सामग्रीहरुको दररेट

आ.ब. ०७६/०७७



जिल्ला प्रशासन कार्यालय
बिदुर, नुवाकोट
असार, २०७६



आज मिति २०६६ साल आषाढ महिनाको ३० गते ०६६/०६६ आठवौँ लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण सम्बन्धमा प्र.जि.अ.पी प्रोण पोखरेलको अध्यक्षतामा निम्न वमोजिमको उपस्थितिमा बैठक बस्यो। बैठक सम्बन्धी अर्थ विवरण निम्नानुसार रहेको छः

उपेन्द्राहः

१. दररेट निर्धारणका लागि उपस्थिति गढन गर्ने
२. विविध

उपस्थिति :-

- उपेन्द्राहः श्रीमान् प्र.जि.अ.पी प्रोण पोखरेल
- उपेन्द्राहः श्री कृष्ण प्रसाद पन्नी जि.स.अ. जि.स.स.नुवाकोट
- उपेन्द्राहः श्री अमल राज गौरी, ताकनी सोल
- उपेन्द्राहः श्री जय मंगल प्रसाद डि.व.अ. डि.व.अ. बुनाकोट
- उपेन्द्राहः श्री हरि प्रसाद गुरागाई जे.के.सि.वि.डि.नुवाकोट
- उपेन्द्राहः श्री रामजी देवकोटा उ.प्र.वा.वि.डि, क.का.वि.अ.राजौरी
- उपेन्द्राहः श्री रामकुमार दाह, डि.व.अ. प्रमुख जमना बुनाकोट
- उपेन्द्राहः श्री ई.प्रविण सापकोटा, राहरी विद्यालय तथा ब्रवन कार्यालय
- उपेन्द्राहः श्री निरज शान्ध डि.प्र.सुड डिभिजन, नुवाकोट
- उपेन्द्राहः श्री दिवाकर शिपरी, उ.के.वि.के.ले.वि.के.
- उपेन्द्राहः श्री विजय शिवाजी, सि.डि.ई., पूर्वाञ्चल वि.का.नुवाकोट
- उपेन्द्राहः श्री विष्णु पायु पायु ई. ग.सि.के.एच.राजौरी
- उपेन्द्राहः श्री केशव खनाल प्रमुख कृषिशान्तिदेव, नुवाकोट
- उपेन्द्राहः श्री कृष्ण शायी का.ले.प्र.ए.स.वा.द.या.ला
- उपेन्द्राहः श्री शिव देवकोटा, अध्यक्ष नेपाल हेड युनियन काठमाडौं
- उपेन्द्राहः श्री धर्मराज शर्मा, उ.अ. वि.प्र.का.नुवाकोट

निर्णयः:-

१. आठवौँ ०६६/०६६ का लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि आठवौँ वर्षको जिल्ला दररेट दिनेको जिल्लाहरूको जिल्ला दररेट तथा हाल जिल्लामा प्रचलित दररेट समेतको अध्ययन गरी जिल्ला दररेट को प्रस्तावित विषयमा जेठ गानी वैशाख वमोजिमको दररेट निर्धारण उप-समितिको गढन गर्ने निर्णय गरियोः

उपेन्द्राहः

उप समिति

संयोजक - श्री वृष्णा प्रसाद पन्धी, जि.स. अधिकारी


सदस्य - श्री निरज शायर, सीटि ई, सरकडि.का. नु.

.. - श्री प्रविण सापकोटा, इ. श.वि. तथा भवन कार्यालय


.. - श्री हरि प्रसाद गुराणई, ज. तथा सि. डि कार्यालय

.. - श्री जय मंगल प्रसाद, इ. सरकडि. डि कार्यालय

सं.सचिव - श्री विजयमूर्ति बज्राचार्य, सीटि ई, प्रकाशिका कार्यालय







आज मिति २०७६ साल असार ३० गतेका दिन आ.व. ०७६/०७७
लागी जिल्ला दररेट प्रस्ताव गर्ने गठित उपसमितिका संयोजक
श्री- कृष्ण प्रसाद पन्थीको संयोजकत्वमा वरिष्ठ वकिलमा -
देहाय कमोजिम निर्णय गरियो ।

उपस्थिति :

१. संयोजक - श्री- कृष्ण प्रसाद पन्थी -
२. सदस्य - श्री- हरि प्रसाद गुरागाई -
३. " - श्री- जय मंगल प्रसाद -
४. " - श्री- प्रवीण सापकोटा -
५. " - श्री- निरज शोकथ -
६. सदस्य-सचिव - श्री- विजय मुनी वज्राचार्य -
७. निर्णायक श्री- देव प्रसाद पाण्डे
८. नो.नि.००५-अध्यक्ष - सुमन उराविकारी
९. " महासचिव - रमेशा कल्ले -
१०. प्र.उपाध्यक्ष गु.उ.डा. मधु - राजेश श्रेष्ठ

निर्णय नं. १.

आ.व. ०७६/०७७ को लागि निर्माण सामग्री तथा ज्याला
दररेट निर्धारण गर्दा नेपाल राष्ट्र बैंडको सुचार्ड (NRB) तथा
हिमैषि जिल्ला कानून, धादिङ्गको जिल्ला दररेटको आधारमा
निर्माण गरि यो उपसमिति हो जिल्ला दररेट निर्धारण समिति
मा पेश गर्ने निर्णय गरियो ।

उपरोक्त मिति 2016 साल असार 29 गतेका दिन आ.के. 066/066 को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्ने सार्वजनिक खरिद नियमावली 2084 को नियम 98C को उप नियम 9 वमोजिम नुवाकोट जिल्ला को लागि निर्माण सामग्री, दुवानी, मोसिन तथा उपकरण भाडा र कामदारको ज्याला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री. कृष्ण प्रसाद पौडेल अध्यक्ष तथा सहायक सदस्य हरू र अन्य पदाधिकारीहरूको उपस्थितिमा बैठक बसि निम्न अनुसारको दररेट कायम गर्ने निर्णय गरियो।








उपस्थिति

- अध्यक्ष श्रीमान प्रमुख जिल्ला अधिकारी श्री कृष्ण प्रसाद पौडेल
जिल्ला प्रशासन कार्यालय, विदुर, नुवाकोट।
- सदस्य जिल्ला समन्वय अधिकारी श्री- कृष्ण प्रसाद पौडेल
जिल्ला समन्वय समितिको कार्यालय, विदुर, नुवाकोट।
- सदस्य प्रमुख कोष नियन्त्रक श्री- दिवाकर छिमिरे
कोष तथा लेखा नियन्त्रक कार्यालय, विदुर, नुवाकोट।
- सदस्य श्री-
जिल्ला समन्वय समिति, विदुर, नुवाकोट।
- सदस्य श्री- ज्ञानेश बहादुर शाही सदस्य
नुवाकोट निर्माण व्यवसायी संघ, विदुर, नुवाकोट।
- सदस्य श्री- सुमान अधिकारी अध्यक्ष
नुवाकोट उद्योग वाणिज्य संघ, विदुर, नुवाकोट।
- सदस्य-सचिव सतिश्वर डिभिजन इन्जिनियर श्री- विजय मनी वज्राचार्य
पूर्वाधार विभाग कार्यालय, विदुर, नुवाकोट।

आमन्त्रित

- श्री. जय मंगल प्रसाद डि० व० अ० डिभिजनल वन कार्यालय
रामजी देवकोटा व.बाग.वि.अ. (पुर्वोत्तर) उ.प.बाग.वि.डे.
- विदुण बाबु पाख्रि व.बाग.वि.अ. (पुर्वोत्तर) उ.प.बाग.वि.डे.
- हार्दिक गुरुङ डि.पु. जं.त.वि.वि. डि. नुवाकोट
- अमलराज गेरे, व.व.के.के. ताडारी गाँस
- गणेश बहादुर मण्डली, व.के.के.के. पर्वत क्षेत्रिय नुवाकोट
- दयाराम पौडेल शा.अ. इलाका प्रशासन कार्यालय, नुवाकोट
- धर्मराज गुरु प्र०अ. सि.प्रशासन का; नुवाकोट

निर्णय नं. १. आ. व. ०७६१०७७ को लागि निर्माण सामग्री तथा ज्याला को दररेट निर्धारण गर्ने कार्यजम्मा खारिद निष्कापलि २०६४ को नियम १४८ को उपनियम १ बमोजिम (नयापुर जिल्लाको लागि निर्माण सामग्री, कुवानी, मालिन - तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्ने अनधिकृत आ. व. को दररेट, धिमैडी जिल्लाको दररेट र हाल जिल्लामा प्रचलित दररेट समेतको अध्ययन गरी चालु आ. व. ०७६१०७७ को लागि प्रस्तावित दररेट निर्धारण गरी मिति २०७६।३।२५ गते बखेटा कैंडक वाट जाहित उपसमितिले पेशा गरेको जिल्ला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र भनाइक - देखिएकोले आ. व. ०७६१०७७ को लागि स्वी - अनुसारको धरै लाख संलग्न दररेट यस जिल्ला भरै लागु हुने गरि अनुमोदन गर्ने निर्णय गरियो।



ज्याला दर रेट

बिदुर, नुवाकोट

असार, २०७६

निर्णय नं. १

आ.व. ०७६/०७७ को लागि निर्माण सामग्री तथा ज्यालाको दररेट निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ को उप नियम १ बमोजिम नुवाकोट जिल्लाको लागि निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट निर्धारण गर्न मिति २०७६ असार ३० गते बसेको बैठकबाट गठित उपसमितिले मिति २०७६ असार ३० गतेका दिन पेश गरेको निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला दररेट प्रतिवेदन अध्ययन गर्दा उपयुक्त र मनासिव देखिएकोले आ.व. २०७६/०७७ का लागि सोही अनुसारको दररेट यस जिल्ला भर लागु हुने गरी अनुमोदन गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकको ज्यालादर सम्बन्धी

श्रमिकहरूको ज्याला दर निर्धारण गर्ने सम्बन्धमा विभिन्न सरोकारवाला (श्रमिक संगठनहरू, निर्माण व्यवसायी संघ, उद्योग वाणिज्य संघ, विकास निर्माणका क्रियाकलाप गर्ने सरकारी कार्यालयहरू) पक्षहरू सँगको परामर्श, नेपाल राष्ट्र बैंकबाट प्रकाशित ज्यालादर सूचांक तथा उपभोक्ता मूल्य सूचांक, हालको बजार मूल्य र श्रमिकहरूको उपलब्धतालाई समेत आधार मान्दा श्रमिकको उमेर (१६ वर्ष पुगेको) र दैनिक काम गर्ने अवधि (८ घण्टा) लाई आधार चालु आ.व. ०७६/०७७ का लागि नुवाकोट जिल्लाभर लागु हुनेगरी देहाय बमोजिम श्रमिकहरूको ज्यालादर निर्धारण गर्ने निर्णय गरियो ।


सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			कैफियत
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
१.	दक्ष कामदार (Skilled Labour)					
क.	प्ल्याष्टर	प्रति दिन प्रति व्यक्ति	1080	1130	1180	
ख.	रक डिलर/हेभी ड्राईभर /वेल्डर/ प्लम्बर /विष्फोटक पदार्थ ढुवानीगर्ने ज्यामी/ डकर्मी/ नकर्मी/ सिकर्मी/ वज्रकर्मी/ चित्रकारी/ हेभी सिनियर अपरेटर/ कम्प्युटर अपरेटर	प्रति दिन प्रति व्यक्ति	850	890	980	
२	अर्द्धदक्ष कामदार (Semi Skill Labour)					
क.	अर्द्धदक्ष कामदार (Semi Skill Labour)	प्रति दिन प्रति व्यक्ति	660	690	730	
३	अदक्ष कामदार (Unskill Labour)					
क.	ज्यामी/भरीया/ज्यामी नाईके/ जुनियर अपरेटर /उत्प्रेरक/ हेभी हेल्पर /सर्भ हेल्पर/अवाले /ईष्टा वनाउने/क्याम्पर वर्कर/साधारण हेल्पर/ल्याव व्वाय /नर्सरी नाईके	प्रति दिन प्रति व्यक्ति	600	630	700	
ख.	मौसम रेकर्डर / हेरालु/माली/चौकीदार/पियन पाले/चेन मैन/टेप मैन/स्टाफ मैन/हलुका कामदार	प्रति दिन प्रति व्यक्ति	460	480	480	
ग.	लेन्थ वर्करहरू (सडकमा काम गर्ने)		430	450	460	
घ.	निर्माण सुपरभाइजर		530	555	560	
ङ	लाईट ड्राईभर	प्रति दिन	600	630	640	
च.	प्याच वर्कर (Patch Worker)	प्रति	530	555	560	
छ.	लेन्थ वर्कर सुपरभाइजर	व्यक्ति	595	625	630	
ज.	मेहत्तर / स्वपिर (भाडु लगाउने)		495	520	530	

नोट: विद्युत कार्यको हकमा माथि उल्लेख नभएकोमा नेपाल विद्युत प्राधिकरणको तहगत शुरु तलब स्केल अनुसार हुनेछ ।

निर्णय नं. ३ ढुवानी दर सम्बन्धि :

यस जिल्लामा स्थानीय स्तरमा उपलब्ध हुने ढुवानीको विभिन्न श्रोतसाधनलाई आधार मानी चालु आ.व. २०७६/७७ का लागि निम्न अनुसार ढुवानीको दर निर्धारण गर्ने निर्णय गरियो ।


ढुवानी ज्याला						
सि.नं.	विवरण	ईकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
१.	जिल्ला भित्र भरिया द्वारा सामान ढुवानी					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति कि.मी./ क्वीन्टल	75	78	80	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, ट्रेस, ऐना, <u>बाथरूमका फुटने सामानहरु</u>	प्रति कि.मी./ क्वीन्टल	90	93	95	
२.	ट्रक वा ट्रयाक्टरबाट ढुवानी (लोड अनलोड बाहेक)					
क.	पक्की सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	4.00	4.10	4.10	
ख.	कच्ची सडक सामान ढुवानी	प्रति कि.मी./ क्वीन्टल	8.00	8.30	8.30	
ग.	असजिलो सामान (HDPE pipe)	प्रति कि.मी./ क्वीन्टल	9.00	9.35	9.04	
३.	विद्युत ढुवानी (ट्रान्सफरमर तथा टुट फुट हुने सामान सहित)					
क.	कच्ची सडक	प्रति कि.मी./ प्रति टिप	29.00	30.15	100.00	
ख.	पक्की सडक	प्रति कि.मी./ प्रति टिप	14.50	15.05	80.00	
ग.	बोकानी	प्रति कि.मी./ क्वीन्टल	325.00	335.00	335.00	
४.	लोड अनलोड					
क.	सजिलो सामानहरु (सिमेन्ट, गिट्टी, ईट्टा, माटो, बालुवा) आदी	प्रति केजी.	0.40	0.40	0.40	
ख.	असजिलो सामानहरु (टुटफुट हुने समेत) जस्तै जस्तापाता, डण्डी, जि.आई.तथा कालो पाईपहरु, आईरन एङ्गल, ग्लास, सटरहरु, ट्रेस, ऐना, <u>बाथरूमका फुटने सामानहरु</u>	प्रति केजी.	0.70	0.70	0.70	
ग.	फलाम तथा काठको पोल बोकानी ज्यामीद्वारा	प्रति कि.मी./	2.40	2.40	2.40	



निर्णय नं. ४ : सरकारी कार्यालयमा आवश्यक हुने बायो-इन्जिनियरिङ्ग एवं अन्य मालसामान सम्बन्धि आ.व. ०७६/०७७ को लागि तपसिल अनुसारको दररेट कायम गर्ने निर्णय गरियो।

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
1	भु-संरक्षण सम्बन्धी कार्य				
1.1	Grass Seeds				
	जई	Kg	75	75	85
	भेच	"	150	150	175
	नेपीयर	set	3	3	5
	वर्सिम	Kg	175	175	190
	घासको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा (ढुवानी) डोकोबाट	"	0.50	1	1.25
	घासको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा (ढुवानी)	"	1	1	1.25
	२०० गेजको विरुवा उमार्ने कालो ४ प्वाल भएको विभिन्न साइजका पोली थैला	"	350	385	400
	माटो भर्ने खाली बोरा	गोटा	12	12	15
	बांस काटेको सिंगो घना	घना	350	350	450
	बांसको कटिड स्टमप विरुवा (१५ महिने नर्सरी राखेका) १'६" देखि २' लामो	प्रति कटिग	55	55	60
2.0	Vegetation/Shrubs Cuttings/Slip/Plants/etc.			0	0
	अम्रिसो राइजोम (तिनवटाको १ सेट)	set	70	70	80
	अलैची गानो	"	10	11	11
	अलैची विरुवा	"	8	8	11
	हार्डउड कटिडस् (बैस) पेन्सिल साइज	"	5	5	7
	नेपियर कटिडस्	"	2	2	4
	NB ₂₁ घाँस	Slip	2	2	3
	निगालो राइजोम	set	50	50	60
	बासको बेर्ना (कटीग राइजोम)	"	400	400	700
	बासको विरुवा पोलिथिनमा उमारेको	गोटा	50	50	60
	बाबियो ताइवानी ढुबो	"	3	3	4
	सिजनल फूल ८ इन्च पोली	गोटा	25	25	27
	गुलाफ फूल ८ इन्च पोली	"	150	150	160
	हेज ८ इन्च पोली	"	30	30	35
	कार्पेट ढुबो	व.फी.	30	30	35
	कार्पेट ढुबो को लागी छापने कार्यको ज्याला	"	20	20	25
	निगालो (जरा सहीत)	गोटा	12	12	15
	स्थानीय स्तरमा उत्पादीत विरुवा फलफूल बाहेक	"	5	5	10
	गोठे मल तयारी	के.जी.	3	3	5
	डाले घासको विरुवा	गोटा	6	6	10
	मोलाटो विरुवा	"	2	2	3
	नरीवल डोरी	के.जी.	120	120	130
	नाइलन डोरी	"	250	250	300
	लौठ सल्ला (नेपाली)	गोटा	75	75	90
	लौठ सल्ला (अमेरिकन)	गोटा	125	125	140
	बोधिचित्तको विरुवा	गोटा	550	550	650
	सुद्राक्षको विरुवा	गोटा	950	950	950

१७



सि.नं.	सामग्री र प्रजातिहरुको नाम	नुवाकोट एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	लप्सीको विरुवा (ग्राफिटिड)	गोटा	440	440	440
	चिराईतोको विरुवा	गोटा	5	5	10
	तेजपातको विरुवा	गोटा	20	20	30
	टिमुरको विरुवा	गोटा	15	15	20
	कपूर	गोटा			770
	कल्की बोटल ब्रस	गोटा			660
	ज्याकारण्डा गोल्डमोहोर	गोटा			660
	असारे	गोटा			660
	चैयु	गोटा			460
	धूपी	गोटा			500
	बगामबेले	गोटा			660
	काइयो	गोटा			660
	रक्त कमल	गोटा			1320
	समी	गोटा			1100
	बर	गोटा			1320
	पीपल	गोटा			1320
	५ फिटसम्मको करविर विरुवा	गोटा			1200
	५ फिटसम्मको तिकोमा विरुवा	गोटा			1200
	५ फिटसम्मको चापको विरुवा	गोटा			1300
	अन्य जडिबुटीको विरुवा	गोटा	10	10	15
3.0	बन कार्यालयबाट सम्पादन गरिने कार्यहरु (काठ लोड अनलोड तथा ढुवानी आदि)				
	चीरान काठ (लोड वा अनलोड)	क्यू.फि.	8	8	30
	ठुला विरुवा रोपन (४ फीटसम्मको)	प्रती विरुवा	138	140	145
	अग्ला विरुवा रोपन (४ इन्च देखि ६ इन्चसम्मको)	"	154	154	250
	अग्ला विरुवा रोपन (६ इन्च देखि ८ इन्चसम्मको)	"	207	207	240
	विरुवा खरिद			0	0
	४ फिट सम्म उचाई भएको विरुवा	"	700	700	880
	५ फिट सम्म उचाई भएको विरुवा	"	1000	1100	1250
	६ फिट सम्म उचाई भएको विरुवा	"	1200	1500	1540
	६ फिट भन्दा अग्लो विरुवा	"	1500	1500	1870
	पोलिथिन ट्यूब ४ प्वाल भएको २०० गेज भएको विभिन्न साइज	के.जी.			385
५	काठ कटान, मुछान, घाटगद्दी सम्बन्धि दररेट (प्रति क्यू.फिट)				
क्र.सं.	रुख कटान, मुछान खर्च रु.	यार्डिङ्ग खर्च रु.	बोका ताछ्ने/रिङ्ग काट्ने खर्च रु.	पाईलिङ्ग खर्च रु.	नम्बरिङ्ग खर्च रु.
क.	50.00	20.00	6.00	11.00	8.00
६	गाडी मार्फत काठ ढुवानी (प्रती क्यू.फि.)				
क्र.सं.	दुरी (कि.मी.)	दर रु.	लोड अनलोड खर्च रु.	जम्मा खर्च रु.	
क.	०-५ सम्म	30.00	25.00	55.00	
ख.	५.१-१० सम्म	35.00	25.00	60.00	
ग.	१०.१-१५ सम्म	45.00	25.00	70.00	
घ.	१५.१-२० सम्म	25.00	25.00	50.00	
ङ.	२०.१ देखि माथि	55.00	25.00	80.00	
७	ज्यामी मार्फत काठ ढुवानी (प्रती क्यू.फि.)				

Handwritten signatures and initials at the bottom of the page.



क्र.सं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
क.सं.	दुरी (मीटर)				दर ह.
क.	०-५० सम्म				9.00
ख.	५०.१-१०० सम्म				15.00
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि				7.50
घ.	दाउरा कटान, मुछान तथा चट्टा निर्माण दररेट (प्रती चट्टा)				
क्र.सं.	क्षेत्र	कटान, मुछान खर्च ह.	चट्टा निर्माण खर्च ह.		जम्मा खर्च ह.
क.	सम्पूर्ण	5000	1500		6500
९	गाडी मार्फत दाउरा ढुवानी (प्रती चट्टा)				
क्र.सं.	दुरी (कि.मी.)	दर ह.	लोड खर्च ह.	अनलोड खर्च ह.	जम्मा खर्च ह.
क.	०-५ सम्म	1725	2500	1200	5425
ख.	५.१-१० सम्म	2080	2500	1200	5780
ग.	१०.१-१५ सम्म	2330	2500	1200	6030
घ.	१५.१-२० सम्म	2595	2500	1200	6295
ङ	२०.१ देखि माथि	2825	2500	1200	6525
१०	ज्यामी मार्फत दाउरा ढुवानी (प्रती चट्टा)				
क्र.सं.	दुरी (मीटर)				दर ह.
क.	०-५० सम्म				625
ख.	५०.१-१०० सम्म				1025
ग.	१०० भन्दा बढी हरेक ५० मिटरको लागि				50.0
११	विस्था ढुवानी				
क्र.सं.	विवरण				दर ह.(प्रती विस्था)
क.	लोड अनलोड				5.00
ख.	पक्की बाटो ढुवानी (प्रती कि.मी.)				1.00
ग.	कच्ची बाटो ढुवानी (प्रती कि.मी.)				1.00
१२	विद्युत प्राधिकरणको MS Channel मा प्वाल खोप्ने				
क्र.सं.	विवरण				दर ह.(प्रती प्वाल)
क.	१२ मि.मि.सम्मको				50.00
ख.	१२ मि.मि भन्दा माथिको				60.00

Handwritten signatures and initials at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम/दाकटा/एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७

(Handwritten signatures and scribbles in Nepali script)



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७

निर्णय नं. ५, मेसिन, औजार तथा उपकरणको भाडादर सम्बन्धि : मेसिन प्रयोग गरी सडक निर्माण गर्दा वा अन्य कार्य गर्नुपर्दा तपसिल अनुसारको दररेट कायम गर्ने र डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दररेट सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडादर अनुसार हुने निर्णय गरियो। (Website of Heavy Equipment Division - www.dor.gov.np)

सि.नं.	कामको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
1	Heavy Equipment प्रयोग गरि विभिन्न प्रकारको माटो तथा चट्टान काट्ने कार्य ।				
1.1	सबै प्रकारको माटामा पाहरा हटाउने ।	घ.मी.	55.00	55.00	55.00
1.2	सबै प्रकारको माटो काट्ने कार्य । (OS MS BMS MS SR)	घ.मी.	83.00	83.00	83.00
1.3	मध्यम प्रकारको चट्टान (MR) काट्ने कार्य।	घ.मी.	500.00	500.00	500.00
1.4	कडा प्रकारको चट्टान (HR) काट्ने कार्य ।	घ.मी.	750.00	750.00	750.00

नोट: माथि निर्णय नं. ३ मा उल्लेख भएको सबै प्रकारको माटो काट्ने कार्यको Abbreviation तपसिलमा उल्लेख गरिएको छ :
 OS - Ordinary Soil,
 HS - Hard Soil,
 BMS - Boulder Mixed Soil,
 MS - Marshy Soil,
 SR - Soft Rock,
 MR- Medium Rock,
 HR - Hard Rock

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.



Civil Works

बिदुर, नुवाकोट

असार, २०७६

सि.नं.	सामग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७

निर्णय नं. ६

आर्थिक वर्ष ०७६/०७७ मा नुवाकोट जिल्ला भित्र गरिने सार्वजनिक निर्माण कार्यको लागि आवश्यक पर्ने विभिन्न किसिमका निर्माण सामग्रीहरु (सिभिल कार्य / स्यानिटरी कार्य र ईलेक्ट्रिक कार्य) को दररेट निम्न अनुसार कायम गर्ने निर्णय गरियो ।

IL WORKS					
सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
1	विभिन्न किसिमको ईटा				
	क) मेशिनबाट उत्पादित ईटा (छानेको)	हजार	20765	21803	21810
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	15760	16548	16550
	ग) स्थानीय चिम्नी भट्टाको ईटा (१-नं.)	"	12000	13200	13300
	ग) स्थानीय चिम्नी भट्टाको ईटा (२-नं.)	"	11000	11550	11600
	घ) तराई को १ नं.ईटा	"	18025	18025	18050
	ङ) स्थानीय ठाडो भट्टाको ईट्टा	"	7500	7500	7500
	(ङ) सिमेन्ट को ईटा				
	BK108N	"	15450	15450	15450
	BK118As	"	16274	16274	16274
	च) Concrete block				
	size (40*15*20) cm	गोटा	37	37	37
	size (40*10*20) cm	गोटा	32	32	32
	size (39*14*19) cm(Ocm or equivalent)	गोटा	50	50	50
	Cellular light weight concrete(CLC) block				
	Size 24"*8"*4"	गोटा	148	162	162
	Size 24"*8"*6"	"	215	236	236
2	क्ले टायलहरु				
2.1	छानामा छाउने				
	क) मेशिनबाट उत्पादित टायल	गोटा	18	18	18
	ख) चिम्नी भट्टाको टायल	"	16	16	16
	ग) मेशिनबाट उत्पादित धुरी	"	32	32	32
	घ) चिम्नी भट्टाको धुरी	"	26	26	26
2.2	भुईमा/ कौसीमा छाप्ने टायल:				
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	10	10	10

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	ख) चिम्नी भट्टाको क्ले टायल	"	9	9	9
3	ढुंगाको काम (Stone work)				
3.1	Rubble Stone				
	क) फोरुवा ढुंगा (खानीको)	घ.मि.	1335	1465	1500
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	घ.मि.	1155	1270	1300
3.2	छापने ढुङ्गा (Flag stone)				
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि	75	82	82
	ख) १ 1/2" सम्म बाक्लो " " "	"	90	99	99
	ग) २" सम्म बाक्लो ढुङ्गा " " "	व.फि	105	115	115
	घ) २ 1/2" सम्म बाक्लो ढुङ्गा " " "	"	115	125	125
	ङ) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा " " "	"	140	154	154
	च) २ 1/2" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटेको	"			
4	विभिन्न प्रकारको बालुवा				
	क) खानीको बालुवा (Quarry sand)	घ.मि.	1680	1845	1870
	ख) खोला/नदीको बालुवा (River sand)	"	1680	1845	1870
	ग) भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	800	880	880
5	क्रसरबाट उत्पादित विभिन्न साइजको रोडा	घ.मि.	1680	1845	1870
6	फुटालेको ढुङ्गाको गिट्टी				
	क) सबै साइजको गिट्टी	घ.मि.	1680	1845	1870
7	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री				
	क) विभिन्न साइजको खोलाको ग्राभेल	घ.मी.	1215	1335	1350
	ख) स्थानीय खानी ग्राभेल	घ.मी.	1050	1155	1170
	ग) ढुगाको धुलो (Stone dust)	घ.मी.	735	805	805
8	विभिन्न साइजका खोलाको Screening गरेको River pebbles(gravel)				
	क) ४०-८० मि.मि. साइज	घ.मी.	1470	1615	1630
	ख) ५-४० मि.मि. साइज	घ.मी.	1470	1615	1615
9	फिल्टर सामग्री				
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	62	68	70
10	सडक कालो पत्रे गर्ने कामको सामग्रीहरू				
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	68	74	81
	ii) CRMB-DIGO 55 Bitumen	"	77	77	80
	iii) Packed bitumen emulsion को काम				
	छिटो जम्ने (RS 60%)	"	64	67	68
	छिटो जम्ने (RS 65%)	"	68	68	72
	छिटो जम्ने (RS 70%)	"	72	75	76
	मध्यम जम्ने (MS 60%)	"	65	68	69

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	मध्यम जम्ने (MS 65%)	"	70	73	74
	ढीलो जम्ने (SS60%)	"	66	69	70
	Slurry Seal with 60% bitumen	"	73	74	74
	Hi - seal Redymix	"			
	Polymer Bitumen	"			
	iv) सडक कालोपत्रे गर्दा विटुमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping agent	"	324	328	328
	v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	"	30	30	30
	vi) कालोपत्रे सडकमा रखाउन गन प्रयोग गरिने Thermo Plastic Road				
	a) B.S. Grade	के.जि	170	170	170
	b) Most Grade	"	188	188	188
	c) Glass beads	"	154	154	154
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु				
11.1	नेपालबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट NS #49 (प्रतिवोरा ५० के.जी.)	ब्याग	797	841	841
11.2	भारतबाट उत्पादित विभिन्न ब्रान्डका ओ.पि.सी. सिमेन्ट (प्रतिवोरा ५० के.जी.)	"	-	-	-
11.3	हेटौडा सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	850		
11.3	उदयपुर सिमेन्ट (५० के.जी. ओ.पि.सी.)	"	816		
11.3	नेपालबाट उत्पादित विभिन्न ब्रान्डका पि.पि.सी. सिमेन्ट (प्रतिवोरा ५० के.जी.)	"	765	765	750
11.4	सेतो सिमेन्ट (40kg/bag)	"	1055	1230	1230
11.5	लोड अनलोड चार्ज	"	10	10	10
12	Ready made Premix Concrete (Supplying laying all complete work)				
12.1	Panchakanya , MAW or equivalent				
	M 15	घ. मि	13205	13800	13800
	M 20	"	13725	14400	14400
	M 25	"	14375	15000	15000
	M 30	"	15240	16000	16000
13	फलामको डण्डीहरु :				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	75	94	94
	b) 10,12,16,20, 25mm dia	"	72	91.5	91.5
	c) 28,32 mm dia	"	75	92.5	92.5
	(ख) विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	"	77	88.94	88.94
	b) 10-25mm TOR steel	"	76	85.84	85.84
	a) 4.75, 7 mm dia	"	77	94.15	94.15
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	89	101.77	101.77
14	विभिन्न किसिमका काठहरु				
14.1	काठ				



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	5975	5975	5975
	(ख) ८' देखि १२' सम्मको सालकाठ	"	6260	6260	6260
	(ग) १२ फिट देखि माथिको साल काठ	"	6550	6550	6550
	(घ) साज काठ	"	2500	2500	2500
	(ङ) जामुन काठ	"	2135	2135	2135
	(च) सल्लाको काठ	"	1130	1130	1130
	(छ) सिसौ काठ	"	2300	2300	2300
	(ज) जंगली सिसौ काठ	"	5270	5270	5270
	(झ) स्थानीय कूकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	950	950	950
	(ञ) स्थानिय साल काठ	घ. फि	2000	2000	2000
	(ट) काठ दाउरा	के. जी	12	12	12
14.2	कुँदिएको काठको काम तयारी				
	i) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	821	821	821
	ii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	"	895	895	895
	iii) भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	746	746	746
	iv) भन्याङ्को रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	3282	3282	3282
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	10443	10443	10443
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	11935	11935	11935
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्र्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	2238	2238	2238
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	5221	5221	5221
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्र्याल तयारी	व.फि.	746	746	746
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्र्याल तयारी	"	1044	1044	1044
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्र्याल तयारी लक सहीत	"	2238	2238	2238
	xii) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्र्याल तयारी लक नभएको	"	1417	1417	1417
	xiii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	522	522	522
	xiv) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	895	895	895

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	XV) ४"X ५"को साल काठको नाग बुट्टा कूदि तयारी गरी जडान गर्ने कार्य	"	746	746	746
15	Wooden Parquet Flooring				
	i) Shisam wood 150mm*30mm*8mm	व.फि.	179	179	179
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	597	597	597
16	विभिन्न मोटाईको प्लाइउडहरू				
16.1	Commercial				
	(क) ३ मी.मी	व.फि.	20	20	20
	३.५ मी.मी.	"	23	23	23
	(ख) ४ मी.मी	"	24	24	24
	(ग) ६ मी.मी	"	38	38	38
	(घ) ८ मी.मी	"	42	42	42
	(ङ) १२ मी.मी	"	64	64	64
	(च) १९ मी.मी B/B	"	93	93	93
	छ) १८ मी.मी PLY	"	96	96	96
16.2	P/F. Water Proof				
	क) ४ मी.मी	व.फि.	40	40	40
	ख) ६ मी.मी	व.फि.	55	55	55
	ग) ८ मी.मी.	"	60	60	60
	घ) ९ मी.मी.	"	66	66	66
	(ङ)१२ मी.मी	"	76	76	76
	च) १९ मी.मी PLY		125	125	125
	छ) १९ मी.मी B/B	"	105	105	105
16.3	Natural Teak Plywood				
	One side lamination				
	(क) ३ मी .मी	व.फि.	58	58	58
	(ख) ४ मी. मी (Group Match of in 5 pcs)	"	76	76	76
	४ मी. मी (Regular)	"	66	66	66
	४ मी. मी (Crown)	"	44	44	44
	४ मी. मी (Beri)	"	50	50	50
	४ मी. मी (Whitest line)	"	40	40	40
	४ मी. मी (Beach)	"	47	47	47
	४ मी. मी (Recon 18 No.)	"	37	37	37
	(ग) ६ मी.मी	"			
16.4	DECORATIVE (THICKER)				
	6 OST	व.फि.	-	-	-
	6 BST	"	-	-	-
	9 OST	"	-	-	-
	9 BST	"	-	-	-
	12 OST	"	-	-	-
	12 BST	"	-	-	-
	19 B/B OST	"	-	-	-
	19 B/B BST	"	-	-	-
	18 OST	"	-	-	-
	18 BST	व.फि.	-	-	-
17	Ready made Door				
17.1	38 mm th. Redimade solid core door shutter				



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Plain	व.फि	233	233	233
	One side teak	"	262	262	262
	Both side teak	"	294	294	294
	One side teak waterProof	"	286	286	286
	Both side teak waterProof	"	317	317	317
17.2	30 to 32 mm th. Redimade solid core door shutter				
	Plain	व.फि	190	190	190
	One side teak	"	213	213	213
	Both side teak	"	239	239	239
	One side teak waterProof	"	233	233	233
	Both side teak waterProof	"	258	258	258
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	183	183	183
	Readymade door shutter Recon, Special (1 side teak)	"	248	248	248
	Readymade door shutter Recon, ordinary (1 side teak)	"	209	209	209
	Readymade door shutter Recon, Special (1 side teak)	"	281	281	281
17.4	Wooden Listy				
	1/2" wide	र.फि.	14	14	14
	3/4" wide	"	18	18	18
	1.5" wide	"	29	29	29
	Decorative	"	40	40	40
17.5	Infill Material Thai Gypsum, Shera or equivalent				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	431	431	431
	Frame U - Studs(0.55mm*0.75mm*3m)	"	431	431	431
	Board 9 mm	"	2524	2524	2524
	Roofing Board 6mm (1.5mX.6m)	"	695	695	695
	Fiber mess tape (for 90mm/roll)	"	340	340	340
	PU sasuage rod	"	2039	2039	2039
18	Prelaminated Particle Board				
18.1	Plain Particle Board (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	37	37	37
	(ख) १२ मी. मी.	"	41	41	41
	(ग) १८ मी.मी.	"	53	53	53
	(घ) २५ मी.मी	"	71	71	71
18.2	One side lamination Melamined faced (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	74	74	74
	(ख) १२ मी. मी.	"	83	83	83
	(ग) १८ मी.मी.	"	98	98	98
	(घ) २५ मी.मी	"	127	127	127

Handwritten signatures and initials at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरुको नाम	वर्णन	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
18.3	Both side lamination Melamined faced (Exteriors Grade)				
	(क) ९ मी .मी	व.फि	83	83	83
	(ख) १२ मी. मी.	"	95	95	95
	(ग) १८ मी.मी.	"	110	110	110
	(घ) २५ मी.मी	"	139	139	139
18.4	Plain Particle Board (Interiors Grade)				
	(क) ९ मी .मी	व.फि	27	27	27
	(ख) १२ मी. मी.	"	31	31	31
	(ग) १८ मी.मी.	"	46	46	46
	(घ) २५ मी.मी	"	59	59	59
18.5	One side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी .मी	व.फि	40	40	40
	(ख) ६ मी .मी	"	57	57	57
	(ग) ९ मी .मी	"	65	65	65
	(घ) १२ मी. मी.	"	74	74	74
	(ङ) १८ मी.मी.	"	86	86	86
	(च) २५ मी.मी	"	107	107	107
18.6	Both side lamination Melamined faced (Interiors Grade)				
	(क) ३ मी .मी	व.फि	46	46	46
	(ख) ६ मी .मी	"	62	62	62
	(ग) ९ मी .मी	"	74	74	74
18.7	One side lamination Melamined faced (Interiors Grade)MDF				
	(क) ३ मी .मी	व.फि	46	46	46
	(ख) ४ मी .मी	"	53	53	53
	(ग) ६ मी .मी	"	65	65	65
	(घ) ९ मी .मी	"	85	85	85
	(ङ.) १२ मी .मी	"	95	95	95
	(च) १८ मी .मी	"	122	122	122
	(छ)२५ मी .मी	"	169	169	169
18.8	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent				
	(क) ३ मी .मी	व.फि	53	53	53
	(ख) ४ मी .मी	"	59	59	59
	(ग) ६ मी .मी	"	73	73	73
	(घ) ९ मी .मी	"	91	91	91
	(ङ.) १२ मी .मी	"	101	101	101
	(च) १८ मी .मी	"	128	128	128
	(छ)२५ मी .मी	"	173	173	173

Handwritten signatures and marks at the bottom of the page.




सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent				
	(क) ६ मी .मी (१२२० X २४४०)	व.फि	168	168	168
	(ख) १२ मी .मी	"	269	269	269
	(ग) १८ मी .मी	"	407	407	407
19	Other HardBoard/ Sunmica & Formica)				
19.1	(क) सतमाईका (4' x 8')	पाता	486	486	486
	(ख) फोरमाईका	व.फि	75	75	75
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	44	44	44
19.2	Alstone Hybrid Board				
	(क) ६ मी .मी size (1220*2440) mm	व.फि	162	162	162
	(ख) १२ मी .मी size (1221*2440) mm	"	307	307	307
	(ग) १८ मी .मी size (1222*2440) mm	"	427	427	427
20	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate				
	i) Iron Square Pipe	के.जी	81	87	87
	ii) विभिन्न साइजको MS Angle	"	87	93	93
	iii) विभिन्न साइजको Black Pipe	"	81	87	87
	iv) विभिन्न साइजको Channel	"	88	95	95
	v) विभिन्न साइजको I-Beam	"	90	97	97
	vi) विभिन्न साइजको MS plate	"	86	92	92
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	87	93	93
	viii) विभिन्न मोटाइको Black sheet	"	82	88	88
21	G.I. Wire				
	i) 8 gauge				
	a) medium class	"	91	100	100
	b) heavy duty	"	96	105	105
	c) Comercial wire	"	85	93	93
	ii) 10 gauge				
	a) medium class	"	91	100	100
	b) heavy duty	"	96	105	105
	c) Comercial wire	"	85	93	93
	iii) 12 gauge				
	a) medium class	"	91	100	100
	b) heavy duty	"	96	105	105
	c) Comercial wire	"	85	93	93
22	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन बाक्स तयारी				

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	M2	306	306	306
	१.५x१x०.५/०	गोटा	1692	1692	1692
	२x१x०.५/०	"	2302	2302	2302
	३x१x०.५/०	"	3286	3286	3286
	४x१x०.५/०	"	4146	4146	4146
	१.५x१x१/०	"	2460	2460	2460
	२x१x१/१	"	3268	3268	3268
	३x१x१/२	"	4639	4639	4639
	४x१x१/३	"	5974	5974	5974
	ख) MBG/10x12/2.7/3.4/2.2/ZN	M2	287	287	287
	१.५x१x०.५०	गोटा	1573	1573	1573
	२x१x०.५०	"	2150	2150	2150
	३x१x०.५०	"	3045	3045	3045
	४x१x०.५०	"	3841	3841	3841
	१.५x१x१	"	2269	2269	2269
	२x१x१	"	3045	3045	3045
	३x१x१	"	4299	4299	4299
	४x१x१	"	5414	5414	5414
	ग) MJG/10x12/3.0/3.9/2.4/ZN				
	३x२x०.५०	गोटा	6800	6800	6800
	४x२x०.५०	"	8590	8590	8590
	५x२x०.५०	"	10662	10662	10662
	६x२x०.५०	"	12734	12734	12734
	३x२x१	"	9354	9354	9354
	४x२x१	"	11769	11769	11769
	५x२x१	"	14545	14545	14545
	६x२x१	"	17300	17300	17300
	घ) MJG/10x12/2.7/3.4/2.2/ZN				
	३x२x०.५०	गोटा	5562	5562	5562
	४x२x०.५०	"	7038	7038	7038
	५x२x०.५०	"	8717	8717	8717
	६x२x०.५०	"	1126	1126	1126
	३x२x१	"	7646	7646	7646
	४x२x१	"	9627	9627	9627
	५x२x१	"	11892	11892	11892
	६x२x१	"	14157	14157	14157
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	M2	239	239	239
	३x२x०.१७	गोटा	3332	3332	3332
	४x२x०.१७	"	4317	4317	4317
	५x२x०.१७	"	5283	5283	5283
	६x२x०.१७	"	6284	6284	6284
	३x२x०.२३	"	3626	3626	3626
	४x२x०.२३	"	4697	4697	4697
	५x२x०.२३	"	5801	5801	5801
	६x२x०.२३	"	6821	6821	6821
	३x२x०.३०	"	3937	3937	3937

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	४×२×०.३०	"	5076	5076	5076
	५×२×०.३०	"	6268	6268	6268
	६×२×०.३०	"	7423	7423	7423
	Note:				
	MBG = Maccaferri Box Gabion				
	MJG = Maccaferri Jumbo Gabion				
	MRM = Maccaferri Reno Mattress				
	WMN = Wire Mesh Netting				
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating				
	ZN = Heavy galvanized				
	PVC = PVC coated				
23	Barbed Wire (काँडेतार)				
	12 guage commercial,Medium duty	के.जी	98	98	98
	U-hook for barbed wire fencing	गोटा	1	1	1
	Fabrication of chain link mesh of size				
	1"x1" 12 guage	वर्ग मी.	697	697	697
	1.5"x1.5" 12 guage	"	652	652	652
	2"x2" 10 guage	"	517	517	517
	3"x3" 10 guage	"	423	423	423
	4"x4" 10 guage	"	337	337	337
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
	(क) सेतो सादा जस्तापाता (G P Sheet)				
	0.2 mm (30 guage light)	बण्डल	3819	4200	4200
	0.22 mm (30 guage Medium)	"	4184	4600	4600
	0.24 mm (30 guage Heavy)	"	4466	4900	4900
	0.26 mm (28 guage light)	"	4703	5150	5150
	0.28 mm (28 guage Medium)	"	5013	5500	5500
	0.31 mm (28 guage Heavy)	"	5479	6025	6025
	0.35 mm (26 guage light)	"	6071	6675	6675
	0.38 mm (26 guage Medium)	"	6372	7000	7000
	0.41 mm (26 guage Heavy)	"	6982	7675	7675
	0.45 mm (24 guage light)	"	7575	8330	8330
	0.50 mm (24 guage Medium)	"	8331	9150	9150
	0.52 mm (24 guage Heavy)	"	8623	9475	9475
	0.75 mm	"	12379	13600	13600
	(ख) रंगिन जस्तापाता				
	0.2 mm (30 guage light)	बण्डल	5013	5500	5500
	0.22 mm (30 guage Medium)	"	5341	5875	5875
	0.24 mm (30 guage Heavy)	"	5651	6200	6200
	0.26 mm (28 guage light)	"	5952	6540	6540
	0.28 mm (28 guage Medium)	"	6298	6925	6925

Handwritten signatures and marks at the bottom of the page.



सि. नं.	सामग्री र प्रजातिहरूको नाम	निकास विभाग	रेट मु. अ. क. (VAT बाहेक)(रुपैयामा)		
			आ. व. ०७४/०७५	आ. व. ०७५/०७६	आ. व. ०७६/०७७
	0.31 mm (28 guage Heavy)		6772	7445	7445
	0.35 mm (26 guage light)	"	7483	8230	8230
	0.38 mm (26 guage Medium)	"	7857	8640	8640
	0.41 mm (26 guage Heavy)	"	8504	9350	9350
	0.45 mm (24 guage light)	"	9124	10000	10000
	0.50 mm (24 guage Medium)	"	9917	10900	10900
	0.52 mm (24 guage Heavy)	"	10254	11275	11275
	0.75 mm	"	14393	15830	15830
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)				
	0.2 mm (30 guage light)	बण्डल	3819	4200	4200
	0.22 mm (30 guage Medium)	"	4138	4550	4550
	0.24 mm (30 guage Heavy)	"	4421	4860	4860
	0.26 mm (28 guage light)	"	4649	5110	5110
	0.28 mm (28 guage Medium)	"	4959	5450	5450
	0.31 mm (28 guage Heavy)	"	5423	5960	5960
	0.35 mm (26 guage light)	"	6025	6625	6625
	0.38 mm (26 guage Medium)	"	6326	6950	6950
	0.41 mm (26 guage Heavy)	"	6927	7600	7600
	0.45 mm (24 guage light)	"	7520	8270	8270
	0.50 mm (24 guage Medium)	"	8276	9100	9100
	0.52 mm (24 guage Heavy)	"	8568	9420	9420
	0.75 mm	"	12378	13600	13600
	(घ) जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.				
	0.20 mm	बण्डल	1303	1430	1430
	0.22 mm	"	1422	1550	1550
	0.24 mm	"	1513	1660	1660
	0.26 mm	"	1586	1740	1740
	0.28 mm	"	1695	1860	1860
	0.31 mm	"	1841	2025	2025
	0.35 mm	"	2042	2240	2240
	0.38 mm	"	2142	2350	2350
	0.41 mm	"	2343	2570	2570
	(ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm	पिस	2643	2900	2900
	0.90 mm	"	2188	2400	2400
	0.80 mm	"	1978	2175	2175
	0.75 mm	"	1859	2040	2040
	0.70 mm	"	1732	1905	1905
	0.62 mm	"	1550	1705	1705
	0.55 mm	"	1395	1530	1530
	0.50 mm	"	1267	1390	1390
	0.48 mm	"	1221	1340	1340
	0.45 mm	"	1158	1270	1270

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	कुट्टाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	0.40 mm	"	1039	1140	1140
	0.37 mm	"	966	1060	1060
	0.35 mm	"	921	1010	1010
	0.30 mm	"	811	890	890
	0.28 mm	"	766	840	840
	च)४ फिट * ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm	पिस	2406	2645	2645
	0.80 mm	"	2178	2395	2395
	0.75 mm	"	2078	2285	2285
	0.70 mm	"	1978	2175	2175
	0.62 mm	"	1777	1950	1950
	0.55 mm	"	1604	1760	1760
	0.50 mm	"	1477	1620	1620
	0.48 mm	"	1404	1540	1540
	0.45 mm	"	1358	1490	1490
	0.40 mm	"	1240	1360	1360
	0.37 mm	"	1148	1260	1260
	0.35 mm	"	1103	1210	1210
	0.30 mm	"	975	1070	1070
	0.28 mm	"	930	1023	1023
	GI EXPANDED METAL MESH				
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	118	129	129
	1.20 mm मोटाई र 4' चौडाई भएको जाली	"	164	180	180
	1.00 mm मोटाई र 3' चौडाई भएको जाली	"	100	110	110
	1.00 mm मोटाई र 4' चौडाई भएको जाली	"	137	150	150
	0.90 mm मोटाई र 3' चौडाई भएको जाली	"	91	100	100
	0.90 mm मोटाई र 4' चौडाई भएको जाली	"	410	159	159
25	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)				
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	1440	1440	1440
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	"	1496	1496	1496
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	1288	1288	1288
25.4	Ridge cover Tile Profile 0.78 R.m.	"	1288	1288	1288
25.5	UPVC Clip	गोटा	26	26	26
25.6	self tapping screw 3"	"	26	26	26
25.7	self tapping screw 2.5"	"	10	10	10
25.8	self tapping screw 2"	"	10	10	10

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
मन्त्रालय
सिन्धुपाल्चोक जिल्ला
शुद्ध पन्थाल
एकौंठ
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरुको नाम		दरदरे मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
25.9	self tapping screw 1.5"	"	8	8	8
26	एल्मुनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	29	29	29
	(ख) ३० गेज	"	27	27	27
27	विभिन्न प्रकारको जालीहरु (Netting)				
	(क) मसिनो खालको Mosquito proof जाली	व.मी	119	119	119
	(ख) वालुवा चाल्ने जाली	"	124	124	124
	(ग) कुखुरे जाली (Chicken wire mesh)	"	76	76	76
	(घ) ब्रास कसिङ्ग जाली	"	195	195	195
	ड. स्टील जाली (crossing)	"	157	157	157
	च मसिनो खालको steel Mosquito proof जाली	"	270	270	270
28	फलामबाट निर्मित सामानहरु				
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	144	144	144
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	515	515	515
c	१६-१८ गेजको फलामे रोलिङ सटर बनाई जडान गर्ने	व.फि.	360	360	360
d	फलामे रोलिङ सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	"	453	453	453
e	फलामे रोलिङ सटर डण्डी प्रयोग गरी बनाइएको साथै जडान गर्ने समेत	"	515	515	515
f	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० x ५० x ५ mm) को फ्रेम समेत)	"	670	670	670
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पिट्टि राखी खुडकिला सहितको घुम्ने भन्ड्याङ्ग (Spiral Staircase)तयार गरी जडान समेत (भन्ड्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3142	3142	3142
h	फलामे सामग्रीको फेब्रिबेशन तथा जडान कार्य	के.जी.	46	46	46
i	All type of general MS structural works	व.फि.	175	175	175
j	Truss & roofing works Plain sheet 26 gauge	"	206	206	206
k	Truss & roofing works colour sheet 26 gauge	"	242	242	242
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	196	196	196
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	1998	1998	1998
n	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	793	793	793

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
29	Glass सीसा				
29.1	Plain सादा (सेतो)				
	(क) ३ मी.मी.	व.फि.	52	52	52
	(ख) ३.५ मी.मी.	व.फि.	58	58	58
	(ग) ४ मी.मी.	व.फि.	66	66	66
	(घ) ५ मी.मी. "	"	89	89	89
	(ङ) ६ मी.मी. "	"	103	103	103
	(च) ८ मी.मी. "	"	173	173	173
29.2	Printed Glass (बुट्टेदार सिसा)				
	(क) ३ मी.मी.	"	47	47	47
	(ख) ४ मी.मी. " "	"	55	55	55
29.3	Poly Fibre Glass				
	(क) ६ मी.मी.	"	150	150	150
29.4	Black Color Glass				
	(क) ३ मी.मी.	व.फि.	89	89	89
	(ख) ४ मी.मी.	"	96	96	96
	(ग) ५ मी.मी.	"	109	109	109
	(घ) ६ मी.मी.	"	150	150	150
	(ङ) ८ मी.मी.	"	219	219	219
	(च) १० मी.मी.	"	314	314	314
	(छ) १२ मी.मी.	"	355	355	355
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	(क) ५ मि.मि बाक्लो	व.फि.	107	107	107
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
	(क) ४ मी.मी. बाक्लो	व.मि.	5753	5753	5753
29.7	विभिन्न रंगको Reflector Glass (शिरा)				
	५ मी.मी मोटो	व.फि.	171	171	171
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।				
30	Corrugated/Plain Fiber Glass Sheet				
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	112	112	112
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	125	125	125
	(ख) १.२ मी.मी. मोटो प्लेन	"	125	125	125
	१.२ मी.मी. मोटो कोरोगेटेड	"	143	143	143
	(ग) २ मी.मी. मोटो प्लेन	"	212	212	212
	२ मी.मी. मोटो कोरोगेटेड	"	250	250	250
	(घ) ३ मी. मी. मोटो प्लेन	"	287	287	287
	३ मी. मी. मोटो कोरोगेटेड	"	375	375	375
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	69	69	69
	(च) Fiber Glass छानाको लागि Ribet nut	no.	7	7	7

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
एकाई
नुवाकोट

इस्टिमेट नु.अ.क. (VAT बाहेक)(रुपैयामा)

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
31	भ्याल ढोकामा लाग्ने Fixture हरू				
	Iron बाट बनेका				
	Hinge (कब्जा)				
	(क) ३" साइज	गोटा	15	15	15
	(ख) ४" साइज	"	28	28	28
	(ग) ५" साइज	"	43	43	43
	(घ) ६" साइज	"	56	56	56
	Locking Set (L-drop)				
	300 mm	गोटा	260	260	260
	225 mm	"	227	227	227
	150 mm	"	195	195	195
	Aluminum बाट बनेका				
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	20	20	20
	(ख) ४" लामो	"	40	40	40
	(ग) ६" लामो	"	67	67	67
	(घ) ८" लामो	"	80	80	80
	(ङ) १०" लामो	"	94	94	94
	(च) १२" लामो	"	107	107	107
	Handle (हतकल)				
	Ordinary	गोटा	32	32	32
	Special	"	47	47	47
	Brass बाट बनेका				
	Hinge (कब्जा)				
	2" x 1/2"	गोटा	63	63	63
	2 1/2" x 3/4"	"	71	71	71
	3" x 3/4"	"	87	87	87
	2" x 3/4"	"	71	71	71
	2 1/2" x 3/4"	"	79	79	79
	3" x 3/4"	"	87	87	87
	3" x 1"	"	189	189	189
	4" x 1"	"	284	284	284
	5" x 1"	"	379	379	379
	6" x 1"	"	458	458	458
	Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	142	142	142
	(ख) ४" लामो	"	189	189	189
	(ग) ६" लामो	"	284	284	284
	(घ) ८" लामो	"	379	379	379
	(ङ) १०" लामो	"	473	473	473
	(च) १२" लामो	"	568	568	568
	Handle (हतकल)				
	6" Brass handle	गोटा	150	150	150
	8" Brass handle	"	458	458	458
	10" Brass handle	"	947	947	947
	Brass 5"	"	142	142	142

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Brass 6"	"	221	221	221
	Locking Set (L-drop)				
	(क) ८" लामो	गोटा	947	947	947
	(ख) १०" लामो	"	1562	1562	1562
	(ग) १२" लामो	"	1735	1735	1735
	Special Fittings				
	एल ड्रप :-				
	८" लामो	गोटा	1062	1062	1062
	१०" लामो	"	1199	1199	1199
	१२" लामो	"	1249	1249	1249
	ह्याण्डल :-				
	८" लामो	"	1249	1249	1249
	टावर बोल्ट :-				
	६" लामो	"	225	225	225
	८" लामो	"	300	300	300
	१०" लामो	"	375	375	375
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप :-				
	८" लामो	गोटा	892	892	892
	१०" लामो	"	1130	1130	1130
	१२" लामो	"	1249	1249	1249
	ह्याण्डल :-				
	६" लामो	"	250	250	250
	८" लामो	"	375	375	375
	Mortice Lock				
	Ordinary	गोटा	625	625	625
	Chinese	"	416	416	416
	Indian Godrej Company	"	2557	2557	2557
	Brass	"	1130	1130	1130
	Door Spring (Door Closer)				
	Ordinary	गोटा	178	178	178
	hydraulic	"	1874	1874	1874
	Other Door/Windows fixtures				
	Window I-hook	गोटा	18	18	18
	Gate Hook				
	4" Gate hook	गोटा	31	31	31
	5" Gate hook	"	35	35	35
	6" Gate hook	"	42	42	42
	Brass Gate hook	"	75	75	75
	Door stopper				
	Diamond	गोटा			
	Butterfly	"	148	148	148
	Bell catch 2" size	"	196	196	196
	C.P. handle	"	425	425	425
	Power coated handle	"	406	406	406

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Brass coated handle	"	874	874	874
	Door stopper, single brass stopper	सेट	100	100	100
	Door stopper double brass stopper	"	178	178	178
32	बिबिध सामग्रीहरू				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	125	125	125
	Nails (different sizes)	के.जी.	112	112	112
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	721	721	721
	कवाडी फलामे सामानहरू(बन्चरो,घन,छिन्ता आदि फलामे सामान)	के.जी.	26	26	26
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	21	21	21
	Nut and Bolts	गोटा	29	29	29
	Nut and Bolts (different sizes)	के.जी.	165	165	165
	Sandpaper (खासी)	गोटा	6	6	6
	विभिन्न साइजको जे-हुक, यु-हुक	के.जी.	137	137	137
	२" साइज रुफिङ्ग नेल्स	गोटा	7	7	7
	३" साइज रुफिङ्ग नेल्स	"	10	10	10
	Screw Brass				
	20mm	गोटा	2	2	2
	25mm	"	3	3	3
	35mm	"	4	4	4
	50mm	"	12	12	12
	75mm	"	15	15	15
	Screw Steel				
	20mm	"	1	1	1
	25mm	"	2	2	2
	35mm	"	2	2	2
	50mm	"	7	7	7
	75mm	"	8	8	8
	विटुमीन वासर	गोटा	3	3	3
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	93	93	93
	५०० गेज प्लाष्टिक सिट	व.मी.	31	31	31
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	2472	2472	2472
	Plasticfelt (२०मी. × १मी.)	"	2318	2318	2318
	१८-२० फिट लामो बाँस	गोटा	204	204	204
	मैन पालिस	के.जि.	206	206	206
	अक्जालिक एसिड	"	118	118	118
	जुट वा पोलिथिनको खाली बोरा	गोटा	18	18	18
	माटो (हुवानि बाहेक)	घ.मि.	268	268	268
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	464	464	464
	भुस	के.जि.	5	5	5
	गोवर	"	5	5	5

Handwritten signatures and initials at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93	93	93
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98	98	98
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9
	Water (पानी)				
	३ कि.मी. सम्म को दुरीमा	लिटर	0.26	0.26	0.26
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.31	0.31	0.31
33	स्टेनलेस स्टील पाइप (257/kg)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	194	194	194
	१" व्यास भएको १६ गेज मोटाई	"	243	243	243
	१ १/४" व्यास भएको १६ गेज मोटाई	"	309	309	309
	१ १/२" व्यास भएको १६ गेज मोटाई	"	346	346	346
	२" व्यास भएको १६ गेज मोटाई	"	508	508	508
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	1168	1168	1168
34	मार्बल चिप्स				
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	170	170	170
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	170	170	170
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	181	181	181
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	153	153	153
35	मार्बल (Marble)				0
35.1	राजस्थानी मार्बल				0
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	158	158	158
	१६ मी.मी बाक्लो राजस्थानी	"	164	164	164
35.2	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	"	297	297	297
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	303	303	303
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	346	346	346
35.3	Kota Stone				
	1" thick	ब.फि.	142	142	142
	3/4" thick	ब.फि.	130	130	130
35.4	Sand stone (for rubbing Marble)	गोटा	72	72	72
36	Porcelain Glazed/Terrazo Mosaic Tiles				
36.1	Porcelain Glazed Tiles				
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	ब.फि.	-	-	-
	ग्लेज टायल्स (१२ " X १२ ") माथीको ।	"	-	-	-
	Cotto Tiles	"	126	126	126
	Kajaria, Vermura, Somany, Orient Tile or equivalent	"	85	85	85
	Ordinary floor and wall Tile	"	54	54	54
	Border Tile (२ " X ८ ")	र.फि.	43	43	43
	Border Tile (२ " X ८ ")	ब.फि.	178	178	178

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	Indian Ceramic Wall Tile (31*45cm)	"	180	180	180
	Indian Ceramic Border Tile (31*45cm)	"	180	180	180
	Indian Ceramic Floor Tile (31*45cm)	"	150	150	150
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent				
	24"X24" GVT	व.फु.	165	165	165
	24"X24" GRES Virtified (Digital floor)	"	144	144	144
	12"X12" GRES homogeous Virtified parking tile	"	106	106	106
	24"X24" Virtified	"	111	111	111
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent				
	16"X16 "	व.फु.	98	98	98
	12"X12"	"	88	88	88
	12"X12" (White/Ivery)	"	77	77	77
	2"X2"(Digital)	"	129	129	129
	12"X24" (Wall)	"	134	134	134
	12"X18" (Wall)	"	103	103	103
36.2	LG Floors Tiles				
	L.G. Deluxe Tiles (300x300x2mm)	व.फु.	-	-	-
	L.G. Deco Tiles (450x450x3mm)	"	-	-	-
	L.G. Deco Wood (100x920x3mm)	"	-	-	-
	Fittings for Tiles	"	14	14	14
	Fittings for Tiles on stairs	"	16	16	16
	Dendrite for tiles	लि.	371	371	371
36.3	ELITE / FORBO FLOORING COATING				
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	361	361	361
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	"	361	361	361
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	"	383	383	383
	SARLON VINYL ACOUSTIC FLOORING	"	427	427	427
	SCRATCH FABRIC FALSE CEILING	"	232	232	232
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	"	62	62	62
	Forbo marmoleum flooring 2mm thick all fitting work	"	403	403	403
37	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.				
	a) POP Molding 1" to 1½"	र.मि	238	238	238
	b) Up to 5" wide	र.मि	285	285	285
	c) Up to 8" wide	र.मि	393	393	393

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	d) Above 8" wide	र.मि	161	161	161	
37.1	रंगरोगनका सामानहरू					
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19	19	19	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36	36	36	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	39	39	39	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	74	74	74	Equivalent Asian , Berger & other company.
	(थ) सिमेन्ट प्राइमर सेतो	"	268	268	268	
	(छ) उड प्राइमर (Wood Primer)	लिटर	376	376	376	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	525	525	525	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	506	506	506	
	(ज) कोरुगेटेड रुफ Paint	"	476	476	476	
	(झ) तयारी अल्मुनियम पेन्ट	"	546	546	546	
	(ञ) तयारी बार्नेस	"	440	440	440	
	(ट) तयारी बार्नेर सेन्थेटिक	"	340	340	340	
	(ठ) भारतीय थिनर	"	231	231	231	
	ड) उड एण्ड ग्लास पुटिन	के.जी	131	131	131	
	ढ) मेटल पुटिन	"	155	155	155	
	ण) चुना पेन्ट गर्न राख्ने गम	"	203	203	203	
	त) नेपाली थिनर	लिटर	218	218	218	
	(द) तारपिन तेल	"	214	214	214	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	262	262	262	
	(न) उड प्रिजरभेटिव पेन्ट	"	228	228	228	
	(प) Black Japan Paint	"	286	286	286	
	(फ) राम तिलक	के.जि.	56	56	56	
	(ब) गेरु रंग	के.जि.	137	137	137	
	(भ) चप्रा पालिस	के.जि.	916	916	916	
	(म) तयारी वासेवल डिस्टेम्पर	लि.	223	223	223	Equivalent Asian , Berger & other company.
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	526	526	526	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	631	631	631	
	(र) Road Marking Paint	"	579	579	579	
	(ल) लिनसिड आयल (linsed Oil)	"	196	196	196	
	(व) स्थानीय स्पीट	लि.	118	118	118	
	(स) मोविकल/फेविकल	के.जि.	262	262	262	
	(ष) Tata Red Oxide Paint	"	262	262	262	
	(ह) गट्टा चुन (इण्डीयन)	"	22	22	22	
	(झ) Wall putty equivalent Asian , Berger & other company.	के.जि.	69	69	69	
	(ञ) Plaster of Parish (POP)	के.जि.	23	23	23	
	wood keeper (chapara type)	लि.	550	550	550	

Handwritten signatures and marks at the bottom of the page.

सि. नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			
		एकाई	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Redoxide zink cromate primer For Bridge	लि.	463	463	463
	Silk Breathless easy	लि.	1216	1216	1216
	Road divider (polythene)	गोटा	1622	1622	1622
	Dust bin (polythene) 165 ltr	गोटा	3083	3083	3083
	Wall putty Epoxy flooring				
	wall plast wall putty (40kg)	Bag	1306	1306	1306
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	2082	2082	2082
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	3688	3688	3688
	Epoxy Paint for Operation theater	"	11509	11509	11509
37.2	Decorative Painting Material Acro & equivalents				
A	Specialized paints(Dr. wallz)				
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिट्र	1099	1099	1099
2	Acro Elastocrab (Anti carbonisation paint)	"	762	762	762
B	Texture paints				
1	Mediterrano	के.जि	176	176	176
2	Stucco Veneziano	"	1639	1639	1639
3	Velvetino	"	4305	4305	4305
4	Travertino	"	412	412	412
5	Gtone plaster	"	121	121	121
6	Colorato (Multi color)	"	921	921	921
7	Pearl skin texture	"	149	149	149
8	TS 52 Spray white	"	199	199	199
9	Rustic	"	159	159	159
10	Rockart	लिट्र	159	159	159
11	Manhattan	के.जि	238	238	238
12	Sabbia	"	238	238	238
13	Sandy Stone	"	174	174	174
14	Insulplast	"	237	237	237
15	Poly Under White	"	264	264	264
16	Antica(Top coat)	"	1267	1267	1267
17	T.C 100(Top coat)	"	728	728	728
18	Dekorica White	"	2631	2631	2631
19	Poly Plaster	"	107	107	107
20	Granite tone	"	165	165	165
21	Graffiato	"	159	159	159
22	Elligance stone	"	189	189	189
23	Marmorino Base	के.जि	412	412	412
24	Acro fine	लिट्र	181	181	181
25	Marmocastro base	के.जि	139	139	139
26	Selva Granite	"	215	215	215
27	Romart	"	239	239	239
C	Weathercoat paints				
1	Guard	लिट्र	503	503	503
2	Guard -3x	"	588	588	588
3	Shield	"	322	322	322
4	Acrotex matt	"	510	510	510
5	Ext wall Primer	"	238	238	238
D	Emulsion Paints				

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दरिरेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
1	silk Emulsion paints	"	522	522	522
2	Aqualin Int.Emulsion	"	280	280	280
3	pearl Emulsion paints	"	772	772	772
4	int. wall Primer	"	172	172	172
E	Acrylic Washable Distemper	"	142	142	142
F	Acro gold Enamel	"	512	512	512
G	Universal primer (wood primer)	"	313	313	313
H	Red oxide metal primer	"	276	276	276
I	Construction Chemical / waterproof coating system				
	crack sill	"	387	387	387
	crack fill A+B	"	170	170	170
J	Silicon Bases water repellent impregnation				
	Acropreg	"	466	466	466
	Acropreg W	"	619	619	619
	Wall putty	के.जि	39	39	39
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works				
1	Acro Spanezia maestro finishes texture				
1.1	Mediterrano texture	ब.फि	128	128	128
1.2	Traventino texture	"	195	195	195
1.3	Velvetino texture	"	167	167	167
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	133	133	133
1.5	Stucco veneziano texture	"	140	140	140
1.6	Pearl skin texture	"	120	120	120
1.7	Marmorino texture	"	156	156	156
2	Acro texture				
2.1	Acro spray flat/Acro spray dews texture	ब.फि	75	75	75
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	74	74	74
2.3	Rustic texture	"	99	99	99
2.4	Rockart texture	"	93	93	93
2.5	Graffiato texture	"	103	103	103
2.6	Marmocastro texture	"	90	90	90
2.7	Marmoplast texture	"	90	90	90
2.8	Sabbia texture	"	112	112	112
2.9	Manhattan texture	"	112	112	112
2.10	Sandy stone texture	"	154	154	154
2.11	Selva Granite texture	"	116	116	116
2.12	Elligance stone texture	"	107	107	107
2.13	Granite tone texture	"	98	98	98
2.14	Romaart texture	"	124	124	124
2.15	Insulplast texture	"	135	135	135
3	Acro Bio-guard (Hospital Paint)	"	54	54	54
4	Acro Ellastocarb(anti carbonisation paint)	"	38	38	38
1	EXTERIOR SURFACE WEATHERCOAT PAINTS				
	1.ACROGUARD 3X	ब.फि	23	23	23
	2. ACROGUARD	"	21	21	21

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	3. ACROSHIELD	"	17	17	17
	4. ACROTEX MATT	"	31	31	31
2	INTERIOR SURFACE EMULSION PAINTS				
	1. ACROPEARL EMULSION PAINTS	ब.फि	24	24	24
	2. ACROSILK EMULSION PAINTS	"	20	20	20
	3. AQUALIN EMULSION PAINTS	"	16	16	16
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	11	11	11
	5. ACRO GOLD ENAMEL PAINTS	"	18	18	18
	Expansion joint				
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	RM	15450	15450	15450
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	RM	12875	12875	12875
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	RM	14935	14935	14935
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	RM	18025	18025	18025
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	RM	25750	25750	25750
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	RM	13390	13390	13390
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	RM	19055	19055	19055
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	RM	28840	28840	28840
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	RM	12360	12360	12360
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	RM	21115	21115	21115
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	RM	33475	33475	33475
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	RM	36050	36050	36050
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	RM	38625	38625	38625
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	RM	16480	16480	16480
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	RM	31930	31930	31930
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	RM	19313	19313	19313
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	RM	29355	29355	29355
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	RM	9270	9270	9270
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	RM	1545	1545	1545
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	RM	2060	2060	2060

Handwritten signatures and initials at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	RM	15450	15450	15450
22	Stair Nosing VEDA France MDM VD 320/550/1010	RM	9785	9785	9785
38	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	1236	1236	1236
	Fittings for wall paper	व.फि	7	7	7
	White glue for wall paper	लि.	108	108	108
39	Eradication of peepal & other plants				
	a) Stem up to 1" thickness	गोटा	-	-	-
	b) Stem up to 1"-2" thickness	"	-	-	-
	c) Stem up to 2"-3" thickness	"	-	-	-
	d) Stem up to 3"-4" thickness	"	-	-	-
40	Gypsum board				
40.1	Supplying and fixing of Thai gypsum board application work				
	i) फल्स सिलिङ्ग गर्ने	व.फि	-	-	-
	ii)Water resistant false ceiling	"	-	-	-
	iii)Wall partition	"	119	119	119
	iv)Wall paneling	"	79	79	79
	v)Metalized polited laminated Board (MPL) board	"	76	76	76
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	70	70	70
41	Calcium Silicate Board supplying & fitting all complete work				
41.1	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent				
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	3793	3793	3793
41.2	Solid Infill wall (Chinese or equivalent)				
	Solid infill wall 3"	व.मी.	1770	1770	1770
41.3	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+2 kg /cu mtr				
	Solid infill wall 50mm	व.मी.	3288	3288	3288
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)				
	a) Curb stone (M 25)	र.मि.	1101	1101	1101
	25 mm thick C.C. Tile (Grey color)				
	Burfi , Round , Boby Checker	Sqft	42	42	42
	25 mm thick C.C. Tile (Red color)				
	Burfi , Round , Boby Checker	Sqft	44	44	44

Handwritten signatures and initials at the bottom of the page, including 'B/S' and '6/2'.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	50 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	51	51	51
	50 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	52	52	52
	60 mm thick CC Block (Grey color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	53	53	53
	60 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	55	55	55
	70 mm thick CC Block (Red color)				
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	61	61	61
	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	Nos	10	10	10
	Hexagon (22*22 cm) non colour	..	23	23	23
	Hexagon (22*22 cm) colour	..	25	25	25
	Squire paver (30*30*4.5cm)non colour	..	32	32	32
	Squire paver (30*30*4.5cm)colour	..	34	34	34
	inter block(24*13*6cm)	..	14	14	14
	Isave paver (20*16*6cm)	..	16	16	16
	supply of concrete Block different items United concrete or other Equivalent				
	Hollow Block (16"*8"*6")	Nos	78	78	78
	Hollow Block (16"*8"*4")	..	69	69	69
	Corner Hollow Block (16"*8"*6")	..	89	89	89
	Lintel Block (16"*8"*6")	..	89	89	89
	Pavers Block (fish or other shape) 60mm thick	..	20	20	20
	concrete Brick (9"*4"*2.5")	..	13	13	13
43	छानामा टाइलको वृष्टा काट्ने र पानी पट्टी कार्य				
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"बाक्लो प्लाष्टरमा रुफिड टाइलको वृष्टा काट्ने सामान सहित (तयारी)	व.मि.	-	-	-
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	-
44	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting				
	i) Heritage Granular	व.फि	100	100	100

Handwritten signatures and marks at the bottom of the page.



सि. नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	ii) Heritage flakes	..	124	124	124
	iii) Heritage granite finish	..	108	108	108
	iv) Heritage Top coat (plastic lamination)	..	29	29	29
45	UPVC Profile Door and Window/ Wall partition				
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरु				
	i) Single glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	Sqm	7215	7215	7215
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	..	6664	6664	6664
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	7493	7493	7493
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	..	7493	7493	7493
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	8214	8214	8214
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	..	8328	8328	8328
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	..	8884	8884	8884
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	..	8884	8884	8884
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	..	8606	8606	8606
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	..	9991	9991	9991
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	Sqm	8626	8626	8626
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	..	9796	9796	9796

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	..	10353	10353	10353
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	..	10717	10717	10717
13	UPVC60x60mm white colour swing door with 5mm glass pannel		6727	6727	6727
	ii) Double glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	Sqm	9435	9435	9435
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	..	8935	8935	8935
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	..	9718	9718	9718
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10439	10439	10439
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	..	10547	10547	10547
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	..	11103	11103	11103
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	..	10825	10825	10825
9	Supply & fixing of 80*50 mm white colour casement window	..	9611	9611	9611
46	Prefab Panel for wall Partition solid wall panel (ESWP) or Equivaient				
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum,everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 40 mm thick	..			
	b) 50 mm thick	..	232	232	232
	c) 75 mm thick	Sq .m.	294	294	294

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	Sqft	91	91	91
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	271	271	271
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	237	237	237
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	Sqft	302	302	302
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	Sqft	266	266	266
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	Sqft	211	211	211
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	Sqft	279	279	279
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	-	-	-
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent				0
	6 mm thick	Sqft	33	33	33
	8 mm thick	Sqft	41	41	41
	10 mm thick	Sqft	52	52	52
	12 mm thick	Sqft	62	62	62
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	381	381	381
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	412	412	412
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	Sqft	509	509	509

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	Sqft	109	109	109
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	Sqft	255	255	255
	75 mm thick	Sqft	337	337	337
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	Sqft	274	274	274
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	278	278	278
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	243	243	243
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	Sqft	310	310	310
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	Sqft	348	348	348
47	Aluminium & Steel Door & Window				0
47.1	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	499	499	499

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	कररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	"	536	536	536
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	"	523	523	523
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	"	561	561	561
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	"	645	645	645
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	"	403	403	403
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	"	403	403	403
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	"	499	499	499
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	"	447	447	447
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	611	611
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	"	611	611	611
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	"	357	357	357
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	"	474	474	474
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	"	474	474	474
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	474	474	474
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	449	449	449
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ (मी.मी.समेत सादा	"	492	492	492

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	५४२	५४२	५४२
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	५४२	५४२	५४२
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	४९२	४९२	४९२
	102 series windows			
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि 521	521	521
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	५९५	५९५	५९५
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	४३८	४३८	४३८
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	१४०	१४०	१४०
	90 series windows			
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	४९०	४९०	४९०
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*5' or avg area 30 sqft per window)	५१७	५१७	५१७
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	४१२	४१२	४१२
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'4'6")	१४०	१४०	१४०
	78 series windows			०
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6*4'6" or avg area 27 sqft per window)	४३०	४३०	४३०

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	459	459	459
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	385	385	385
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'4'6")	"	127	127	127
	Casement window and doors				
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	504	504	504
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	547	547	547
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	696	696	696
	Partation work				
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	329	329	329
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	350	350	350
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	377	377	377
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	469	469	469
	Structure glazing				
	Providing and fixing aluminium structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	525	525	525
	Providing and fixing aluminium structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	609	609	609

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Providing and fixing aluminium structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	740	740	740
48	Aluminium composite panel				
48.1	Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND, ALUTUF, INDO BOND or equivalent				
	3 mm, .20 mm black core	वर्गमी	350	350	350
	3 mm, .25 mm black core	"	359	359	359
	3 mm, .30 mm black core	"	372	372	372
	4 mm, .25 mm black core	"	381	381	381
	4 mm, .30 mm black core	"	372	372	372
	4 mm, .50 mm black core	"	394	394	394
	4 mm, .25 mm Vergin core	"	403	403	403
	4 mm, .30 mm vergin core	"	372	372	372
	4 mm, .50 mm vergin core	"	403	403	403
49	Water proofing (chemicals & Treatment)works				
1	CONCRETE ADMIXTURES (Chemical)				
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by.wt. cement	Kg.	165	165	165
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	299	299	299
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose :0.2 to 1.6 % by wt of cement	Kg.	495	495	495
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	Kg.	303	303	303
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	935	935	935
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	Kg.	1375	1375	1375
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	165	165	165
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	275	275	275
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	385	385	385
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	330	330	330
1.13	Retarding Superplasticiczer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	248	248	248
1.14	Retarding Superplasticiczer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	495	495	495
1.15	Resin ,Multi /polyvcarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	650	650	650
2	CONCRETE ADMIXTURES (Mineral)				0
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	315	315	315
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	94	94	94
3	JOINT SEALANTS & SYSTEMS				
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	Kg.	2396	2396	2396

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	Kg.	2396	2396	2396
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	Kg.	3993	3993	3993
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	Kg.	2662	2662	2662
3.5	Low Viscosity Primer For Polyurethane Sealant	Kg.	3993	3993	3993
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	set	1597	1597	1597
3.7	Butyl Tape for various Applications	RM	166	166	166
3.8	Waterproofing Joint Tape [120 mm]	RM	666	666	666
3.9	Waterproofing Joint Tape [200 mm]	RM	865	865	865
3.10	NBR based Waterproofing Joint Tape [200 mm]	RM	5324	5324	5324
3.11	Joint Tape Epoxy Adhesive	Kg.	3993	3993	3993
3.12	Glass Fiber Joint Tape	RM.	300	300	300
3.13	Waterproofing / Expansion Joint Tape [100 mm]	RM.	1997	1997	1997
3.14	Waterproofing / Expansion Joint Tape [200 mm]	RM.	3594	3594	3594
3.15	Construction Joint Tape [100 mm]	RM.	1065	1065	1065
3.16	Construction Joint Tape [100 mm]	RM.	865	865	865
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	Sq. M.	3261	3261	3261
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	Sq. M.	6455	6455	6455
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	Sq. M.	1065	1065	1065
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	Sq. M.	1997	1997	1997
4	INDUSTRIAL FLOORING SOLUTIONS				
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	Kg.	146	146	146
4.2	Liquid Concrete Hardener & Dust Proofer	Kg.	499	499	499
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	Kg.	2995	2995	2995
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	Kg.	3328	3328	3328
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	Kg.	2662	2662	2662
4.6	Self Levelling Flooring System [Epoxy]	Kg.	1331	1331	1331
4.7	Self Levelling Flooring System [Polyurethane]	Kg.	1997	1997	1997
4.8	Self Levelling Cementitious Flooring System	Kg.	399	399	399
5	ENGINEERING GROUTS				

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	Kg.	146	146	146
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	Kg.	135	135	135
5.3	Hard wearing cementitious tile grout	Kg.	213	213	213
5.4	Hard wearing epoxy based tile grout	Kg.	1331	1331	1331
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	Kg.	666	666	666
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	Kg.	3328	3328	3328
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 ML Cartridge]	ML	5990	5990	5990
5.8	Low Viscosity Injection Epoxy Grout	Kg.	8652	8652	8652
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	Kg.	18634	18634	18634
5.10	Low Viscosity Acrylate Gel Injection Grout	Kg.	11314	11314	11314
5.11	Low Viscosity Soil Stabilization Injection Grout	Kg.	18634	18634	18634
6	BONDING ADHESIVES (Polymer & Epoxy Resin)				
6.1	Acrylic Bonding Agent For Concrete & Mortar	Kg.	865	865	865
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	Kg.	1131	1131	1131
6.3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	Kg.	1597	1597	1597
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	Kg.	2396	2396	2396
7	FIBERS (Steel & Polypropylene)				
7.1	FIBERMESH MF [Monofilament PP Fibers]	Kg.	1331	1331	1331
7.2	FIBERMESH FB [Collated PP Fibers]	Kg.	1730	1730	1730
7.3	FIBERMESH MACRO [Structural PP Fibers]	Kg.	2662	2662	2662
7.4	Loose steel Fibers	Kg.	333	333	333
7.5	Glued Steel Fibers	Kg.	466	466	466
7.6	Crimped Steel Fibers	Kg.	245	245	245
8	SURFACE TREATMENT				
8.1	Protective, Decorative Anti Carbonation Coating	Kg.	1597	1597	1597
8.2	Protective, Decorative Insulating Anti Carbonation Coating	Kg.	1797	1797	1797
8.3	Concrete Penetrating Corrosion Inhibitor	Kg.	5990	5990	5990
8.4	Protective Acrylic Sealer	Kg.	1997	1997	1997
8.5	Protective Polyurethane Sealer	Kg.	2396	2396	2396

सि.नं.	सामग्री र प्रजातिहरूको नाम	इकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
8.6	Water Based Fire Retardant Coating	Kg.	1597	1597	1597
8.7	High Performance Water Repellent Paint	Ltr.	11979	11979	11979
8.8	Concentrated & Emulsified Chemical Mould Release Agent	Ltr.	666	666	666
8.9	Ready to use Chemical Mould Release Agent	Ltr.	532	532	532
8.10	Concrete Curing Aid	Kg.	532	532	532
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m ²	kg	700	700	700
CONCRETE REPAIRS					
9	Rust Remover & Passivator	Ltr.	1331	1331	1331
9.1	Corrosion Inhibitor	Kg.	1331	1331	1331
9.2	Micro Concrete [M55] for Permanant Repairs	Kg.	186	186	186
9.3	Single Component Polymer Modified Cementitious Repair Mortar	Kg.	190	190	190
9.4	Two Component Polymer Modified Cementitious Repair Mortar	Kg.	333	333	333
9.5	Cementitious, Waterproof Crack Repair Mortar	Kg.	266	266	266
9.6	Acrylic Based Crack Filling Putty	Kg.	1597	1597	1597
9.7	Resin ,Polycoboxylate Base For ultra High Streth Concrete Repairing Dose : Admixture 10% By Wt of Cement	Kg	700	700	700
10 PREPACKED MORTARS					
10.1	Tile, Mabrble, Granite etc. Adhesive	Kg.	100	100	100
10.2	Marble & Granite etc. Adhesive	Kg.	466	466	466
10.3	Coarse and water resistant Readymix plastring Mortar	Kg.	90	90	90
10.4	High Performanance Polymer Based Wall Putty (Skim Coat)	Kg.	70	70	70
10.5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	Kg.	90	90	90
11 WATERPROOFING SYSTEMS, Bal endura or equivalent					
INTEGRAL					
11.1	Integral Waterproofing Additive for Concrete & Plaster	Kg.	300	300	300
11.2	Silica Cement Admixture / Microsilica / Silica Fume	Kg.	315	315	315
LIQUID APPLIED					
11.3	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	Kg.	932	932	932
11.4	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	Kg.	666	666	666

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
11.5	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	Kg.	998	998	998
11.6	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	Ltr.	750	750	750
11.7	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	Ltr.	700	700	700
11.8	Crystalline Based Waterproofing Systems	Kg.	363	363	363
11.9	Fast Setting Plugging Compound for stopping running water	Kg.	424	424	424
11.10	Polyurethane based Waterproofing Coating System	Kg.	1815	1815	1815
11.11	Polymer Modified Bitumen based Waterproofing Coating System	Kg.	1452	1452	1452
11.12	Epoxy Resin based Waterproofing Coating System	Kg.	1815	1815	1815
11.13	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	kg	600	600	600
	PREFORMED				
11.14	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	Sq. M.	2178	2178	2178
11.15	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	Sq. M.	2420	2420	2420
11.16	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	Sq. M.	1210	1210	1210
11.17	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	Sq. M.	1815	1815	1815
11.18	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	Sq. M.	1815	1815	1815
11.19	1.2 mm High Polymer PVC Membranes	Sq. M.	2420	2420	2420
11.2	PVC Adhesive	Kg.	3025	3025	3025
11.21	1.2 mm EPDM Membranes	Sq. M.	2420	2420	2420
11.22	EPDM Adhesive	Kg.	3025	3025	3025
11.23	EPDM Primer	Kg.	3630	3630	3630
11.24	2mm TPO Membranes	Sq. M.	4235	4235	4235
11.25	Polythene & Polypropylene Polymer Compound Waterproof Membrane	Sq. M.	968	968	968
11.26	100% Synthetic Rubber Roof Coating	Kg.	5445	5445	5445
12	SPECIALTY				
12.1	Antistripping Agent for Bitumen	Kg.	484	484	484
12.2	Anti Termite [Imidacloprid 30.5%]	Kg.	9075	9075	9075
12.3	Expanding Concrete Joint WATERSTOP	RM.	2420	2420	2420
12.4	WB ADHESIVE Primer for Expanding Waterstop	2500	9075	9075	9075
12.5	Swellable WATERSTOP	RM.	3025	3025	3025

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
12.6	SEALGUARD PVC WATERSTOP - PVC Waterstops	RM.	3025	3025	3025
12.7	Nodular Drain with Geotextile Roof Garden	Sq. M.	2420	2420	2420
12.8	SEALGUARD GEOTEX [P] - Polyester Geotextile	Sq. M.	121	121	121
12.9	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	Sq. M.	1331	1331	1331
12.10	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	Sq. M.	2420	2420	2420
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING				
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	R. M.	9680	9680	9680
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	R. M.	12100	12100	12100
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	Sq. M.	12100	12100	12100
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	Sq. M.	18150	18150	18150
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	Sq. M.	24200	24200	24200
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	Sq. M.	18150	18150	18150
13.7	EPOXY PRIMER	Kg.	4235	4235	4235
13.8	SATURANT	Kg.	3630	3630	3630
13.9	LAMINATE ADHESIVE	Kg.	2420	2420	2420
13.11	EPOXY TOPCOAT	Kg.	3630	3630	3630
13.12	POLYURETHANE TOPCOAT	Kg.	4840	4840	4840
13.13	Fiber anchor system 5to 10 mm	R. M.	2420	2420	2420
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	R. M.	9680	9680	9680
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	R. M.	12100	12100	12100
14	Soil Stabiliser / Admixture				
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	kg	670	670	670
15	Concrete curing compound				
15.10	Concrete Curing Aid	Kg.	453	453	453
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	kg	721	721	721
50	परम्परागत निर्माण सामग्रीहरू :-				
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	21	21	21
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	16	16	16
	३) दचिअपा ठूलोको कुँ	"	25	25	25
	४) दचिअपा सानोको कुँ अपा	"	21	21	21
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	19	19	19

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
६)	माँ अपा ठुलो 241x60x158 mm	"	24	24	24
७)	मा अपा सानो ८-३/८"×२"×५"	"	15	15	15
८)	धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४"	"	23	23	23
९)	धुरी 230x295x25 mm	"	-	-	-
१०)	धुरी चाँड सानो	"	18	18	18
११)	फ्रिगटी नयाँ ८-३/४"×४"	गोटा	11	11	11
१२)	फ्रिगटी पुरानो	गोटा	7	7	7
१३)	ढुकु	गोटा	40	40	40
१४)	Snake body brick traditional	गोटा	25	25	25
१५)	Snake neck brick ,,	गोटा	74	74	74
१६)	Snake head brick ,,	गोटा	145	145	145
	क)साना	"	113	113	113
	ख)ठुलो	"	227	227	227
१७)	पेटीकोलागि ढुङ्गा				
	क) १८"×१०"×४"	"	680	680	680
१८)	नागोल ईटा	गोटा	19	19	19
१९)	९"×९"×९" इन्च कुना ढुङ्गा	१ मि.	2266	2266	2266
२०)	फःल्होह अपा ठुलो 375x225x100mm	गोटा	170	170	170
२१)	फःल्होह अपा सानो 254x229x102mm	"	142	142	142
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४")	"	14	14	14
२३)	तीनकुनै तेलिया ईटा (६"×६"×२-१/४")	"	10	10	10
२४)	चारकुनै तेलिया ईटा (८"×८")	"	19	19	19
२५)	तेलिया ईटा (६"×६")	"	14	14	14
२६)	बुडेदारी कर्निश इटा (काशीमोहरु)	"	28	28	28
२७)	बुडेदारी कर्निश इटा कुना	"	42	42	42
२८)	बुडेदारी कर्निश इटा ठूलो 222x273x76mm	"	170	170	170
२९)	भयाल माथिको कर्निश ईटा बुडेदारी	"	34	34	34
३०)	काठको कर्निश माथिको इटा ११×६×२.५"	"	57	57	57
३१)	कर्नर स्टोन : १०"×१०"×१४"	"	1586	1586	1586
३२)	क) विचको न्याहाकल्हँ १०"×७"×१४"	"	1076	1076	1076
३३)	नागोल ढुङ्गा १८"×१०"×५"	"	793	793	793
३४)	भौ प्वा	गोटा	227	227	227
३५)	तामा पाता.(नेपाली)	केजी	1076	1076	1076
	तामा पाता (Indian)	केजी	1246	1246	1246
३६)	पित्तल पाता	केजी	850	850	850
३७)	पारो	ग्राम	170	170	170
३८)	सूकिँ इटा कुटि धुलो बनाएको ।	टन	1360	1360	1360
३९)	Wind bell सवा घण्टी ४"	गोटा	467	467	467

सि.नं.	सामग्री र प्रजातिहरुको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	४०) न्हकंलो बीचको	१ गोटा	1700	1700	1700
	४१) पेटीदुङ्गा ४"	१ मि.	2039	2039	2039
	४२)पेटीदुङ्गा ५"	१ मि.	2493	2493	2493
	४५)श्री गणेश	गोटा	1133	1133	1133
	४६)कूमार	गोटा	1133	1133	1133
	४७)दुङ्गे धारा	गोटा	1133	1133	1133
	४८)ल्हाकै सेट	गोटा	2266	2266	2266
	४९)नागबेली बूटा	गोटा	25	25	25
	५०)नागबेली बूटा कूना	गोटा	37	37	37
	५१)स्वा बूटा	गोटा	35	35	35
	५२)चीर बूटा	गोटा	25	25	25
	५३)कर्नेसफयो	गोटा	22	22	22
	५४)कर्नेस गजूर पली	गोटा	34	34	34
	५५)ठूलो कलश	गोटा	170	170	170
	५६)मसीनो सुर्कि	केजि	13	13	13
	५७)खस्रो सुर्कि	केजि	8	8	8
	५८)गट्टा चुन	के.जि.	25	25	25
59	ना अपा (साइज 200x50x130)	गोटा	15	15	15
60	दधि अपा (साइज 200x55x100)	"	18	18	18
61	त्वा अपा (साइज 110x55x180)	"	18	18	18
62	गोल अपा (साइज 120x55x80)	"	18	18	18
63	गणेश अपा (साइज 200x250x35)	"	340	340	340
64	कूमार अपा (साइज 200x250x35)	"	340	340	340
65	तारा अपा (साइज 200x250x55)	"	340	340	340
66	पञ्च बुद्ध अपा (साइज 170x230x55)	"	340	340	340
67	कलस अपा (साइज 100x140x40)	"	57	57	57
68	नागोल अपा (साइज 140x52x120)	"	20	20	20
69	कसिमो अपा (साइज 230x55x100)	"	29	29	29
70	सकली अपा (साइज 140x55x115)	"	25	25	25
71	पानबुट्टा अपा (साइज 140x55x115)	"	25	25	25
72	सानो फ बुट्टा अपा (साइज 180x55x30)	"	29	29	29
73	ठूलो फ बुट्टा अपा (साइज 230x55x110)	"	29	29	29
74	नयाँ फ बुट्टा अपा (साइज 230x55x110)	"	29	29	29
75	साना ग बुट्टा अपा (साइज 140x50x110)	"	25	25	25
76	ठूलो ग बुट्टा अपा (साइज 230x55x90)	"	29	29	29
77	पुम्हा बुट्टा अपा (साइज 180x55x70)	"	29	29	29
78	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	29	29	29
79	तिनकुने पलि अपा (साइज 200x550x90)	"	29	29	29
80	साना स्वाँ अपा (साइज 140x50x110)	"	25	25	25
81	ठूलो स्वाँ अपा (साइज 230x55x90)	"	29	29	29
82	नाग टाउको दाँयाबायाँ (साइज 100x150x50)	"	142	142	142
83	नाग घटी दाँयाबायाँ (साइज 140x60x70)	"	74	74	74
84	नाग जीउ (साइज 140x60x70)	"	25	25	25
85	नाग कन्या/पुरुष (साइज 180x380x55)	"	567	567	567
86	खाल नागोल (साइज 130x55x120)	"	20	20	20
87	खाल फयो (साइज 130x55x135)	"	20	20	20
88	लहरा बुट्टा (साइज 125x45x140)	"	25	25	25
89	नग बेली (साइज 140x55x120)	"	25	25	25

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयासा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
90	मिखाफुसी (साइज 140x55x120)	उपाकोट	34	34	34
91	पलियो दायां/बायां (साइज 130x55x120)	"	25	25	25
92	नयां पलिफो (साइज 185x52x80)	"	29	29	29
93	सिधा पलिफो (साइज 190x55x90)	"	29	29	29
94	२" सिंह (साइज 95x5010)	"	34	34	34
95	२"गरुड (साइज 95x50x100)	"	34	34	34
96	घलिख्वा (साइज 95x50x100)	"	34	34	34
97	श्रीयन्त्र (साइज 70x700x80)	"	45	45	45
98	त्वा फयो (साइज 140x55x120)	"	20	20	20
99	तारा बुद्ध पुरानो (साइज 180x55x80)	"	25	25	25
100	तारा बुद्ध नयां (साइज 230x70x90)	"	29	29	29
101	स्वांफो तारां (साइज 220x55x90)	"	29	29	29
102	सिकी बुद्ध (साइज 220x55x80)	"	29	29	29
103	न्हाय बुद्ध सानो (साइज 140x65x130)	"	29	29	29
104	न्हाय बुद्ध ठूलो (साइज 140x100x130)	"	29	29	29
105	नगोल नगोल (साइज 2000x55x90)	"	20	20	20
106	ठी बुद्ध (साइज 210x55x75)	"	29	29	29
107	सानो/ठूलो (साइज	"	29	29	29
51	Security System				
	Steel Security Gate supply				
	Metal detector (black Scorpion Company)	गोटा	16995	16995	16995
	Access Controller (Taiwanese)	गोटा	28840	28840	28840
	Access Controller (Chainese)	गोटा	13905	13905	13905
	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	8683	8683	8683
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	9930	9930	9930
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	10419	10419	10419
	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) (घर कम्प्युटर सुरक्षा प्रबन्धि)	गोटा	34333	34333	34333
	ii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600	20600	20600
	iii) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875	12875	12875
	iv) Finger print access system with software	गोटा	36050	36050	36050
	v) Security from Panic Alarm	गोटा	36050	36050	36050
	vi) GPS (Global Positioning System) Device with software	गोटा	25749	25749	25749
	vii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)				0
	Up to 1/2 H.P.	गोटा	4326	4326	4326
	1.0 H.P.	गोटा	5948	5948	5948
	5 H.P.	गोटा	9734	9734	9734
52	Bridge Materials				

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Elastomeric Bearing Pad				
	Free Type	NOS	20554	20554	20554
	Fix end Dowel Type	"	48489	48489	48489
	Expansion Joint Works				
	Single strip seal	Rm	9328	9328	9328
	Slab seal(320*50)	"	19277	19277	19277
	Thimbles				
	iv) Φ 13 mm thimble	Pc	72	72	72
	v) Φ 26 mm thimble	Pc	361	361	361
	vi) Φ 32 mm thimble	Pc	618	618	618
	vii) Φ 36 mm thimble	Pc	1236	1236	1236
	viii) Φ 40 mm thimble	Pc	1545	1545	1545
	ix) Φ 13 mm Bulldog grip	Pc	72	72	72
	x) Φ 26 mm Bulldog grip	Pc	361	361	361
	xi) Φ 32 mm Bulldog grip	Pc	541	541	541
	xii) Φ 36 mm Bulldog grip	Pc	670	670	670
	xiii) Φ 40 mm Bulldog grip	Pc	670	670	670
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched				
	xv) Wire mesh netting	m ²	412	412	412
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	6695	6695	6695
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	258	258	258
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	361	361	361
	High tensile friction grip nut bolts	kg	335	335	335
	Galvanization				
	Zinc Above 98.5% purity	kg	309	309	309
	Premix of Zinc amonium chloride	kg	595	595	595
	Hydraucloric acid	Lit	41	41	41
	53 Concrete Post (Size 4"*4")				
	Length 7'	गोटा	874	874	874
	Length 5'	"	437	437	437
	Length 3'	"	219	219	219
54	Sheet pilling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	2963	2963	2963
55	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	232	232	232
	" Ventilation	"	232	232	232
	" Arc frame semi circular	"	464	464	464



Sanitary Works

बिदुर, नुवाकोट

असार, २०७६

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
SANITARY WORK					
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)				
	White glazed porcelain pan				
	i)530mm size white glazed without siphon	सेट	2524	2524	2524
	ii)500 mm size white glazed without siphon	"	2741	2741	2741
	iii)580 mm size orrisa Pan	"	3371	3371	3371
	iii)580 mm size white glazed Indian pan	"	1049	1049	1049
	iv) Siphon 'p' or 's' type	"	590	590	590
	v) Asian Pan 51x40 Rectangular	"	2524	2524	2524
	Porcelain Clay Cistern				
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	3559	3559	3559
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	667	667	667
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	3698	3698	3698
	Commode				
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1587	1587	1587
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	1825	1825	1825
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover	"	18119	18119	18119
	iv) White glazed porcelain clay One Piece commode with 'P' &	"	28875	28875	28875
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover	"	20389	20389	20389
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.(Bolan, Tita, Akwa or eqv.)	"	5252	5252	5252
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	8656	8656	8656
	x) 600 to 900 mm Grab bar	"	6062	6062	6062
	Bidet set				
	i) Porcelain clay white glaze Bidet.	सेट	3692	3692	3692
	Urinal set				

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	4174	4174	4174
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size (Hindware, Paryware, Somany, cera or eqv.)		1880	1880	1880
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	1619	1619	1619
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	"	100291	100291	100291
	Porcelain Clay Urinal Squatting Plate				0
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1212	1212	1212
	ii) Porcelain clay white glaze squatting plate large size	"	1454	1454	1454
	iii) Porcelain clay super color squatting plate large size.	"	2831	2831	2831
	iv) Urinal Spreader	"	915	915	915
	Wash basin				
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	1095	1095	1095
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	1481	1481	1481
	iv) Do but wash basin (45×32)cm	"	1065	1065	1065
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201	1201	1201
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	8348	8348	8348
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"	13776	13776	13776
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	9785	9785	9785
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	"	6232	6232	6232
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	20549	20549	20549
	Pedestal:				
	i) Porcelain clay white glaze pedestal	"	1378	1378	1378

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	iii) White glazed Porcelain clay half pedestal complete set.	"	1670	1670	1670
	iv) First color glazed Porcelain clay half pedestal complete set.	"	1973	1973	1973
	v) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	13313	13313	13313
	Urinal Partition				0
	White glaze porcelain clay (68x30)cm division plate	"	1741	1741	1741
	Lab sink				0
	i) Porcelain clay white glaze large size	"	2222	2222	2222
	ii) Porcelain clay white glaze small size	"	1653	1653	1653
	iii) Porcelain clay janitor sink 58x71x43.5 size	"	27553	27553	27553
	Kitchen sink				
	i) Porcelain clay large	सेट	3763	3763	3763
	ii) Porcelain clay small	"	3409	3409	3409
	iii) drain board white 53x45	"	1304	1304	1304
	iii) Soap dish	"	661	661	661
	iv) White glaze foot rest	"	419	419	419
	v) White glaze Toilet paper holder	"	1157	1157	1157
2	PVC Cistern Set				
	i) single flush	सेट	1973	1973	1973
	ii) Deluxe single flush	"	2204	2204	2204
	iii) Dual flush 6/3 lit. cistern complete set.	"	2966	2966	2966
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	16862	16862	16862
	v) 32 mm pvc bottle trap set.	पिस	476	476	476
	vi) 1.5x45 cm pvc pipe connector set.	"	143	143	143
	vi) Bakelite toilet seat cover set.	"	276	276	276
3	Stainless Steel Accessories etc.				
	Stainless steel Deep sink 45x45x30 size	"	18185	18185	18185
	Stainless steel Orissa pan LP 210 size	"	8486	8486	8486
	Stainless steel wash basin model 251 12" round size with pedestal	"	13262	13262	13262
	Stainless steel wash basin 500 mm model 277 with complete set	"	10276	10276	10276
	Stainless steel commode S trap with self closing complete set	"	17554	17554	17554
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	14634	14634	14634

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and a circled mark on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	18432	18432	18432
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	25764	25764	25764
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	15952	15952	15952
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	4182	4182	4182
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	6455	6455	6455
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	827	827	827
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	1157	1157	1157
	Stainless steel bowl 19"×16" diamond board 37" long	"	2673	2673	2673
	Stainless steel bowl with diamond board 37" long	"	3660	3660	3660
	Stainless steel bowl with ordinary board 37" long	"	2314	2314	2314
	Stainless steel double bowl with double drain board 36" * 18 "size	"	13917	13917	13917
	Stainless steel double bowl with single drain board ordinary	"	5786	5786	5786
	Stainless steel p trap bottle trap for basin	"	2324	2324	2324
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	5565	5565	5565
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	8408	8408	8408
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	1462	1462	1462
	Stainless steel Hose ringer 1200 mm	"	1274	1274	1274
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1798	1798	1798
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	6943	6943	6943

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	4425	4425	4425
	Stainless steel Sink 700*450*200	"	24246	24246	24246
	Stainless steel Sink table top1200*600*300	"	33504	33504	33504
	Steel Split clamp with washer all complete				0
	75 mm dia	पिस	331	331	331
	110 mm dia	"	441	441	441
	160 mm dia	"	771	771	771
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	1240	1240	1240
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	2976	2976	2976
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	9785	9785	9785
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	647	647	647
	Stainless steel towel bar 450 mm	"	1240	1240	1240
	Stainless steel water tank fitting with all complete set (304 grade steel)				
	Capacity 500 ltr	set	12124	12124	12124
	Capacity 1000 ltr	"	17699	17699	17699
	Capacity 1500 ltr	"	27212	27212	27212
	Capacity 2000 ltr	"	32743	32743	32743
	Sinks Other Types:				
	Super lab sink				
	i) super lab sink large size	"	4313	4313	4313
	ii) super lab sink small size	"	3401	3401	3401
	Super kitchen sink				
	i) super kitchen sink large size	"	7465	7465	7465
	ii) super kitchen sink small size	"	6756	6756	6756
	Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.				
	iv) Hand dryer Germany	"	19397	19397	19397
	v) Hand Dryer Chinese	"	7164	7164	7164
	vi) Indian Mark Brand Flush valve	"	5731	5731	5731
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	"	35267	35267	35267
	xv) European pattern liquid soap container stainless steel	"	6062	6062	6062
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	"	1459	1459	1459
	European Pattern C.P. Grab Bar for disable				

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	a) 30cm long bend type	"	4786	4786	4786
	b) 45 cm long bend type	"	5012	5012	5012
	c) 60 cm long bend type	"	6418	6418	6418
5	C.P. Accessories(jaquar, somany, essel or equivalent)				
	1) Toilet paper holder	"	510	510	510
	2) Soap dish	"	510	510	510
	3) Towel rod 1/2"×18" size	"	510	510	510
	4) Towel rod 3/4" ×24" size	"	567	567	567
	5) Glass shelf	"	680	680	680
	6) C.P. bottle trap	"	1246	1246	1246
	7) 32 mm×60cm long C.P flush pipe	"	510	510	510
	8) 15 mm flush cock push type	"	1133	1133	1133
	9) 15 mm dia. C.P. shower arm	"	976	976	976
	10) 15 mm dia. C.P. spreader	"	940	940	940
	11) 15 mm dia. C.P. wall mixture	"	5435	5435	5435
	i) 3" dia. Shower rose , revolving type	"	906	906	906
	ii) 4" dia. Shower rose , revolving type	"	1020	1020	1020
	iii) Shower rose ordinary	"	567	567	567
	iv) Shower rod 12" long	"	283	283	283
	C.P. 15 mm dia. Angle Valve	"	1244	1244	1244
	C.P. 15 mm dia Concealed Stop Cock	"	1807	1807	1807
	C.P. 15mm Bib Cock	"	1361	1361	1361
	C.P. 15 mm dia swan neck Pillar Cock	"	1331	1331	1331
	C.P. 15 mm dia Stop Cock	"	1331	1331	1331
	C.P. 15 mm dia Sink Cock	"	1309	1309	1309
	C.P. 15 mm dia Sink Mixture	"	4472	4472	4472
	C.P. 32 mm dia Flush Valve	"	5404	5404	5404
	C.P. 32 mm dia Waste Coupling for basin	"	424	424	424
	C.P. 32 mm dia Waste Coupling for Urinal	"	689	689	689
	C.P. Basin Mixture	सेट	4640	4640	4640
	15 mm dia Bath Tub Spout with Wall Hinge	"	1731	1731	1731
	C.P. Exclusive Shower Arm with Hinge	"	2014	2014	2014
	15 mm bath tub spout with bottom attachment of telephonic shower	"	4169	4169	4169
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6849	6849	6849
	C.P. flexible pipe	रोटा	181	181	181
	C.P. Grating				
	i) 4" dia.	"	50	50	50
	ii) 5" dia.	"	62	62	62
	i) C.P. Toilet Paper Holder	"	929	929	929
	ii) C.P. Soap Dish(Polyurethane)	"	1042	1042	1042

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	iii) C.P. Towel Rod 18"	"	1578	1578	1578
	iv) C.P. Towel Rod 24"	"	1663	1663	1663
	v) C.P. Glass Shelf 22"	"	2260	2260	2260
	vi) C.P. Coat Hook Double	"	812	812	812
	C.P. बाट निर्मित सामग्रीहरू(jaquar, somany, essel or equivalent)	"			
	i) C.P. Toilet Paper Holder	"	969	969	969
	ii) C.P. Soap Dish(Polyurethane)	"	843	843	843
	iv) C.P. Towel Rod 24"	"	1643	1643	1643
	v) C.P. Glass Shelf 22"	"	2232	2232	2232
	vi) C.P. Coat Hook Double	"	758	758	758
	ix) C.P. Angle Cock				
	15mm C.P. Angle Cock	"	927	927	927
	15 mm C.P. Angle Cock Long Thread	"	986	986	986
	x) C.P. Conceal Stop Cock				
	i) 15 mm Reduced body	"	1136	1136	1136
	ii) 15 mm Extra Heavy Body	"	1390	1390	1390
	xi) C.P. Bib Cock				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2612	2612	2612
	ii) 15mm C.P. Bib Cock	"	952	952	952
	iii) 15mm C.P. Bib Cock with nozzle	"	1054	1054	1054
	xii) C.P. Pillar Cock				
	i) 15 mm C.P. Pillar Cock With Aerator	"	1263	1263	1263
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	2527	2527	2527
	i) 15mm C.P. Sink Cock	"	1600	1600	1600
	ii) C.P. Sink Mixer	"	3966	3966	3966
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	3456	3456	3456
	xv) C.P. Bottle Trap 32mm				
	32 mm C.P. Conceal Flush Valve Dual Flow	"	3874	3874	3874
	xvii) C.P. Waste Coupling				
	32 mm C.P. Waste Coupling H/T	"	446	446	446
	32 mm C.P. Waste Coupling F/T	"	446	446	446
	xviii) 15 mm Urinal Auto- Closing Valve with Built-in Control Cock				
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	4463	4463	4463
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	4463	4463	4463
	xx) C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	3706	3706	3706

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	3891	3891	3891
	xxi) 15mm Bath Tub Spout with wall flange	"			
	15mm Bath Tub Spout with wall Flange	"	1263	1263	1263
	15mm Bath Tub Spout with button attachment	"	2021	2021	2021
	xxii) C.P. Casted Shower Arm with Flange	"			
	15 mm Casted Shower Arm Light	"	673	673	673
	15 mm Casted Shower Arm Heavy	"	1094	1094	1094
	xxiii) 15 mm Telephonic Hand Shower				
	With 1.50 m. PVC Tube	"	1791	1791	1791
	With 1.5 Flexible Tube	"			
	xxiv) Auto closing urinal flush valve				
	15mm presmatic auto closing urinal flush valve	गोटा	3224	3224	3224
	xxiv) Other accessories				
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4834	4834	4834
	15 mm Braided Hose for E.W.C.	"	298	298	298
	15 mm Health Faucet (Commode Spray)	"	1146	1146	1146
	15 mm pillar cock with 200 mm extended lever handle	"	1515	1515	1515
	15 mm Bib cock with 200 mm extended lever handle	"	1598	1598	1598
	Single lever surgical purpose elbow action basin mixer with extended operating lever	"	5956	5956	5956
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	"	5776	5776	5776
	Sensor mixer for wash basin (Battery operated)	"	20481	20481	20481
	Wall mounted Sensor mixer for operation theater (Battery operated)	"	20481	20481	20481
	Sensor conceal type flushing valve for Western commode (battery operated)	"	16221	16221	16221
	Sensor valve for Urinal	"	10651	10651	10651
	Basin cock Sensor	"	14418	14418	14418
	15mm U shaped sink cock	"	1712	1712	1712
	Sink Mixture with U shape swinging spout	"	3358	3358	3358
	15mm metallic Health Faucet (Commode Spray)	"	2171	2171	2171
7	Electric & Solar Geyser				

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	i) 10 lit. cap. electric water heater	गोटा	11241	11241	11241
	ii) 25 lit cap. " " "	"	17331	17331	17331
	iii) 35 lit cap " " "	"	21546	21546	21546
	iv) 50 lit cap " " "	"	-	-	-
	v)15.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	12123	12123	12123
8	C.I. Manhole Cover including frame.				
8.1	Square Frame (in outer dia)				
	Medium Duty				
	i) 10" × 10" (4 Kg.)	सेट	669	669	669
	ii) 12" × 12" (5 Kg.)	"	836	836	836
	iii) 14" × 14" (7 Kg.)	"	1171	1171	1171
	v) 16" × 16" (10 Kg.)	"	1673	1673	1673
	vi) 18" × 18" (14 Kg.)	"	2509	2509	2509
	viii) 20" × 20" (16 Kg.)	"	2677	2677	2677
	ix) 22" × 22" (20 Kg.)	"	3346	3346	3346
	x) 24" × 24" (24 Kg.)	"	4294	4294	4294
	xi) 27" × 27" (31 Kg.)	"	5186	5186	5186
	Heavy Duty				
	iii) 14" × 14" (14 Kg.)	"	2342	2342	2342
	ix) 22" × 22" (22 Kg.)	"	3681	3681	3681
	xi) 27" × 27" (45 Kg.)	"	7528	7528	7528
8.2	Rounded Manhole Cover (Outer dia.)				
	Medium class				
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	9092	9092	9092
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	"	12123	12123	12123
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	"	15154	15154	15154
	iv) 22" dia. Medium class. (125 Kg.)	"	19397	19397	19397
	v) 22" dia. Heavy class. (208Kg.)	"	28974	28974	28974
	vi) 24" dia. Medium class. (40 Kg.)	"	6207	6207	6207
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	"	7759	7759	7759
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	"	11153	11153	11153
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	"	13578	13578	13578
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	xi) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	"	17942	17942	17942
8.3	C.I. Tank Cover Locking Types				
	Round				
	18" (8 Kg.)	सेट	1673	1673	1673
	20" (12 Kg.)	"	2454	2454	2454
	22" (14 Kg.)	"	2788	2788	2788
	24" (16 Kg.)	"	3346	3346	3346
	28" (24 Kg.)	"	5019	5019	5019
	Square				
	18" x 18" (13 Kg.)	सेट	2788	2788	2788
	24" x 24" (50 Kg.)	"	10038	10038	10038
	Rectangular				
	18" x 24" (27 Kg.)	सेट	5577	5577	5577
8.4	C.I. Gully Gratings & Jali				
	Round Jali Strip Medium Duty				
	4"	सेट	100	100	100
	5"	"	134	134	134
	6"	"	178	178	178
	10"	"	613	613	613
	Square Jali Strip Medium Duty				
	4" x 4"	सेट	89	89	89
	5" x 5"	"	112	112	112
	6" x 6"	"	134	134	134
	9" x 9"	"	390	390	390
	10" x 10"	"	502	502	502
	12" x 12"	"	725	725	725
	C.I. Gully Gratings				
	i) 15"×18" Medium (18 Kg.)	सेट	3681	3681	3681
	ii) 15"×18" Heavy (25 Kg.)	सेट	5019	5019	5019
	Grit Cover				
	फलामे एङ्गलको फ्रेममा फलामे पल्लिको जाली बनाई फोब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	162	162	162
	Aluminum Grating 4" dia.	गोटा	42	42	42
9	G.I. Water Tank (17 Gauge)				
	i) 100 gls	गोटा	8317	8317	8317
	ii) 200 gls	"	13066	13066	13066
	iii) 300 gls	"	16434	16434	16434
	iv) 400 gls	"	19730	19730	19730
	v) 500 gls	"	23036	23036	23036
	G.I. Water Tank (16 BWG TATA Sheet)				
	i) 100 gls	गोटा	8773	8773	8773
	ii) 200 gls	"	13267	13267	13267
	iii) 300 gls	"	17615	17615	17615
	iv) 400 gls	"	21106	21106	21106
	v) 500 gls	"	24597	24597	24597

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
10	Roof Top PVC Water Tank				
	i) 200 lit – 5000 lit cap.	ली.	11	11	11
	ii) 5000 lit – 10,000 lit cap	"	12	12	12
	iii) Horizontal PVC water tank	"	12	12	12
11	Water Pumps/Hand Pumps				
	Indian Mark-III , Deep Well Hand Pump				
	6 No. hand pump	गोटा	1582	1582	1582
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10885	10885	10885
	ii) ½ H.P. Water Pump mono block type	"	6258	6258	6258
	iii) 1.0 H.P. water pump Multistage	"	14258	14258	14258
	iv)1.0 H.P. water pump (mono block type)	"	9465	9465	9465
	v) 2.0 H.P. water pump	"	22587	22587	22587
	vi) 2.0 H.P.3 phase water pump	"	23847	23847	23847
	vii) 5.0 HP 3 phase water pump	"	28656	28656	28656
	Jet Water Pump				
	i) 1.10 H.P.	सेट	21630	21630	21630
	ii) Double Stage jet 1.10 H.P.		25956	25956	25956
	ii) 1.5 H.P.	"	29201	29201	29201
	Super Sunction				
	i) ½ H.P.	सेट	8922	8922	8922
	ii) 0.75 H.P.	"	8328	8328	8328
	iii) 1.0 H.P.	"	14276	14276	14276
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18202	18202	18202
	ii) 2 H.P. single pump set "	"	29233	29233	29233
	Fire pump				
	Submersible Pump (Italian)				
	i) 1.0 H.P.	"	26089	26089	26089
	ii) 2.0 H.P.	"	48397	48397	48397
	Electric Water Pump (Chinese)				
	i) ½ H.P.	"	1703	1703	1703
	ii) ¾ H.P.	"	2219	2219	2219
	iii) 1.0 H.P.	"	3270	3270	3270
	Submersible Pump Sarvo/Bimal or equivalent				
	i) ½ H.P open well type	"	16655	16655	16655
	ii) 1.1 H.P open well type	"	24388	24388	24388
	iii) 1.5 H.P open well type	"	29741	29741	29741
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P	"	27254	27254	27254
	iii) 1.5 H.P	"	32932	32932	32932
12	Fire fighting equipment and accessories (safeguard india or equiv)				

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30m winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	"	-	-	-
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	"	-	-	-
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	"	-	-	-
13	Fire extinguisher ABC stored Pressure आपतकालिन बागलागी हुँदा प्रयोग गरिने सामग्री (safeguard india or equivalent)				0
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-	-	-
	iii) 3.0kg size ABC ,, ,, ,,	"	-	-	-
	iii) 5.0kg size ABC ,, ,, ,,	"	-	-	-
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	"	-	-	-
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	"	-	-	-
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	"	-	-	-
	viii) 2.5 kg size ABC ,, ,,	"	-	-	-
	ix) Co ₂ Type fire extinguisher 6.80 lit .	"	-	-	-
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-
14	Insulation for hot water pipe 'Acroflex'				
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-
	20mm Insulation 6 mm wall thickness	"	-	-	-
	25mm Insulation 6 mm wall thickness	"	-	-	-
	32mm Insulation 6 mm wall thickness	"	-	-	-

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकैड	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
15	ACRYLIC GLASS SHELF				
	i) Acrylic glass shelf best quality	सेट	-	-	-
	ii) Acrylic glass shelf ordinary	"	-	-	-
	iii) Shower curtain	"	-	-	-
16	Water Purification System				
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-
	Euro-guard water purification system (hi-flow 3 lit/min)	"	-	-	-
	AQUA-ALO water purifier (1.0 lit/min)	"	-	-	-
	AQUA-power water purifier	"	-	-	-
	RO feed pump	सेट	-	-	-
	Fire Sprinkler	"	-	-	-
	Supply, installation, testing and commissioning of Aeration system (FRP Tray type)	"	-	-	-
	Supply, installation, testing and commissioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	-	-	-
	Supply, installation, testing and commissioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	-	-	-
	Filter Media for existing filtration system				
	Pebbles	के.जी.	-	-	-
	Coarse silex	"	-	-	-
	Gravel	"	-	-	-
	Golden sand	"	-	-	-
	Anthracite	"	-	-	-
	MNo2	"	-	-	-
	Activated Carbon	"	-	-	-
	Motor starter switch	"	-	-	-
	Pressure sensor switch for water tank (Italian)	"	-	-	-
17	विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)				
	a) Bath tub – 3'6" Medium	सेट	-	-	-
	Bath tub – 3'6" Heavy	"	-	-	-
	b) Bath tub – 4'0" Medium	"	6705	6705	6705
	Bath tub 4'0" Heavy	"	7787	7787	7787
	c) Bath Tub – 4'6" Medium	"	8111	8111	8111
	Bath tub – 4'6" Heavy	"	8137	8137	8137
	d) Bath tub – 5'0" Medium	"	8868	8868	8868
	Bath tub 5'0" Heavy	"	29355	29355	29355
	e) Bath Tub – 5'6" Medium	"	7957	7957	7957
	Bath tub – 5'6" Heavy	"	9373	9373	9373
	f) Bath Tub – 6'0" Medium	"	12875	12875	12875
	Bath tub – 6'0" Heavy	"	36823	36823	36823
18	Shower Tray 3'0"×3'0"	गोटा	500	500	500
19	Pipes and fittings				
	PPR pipe (any propylene)				

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	1) PP-R Pipe (PN-10)			
	20mm Outer, 1.9 mm thick, 0.107 kg/m	र.मि	63	63
	25mm 2.3 mm thick 0.164kg/m	"	95	95
	32mm 2.9 mm thick 0.26kg/m	"	152	152
	40mm 3.7 mm thick 0.412kg/m	"	239	239
	50mm 4.6 mm thick 0.638kg/m	"	372	372
	63 mm 8.6 mm thick 0.638kg/m	"	588	588
	75 mm	"	820	820
	90 mm	"	1181	1181
	110 mm	"	1751	1751
	2) PP-R Pipe (PN-16)			
	20mm 2.80 mm thick 0.148kg/m	"	84	84
	25mm 3.50 mm thick 0.26kg/m	"	131	131
	32mm 3.7 mm thick 0.230kg/m	"	209	209
	40mm 5.50 mm thick 0.575kg/m	"	335	335
	50mm 6.90 mm thick 0.896kg/m	"	521	521
	63 mm 4.6 mm thick 0.638kg/m	"	820	820
	75 mm	"	1169	1169
	90 mm	"	1670	1670
	110 mm	"	2501	2501
	3) PP-R Pipe (PN-20)			
	20mm 3.4 mm thick 0.172 kg/m	"	100	100
	25mm 4.20 mm thick 0.266kg/m	"	155	155
	32mm 5.40 mm thick 0.434kg/m	"	252	252
	40mm 6.70mm thick 0.671kg/m	"	390	390
	50mm 8.30 mm thick 1.04kg/m	"	605	605
	63mm 8.6mm thick 1.04kg/m	"	960	960
	75 mm	"	1361	1361
	90 mm	"	1955	1955
	110 mm	"	2915	2915
	PP-R Pipe Accessories :			
	Elbow (90⁰)			
	20mm	गोटा	13	13
	25mm	"	27	27
	32mm	गोटा	45	45
	40mm	"	95	95
	50mm	"	159	159
	63 mm	"	280	280
	75 mm	"	526	526
	90 mm	"	888	888
	110 mm	"	1653	1653
	Equal Tee			
	20mm	"	18	18
	25mm	"	32	32
	32mm	"	56	56
	40mm	"	109	109
	50mm	"	185	185
	63mm	"	337	337
	75 mm	"	584	584
	90 mm	"	1069	1069
	110 mm	"	1858	1858
	Coupler			
	20mm	गोटा	11	11
	25mm	"	13	13
	32mm	"	27	27
	40mm	"	52	52

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



सि.नं.	सामग्री र प्रजाविहको नाम नेपाल सरकार सुदूरपश्चिम प्रदेश सुदूरपश्चिम प्रदेश सरकार सुदूरपश्चिम प्रदेश सुदूरपश्चिम प्रदेश	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	50mm	"	86	86	86
	63 mm	"	151	151	151
	75 mm	"	292	292	292
	90 mm	"	432	432	432
	110 mm	"	788	788	788
	45 Degree Elbow				
	20 mm	"	18	18	18
	25 mm	"	30	30	30
	32 mm	"	46	46	46
	40 mm	"	86	86	86
	50 mm	"	144	144	144
	63 mm	"	238	238	238
	75 mm	"	467	467	467
	90 mm	"	788	788	788
	110 mm	"	1378	1378	1378
	Union (Plastic)				
	20mm	गोटा	70	70	70
	25mm	"	119	119	119
	32mm	"	192	192	192
	40mm	"	290	290	290
	50mm	"	456	456	456
	63mm	"	544	544	544
	Reducing Coupler				
	25mm*20mm	"	14	14	14
	32mm*20mm	"	19	19	19
	32mm*25mm	"	21	21	21
	40mm*20mm	"	31	31	31
	40mm*25mm	"	37	37	37
	40mm*32mm	"	44	44	44
	50mm*20mm	"	58	58	58
	50mm*25mm	"	64	64	64
	50mm*32mm	"	69	69	69
	50mm*40mm	"	76	76	76
	63mm*32mm	"	117	117	117
	63mm*40mm	"	122	122	122
	63mm*50mm	"	131	131	131
	75mm*40mm	"	195	195	195
	75mm*50mm	"	239	239	239
	75mm*63mm	"	241	241	241
	90mm*50mm	"	483	483	483
	90mm*63mm	"	521	521	521
	90mm*75mm	"	614	614	614
	110mm*75mm	"	818	818	818
	110mm*90mm	"	949	949	949
	Reducing Tee				
	25*20*25 mm	"	26	26	26
	32*20*32 mm	"	42	42	42
	32*25*32 mm	"	45	45	45
	40*20*40 mm	"	66	66	66
	40*25*40 mm	"	69	69	69
	40*32*40 mm	"	76	76	76
	50*20*50 mm	"	88	88	88
	50*25*50 mm	"	93	93	93
	50*32*50 mm	"	151	151	151
	50*40*50 mm	"	161	161	161
	63*32*63 mm	"	199	199	199
	63*40*63 mm	"	193	193	193
	63*50*63 mm	"	214	214	214

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
गृह मन्त्रालय
सिन्धुल एकाईसन् कोष
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरुको नाम	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	75*50*75 mm	439	439	439	
	75*63*75 mm	458	458	458	
	90*63*90 mm	926	926	926	
	90*75*90 mm	993	993	993	
	110*75*110 mm	1622	1622	1622	
	110*90*110 mm	1700	1700	1700	
	Reducing Elbow				
	25mm*20mm	22	22	22	
	32mm*20mm	32	32	32	
	32mm*25mm	41	41	41	
	High Footed Pipe Clip				
	20mm	गोटा 14	14	14	
	25mm	17	17	17	
	32mm	22	22	22	
	40mm	25	25	25	
	50mm	34	34	34	
	63 mm	39	39	39	
	Low Footed Pipe Clip				
	20mm	7	7	7	
	25mm	8	8	8	
	32mm	14	14	14	
	40mm	19	19	19	
	50mm	30	30	30	
	63 mm	38	38	38	
	"Y" type Pipe Clip				
	20mm	25	25	25	
	25mm	25	25	25	
	32mm	34	34	34	
	40 mm	48	48	48	
	End Plug (short)				
	20mm	14	14	14	
	25mm	22	22	22	
	32mm	34	34	34	
	End Plug with Ring				
	20mm	25	25	25	
	End Plug (long)				
	20mm	10	10	10	
	End Cap				
	20mm	14	14	14	
	25mm	22	22	22	
	32mm	34	34	34	
	40mm	53	53	53	
	50mm	88	88	88	
	63 mm	164	164	164	
	75 mm	246	246	246	
	Cross Tee				
	20mm	25	25	25	
	25mm	36	36	36	
	32mm	64	64	64	
	Short Passover				
	20mm	70	70	70	
	25mm	99	99	99	
	32mm	143	143	143	
	Long Bypass				
	20mm	93	93	93	
	25mm	135	135	135	
	32mm	191	191	191	

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
दर्रेट मु.अ.क. (VAT बाहेक) (रुपैयामा)
कृषि विकास विभाग
मुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Male Tee			
	20mmx1/2"	145	145	145
	25mmx1/2"	142	142	142
	25mmx3/4"	176	176	176
	32mmx1/2"	219	219	219
	32mmx3/4"	224	224	224
	32mmx1"	401	401	401
	Female Tee			
	20mmx1/2"	108	108	108
	25mmx1/2"	122	122	122
	25mmx3/4"	160	160	160
	32mmx1/2"	181	181	181
	32mmx3/4"	200	200	200
	32mmx1"	323	323	323
	Male elbow			
	20mmx1/2"	139	139	139
	25mmx1/2"	143	143	143
	25mmx3/4"	174	174	174
	32mmx1/2"	188	188	188
	32mmx3/4"	205	205	205
	32mmx1"	396	396	396
	Female elbow			
	20mmx1/2"	105	105	105
	25mmx1/2"	148	148	148
	25mmx3/4"	136	136	136
	32mmx1/2"	200	200	200
	32mmx3/4"	229	229	229
	32mmx1"	281	281	281
	Male Coupling			
	20mmx1/2"	136	136	136
	20mmx3/4"	163	163	163
	25mmx1/2"	130	130	130
	25mmx3/4"	164	164	164
	32mmx1/2"	182	182	182
	32mmx3/4"	23	23	23
	32mmx1"	385	385	385
	40mmx1-1/4"	548	548	548
	50mmx1-1/2"	828	828	828
	63mmx2"	1201	1201	1201
	75mmx2-1/2"	329	329	329
	Female Coupling			
	20mmx1/2"	102	102	102
	20mmx3/4"	125	125	125
	25mmx1/2"	114	114	114
	25mmx3/4"	128	128	128
	32mmx1/2"	123	123	123
	32mmx3/4"	131	131	131
	32mmx1"	300	300	300
	40mmx1-1/4"	482	482	482
	50mmx1-1/2"	626	626	626
	63mmx2"	922	922	922
	75mmx2-1/2"	1822	1822	1822
	Male Union			
	20mmx1/2"	245	245	245
	25mmx3/4"	352	352	352
	32mmx1"	506	506	506
	40mmx1 ^{1/4} "	977	977	977

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	50mmx1/2"	1342	1342	1342
	63mmx2"	3117	3117	3117
	Female Union			
	20mmx1/2"	238	238	238
	25mmx3/4"	346	346	346
	32mmx1"	487	487	487
	40mmx1 ¹ / ₄ "	746	746	746
	50mmx1/2"	1253	1253	1253
	63mmx2"	2372	2372	2372
	Stop Valve			
	a) 20 mm	288	288	288
	b) 25 mm	381	381	381
	c) 32 mm	462	462	462
	d) 40mm	610	610	610
	e)50 mm	1013	1013	1013
	f) 63 mm	1461	1461	1461
	Male base elbow			
	20mm x 1/2"	139	139	139
	25mm x 3/4"	180	180	180
	Female base elbow			
	20mm x 1/2"	147	147	147
	25mm x 1/2"	175	175	175
	25mm x 3/4"	162	162	162
	Metal Ball valve (double)			
	20mmx1/2"	657	657	657
	25mmx3/4"	887	887	887
	32mmx1"	1284	1284	1284
	40mmx1-1/4"	3257	3257	3257
	50mmx1-1/2"	4586	4586	4586
	Metal Ball valve (Single)			
	20mmx1/2"	648	648	648
	25mmx3/4"	872	872	872
	32mmx1"	1274	1274	1274
	Conceal Valve (Lux)			
	20mm	755	755	755
	Conceal Valve (Nor)			
	20mm	719	719	719
	Ball Valve (Plastic)			
	20mm	112	112	112
	25mm	151	151	151
	32mm	244	244	244
	40mm	478	478	478
	50mm	614	614	614
	63 mm	1091	1091	1091
	Ball Valve (Brass)			
	20mm	311	311	311
	25mm	441	441	441
	32mm	738	738	738
	40mm	1762	1762	1762
21	CPVC Pipes & Fittings for hot and cold water distribution system CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajoy, marvel or eqv.			
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)			

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	बरेल्ट सु.अ.क. (VAT वाहेक)(रुपैयामा)			
		एकाई	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	1/2" dia	Rm	115	115	115
	3/4" dia	"	160	160	160
	1" dia	"	210	210	210
	1-1/4" dia	"	261	261	261
	1-1/2" dia	"	366	366	366
	2" dia	"	559	559	559
	CPVC Pipe SDR 11 (28.1 Kg/cm2)				
	1/2" dia	"	133	133	133
	3/4" dia	"	178	178	178
	1" dia	"	248	248	248
	1-1/4" dia	"	300	300	300
	1-1/2" dia	"	418	418	418
	2" dia	"	677	677	677
	CPVC Pipe SDR 11.0 (Hilltake, Panchakanya, Mangalam flow life or eqv.)				
	1/2" dia	Rm	126	126	126
	3/4" dia	"	168	168	168
	1" dia	"	234	234	234
	1-1/4" dia	"	289	289	289
	1-1/2" dia	"	402	402	402
	2" dia	"	679	679	679
	CPVC Ball Valve (CTS Sockets)				
	1/2"	"	365	365	365
	3/4"	"	486	486	486
	1"	"	588	588	588
	1-1/4"	"	1371	1371	1371
	1-1/2"	"	1643	1643	1643
	2"	"	2117	2117	2117
	CPVC Reducer Brass Coupling	गोटा			
	3/4" X 1/2"	"	138	138	138
	1" X 1/2"	"	181	181	181
	CPVC Tee	गोटा			
	1/2"	"	36	36	36
	3/4"	"	77	77	77
	1"	"	117	117	117
	1-1/4"	"	220	220	220
	1-1/2"	"	320	320	320
	2"	"	687	687	687
	CPVC Reducer Tee	गोटा			
	1/2" x 1/2" x 3/4"	"	70	70	70
	3/4" x 3/4" x 1/2"	"	107	107	107
	3/4" x 1/2" x 3/4"	"	134	134	134
	3/4" x 1/2" x 1/2"	"	153	153	153
	1" x 1" x 3/4"	"	161	161	161
	1-1/2" x 1-1/2" x 1"	"	251	251	251
	2" x 2" x 1"	"	436	436	436
	1-1/4" x 1-1/4" x 1/2"	"	142	142	142
	1-1/4" x 1-1/4" x 1"	"	153	153	153
	2" x 2" x 1/2"	"	428	428	428
	1" x 1" x 1/2"	"	100	100	100

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	CPVC Brass FPT Tee	गोटा			
	1/2" x 1/2" x 1/2"	"	120	120	120
	3/4" x 3/4" x 1/2"	"	125	125	125
	1" x 1" x 1/2"	"	139	139	139
	1-1/4" x 1-1/4" x 1-1/4"	"	501	501	501
	1-1/4" x 1-1/4" x 1/2"	"	272	272	272
	CPVC Elbow 90°	गोटा			
	1/2"	"	25	25	25
	3/4"	"	52	52	52
	1"	"	95	95	95
	1-1/4"	"	179	179	179
	1-1/2"	"	267	267	267
	2"	"	572	572	572
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"		53	53	53
	CPVC Brass FPT Elbow 90°	गोटा			
	1/2" x 1/2"	"	84	84	84
	3/4" x 1/2"	"	97	97	97
	3/4" x 3/4"	"	111	111	111
	1" X 1/2"	"	215	215	215
	1" X 1"	"	596	596	596
	1-1/4" x 1-1/4"	"	774	774	774
	CPVC Elbow 45°	गोटा			
	1/2"	"	30	30	30
	3/4"	"	54	54	54
	1"	"	77	77	77
	1-1/4"	"	136	136	136
	1-1/2"	"	197	197	197
	2"	"	427	427	427
	CPVC Male Adapter (CPVC Threads)	गोटा			
	1/2"	"	22	22	22
	3/4"	"	39	39	39
	1"	"	59	59	59
	1-1/4"	"	106	106	106
	1-1/2"	"	149	149	149
	2"	"	290	290	290
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा			
	3/4" x 1/2"	"	41	41	41
	CPVC Male Adapters (Brass Threads)				
	1/2"	"	206	206	206
	3/4"	"	267	267	267
	1"	"	421	421	421
	1-1/4"	"	926	926	926
	1-1/2"	"	1080	1080	1080
	2"	"	2224	2224	2224
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	"	229	229	229
	CPVC Female Adapter (CPVC Threads)				
	1/2"		31	31	31

Handwritten signatures and marks at the bottom of the page.



दररेट मु. अ. क. (VAT वाहेक) (रुपैयामा)

सि. नं.	सामग्री र प्रजातिहरूको नाम	आ. व. ०७४/०७५	आ. व. ०७५/०७६	आ. व. ०७६/०७७
	3/4"	51	51	51
	1"	77	77	77
	CPVC Female Adapters Brass Threads	गोटा		
	1/2"	198	198	198
	3/4"	269	269	269
	1"	349	349	349
	1-1/4"	917	917	917
	1-1/2"	1020	1020	1020
	2"	1994	1994	1994
	CPVC Caps			
	1/2"	13	13	13
	3/4"	25	25	25
	1"	37	37	37
	1-1/4"	72	72	72
	1-1/2"	106	106	106
	2"	225	225	225
	CPVC Union			
	1/2"	270	270	270
	3/4"	398	398	398
	1"	471	471	471
	1-1/4"	862	862	862
	1-1/2"	942	942	942
	2"	1352	1352	1352
	CPVC Cross Tee			
	1/2"	49	49	49
	3/4"	106	106	106
	CPVC Step Over Bend			
	1/2"	63	63	63
	3/4"	104	104	104
	CPVC Ball Valve (CTS Sockets)			
	1/2"	661	661	661
	3/4"	805	805	805
	1"	921	921	921
	1-1/4"	1879	1879	1879
	1-1/2"	2391	2391	2391
	2"	3075	3075	3075
	CPVC Flow Guard Adhesive Solution			
	50ML	199	199	199
	118ML	329	329	329
	237ML	533	533	533
	473ML	838	838	838
	946ML	1471	1471	1471
	Plastic Strap			
	1/2"	5	5	5
	3/4"	5	5	5
	1"	8	8	8
	1-1/4"	11	11	11
	1-1/2"	15	15	15
	2"	18	18	18
	Metal Strap			
	1/2"	13	13	13

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	3/4" "	16	16	16
	1" "	21	21	21
	1-1/4" "	25	25	25
	1-1/2" "	27	27	27
	2" "	29	29	29
	Tee Holder			
	1/2" X 1/2" X 1/2" "	5	5	5
	3/4" X 3/4" X 1/2" "	8	8	8
	Elbow Holder			
	1/2" X 1/2" "	5	5	5
	1/2" X 3/4" "	7	7	7
	Snap Fix Repair Coupling			
	1/2" "	229	229	229
	3/4" "	248	248	248
	End plug threaded 1/2"	11	11	11
21	MS SEAMLESS PIPES			
	PIPES: ASTM-A-106-1 Gr.'B'/SA-106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239			
	MS PIPE SEAMLESS SIZE OD (MM)			
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	411	411	411
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	493	493	493
	33.4 mm OD 1" SCH.40, 3.38mm thickness	618	618	618
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	763	763	763
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	873	873	873
	60.3mm OD 2" SCH.40, 3.91 mm thickness	1121	1121	1121
	73mm OD 3" SCH.40,5.16 .mm thickness	1723	1723	1723
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	2255	2255	2255
	101.6mm OD 4" SCH.40, 5.74 mm thickness	2914	2914	2914
	114.3mm OD 5" SCH.40, 6.02 mm thickness	3210	3210	3210
	141.3mm OD 6" SCH.40, 6.557 mm thickness	4347	4347	4347
	168.3mm OD 4" SCH.40, 7.11 mm thickness	5643	5643	5643
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)			
	Single Socket (R/R)	Mtr	410	410
	Single Socket (R/R)	"	762	762
	Single Socket (R/R)	"	821	821
	Single Socket Self Fit	"	1058	1058
	Single Socket Self Fit	"	1294	1294
	Single Socket Self Fit	"	1778	1778
	Single Socket Self Fit	"	2093	2093

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकइ	कररेट सु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Single Socket Self Fit	"	2795	2795	2795
	Single Socket Self Fit	"	3331	3331	3331
	Long Radius Bend - 45 Degree	Pc	1083	1083	1083
	Long Radius Bend - 45 Degree	"	1977	1977	1977
	Long Radius Bend - 45 Degree	"	3569	3569	3569
	Long Radius Bend - 45 Degree	"	6921	6921	6921
	Long Radius Bend - 60 Degree	"	1193	1193	1193
	Long Radius Bend - 60 Degree	"	2186	2186	2186
	Long Radius Bend - 60 Degree	"	4010	4010	4010
	Long Radius Bend - 60 Degree	"	7593	7593	7593
	Long Radius Bend - 90 Degree	"	585	585	585
	Long Radius Bend - 90 Degree	"	1413	1413	1413
	Long Radius Bend - 90 Degree	"	2606	2606	2606
	Long Radius Bend - 90 Degree	"	4874	4874	4874
	Long Radius Bend - 90 Degree	"	8980	8980	8980
	Fab. Coupler	"	168	168	168
	Fab. Coupler	"	404	404	404
	Fab. Coupler	"	869	869	869
	Fab. Coupler	"	1700	1700	1700
	Fab. Coupler	"	3127	3127	3127
	End Cap	"	360	360	360
	End Cap	"	592	592	592
	End Cap	"	945	945	945
	End Cap	"	1380	1380	1380
	Equal Tee	"	10303	10303	10303
	Equal Tee	"	5929	5929	5929
	Equal Tee	"	3291	3291	3291
	Gully Trap with grating	"	962	962	962
	Rodding Point	"	570	570	570
	Adjustable Bend 7 Degree to 37.5 Degree	"	608	608	608
	Adjustable Bend 7 Degree to 87.5 Degree	"	834	834	834
	Inspection Chamber Body	"	3000	3000	3000
	Inspection Chamber Riser	"	1490	1490	1490
	Inspection Chamber Lid with Cover	"	2829	2829	2829
	Inspection Chamber Body	"	8284	8284	8284
	Inspection Chamber Riser	"	2634	2634	2634
	Inspection Chamber Lid with Cover	"	4395	4395	4395
24	GEBERIT				
	Geberit Products				
	Concealled Cisterns 9cm	"	7431	7431	7431
	Concealled Cisterns Kombo fix 8cm	"	9103	9103	9103
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646
	Concealled Cisterns 12cm	"	9140	9140	9140
	Dual Flush Actuator Plate Shiny Chrome	"	3646	3646	3646
	Traps for Wash Basins	"	1004	1004	1004

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	ड्ररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Sensor for Urinal 9V DC	25764	25764	25764
	Sensor for Urinal 230V AC	25764	25764	25764
	control box for urinal sensor	7078	7078	7078
	Sensor Faucet Cold / Mixed water 6V DC	32159	32159	32159
	Sensor Faucet Cold / Mixed water 230V AC	32159	32159	32159
22	PVC Lead Free White Pipes SCHEDULE 40			
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564			
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.		
	1/2" dia. (42.19 Kg/cm2)	114	114	114
	3/4" dia. (33.75 Kg/cm2)	147	147	147
	1" dia. (31.64 Kg/cm2)	226	226	226
	1-1/4" dia. (26.01 Kg/cm2)	279	279	279
	1-1/2" dia. (23.20 Kg/cm2)	342	342	342
	2" dia. (19.69 Kg/cm2)	485	485	485
	2-1/2" dia. (21.09 Kg/cm2)	678	678	678
	3" dia. (18.28 Kg/cm2)	856	856	856
	4" dia. (15.47 Kg/cm2)	1256	1256	1256
	6" dia. (12.66 Kg/cm2)	2616	2616	2616
	PVC Tee - Soc	गोटा		
	1/2"	32	32	32
	3/4"	44	44	44
	1"	69	69	69
	1-1/4"	109	109	109
	1-1/2"	143	143	143
	2"	221	221	221
	2-1/2"	633	633	633
	3"	831	831	831
	4"	1503	1503	1503
	6"	8336	8336	8336
	PVC Reducer Tee - Soc	गोटा		
	3/4 x 1/2	63	63	63
	1 x 1/2	97	97	97
	1 x 3/4	97	97	97
	1-1/2 X 1/2	329	329	329
	1-1/2 X 3/4	329	329	329
	1-1/2 X 1	329	329	329
	1-1/2 X 1-1/4	329	329	329
	2 X 1/2	406	406	406
	2 X 3/4	406	406	406
	2 X 1	406	406	406
	2 X 1-1/4	406	406	406
	2 X 1-1/2	406	406	406
	2-1/2 X 1/2	1043	1043	1043
	2-1/2 X 3/4	1043	1043	1043

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	2-1/2 X 1/2	कोट	1043	1043	1043
	2-1/2 X 1-1/4	"	1043	1043	1043
	2-1/2 X 1-1/2	"	1043	1043	1043
	2-1/2 X 2	"	1043	1043	1043
	3 X 1/2	"	1523	1523	1523
	3 X 3/4	"	1523	1523	1523
	3 X 1	"	1523	1523	1523
	3 X 1-1/4	"	1523	1523	1523
	3 X 1-1/2	"	1523	1523	1523
	3 X 2	"	1523	1523	1523
	3 X 2-1/2	"	1523	1523	1523
	6 X 1-1/4	"	8007	8007	8007
	6 X 1-1/2	"	8007	8007	8007
	6 X 2	"	8007	8007	8007
	6 X 2-1/2	"	8007	8007	8007
	6 X 3	"	8007	8007	8007
	6 X 4	"	8007	8007	8007
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा			
	1/2"	"	161	161	161
	3/4"	"	292	292	292
	3/4" X 1/2"	"	237	237	237
	1" X 1/2"	"	420	420	420
	PVC 90° Elbow - Soc	गोटा			
	1/2"	"	26	26	26
	3/4"	"	30	30	30
	1"	"	53	53	53
	1-1/4"	"	93	93	93
	1-1/2"	"	109	109	109
	2"	"	167	167	167
	2-1/2"	"	496	496	496
	3"	"	594	594	594
	4"	"	1216	1216	1216
	6"	"	5121	5121	5121
	PVC Brass 90° Elbow Soc x Fipt SCH 80	गोटा			
	1/2"	"	173	173	173
	3/4"	"	242	242	242
	3/4" X 1/2"	"	250	250	250
	PVC 45° Elbow - Soc	गोटा			
	1/2"	"	55	55	55
	3/4"	"	86	86	86
	1"	"	102	102	102
	1-1/4"	"	143	143	143
	1-1/2"	"	180	180	180
	2"	"	234	234	234
	2-1/2"	"	669	669	669
	3"	"	1040	1040	1040
	4"	"	1866	1866	1866
	6"	"	5135	5135	5135
	PVC Coupling - Soc	गोटा			
	1/2"	"	17	17	17

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	इस्टे. मु. अ. क. (VAT वाहेक) (रुपैयामा)		
		आ. व. ०७४/०७५	आ. व. ०७५/०७६	आ. व. ०७६/०७७
	3/4"	26	26	26
	1"	41	41	41
	1-1/4"	56	56	56
	1-1/2"	76	76	76
	2"	117	117	117
	2-1/2"	247	247	247
	3"	386	386	386
	4"	604	604	604
	6"	2420	2420	2420
	PVC Reducer Coupling - Soc	गोटा		
	3/4 X 1/2	42	42	42
	1 X 3/4	73	73	73
	1-1/2 X 1-1/4	131	131	131
	2 X 1-1/2	208	208	208
	4 x 2	1392	1392	1392
	4 X 3	1392	1392	1392
	6 X 4	2895	2895	2895
	PVC Reducer Bushing - (Flush Style)	गोटा		
	3/4 X 1/2	35	35	35
	1 X 1/2	50	50	50
	1 X 3/4	50	50	50
	1-1/4 X 1/2	86	86	86
	1-1/4 X 3/4	86	86	86
	1-1/4 X 1	86	86	86
	1-1/2 X 1/2	90	90	90
	1-1/2 X 3/4	90	90	90
	1-1/2 X 1	90	90	90
	1-1/2 X 1-1/4	90	90	90
	2 X 1/2	165	165	165
	2 X 3/4	165	165	165
	2 X 1	165	165	165
	2 X 1-1/4	165	165	165
	2 X 1-1/2	165	165	165
	2-1/2 X 1-1/4	232	232	232
	2-1/2 X 1-1/2	232	232	232
	2-1/2 X 2	232	232	232
	3 X 1-1/2	344	344	344
	3 X 2	344	344	344
	3 X 2-1/2	344	344	344
	4 X 2	676	676	676
	4 X 3	676	676	676
	6 X 2	2271	2271	2271
	6 X 3	2271	2271	2271
	6 X 4	2271	2271	2271
	PVC Cap - Soc	गोटा		
	1/2"	24	24	24
	3/4"	30	30	30
	1"	42	42	42
	1-1/4"	60	60	60
	1-1/2"	66	66	66

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.



नेपाल सरकार
 वनस्पति विभाग
 काठमाडौं

सि.नं.	सामग्री र प्रजातिहरूको नाम	दरिद्र मु.अ.क. (VAT वाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	2"	79	79	79
	2-1/2"	254	254	254
	3"	278	278	278
	4"	633	633	633
	6"	2498	2498	2498
	PVC Union - Soc With EPDM O-Ring Seal	रोटा		
	1/2"	254	254	254
	3/4"	291	291	291
	1"	298	298	298
	1-1/4"	960	960	960
	1-1/2"	1001	1001	1001
	2"	1350	1350	1350
	2-1/2"	1889	1889	1889
	3"	3018	3018	3018
	4"	4178	4178	4178
	PVC Male Adaptor - Soc x MBSP	रोटा		
	1/2"	46	46	46
	3/4"	54	54	54
	1"	71	71	71
	1-1/4"	87	87	87
	1-1/2"	121	121	121
	2"	156	156	156
	2-1/2"	545	545	545
	3"	648	648	648
	4"	1025	1025	1025
	6"	2359	2359	2359
	PVC Brass Male Adapter - Soc x Mipt SCH 80	रोटा		
	1/2"	262	262	262
	3/4"	350	350	350
	1"	527	527	527
	PVC Female Adaptor - Soc x FBSP	रोटा		
	1/2"	59	59	59
	3/4"	61	61	61
	1"	64	64	64
	1-1/4"	167	167	167
	1-1/2"	245	245	245
	2"	238	238	238
	PVC Brass Female Adapter - Soc x Fipt SCH 80	रोटा		
	1/2"	220	220	220
	3/4"	311	311	311
	1"	399	399	399
	PVC Ball Valve - Soc	रोटा		
	1/2"	881	881	881
	3/4"	1048	1048	1048
	1"	1466	1466	1466
	1-1/4"	1985	1985	1985
	1-1/2"	3027	3027	3027
	2"	3828	3828	3828
	2-1/2"	6323	6323	6323

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक/इ नुमाकोट	इररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	3"	"	10018	10018	10018
	4"	"	16556	16556	16556
	6"	"	35961	35961	35961
	PVC Adhesive Solution (Med. Bonded 705)	गोटा			
	118ML	"	306	306	306
	237ML	"	439	439	439
	473ML	"	795	795	795
	946ML	"	1308	1308	1308
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा			
	118ML	"	492	492	492
	237ML	"	649	649	649
	473ML	"	1138	1138	1138
	946ML	"	1969	1969	1969
23	Rainwater Collection System sintex or Prince Brand Roof)				
	140 mm Dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	159	159	159
	JOINT BRACKET To connect two lengths of roof water	Pc.	257	257	257
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	352	352	352
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	432	432	432
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	432	432	432
	SHORT STOP END To close the end of roof water pipe line.	Pc.	95	95	95
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	305	305	305
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	77	77	77
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	50	50	50

Handwritten signatures and marks at the bottom of the page, including a large '7' and various scribbles.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	32	32	32
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	77	77	77
	RUBBER GASKET To provide leak proof joints.	Pc.	30	30	30
	75 mm dia.				0
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	63	63	63
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	38	38	38
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	126	126	126
	180 mm dia.				0
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	302	302	302
	JOINT BRACKET To connect two lengths of roof water	Pc.	358	358	358
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	518	518	518
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	592	592	592
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	592	592	592
	SHORT STOP END To close the end of roof water pipe line.	Pc.	140	140	140
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	424	424	424
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	108	108	108

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट म.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	91	91	91
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	51	51	51
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	110	110	110
	RUBBER GASKET To provide leak proof joints.	Pc.	41	41	41
	110 mm dia.				0
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	68	68	68
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	44	44	44
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	243	243	243
	250 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	585	585	585
	JOINT BRACKET To connect two lengths of roof water	Pc.	614	614	614
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	965	965	965
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1387	1387	1387
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1387	1387	1387
	SHORT STOP END To close the end of roof water pipe line.	Pc.	302	302	302
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	802	802	802

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	प्रकार	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	300	300	300
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	164	164	164
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	122	122	122
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	318	318	318
	RUBBER GASKET To provide leak proof joints.	Pc.	166	166	166
	160 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	82	82	82
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	191	191	191
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	437	437	437
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	247	247	247
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	438	438	438
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	262	262	262
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	470	470	470
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	447	447	447
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	673	673	673
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	473	473	473
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	696	696	696
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	959	959	959
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1196	1196	1196
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1022	1022	1022

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाइ	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1350	1350	1350
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	pcs	140	140	140
	DWV Bend 87.5 Degree	"	177	177	177
	DWV Bend 87.5 Degree with Door	"	81	81	81
	DWV Socket Plug	"	189	189	189
	DWV Cleansing Pipe	"	114	114	114
	DWV Coupler	"	202	202	202
	DWV Single Tee	"	222	222	222
	DWV Single Tee with Door	"	349	349	349
	DWV Cross Tee	"	491	491	491
	DWV Cross Tee with Door	"	361	361	361
	DWV Double 'Y'	"	481	481	481
	DWV Double 'Y' with Door	"	226	226	226
	DWV Single 'Y'	"	288	288	288
	DWV Single 'Y' with Door	"	12	12	12
	DWV Pipe Clip	"	25	25	25
	DWV Vent Cowel	"	230	230	230
	DWV Bend 45 Degree 110mm size	"	282	282	282
	DWV Bend 87.5 Degree	"	323	323	323
	DWV Bend 87.5 Degree with Door	"	103	103	103
	DWV Socket Plug	"	370	370	370
	DWV Cleansing Pipe	"	206	206	206
	DWV Coupler	"	684	684	684
	DWV Double 'Y'	"	808	808	808
	DWV Double 'Y' with Door	"	566	566	566
	DWV Cross Tee	"	642	642	642
	DWV Cross Tee with Door	"	370	370	370
	DWV Single Tee	"	437	437	437
	DWV Single Tee with Door	"	453	453	453
	DWV Single 'Y'	"	475	475	475
	DWV Single 'Y' with Door	"	47	47	47
	DWV Vent Cowel	"	161	161	161
	DWV Reducer 110*75 mm	"	36	36	36
	DWV Pipe Clip 110mm size	"	436	436	436
	DWV W.C. Connectore (Straight type)	"	348	348	348
	DWV W.C. Connectore (Bend type)	"	174	174	174
	DWV Nahani Trap - 3" Height without Jali 75 mm	"	24	24	24
	DWV Nahani Trap Jali	"	539	539	539
	DWV P-Trap with Leap Ring 10*110 mm	"	773	773	773
	DWV P-Trap with Leap Ring 25*110 mm	"	232	232	232
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	470	470	470
	DWV Reducer 60*110 mm	"	449	449	449
	DWV Coupler 160mm size	"	1077	1077	1077
	DWV Single Tee	"	1157	1157	1157
	DWV Single Tee with Door	"	2016	2016	2016
	DWV Single 'Y'	"	2118	2118	2118
	DWV Single 'Y' with Door	"	742	742	742

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	DWV Bend 87.5 Degree	"	988	988	988
	DWV Bend 87.5 Degree with Door	"	864	864	864
	DWV Bend 45 Degree	"			
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	584	584	584
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	606	606	606
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	630	630	630
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	593	593	593
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	604	604	604
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1078	1078	1078
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1120	1120	1120
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1163	1163	1163
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1096	1096	1096
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1116	1116	1116
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1688	1688	1688
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1718	1718	1718
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1746	1746	1746
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	2801	2801	2801
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	2849	2849	2849
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	2899	2899	2899
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	3709	3709	3709
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	3773	3773	3773
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	3838	3838	3838
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	4583	4583	4583
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	4663	4663	4663
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	4743	4743	4743
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	583	583	583
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	598	598	598
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	613	613	613
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	594	594	594
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	605	605	605
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1077	1077	1077
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1109	1109	1109
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1139	1139	1139
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1097	1097	1097

Handwritten signatures and initials at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	1116	1116	1116
	FOAMCORE Plain Both End (6mtrs length) SN-4	1688	1688	1688
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	1718	1718	1718
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	1747	1747	1747
	FOAMCORE Plain Both End (6mtrs length) SN-4	2801	2801	2801
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	2849	2849	2849
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	2898	2898	2898
	FOAMCORE Plain Both End (6mtrs length) SN-2	3709	3709	3709
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	3773	3773	3773
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	3838	3838	3838
	FOAMCORE Plain Both End (6mtrs length) SN-4	4583	4583	4583
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	4663	4663	4663
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	4743	4743	4743
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR			
	DWV Coupler SN-8 110mm	per pc	294	294
	DWV Coupler SN-4 mm 160	"	708	708
	DWV Coupler SN-4 200 mm	"	1447	1447
	DWV Coupler SN-4 250 mm	"	2697	2697
	DWV Coupler SN-2 315mm	"	4338	4338
	DWV Coupler SN-4 315 mm	"	4736	4736
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1001	1001
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	2787	2787
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5205	5205
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	11668	11668
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	27705	27705
24	Multilayer Composite Pipe (Sanghai, or eqv.)			
	Cold Water Pipe (White)			
	12-16 mm ½"	Rm	101	101
	14-18 mm ½"	"	111	111
	16-20 mm ½"	"	119	119
	20-25 mm ¾"	"	180	180
	26-32 mm 1"	"	281	281
	32-40 mm 1¼"	"	446	446
	41-50 mm 1½"	"	653	653
	Hot Water Pipe (Orange)			
	12-16 mm ½"	Rm	111	111
	14-18 mm ½"	"	123	123

सि.नं.	सामग्री र प्रजातिहरूको नाम	वटरेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	16-20 mm ½"	"	141	141	141
	20-25 mm ¾"	"	208	208	208
	26-32 mm 1"	"	302	302	302
	32-40 mm 1¼"	"	465	465	465
	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	Rm	87	87	87
	14-18 mm ½"	"	87	87	87
	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½"ø (16mm ø)	गोटा	133	133	133
	½"ø (18mm ø)	"	140	140	140
	½"ø (20mm ø)	"	154	154	154
	¾" ø (25 mm ø)	"	225	225	225
	1" ø (32 mm ø)	"	351	351	351
	1¼" ø (40 mm ø)	"	1296	1296	1296
	1½" ø (50 mm ø)	"	1958	1958	1958
	b. Unequal Straight Union				
	25 - 16 mm ø	"	252	252	252
	25 - 18 mm ø	"	261	261	261
	25 - 20 mm ø	"	275	275	275
	32 - 16 mm ø	"	338	338	338
	32 - 18 mm ø	"	356	356	356
	32 - 20 mm ø	"	383	383	383
	32 - 25 mm ø	"	410	410	410
	40 - 32 mm ø	"	1121	1121	1121
	50 - 20 mm ø	"	1634	1634	1634
	50 - 32 mm ø	"	1958	1958	1958
	50 - 40 mm ø	"	1845	1845	1845
	c. Male Union				
	16mm x ½"M	गोटा	95	95	95
	18mm x ½"M	"	110	110	110
	20mm x ½"M	"	126	126	126
	25mm x ½"M	"	153	153	153
	25mm x ¾"M	"	194	194	194
	25mm x 1"M	"	248	248	248
	32mm x ¾"M	"	284	284	284
	32mm x 1"M	"	311	311	311
	32mm x 1½"M	"	315	315	315
	40mm x 1"M	"	995	995	995
	40mm x 1½"M	"	1030	1030	1030
	50mm x 1"M	"	1563	1563	1563
	50mm x 1¼"M	"	1590	1590	1590
	50mm x 1½"M	"	2160	2160	2160
	50mm x 2"M	"	1623	1623	1623
	d. Female Straight Union				
	16mm x ½"F	गोटा	104	104	104
	18mm x ½"F	"	113	113	113
	20mm x ½"F	"	122	122	122
	25mm x ½"F	"	162	162	162
	25mm x ¾"F	"	194	194	194
	25mm x 1"F	"	198	198	198
	32mm x ½"F	"	203	203	203
	32mm x ¾"F	"	207	207	207
	32mm x 1"F	"	293	293	293
	40mm x 1½"F	"	1168	1168	1168

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller marks on the right.



नेपाल सरकार
महानगरपालिका
प्रशासनिक कार्यालय
नुवाकोट

दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)

सि.नं.	सामग्री र प्रजातिहरूको नाम	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	50mm x 1¼"F	"	1575	1575
	50mm x 1½"F	"	2160	2160
	50mm x 2"F	"	1638	1638
e. Equal Elbow				
	½"ø (16mm ø)	गोटा	126	126
	½"ø (18mm ø)	"	153	153
	½"ø (20mm ø)	"	207	207
	¾" ø (25 mm ø)	"	315	315
	1" ø (32 mm ø)	"	509	509
	1¼" ø (40 mm ø)	"	1656	1656
	1½" ø (50 mm ø)	"	2565	2565
f. Unequal Elbow				
	40 - 32 mm ø	"	1836	1836
	50 - 20 mm ø	"	2115	2115
	50 - 40 mm ø	"	2156	2156
g. Female Elbow				
	16mm x ½"F	गोटा	167	167
	18mm x ½"F	"	185	185
	20mm x ½"F	"	203	203
	25mm x ½"F	"	225	225
	25mm x ¾"F	"	279	279
	25mm x 1"F	"	306	306
	32mm x ¾"F	"	329	329
	32mm x 1"F	"	410	410
	50mm x 1¼"F	"	2115	2115
h. Male Elbow				
	25mm x ¾"M	"	225	225
	25mm x 1"M	"	293	293
	32mm x ¾"M	"	221	221
	32mm x 1"M	"	374	374
	40mm x 1"M	"	1215	1215
	50mm x 1"M	"	1732	1732
i. Equal Tee				
	½"ø (16mm ø)	गोटा	225	225
	½"ø (18mm ø)	"	252	252
	½"ø (20mm ø)	"	315	315
	¾" ø (25 mm ø)	"	455	455
	1" ø (32 mm ø)	"	711	711
	1¼" ø (40 mm ø)	"	2658	2658
	1½" ø (50 mm ø)	"	3884	3884
j. Unequal Tee				
	20 mm x 16 mm x 20 mm	"	203	203
	20 mm x 18 mm x 20 mm	"	225	225
	25 mm x 16 mm x 25 mm	"	338	338
	25 mm x 18 mm x 25 mm	"	383	383
	25 mm x 20 mm x 25 mm	"	396	396
	32 mm x 16 mm x 32 mm	"	653	653
	32 mm x 18 mm x 32 mm	"	675	675
	32 mm x 20 mm x 32 mm	"	702	702
	32 mm x 25 mm x 32 mm	"	720	720
	40 mm x 32 mm x 32 mm	"	1967	1967
	40 mm x 32 mm x 40 mm	"	2278	2278
	50 mm x 20 mm x 50 mm	"	3105	3105
	50 mm x 32 mm x 32 mm	"	2047	2047
	50 mm x 32 mm x 50 mm	"	3137	3137
	50 mm x 40 mm x 40 mm	"	3147	3147
	50 mm x 40 mm x 50 mm	"	3595	3595

Handwritten signatures and marks at the bottom of the page.



सि. नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	k. Female Tee			
	16mm x 1/2"F x 16mm	गोटा 225	225	225
	18mm x 1/2"F x 18mm	" 234	234	234
	20mm x 1/2"F x 20mm	" 252	252	252
	25mm x 1/2"F x 25mm	" 237	237	237
	25mm x 3/4"F x 25mm	" 261	261	261
	25mm x 1"F x 25mm	" 338	338	338
	32mm x 1/2"F x 32mm	" 365	365	365
	32mm x 3/4"F x 32mm	" 374	374	374
	32mm x 1"F x 32mm	" 507	507	507
	40mm x 3/4"F x 32mm	" 1496	1496	1496
	50mm x 3/4"F x 40mm	" 2219	2219	2219
	l. Equal Ball Valve Union			
	1/2"ø (16mm ø)	गोटा 262	262	262
	1/2"ø (18mm ø)	" 291	291	291
	1/2"ø (20mm ø)	" 383	383	383
	3/4" ø (25 mm ø)	" 635	635	635
	1" ø (32 mm ø)	" 882	882	882
	1 1/4" ø (40 mm ø)	" 2882	2882	2882
	1 1/2" ø (50 mm ø)	" 4159	4159	4159
	m. Female Ball Valve Union			
	16mm x 1/2"F	गोटा 244	244	244
	18mm x 1/2"F	" 280	280	280
	20mm x 1/2"F	" 313	313	313
	20mm x 3/4"F	" 351	351	351
	25mm x 3/4"F	" 653	653	653
	25mm x 1"F	" 666	666	666
	32mm x 1"F	" 702	702	702
	n. Plug			
	1 1/4" ø (40 mm ø)	" 1440	1440	1440
	1 1/2" ø (50 mm ø)	" 1980	1980	1980
	p. Wall Plated Female Elbow			
	16mm x 1/2"F	गोटा 189	189	189
	18mm x 1/2"F	" 207	207	207
	20mm x 1/2"F	" 225	225	225
	q. Nipple			
	N 1/2F*1/2F	गोटा 49	49	49
	N 1/2M*1/2M	" 49	49	49
	N 3/4F*1/2F	" 68	68	68
	N 1F*1/2F	" 77	77	77
	N 1F*3/4F	" 87	87	87
	N 3/4M*1/2M	" 68	68	68
	N 1M*1/2M	" 77	77	77
	N 1M*3/4M	" 87	87	87
	N 1/2F*1/2M	" 59	59	59
	N 1/2F*3/4M	" 68	68	68
	N 1/2F*1M	" 107	107	107
	N 1/2M*3/4F	" 68	68	68
	N 1/2M*1F	" 112	112	112
	N 3/4F*3/4M	" 87	87	87
	N 3/4F*1M	" 96	96	96
	N 3/4M*1F	" 127	127	127
25	Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually			

Handwritten signatures and notes at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम		दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	486	486	486
	a.2) Failure chagre per well	संख्या	1350	1350	1350
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	693	693	693
	b.2) Failure chagre per well	संख्या	3600	3600	3600
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1323	1323	1323
	c.2) Failure chagre per well	संख्या	4680	4680	4680
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	1872	1872	1872
	d.2) Failure chagre per well	संख्या	5400	5400	5400
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1575	1575	1575
26	R.C.C. Hume Pipe & Hume Pipe Collar				
	PIPES				
	a) NP-2				
	150 mm dia.	र.मि	533	533	580
	200 mm dia.	"	693	693	760
	250 mm dia.	"	868	868	955
	300 mm dia.	"	1176	1176	1290
	350 mm dia.	"	1300	1300	1430
	375 mm dia.	"	1424	1424	1565
	400 mm dia.	"	1636	1636	1790
	450 mm dia.	"	1733	1733	1900
	500 mm dia.	"	1944	1944	2135
	600 mm dia.	"	2565	2565	2800
	700 mm dia.	"	3347	3347	3675
	750 mm dia.	"	3618	3618	3975
	800 mm dia.	"	4039	4039	4440
	900 mm dia.	"	5457	5457	6000
	1000 mm dia.	"	6367	6367	7000
	1200 mm dia.	"	7766	7766	8540
	1500 mm dia.	"	16326	16326	17950
	b) NP-3				
	150 mm dia.	र.मि	1191	1191	1305
	200 mm dia.	"	1586	1586	1740
	250 mm dia.	"	1983	1983	2180
	300 mm dia.	"	2850	2850	3130
	350 mm dia.	"	3197	3197	3515
	375 mm dia.	"	3418	3418	3750
	400 mm dia.	"	3642	3642	4000
	450 mm dia.	"	4088	4088	4490
	500 mm dia.	"	4558	4558	5010
	600 mm dia.	"	5632	5632	6190
	700 mm dia.	"	6800	6800	7475
	750 mm dia.	"	7810	7810	8590
	800 mm dia.	"	8524	8524	9375
	900 mm dia.	"	11056	11056	12150

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री ब्यवहारको नाम जिला प्रशासन कार्यालय नुवाकोट	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	1000 mm dia.	..	12285	12285	13500
	1200 mm dia.	..	14622	14622	16080
	1500 mm dia.	..	22976	22976	25270
	R.C.C. Hume Pipe Collar				
	a) NP-2				
	150 mm dia.	गोटा	133	133	145
	200 mm dia.	..	175	175	190
	250 mm dia.	..	217	217	235
	300 mm dia.	..	294	294	320
	350 mm dia.	..	324	324	350
	375 mm dia.	..	356	356	390
	400 mm dia.	..	410	410	450
	450 mm dia.	..	433	433	475
	500 mm dia.	..	487	487	535
	600 mm dia.	..	642	642	705
	700 mm dia.	..	837	837	920
	750 mm dia.	..	904	904	990
	800 mm dia.	..	1009	1009	1100
	900 mm dia.	..	1364	1364	1500
	1000 mm dia.	..	1591	1591	1750
	1200 mm dia.	..	1942	1942	2130
	1500 mm dia.	..	4081	4081	4475
	b) NP-3				
	150 mm dia.	..	297	297	325
	200 mm dia.	..	397	397	435
	250 mm dia.	..	496	496	545
	300 mm dia.	..	712	712	775
	350 mm dia.	..	799	799	875
	375 mm dia.	..	854	854	930
	400 mm dia.	..	910	910	1000
	450 mm dia.	..	1022	1022	1120
	500 mm dia.	..	1140	1140	1250
	600 mm dia.	..	1409	1409	1540
	700 mm dia.	..	1700	1700	1860
	750 mm dia.	..	1952	1952	2145
	800 mm dia.	..	2131	2131	2340
	900 mm dia.	..	2764	2764	3030
	1000 mm dia.	..	3072	3072	3375
	1200 mm dia.	..	3655	3655	4020
	1500 mm dia.	..	5744	5744	6300
	R.C.C. Spigot Pipes (Socket System)				
	a) NP-2				
	150 mm dia.	र.मि	-	-	-
	200 mm dia.	..	-	-	-
	250 mm dia.	..	-	-	-
	300 mm dia.	..	-	-	-
	350 mm dia.	..	-	-	-
	400 mm dia.	..	-	-	-
	450 mm dia.	..	-	-	-
	500 mm dia.	..	-	-	-
	600 mm dia.	..	-	-	-
	700 mm dia.	..	-	-	-
	750 mm dia.	..	-	-	-
	800 mm dia.	..	-	-	-

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
निर्देशनालय
काठमाडौं

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेखामु अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	900 mm dia.	-	-	-	
	1000 mm dia.	-	-	-	
	1200 mm dia.	-	-	-	
	b) NP-3				
	150 mm dia.	र.मि 1345	1345	1475	
	200 mm dia.	1825	1825	2000	
	250 mm dia.	2280	2280	2505	
	300 mm dia.	3276	3276	3600	
	350 mm dia.	-	-	-	
	400 mm dia.	4189	4189	4605	
	450 mm dia.	4703	4703	5170	
	500 mm dia.	5242	5242	5765	
	600 mm dia.	6477	6477	7120	
	700 mm dia.	7821	7821	8600	
	800 mm dia.	9803	9803	10780	
	900 mm dia.	12716	12716	13980	
	1000 mm dia.	14128	14128	15540	
	1200 mm dia.	16816	16816	18490	
	1500 mm dia.	27035	27035	29735	
	1600 mm dia.	31183	31183	34300	
	1800 mm dia.	41533	41533	45680	
27	High Density Polythene Pipe NS-40				
	Pipes of different sizes, series & pressure				
	HDP Pipe	Kg	214	240	265
27.1	2.5Kg/cm² Series II				
	63 mm (0.403 Avg.wt Kg/m)	Rm	86	97	107
	75 mm (0.557 Avg.wt Kg/m)	..	119	134	148
	90 mm (0.799 Avg.wt Kg/m)	..	171	192	212
	110 mm (1.185 Avg.wt Kg/m)	..	254	284	314
	125 mm (1.530 Avg.wt Kg/m)	..	327	367	405
	140 mm (1.897 Avg.wt Kg/m)	..	406	455	503
	160 mm (2.453 Avg.wt Kg/m)	..	525	589	650
	180 mm (3.148 Avg.wt Kg/m)	..	674	756	834
	200 mm (3.875 Avg.wt Kg/m)	..	829	930	1027
	225 mm (4.822 Avg.wt Kg/m)	..	1032	1157	1278
	250 mm (6.012 Avg.wt Kg/m)	..	1287	1443	1593
	280 mm (7.471 Avg.wt Kg/m)	..	1599	1793	1980
	315 mm (9.417 Avg.wt Kg/m)	..	2015	2260	2496
	355 mm (11.957 Avg.wt Kg/m)	..	2559	2870	3169
	400 mm (15.221 Avg.wt Kg/m)	..	3257	3653	4034
	450 mm (19.163 Avg.wt Kg/m)	..	4101	4599	5078
27.2	4 Kg/cm² Series III				
	40 mm (0.251 Avg.wt Kg/m)	Rm	54	60	67
	50 mm (0.378 Avg.wt Kg/m)	..	81	91	100
	63 mm (0.585 Avg.wt Kg/m)	..	125	140	155
	75 mm (0.846 Avg.wt Kg/m)	..	181	203	224
	90 mm (1.220 Avg.wt Kg/m)	..	261	293	323
	110 mm (1.703 Avg.wt Kg/m)	..	364	409	451
	125 mm (2.289 Avg.wt Kg/m)	..	490	549	607
	140 mm (2.901 Avg.wt Kg/m)	..	621	696	769
	160 mm (3.773 Avg.wt Kg/m)	..	807	906	1000
	180 mm (4.762 Avg.wt Kg/m)	..	1019	1143	1262

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
गृह प्रणाली
निजसंसाधन विभाग
काठमाडौं

सि.नं.	सामग्री र प्रजातिहरूको नाम	माप	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	200 mm (5.890 Avg.wt Kg/m)	..	1260	1414	1561
	225 mm (7.445 Avg.wt Kg/m)	..	1593	1787	1973
	250 mm (9.187 Avg.wt Kg/m)	..	1966	2205	2435
	280 mm (11.455 Avg.wt Kg/m)	..	2451	2749	3036
	315 mm (14.508 Avg.wt Kg/m)	..	3105	3482	3845
	355mm (18.382 Avg.wt Kg/m)	..	3934	4412	4871
	400mm (23.343 Avg.wt Kg/m)	..	4995	5602	6186
	450mm (29.351 Avg.wt Kg/m)	..	6281	7044	7778
27.3	6 Kg/cm² Series IV				
	32 mm (0.226 Avg.wt Kg/m)	Rm	48	54	60
	40 mm (0.350 Avg.wt Kg/m)	..	75	84	93
	50 mm (0.542 Avg.wt Kg/m)	..	116	130	144
	63 mm (0.850 Avg.wt Kg/m)	..	182	204	225
	75 mm (1.191 Avg.wt Kg/m)	..	255	286	316
	90 mm (1.717 Avg.wt Kg/m)	..	367	412	455
	110 mm (2.545 Avg.wt Kg/m)	..	545	611	674
	125 mm (3.293 Avg.wt Kg/m)	..	705	790	873
	140 mm (4.150 Avg.wt Kg/m)	..	888	996	1100
	160 mm (5.355 Avg.wt Kg/m)	..	1146	1285	1419
	180 mm (6.800 Avg.wt Kg/m)	..	1455	1632	1802
	200 mm (8.391 Avg.wt Kg/m)	..	1796	2014	2224
	225 mm (10.544 Avg.wt Kg/m)	..	2256	2531	2794
	250 mm (13.041 Avg.wt Kg/m)	..	2791	3130	3456
	280 mm (16.327 Avg.wt Kg/m)	..	3494	3918	4327
	315 mm (20.694 Avg.wt Kg/m)	..	4429	4967	5484
	355 mm (26.243 Avg.wt Kg/m)	..	5616	6298	6954
	400 mm (33.309 Avg.wt Kg/m)	..	7128	7994	8827
	450 mm (42.065 Avg.wt Kg/m)	..	9002	10096	11147
27.4	10 Kg/cm² Series VI				
	16 mm (0.092 Avg.wt Kg/m)	Rm	20	22	24
	20 mm (0.134 Avg.wt Kg/m)	..	29	32	36
	25 mm (0.202 Avg.wt Kg/m)	..	43	48	54
	32 mm (0.334 Avg.wt Kg/m)	..	71	80	89
	40 mm (0.514 Avg.wt Kg/m)	..	110	123	136
	50 mm (0.796 Avg.wt Kg/m)	..	170	191	211
	63 mm (1.269 Avg.wt Kg/m)	..	272	305	336
	75 mm (1.782 Avg.wt Kg/m)	..	381	428	472
	90 mm (2.568 Avg.wt Kg/m)	..	550	616	681
	110 mm (3.801 Avg.wt Kg/m)	..	813	912	1007
	125 mm (4.962 Avg.wt Kg/m)	..	1062	1191	1315
	140 mm (6.209 Avg.wt Kg/m)	..	1329	1490	1645
	160 mm (8.079 Avg.wt Kg/m)	..	1729	1939	2141
	180 mm (10.256 Avg.wt Kg/m)	..	2195	2461	2718
	200 mm (12.620 Avg.wt Kg/m)	..	2701	3029	3344
	225 mm (16.014 Avg.wt Kg/m)	..	3427	3843	4244
	250 mm (19.757 Avg.wt Kg/m)	..	4228	4742	5236
	280 mm (24.708 Avg.wt Kg/m)	..	5288	5930	6548
	315 mm (31.16 Avg.wt Kg/m)	..	6668	7478	8257
	355 mm (39.635 Avg.wt Kg/m)	..	8482	9512	10503
	400 mm (50.344 Avg.wt Kg/m)	..	10774	12083	13341
	450 mm (63.598 Avg.wt Kg/m)	..	13610	15264	16853
Kathmandu दररेट					
1	10 mm dia	मिटर			500.00

(Handwritten signatures and marks)



नेपाल सरकार
मिनिस्टरको कार्यालय
गृह मन्त्रालय
सामग्री र प्रजातिहरूको नाम
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
2	150mm dia	..			1000.00
3	200mm dia	..			1500.00
4	250mm dia	..			1900.00
5	300mm dia	..			3160.00
6	400mm dia	..			4070.00
7	500mm dia	..			4870.00
8	600mm dia	..			8370.00
9	800mm dia	..			13875.00
10	1000mm dia	..			20900.00
28	UPVC (Pipe NS 206/046				
28.1	A) pipe 2.5 kg /cm² pressure				
a)	90 mm	र.मी	141	141	141
b)	110 mm	"	209	209	209
c)	125 mm	"	266	266	266
d)	140 mm	"	328	328	328
e)	160 mm	"	429	429	429
f)	180 mm	"	549	549	549
g)	200 mm	"	671	671	671
28.2	B) PVC Pipe 4 kg / cm²				
a)	63mm	र.मी	112	112	112
b)	75 mm	"	154	154	154
c)	90 mm	"	219	219	219
d)	110 mm	"	301	301	301
e)	125 mm	"	415	415	415
f)	140 mm	"	527	527	527
g)	160 mm	"	683	683	683
h)	180 mm	"	877	877	877
i)	200 mm	"	1064	1064	1064
28.3	C) PVC Pipe 6 Kg/ cm² pressure				
a)	40 mm	र.मी	66	66	66
b)	50 mm	"	99	99	99
c)	63 mm	"	159	159	159
d)	75 mm	"	222	222	222
e)	90 mm	"	320	320	320
f)	110 mm	"	462	462	462
g)	125 mm	"	616	616	616
h)	140 mm	"	766	766	766
i)	160 mm	"	982	982	982
j)	180 mm	र.मी	1252	1252	1252
k)	200 mm	..	1534	1534	1534
28.4	C) PVC Pipe 10 Kg/ cm² pressure				
a)	20 mm	र.मी	25	25	25
b)	25 mm	..	40	40	40
c)	32mm	..	65	65	65
a)	40 mm	..	98	98	98
b)	50 mm	..	155	155	155
c)	63 mm	..	246	246	246
d)	75 mm	..	351	351	351
e)	90 mm	..	501	501	501
f)	110 mm	..	742	742	742
g)	125 mm	..	950	950	950
h)	140 mm	..	1199	1199	1199

Handwritten signatures and marks at the bottom of the page.




सि.नं.	सामग्री र प्रजातिहरूको नाम	माप	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	i) 160 mm	"	1542	1542	1542
	j) 180 mm	"	1966	1966	1966
	k) 200 mm	"	2431	2431	2431
28.5	UPVC fittings :				
	Coupler				
	50 mm	गोटा	31	31	31
	75 mm	"	75	75	75
	110 mm	"	128	128	128
	Bend 87.5 degree				
	50 mm	गोटा	46	46	46
	75 mm	"	108	108	108
	110 mm	"	200	200	200
	Bend 45 degree				
	50 mm	गोटा	45	45	45
	75 mm	"	88	88	88
	110 mm	"	158	158	158
	Single Tee				
	50 mm	गोटा	68	68	68
	75 mm	"	147	147	147
	110 mm	"	279	279	279
	Pipe clip				
	50 mm	गोटा	14	14	14
	75 mm	"	28	28	28
	110 mm	"	37	37	37
	Bend 87.5 degree with door				
	75 mm	गोटा	139	139	139
	110 mm	"	242	242	242
	Single Tee with door				
	75 mm	गोटा	198	198	198
	110 mm	"	369	369	369
	Double Tee				
	75 mm	गोटा	322	322	322
	110 mm	"	510	510	510
	Double Tee with door				
	75 mm	गोटा	427	427	427
	110 mm	"	662	662	662
	Vent cowl				
	75 mm	गोटा	53	53	53
	110 mm	"	87	87	87
	Socket plug				
	75 mm	गोटा	66	66	66
	110 mm	"	108	108	108
	Single "Y"				
	75 mm	गोटा	168	168	168
	110 mm	"	363	363	363
	Single "Y" with door				
	75 mm	गोटा	230	230	230
	110 mm	"	438	438	438
	Double "Y"				
	75 mm	गोटा	253	253	253
	110 mm	"	499	499	499

Handwritten signatures and initials at the bottom of the page.



सि. नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Double "Y" with door			
	75 mm	गोटा 325	325	325
	110 mm	" 523	523	523
	Cleaning pipe			
	75 mm	" 147	147	147
	110 mm	" 284	284	284
	Reducer			
	110x 75 mm	" 131	131	131
	75X50 mm	" 69	69	69
	P -Trap			
	125mmx110mm	" 539	539	539
	110mmx110mm	" 505	505	505
	75mmx75mm	" 193	193	193
	Multi-Floor -Trap			
	110mmx75mm	" 280	280	280
	Nahani-Trap			
	110mmx75mm	" 255	255	255
	W.C. Connector (bent type)	" 261	261	261
	Square tile with jali	" 84	84	84
	Round jali	" 38	38	38
	End cap 50mm	" 25	25	25
29.0	G.I Pipe threaded , 6 m. length With Cap			
	a) Light class			
	i. ½ " (15 mm)	र.मी 102	111	111
	ii. ¾" (20 mm)	" 138	152	152
	iii. 1" (25 mm)	" 195	214	214
	iv. 1 ¼" (32 mm)	" 250	275	275
	v. 1 ½ " (40 mm)	" 310	341	341
	vi. 2" (50 mm)	" 475	522	522
	vii. 2 ½ " (65 mm)	" 540	594	594
	viii. 3" (80 mm)	" 635	698	698
	ix. 4" (100 mm)	" 913	1004	1004
	x. 5" (125 mm)	" 1385	1523	1523
	xi. 6" (150 mm)	" 1703	1873	1873
	xii. 8" (200 mm)	" 2453	2698	2698
	b) Medium class			
	i. ½ " (15 mm)	र.मी 120	132	132
	ii. ¾" (20 mm)	" 152	166	166
	iii. 1" (25 mm)	" 230	253	253
	iv. 1 ¼" (32 mm)	" 300	330	330
	v. 1 ½ " (40 mm)	र.मि 345	379	379
	vi. 2" (50 mm)	" 473	520	520
	vii. 2 ½ " (65 mm)	" 605	665	665
	viii. 3" (80 mm)	" 752	826	826
	ix. 4" (100 mm)	" 1458	1604	1604
	x. 5" (125 mm)	" 1517	1668	1668
	xi. 6" (150 mm)	" 1835	2018	2018
	xii. 8" (200 mm)	" 2805	3085	3085
	c) Heavy duty			
	i. ½ " (15 mm)	र.मि 143	157	157

Handwritten signatures and initials at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	नुवाकोट	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
ii.	¾" (20 mm)	"	178	196	196
iii.	1" (25 mm)	"	253	278	278
iv.	1 ¼" (32 mm)	"	345	379	379
v.	1 ½" (40 mm)	"	398	438	438
vi.	2" (50 mm)	"	585	643	643
vii.	2 ½" (65 mm)	"	730	803	803
viii.	3" (80 mm)	"	862	947	947
ix.	4" (100 mm)	"	1325	1457	1457
x.	5" (125 mm)	"	1708	1879	1879
xi.	6" (150 mm)	"	1600	1760	1760
xii.	8" (200 mm)	"	2980	3278	3278
30.0 G.I. Pipe fittings ISI or NS Standard					
a) G.M. Gate valve					
i.	½"	गोटा	802	802	802
ii.	¾"	"	998	998	998
iii.	1"	"	1608	1608	1608
iv.	1 ¼"	"	2294	2294	2294
v.	1 ½"	"	2889	2889	2889
vi.	2"	"	4599	4599	4599
vii.	2 ½"	"	9509	9509	9509
viii.	3"	"	11823	11823	11823
ix.	4"	"	19365	19365	19365
b) G.M Check valve					
i.	½"	गोटा	744	744	744
ii.	¾"	"	1000	1000	1000
iii.	1"	"	1479	1479	1479
iv.	1 ¼"	"	2186	2186	2186
v.	1 ½"	"	2529	2529	2529
vi.	2"	"	4194	4194	4194
vii.	2 ½"	"	8521	8521	8521
viii.	3"	"	11381	11381	11381
ix.	4"	"	16084	16084	16084
c) G.I. Elbow					
i.	½"	गोटा	43	43	43
ii.	¾"	"	78	78	78
iii.	1"	"	121	121	121
iv.	1 ¼"	"	183	183	183
v.	1 ½"	"	257	257	257
vi.	2"	"	387	387	387
vii.	2 ½"	"	671	671	671
viii.	3"	"	1044	1044	1044
ix.	4"	"	1799	1799	1799
x.	5"	"	4452	4452	4452
xi.	6"	"	5358	5358	5358
d) G.I. Tee					
i.	½"	गोटा	67	67	67
ii.	¾"	"	106	106	106
iii.	1"	"	154	154	154

Handwritten signatures and initials at the bottom of the page.



नेपाल स्टील मिल
जिल्ला प्रशासन कार्यालय
सुर्खेत

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
iv.	1 ¼"	"	247	247	247
v.	1 ½ "	"	342	342	342
vi.	2"	"	559	559	559
vii.	2 ½ "	"	878	878	878
viii.	3"	"	1187	1187	1187
ix.	4"	"	2156	2156	2156
x.	5"	"	5967	5967	5967
xi.	6"	"	6915	6915	6915
e) G.I Union					
i.	½ "	गोटा	141	141	141
ii.	¾"	"	198	198	198
iii.	1"	"	291	291	291
iv.	1 ¼"	"	400	400	400
v.	1 ½ "	"	495	495	495
vi.	2"	"	737	737	737
vii.	2 ½ "	"	1507	1507	1507
viii.	3"	"	2030	2030	2030
ix.	4"	"	2675	2675	2675
x.	5"	"	5967	5967	5967
xi.	6"	"	7219	7219	7219
f) G.I. Socket					
i.	½ "	गोटा	39	39	39
ii.	¾"	"	61	61	61
iii.	1"	"	83	83	83
iv.	1 ¼"	"	128	128	128
v.	1 ½ "	"	173	173	173
vi.	2"	"	255	255	255
vii.	2 ½ "	"	462	462	462
viii.	3"	"	681	681	681
ix.	4"	"	1179	1179	1179
x.	5"	"	2945	2945	2945
xi.	6"	"	3960	3960	3960
g) C.I. Plug					
i.	½ "	गोटा	25	25	25
ii.	¾"	"	33	33	33
iii.	1"	"	41	41	41
iv.	1 ¼"	"	82	82	82
v.	1 ½ "	"	103	103	103
vi.	2"	"	124	124	124
vii.	2 ½ "	"	178	178	178
viii.	3"	"	364	364	364
ix.	4"	"	698	698	698
h) Hex Nipple					
i.	½ "	गोटा	47	47	47
ii.	¾"	"	72	72	72
iii.	1"	"	116	116	116
iv.	1 ¼"	"	181	181	181
v.	1 ½ "	"	229	229	229
vi.	2"	"	341	341	341
vii.	2 ½ "	"	625	625	625

(Handwritten signatures and marks at the bottom of the page)



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
viii.	3"	"	807	807	807
ix.	4"	"	1237	1237	1237
i) Reducing Tee					
i.	¾"	गोटा	116	116	116
ii.	1"	"	170	170	170
iii.	1 ¼"	"	271	271	271
iv.	1 ½ "	"	376	376	376
v.	2"	"	614	614	614
vi.	2 ½ "	"	967	967	967
vii.	3"	"	1307	1307	1307
viii.	4"	"	2388	2388	2388
x.	5"	"	6570	6570	6570
xi.	6"	"	7605	7605	7605
i) Reducing Elbow					
i.	¾"	गोटा	86	86	86
ii.	1"	"	133	133	133
iii.	1 ¼"	"	203	203	203
iv.	1 ½ "	"	285	285	285
v.	2"	"	426	426	426
vi.	2 ½ "	"	736	736	736
vii.	3"	"	1134	1134	1134
viii.	4"	"	2008	2008	2008
x.	5"	"	4898	4898	4898
xi.	6"	"	5894	5894	5894
j) Reducing socket					
i.	¾"	गोटा	67	67	67
ii.	1"	"	90	90	90
iii.	1 ¼"	"	140	140	140
iv.	1 ½ "	"	188	188	188
v.	2"	"	281	281	281
vi.	2 ½ "	"	502	502	502
vii.	3"	"	717	717	717
viii.	4"	"	1293	1293	1293
x.	5"	"	3697	3697	3697
xi.	6"	"	4347	4347	4347
K) Short bend					
i.	½ "	गोटा	116	116	116
ii.	¾"	"	178	178	178
iii.	1"	"	273	273	273
iv.	1 ¼"	"	525	525	525
v.	1 ½ "	"	793	793	793
vi.	2"	"	1161	1161	1161
vii.	2 ½ "	"	2980	2980	2980
viii.	3"	"	4620	4620	4620
ix.	4"	"	6546	6546	6546
l) Cross Tee					
i.	½ "	गोटा	109	109	109
ii.	¾"	"	155	155	155
iii.	1"	"	244	244	244
iv.	1 ¼"	"	424	424	424

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.



नेपाल सरकार
गृह पन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
v.	1 ½ "	"	509	509	509
vi.	2"	"	825	825	825
vii.	2 ½ "	"	1392	1392	1392
viii.	3"	"	2017	2017	2017
ix.	4"	"	2723	2723	2723
M) Tanki nipple					
i.	½ "	गोटा	128	128	128
ii.	¾"	"	178	178	178
iii.	1"	"	266	266	266
iv.	1 ¼"	"	400	400	400
v.	1 ½ "	"	509	509	509
vi.	2"	"	825	825	825
vii.	2 ½ "	"	1588	1588	1588
viii.	3"	"	2115	2115	2115
ix.	4"	"	2806	2806	2806
G.I. Nipple Medium Class ISI or NS					
2" Long					
i.	½ "	गोटा	21	21	21
ii.	¾"	"	31	31	31
iii.	1"	"	42	42	42
iv.	1 ¼"	"	57	57	57
v.	1 ½ "	"	69	69	69
vi.	2"	"	106	106	106
3" Long					
i.	½ "	गोटा	31	31	31
ii.	¾"	"	47	47	47
iii.	1"	"	63	63	63
iv.	1 ¼"	"	85	85	85
v.	1 ½ "	"	105	105	105
vi.	2"	"	157	157	157
vii.	2 ½ "	"	216	216	216
viii.	3"	"	315	315	315
4" Long					
i.	½ "	गोटा	42	42	42
ii.	¾"	"	62	62	62
iii.	1"	"	84	84	84
iv.	1 ¼"	"	113	113	113
v.	1 ½ "	"	138	138	138
vi.	2"	"	211	211	211
vii.	2 ½ "	"	289	289	289
viii.	3"	"	421	421	421
ix.	4"	"	541	541	541
6" Long					
i.	½ "	गोटा	63	63	63
ii.	¾"	"	94	94	94
iii.	1"	"	126	126	126
iv.	1 ¼"	"	171	171	171
v.	1 ½ "	"	211	211	211
vi.	2"	"	316	316	316

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
जिल्ला गृह मन्त्रालय
सामग्री प्रजातिहरूको नाम कार्यालय कार्ड
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	कार्यालय कार्ड	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
vii.	2 1/2 "	"	432	432	432
viii.	3"	"	618	618	618
ix.	4"	"	764	764	764
9" Long					
i.	1/2 "	गोटा	94	94	94
ii.	3/4"	"	139	139	139
iii.	1"	"	168	168	168
iv.	1 1/4"	"	256	256	256
v.	1 1/2 "	"	344	344	344
vi.	2"	"	474	474	474
vii.	2 1/2 "	"	640	640	640
viii.	3"	"	947	947	947
ix.	4"	"	4059	4059	4059
12" Long					
i.	1/2 "	गोटा	126	126	126
ii.	3/4"	"	184	184	184
iii.	1"	"	209	209	209
iv.	1 1/4"	"	342	342	342
v.	1 1/2 "	"	421	421	421
vi.	2"	"	631	631	631
vii.	2 1/2 "	"	852	852	852
viii.	3"	"	1262	1262	1262
ix.	4"	"	1507	1507	1507
18" Long					
i.	1/2 "	गोटा	189	189	189
ii.	3/4"	"	233	233	233
iii.	1"	"	315	315	315
iv.	1 1/4"	"	512	512	512
v.	1 1/2 "	"	629	629	629
vi.	2"	"	947	947	947
vii.	2 1/2 "	"	1280	1280	1280
viii.	3"	"	1874	1874	1874
ix.	4"	"	2286	2286	2286
G.I./G.I. Flange					
i.	1 1/4"	गोटा	803	803	803
ii.	1 1/2 "	"	988	988	988
iii.	2"	"	1211	1211	1211
iv.	2 1/2 "	"	1416	1416	1416
v.	3"	"	1577	1577	1577
vi.	4"	"	1957	1957	1957
vii.	5"	"	2798	2798	2798
viii.	6"	"	2907	2907	2907
ix.	8"	"	5790	5790	5790
G.I./HDP Flange					
i.	1 1/4"	गोटा	865	865	865
ii.	1 1/2 "	"	1102	1102	1102
iii.	2"	"	1302	1302	1302
iv.	2 1/2 "	"	1520	1520	1520
v.	3"	"	1625	1625	1625
vi.	4"	"	2005	2005	2005
vii.	5"	"	2798	2798	2798

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजाधिकारको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
viii.	6"		2921	2921	2921
ix.	8"		6356	6356	6356
GI Endcap					
i.	1"	गोटा	106	106	106
ii.	1 ¼"	"	196	196	196
iii.	1 ½ "	"	240	240	240
iv.	2"	"	285	285	285
v.	2 ½ "	"	420	420	420
CI Plug					
i.	1"	गोटा	98	98	98
ii.	1 ¼"	"	182	182	182
iii.	1 ½ "	"	223	223	223
iv.	2"	"	265	265	265
v.	2 ½ "	"	390	390	390
GI Stainer					
i.	1"	गोटा	480	480	480
ii.	1 ¼"	"	648	648	648
iii.	1 ½ "	"	895	895	895
iv.	2"	"	1144	1144	1144
v.	2 ½ "	"	1450	1450	1450
vi.	3"	"	1960	1960	1960
HDPE Saddle clamp					
i.	1"	गोटा	141	141	141
ii.	1 ¼"	"	141	141	141
iii.	1 ½ "	"	183	183	183
iv.	2"	"	242	242	242
v.	2 ½ "	"	272	272	272
vi.	3"	"	301	301	301
Non returning CI Valve					
i.	3"	"	11400	11400	11400
ii.	4"	"	15200	15200	15200
iii.	5"	"	19600	19600	19600
iv.	6"	"	22800	22800	22800
HDP/HDP Flange set with adaptor					
i.	1 ¼"	गोटा	865	865	865
ii.	1 ½ "	"	1102	1102	1102
iii.	2"	"	1302	1302	1302
iv.	2 ½ "	"	1520	1520	1520
v.	3"	"	1625	1625	1625
vi.	4"	"	2005	2005	2005
vii.	5"	"	3178	3178	3178
viii.	6"	"	2921	2921	2921
ix.	8"	"	6356	6356	6356
Brass tap ½"					
i.	½ " (Wt. 400 gm)	गोटा	755	755	755
ii.	½ " ordinary	गोटा	171	171	171
Globe Valve (GM)					
i.	½ "	गोटा	770	770	770
ii.	¾"	"	1254	1254	1254
iii.	1"	"	1549	1549	1549

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
iv.	1 ¼"	"	2461	2461	2461
v.	1 ½ "	"	3097	3097	3097
vi.	2"	"	3867	3867	3867
vii.	2 ½ "	"	7595	7595	7595
viii.	3"	"	12550	12550	12550
ix.	4"	"	20292	20292	20292
Float Valve					
i.	½ "	गोटा	945	945	945
ii.	¾"	"	1069	1069	1069
iii.	1"	"	1297	1297	1297
iv.	1 ¼"	"	2242	2242	2242
v.	1 ½ "	"	3368	3368	3368
vi.	2"	"	4484	4484	4484
C.I. Air valve (Heavy)					
i.	½ "	गोटा	3130	3130	3130
ii.	¾"	"	4318	4318	4318
iii.	1"	"	4788	4788	4788
Brass Union with Adopter					
i.	½ "	गोटा	204	204	204
ii.	¾"	"	314	314	314
iii.	1"	"	475	475	475
iv.	1 ¼"	"	618	618	618
v.	1 ½ "	"	1102	1102	1102
vi.	2"	"	1634	1634	1634
Saddle Ferrule					
i.	1 ½ "	गोटा	295	295	295
ii.	2"	"	390	390	390
iii.	2 ½ "	"	1088	1088	1088
iv.	3"	"	1439	1439	1439
v.	4"	"	2052	2052	2052
Flow Regulating Valve (G.M.)					
i.	½"	गोटा	1102	1102	1102
C.I Sluice Valve					
i.	1 ½ "	गोटा	5705	5705	5705
ii.	2"	"	7610	7610	7610
iii.	2 ½ "	"	9505	9505	9505
iv.	3"	"	11409	11409	11409
v.	4"	"	15208	15208	15208
v.	5"	"	23114	23114	23114
v.	6"	"	27740	27740	27740
v.	8"	"	38836	38836	38836
Brass Ferrule Cock					
i.	½ "	गोटा	1254	1254	1254
ii.	¾"	"	1634	1634	1634
iii.	1"	"	2399	2399	2399
Ball valve					
a)	15mm	गोटा	428	428	428
b)	20 mm	"	542	542	542
c)	25 mm	"	727	727	727
d)	32 mm	"	876	876	876

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.

सि.नं.	सामग्री र प्रजातिहरूको नाम	मिति	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	e) 40 mm	नवाकाट	1696	1696	1696
	f) 50 mm	"	2784	2784	2784
31.0	Supplying of Rcc ring for construction of well				
31.1	Ring				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	563
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	697	697	697
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	811	811	811
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	1074	1074	1074
31.2	Supplying & fixing of metal frame and Rcc cover				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700
	ii) 36" dia. 60m thick R.C.C. ring cover with metal frame	"	2250	2250	2250
	iii) 42" dia. 60m thick R.C.C. ring cover with metal frame	"	2470	2470	2470
	iv) 48" dia. 60m thick R.C.C. ring cover with metal frame	"	2950	2950	2950
32.0	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)				
	i) 28" dia. R.C.C. Ring	र.सी	3892	3892	3892
	ii) 36" dia. R.C.C. Ring	"	4940	4940	4940
	iii) 42" dia. R.C.C. Ring	"	5750	5750	5750
	iv) 48" dia. R.C.C. Ring	"	7093	7093	7093
32.2	२५ फीट देखि माथीको गहीराइ भएमा				
	ईनार खन्नको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)				
	i) 28" dia. R.C.C. Ring	र.सी	5223	5223	5223
	ii) 36" dia. R.C.C. Ring	"	8832	8832	8832
	iii) 42" dia. R.C.C. Ring	"	10690	10690	10690
	iv) 48" dia. R.C.C. Ring	"	12843	12843	12843
33.0	Sanitary Tools				
a	Adjustable spanner				
	10"	Pc	248	248	248
	12"	Pc	468	468	468
	15"	Pc	1348	1348	1348
	18"	Pc	1595	1595	1595
b	Blow Torch				
	1/2 pint	Pc	1392	1392	1392
	1 pint	Pc	1716	1716	1716
c	Building Trowel	Pc	77	77	77
d	Chain Pipe wrench				



नेपाल सरकार
सामग्री र प्रजातिहरूको नामाङ्कन प्रणाली
मन्त्रालय
सामग्री प्रशासन कार्यालय
जुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नामाङ्कन प्रणाली	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	50mm	Pc	1595	1595	1595
	75mm	Pc	1898	1898	1898
	100mm	Pc	2228	2228	2228
	150mm	Pc	3135	3135	3135
	200mm	Pc	5335	5335	5335
e	Chain Pulley in Ton				
	3 ton	Pc	17050	17050	17050
	5 ton	Pc	28160	28160	28160
f	Stone Chisel 1"x12"	Pc	358	358	358
g	Die teeth oil with cane (250 ml size)	Pc	275	275	275
h	Smooth steel file half round				
	8"	Pc	523	523	523
	10"	Pc	1001	1001	1001
i	Flat file 10"	Pc	523	523	523
10.0	Hacksaw Blade				
	Single	Pc	4	4	4
	double	Pc	9	9	9
j	Hacksaw Frame 6mm	Pc	187	187	187
k	Handle die set				
	25 mm	Pc	3108	3108	3108
	50 mm	Pc	3520	3520	3520
	60 mm	Pc	9350	9350	9350
l	Heating Plate				
	80 mm	Pc	935	935	935
	100 mm	Pc	1073	1073	1073
	125 mm	Pc	1375	1375	1375
	150 mm	Pc	1639	1639	1639
	200 mm	Pc	2651	2651	2651
	250 mm	Pc	3212	3212	3212
	300 mm	Pc	3751	3751	3751
m	Iron Brush 12"	Pc	72	72	72
n	Iron Pan (madium)	Pc	253	253	253
o	Pick Axe 1.7 Kg.	Pc	418	418	418
p	Pipe Cutter				
	15-50 mm	Pc	1980	1980	1980
	65-80 mm	Pc	3080	3080	3080
	100 mm	Pc	4950	4950	4950
	125 mm	Pc	5500	5500	5500
	150 mm	Pc	9790	9790	9790
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350
r	Pipe Vice				
	2"	Pc	2420	2420	2420
	3"	Pc	3520	3520	3520
	4"	Pc	5308	5308	5308
	5"	Pc	9845	9845	9845
s	Pipe Wrench				
	10"	Pc	308	308	308
	12"	Pc	572	572	572
	14"	Pc	682	682	682
	18"	Pc	1084	1084	1084
	24"	Pc	1496	1496	1496
	36"	Pc	5280	5280	5280
	48"	Pc	9350	9350	9350
t	Plumb Bob Line	Pc	88	88	88
u	Rachet Die Set				
	1/2"-1"	Pc	4180	4180	4180
	1 1/4"-2"	Pc	7810	7810	7810

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	21/2"-3"	Pc	17050	17050	17050
v	Round File 10"	Pc	358	358	358
w	Screw Driver 12"	Pc	198	198	198
x	Shovel 1.5 Kg	Pc	358	358	358
y	Slide wrench				
	10"	Pc	352	352	352
	12"	Pc	473	473	473
	15"	Pc	1381	1381	1381
z	Spade	Pc	429	429	429
A	Spare Die Teeth				
	15 mm	Pc	572	572	572
	20 mm	Pc	572	572	572
	25 mm	Pc	572	572	572
	32 mm	Pc	908	908	908
	40 mm	Pc	1551	1551	1551
	50 mm	Pc	1568	1568	1568
	65 mm	Pc	1815	1815	1815
	80 mm	Pc	2035	2035	2035
B	Telflon Cover				
	5'x5'	Pc	303	303	303
	7'x7'	Pc	413	413	413
C	Telflon Cloth	m	3328	3328	3328
D	Telflon Tape 10 mm roll	Roll	17	17	17
E	Thermochrome Crayon				
	Indian	Pc	743	743	743
	Germany	Pc	1485	1485	1485
F	Tool Box (14"x8"x22")	Pc	2041	2041	2041
34	Anaerobic treatment for waste water (sintex/ equivalent)As per ASTM-D-2583 (, Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)				
	800 lts for 4 persons	nos	63750	63750	63750
	1200 lts for 6 people	nos	79050	79050	79050
	1600 lts for 10 persons	nos	95200	95200	95200
35	Irrigation Works excluding pipes including installation (Rainbird or equivalent)				
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	150	150	150
2	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	30	30	30

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
3	SPRINKLERS & ACCESSORIES				
	Unispray	No.	660	660	660
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	No.	1200	1200	1200
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	No.	1200	1200	1200
	gear rotors 5004	No.	3100	3100	3100
	Providing of 1/2" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA Series	No.	390	390	390
	Providing of 3/4" Pop up Connecting Swing joint Assembly . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. SA	No.	480	480	480
	Providing and fixing of HDPE service saddle of varying size		850	850	850
4	VALVES & ACCESSORIES				
	Providing and fixing PVC Ball Valve ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	1800	1800	1800
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	2100	2100	2100

Handwritten signatures and initials at the bottom of the page.

मिति



सि.नं.	सामग्री र प्रजातिहरुको नाम	भारत म अ.क. (VAT वाहेक) (रुपैयामा)			
		No.	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	No.	7500	7500	
	6" Round box.	No.	1250	1250	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	No.	13500	13500	
	Key threads into top of QCV to provide water access 33DK	No.	9750	9750	

Handwritten signatures and initials in black ink, including a large signature on the left and several smaller ones on the right.



Electrical Works

बिदुर, नुवाकोट

असार, २०७६



सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
ELECTRICAL WORK					
सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Dyana White Plate series				
1	SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT				
	One Gang one way switch	सेट	58	58	58
	One Gang two way switch	सेट	69	69	69
	One way bell switch	सेट	72	72	72
	Two gang one way switch	"	96	96	96
	Two gang one way switch with one bell push	"	105	105	105
	Two gang Full two way switch	"	107	107	107
	Three Gang one way switch	"	127	127	127
	Four gang one way switch	"	161	161	161
	Six gang one way switch (3x5)	"	253	253	253
	Eight gang one way switch	"	304	304	304
	Dimmer single 300 watt	"	309	309	309
	Dimmer single 750 watt	"	459	459	459
	5 Step humming free dimmer	"	407	407	407
	16Amp 3 Pin Plug Top	"	121	121	121
	1 switch with dimmer	"	368	368	368
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	151	151	151
	6/16 Amp , Power sockets with switch , indicator & safety shutter	"	169	169	169
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	"	371	371	371
	32A D.P. switch with fuse & indicator Surface Mounting	"	206	206	206
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611	611	611
	Blanking plate single	"	40	40	40
	Telephone socket single	"	118	118	118
	Telephone socket Double	"	169	169	169
	Angle / bottom holder	"	35	35	35
	Ceiling Rose	"	35	35	35
	Buzzer	"	97	97	97
	Musical bell	"	222	222	222
	T.V.antena single Socket	"	82	82	82
	6A 2/3 Pin unshuttered multi switch socket	"	128	128	128
	RJ 45 Computer Socket for modem	"	234	234	234
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	35	35	35
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	63	63	63
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	98	98	98

Handwritten signatures and marks at the bottom of the page.



नेपाल
गृह मन्त्रालय
जि.सं. ०७४/०७५
आ.व. ०७५/०७६
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent				
1.	10A 1gang 1way Switch	Set	83	83	83
	10A 2gang 1way Switch	Set	163	163	163
	10A 3gang 1way Switch	"	216	216	216
	10A 4gang 1way Switch	"	350	350	350
	10A 5gang 1way Switch	"	371	371	371
	10A 6gang 1way Switch	"	617	617	617
	10A 1gang 2way Switch	"	144	144	144
	10A 2gang 2way Switch	"	278	278	278
	10A 3gang 2way Switch	"	407	407	407
	10A 4gang 2way Switch	"	613	613	613
	T V Socket outlet	"	299	299	299
	Telephone Socket	"	268	268	268
	13A Universal socket outlet	"	464	464	464
	13A Socket	"	273	273	273
	15A switched Socket outlet	"	443	443	443
	5A Socket	"	340	340	340
	RJ 45 8way Computer Socket	"	824	824	824
	TV and Telephone Socket	"	592	592	592
	7+2 PIN SOCKET OUTLET	"	927	927	927
	3+2 PIN SOCKET OUTLET	"	577	577	577
	X5 2+2 - 2 PIN SOCKET OUTLET	"	783	783	783
	SCHUKO SOCKET WITH ONE SWITCH	"	505	505	505
	Bell Press	"	237	237	237
	Blank Plate	"	93	93	93
	400W Light Dimmer W/ Switch	"	906	906	906
	400W Fan Controller / Multi Step Dimmer	"	917	917	917
	5 Step Fan Controller	"	896	896	896
	2 Pin Socket W/ Switch	"	453	453	453
	13A Twin Socket	"	680	680	680
1	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack, Bentex, Premier, Rathi, Oh ms or EQUIVALENT				
	One Gang one way switch	सेट	100	100	100
	One Gang two way switch	सेट	112	112	112
	One way bell switch	सेट	112	112	112
	Two gang one way switch	"	133	133	133
	Two gang one way switch with one bell push	"	146	146	146
	Two gang Full two way switch	"	158	158	158
	Three Gang one way switch	"	167	167	167
	Four gang one way switch	"	202	202	202
	Six gang one way switch	"	307	307	307
	Eight gang one way switch	"	374	374	374
	Dimmer single 300 watt	"	486	486	486
	1 switch with dimmer	"	499	499	499
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	"	260	260	260
	6/13 Amp , Power sockets with switch , indicator	"	263	263	263
	20 A D.P. switch with fuse & indicator Surface Mounting	"	354	354	354

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	इरेरेट,सु.अ.क. (VAT वाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391	391	391
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474	474	474
	Blanking plate single	"	62	62	62
	Telephone socket single	"	152	152	152
	Telephone socket Double	"	249	249	249
	T.V. antenna single Socket	"	142	142	142
	RJ 45 Computer Socket for modem	"	206	206	206
	CAT-6 Computer Socket for modem	"	321	321	321
2	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent				
	1P – 6A/10A 1 way switch	No.	139	139	139
	1P – 16A/20A 1 way switch	"	223	223	223
	1P – 25A 1 way switch	"	326	326	326
	1P – 6A/10A 2 way switch	"	167	167	167
	1P – 16A/20A 2 way switch	"	253	253	253
	1P – 6A push button	"	184	184	184
	1 gang blanking module	"	43	43	43
	2 gang blanking module	"	86	86	86
	FAN REGULATOR / DIMMER				
	Step type fan regulator	No.	638	638	638
	60 – 500 W dimmer	"	797	797	797
	1000 W dimmer	"	1524	1524	1524
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	No.	240	240	240
	6/16A twin socket 3 pin (flushed)	"	332	332	332
	6/16A twin socket 3 pin (projected)	"	332	332	332
	25A 3 pin socket	"	401	401	401
	13A 3 pin socket	"	270	270	270
	RJ 11 telephone jack	"	159	159	159
	RJ 45 cat.6e computer socket	"	557	557	557
	TV socket	"	161	161	161
	250V/110V shaver socket	No.	4355	4355	4355
	Indicator (DO NOT DISTUURB)	"	180	180	180
	LED yellow night lamp	"	560	560	560
	LED Blue night lamp	"	560	560	560
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)				
	(White)				
	1 module front plate	No.	72	72	72
	2 module front plate	"	77	77	77
	3 module front plate	"	84	84	84
	4 module front plate	"	89	89	89
	6 module front plate	"	162	162	162
	8 module front plate(4+4)	"	217	217	217
	8 module front plate (Horizontal)	"	174	174	174
	12 module front plate	"	260	260	260
	18 module front plate	"	350	350	350

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller marks on the right.



सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट सूअ.क. (VAT वाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent				
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	No.	87	87	87
	1P – 16A/20A 1 way switch	"	144	144	144
	1P – 6A/10A 2 way switch	"	134	134	134
	1P – 16A/20A 2 way switch	"	175	175	175
	1P – 6A push button	"	134	134	134
	1 gang blanking module	"	41	41	41
	2 gang blanking module	"	78	78	78
	FAN REGULATOR / DIMMER				
	Step type fan regulator	No.	700	700	700
	60 – 500 W dimmer	"	597	597	597
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	No.	185	185	185
	6/16A twin socket 3 pin (flushed)	"	288	288	288
	6/16A twin socket 3 pin (projected)	"	288	288	288
	13A 3 pin socket	"	185	185	185
	RJ 11 telephone jack	"	144	144	144
	RJ 45 cat.6e computer socket	"	237	237	237
	TV socket	"	144	144	144
	1 module front plate	No.	113	113	113
	2 module front plate	"	113	113	113
	3 module front plate	"	148	148	148
	4 module front plate	"	165	165	165
	6 module front plate	"	227	227	227
	8 module front plate(4+4)	"	305	305	305
	8 module front plate (Horizontal)	"	313	313	313
	12 module front plate	"	363	363	363
	18 module front plate	"	453	453	453
	Flush mounting galvanized Metal box for modular type switch & socket				
	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	52	52	52
	2 module " " " =(78x78x45)mm	"	52	52	52
	3 gang " " " =(78x100x45)mm	"	56	56	56
	4 gang " " " =(78x140x50)mm	"	68	68	68
	5 gang " " " =(78x205x50)mm	"	134	134	134
3	6 gang " " " =(78x205x50)mm	"	136	136	136
	8 module metal box (4+4) =(78x230x60)mm	"	181	181	181
	8 module metal box (Horizontal) =(135x120x60)mm	"	181	181	181
	12 module metal box =(135x120x60)mm	"	231	231	231
	TV socket metal box	"	52	52	52
	Telephone socket metal box	"	52	52	52

Handwritten signature

Handwritten signature

Handwritten mark

Handwritten signature

Handwritten signature



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
गण्डकी प्रदेश
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	METAL Junction BOX			
	4"x4"	गोटा 100	100	100
	4"x6"	" 150	150	150
	6"x8"	" 237	237	237
	8"x10"	" 349	349	349
	8"x12"	" 349	349	349
	PVC Junction Box	" 34	34	34
	4"x4"	गोटा		
	4"x6"	" 31	31	31
	6"x8"	" 46	46	46
	8"x10"	" 67	67	67
	8" x12"	" 129	129	129
	Junction box cover	" 144	144	144
	PVC Listy Double Lock { 6'length =1 no.(गोटा)}			
	1/2 " breadth	गोटा 31	31	31
	3/4"	" 46	46	46
	1"	" 67	67	67
	1 1/2"	" 129	129	129
	2"	" 144	144	144
	PVC Conduit Pipe			
	1) 1/2 " diameter	र सी 31	31	31
	2) 3/4"	" 46	46	46
	3) 1"	" 67	67	67
	Listy Pipe Accessories			
	1/2"-2" size Saddle	र सी 8	8	8
	Grips (Denmark)	गोटा 6	6	6
	Steel screws	गोटा 2	2	2
	PVC Tape	गोटा 15	15	15
	8 Distribution board (DB)			
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager			
	4 way SPN DB Double Cover	सेट 1082	1082	1082
	6 way SPN DB " "	" 1135	1135	1135
	8 way SPN DB " "	" 1416	1416	1416
	12 way SPN DB " "	" 1679	1679	1679
	16 way SPN DB " "	" 1795	1795	1795
	3-4 way TPN DB Double Cover	" 2668	2668	2668
	6 way TPN " " "	" 2998	2998	2998
	8 way TPN " " " Vertical	" 5799	5799	5799
	12 way TPN " " " Vertical	" 7727	7727	7727
	50 Pair Telephone D.B.with crown tag	" 5446	5446	5446
	PVC Box for MCB			
	1-pole PVC box GPS	सेट 81	81	81
	2- pole PVC " "	" 81	81	81
	3 and 4-pole PVC " "	" 130	130	130
	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent			
	6-32 amp MCB SP (single pole)	गोटा 206	206	206
	6-32 amp MCB DP (Double pole)	" 1030	1030	1030
	6-32 amp MCB TP (Triple pole)	" 1710	1710	1710

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	इलेक्ट्रि. म. अ. क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	32 amp MCB TPN	"	2472	2472
	40-63 amp MCB DP	"	1648	1648
	40-63 amp MCB TP	"	2637	2637
	40-63 amp MCB TPN	"	3157	3157
10	Miniature Circuits Breaker (MCB)KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent			
	0.5-5 amp MCB SP (single pole)	गोटा	258	258
	6-32 amp MCB SP (single pole)	"	165	165
	6-32 amp MCB DP (Double pole)	"	618	618
	6-32 amp MCB TP (Triple pole)	"	1236	1236
	32 amp MCB TPN	"	1494	1494
	40-63 amp MCB DP	"	979	979
	40-63 amp MCB TP	"	1391	1391
	40-63 amp MCB TPN	"	1854	1854
	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent			
12	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	2751	2751
	63A 30mA DP RCCB	"	3278	3278
	63A 100mA DP RCCB	"	3014	3014
	63A 300mA DP RCCB	"	3064	3064
	25A to 40A ,(30mA,100,300mA) FP RCCB	"	3377	3377
	63A 30mA Four Pole RCCB	"	3706	3706
	63A 100mA Four Pole RCCB	"	3706	3706
	63A 300mA Four Pole RCCB	"	3706	3706
	Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent			
	16AMP- 63AMP TP MCCB 16KA		5665	5665
	80AMP TP MCCB 16KA		5665	5665
	100AMP TP MCCB 16KA		6386	6386
	125AMP TP MCCB 16KA		8240	8240
	160AMP TP MCCB 16KA		9785	9785
	16AMP- 63AMP TP MCCB 25KA		6386	6386
	80AMP TP MCCB 25KA		7045	7045
	100AMP TP MCCB 25KA		7045	7045
	125AMP TP MCCB 25KA		11330	11330
	160AMP TP MCCB 25KA		13390	13390
	200AMP TP MCCB 25KA(Adjustable)		21115	21115
	200AMP TP MCCB 36KA(Adjustable)		23175	23175
	250AMP TP MCCB 36KA(Adjustable)		27295	27295
	400AMP TP MCCB 50KA(Adjustable)		35535	35535
	630AMP TP MCCB 50KA(Adjustable)		48410	48410

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७५/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	800AMP TP MCCB 50KA(Adjustable)	नुमाकोट	63963	63963	63963
14	Manual Changeover Panel Type				
	Make ABB,Siemens,Hager DELTON or Equivalent				
	63 Amp FP	"	11618	11618	11618
	80 Amp FP	"	12854	12854	12854
	100 Amp FP	"	18210	18210	18210
	125 Amp FP	"	19199	19199	19199
	160 Amp FP	"	25214	25214	25214
	200 Amp FP	"	26038	26038	26038
	250 Amp FP	"	27686	27686	27686
	315 Amp FP	"	35020	35020	35020
15					
	<u>Dome light Make Homedec, Decon, Fumagalli OR equivalent</u>				
	6" Milky type decorative dome light	सेट	180	180	180
	6 " Brass base decorative dome light	"	736	736	736
	8"Milky type decorative dome light	"	227	227	227
	8 " Brass base decorative dome light	"	876	876	876
	8" Silver cast Milky base Decorative Dome Light	"	1107	1107	1107
	6) 8" Silver cast Black Base base Decorative Dome Light	"	567	567	567
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	"	1213	1213	1213
	<u>Wall bracket/spout light/mirror light bulk head</u> ordinary .Make Homedec,Decon,Fumagalli	"	232	232	232
	Wall bracket/spot light/mirror light /bulk head medium decorative.	"	361	361	361
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	"	824	824	824
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	"	968	968	968
	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	"	1514	1514	1514
	Dining lamp.	"	1700	1700	1700
	<u>Chandlers</u> 6-8 lamp Medium	"	15090	15090	15090
	Chandlers 3-5 lamp Medium	"	10764	10764	10764
	Mirror Light Euro Light Wipro WRF21111	"	464	464	464
	Picture light Euro Light POQ2	"	670	670	670



सि.नं.	सामग्री र प्रजातिहरूको नाम	दरिद मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७५/०७६	आ.व. ०७६/०७७		
	Wall spot Light E27 60W Euro or eqv.	"	361	361	361
	Exit Light safety sign(8.24)W Make Samcon	सेट	824	824	824
	Post top Lanterns				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	2575	2575	2575
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3090	3090	3090
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	3476	3476	3476
	8" Globe type Post top Lamp complete set	"	1416	1416	1416
	10" Globe type Post top Lamp complete set	"	2704	2704	2704
	Roadway light luminaires Wipro, Philips , Legero or Equivalent				
	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	2637	2637	2637
	2 x 36 W FTL street light fixture with acrylic diffuser complete set	"	3868	3868	3868
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	1545	1545	1545
	1000 watt halogen weather proof flood light with glass cover Complete set	"	3090	3090	3090
15.	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	9270	9270	9270
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	11382	11382	11382
	Single Piece deep drawn aluminum POT optics road light luminaries with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253	5253	5253
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271	2271	2271
	1X125W HPSV street light fixture with acrylic diffuser	"	5119	5119	5119
	2X60/100W GLS aviation light fixture all complete set	"	5686	5686	5686
	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G . Almondard or equivalent				
16	36" size ceiling Fan	गोटा	2163	2163	2163
	42" size " "	"	2266	2266	2266
	48" size " "	"	2318	2318	2318

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
दूरदर्शन म.अ.क. (VAT बाहेक)(रुपैयामा)
गृह मन्त्रालय
प्रशासनिक कक्षा, व.
०७४/०७५
नुवाकोट

सि. नं.	सामग्री र प्रजातिहरूको नाम		आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	56" size " "	"	2575	2575	2575
	6" Exhaust Fan	"	1494	1494	1494
	9" Exhaust Fan	"	1803	1803	1803
	16" size wall fan	"	2833	2833	2833
	12" size exhaust fan	"	2575	2575	2575
17	BELL INDICATOR				
	4 way bell indicator with plate	सेट	1255	1255	1255
	6 way " " " "	"	2049	2049	2049
	8 way " " " "	"	2851	2851	2851
	12 way " " " "	"	4395	4395	4395
18	Materials For Earthing & Lightning Protection (sp.gr. copper =8930kg/m³)				
	Copper plate	के जी	917	917	917
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के जी	1082	1082	1082
	Copper Strip (20mm breadth x 3mm thick)	के जी	1082	1082	1082
	Copper Strip (12 x 3)mm	के जी	1082	1082	1082
	Lightning rod copper conductor Air termination set	गोटा	2730	2730	2730
	8 SWG bare copper wire	र. मी	144	144	144
	29 mm Diameter GI Pipe of 1m length	र. मी	252	252	252
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	618	618
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15	15
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	196	196
	Funnel with wire mesh	गोटा	361	361	361
	Charcoal	व्याग	309	309	309
	Salt	के जी	12	12	12
19	STEEL TUBELAR POLE / WOODEN POLE				
	Steel Tubular Poles with welded plate on top and bottom (medium Gauge non Galvanized with folding System and accessories)				
	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	12057	12057	12057
	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia 2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	12978	12978	12978
	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height & 76 mm Dia and 1600mm height) with welded plate on top and bottom (medium Gauge non Galvanized with welded joints)	No	12484	12484	12484
	7 mtr.length Wooden Pole	No	4996	4996	4996
	9 mtr.length Wooden Pole	No	6798	6798	6798
20	Modular ceiling Luminaries			0	

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र घुजातिहरूको नाम	नेपाल इस्टिम अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७५/०७६	आ.व. ०७६/०७७		
	Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent			0	
	1x20 watt FTL (Patti fittings)	सेट	464	464	464
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	775	775	775
	1x20 watt FTL (Mirrolta) WRF 20120	"	876	876	876
	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	1020	1020	1020
	1x40 watt FTL box fittings WIF 14140	"	1159	1159	1159
	2x40 watt FTL box fittings WIF 14240	"	1751	1751	1751
	1x40 watt FTL Industrial channel WIF 36140	"	1782	1782	1782
	2x40 watt FTL Industrial channel WIF 36240	"	2287	2287	2287
	1x40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	1854	1854	1854
	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	3090	3090	3090
	4x20 watt FTL, oplite WCF 93418	"	5410	5410	5410
	4x20 watt FTL mirror optic , surface/recessed mounting WCF93418	"	5410	5410	5410
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	3554	3554	3554
	2x40 watt FTL mirror optic , surface/recessed mounting with electronic choke WVP40236	"	4326	4326	4326
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 louver Complete set WVF20414	सेट	9383	9383	9383
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	8245	8245	8245
	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent				

Handwritten signatures and marks at the bottom of the page.


सि.नं.	सामग्री र प्रजातिहरुको नाम	दरिद मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७५/०७६	आ.व. ०७६/०७७		
20	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP32218	2678	2678	2678	
	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	1833	1833	1833	
	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	2266	2266	2266	
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	6067	6067	6067	
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	6824	6824	6824	
	Recess mounting Direct Indirect LED luminare LM15-321-XXX-60-XX	10815	10815	10815	
	Recess mounting Direct Indirect LED luminare LM11-291-XXX-57-XX	14060	14060	14060	
	Recess Surface mounted LED luminate CRCO10R038HP57	13339	13339	13339	
	Hight efficiency circular LED Down Lighter LD71	3245	3245	3245	
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01	14600	14600	14600	
	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26	1082	1082	1082	
	Circular LED wall/Dome Light suitable for true ceiling LW01	3245	3245	3245	
	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX	3245	3245	3245	
	Recess mounted indirect and direct luminaires WVP 64236	6129	6129	6129	
2x36 Watt CFL Surface Mirror Optic WVP44236	6129	6129	6129		
Down Light Fiam Make					
FDL004 SMD7W-WWH Taiwan chip (120*90)	1298	1298	1298		
FDL004 SMD7W-CW Taiwan chip	1298	1298	1298		
FDLO04 SMD9W-WWH Taiwan chip (145*90)	1857	1857	1857		
FDLO04 SMD9W-CW Taiwan chip	1857	1857	1857		
FDLO04 SMD15W-WWH Taiwan chip (175*90)	2828	2828	2828		
FDLO04 SMD15W-CW Taiwan chip	2828	2828	2828		
FDL004 SMD30W-WWH Taiwan chip (200MM)	5091	5091	5091		
FDL004 SMD30W-CW Taiwan chip	5091	5091	5091		
FDLO12 COB5W-WWH (90MM)	1301	1301	1301		
FDLO12 COB5W-CW	1301	1301	1301		
FDLO12 COB10W-WWH (120MM)	1979	1979	1979		
FDLO12 COB10W-CW	1979	1979	1979		
FDLO12 COB15W-WWH Taiwan chip (140MM)	5091	5091	5091		
FDLO12 COB15W-CW Taiwan chip	5091	5091	5091		
FDLO12 COB25W-WWH Taiwan chip (175MM)	6787	6787	6787		
FDLO12 COB25W-CW Taiwan chip	6787	6787	6787		
FDLO12 COB30W-WWH Taiwan chip (200MM)	8483	8483	8483		

नेपाल सरकार
विकास प्रशासन विभाग
काठमाडौं

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	रेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	FDLO12 COB30W-CW Taiwan chip	8483	8483	8483
	FDLOO7 SMD12W-WWH Taiwan chip (130*110)	4184	4184	4184
	FDLOO7 SMD12W-CW Taiwan chip	4184	4184	4184
	FDLOO7 SMD18W-WWH Taiwan chip (165*145)	6108	6108	6108
	FDLOO7 SMD18W-CW Taiwan chip	6108	6108	6108
	FDLOO7 SMD24W-WWH Taiwan chip (195*175)	7635	7635	7635
	FDLOO7 SMD24W-CW Taiwan chip	7635	7635	7635
	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)	3167	3167	3167
	FDLOO1 HP5W FBK-CW Taiwan chip	3167	3167	3167
	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)	3167	3167	3167
	FDLOO1 HP5W FWH-CW Taiwan chip	3167	3167	3167
	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)	1301	1301	1301
	FDLLOO5 SMD7W-CW Taiwan chip	1301	1301	1301
	FDLOO5 SMD12W-WWH Taiwan chip (165MM)	1696	1696	1696
	FDLOO5 SMD12W-CW Taiwan chip	1696	1696	1696
	FDLOO5 SMD20W-WWH Taiwan chip (200MM)	3111	3111	3111
	FDLOO5 SMD20W-CW Taiwan chip	3111	3111	3111
	FM3161 HP 18W-WWH Cree Led	6787	6787	6787
	FM3161 HP 18W-CW Cree Led	6787	6787	6787
	HD-5010-13-WWH Osram chip (86*75)	2094	2094	2094
	HD-5010-13-CW Osram chip	2094	2094	2094
	HD-5010-14-WWH Osram chip (115*105)	3167	3167	3167
	HD-5010-14-CW Osram chip	3167	3167	3167
	HD-5010-14-WWH Osram chip (140*125)	3959	3959	3959
	HD-5010-14-CW Osram chip	3959	3959	3959
	HD-5010-18-WWH Osram chip (215*200)	7860	7860	7860
	HD-5010-18-CW Osram chip	7860	7860	7860
	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W	2451	2451	2451
	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000	2451	2451	2451
	LUCIA WHITE OPAL	1803	1803	1803
	LUCIA BLACK OPAL	1803	1803	1803
	LUCIA-GD WHITE OPAL	1803	1803	1803
	LUCIA-GD BLACK OPAL	1803	1803	1803
	REMI/LUCIA WHITE OPAL	2163	2163	2163
	REMI/LUCIA BLACK OPAL	2163	2163	2163
	REMI/LUCIA-EL WHITE OPAL	2163	2163	2163
	REMI/LUCIA-EL BLACK OPAL	2163	2163	2163
	REMI/LUCIA-GD WHITE OPAL	2163	2163	2163

Handwritten signatures and marks at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मू.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	REMI/LUCIA-GD BLACK OPAL	2163	2163	2163
	MADDI BULKHEAD WHITE OPAL	1803	1803	1803
	MADDI BULKHEAD BLACK OPAL	1803	1803	1803
	MADDI-VE BULKHEAD WHITE OPAL	2524	2524	2524
	MADDI-VE BULKHEAD BLACK OPAL	1803	1803	1803
	MADDI-HL BULKHEAD WHITE OPAL	1803	1803	1803
	MADDI-HL BULKHEAD BLACK OPAL	1803	1803	1803
	REMI/MADDI WHITE OPAL	2163	2163	2163
	REMI/MADDI BLACK OPAL	2163	2163	2163
	REMI/MADDI-VE WHITE OPAL	2163	2163	2163
	REMI/MADDI-VE BLACK OPAL	2163	2163	2163
	REMI/MADDI-HL WHITE OPAL	2163	2163	2163
	REMI/MADDI-HL BLACK OPAL	2163	2163	2163
	GABRI/MADDI 1L BLACK OPAL	7210	7210	7210
	MINIGABRI/MADDI 1L BLACK OPAL	6489	6489	6489
	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL	6489	6489	6489
	GELMI WHITE OPAL E27	2884	2884	2884
	GELMI BLACK OPAL E27	2884	2884	2884
	GELMI-EL WHITE OPAL E27	2884	2884	2884
	GELMI-EL BLACK OPAL E27	2884	2884	2884
	DANZI WHITE OPAL E27	2884	2884	2884
	DANZI BLACK OPAL E27	2884	2884	2884
	STUCCHI WHITE OPAL E27	3245	3245	3245
	STUCCHI BLACK OPAL E27	3245	3245	3245
	CECCHI WHITE OPAL E27	3245	3245	3245
	CECCHI BLACK OPAL E27	3245	3245	3245
	BISSO ANNA BLACK WITH OPAL DIFFUSER	3605	3605	3605
	MIKROLOT ANNA BLACK W/OPAL DIFFUSER	3605	3605	3605
	IESSE LANTERN BLACK W/OPAL DIFFUSER	3245	3245	3245
	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W	7210	7210	7210
	System Sensor Product (Honeywell)			
	Photo Electric Smoke Detector	1875	1875	1875
	Rate of Rise Heat Detector	1875	1875	1875
	Fixed temperature Detector	2287	2287	2287
	Base	371	371	371
	Conv. MCP, Red, with LED, 470 Ohm, with BB, India	1483	1483	1483
	Wall mount Horn+Strobe	4120	4120	4120
	Ceiling mount Horn+Strobe	4120	4120	4120
	Exit Light Samcon make			
	MODEL SLM 18	12360	12360	12360
	MODEL ELS 28	12360	12360	12360
	MODEL ETL 210H-4LA	12360	12360	12360

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
21	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)			
	500 watt halogen rod	गोटा 232	232	232
	1000 watt halogen rod	" 278	278	278
	70Watt SON Lamp (Sodium Vapour)	" 834	834	834
	150 watt sodium vapour bulb	" 1298	1298	1298
	250 watt sodium vapour bulb	" 1700	1700	1700
	20-40 watt FTL rod	" 80	80	80
	20-40 watt FTL Copper chowk.	" 258	258	258
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	" 412	412	412
	Acrylye cover for 4x20 FTL	" 989	989	989
	FTL starter	" 19	19	19
21	8 W to11W, C.F.L.Direct fit	" 232	232	232
	13 to 22W , C.F.L.Direct fit	" 299	299	299
	15-100 watt bulb.(ISI)	गोटा 26	26	26
	PL-S 9W/86 (CFL)	" 165	165	165
	PL-S 11W/86 (CFL)	" 175	175	175
	PL-L 36W/86 (CFL)	" 417	417	417
	125W HPL-N (Mercury Vapour)	" 371	371	371
	250W HPL-N	" 876	876	876
	Solar LED bulb			
	12V/2W LED bulb	" 361	361	361
	12V/3W LED bulb	" 412	412	412
	12V/4W LED bulb	" 464	464	464
	COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked			
	1/18 size p.v.c. insulated copper wire/ cable	क्यायल 948	948	948
	3/22 " "	" 1133	1133	1133
	3/20 " "	" 1803	1803	1803
	7/22 " "	" 2524	2524	2524
22	7/20 " "	" 4120	4120	4120
	7/18 " "	" 6489	6489	6489
	7/16 " "	" 13390	13390	13390
	19/18 " "	" 18025	18025	18025
	19/16 " "	" 36050	36050	36050
	2\20 " "	" 1370	1370	1370
	2\22 " "	" 927	927	927
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.			

Handwritten signatures and marks at the bottom of the page.



नेपाल संचार
सुदूर पश्चिम प्रदेश
सुदूर पश्चिम प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	1.0 mm PVC insulated Copper wire	क्वायल	1030	1030	1030
	1.5 mm PVC insulated Copper wire	"	1648	1648	1648
	2.5 mm PVC insulated Copper wire	"	2421	2421	2421
	4.0 mm PVC insulated Copper wire	"	3914	3914	3914
	6.0 mm PVC insulated Copper wire	"	6180	6180	6180
	10.0mm PVC insulated Copper wire	"	10300	10300	10300
23	Concentric cable NS marked Eqv.				
	4mm size concentric cable	र मी	23	23	23
	6mm size " "	र मी	26	26	26
	10mm size concentric cable	र मी	39	39	39
	16mm size " "	र मी	67	67	67
	25mm size " "	र मी	89	89	89
	RG6 Coaxial cable	र मी	23	23	23
	RG59 Coaxial cable	र मी	26	26	26
	UTP cat -5 networking cable	र मी	26	26	26
24	Telephone Drop wire/pair cable NS marked Eqv.				
	² / ₂₀ Telephone drop wire	क्वायल	989	989	989
	² / ₂₂ " "	क्वायल	670	670	670
	2- pair cable wire (2×2×0.45) mm Heavy	र मी	14	14	14
	3- pair cable wire (3×2×0.45) mm Heavy	"	20	20	20
	5- pair cable wire (5×2×0.45) mm Heavy	"	32	32	32
	10- pair cable wire (10×2×0.45) mm Heavy	"	62	62	62
	15- pair cable wire (15×2×0.45) mm Heavy	"	91	91	91
	20- pair cable wire (20×2×0.45) mm Heavy	"	119	119	119
	1mm drop wire	"	10	10	10
	1-4 Line EPABX, with 1set programmable master telephone set	सेट	7648	7648	7648
	2-6 Line EPABX "	"	18411	18411	18411
	3-8 Line EPABX "	"	20538	20538	20538
	4-12 Line EPABX "	"	36823	36823	36823
	6-16 Line EPABX "	"	49569	49569	49569
	8-24 Line EPABX "	"	84975	84975	84975
	8-48 Line EPABX "	"	90923	90923	90923
	8-72 Line EPABX "	"	97288	97288	97288
	Other Accessories				
25	6" size Dome light glass	गोटा	65	65	65
	8" size " " "	"	76	76	76
	wall bracket glass	"	65	65	65
	Fan regulator	"	271	271	271

[Handwritten signatures and marks]

[Handwritten signatures and marks]



नेपाल प्रजातन्त्र
जिल्ला प्रशासन कार्यालय
सुनसरी

सि.नं.	सामग्री र प्रजातिहरूको नाम	एकक	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
27	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent				
	60/75/100 AMP, 9"×36"×48" size	सेट	21414	21414	21414
	60/75/100 AMP "12×36"×48" size	"	25493	25493	25493
	60/75/100 AMP 9"×48"×60" size	"	35690	35690	35690
	60/75/100 AMP 12"×49"×60" size	"	42488	42488	42488
	150/200 AMP 9"×38"×52" size	"	23793	23793	23793
	150/200 AMP 12"×38"×52" size	"	23793	23793	23793
	150/200 AMP 9"×42"×56 "size	"	26496	26496	26496
	150/200 AMP 12"×42"×56" size	"	28179	28179	28179
	250/300AMP 12"×48"×60"size	"	34505	34505	34505
250/300AMP 12"×52"×62" size	"	38626	38626	38626	
400 AMP 12"×52"×66" size	"	41118	41118	41118	
29	Panel Board measurement instrument				
	0-500 volt meter	पिस	1023	1023	1023
	60/100 Amp meter .	"	979	979	979
	Panel Indicator	"	237	237	237
	2 Amp glass fuse with holder 12 mm size	"	134	134	134
	AMP meter selector switch	"	649	649	649
	volt meter selector switch	"	711	711	711
	60/100 Amp C.T. coil per set 3 Pcs	"	1432	1432	1432
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782	1782	1782
	250-300 AMP ,, ,,	"	2421	2421	2421
	400/500/600AMP ,, ,,	"	3554	3554	3554
	Kilo watt hour energy meter single phase	पिस	2271	2271	2271
	Kilo watt hour energy meter 3 phase direct	"	10228	10228	10228
30	Trailing Protected Industrial Plug IP44				
	16A 3P+E 400V Industrial plug	सेट	541	541	541
	32 A 3p +N+E " Plug	सेट	803	803	803
	32 A 3P+N+E water tight Plug IP67	सेट	1545	1545	1545
31	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600	20600	20600

Handwritten signatures and marks at the bottom of the page.



सि. नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
32	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	13905	13905	13905
33	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	64	64	64
	25 sq.mm " "	"	83	83	83
	35 sq.mm " "	"	64	64	64
	50 sq.mm " "	"	75	75	75
	70 sq.mm " "	"	92	92	92
	95 sq.mm " "	"	143	143	143
	150 sq.mm " "	"	215	215	215
	195 sq.mm " "	"	305	305	305
250 sq.mm " "	"	485	485	485	
34	Copper Conductor Armoured Power Cables NS marked or eqv.				
	a) 2 Core				
	1.5 mm2	र मी	103	103	103
	2.5 mm2	"	139	139	139
	4.0 mm2	"	191	191	191
	6.0 mm2	"	247	247	247
	10.0 mm2	"	371	371	371
	16.0 mm2	"	494	494	494
	25.0 mm2	"	721	721	721
	35.0 mm2	"	958	958	958
	50.0 mm2	"	1339	1339	1339
	b) 3 Core	"			
	1.5 mm2	"	129	129	129
	2.5 mm2	"	180	180	180
	4.0 mm2	"	258	258	258
	6.0 mm2	"	330	330	330
	10.0 mm2	"	494	494	494
	16.0 mm2	"	690	690	690
	25.0 mm2	"	1051	1051	1051
	35.0 mm2	"	1391	1391	1391
34	50.0 mm2 Copper Conductor Armoured	"	1906	1906	1906
	70.0 mm2	"	2678	2678	2678
	95.0 mm2	"	3605	3605	3605
	120.0 mm2	"	4532	4532	4532
	150.0 mm2	"	5562	5562	5562
	c) 3.5 Core				
	25.0 mm2	र मी	1257	1257	1257
	35.0 mm2	"	1597	1597	1597
	50.0 mm2	"	2245	2245	2245
	70.0 mm2	"	3090	3090	3090
	95.0 mm2	"	4120	4120	4120
	120.0 mm2	"	5408	5408	5408
	150.0 mm2	"	6386	6386	6386
185.0 mm2	"	7931	7931	7931	
240.0 mm2	"	10403	10403	10403	
300.0 mm2	"	13184	13184	13184	
400.0 mm2	"	17304	17304	17304	
	d) 4 Core				

Handwritten signatures and initials at the bottom of the page.



नेपाल सरकार
गृह मन्त्रालय
प्रशासन विभाग
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	1.5 mm ²	र मी	155	155	155
	2.5 mm ²	"	221	221	221
	4.0 mm ²	"	319	319	319
	6.0 mm ²	"	412	412	412
	10.0 mm ²	"	618	618	618
	16.0 mm ²	"	901	901	901
	25.0 mm ²	"	1339	1339	1339
	35.0 mm ²	"	1803	1803	1803
	50.0 mm ²	"	2575	2575	2575
	70.0 mm ²	"	3502	3502	3502
34	95.0 mm ² Copper Conductor Armoured	"	4738	4738	4738
	120.0 mm ²	"	5974	5974	5974
	150.0 mm ²	"	7416	7416	7416
	185.0 mm ²	"	9064	9064	9064
	240.0 mm ²	"	12360	12360	12360
	300.0 mm ²	"	14832	14832	14832
	400.0 mm ²	"	20085	20085	20085
	Copper Conductor Unarmoured Power Cables NS marked or Eqv.				
	a) 1-core				
	10 sq. mm.	र मी	43	43	43
	16 sq. mm.	"	65	65	65
	25 sq. mm.	"	76	76	76
	35 sq. mm.	"	91	91	91
	50 sq. mm.	"	121	121	121
	70 sq. mm.	"	158	158	158
	95 sq. mm.	"	214	214	214
	120 sq. mm.	"	260	260	260
	150 sq. mm.	"	308	308	308
	b) 2-core				
	1.5 sq.mm Copper Conductor Unarmoured	र मी	72	72	72
	2.5 sq.mm	"	103	103	103
	4 sq.mm	"	144	144	144
	6 sq.mm	"	196	196	196
	10 sq.mm	"	309	309	309
	16 sq.mm	"	427	427	427
	25 sq.mm	"	659	659	659
	35 sq.mm	"	896	896	896
	50 sq.mm	"	1236	1236	1236
	70 sq.mm	"	1236	1236	1236
	95 sq.mm	"	2318	2318	2318
	120 sq.mm	"	3039	3039	3039
	150 sq.mm	"	3811	3811	3811
	c) 3-core				
	1.5 sq.mm. 3- core copper conductor	र मी	93	93	93
	2.5 sq.mm	"	134	134	134
	4 sq.mm	"	196	196	196
	6 sq.mm	"	278	278	278
	10 sq.mm	"	438	438	438
	16 sq.mm	"	639	639	639
	25 sq.mm	"	979	979	979
	35 sq.mm	"	1318	1318	1318
	50 sq.mm	"	1854	1854	1854
	70 sq.mm	"	2575	2575	2575

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
मन्त्रालय
प्रशासन विभाग
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम		दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	95 sq.mm	"	3502	3502	3502
	120 sq.mm	"	4429	4429	4429
	150 sq.mm	र.मी	5459	5459	5459
	d) 3.5 core				
	25 sq.mm	र.मी	1205	1205	1205
	35 sq.mm Copper Conductor Unarmoured	"	1545	1545	1545
	50 sq.mm	"	2163	2163	2163
	70 sq.mm	"	3013	3013	3013
	95 sq.mm	"	4069	4069	4069
	120 sq.mm	"	5356	5356	5356
	150 sq.mm	"	6335	6335	6335
	e) 4-core Copper Conductor Unarmoured				
35	1.5 sq.mm	र.मी	113	113	113
	2.5 sq.mm	"	170	170	170
	4 sq.mm	"	252	252	252
	6 sq.mm	"	350	350	350
	10 sq.mm	"	556	556	556
	16 sq.mm	"	845	845	845
	25 sq.mm	"	1318	1318	1318
	35 sq.mm	"	1772	1772	1772
	50 sq.mm	"	2472	2472	2472
	70 sq.mm	"	3451	3451	3451
	95 sq.mm	"	4687	4687	4687
	120 sq.mm	"	5923	5923	5923
	150 sq.mm	"	7365	7365	7365
	185 sq.mm	"	9064	9064	9064
	240 Sq. mm	"	12257	12257	12257
300 Sq. mm	"	14832	14832	14832	
400 Sq. mm	"	20085	20085	20085	
	Aluminum conductor Armoured (Power) cable NS marked or eqv.				
	a) 2-core				
36	1.5 sq.mm	र.मी	-	-	-
	2.5 sq.mm	र.मी	93	93	93
	4 sq.mm	"	118	118	118
	6 sq.mm	"	134	134	134
	10 sq.mm	"	160	160	160
	16 sq.mm	"	180	180	180
	25 sq.mm	"	216	216	216
	35 sq.mm	"	247	247	247
	50 sq.mm	"	319	319	319
	70 sq.mm	"	397	397	397
95 sq.mm	"	505	505	505	
	b) 3-core				
2.5 sq.mm. Aluminum conductor Armoured	र.मी	108	108	108	
4 sq.mm	"	134	134	134	
6 sq.mm	"	149	149	149	
10 sq.mm	"	180	180	180	
16 sq.mm	"	206	206	206	
25 sq.mm Aluminum conductor Armoured	"	278	278	278	
35 sq.mm	"	335	335	335	
50 sq.mm	"	427	427	427	
70 sq.mm	"	541	541	541	
95 sq.mm	"	494	494	494	

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
विद्युत वितरण विभाग
प्रशासन कार्यालय
नुवाकोट

दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)

सि.नं.	सामग्री र प्रजातिहरुको नाम	मा.व. ०७४/०७५	आ.व.		
			०७५/०७६	०७६/०७७	
	120 sq.mm	834	834	834	
	150 sq.mm	1004	1004	1004	
	185 sq.mm	1236	1236	1236	
	240 sq.mm	1514	1514	1514	
	300 sq.mm	1854	1854	1854	
	400 sq.mm	2318	2318	2318	
	c) 3.5 core				
	25 sq.mm.	र.मी 319	319	319	
	35 sq.mm	371	371	371	
	50 sq.mm	489	489	489	
	70 sq.mm	628	628	628	
	95 sq.mm	803	803	803	
	120 sq.mm Aluminum conductor Armoured	979	979	979	
	150 sq.mm	र.मी 1174	1174	1174	
	185 sq.mm	1421	1421	1421	
	240 sq.mm	1772	1772	1772	
	300 sq.mm	2215	2215	2215	
36	400 sq.mm	2781	2781	2781	
	d) 4-core				
	2.5 sq.mm	र.मी 124	124	124	
	4 sq.mm	155	155	155	
	6 sq.mm	180	180	180	
	10 sq.mm	196	196	196	
	16 sq.mm	252	252	252	
	25 sq.mm	340	340	340	
	35 sq.mm	402	402	402	
	50 sq.mm	548	548	548	
	70 sq.mm	700	700	700	
	95 sq.mm	901	901	901	
	120 sq.mm	1082	1082	1082	
	150 sq.mm	1370	1370	1370	
	185 sq.mm	1627	1627	1627	
	240sq.mm	2039	2039	2039	
	300 sq.mm Aluminum conductor Armoured	2524	2524	2524	
	400sq.mm	3193	3193	3193	
37	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
	a) 1-core				
	16 sq.mm	र.मी 52	52	52	
	25 sq.mm	72	72	72	
	35 sq.mm	88	88	88	
	50 sq.mm	113	113	113	
	70 sq.mm	144	144	144	
	95 sq.mm	196	196	196	
	120 sq.mm	237	237	237	
	150 sq.mm	391	391	391	
	185 sq.mm	361	361	361	
	240 sq.mm	443	443	443	
	300 sq.mm	536	536	536	
	b) 2-core Aluminium conductor unarmoured				
	2.5 sq.mm	र.मी 52	52	52	
	4 sq.mm	62	62	62	
	6 sq.mm	र.मी 77	77	77	
	10 sq.mm	98	98	98	
	16 sq.mm	103	103	103	

[Handwritten signature]

९७

[Handwritten signature]



नेपाल सरकार
गृह मन्त्रालय
नगर प्रशासन कार्यालय
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरुको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	25 sq.mm	144	144	144
	35 sq.mm	185	185	185
	50 sq.mm	237	237	237
	70 sq.mm	299	299	299
	95 sq.mm 2 core	402	402	402
	c) 3-core			
	2.5 sq.mm	र मी 62	62	62
	4 sq.mm	72	72	72
	6 sq.mm	88	88	88
	10 sq.mm	124	124	124
	16 sq.mm	144	144	144
	25 sq.mm	206	206	206
	35 sq.mm	258	258	258
	50 sq.mm	340	340	340
	70 sq.mm	453	453	453
	95 sq.mm	597	597	597
37	120 sq.mm	742	742	742
	150 sq.mm	886	886	886
	185 sq.mm	1112	1112	1112
	240 sq.mm	1380	1380	1380
	300 sq.mm Aluminium conductor unarmoured	1751	1751	1751
	d) 3.5-core			
	25 sq.mm	र मी 258	258	258
	35 sq.mm	309	309	309
	50 sq.mm	412	412	412
	70 sq.mm	567	567	567
	95 sq.mm	742	742	742
	120 sq.mm	927	927	927
	150 sq.mm	1112	1112	1112
	185 sq.mm	1391	1391	1391
	240 sq.mm	1751	1751	1751
	300 sq.mm	2163	2163	2163
	e) 4-core core aluminium unarmoured			
	2.5 sq.mm	र मी 72	72	72
	4 sq.mm	82	82	82
	6 sq.mm	98	98	98
	10 sq.mm	134	134	134
	16 sq.mm	र मी 196	196	196
	25 sq.mm	288	288	288
	35 sq.mm	350	350	350
	50 sq.mm	484	484	484
	70 sq.mm 4	639	639	639
	95 sq.mm	845	845	845
	120 sq.mm	1030	1030	1030
	150 sq.mm	1288	1288	1288
	185 sq.mm	1597	1597	1597
	240 sq.mm	2009	2009	2009
	300 sq.mm	2472	2472	2472
38	Security Gate System			
	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा 16995	16995	16995
39	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv			
	0.75 TR capacity Wall Mounted split type Air	सेट -	-	
	Conditioning system			
	1.0 TR capacity Wall Mounted split type Air	सेट -	-	

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Conditioning system			
	Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company			
	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-
	Conditioning system			
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-
	Conditioning system			
41	2.0 TR capacity Wall Mounted split type Air	सेट	-	-
	Conditioning system			
	Air Conditioning system, whirlpool or Eqv Company			
	0.75 TR capacity Wall Mounted split type Air	सेट	-	-
	1.0 TR capacity Wall Mounted split type Air	सेट	-	-
	1.5 TR capacity Wall Mounted split type Air	सेट	-	-
	2.0 TR capacity Wall Mounted split type Air	सेट	-	-
42	General Lightig ANCHOR, C/G, Eqv.			
	1 x 40 W FTL Patti fitting	सेट	252	252
	1 x 20 W FTL Patti fitting	सेट	232	232
	1 x 40 W FTL Box Fitting	सेट	427	427
	1 x 20 W FTL Box fitting	सेट	417	417
	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	355	355
	GEWISS /BEC PVC Conduit product of Italy			
	RK Range			
	16 mm medium rigid conduit DX 25 316	Mtr.	88	88
	20 mm medium rigid conduit DX 25	"	124	124
	25 mm medium rigid conduit DX 25 325	"	175	175
	32 mm medium rigid conduit DX 25	"	252	252
	40 mm medium rigid conduit DX 25 340	"	345	345
	50 mm medium rigid conduit DX 25	"	530	530
	63 mm medium rigid conduit DX 25 363	"	999	999
43	16 mm heavy rigid conduit DX 25 716	"	165	165
	20 mm heavy rigid conduit DX 25 720	"	216	216
	25 mm heavy rigid conduit DX 25 725	"	288	288
	32 mm heavy rigid conduit DX 25 732	"	433	433
	40 mm heavy rigid conduit DX 25 740	"	587	587
	50 mm heavy rigid conduit DX 25 750	"	793	793
	63 mm heavy rigid conduit DX 25 763	"	1488	1488
	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	196	196
	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	247	247
	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	376	376

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
गृह मन्त्रालय
विद्युत् प्रशासन कार्यालय
नुवाकोट

सि. नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	623	623	623
	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	747	747	747
	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	963	963	963
	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	1200	1200	1200
	16 mm shockproof polymer saddle collar clip GW 50 605	"	31	31	31
	20 mm shockproof polymer saddle collar clip GW 50 606	"	36	36	36
	25 mm shockproof polymer saddle collar clip GW 50 607	"	41	41	41
	32 mm shockproof polymer saddle collar clip GW 50 608	"	62	62	62
	40 mm shockproof polymer saddle collar clip GW 50 630	"	98	98	98
	50 mm shockproof polymer saddle collar clip GW 50 631	"	118	118	118
	16 mm conduit coupler DX 40 016	"	36	36	36
	20 mm conduit coupler DX 40 020	"	46	46	46
44	25 mm conduit coupler DX 40 025	"	57	57	57
	32 mm conduit coupler DX 40 032	"	103	103	103
	40 mm conduit coupler DX 40 040	"	139	139	139
	50 mm conduit coupler DX 40 050	"	242	242	242
	63 mm conduit coupler DX 40 063	"	458	458	458
	16 mm tight bend DX 40 116	"	57	57	57
	20 mm tight bend DX 40 120	"	82	82	82
	25 mm tight bend DX 40 125	"	129	129	129
	32 mm tight bend DX 40 132	"	237	237	237
	40 mm tight bend DX 40 140	"	335	335	335
	50 mm tight bend DX 40 150	"	603	603	603
	63 mm tight bend DX 40 163	"	2359	2359	2359
	4 way junction box DX 45 004	"	670	670	670
	7 way junction box DX 45 007	"	803	803	803
	10 way junction box DX 45 010	"	1020	1020	1020
	Closing cap for junction box DX 47 000	"	118	118	118
	16 mm inspectionable T bend DX 40216	"	118	118	118
	20 mm inspectionable T bend DX 40220	"	149	149	149
	25 mm inspectionable T bend DX 40225	"	196	196	196
	32 mm inspectionable T bend DX 40232	"	237	237	237
	16 mm inspectionable bend DX 40 316	"	98	98	98
	20 mm inspectionable bend DX 40 320	"	118	118	118
	25 mm inspectionable bend DX 40 325	"	155	155	155
	32 mm inspectionable bend DX 40 332	"	185	185	185
45	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range				
	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	819	819	819
	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	973	973	973
	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	1174	1174	1174
	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	1318	1318	1318

Handwritten signatures and marks at the bottom of the page.



सि. नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	1540	1540	1540
	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	1710	1710	1710
	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	2137	2137	2137
	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	2513	2513	2513
	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	3090	3090	3090
	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	3281	3281	3281
	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	984	984	984
	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	1179	1179	1179
	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	1298	1298	1298
	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	1468	1468	1468
	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	1663	1663	1663
	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	1859	1859	1859
	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	2276	2276	2276
	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	2657	2657	2657
46	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	3456	3456	3456
	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	3749	3749	3749
	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	4584	4584	4584
	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	1313	1313	1313
	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	2122	2122	2122
	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	2781	2781	2781
	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	3852	3852	3852
	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	4836	4836	4836
	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	5449	5449	5449
	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	1494	1494	1494
	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	2271	2271	2271
	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	2884	2884	2884
	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	4151	4151	4151
	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	5016	5016	5016
	Intrusion Detection System			
	Make Honeywell or equivalent			
	Main Controller	सेट	38851	38851
	CONTROL, FIRE/BURG COMMERCIAL VISTA-128FBP			
	Smoke & Heat Detector	सेट	10545	10545
	Wireless Smoke and Head Detector			
	Door Contact	सेट	2678	2678
	Wireless Door Contact with transmitter			
47	Motion Detector	सेट	4178	4178

Handwritten signatures and marks at the bottom of the page.

सि.नं.	सामग्री र प्रजातिहरूको नाम गृह मन्त्रालयको प्रशासन कार्यालय, काठमाडौं	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Wireless Passive Infrared, Pets Immune Motion Detector			
	Panic Switch	सेट	4921	4921
	Wireless Panic Transmitter			
	Key	सेट	4780	4780
	Wireless Key to Arm and Disarm the System			
	Window Contact	सेट	2812	2812
	Wired door Contact with transmitter slim			
	Earth Quake Detector(JDS Inc, USA)	पिस	3601	3601
	Quake Alarm			
	Automatic Motor Operator for water motor			
48	Upto 1/2 HP single phase motor	सेट	4120	4120
	Upto 1 HP single phase motor	सेट	5665	5665
	Upto 5 HP three phase motor	सेट	9270	9270
49	CCTV System			
	Out door high speed Dome Integrated CAMERA Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.			
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	58916	58916
	Indoor high speed Dome Integrated CAMERA			
	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	54384	54384
	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	56650	56650
50	VISTA Box camera with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	15450	15450
	7" Spherical Shilded with bracket included chip excluded Camera		8364	8364
	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	33990	33990
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	50985	50985
	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	10815	10815
51	Electrical Equipments			0

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
एकतन्त्र प्रजातन्त्र
जिल्ला प्रशासन
मुस्ताकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम गृह प्रयोगका लागि	दररेट मु.अ.क. (VAT बाहेक)(रुपैयामा)		
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Earthing Materials (ISI or other International Standard)			0
	6 mm thick 600mm× 600 mm G.I. Plate	No.	2829	2829
	Funnelling Mechanism with cover (mild steel)	set	618	618
	3.2 mm thick 600mm× 600 mm Copper Plate	No.	9517	9517
	Copper wire (10 SWG)	Mtr.	155	155
	Service wire (Al)			
	2.5 mm ²	Mtr.	18	18
	4.0 mm ²	"	22	22
	6.0 mm ²	"	28	28
	Lightening Arrestor for 3 Phase .			
	0.5 KV	Set	1236	1236
	11 KV	Set	4326	4326
	Cross Arms V Channel.	No	3090	3090
	Stay set with accessories.			
	GI wire	No	1182	1182
	GI Plate	"	1185	1185
	Gay Insulator.	"	56	56
	Elbow		103	103
	Rod , Nut	No	445	445
	Grip	"	49	49
	Overhead Insulators (0.4KV)			
	Sackle Insulator	No	31	31
	D-Iron	"	93	93
	Nut Bolt (3" with 8 mm Ø)	"	15	15
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	23	23
	Overhead Insulators with fixing accessories (11KV)			
	Pin Insulator	No	185	185
	Disc Insulator	"	989	989
	Cross Arms V Channel.	"	2719	2719
	Sqarrel ACSR conductor 20mm ²	Rm.	17	17
	weasel ACSR conductor 30 mm ²	"	25	25
	Rabbit ACSR conductor 50 mm ²	"	41	41
	Dog ACSR conductor 100 mm ²	"	82	82
	Supply of aluminium ABC cable			
	25mm square 4 core ABC cable	Rm.	155	155
	50 mm square 4 core ABC cable	"	258	258
	95 mm square 4 core ABC cable	"	505	505
	Alternator 3 Phase Brush less with compounded Excitation. (KEL)			
52	AMF with ATS palel for DG Ankur metal or Equivalent			
	5KVA AMF with ATS palel	set	22660	22660
	7.5KVA AMF with ATS palel	"	28840	28840
	10KVA AMF with ATS palel	"	36050	36050
	15KVA AMF with ATS palel	"	46350	46350
	20KVA AMF with ATS palel	"	66950	66950
	25KVA AMF with ATS palel	"	77250	77250
	30KVA AMF with ATS palel	"	92700	92700
53	Solar system\Backup Power			
	Pure sine wave inverter			
	675 VA inverter	set	11483	11483
	875 VA inverter	"	12601	12601

Handwritten signatures and marks at the bottom of the page.



नेपाल सरकार
सिंह मन्त्रालय
प्रशासन
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम		दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	1500 VA inverter	"	18987	18987	18987
	3 KVA inverter	"	55947	55947	55947
	Exide Battery				
	tubular inverter Battery				
	80 AH inverter Battery	set	9935	9935	9935
	100 AH inverter Battery	"	11958	11958	11958
	150 AH inverter Battery	"	16698	16698	16698
	200 AH inverter Battery	"	20745	20745	20745
	75 AH tubular inverter Battery	"	12731	12731	12731
	100 AH tubular inverter Battery	"	16966	16966	16966
	150 AH tubular inverter Battery	"	24967	24967	24967
	200 AH tubular inverter Battery	"	31477	31477	31477
	Solar Panel	watt	144	144	144
54	Angel Eyes solar street light absorb energy				
	AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	29465	29465	29465
	AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	39743	39743	39743
	AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	45112	45112	45112
	AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	62814	62814	62814
	AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	35746	35746	35746
	AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	44882	44882	44882
	AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	55961	55961	55961
55	MCB/ISOLATOR ORIENT or equivalent				
	B CURVE MCB SP 6A-32A	pole	239	239	239
	B CURVE MCB SP 40A	pole	281	281	281
	B CURVE MCB SP 50A-63A	pole	281	281	281
	C CURVE MCB SP 0.5-4A	pole	281	281	281
	C CURVE MCB SP 6-32A	pole	239	239	239
	C CURVE MCB SP 40A	pole	446	446	446
	C CURVE MCB SP 50-63A	pole	446	446	446
	C CURVE MCB SPN 0.5-4A	pole	479	479	479
	C CURVE MCB SPN 6-32A	pole	513	513	513
	C CURVE MCB SPN 40A	pole	561	561	561
	C CURVE MCB SPN 50-63A	pole	561	561	561
	C CURVE MCB DP 0.5-4A	pole	617	617	617
	C CURVE MCB DP 6-32A	pole	564	564	564
	C CURVE MCB DP 40A	pole	617	617	617
	C CURVE MCB DP 50-63A	pole	617	617	617
	C CURVE MCB TP 0.5-4A	pole	925	925	925
	C CURVE MCB TP 6-32A	pole	847	847	847
	C CURVE MCB TP 40A	pole	925	925	925
	C CURVE MCB TP 50-63A	pole	925	925	925
	C CURVE MCB TPN 0.5-4A	pole	1206	1206	1206
	C CURVE MCB TPN 6-32A	pole	1103	1103	1103
	C CURVE MCB TPN 40A	pole	1206	1206	1206
	C CURVE MCB TPN 50-63A	pole	1206	1206	1206
	C CURVE MCB FP 0.5-4A	pole	1290	1290	1290
	C CURVE MCB FP 6-32A	pole	1180	1180	1180
	C CURVE MCB FP 40A	pole	1290	1290	1290
	C CURVE MCB FP 50-63A	pole	1290	1290	1290
	ISOLATOR DP 40A	pole	551	551	551

Handwritten signatures and marks at the bottom of the page.



नेपाल प्रजातन्त्र
गृह मन्त्रालय
प्रशासन कक्षा
नुवाकोट

सि.नं.	सामग्री र प्रजातिहरूको नाम	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)			
		आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७	
	ISOLATOR DP 63A	pole	551	551	551
	ISOLATOR DP 80-100A	pole	576	576	576
	ISOLATOR DP 125A	pole	611	611	611
	ISOLATOR FP 40A	pole	902	902	902
	ISOLATOR FP 63A	pole	902	902	902
	ISOLATOR FP 80-100A	pole	998	998	998
	ISOLATOR FP 125A	pole	998	998	998
	RCCB DP 25A 30mA	pole	3547	3547	3547
	RCCB DP 40A 30mA	pole	3547	3547	3547
	RCCB DP 63A 30mA	pole	3547	3547	3547
	RCCB DP 25A 100mA	pole	3345	3345	3345
	RCCB DP 40A 100mA	pole	3345	3345	3345
	RCCB DP 63A 100mA	pole	3345	3345	3345
	RCCB DP 25A 300mA	pole	3345	3345	3345
	RCCB DP 40A 300mA	pole	3345	3345	3345
	RCCB DP 63A 300mA	pole	3345	3345	3345
	RCCB FP 25A 30mA	pole	4155	4155	4155
	RCCB FP 40A 30mA	pole	4155	4155	4155
	RCCB FP 63A 30mA	pole	4155	4155	4155
	RCCB FP 25A 100mA	pole	4004	4004	4004
	RCCB FP 40A 100mA	pole	4004	4004	4004
	RCCB FP 63A 100mA	pole	4004	4004	4004
	RCCB FP 25A 300mA	pole	4004	4004	4004
	RCCB FP 40A 300mA	pole	4004	4004	4004
	RCCB FP 63A 300mA	pole	4004	4004	4004
	56 Solar component				
	Solar PV Module	Per watt	123	123	123
	Solar Tubular Battery (200Ah@c20,12v)	Nos	29767	29767	29767
	Solar Tubular Battery (150 Ah@c20,12v)	Nos	22763	22763	22763
	Solar Tubular Battery (100 Ah@c20,12v)	Nos	15759	15759	15759
	Solar Gel Battery (100 Ah@c20,12v)	Nos	31868	31868	31868
	Solar Gel Battery (75 Ah@c20,12v)	Nos	24339	24339	24339
	Solar Gel Battery (40 Ah@c20,12v)	Nos	14008	14008	14008
	Charge controller (60Ah/24V)	Nos	31518	31518	31518
	Charge controller 45Ah/12-24-48 V	Nos	23201	23201	23201
	Charge controller 10a/12-24 V	Nos	2627	2627	2627
	Charge controller 20a/12-24 V	Nos	3940	3940	3940
	Solar dusk to down controller 20A/12Vwith driver curcuit	Nos	4378	4378	4378
	Solar street light 20W/10W- 12V DC with autodimming system	Nos	14884	14884	14884
	Solar street light 40W/20W- 12V DC with autodimming system	Nos	30643	30643	30643
	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	16197	16197	16197
	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	20137	20137	20137
	40 watt solar street light	Nos	14008	14008	14008
	20 watt solar street light	Nos	8405	8405	8405
	12 watt solar street light	Nos	5428	5428	5428
	Pure sine wave inverter 250 VA /12 V	Nos	7004	7004	7004
	Pure sine wave inverter 400 VA /12 V	Nos	13133	13133	13133
	pure sine wave inverter 1400 VA	nos	22763	22763	22763

Handwritten signatures and initials at the bottom of the page.



सि.नं.	सामग्री र प्रजातिहरूको नाम	एकाई	दररेट मु.अ.क. (VAT वाहेक)(रुपैयामा)		
			आ.व. ०७४/०७५	आ.व. ०७५/०७६	आ.व. ०७६/०७७
	Ms light Arms	Set	2189	2189	2189
	SPV mounting frame	set	5691	5691	5691
	Battery box	Set	4378	4378	4378
	Battery stand	Set	4378	4378	4378



निर्णय नं. ७

माथि उल्लेख गर्न नसकिएका र यस जिल्लाको स्थानीय बजारमा उपलब्ध हुन नसक्ने निर्माण तथा अन्य आवश्यक सामग्री अन्य बजारबाट खरीद गर्नुपर्ने भएमा सम्बन्धित जिल्लाबाट तोकिएको जिल्ला दररेटलाई नै कायम गर्न सकिने र सो को कारण र औचित्य सहित दुवानी भाडा समेत थप गर्न सकिने निर्णय गरियो ।

निर्णय नं. ८

माथि उल्लेखित निर्णय अनुसार माथि महलमा उल्लेख गर्न नसकिएका निर्माण सामग्रीहरु तथा अन्य आवश्यक सामग्रीहरुको हकमा जुन कार्यालयलाई आवश्यक भएको हो सोही कार्यालयबाट, नेपाल सरकारको स्वामित्वमा रहेको संघ, संस्था, कम्पनी आदिले बिक्री गर्ने प्रचलित बजार दररेटलाई र नेपाल सरकारको स्वामित्वमा रहेका संघ, संस्था, कम्पनीबाट दररेट उपलब्ध हुन नसक्ने अवस्थामा निर्माण तथा अन्य आवश्यक सामग्रीको बजार सर्भेक्षण गरी उत्पादक/अधिकृत बिक्रतासँग कम्तीमा तीन (३) वटा कोटेसन लिई सबैभन्दा कम दररेटलाई आधार मानी लागत अनुमान गर्न सकिने निर्णय गरियो ।

निर्णय नं. ९

भोलुङ्गेपुल निर्माणका लागि प्रयोग हुने लड्डा तथा फेब्रिकेशन सामग्रीहरुको हकमा स्थानीय पूर्वाधार विभाग बाट स्वीकृत भई आएको दररेट कायम हुने निर्णय गरियो ।

निर्णय नं. १०

पेट्रोलियम पदार्थको हकमा नेपाल आयल निगमले तोकेको दररेटलाई आधार मान्ने निर्णय गरियो ।

निर्णय नं. ११

माथि उल्लेखित सम्पूर्ण आईटमहरुको दररेटमा मूल्य अभिवृद्धि कर (VAT) समावेश गरिएको छैन ।

Handwritten signatures and initials are present on the page, including a large signature on the right side and several smaller ones on the left and bottom.